

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	4	0.1
		2	13 years old	57	3.5
		3	14 years old	453	25.2
		4	15 years old	732	25.9
		5	16 years old	640	22.6
		6	17 years old	331	17.5
		7	18 years old or older	91	5.1
		Missing	3		
18-18	Q2	What is your sex?			
		1	Female	1,206	50.4
		2	Male	1,105	49.6
19-19	Q3	In what grade are you?			
		1	9th grade	510	30.6
		2	10th grade	798	27.0
		3	11th grade	673	21.9
		4	12th grade	309	20.3
		5	Ungraded or other grade	4	0.2
		Missing	17		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	723	32.1
		2	No	1,528	67.9
		Missing	60		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	1	0.0
		G	1	0.1
		F	7	0.2
		E	427	23.0
		D	161	5.2
		DE	2	0.1
		C	648	34.7
		C E	13	0.3
		CD	6	0.1
		B	506	32.9
		B E	8	0.1
		B D	6	0.1
		B DE	1	0.0
		BC	5	0.1
		BC E	2	0.0
		BCD	2	0.0
		A	111	2.8
		A E	3	0.0
		A C	9	0.1
		A C E	2	0.1
		AB	1	0.0
		ABC	1	0.0
		ABCDE	3	0.0
		ABCDEFGH	1	0.1
			384	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	770	33.8
		2 Never wore a helmet	1,191	52.7
		3 Rarely wore a helmet	141	6.3
		4 Sometimes wore a helmet	65	2.8
		5 Most of the time wore a helmet	57	2.5
		6 Always wore a helmet	42	1.9
		Missing	45	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	124	5.6
		2 Rarely	148	6.6
		3 Sometimes	340	14.5
		4 Most of the time	519	23.1
		5 Always	1,162	50.2
		Missing	18	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,155	96.9
		2 1 time	25	1.1
		3 2 or 3 times	22	0.9
		4 4 or 5 times	3	0.1
		5 6 or more times	23	1.0
		Missing	83	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,031	90.3
		2 1 day	53	2.4
		3 2 or 3 days	53	2.4
		4 4 or 5 days	19	0.9
		5 6 or more days	81	3.9
		Missing	74	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,214	97.0
		2 1 day	20	0.8
		3 2 or 3 days	15	0.7
		4 4 or 5 days	4	0.1
		5 6 or more days	29	1.3
		Missing	29	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,208	97.2
		2 1 day	17	0.7
		3 2 or 3 days	9	0.4
		4 4 or 5 days	5	0.3
		5 6 or more days	29	1.4
		Missing	43	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,118	93.5
		2 1 day	70	3.0
		3 2 or 3 days	37	1.5
		4 4 or 5 days	19	0.8
		5 6 or more days	33	1.2
		Missing	34	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,153	93.9
		2 1 time	64	2.7
		3 2 or 3 times	24	1.2
		4 4 or 5 times	17	0.6
		5 6 or 7 times	6	0.3
		6 8 or 9 times	3	0.1
		7 10 or 11 times	1	0.0
		8 12 or more times	25	1.1
		Missing	18	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,589	70.7
		2 1 time	249	11.2
		3 2 or 3 times	220	10.2
		4 4 or 5 times	69	3.2
		5 6 or 7 times	38	1.6
		6 8 or 9 times	13	0.5
		7 10 or 11 times	6	0.3
		8 12 or more times	51	2.3
		Missing	76	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,968	88.8
		2 1 time	143	6.2
		3 2 or 3 times	54	2.3
		4 4 or 5 times	21	1.2
		5 6 or 7 times	10	0.4
		6 8 or 9 times	6	0.3
		7 10 or 11 times	1	0.1
		8 12 or more times	18	0.8
		Missing	90	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	230	10.0
		2 No	2,039	90.0
		Missing	42	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	172	6.9
		2 No	2,105	93.1
		Missing	34	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	250	11.1
		2 No	1,993	88.9
		Missing	68	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	613	26.2
		2 No	1,659	73.8
		Missing	39	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	313	12.5
		2 No	1,953	87.5
		Missing	45	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,707	91.0
		2 1 time	114	5.5
		3 2 or 3 times	40	2.0
		4 4 or 5 times	12	0.5
		5 6 or more times	18	1.0
		Missing	420	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,687	91.0
		2 Yes	54	2.8
		3 No	127	6.2
		Missing	443	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	803	38.4
		2 No	1,308	61.6
		Missing	200	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	1,545	74.5
		2 8 years old or younger	57	2.6
		3 9 or 10 years old	42	1.7
		4 11 or 12 years old	97	4.9
		5 13 or 14 years old	201	9.3
		6 15 or 16 years old	128	5.7
		7 17 years old or older	21	1.2
		Missing	220	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,931	90.3
		2 1 or 2 days	65	3.1
		3 3 to 5 days	39	1.7
		4 6 to 9 days	25	1.0
		5 10 to 19 days	24	1.0
		6 20 to 29 days	23	1.0
		7 All 30 days	40	1.9
		Missing	164	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,909	90.0
		2 Less than 1 cigarette per day	64	2.7
		3 1 cigarette per day	52	2.3
		4 2 to 5 cigarettes per day	79	3.6
		5 6 to 10 cigarettes per day	12	0.7
		6 11 to 20 cigarettes per day	3	0.2
		7 More than 20 cigarettes per day	12	0.5
		Missing	180	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	2,082	95.6
		2 1 or 2 days	46	2.1
		3 3 to 5 days	13	0.6
		4 6 to 9 days	7	0.3
		5 10 to 19 days	10	0.4
		6 20 to 29 days	4	0.2
		7 All 30 days	16	0.8
		Missing	133	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	118	5.4
		2 No	2,014	94.6
		Missing	179	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,766	84.3
		2 Yes	199	9.2
		3 No	142	6.5
		Missing	204	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,166	97.0
		2 1 or 2 days	27	1.2
		3 3 to 5 days	15	0.6
		4 6 to 9 days	5	0.2
		5 10 to 19 days	4	0.2
		6 20 to 29 days	2	0.1
		7 All 30 days	15	0.7
		Missing	77	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	2,143	94.2
		2 1 or 2 days	67	3.0
		3 3 to 5 days	15	0.6
		4 6 to 9 days	14	0.7
		5 10 to 19 days	15	0.8
		6 20 to 29 days	2	0.1
		7 All 30 days	13	0.6
		Missing	42	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,012	47.1
		2 8 years old or younger	173	7.7
		3 9 or 10 years old	139	6.2
		4 11 or 12 years old	224	9.4
		5 13 or 14 years old	400	17.3
		6 15 or 16 years old	268	11.3
		7 17 years old or older	21	1.0
		Missing	74	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,444	71.7
		2 1 or 2 days	352	15.6
		3 3 to 5 days	138	6.8
		4 6 to 9 days	56	2.8
		5 10 to 19 days	43	2.1
		6 20 to 29 days	7	0.4
		7 All 30 days	14	0.7
		Missing	257	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,927	87.7
		2 1 day	134	5.7
		3 2 days	65	2.7
		4 3 to 5 days	43	1.8
		5 6 to 9 days	19	1.0
		6 10 to 19 days	12	0.6
		7 20 or more days	10	0.4
		Missing	101	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,442	71.3
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	56	2.7
		3 I bought it at a restaurant, bar, or club	30	1.2
		4 I bought it at a public event such as a concert or sporting event	13	0.5
		5 I gave someone else money to buy it for me	89	4.0
		6 Someone gave it to me	200	9.8
		7 I took it from a store or family member	117	5.1
		8 I got it some other way	120	5.4
		Missing	244	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	1,685	78.5
		2 1 or 2 times	136	6.1
		3 3 to 9 times	110	4.4
		4 10 to 19 times	49	2.2
		5 20 to 39 times	43	2.1
		6 40 to 99 times	61	2.9
		7 100 or more times	88	3.9
		Missing	139	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,721	78.7
		2 8 years old or younger	23	1.0
		3 9 or 10 years old	23	1.1
		4 11 or 12 years old	63	2.7
		5 13 or 14 years old	215	9.3
		6 15 or 16 years old	151	6.5
		7 17 years old or older	17	0.8
		Missing	98	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,937	88.3
		2 1 or 2 times	94	4.1
		3 3 to 9 times	67	3.1
		4 10 to 19 times	28	1.4
		5 20 to 39 times	32	1.5
		6 40 or more times	40	1.7
		Missing	113	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,121	95.8
		2 1 or 2 times	46	2.0
		3 3 to 9 times	18	0.8
		4 10 to 19 times	10	0.5
		5 20 to 39 times	2	0.1
		6 40 or more times	18	0.8
		Missing	96	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,995	88.7
		2 1 or 2 times	130	6.1
		3 3 to 9 times	55	2.5
		4 10 to 19 times	22	1.0
		5 20 to 39 times	12	0.5
		6 40 or more times	30	1.3
		Missing	67	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,162	97.5
		2 1 or 2 times	20	1.0
		3 3 to 9 times	9	0.4
		4 10 to 19 times	9	0.5
		5 20 to 39 times	5	0.3
		6 40 or more times	12	0.5
		Missing	94	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,148	97.1
		2 1 or 2 times	27	1.2
		3 3 to 9 times	12	0.7
		4 10 to 19 times	4	0.3
		5 20 to 39 times	5	0.2
		6 40 or more times	14	0.6
		Missing	101	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,125	95.3
		2 1 or 2 times	57	2.7
		3 3 to 9 times	20	1.0
		4 10 to 19 times	5	0.2
		5 20 to 39 times	2	0.0
		6 40 or more times	15	0.8
		Missing	87	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,154	97.4
		2 1 time	33	1.7
		3 2 or more times	19	0.9
		Missing	105	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	548	24.9
		2 No	1,661	75.1
		Missing	102	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	686	32.8
		2 No	1,312	67.2
		Missing	313	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,298	66.7
		2 11 years old or younger	72	3.4
		3 12 years old	78	3.8
		4 13 years old	140	6.6
		5 14 years old	185	8.6
		6 15 years old	127	5.8
		7 16 years old	68	3.6
		8 17 years old or older	23	1.4
		Missing	320	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,309	66.9
		2 1 person	233	11.1
		3 2 people	136	6.6
		4 3 people	82	3.9
		5 4 people	57	2.9
		6 5 people	48	2.3
		7 6 or more people	135	6.3
		Missing	311	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,303	66.8
		2 I have had sexual intercourse, but not during the past 3 months	226	10.9
		3 1 person	322	15.2
		4 2 people	68	3.2
		5 3 people	29	1.5
		6 4 people	11	0.6
		7 5 people	9	0.5
		8 6 or more people	26	1.3
		Missing	317	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,300	66.9
		2 Yes	123	5.6
		3 No	562	27.5
		Missing	326	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,284	67.5
		2 Yes	477	23.3
		3 No	183	9.2
		Missing	367	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,270	67.7
		2 No method was used to prevent pregnancy	110	5.4
		3 Birth control pills	36	1.6
		4 Condoms	403	20.3
		5 Depo-Provera (injectable birth control)	9	0.5
		6 Withdrawal	54	2.6
		7 Some other method	20	1.0
		8 Not sure	18	1.0
		Missing	391	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	How do you describe your weight?		
		1 Very underweight	95	4.4
		2 Slightly underweight	291	14.2
		3 About the right weight	1,161	54.5
		4 Slightly overweight	496	23.4
		5 Very overweight	76	3.5
		Missing	192	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	953	44.9
		2 Gain weight	428	21.1
		3 Stay the same weight	381	17.7
		4 I am not trying to do anything about my weight	345	16.4
		Missing	204	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	1,233	58.9
		2 No	847	41.1
		Missing	231	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	701	34.1
		2 No	1,346	65.9
		Missing	264	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	80	3.9
		2 No	1,931	96.1
		Missing	300	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	439	21.3
		2 1 to 3 times during the past 7 days	662	32.2
		3 4 to 6 times during the past 7 days	354	17.3
		4 1 time per day	165	7.8
		5 2 times per day	173	8.8
		6 3 times per day	93	4.4
		7 4 or more times per day	180	8.2
		Missing	245	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	313	15.6
		2 1 to 3 times during the past 7 days	747	36.7
		3 4 to 6 times during the past 7 days	358	17.0
		4 1 time per day	217	10.7
		5 2 times per day	197	10.5
		6 3 times per day	83	4.1
		7 4 or more times per day	117	5.5
		Missing	279	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	468	22.7
		2 1 to 3 times during the past 7 days	820	42.1
		3 4 to 6 times during the past 7 days	327	16.7
		4 1 time per day	112	5.4
		5 2 times per day	97	4.3
		6 3 times per day	70	3.6
		7 4 or more times per day	104	5.3
		Missing	313	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	376	18.7
		2 1 day	201	10.7
		3 2 days	198	10.2
		4 3 days	260	14.3
		5 4 days	187	9.7
		6 5 days	264	13.3
		7 6 days	88	4.8
		8 7 days	353	18.2
		Missing	384	
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	264	14.3
		2 Less than 1 hour per day	286	15.4
		3 1 hour per day	254	13.7
		4 2 hours per day	379	19.8
		5 3 hours per day	283	14.8
		6 4 hours per day	195	10.6
		7 5 or more hours per day	237	11.4
		Missing	413	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	292	15.0
		2 Less than 1 hour per day	288	15.1
		3 1 hour per day	280	15.0
		4 2 hours per day	297	15.0
		5 3 hours per day	276	15.0
		6 4 hours per day	158	8.6
		7 5 or more hours per day	323	16.4
		Missing	397	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Queens High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	333	19.4
		2 1 day	76	4.6
		3 2 days	209	10.5
		4 3 days	239	12.0
		5 4 days	197	8.9
		6 5 days	840	44.6
		Missing	417	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	1,074	57.6
		2 1 team	489	26.1
		3 2 teams	198	10.5
		4 3 or more teams	102	5.7
		Missing	448	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	379	19.9
		2 No	1,376	75.9
		3 Not sure	71	4.2
		Missing	485	
119-119	Q88	In what country was your mother or mother figure born?		
		1 United States	566	23.8
		2 China	150	8.2
		3 Dominican Republic	117	5.2
		4 Jamaica	166	7.0
		5 Mexico	94	4.2
		6 Puerto Rico	42	1.8
		7 Other	1,120	48.4
		8 I do not live with my mother or mother figure	36	1.5
		Missing	20	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
120-120	Q89	In what country was your father or father figure born?		
		1 United States	502	20.7
		2 China	137	7.4
		3 Dominican Republic	112	4.9
		4 Jamaica	184	7.9
		5 Mexico	91	4.0
		6 Puerto Rico	46	2.0
		7 Other	1,108	48.7
		8 I do not live with my father or father figure	102	4.5
		Missing	29	
121-121	Q90	How long have you lived in the US?		
		1 Less than one year	48	2.1
		2 1 to 3 years	118	5.1
		3 4 to 6 years	153	7.0
		4 7 or more years	1,946	85.8
		Missing	46	
122-122	Q91	What borough of New York do you live in?		
		1 Bronx	26	1.1
		2 Brooklyn	80	3.0
		3 Manhattan	26	1.2
		4 Queens	2,157	94.1
		5 Staten Island	12	0.6
		Missing	10	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	486	19.8
		2 Rarely	208	8.4
		3 Sometimes	416	18.4
		4 Most of the time	623	28.9
		5 Always	561	24.5
		Missing	17	
124-124	Q93	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?		
		1 Yes	268	11.2
		2 No	2,022	88.8
		Missing	21	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,976	87.6
		2 I bought them in a store such as a convenience store, supermarket, or gas station	65	2.9
		3 I bought them on the Internet	9	0.5
		4 I bummed them	19	0.8
		5 Someone gave them to me or bought them for me	136	6.0
		6 I stole them	16	0.7
		7 I got them some other way	42	1.5
		Missing	48	
126-126	Q95	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	2,042	91.4
		2 Yes, I was asked to show proof of age	85	3.8
		3 No, I was not asked to show proof of age	113	4.8
		Missing	71	
127-127	Q96	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	2,049	92.3
		2 1 or 2 times	84	4.0
		3 3 to 9 times	37	1.6
		4 10 to 19 times	18	0.9
		5 20 to 39 times	5	0.3
		6 40 or more times	22	0.9
		Missing	96	
128-128	Q97	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,726	81.0
		2 1 to 3 times	241	10.4
		3 4 to 7 times	101	4.6
		4 8 or more times	87	4.0
		Missing	156	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Queens High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
129-129	Q98	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,377	67.2
		2 The Patch (Ortho-Evra)	15	0.7
		3 The Ring (Nuva Ring)	16	0.8
		4 The IUD (intrauterine device)	6	0.4
		5 Implanon (implantable birth control)	4	0.1
		6 Emergency Contraception (EC) or the Morning After Pill	23	1.0
		7 I did not use any of these methods the last time I had sexual intercourse	488	22.4
		8 Not sure	164	7.4
		Missing	218	
130-130	Q99	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	1,802	86.7
		2 Hospital	35	1.6
		3 School-based health center (school clinic or somewhere else at school)	42	1.7
		4 Doctor's office (not in a hospital)	34	1.8
		5 Pharmacy or Botanica or bodega	47	2.3
		6 Community health center or clinic	15	0.7
		7 Someplace else	21	1.0
		8 Not sure	91	4.2
		Missing	224	
131-131	Q100	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	1,867	92.8
		2 1 time	89	4.4
		3 2 or more times	38	1.8
		4 Not sure	21	1.0
		Missing	296	
132-132	Q101	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	91	4.4
		2 No	1,893	93.0
		3 Not sure	51	2.6
		Missing	276	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
133-133	Q102	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	151	6.9
		2 No	1,869	89.9
		3 Not sure	69	3.1
		Missing	222	
134-134	Q103	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,119	53.6
		2 Females	531	24.4
		3 Males	413	18.0
		4 Females and males	81	3.9
		Missing	167	
135-135	Q104	Which of the following best describes you?		
		1 Heterosexual or straight	1,913	90.2
		2 Gay or lesbian	33	1.5
		3 Bisexual	115	5.2
		4 Not sure	69	3.1
		Missing	181	
136-136	Q105	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	256	12.2
		2 1 to 3 times during the past 7 days	649	31.4
		3 4 to 6 times during the past 7 days	400	20.2
		4 1 time per day	305	15.4
		5 2 times per day	206	11.0
		6 3 times per day	74	3.7
		7 4 or more times per day	119	6.1
		Missing	302	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	338	16.5
		2 1 to 3 times during the past 7 days	1,086	54.9
		3 4 to 6 times during the past 7 days	318	15.7
		4 1 time per day	112	5.4
		5 2 times per day	62	3.3
		6 3 times per day	21	1.0
		7 4 or more times per day	70	3.2
		Missing	304	
138-138	Q107	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	377	19.6
		2 1 to 3 times during the past 7 days	747	38.9
		3 4 to 6 times during the past 7 days	373	18.0
		4 1 time per day	173	8.3
		5 2 times per day	111	5.5
		6 3 times per day	72	3.6
		7 4 or more times per day	114	6.0
		Missing	344	
139-139	Q108	What kind of milk do you usually drink?		
		1 I do not drink milk	249	12.7
		2 Whole milk	706	36.2
		3 2% milk or reduced fat milk	441	22.2
		4 1% milk or low-fat milk	256	12.9
		5 Skim milk or non-fat milk	91	4.5
		6 Soy milk	75	3.6
		7 Not sure	157	7.9
		Missing	336	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
140-140	Q109	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	574	28.4
		2 1 day	78	4.3
		3 2 days	64	2.9
		4 3 days	63	3.3
		5 4 days	80	4.1
		6 5 or more days	1,096	56.9
		Missing	356	
141-141	Q110	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	533	26.5
		2 I mostly walk to school	345	18.4
		3 I mostly bike to school	35	2.0
		4 I mostly walk to public transportation to get to school	996	51.9
		5 I mostly bike to public transportation to get to school	22	1.2
		Missing	380	
142-142	Q111	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	1,028	52.9
		2 A few times a year	538	27.6
		3 At least once a month	120	6.5
		4 Several times a month	242	13.0
		Missing	383	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
143-143	Q112	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	313	18.5
		2 Less than 10 minutes	220	11.4
		3 10 to 20 minutes	338	17.9
		4 21 to 30 minutes	299	15.5
		5 31 to 40 minutes	320	16.7
		6 41 to 50 minutes	269	14.3
		7 51 to 60 minutes	59	3.0
		8 More than 60 minutes	57	2.9
		Missing	436	
144-144	Q113	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	275	14.5
		2 No	1,403	75.9
		3 Not sure	168	9.7
		Missing	465	
145-145	Q114	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	871	47.4
		2 Yes	244	12.6
		3 No	669	36.5
		4 Not sure	66	3.5
		Missing	461	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
146-146	Q115	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
		1 I have never needed to see a doctor or get advice on a sexual, physical, or mental health problem	1,164	64.4
		2 I needed to, but did not go anywhere the last time	108	5.4
		3 Family planning center (such as planned parenthood)	70	3.9
		4 Private doctor's office	221	12.2
		5 Public health clinic, health center, or community health center	116	6.0
		6 Hospital or emergency room	45	2.3
		7 School-based health center (school clinic)	32	1.7
		8 Other	79	4.2
		Missing	476	
147-147	Q116	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	257	14.5
		2 Yes	466	24.6
		3 No	1,083	60.9
		Missing	505	
148-148	Q117	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	1,329	72.5
		2 1 to 2 times	379	20.4
		3 3 to 5 times	95	5.1
		4 6 to 10 times	24	1.2
		5 11 to 20 times	3	0.2
		6 20 or more times	11	0.7
		Missing	470	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	445	23.7
		2 Agree	612	33.9
		3 Not sure	379	21.4
		4 Disagree	190	9.6
		5 Strongly disagree	208	11.4
		Missing	477	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,332	89.1
		2 No	164	10.9
		Missing	815	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	272	12.1
		2 No	2,021	87.9
		Missing	18	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	73	3.1
		2 No	2,155	96.9
		Missing	83	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	206	9.7
		2 No	2,031	90.3
		Missing	74	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	68	3.0
		2 No	2,214	97.0
		Missing	29	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	60	2.8
		2 No	2,208	97.2
		Missing	43	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	159	6.5
		2 No	2,118	93.5
		Missing	34	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	140	6.1
		2 No	2,153	93.9
		Missing	18	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	646	29.3
		2 No	1,589	70.7
		Missing	76	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	253	11.2
		2 No	1,968	88.8
		Missing	90	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	230	10.0
		2 No	2,039	90.0
		Missing	42	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	172	6.9
		2 No	2,105	93.1
		Missing	34	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	250	11.1
		2 No	1,993	88.9
		Missing	68	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	613	26.2
		2 No	1,659	73.8
		Missing	39	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	313	12.5
		2 No	1,953	87.5
		Missing	45	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	184	9.0
		2 No	1,707	91.0
		Missing	420	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	54	2.8
		2 No	1,814	97.2
		Missing	443	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	803	38.4
		2 No	1,308	61.6
		Missing	200	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	196	9.3
		2 No	1,895	90.7
		Missing	220	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	216	9.7
		2 No	1,931	90.3
		Missing	164	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	14	6.9
		2 No	198	93.1
		Missing	2,099	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	96	4.4
		2 No	2,082	95.6
		Missing	133	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	118	5.4
		2 No	2,014	94.6
		Missing	179	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	124	60.5
		2 No	79	39.5
		Missing	2,108	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	68	3.0
		2 No	2,166	97.0
		Missing	77	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	126	5.8
		2 No	2,143	94.2
		Missing	42	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	536	23.3
		2 No	1,701	76.7
		Missing	74	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	610	28.3
		2 No	1,444	71.7
		Missing	257	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	283	12.3
		2 No	1,927	87.7
		Missing	101	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	197	34.7
		2 No	407	65.3
		Missing	1,707	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	487	21.5
		2 No	1,685	78.5
		Missing	139	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	109	4.7
		2 No	2,104	95.3
		Missing	98	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	261	11.7
		2 No	1,937	88.3
		Missing	113	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	94	4.2
		2 No	2,121	95.8
		Missing	96	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	249	11.3
		2 No	1,995	88.7
		Missing	67	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	55	2.5
		2 No	2,162	97.5
		Missing	94	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	62	2.9
		2 No	2,148	97.1
		Missing	101	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	99	4.7
		2 No	2,125	95.3
		Missing	87	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	52	2.6
		2 No	2,154	97.4
		Missing	105	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	548	24.9
		2 No	1,661	75.1
		Missing	102	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	686	32.8
		2 No	1,312	67.2
		Missing	313	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	150	7.3
		2 No	1,841	92.7
		Missing	320	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	240	11.5
		2 No	1,760	88.5
		Missing	311	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	465	22.3
		2 No	1,529	77.7
		Missing	317	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	89	18.8
		2 No	364	81.2
		Missing	1,858	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	290	66.6
		2 No	144	33.4
		Missing	1,877	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	25	5.0
		2 No	406	95.0
		Missing	1,880	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	572	26.9
		2 No	1,547	73.1
		Missing	192	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	953	44.9
		2 No	1,154	55.1
		Missing	204	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,233	58.9
		2 No	847	41.1
		Missing	231	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	701	34.1
		2 No	1,346	65.9
		Missing	264	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	80	3.9
		2 No	1,931	96.1
		Missing	300	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,627	78.7
		2 No	439	21.3
		Missing	245	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,719	84.4
		2 No	313	15.6
		Missing	279	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	383	18.5
		2 No	1,615	81.5
		Missing	313	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	705	36.3
		2 No	1,222	63.7
		Missing	384	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	715	36.9
		2 No	1,183	63.1
		Missing	413	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	757	39.9
		2 No	1,157	60.1
		Missing	397	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,561	80.6
		2 No	333	19.4
		Missing	417	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	789	42.4
		2 No	1,074	57.6
		Missing	448	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	379	19.9
		2 No	1,447	80.1
		Missing	485	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	1,689	74.7
		2 No	602	25.3
		Missing	20	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	1,678	74.8
		2 No	604	25.2
		Missing	29	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	48	2.1
		2 No	2,217	97.9
		Missing	46	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,275	98.8
		2 No	26	1.2
		Missing	10	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	1,184	53.4
		2 No	1,110	46.6
		Missing	17	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	268	11.2
		2 No	2,022	88.8
		Missing	21	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	65	2.9
		2 No	2,198	97.1
		Missing	48	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	113	4.8
		2 No	2,127	95.2
		Missing	71	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	166	7.7
		2 No	2,049	92.3
		Missing	96	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	429	19.0
		2 No	1,726	81.0
		Missing	156	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	6	0.4
		2 No	2,087	99.6
		Missing	218	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	42	1.7
		2 No	2,045	98.3
		Missing	224	
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	127	6.2
		2 No	1,888	93.8
		Missing	296	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	91	4.4
		2 No	1,944	95.6
		Missing	276	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	151	6.9
		2 No	1,938	93.1
		Missing	222	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	81	3.9
		2 No	2,063	96.1
		Missing	167	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	148	6.7
		2 No	1,982	93.3
		Missing	181	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	704	36.2
		2 No	1,305	63.8
		Missing	302	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	265	12.9
		2 No	1,742	87.1
		Missing	304	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	470	23.5
		2 No	1,497	76.5
		Missing	344	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	347	17.4
		2 No	1,628	82.6
		Missing	336	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	1,381	71.6
		2 No	574	28.4
		Missing	356	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	380	20.3
		2 No	1,551	79.7
		Missing	380	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	362	19.5
		2 No	1,566	80.5
		Missing	383	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	1,004	52.3
		2 No	871	47.7
		Missing	436	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS		
		1 Yes	275	14.5
		2 No	1,571	85.5
		Missing	465	
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	244	12.6
		2 No	1,606	87.4
		Missing	461	
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem		
		1 Yes	32	1.7
		2 No	1,803	98.3
		Missing	476	
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	466	24.6
		2 No	1,340	75.4
		Missing	505	
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months		
		1 Yes	512	27.5
		2 No	1,329	72.5
		Missing	470	
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem		
		1 Yes	1,057	57.6
		2 No	777	42.4
		Missing	477	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	63	2.8
		2 No	2,084	97.2
		Missing	164	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Queens High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	244	11.2
		2 No	1,853	88.8
		Missing	214	
353-353	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	705	35.2
		2 No	1,309	64.8
		Missing	297	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	840	44.6
		2 No	1,054	55.4
		Missing	417	
356-356	QNOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	320	15.2
		2 No	1,812	84.8
		Missing	179	
357-357	QNOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	194	8.8
		2 No	1,938	91.2
		Missing	179	
358-367	WEIGHT			
368-370	STRATUM			
371-376	PSU			
383-387	BMIPCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Queens High School Survey
Codebook**

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
388-389	RACEETH				
		1	Am Indian / Alaska Native	65	0.3
		2	Asian	466	26.9
		3	Black or African American	550	26.7
		4	Native Hawaiian/other PI	65	0.2
		5	White	269	12.9
		6	Hispanic/Latino	312	14.4
		7	Multiple - Hispanic	404	18.4
		8	Multiple - non-Hispanic	50	0.2
			Missing	130	