

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	7	0.4
		2	13 years old	72	3.3
		3	14 years old	500	25.6
		4	15 years old	461	25.2
		5	16 years old	579	23.3
		6	17 years old	447	18.8
		7	18 years old or older	85	3.4
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	989	48.3
		2	Male	1,150	51.7
		Missing	18		
19-19	Q3	In what grade are you?			
		1	9th grade	594	29.3
		2	10th grade	458	27.9
		3	11th grade	583	22.3
		4	12th grade	495	20.3
		5	Ungraded or other grade	5	0.3
		Missing	22		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	605	23.6
		2	No	1,498	76.4
		Missing	54		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.1
		G	1	0.0
		E	1,029	62.3
		E H	1	0.1
		D	46	2.0
		DE	10	0.3
		C	354	20.9
		C E	33	1.3
		CD	8	0.3
		CDE	1	0.0
		B	252	8.6
		B F	1	0.1
		B E	14	0.5
		B D	5	0.1
		B DE	1	0.0
		BC	4	0.1
		BC E	2	0.1
		BCDE	1	0.1
		A	37	1.6
		A E	10	0.4
		A C	11	0.4
		A C E	6	0.3
		A CD	1	0.0
		A CDE	1	0.0
		AB	2	0.1
		AB DE	1	0.0
		ABC	1	0.0
		ABCDE	3	0.1
		ABCDEF	1	0.1
		ABCDEFGH	1	0.1
			316	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	845	38.0
		2 Never wore a helmet	993	46.7
		3 Rarely wore a helmet	117	5.7
		4 Sometimes wore a helmet	76	3.8
		5 Most of the time wore a helmet	51	2.5
		6 Always wore a helmet	63	3.3
		Missing	12	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,388	67.4
		2 0 times	637	29.9
		3 1 time	13	0.7
		4 2 or 3 times	15	0.6
		5 4 or 5 times	6	0.3
		6 6 or more times	25	1.1
		Missing	73	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,889	90.7
		2 1 day	58	2.9
		3 2 or 3 days	48	2.5
		4 4 or 5 days	8	0.4
		5 6 or more days	78	3.5
		Missing	76	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	2,046	97.0
		2	1 day	20	0.9
		3	2 or 3 days	12	0.7
		4	4 or 5 days	3	0.1
		5	6 or more days	29	1.3
		Missing	47		
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	2,026	96.3
		2	1 day	23	1.2
		3	2 or 3 days	22	1.0
		4	4 or 5 days	4	0.2
		5	6 or more days	31	1.3
		Missing	51		
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,961	92.4
		2	1 day	75	3.7
		3	2 or 3 days	34	1.8
		4	4 or 5 days	12	0.6
		5	6 or more days	35	1.6
		Missing	40		
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	2,006	93.1
		2	1 time	45	2.1
		3	2 or 3 times	37	2.0
		4	4 or 5 times	19	1.0
		5	6 or 7 times	7	0.3
		6	8 or 9 times	4	0.2
		7	10 or 11 times	1	0.0
		8	12 or more times	27	1.2
		Missing	11		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,639	76.0
		2	1 time	239	11.6
		3	2 or 3 times	141	6.6
		4	4 or 5 times	43	2.3
		5	6 or 7 times	15	0.7
		6	8 or 9 times	14	0.6
		7	10 or 11 times	6	0.3
		8	12 or more times	45	1.8
		Missing	15		
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	898	45.8
		2	0 times	938	48.0
		3	1 time	43	2.2
		4	2 or 3 times	28	1.5
		5	4 or 5 times	15	0.7
		6	6 or more times	37	1.8
		Missing	198		
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	910	45.6
		2	0 times	956	47.7
		3	1 time	40	2.2
		4	2 or 3 times	23	1.2
		5	4 or 5 times	11	0.5
		6	6 or more times	54	2.6
		Missing	163		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	338	16.5
		2 No	1,781	83.5
		Missing	38	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	261	13.0
		2 No	1,848	87.0
		Missing	48	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	560	26.6
		2 No	1,548	73.4
		Missing	49	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	292	14.0
		2 No	1,815	86.0
		Missing	50	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,706	91.2
		2 1 time	79	4.3
		3 2 or 3 times	53	3.0
		4 4 or 5 times	11	0.7
		5 6 or more times	15	0.9
		Missing	293	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,695	91.5
		2	Yes	60	3.3
		3	No	90	5.2
			Missing	312	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	609	30.3
		2	No	1,431	69.7
			Missing	117	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,801	88.2
		2	1 or 2 days	65	3.3
		3	3 to 5 days	41	2.1
		4	6 to 9 days	24	1.3
		5	10 to 19 days	25	1.2
		6	20 to 29 days	22	1.1
		7	All 30 days	54	2.7
			Missing	125	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,805	88.0
		2	Less than 1 cigarette per day	62	3.2
		3	1 cigarette per day	51	2.5
		4	2 to 5 cigarettes per day	78	3.9
		5	6 to 10 cigarettes per day	25	1.3
		6	11 to 20 cigarettes per day	8	0.3
		7	More than 20 cigarettes per day	15	0.7
			Missing	113	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	153	7.6
		2 No	1,885	92.4
		Missing	119	
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,976	93.0
		2 1 or 2 days	76	3.8
		3 3 to 5 days	19	1.0
		4 6 to 9 days	19	1.1
		5 10 to 19 days	6	0.2
		6 20 to 29 days	4	0.2
		7 All 30 days	16	0.7
Missing	41			
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,836	87.3
		2 1 or 2 days	130	6.2
		3 3 to 5 days	41	2.0
		4 6 to 9 days	27	1.2
		5 10 to 19 days	18	0.9
		6 20 to 29 days	11	0.7
		7 All 30 days	35	1.7
Missing	59			
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,377	71.5
		2 1 or 2 days	276	14.4
		3 3 to 5 days	130	6.8
		4 6 to 9 days	72	3.8
		5 10 to 19 days	37	1.9
		6 20 to 29 days	9	0.4
		7 All 30 days	21	1.1
Missing	235			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,726	85.8
		2	1 day	121	5.9
		3	2 days	62	2.9
		4	3 to 5 days	66	3.3
		5	6 to 9 days	16	0.8
		6	10 to 19 days	11	0.5
		7	20 or more days	15	0.7
		Missing	140		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	1,389	71.8
		2	1 or 2 drinks	225	11.6
		3	3 drinks	71	3.9
		4	4 drinks	50	2.7
		5	5 drinks	47	2.4
		6	6 or 7 drinks	60	3.1
		7	8 or 9 drinks	40	1.9
		8	10 or more drinks	51	2.6
		Missing	224		
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,356	69.7
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	80	4.0
		3	I bought it at a restaurant, bar, or club	24	1.5
		4	I bought it at a public event such as a concert or sporting event	24	1.3
		5	I gave someone else money to buy it for me	110	5.8
		6	Someone gave it to me	180	9.2
		7	I took it from a store or family member	73	3.8
		8	I got it some other way	91	4.7
		Missing	219		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,394	67.4
		2	8 years old or younger	53	2.5
		3	9 or 10 years old	23	1.1
		4	11 or 12 years old	99	5.4
		5	13 or 14 years old	247	12.4
		6	15 or 16 years old	218	10.0
		7	17 years old or older	28	1.3
		Missing	95		
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,635	79.6
		2	1 or 2 times	146	7.3
		3	3 to 9 times	101	5.0
		4	10 to 19 times	43	2.1
		5	20 to 39 times	41	2.0
		6	40 or more times	84	4.0
		Missing	107		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,927	93.6
		2	1 or 2 times	56	2.8
		3	3 to 9 times	19	0.9
		4	10 to 19 times	14	0.8
		5	20 to 39 times	11	0.5
		6	40 or more times	27	1.4
		Missing	103		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,989	95.3
		2	1 or 2 times	33	1.7
		3	3 to 9 times	21	0.9
		4	10 to 19 times	9	0.5
		5	20 to 39 times	8	0.4
		6	40 or more times	23	1.2
		Missing	74		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,966	94.5
		2 1 or 2 times	44	2.1
		3 3 to 9 times	25	1.3
		4 10 to 19 times	11	0.6
		5 20 to 39 times	10	0.6
		6 40 or more times	19	0.9
		Missing	82	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,902	92.4
		2 1 or 2 times	76	3.5
		3 3 to 9 times	30	1.5
		4 10 to 19 times	14	0.7
		5 20 to 39 times	10	0.5
		6 40 or more times	29	1.5
		Missing	96	
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,960	96.1
		2 1 time	38	1.9
		3 2 or more times	42	2.0
		Missing	117	
90-90	Q59	Have you ever had sexual intercourse?		
		1 Yes	499	26.6
		2 No	1,292	73.4
		Missing	366	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,290	73.1
		2 11 years old or younger	42	2.3
		3 12 years old	32	1.6
		4 13 years old	67	3.7
		5 14 years old	111	6.3
		6 15 years old	116	6.2
		7 16 years old	90	4.6
		8 17 years old or older	44	2.2
		Missing	365	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	1,274	73.2
		2	1 person	226	12.2
		3	2 people	66	3.7
		4	3 people	56	3.0
		5	4 people	34	1.8
		6	5 people	20	1.0
		7	6 or more people	93	5.1
		Missing	388		
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,284	73.0
		2	I have had sexual intercourse, but not during the past 3 months	152	8.2
		3	1 person	257	13.5
		4	2 people	33	2.0
		5	3 people	13	0.8
		6	4 people	15	0.8
		7	5 people	11	0.7
		8	6 or more people	21	1.1
		Missing	371		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,281	73.4
		2	Yes	112	6.1
		3	No	378	20.5
		Missing	386		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,279	74.9
		2	Yes	320	17.8
		3	No	136	7.3
		Missing	422		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,268	74.6
		2	No method was used to prevent pregnancy	85	4.5
		3	Birth control pills	63	3.5
		4	Condoms	257	14.3
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	3	0.3
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	7	0.4
		7	Withdrawal or some other method	22	1.2
		8	Not sure	17	1.2
		Missing	435		
97-97	Q66	How do you describe your weight?			
		1	Very underweight	94	4.8
		2	Slightly underweight	248	12.3
		3	About the right weight	998	51.2
		4	Slightly overweight	506	26.0
		5	Very overweight	107	5.6
		Missing	204		
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	956	50.1
		2	Gain weight	337	17.1
		3	Stay the same weight	297	15.2
		4	I am not trying to do anything about my weight	356	17.6
		Missing	211		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	552	29.6
		2	1 to 3 times during the past 7 days	734	38.4
		3	4 to 6 times during the past 7 days	277	13.6
		4	1 time per day	128	6.8
		5	2 times per day	94	4.6
		6	3 times per day	57	2.8
		7	4 or more times per day	81	4.2
		Missing	234		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	330	17.5
		2	1 to 3 times during the past 7 days	756	39.3
		3	4 to 6 times during the past 7 days	333	16.9
		4	1 time per day	201	10.2
		5	2 times per day	151	7.5
		6	3 times per day	79	3.6
		7	4 or more times per day	92	4.9
		Missing	215		
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	633	33.6
		2	1 to 3 times during the past 7 days	748	38.5
		3	4 to 6 times during the past 7 days	248	12.3
		4	1 time per day	100	5.2
		5	2 times per day	89	5.1
		6	3 times per day	39	2.0
		7	4 or more times per day	62	3.3
		Missing	238		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	460	24.9
		2	1 to 3 glasses during the past 7 days	600	31.7
		3	4 to 6 glasses during the past 7 days	308	16.4
		4	1 glass per day	238	12.3
		5	2 glasses per day	149	7.5
		6	3 glasses per day	70	3.8
		7	4 or more glasses per day	65	3.5
		Missing	267		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	305	16.2
		2	1 day	194	10.1
		3	2 days	245	13.3
		4	3 days	175	9.3
		5	4 days	137	7.0
		6	5 days	141	7.4
		7	6 days	100	5.2
		8	7 days	596	31.4
		Missing	264		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	289	15.5
		2	1 day	188	9.9
		3	2 days	179	9.6
		4	3 days	222	12.0
		5	4 days	190	10.3
		6	5 days	223	12.2
		7	6 days	129	7.2
		8	7 days	403	23.3
		Missing	334		
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	385	20.0
		2	Less than 1 hour per day	297	16.5
		3	1 hour per day	264	15.0
		4	2 hours per day	325	18.0
		5	3 hours per day	238	13.6
		6	4 hours per day	144	8.0
		7	5 or more hours per day	157	9.0
		Missing	347		
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	323	18.8
		2	Less than 1 hour per day	273	15.7
		3	1 hour per day	237	13.0
		4	2 hours per day	263	13.7
		5	3 hours per day	231	12.9
		6	4 hours per day	144	8.4
		7	5 or more hours per day	317	17.5
		Missing	369		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	332	19.0
		2	1 day	70	3.9
		3	2 days	106	5.8
		4	3 days	62	3.6
		5	4 days	100	5.7
		6	5 days	1,090	62.0
		Missing	397		
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	423	23.6
		2	No	1,215	70.7
		3	Not sure	98	5.7
		Missing	421		
118-118	Q87	What borough of New York do you live in?			
		1	Bronx	21	1.0
		2	Brooklyn	78	3.2
		3	Manhattan	10	0.5
		4	Queens	5	0.3
		5	Staten Island	2,025	95.0
		Missing	18		
119-119	Q88	How long have you lived in the United States?			
		1	I have always lived in the United States	1,751	83.1
		2	Less than 1 year	23	1.2
		3	1 to 3 years	50	2.2
		4	4 to 6 years	49	2.2
		5	More than 6 years but not my whole life	257	11.3
		Missing	27		
120-120	Q89	How often do the people in your home speak a language other than English?			
		1	Never	720	38.5
		2	Rarely	253	11.7
		3	Sometimes	377	16.5
		4	Most of the time	423	18.0
		5	Always	353	15.4
		Missing	31		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,809	83.5
		2	1 time	128	6.2
		3	2 or 3 times	80	3.9
		4	4 or 5 times	35	2.0
		5	6 or more times	89	4.3
		Missing	16		
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	351	16.8
		2	No	1,698	83.2
		Missing	108		
123-123	Q92	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,385	70.4
		2	Less than 1 month ago	55	3.0
		3	1 to 3 months ago	78	4.5
		4	4 to 6 months ago	59	3.1
		5	7 to 12 months ago	77	3.8
		6	13 or more months ago	301	15.2
		Missing	202		
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,766	86.5
		2	I bought them in a store such as a convenience store, supermarket, or gas station	80	4.1
		3	I bought them on the Internet	14	0.7
		4	I bummed them	33	1.7
		5	Someone gave them to me or bought them for me	92	4.9
		6	I stole them	20	0.9
		7	I got them some other way	27	1.2
		Missing	125		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	267	13.7
		2	No	1,723	86.3
			Missing	167	
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?			
		1	Yes	374	18.6
		2	No	1,694	81.4
			Missing	89	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?			
		1	I did not drink alcohol during the past 30 days	1,442	69.0
		2	I do not have a usual type	111	5.4
		3	Beer	121	5.8
		4	Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	100	4.9
		5	Wine coolers, such as Bartles & Jaymes or Seagrams	17	0.9
		6	Wine	38	2.0
		7	Liquor, such as vodka, rum, scotch, bourbon, or whiskey	219	10.4
		8	Some other type	33	1.6
			Missing	76	
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?			
		1	0 times	1,911	91.8
		2	1 time	63	3.3
		3	2 or 3 times	39	1.8
		4	4 or 5 times	23	1.1
		5	6 or 7 times	8	0.4
		6	8 or 9 times	9	0.4
		7	10 or 11 times	1	0.1
		8	12 or more times	26	1.2
			Missing	77	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	1,920	92.2
		2	1 time	50	2.5
		3	2 or 3 times	42	2.1
		4	4 or 5 times	29	1.6
		5	6 or 7 times	8	0.4
		6	8 or 9 times	7	0.3
		7	10 or 11 times	1	0.0
		8	12 or more times	20	0.9
		Missing	80		
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	1,318	71.7
		2	I have had sexual intercourse, but not during the past 3 months	118	6.1
		3	Never	91	4.6
		4	Rarely	31	1.6
		5	Sometimes	37	1.8
		6	Most of the time	70	3.8
		7	Always	203	10.4
		Missing	289		
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	1,323	72.3
		2	I have had sexual intercourse, but I have never used a condom	56	2.8
		3	Yes, the condom broke, tore, or slipped off	66	3.7
		4	No, the condom did not break, tear, or slip off	378	19.4
		5	Not sure	37	1.9
		Missing	297		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,316	72.2
		2 Yes	67	3.5
		3 No	397	20.6
		4 Not sure	74	3.8
		Missing	303	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it?		
		<p>DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>		
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	581	31.2
		2 6th grade or earlier	259	13.5
		3 7th grade	264	13.4
		4 8th grade	276	13.8
		5 9th grade	254	11.5
		6 10th grade	74	4.0
		7 11th or 12th grade	46	2.1
		8 Not sure	201	10.4
		Missing	202	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	53	2.9
		2 No	1,745	93.8
		3 Not sure	69	3.2
		Missing	290	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,049	56.8
		2 Females	434	22.4
		3 Males	314	16.8
		4 Females and males	78	4.0
	Missing	282		
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	1,688	86.4
		2 Gay or lesbian	47	2.4
		3 Bisexual	139	7.6
		4 Not sure	69	3.5
	Missing	214		
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	322	17.2
		2 1 to 3 times during the past 7 days	615	32.1
		3 4 to 6 times during the past 7 days	418	21.4
		4 1 time per day	278	14.0
		5 2 times per day	164	7.9
		6 3 times per day	61	3.1
		7 4 or more times per day	76	4.3
	Missing	223		
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	392	20.6
		2 1 to 3 times during the past 7 days	1,059	54.7
		3 4 to 6 times during the past 7 days	260	13.9
		4 1 time per day	96	5.2
		5 2 times per day	35	1.9
		6 3 times per day	19	1.0
		7 4 or more times per day	46	2.6
	Missing	250		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	509	27.3
		2	1 to 3 times during the past 7 days	774	39.5
		3	4 to 6 times during the past 7 days	314	16.8
		4	1 time per day	110	6.0
		5	2 times per day	81	4.3
		6	3 times per day	26	1.6
		7	4 or more times per day	84	4.6
		Missing	259		
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	256	13.6
		2	Whole milk	590	31.2
		3	2% milk or reduced fat milk	433	23.1
		4	1% milk or low-fat milk	255	13.3
		5	Skim milk or non-fat milk	97	5.4
		6	Soy milk	61	2.9
		7	Not sure	192	10.5
		Missing	273		
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	192	11.4
		2	I ride a bike all the way to school	32	2.0
		3	I use public transportation, such as a subway or city bus	826	46.0
		4	I ride a school bus	31	1.7
		5	I drive or ride in a car or other private vehicle	655	38.9
		Missing	421		
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	1,290	72.3
		2	Less than 10 minutes	149	8.6
		3	10 to 20 minutes	166	9.7
		4	21 to 29 minutes	68	3.7
		5	30 or more minutes	113	5.7
		Missing	371		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?			
		1	I do not take the bus or use public transportation to get to school	755	45.8
		2	I do not walk or bike to a bus stop or subway station to get to school	85	4.8
		3	I walk to the bus stop or subway station	831	47.3
		4	I ride a bike to the bus stop or subway station	32	2.0
		Missing	454		
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?			
		1	I do not walk or bike to a bus stop or subway station to get to school	788	46.9
		2	Less than 10 minutes	594	33.5
		3	10 to 20 minutes	233	13.5
		4	21 to 29 minutes	67	3.8
		5	30 or more minutes	44	2.3
		Missing	431		
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	283	15.8
		2	At least once a month	172	9.4
		3	A few times a year	427	24.0
		4	Never	934	50.8
		Missing	341		
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?			
		1	0 days	422	23.4
		2	1 day	223	11.9
		3	2 days	209	11.2
		4	3 days	216	12.4
		5	4 days	161	8.6
		6	5 days	227	12.8
		7	6 days	78	4.3
		8	7 days	272	15.4
		Missing	349		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	495	28.3
		2	1 day	207	11.4
		3	2 days	229	12.5
		4	3 days	210	11.4
		5	4 days	169	9.6
		6	5 days	467	26.8
		Missing	380		
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	121	7.3
		2	Yes	1,327	76.7
		3	No	285	16.1
		Missing	424		
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	250	14.2
		2	No	1,216	70.6
		3	Not sure	249	15.2
		Missing	442		
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	755	43.9
		2	Yes	299	16.8
		3	No	638	36.0
		4	Not sure	55	3.3
		Missing	410		
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	815	47.0
		2	Rarely	450	25.9
		3	Sometimes	264	15.1
		4	Most of the time	125	7.6
		5	Always	71	4.4
		Missing	432		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	1,535	87.4
		2	1 or 2 times	81	4.7
		3	3 to 9 times	65	3.9
		4	10 to 19 times	32	1.8
		5	20 to 39 times	19	1.2
		6	40 or more times	17	1.0
		Missing	408		
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	131	7.9
		2	Less than one hour	218	13.3
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	396	23.7
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	294	18.0
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	508	31.5
		6	Not sure	89	5.6
		Missing	521		
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	131	8.0
		2	Lower than 1/2 maximum volume	195	10.9
		3	About 1/2 maximum volume	400	23.7
		4	About 3/4 maximum volume	548	35.0
		5	At the maximum volume	298	18.7
		6	Not sure	54	3.6
		Missing	531		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	672	38.1
		2 1 time per week	300	17.8
		3 2 times per week	237	13.2
		4 3 times per week	192	10.9
		5 4 times per week	124	7.6
		6 5 times per week	76	4.4
		7 6 times per week	40	2.1
		8 7 or more times per week	103	5.9
		Missing	413	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,110	84.5
		2 No	190	15.5
		Missing	857	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	59	8.4
		2 No	637	91.6
		Missing	1,461	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	192	9.3
		2 No	1,889	90.7
		Missing	76	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	64	3.0
		2 No	2,046	97.0
		Missing	47	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	80	3.7
		2 No	2,026	96.3
		Missing	51	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	156	7.6
		2 No	1,961	92.4
		Missing	40	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	140	6.9
		2 No	2,006	93.1
		Missing	11	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	503	24.0
		2 No	1,639	76.0
		Missing	15	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	123	11.5
		2 No	938	88.5
		Missing	1,096	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	128	12.2
		2 No	956	87.8
		Missing	1,073	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	338	16.5
		2 No	1,781	83.5
		Missing	38	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	261	13.0
		2 No	1,848	87.0
		Missing	48	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	560	26.6
		2 No	1,548	73.4
		Missing	49	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	292	14.0
		2 No	1,815	86.0
		Missing	50	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	158	8.8
		2 No	1,706	91.2
		Missing	293	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	60	3.3
		2 No	1,785	96.7
		Missing	312	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	609	30.3
		2 No	1,431	69.7
		Missing	117	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	231	11.8
		2 No	1,801	88.2
		Missing	125	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	23	8.9
		2 No	206	91.1
		Missing	1,928	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	153	7.6
		2 No	1,885	92.4
		Missing	119	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	140	7.0
		2 No	1,976	93.0
		Missing	41	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	262	12.7
		2 No	1,836	87.3
		Missing	59	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	545	28.5
		2 No	1,377	71.5
		Missing	235	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	291	14.2
		2 No	1,726	85.8
		Missing	140	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	51	2.6
		2 No	1,882	97.4
		Missing	224	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	170	31.1
		2 No	363	68.9
		Missing	1,624	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	175	9.0
		2 No	1,887	91.0
		Missing	95	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	415	20.4
		2 No	1,635	79.6
		Missing	107	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	127	6.4
		2 No	1,927	93.6
		Missing	103	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	94	4.7
		2 No	1,989	95.3
		Missing	74	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	109	5.5
		2 No	1,966	94.5
		Missing	82	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	159	7.6
		2 No	1,902	92.4
		Missing	96	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	80	3.9
		2 No	1,960	96.1
		Missing	117	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	499	26.6
		2 No	1,292	73.4
		Missing	366	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	74	3.9
		2 No	1,718	96.1
		Missing	365	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	147	7.9
		2 No	1,622	92.1
		Missing	388	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	350	18.9
		2 No	1,436	81.1
		Missing	371	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	84	24.8
		2 No	253	75.2
		Missing	1,820	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	201	65.3
		2 No	110	34.7
		Missing	1,846	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	47	15.7
		2 No	260	84.3
		Missing	1,850	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
243-243	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	613	31.6
		2 No	1,340	68.4
		Missing	204	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	956	50.1
		2 No	990	49.9
		Missing	211	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,371	70.4
		2 No	552	29.6
		Missing	234	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,612	82.5
		2 No	330	17.5
		Missing	215	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	290	15.7
		2 No	1,629	84.3
		Missing	238	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	135	7.3
		2 No	1,755	92.7
		Missing	267	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days		
		1 Yes	596	31.4
		2 No	1,297	68.6
		Missing	264	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	755	42.7
		2 No	1,068	57.3
		Missing	334	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	539	30.5
		2 No	1,271	69.5
		Missing	347	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	692	38.9
		2 No	1,096	61.1
		Missing	369	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,428	81.0
		2 No	332	19.0
		Missing	397	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	423	23.6
		2 No	1,313	76.4
		Missing	421	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,129	99.5
		2 No	10	0.5
		Missing	18	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	23	1.2
		2 No	2,107	98.8
		Missing	27	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	776	33.4
		2 No	1,350	66.6
		Missing	31	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	332	16.5
		2 No	1,809	83.5
		Missing	16	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	351	16.8
		2 No	1,698	83.2
		Missing	108	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	269	14.4
		2 No	1,686	85.6
		Missing	202	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	80	4.1
		2 No	1,952	95.9
		Missing	125	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1 Yes	267	13.7
		2 No	1,723	86.3
		Missing	167	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1 Yes	374	18.6
		2 No	1,694	81.4
		Missing	89	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	219	40.6
		2 No	309	59.4
		Missing	1,629	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	169	8.2
		2 No	1,911	91.8
		Missing	77	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	157	7.8
		2 No	1,920	92.2
		Missing	80	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	203	46.9
		2 No	229	53.1
			Missing	1,725
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	66	3.7
		2 No	1,794	96.3
			Missing	297
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	67	3.5
		2 No	1,787	96.5
			Missing	303
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	1,173	58.4
		2 No	782	41.6
			Missing	202
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	53	2.9
		2 No	1,814	97.1
			Missing	290

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	78	4.0
		2 No	1,797	96.0
		Missing	282	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	186	10.0
		2 No	1,757	90.0
		Missing	214	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	579	29.2
		2 No	1,355	70.8
		Missing	223	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	196	10.8
		2 No	1,711	89.2
		Missing	250	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	301	16.4
		2 No	1,597	83.6
		Missing	259	
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	352	18.7
		2 No	1,532	81.3
		Missing	273	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	224	13.4
		2 No	1,512	86.6
		Missing	421	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	181	9.4
		2 No	1,605	90.6
		Missing	371	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	863	49.3
		2 No	840	50.7
		Missing	454	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	344	19.6
		2 No	1,382	80.4
		Missing	431	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	882	49.2
		2 No	934	50.8
		Missing	341	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	954	53.5
		2 No	854	46.5
		Missing	349	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	1,282	71.7
		2 No	495	28.3
		Missing	380	
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,327	76.7
		2 No	406	23.3
		Missing	424	
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	250	14.2
		2 No	1,465	85.8
		Missing	442	
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	299	16.8
		2 No	1,448	83.2
		Missing	410	
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	196	12.1
		2 No	1,529	87.9
		Missing	432	
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	214	12.6
		2 No	1,535	87.4
		Missing	408	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	802	49.5
		2 No	834	50.5
		Missing	521	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	1,246	77.5
		2 No	380	22.5
		Missing	531	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	772	44.1
		2 No	972	55.9
		Missing	413	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	76	3.8
		2 No	1,956	96.2
		Missing	125	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	343	17.7
		2 No	1,657	82.3
		Missing	157	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	10	3.7
		2 No	297	96.3
			1,850	
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	57	19.3
		2 No	250	80.7
			1,850	
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	23	7.5
		2 No	274	92.5
			1,860	
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	61	18.9
		2 No	246	81.1
			1,850	
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	492	25.1
		2 No	1,403	74.9
			262	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	133	7.2
		2 No	1,762	92.8
		Missing	262	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	999	51.1
		2 No	896	48.9
		Missing	262	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	296	15.0
		2 No	1,599	85.0
		Missing	262	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	633	33.6
		2 No	1,286	66.4
		Missing	238	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	190	10.5
		2 No	1,729	89.5
		Missing	238	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	101	5.4
		2 No	1,818	94.6
		Missing	238	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	460	24.9
		2 No	1,430	75.1
		Missing	267	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	522	27.0
		2 No	1,368	73.0
		Missing	267	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	284	14.7
		2 No	1,606	85.3
		Missing	267	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	305	16.2
		2 No	1,588	83.8
		Missing	264	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	1,090	62.0
		2 No	670	38.0
		Missing	397	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	289	15.5
		2 No	1,534	84.5
		Missing	334	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	403	23.3
		2 No	1,420	76.7
		Missing	334	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	282	14.7
		2	No	1,643	85.3
			Missing	232	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	218	11.3
		2	No	1,707	88.7
			Missing	232	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	20	0.9
		2	Asian	234	7.1
		3	Black or African American	266	15.4
		4	Native Hawaiian/other PI	11	0.4
		5	White	850	50.0
		6	Hispanic/Latino	262	10.5
		7	Multiple - Hispanic	339	13.5
		8	Multiple - Non-Hispanic	75	2.3
			Missing	100	
404-406	Q6ORIG				
407-409	Q7ORIG				