

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	11	1.2
		2	13 years old	26	2.6
		3	14 years old	241	23.8
		4	15 years old	403	29.3
		5	16 years old	268	22.4
		6	17 years old	225	18.3
		7	18 years old or older	33	2.3
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	604	48.2
		2	Male	597	51.8
		Missing	12		
19-19	Q3	In what grade are you?			
		1	9th grade	249	26.7
		2	10th grade	426	28.9
		3	11th grade	259	23.4
		4	12th grade	262	20.8
		Ungraded or other grade	4	0.3	
		Missing	13		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	347	26.8
		2	No	829	73.2
		Missing	37		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
 Staten Island  
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.3
		G	2	0.2
		F	2	0.1
		E	601	60.7
		D	29	1.8
		DE	1	0.1
		C	161	18.6
		C E	17	0.7
		C E H	1	0.1
		CD	4	0.3
		CDE	1	0.0
		B	161	13.3
		B E	10	0.3
		B D	2	0.1
		B DE	2	0.1
		BC	3	0.2
		BC E	1	0.0
		A	29	2.2
		A E	6	0.4
		A D	1	0.1
		A C	2	0.1
		A C E	1	0.0
		A CD	1	0.1
		A CDE	1	0.1
		AB	3	0.1
		ABCDE	1	0.1
			167	

DATA NOT AVAILABLE.

29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
-------	----	---	--	--

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	927	79.0
		2 0 days	156	13.2
		3 1 or 2 days	30	2.7
		4 3 to 5 days	15	1.2
		5 6 to 9 days	6	0.5
		6 10 to 19 days	2	0.1
		7 20 to 29 days	5	0.4
		8 All 30 days	33	2.9
		Missing	39	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,105	92.7
		2 1 day	16	1.3
		3 2 or 3 days	22	2.1
		4 4 or 5 days	12	1.2
		5 6 or more days	30	2.6
		Missing	28	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,143	96.5
		2 1 day	9	0.7
		3 2 or 3 days	10	1.0
		4 4 or 5 days	3	0.3
		5 6 or more days	17	1.5
		Missing	31	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,153	96.3
		2 1 day	15	1.3
		3 2 or 3 days	11	0.8
		4 4 or 5 days	4	0.3
		5 6 or more days	13	1.3
		Missing	17	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,115	93.1
		2	1 day	30	2.4
		3	2 or 3 days	19	2.1
		4	4 or 5 days	6	0.5
		5	6 or more days	24	2.0
			Missing	19	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,121	93.4
		2	1 time	30	2.3
		3	2 or 3 times	20	1.9
		4	4 or 5 times	5	0.4
		5	6 or 7 times	3	0.4
		6	8 or 9 times	2	0.1
		7	10 or 11 times	2	0.3
		8	12 or more times	15	1.2
	Missing	15			
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	958	78.5
		2	1 time	97	8.7
		3	2 or 3 times	71	6.6
		4	4 or 5 times	24	2.0
		5	6 or 7 times	13	1.3
		6	8 or 9 times	7	0.5
		7	10 or 11 times	0	0.0
		8	12 or more times	24	2.5
	Missing	19			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	622	54.1
		2 0 times	453	39.4
		3 1 time	36	3.2
		4 2 or 3 times	20	1.6
		5 4 or 5 times	2	0.3
		6 6 or more times	14	1.3
		Missing	66	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	620	54.0
		2 0 times	478	41.7
		3 1 time	22	2.1
		4 2 or 3 times	7	0.6
		5 4 or 5 times	4	0.5
		6 6 or more times	13	1.1
		Missing	69	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	178	16.4
		2 No	1,003	83.6
		Missing	32	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	181	15.3
		2 No	1,008	84.7
		Missing	24	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	340	29.3
		2 No	823	70.7
		Missing	50	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	165	13.9
		2 No	1,007	86.1
		Missing	41	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	951	93.1
		2 1 time	36	3.5
		3 2 or 3 times	22	2.2
		4 4 or 5 times	0	0.0
		5 6 or more times	9	1.2
		Missing	195	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	945	93.8
		2 Yes	20	2.4
		3 No	41	3.8
		Missing	207	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	179	15.0
		2 No	987	85.0
		Missing	47	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,094	93.8
		2 1 or 2 days	27	2.4
		3 3 to 5 days	12	1.2
		4 6 to 9 days	7	0.6
		5 10 to 19 days	5	0.4
		6 20 to 29 days	3	0.3
		7 All 30 days	12	1.3
Missing	53			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,083	93.8
		2	Less than 1 cigarette per day	27	2.5
		3	1 cigarette per day	17	1.7
		4	2 to 5 cigarettes per day	10	0.7
		5	6 to 10 cigarettes per day	1	0.1
		6	11 to 20 cigarettes per day	1	0.1
		7	More than 20 cigarettes per day	9	1.1
		Missing	65		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	934	77.9
		2	1 or 2 days	101	8.9
		3	3 to 5 days	46	3.9
		4	6 to 9 days	24	2.4
		5	10 to 19 days	25	2.1
		6	20 to 29 days	12	1.1
		7	All 30 days	41	3.7
		Missing	30		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?			
		1	0 days	1,136	95.2
		2	1 or 2 days	11	1.2
		3	3 to 5 days	10	0.8
		4	6 to 9 days	10	0.9
		5	10 to 19 days	7	0.7
		6	20 to 29 days	3	0.3
		7	All 30 days	10	1.0
		Missing	26		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,117	94.0
		2	1 or 2 days	29	2.4
		3	3 to 5 days	11	1.0
		4	6 to 9 days	4	0.5
		5	10 to 19 days	2	0.2
		6	20 to 29 days	6	0.4
		7	All 30 days	15	1.5
		Missing	29		
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	646	57.1
		2	8 years old or younger	50	4.3
		3	9 or 10 years old	42	3.8
		4	11 or 12 years old	40	3.6
		5	13 or 14 years old	170	15.8
		6	15 or 16 years old	155	13.8
		7	17 years old or older	18	1.6
		Missing	92		
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	876	80.9
		2	1 or 2 days	120	11.0
		3	3 to 5 days	31	3.1
		4	6 to 9 days	25	2.4
		5	10 to 19 days	6	0.5
		6	20 to 29 days	7	0.7
		7	All 30 days	13	1.4
		Missing	135		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	869 80.1
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	33 3.2
		3	I bought it at a restaurant, bar, or club	9 1.0
		4	I bought it at a public event such as a concert or sporting event	3 0.3
		5	I gave someone else money to buy it for me	29 3.0
		6	Someone gave it to me	70 6.8
		7	I took it from a store or family member	28 2.7
		8	I got it some other way	33 2.9
		Missing	139	
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?		
		1	0 days	1,028 93.5
		2	1 day	29 2.8
		3	2 days	14 1.2
		4	3 to 5 days	10 0.9
		5	6 to 9 days	6 0.6
		6	10 to 19 days	1 0.1
		7	20 or more days	9 0.8
		Missing	116	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?		
		1	I did not drink alcohol during the past 30 days	870 82.0
		2	1 or 2 drinks	85 7.9
		3	3 drinks	16 1.7
		4	4 drinks	19 1.9
		5	5 drinks	19 1.8
		6	6 or 7 drinks	14 1.4
		7	8 or 9 drinks	9 0.9
		8	10 or more drinks	21 2.4
		Missing	160	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q47	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	905	77.5
		2	8 years old or younger	31	2.9
		3	9 or 10 years old	13	1.3
		4	11 or 12 years old	19	1.7
		5	13 or 14 years old	86	7.4
		6	15 or 16 years old	95	8.2
		7	17 years old or older	13	1.1
		Missing	51		
79-79	Q48	During the past 30 days, how many times did you use marijuana?			
		1	0 times	998	85.9
		2	1 or 2 times	51	4.4
		3	3 to 9 times	43	3.7
		4	10 to 19 times	20	1.7
		5	20 to 39 times	11	0.9
		6	40 or more times	33	3.4
		Missing	57		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,126	95.9
		2	1 or 2 times	11	0.9
		3	3 to 9 times	6	0.5
		4	10 to 19 times	5	0.3
		5	20 to 39 times	6	0.5
		6	40 or more times	18	1.8
		Missing	41		
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,123	95.7
		2	1 or 2 times	11	1.2
		3	3 to 9 times	12	0.9
		4	10 to 19 times	3	0.2
		5	20 to 39 times	5	0.5
		6	40 or more times	15	1.5
		Missing	44		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,098	93.6
		2	1 or 2 times	33	2.9
		3	3 to 9 times	17	1.4
		4	10 to 19 times	4	0.5
		5	20 to 39 times	3	0.3
		6	40 or more times	13	1.3
		Missing	45		
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	1,124	96.7
		2	1 time	12	0.9
		3	2 or more times	23	2.4
		Missing	54		
90-90	Q59	Have you ever had sexual intercourse?			
		1	Yes	218	22.3
		2	No	778	77.7
		Missing	217		
91-91	Q60	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	774	78.0
		2	11 years old or younger	20	2.8
		3	12 years old	5	0.6
		4	13 years old	31	3.3
		5	14 years old	48	4.3
		6	15 years old	50	4.8
		7	16 years old	47	4.8
		8	17 years old or older	13	1.5
		Missing	225		
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	771	78.2
		2	1 person	101	10.3
		3	2 people	43	4.3
		4	3 people	19	1.8
		5	4 people	9	0.8
		6	5 people	13	1.7
		7	6 or more people	26	2.9
		Missing	231		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	766	77.9
		2 I have had sexual intercourse, but not during the past 3 months	65	6.7
		3 1 person	109	11.0
		4 2 people	19	2.2
		5 3 people	3	0.3
		6 4 people	5	0.7
		7 5 people	3	0.3
		8 6 or more people	7	0.9
	Missing	236		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	766	78.4
		2 Yes	32	3.5
		3 No	177	18.1
	Missing	238		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	767	79.6
		2 Yes	115	12.2
		3 No	81	8.2
	Missing	250		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	760	78.6
		2 No method was used to prevent pregnancy	54	5.7
		3 Birth control pills	21	1.9
		4 Condoms	106	11.4
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	6	0.9
		7 Withdrawal or some other method	7	0.7
		8 Not sure	4	0.3
	Missing	250		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	666	62.8
		2 Females	195	19.8
		3 Males	148	13.7
		4 Females and males	36	3.7
		Missing	168	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	931	78.3
		2 Gay or lesbian	29	2.8
		3 Bisexual	83	7.3
		4 Not sure	152	11.6
		Missing	18	
98-98	Q67a	Which of the following best describes you?		
		1 Heterosexual (straight)	931	78.3
		2 Gay or lesbian	29	2.8
		3 Bisexual	83	7.3
		4 Not sure	46	3.5
		5 I do not describe myself in any of these ways	81	6.3
		6 I do not know what these answer options mean	25	1.8
Missing	18			
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	422	37.7
		2 1 to 3 times during the past 7 days	393	35.3
		3 4 to 6 times during the past 7 days	115	11.2
		4 1 time per day	53	4.9
		5 2 times per day	51	4.6
		6 3 times per day	28	2.4
		7 4 or more times per day	44	3.9
		Missing	107	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	221	20.4
		2 1 to 3 times during the past 7 days	429	37.1
		3 4 to 6 times during the past 7 days	189	17.0
		4 1 time per day	92	7.4
		5 2 times per day	93	8.4
		6 3 times per day	49	4.8
		7 4 or more times per day	53	5.0
		Missing	87	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	460	41.4
		2 1 to 3 times during the past 7 days	430	37.2
		3 4 to 6 times during the past 7 days	87	8.6
		4 1 time per day	46	4.4
		5 2 times per day	33	3.3
		6 3 times per day	23	2.4
		7 4 or more times per day	31	2.8
	Missing	103		
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	398	37.4
		2 1 to 3 glasses during the past 7 days	323	28.5
		3 4 to 6 glasses during the past 7 days	130	11.5
		4 1 glass per day	123	10.3
		5 2 glasses per day	77	7.0
		6 3 glasses per day	23	2.4
		7 4 or more glasses per day	28	2.8
	Missing	111		
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	186	17.3
		2 1 day	110	9.9
		3 2 days	127	11.4
		4 3 days	101	9.2
		5 4 days	82	7.1
		6 5 days	74	7.0
		7 6 days	65	5.5
		8 7 days	349	32.4
	Missing	119		
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	168	14.9
		2 1 day	77	7.3
		3 2 days	113	9.9
		4 3 days	115	11.0
		5 4 days	111	9.7
		6 5 days	157	14.7
		7 6 days	64	6.1
		8 7 days	276	26.3
	Missing	132		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	328	29.3
		2 Less than 1 hour per day	220	20.2
		3 1 hour per day	135	12.5
		4 2 hours per day	176	16.5
		5 3 hours per day	107	9.7
		6 4 hours per day	52	4.9
		7 5 or more hours per day	68	6.8
		Missing	127	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	238	22.6
		2 Less than 1 hour per day	127	11.6
		3 1 hour per day	105	10.2
		4 2 hours per day	141	12.9
		5 3 hours per day	140	13.0
		6 4 hours per day	103	9.5
		7 5 or more hours per day	227	20.2
		Missing	132	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	185	16.4
		2 1 day	53	4.6
		3 2 days	30	3.3
		4 3 days	60	7.3
		5 4 days	87	9.0
		6 5 days	647	59.3
		Missing	151	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	157	15.3
		2 No	730	69.0
		3 Not sure	170	15.7
		Missing	156	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	775	74.5
		2 Between 12 and 24 months ago	115	11.6
		3 More than 24 months ago	38	3.6
		4 Never	23	2.2
		5 Not sure	92	8.1
Missing	170			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	241	23.0
		2 No	746	71.9
		3 Not sure	60	5.1
Missing	166			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	153	14.4
		2 5 hours	170	15.4
		3 6 hours	255	23.9
		4 7 hours	247	22.5
		5 8 hours	180	18.3
		6 9 hours	41	4.1
		7 10 or more hours	14	1.4
Missing	153			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	16	1.4
		2 Brooklyn	38	3.1
		3 Manhattan	2	0.2
		4 Queens	5	0.5
		5 Staten Island	1,135	94.8
Missing	17			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
 Staten Island  
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,009	84.3
		2 Less than 1 year	21	1.6
		3 1 to 3 years	32	2.6
		4 4 to 6 years	32	2.7
		5 More than 6 years but not my whole life	104	8.8
		Missing	15	
123-123	Q92	Was either of your parents born outside of the United States?		
		1 Yes	597	48.5
		2 No	505	45.1
		3 Not sure	74	6.4
		Missing	37	
124-124	Q93	How often do the people in your home speak a language other than English?		
		1 Never	370	32.4
		2 Rarely	138	11.7
		3 Sometimes	208	17.1
		4 Most of the time	266	20.8
		5 Always	222	18.0
Missing	9			
125-125	Q94	What sex is on your birth certificate?		
		1 Female	613	48.8
		2 Male	559	48.9
		3 Not sure	26	2.3
		Missing	15	
126-126	Q95	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	1,121	94.0
		2 Yes, I am transgender	20	1.6
		3 I am not sure if I am transgender	21	1.8
		4 I do not know what this question is asking	28	2.5
		Missing	23	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	241	20.2
		2 Mostly feminine	209	17.1
		3 Somewhat feminine	87	7.7
		4 Equally feminine and masculine	140	11.5
		5 Somewhat masculine	76	6.9
		6 Mostly masculine	159	13.4
		7 Very masculine	249	23.1
	Missing	52		
128-128	Q97	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,002	84.5
		2 1 time	88	7.2
		3 2 or 3 times	47	3.9
		4 4 or 5 times	19	1.5
		5 6 or more times	31	2.9
	Missing	26		
129-129	Q98	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?		
		1 Yes	177	15.2
		2 No	931	79.3
		3 Not sure	61	5.5
	Missing	44		
130-130	Q99	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	71	6.3
		2 No	1,053	93.7
	Missing	89		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
131-131	Q100	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	953	85.2
		2	Less than 1 month ago	26	2.6
		3	1 to 3 months ago	15	1.3
		4	4 to 6 months ago	22	2.2
		5	7 to 12 months ago	24	2.2
		6	13 or more months ago	74	6.6
			Missing	99	
132-132	Q101	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,105	94.4
		2	I bought them in a store such as a convenience store, supermarket, or gas station	14	1.2
		3	I bought them on the Internet	4	0.4
		4	I bummed them	6	0.5
		5	Someone gave them to me or bought them for me	19	1.8
		6	I stole them	8	0.7
		7	I got them some other way	11	1.0
	Missing	46			
133-133	Q102	Which tobacco or nicotine product did you try first?			
		1	I have never tried any tobacco or nicotine product	840	75.3
		2	Cigarettes	69	6.0
		3	Cigars, cigarillos, or little cigars	14	1.4
		4	Electronic cigarettes or e-cigarettes	76	6.9
		5	Chewing tobacco, snuff, dip, or snus	8	0.8
		6	Hookah or shisha tobacco	45	4.0
		7	Some other tobacco or nicotine product	28	2.6
		8	Not sure	31	3.0
	Missing	102			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?			
		1	0 times	1,122	95.7
		2	1 or 2 times	14	1.2
		3	3 to 9 times	4	0.3
		4	10 to 19 times	12	1.1
		5	20 to 39 times	3	0.4
		6	40 or more times	13	1.3
		Missing	45		
135-135	Q104	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,085	93.4
		2	1 or 2 times	33	2.9
		3	3 to 9 times	14	1.2
		4	10 to 19 times	8	0.6
		5	20 to 39 times	5	0.4
		6	40 or more times	13	1.4
		Missing	55		
136-136	Q105	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,108	95.1
		2	1 or 2 times	23	1.8
		3	3 to 9 times	6	0.5
		4	10 to 19 times	9	0.7
		5	20 to 39 times	6	0.7
		6	40 or more times	11	1.2
		Missing	50		
137-137	Q106	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,106	95.3
		2	1 or 2 times	18	1.3
		3	3 to 9 times	7	0.6
		4	10 to 19 times	13	1.1
		5	20 to 39 times	6	0.7
		6	40 or more times	9	1.0
		Missing	54		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	760	74.4
		2 No method was used to prevent pregnancy	48	5.0
		3 Birth control pills	20	2.1
		4 Condoms	154	15.3
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	5	0.4
		7 Withdrawal or some other method	12	1.3
		8 Not sure	11	0.9
	Missing	198		
139-139	Q108	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	753	74.8
		2 I have had sexual intercourse, but not during the past 3 months	66	6.6
		3 Never	55	5.4
		4 Rarely	19	2.1
		5 Sometimes	21	2.2
		6 Most of the time	22	2.1
		7 Always	65	6.7
	Missing	212		

140-140 Q109 The last time you used birth control, not including condoms, from where did you or your partner get it?

**DATA NOT DISPLAYED.** Please send an email to [epidatarequest@health.nyc.gov](mailto:epidatarequest@health.nyc.gov) with requests for data related to school-based health centers.

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
141-141	Q110	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	746	75.5
		2 Yes	32	3.3
		3 No	183	18.7
		4 Not sure	25	2.5
		Missing	227	
142-142	Q111	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	17	1.8
		2 No	954	93.5
		3 Not sure	45	4.7
		Missing	197	
143-143	Q112	In what grade were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	129	11.6
		2 6th grade or earlier	301	26.6
		3 7th grade	247	21.3
		4 8th grade	180	16.5
		5 9th grade	104	8.6
		6 10th grade	51	4.3
		7 11th or 12th grade	21	2.0
		8 Not sure	100	9.0
		Missing	80	
144-144	Q113	In what class were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	127	11.7
		2 Health Education	561	49.0
		3 Science	140	12.2
		4 Living Environment	70	6.7
		5 Physical Education	65	5.2
		6 Advisory	12	1.0
		7 Some other class	60	5.7
		8 Not sure	99	8.4
		Missing	79	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey**  
**Staten Island**  
**Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	197	18.4
		2 1 to 3 times during the past 7 days	386	34.8
		3 4 to 6 times during the past 7 days	211	18.7
		4 1 time per day	135	11.6
		5 2 times per day	99	8.6
		6 3 times per day	38	3.3
		7 4 or more times per day	51	4.6
	Missing	96		
146-146	Q115	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	69	6.7
		2 1 to 3 times during the past 7 days	98	9.0
		3 4 to 6 times during the past 7 days	89	7.9
		4 1 time per day	90	7.7
		5 2 times per day	141	12.5
		6 3 times per day	165	14.4
		7 4 or more times per day	465	41.7
	Missing	96		
147-147	Q116	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	369	34.2
		2 1 to 3 times during the past 7 days	465	40.4
		3 4 to 6 times during the past 7 days	127	11.9
		4 1 time per day	55	5.0
		5 2 times per day	41	3.9
		6 3 times per day	24	2.4
		7 4 or more times per day	24	2.3
	Missing	108		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	What kind of milk do you usually drink?		
		1 I do not drink milk	181	18.0
		2 Plain whole milk	317	27.7
		3 Plain 2% milk or reduced fat milk	204	18.1
		4 Plain 1% milk or low-fat milk	107	9.7
		5 Plain Skim milk or non-fat milk	28	2.8
		6 Chocolate milk	53	5.5
		7 Other milk (such as soy, almond, or rice milk)	108	9.4
		8 Not sure	105	8.8
	Missing	110		
149-149	Q118	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	141	13.1
		2 I ride a bike all the way to school	39	4.1
		3 I use public transportation, such as a subway or city bus	497	44.3
		4 I ride a school bus	19	2.2
		5 I drive or ride in a car or other private vehicle	373	36.3
	Missing	144		
150-150	Q119	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	303	29.1
		2 No	314	30.7
		3 Not sure	441	40.2
	Missing	155		
151-151	Q120	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	438	41.7
		2 No	531	50.9
		3 Not sure	76	7.5
	Missing	168		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	469	44.8
		2 Yes	192	19.0
		3 No	342	32.3
		4 Not sure	46	3.9
		Missing	164	
153-153	Q122	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	959	90.2
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	46	4.6
		3 In a foster or group home	13	1.5
		4 In a shelter or emergency housing	15	1.7
		5 In a motel or hotel	3	0.2
		6 In a car, park, campground, or other public place	6	0.6
		7 I did not have a usual place to sleep	6	0.5
		8 Somewhere else	6	0.6
		Missing	159	
154-154	Q123	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	86	8.9
		2 No	937	91.1
		Missing	190	
155-155	Q124	Has your mother ever served time in jail or prison?		
		1 Yes	63	6.7
		2 No	935	90.0
		3 Not sure	33	3.3
		Missing	182	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
156-156	Q125	Has your father ever served time in jail or prison?		
		1 Yes	140	13.4
		2 No	819	79.4
		3 Not sure	72	7.2
		Missing	182	
157-157	Q126	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	594	58.0
		2 No	421	42.0
		Missing	198	
158-158	Q127	How would you describe your swimming ability?		
		1 I do not know how to swim	185	17.6
		2 I can swim a little and can float in shallow water	121	11.3
		3 I can swim somewhat well but cannot swim the entire length of a pool	178	17.0
		4 I can swim the entire length of a pool	554	54.2
		Missing	175	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	91	37.2
		2 No	156	62.8
		Missing	966	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	80	7.3
		2 No	1,105	92.7
		Missing	28	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)			
		1	Yes	39	3.5
		2	No	1,143	96.5
			Missing	31	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)			
		1	Yes	43	3.7
		2	No	1,153	96.3
			Missing	17	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)			
		1	Yes	79	6.9
		2	No	1,115	93.1
			Missing	19	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)			
		1	Yes	77	6.6
		2	No	1,121	93.4
			Missing	15	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)			
		1	Yes	236	21.5
		2	No	958	78.5
			Missing	19	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	72	14.1
		2 No	453	85.9
		Missing	688	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	46	9.3
		2 No	478	90.7
		Missing	689	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	178	16.4
		2 No	1,003	83.6
		Missing	32	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	181	15.3
		2 No	1,008	84.7
		Missing	24	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for $\geq 2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	340	29.3
		2 No	823	70.7
		Missing	50	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	165	13.9
		2 No	1,007	86.1
		Missing	41	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	67	6.9
		2 No	951	93.1
		Missing	195	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	20	2.4
		2 No	986	97.6
		Missing	207	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	179	15.0
		2 No	987	85.0
		Missing	47	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	66	6.2
		2 No	1,094	93.8
		Missing	53	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	10	19.7
		2 No	54	80.3
		Missing	1,149	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	249	22.1
		2 No	934	77.9
		Missing	30	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	51	4.8
		2 No	1,136	95.2
		Missing	26	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	67	6.0
		2 No	1,117	94.0
		Missing	29	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	132	11.7
		2 No	989	88.3
		Missing	92	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	202	19.1
		2 No	876	80.9
		Missing	135	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)			
		1	Yes	70	36.2
		2	No	127	63.8
			Missing	1,016	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	69	6.5
		2	No	1,028	93.5
			Missing	116	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)			
		1	Yes	21	2.4
		2	No	1,032	97.6
			Missing	160	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years			
		1	Yes	63	5.8
		2	No	1,099	94.2
			Missing	51	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
		1	Yes	158	14.1
		2	No	998	85.9
			Missing	57	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)			
		1	Yes	46	4.1
		2	No	1,126	95.9
			Missing	41	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	46	4.3
		2 No	1,123	95.7
		Missing	44	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	70	6.4
		2 No	1,098	93.6
		Missing	45	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	35	3.3
		2 No	1,124	96.7
		Missing	54	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	218	22.3
		2 No	778	77.7
		Missing	217	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	25	3.4
		2 No	963	96.6
		Missing	225	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	48	5.4
		2 No	934	94.6
		Missing	231	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	146	15.4
		2 No	831	84.6
		Missing	236	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	22	17.8
		2 No	116	82.2
		Missing	1,075	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	68	54.9
		2 No	58	45.1
		Missing	1,087	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	20	12.8
		2 No	112	87.2
		Missing	1,081	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	422	37.7
		2 No	684	62.3
		Missing	107	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	221	20.4
		2 No	905	79.6
		Missing	87	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey**  
**Staten Island**  
**Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	460	41.4
		2 No	650	58.6
		Missing	103	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	398	37.4
		2 No	704	62.6
		Missing	111	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	186	17.3
		2 No	908	82.7
		Missing	119	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	497	47.2
		2 No	584	52.8
		Missing	132	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	227	21.4
		2 No	859	78.6
		Missing	127	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	470	42.7
		2 No	611	57.3
		Missing	132	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	877	83.6
		2 No	185	16.4
		Missing	151	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	157	15.3
		2 No	900	84.7
		Missing	156	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	775	74.5
		2 No	268	25.5
		Missing	170	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	241	23.0
		2 No	806	77.0
		Missing	166	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	235	23.8
		2 No	825	76.2
		Missing	153	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
 Staten Island  
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,194	99.8
		2 No	2	0.2
		Missing	17	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	21	1.6
		2 No	1,177	98.4
		Missing	15	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	597	48.5
		2 No	579	51.5
		Missing	37	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	488	38.8
		2 No	716	61.2
		Missing	9	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	1,172	97.7
		2 No	26	2.3
		Missing	15	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	20	1.6
		2 No	1,170	98.4
		Missing	23	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	140	11.5
		2 No	1,021	88.5
		Missing	52	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	185	15.5
		2 No	1,002	84.5
		Missing	26	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	177	15.2
		2 No	992	84.8
		Missing	44	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	71	6.3
		2 No	1,053	93.7
		Missing	89	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	87	8.3
		2 No	1,027	91.7
		Missing	99	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	14	21.5
		2 No	48	78.5
		Missing	1,151	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)		
		1 Yes	69	24.4
		2 No	202	75.6
		Missing	942	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	46	4.3
		2 No	1,122	95.7
		Missing	45	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	73	6.6
		2 No	1,085	93.4
		Missing	55	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	55	4.9
		2 No	1,108	95.1
		Missing	50	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	53	4.7
		2 No	1,106	95.3
		Missing	54	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	48	19.7
		2 No	207	80.3
		Missing	958	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	65	36.1
		2 No	117	63.9
		Missing	1,031	
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
		<b>DATA NOT DISPLAYED.</b> Please send an email to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	32	13.6
		2 No	208	86.4
		Missing	973	
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	17	1.8
		2 No	999	98.2
		Missing	197	
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,004	88.4
		2 No	129	11.6
		Missing	80	
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	561	55.5
		2 No	446	44.5
		Missing	206	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)			
		1	Yes	323	28.1
		2	No	794	71.9
			Missing	96	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)			
		1	Yes	69	6.7
		2	No	1,048	93.3
			Missing	96	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)			
		1	Yes	736	65.8
		2	No	369	34.2
			Missing	108	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk			
		1	Yes	135	12.5
		2	No	968	87.5
			Missing	110	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school			
		1	Yes	180	17.2
		2	No	889	82.8
			Missing	144	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)			
		1	Yes	303	29.1
		2	No	755	70.9
			Missing	155	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	438	41.7
		2 No	607	58.3
		Missing	168	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	192	34.4
		2 No	388	65.6
		Missing	633	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	46	4.6
		2 No	1,008	95.4
		Missing	159	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	86	8.9
		2 No	937	91.1
		Missing	190	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	63	6.7
		2 No	968	93.3
		Missing	182	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	140	13.4
		2 No	891	86.6
		Missing	182	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school		
		1 Yes	594	58.0
		2 No	421	42.0
		Missing	198	
304-304	QN127	Percentage of students who do not know how to swim		
		1 Yes	185	17.6
		2 No	853	82.4
		Missing	175	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	15	1.6
		2 No	1,145	98.4
		Missing	53	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	12	1.3
		2 No	1,148	98.7
		Missing	53	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	99	9.1
		2 No	1,072	90.9
		Missing	42	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	111	10.2
		2 No	1,061	89.8
		Missing	41	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	280	25.1
		2 No	895	74.9
		Missing	38	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	4	2.8
		2 No	128	97.2
		Missing	1,081	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	4	4.5
		2 No	128	95.5
		Missing	1,081	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	28	20.2
		2 No	104	79.8
		Missing	1,081	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	4	2.3
		2 No	121	97.7
			1,088	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	39	28.8
		2 No	93	71.2
			1,081	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	117	11.2
		2 No	975	88.8
			121	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	506	46.7
		2 No	586	53.3
			121	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	262	24.7
		2 No	830	75.3
			121	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	153	14.4
		2 No	939	85.6
			121	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	133	12.8
		2	No	977	87.2
			Missing	103	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	87	8.4
		2	No	1,023	91.6
			Missing	103	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	54	5.1
		2	No	1,056	94.9
			Missing	103	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	251	22.5
		2	No	851	77.5
			Missing	111	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	128	12.2
		2	No	974	87.8
			Missing	111	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	51	5.2
		2	No	1,051	94.8
			Missing	111	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	349	32.4
		2	No	745	67.6
			Missing	119	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	168	14.9
		2	No	913	85.1
			Missing	132	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	276	26.3
		2	No	805	73.7
			Missing	132	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)			
		1	Yes	647	59.3
		2	No	415	40.7
			Missing	151	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)			
		1	Yes	23	2.2
		2	No	1,020	97.8
			Missing	170	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey**  
**Staten Island**  
**Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	861	76.4
		2 No	256	23.6
		Missing	96	
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	771	68.7
		2 No	346	31.3
		Missing	96	
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	630	56.1
		2 No	487	43.9
		Missing	96	
385-385	QNOBESE	Percentage of students who had obesity ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	126	12.4
		2 No	934	87.6
		Missing	153	
386-386	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	157	15.6
		2 No	903	84.4
		Missing	153	
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Staten Island  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8	1 Am Indian/Alaska Native 2 Asian 3 Black or African American 4 Native Hawaiian/Other PI 5 White 6 Hispanic/Latino 7 Multiple - Hispanic 8 Multiple - Non-Hispanic Missing	8 150 117 11 488 136 210 37 56	0.2 11.2 13.7 0.3 46.5 10.2 16.9 0.9
416-418	Q6ORIG	Original unedited student height <b>DATA NOT AVAILABLE.</b>		
419-421	Q7ORIG	Original unedited student weight <b>DATA NOT AVAILABLE.</b>		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2 0 1	1,057 156	89.0 11.0
		<b>DATA NOT AVAILABLE.</b>		
461-461	S3	Sub-site - S3 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Staten Island  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
462-462	S4	Sub-site - S4 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
463-463	S5	Sub-site - S5 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
464-464	S6	Sub-site - S6 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
465-465	S7	Sub-site - S7 1	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
466-466	S9	Sub-site - S9 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
467-467	S10	Sub-site - S10 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		
	S8	Sub-site - S8 0	1,213	100.0
		<b>DATA NOT AVAILABLE.</b>		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	488	46.5
		2 Black	117	13.7
		3 Hispanic	346	27.2
		4 Asian	150	11.2
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	56	1.4
		Missing	56	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Staten Island**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	95	52.1
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	19	9.0
		3 EC only (any EC without condoms)	7	4.2
		4 Dual: condoms and HBC/LARC excluding exclusive EC	4	1.6
		5 Dual: condoms and EC (may include withdrawal)	11	6.4
		6 Withdrawal only	4	2.1
		7 No contraception	46	24.6
		Missing	1,027	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	95	52.1
		2 HBC/LARC only (any HBC/LARC without condoms)	26	13.2
		3 Dual: condoms and HBC/LARC (may include withdrawal)	15	7.9
		4 Withdrawal only	4	2.1
		5 No contraception	46	24.6
		Missing	1,027	