


## 關於紐約市未成年人飲酒情況的資料介紹

四分之一 (27%) 的紐約市 (NYC) 青少年 (年齡介於 12-20 歲) 在過去 30 天內有飲酒。16% 的人在過去 30 天內至少有一次飲酒超過五杯 (無節制飲酒)。<sup>1</sup>

### 未成年人飲酒問題為何如此重要？

在 21 歲之前開始飲酒的人，會增加罹患酒精使用關聯疾病的風險。<sup>2</sup>

人們越早開始飲酒，罹患酒精依賴症的風險也就越高<sup>2</sup>




飲酒與多種危險行為有關，例如不安全的性行為、酒後駕車，以及遭遇或涉及鬥毆之類的暴力行為等。

在美國，每年與飲酒有關的傷害事件 (他殺、自殺和意外傷害)，在不到 21 歲的人群中造成 5,000 人死亡。


2011 年，21 歲以下的紐約年輕人中有將近 7,000 人因為飲酒相關事件而到急診處看診 (21 歲以下的紐約市民中，每 100,000 人中有 320 人)。<sup>3</sup>

### 關於紐約市公立高中學生的飲酒問題，我們知道哪些情況？<sup>4</sup>


紐約市年輕人相較於美國其他地方的年輕人更少飲酒



紐約市白人與西班牙裔年輕人較黑人或亞裔年輕人更容易飲酒




## 紐約市公立高中學生通常飲用哪些酒精類飲品？通常從何處獲得？



## 21 歲以下的人群買酒有多容易？

紐約州酒類管理局 (New York State Liquor Authority) 的暗訪調查員在 2014 年訪查 911 家的紐約市商店，測試他們是否會賣酒給未成年購買者。在訪查之時，有超過一半 (58%) 的商店賣酒給未成人。



<sup>1</sup> SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010-2012.

<sup>2</sup> Hingson RW, Heeren T, Winter MR. Age at Drinking Onset and Alcohol Dependence: Age at Onset, Duration, and Severity. *Arch Pediatr Adolesc Med.* 2006;160(7):739-746.

<sup>3</sup> Drug Abuse Warning Network, 2011: Selected Tables of National Estimates of Drug-Related Emergency Department Visits.

<sup>4</sup> New York City Department of Health and Mental Hygiene. Bureau of Alcohol and Drug Use Prevention, Care, and Treatment - Youth Risk Behavior Survey 2013