

Part A-POPULATION*, NEW YORK CITY

Borough	1950	1957	1960
Manhattan	1,960,101	1,794,069	1,698,281
Bronx	1,451,277	1,424,367	1,424,815
Brooklyn	2,738,175	2,602,433	2,627,319
Queens	1,550,849	1,762,582	1,809,578
Richmond	191,555	212,020	221,991
New York City	7,891,957	7,795,471	7,781,984

Based on Federal Census. *As of April 1st.

Part B-POPULATION† ACCORDING TO ETHNIC GROUP, NEW YORK CITY

Year	White	Puerto Rican‡	Negro	Other Races	Total
1900.....	3,369,898	...	60,666	6,638	3,437,202
1910.....	4,669,162	...	91,709	6,012	4,766,883
1920.....	5,459,463	...	152,467	8,118	5,620,048
1930.....	6,587,225	(44,908)	327,706	15,515	6,930,446
1940.....	6,977,501	(61,403)	458,444	19,050	7,454,995
1950.....	7,116,428	(246,306)	747,620	27,909	7,891,957
1957.....	6,814,220	...	948,196	33,055	7,795,471
1960.....	6,640,662	(612,574)	1,087,931	53,391	7,781,984

†As reported by the U. S. Bureau of the Census: June 1, 1900, April 15, 1910, January 1, 1920, April 1, 1930, April 1, 1940, April 1, 1950, April 1, 1957, April 1, 1960. ‡Included in white and Negro Totals. (...) Not stated.

Part C-CHANGE IN POPULATION BY ETHNIC GROUP, NEW YORK CITY

Period	White	Puerto Rican†	Negro	Other Races	Total
1900 to 1910...	+ 1,299,264 = 38.6%	...	+ 31,043 = 51.2%	- 626 = 9.4%	+ 1,329,681 = 38.7%
1910 to 1920...	+ 790,301 = 16.9%	...	+ 60,758 = 66.3%	+ 2,106 =35.0%	+ 853,165 = 17.9%
1920 to 1930...	+ 1,127,762 = 20.7%	...	+ 175,239 =114.9%	+ 7,397 =91.1%	+ 1,310,398 = 23.3%
1930 to 1940...	+ 390,276 = 5.9%	(+ 16,495) = 36.7%	+ 130,738 = 39.9%	+ 3,535 =22.8%	+ 524,529 = 7.6%
1940 to 1950...	+ 138,927 = 2.0%	(+184,903) =301.1%	+ 289,176 = 63.1%	+ 8,859 =46.5%	+ 436,962 = 5.9%
1950 to 1960...	- 475,766 = 6.7%	(+366,268) =148.7%	+ 340,311 = 45.5%	+ 25,482 =91.3%	- 109,973 = 1.4%

†Included in white and Negro totals.

Part F - POPULATION
 ACCORDING TO ETHNIC GROUP BY BOROUGH,
 NEW YORK CITY
 April 1960

Ethnic Group	New York City	Manhattan	Bronx	Brooklyn	Queens	Richmond
MALE						
White	3,189,229	602,924	603,011	1,087,314	791,203	104,777
Negro	498,167	180,100	76,104	170,433	66,853	4,677
Indian	1,555	458	176	600	305	16
Japanese	3,169	1,777	268	223	856	45
Chinese	20,658	13,824	1,532	2,742	2,447	113
Filipino	2,744	1,021	215	936	465	107
Other Races .	3,735	1,675	390	1,101	514	55
Total Male ..	3,719,257	801,779	681,696	1,263,349	862,643	109,790
FEMALE						
White	3,451,433	668,898	653,273	1,158,545	863,756	106,961
Negro	589,764	217,001	87,792	200,972	79,002	4,997
Indian	1,707	486	204	691	308	18
Japanese	2,822	1,277	292	331	854	68
Chinese	12,173	6,937	1,135	1,894	2,138	69
Filipino	1,537	651	102	414	324	46
Other Races .	3,291	1,252	321	1,123	553	42
Total Female.	4,062,727	896,502	743,119	1,363,970	946,935	112,201
BOTH SEXES						
White	6,640,662	1,271,822	1,256,284	2,245,859	1,654,959	211,738
Negro	1,087,931	397,101	163,896	371,405	145,855	9,674
Indian	3,262	944	380	1,291	613	34
Japanese	5,991	3,054	560	554	1,710	113
Chinese	32,831	20,761	2,667	4,636	4,585	182
Filipino	4,281	1,672	317	1,350	789	153
Other Races .	7,026	2,927	711	2,224	1,067	97
TOTAL	7,781,984	1,698,281	1,424,815	2,627,319	1,809,578	221,991

Part G
 PUERTO RICAN POPULATION,
 NEW YORK CITY, APRIL 1, 1960

Borough	Born in Puerto Rico	Puerto Rican Parentage	White	Non-white	Total Puerto Ricans
Manhattan	161,371	64,268	213,233	12,406	225,639
Bronx	130,184	56,701	180,955	5,930	186,885
Brooklyn	126,223	53,891	174,547	5,567	180,114
Queens	10,508	6,924	16,570	862	17,432
Richmond	1,424	1,080	2,398	106	2,504
New York City.	429,710	182,864	587,703	24,871	612,574

Source: U.S. Bureau of the Census.

CHILDREN ATTENDING NEW YORK CITY SCHOOLS
By Ethnic Group, Borough and Type of School
1967

Borough Type of School	Number of Pupils				Percent of Total Register			
	Total	White and "Other"	Negro	Puerto Rican	Total	White and "Other"	Negro	Puerto Rican
BOROUGH								
Manhattan	173,730	49,824	63,567	60,339	100.0	28.7	36.6	34.7
Bronx	224,661	74,170	69,397	81,094	100.0	33.0	30.9	36.1
Brooklyn	408,574	184,259	136,858	87,457	100.0	45.1	33.5	21.4
Queens	253,357	184,300	57,611	11,446	100.0	72.8	22.7	4.5
Richmond	42,536	37,062	3,596	1,878	100.0	87.1	8.5	4.4
Special Schools (All Boroughs)	6,806	1,822	2,740	2,244	100.0	26.8	40.2	33.0
New York City	1,109,664	531,437	333,769	244,458	100.0	47.8	30.1	22.1
TYPE OF SCHOOL								
Elementary	608,163	261,983	199,180	147,000	100.0	43.0	32.8	24.2
Junior High	222,208	103,532	66,239	52,437	100.0	46.6	29.8	23.6
Academic High	230,423	147,344	53,171	29,908	100.0	63.9	23.1	13.0
Vocational High	42,064	16,756	12,439	12,869	100.0	39.8	29.6	30.6
Special Schools	6,806	1,822	2,740	2,244	100.0	26.8	40.2	33.0
Total	1,109,664	531,437	333,769	244,458	100.0	47.8	30.1	22.1
TOTAL NEW YORK CITY								
1957	952,617	650,680	172,957	128,980	100.0	68.3	18.2	13.5
1958	967,865	645,806	184,985	137,074	100.0	66.8	19.0	14.2
1959	977,531	633,582	197,517	146,432	100.0	64.8	20.2	15.0
1960	986,679	620,976	212,006	153,697	100.0	62.9	21.5	15.6
1961	1,004,265	613,438	228,592	162,235	100.0	61.1	22.8	16.1
1962	1,027,428	611,599	246,336	169,493	100.0	59.5	24.0	16.5
1963	1,045,554	598,987	267,344	179,223	100.0	57.3	25.6	17.1
1964	1,044,621	567,755	286,401	190,465	100.0	54.4	27.4	18.2
1965	1,065,920	551,927	302,287	211,706	100.0	51.8	28.4	19.9
1966	1,084,818	540,591	317,613	226,614	100.0	49.8	29.3	20.9
1967	1,109,664	531,437	333,769	244,458	100.0	47.8	30.1	22.1

TUBERCULOSIS IN THE UNITED STATES
Newly Reported Cases and Deaths, 1948-1967

Year	Total New Cases Reported		Active and Probably Active New Cases		Deaths	
	Number	Rate†	Number	Rate†	Number	Rate†
CONTINENTAL UNITED STATES						
1948	137,006	93.8	43,833	30.0
1949	134,865	90.7	39,108	26.3
1950	121,742	80.4	33,959	22.4
1951	118,491	77.3	30,863	20.1
1952	109,837	70.5	85,607	55.0	24,621	15.8
1953	106,925	67.5	83,250	52.6	19,544	12.3
1954	100,540	62.4	78,592	48.8	16,392	10.2
1955	98,860	60.2	76,245	46.4	14,940	9.1
1956	90,465	54.1	68,866	41.2	14,061	8.4
1957	86,861	51.0	66,437	39.0	13,324	7.8
1958	82,266	47.2	63,000	36.4	12,361	7.1
1959	75,108	42.6	56,951	32.3	11,429	6.5
1960	54,977	30.7
1961	53,064	29.1
TOTAL UNITED STATES (x)						
1959	57,535	32.5	11,474	6.5
1960	55,494	30.8	10,866	6.1
1961	53,726	29.4	9,938	5.4
1962	53,315	28.7	9,506	5.1
1963	54,042	28.7	9,311	4.9
1964	50,874	26.6	8,303	4.3
1965	49,016	25.3	7,934	4.1
1966	47,767	24.4	7,625	3.9
1967	45,441 ‡	23.0	6,560*	3.3

†Per 100,000 population residing in United States, excluding Armed Forces overseas. ‡Provisional. *Based on 10% sample. (x)50 States and the District of Columbia (including Alaska and Hawaii). (...)=Not available.

Part A-CASES ON CURRENT TUBERCULOSIS REGISTERS†

United States‡, December 31, 1960 and 1966

Type	1960	1966
Hospitalized active cases	58,000	37,000
Unhospitalized active cases	62,000	53,000
Total active disease cases	120,000	90,000
All other cases on current registers*	210,000	230,000
Total cases on registers	330,000	320,000

†Estimated.

‡Including Alaska and Hawaii, excluding Puerto Rico.

*Cases with activity undetermined and inactive cases under current supervision.

Part B-CASES ON TUBERCULOSIS REGISTERS†

United States, 1952, 1956, 1960 and 1966

Type	1952	1956	1960	1966
Active	200,000	160,000	120,000	90,000
Other cases	250,000	240,000	210,000	230,000
Total	450,000	400,000	330,000	320,000

†Estimated.

Note: The Public Health Service states that "Tuberculosis registers usually include records of the active cases currently under care, the cases for which disease activity has not been determined, and inactive cases under supervision. In many instances, cases are carried on registers for a considerable length of time before disease activity is established. For a number of reasons, other cases are also retained on the Health Department rolls. These include records of people who fail to respond to treatment, or who have received inadequate or interrupted treatment."

Based on reports of Tuberculosis Program, Communicable Disease Center, Public Health Service.

TUBERCULOSIS IN LARGE AMERICAN CITIES
 Part A-NEW CASES OF TUBERCULOSIS REGISTERED
 AND RATE PER 100,000 POPULATION
 1966-1967 (Provisional)**

City, State	Population 1967	Newly Reported Active Tuberculosis Cases			
		Number		Rate*	
		1966	1967	1966	1967
Akron, Ohio	299,341	42	37	14.0	12.4
Atlanta, Ga.‡	603,400	283	273	46.4	45.2
Baltimore, Md.	909,900	691	683	75.6	75.1
Berkeley, Calif.	120,300	30	35	24.6	29.1
Birmingham, Ala.	351,651	187	200	53.4	56.9
Boston, Mass.	659,000	283	276	43.5	41.9
Buffalo, N.Y.	481,453	228	215	47.6	44.7
Camden, N.J.	117,000	51	36	44.3	30.8
Charlotte, N. C.‡	326,536	56	51	17.6	15.6
Chattanooga, Tenn. ..	120,702	123	91	99.9	75.4
Chicago, Ill.	3,600,000	1,977	1,989	54.9	55.3
Cincinnati, Ohio	500,562	169	153	33.8	30.6
Cleveland, Ohio	814,156	312	316	37.4	38.8
Columbus, Ohio	548,119	116	89	21.5	16.2
Dallas, Texas	824,000	186	237	22.8	28.8
Dayton, Ohio	265,000	90	91	34.3	34.3
Denver, Colo.	500,000	95	78	19.0	15.6
Des Moines, Iowa	208,000	22	30	10.6	14.4
Detroit, Mich.	1,615,000	1,070	951	66.3	58.9
El Paso, Texas	355,000	164	120	46.9	33.8
Elizabeth, N. J.	118,300	56	40	47.6	33.8
Fort Worth, Texas ...	410,000	113	106	28.3	25.9
Fresno, Calif.‡	408,400	216	218	52.9	53.4
Honolulu, Hawaii	363,380	125	145	36.5	39.9
Houston, Texas ‡	1,604,000	454	..	28.3	..
Indianapolis, Ind.‡	752,900	303	294	40.7	39.0
Jacksonville, Fla. ..	200,000	68	70	34.0	35.0
Jersey City, N. J. ...	270,000	115	107	42.6	39.6
Kansas City, Mo.	577,631	181	143	31.9	24.8
Long Beach, Calif. ..	378,528	108	59	28.7	15.6
Los Angeles, Calif.‡	7,057,720	1,718	1,473	24.6	20.9
Louisville, Ky.‡	680,300	218	192	32.5	28.2
Memphis, Tenn.‡	757,000	164	157	22.2	20.7
Miami, Fla.‡	1,182,000	365	348	29.3	29.4
Milwaukee, Wis.	774,000	188	182	24.4	23.5
Minneapolis, Minn. ..	468,107	82	82	17.3	17.5
Mobile, Ala.‡	358,450	137	171	38.5	47.7
New Orleans, La.	661,008	250	175	37.8	26.5
New York, N. Y.	8,125,000	3,663	3,542	45.6	43.6
Newark, N. J.	410,000	284	259	69.3	63.2
Norfolk, Va.	309,788	100	135	31.1	43.6
Oakland, Calif.	377,400	94	71	25.0	18.8

(continued)

Continued
 TUBERCULOSIS IN LARGE AMERICAN CITIES
 Part A-NEW CASES OF TUBERCULOSIS REGISTERED
 AND RATE PER 100,000 POPULATION
 1966-1967 (Provisional)**

City, State	Population 1967	Newly Reported Active Tuberculosis Cases			
		Number		Rate*	
		1966	1967	1966	1967
Oklahoma City, Okla	380,100	89	74	21.8	19.5
Omaha, Neb.‡	383,400	73	60	18.3	15.6
Paterson, N. J.	149,000	91	99	61.4	66.4
Philadelphia, Pa. ...	2,071,000	952	942	46.0	45.5
Phoenix, Ariz.	522,605	131	99	25.4	18.9
Pittsburg, Pa.	566,000	278	252	49.1	44.5
Portland, Ore.	384,000	167	118	43.9	30.7
Providence, R. I. ...	188,589	53	46	28.2	24.4
Richmond, Va.	216,456	159	132	72.6	61.0
Rochester, N. Y.	300,000	119	90	39.7	30.0
Sacramento, Calif. ..	270,000	110	108	41.0	40.0
St. Louis, Mo.	719,669	303	281	41.9	39.0
St. Paul, Minn.	317,287	53	57	16.9	18.0
San Antonio, Texas ..	717,696	220	298	31.4	41.5
San Diego, Calif.‡ ..	1,283,200	227	211	18.2	16.4
San Francisco, Calif.	747,500	419	385	56.6	51.5
San Jose, Calif.	359,600	54	..	15.0	..
San Juan, Puerto Rico	480,300
Seattle, Wash.	580,000	132	134	22.9	23.1
Syracuse, N. Y.	209,172	65	80	30.8	38.2
Tampa, Fla.	306,478	89	68	29.0	22.2
Toledo, Ohio	394,500	105	114	26.6	28.9
Trenton, N. J.	111,000	59	87	55.1	78.4
Tucson, Ariz.‡	322,500	84	75	25.6	23.3
Tulsa, Okla.	300,000	78	67	26.0	22.3
Washington, D. C. ...	798,036	553	423	69.0	53.0
Wichita, Kansas	346,461	46	29	13.8	8.4

*Per 100,000 population.

‡Data shown are for county when separate details for principal city are not available.

(..)Data unavailable or not reported by local authorities.

**Data is unofficial as it included provisional data as well as data estimates from public health authorities of the respective areas.

TUBERCULOSIS IN LARGE AMERICAN CITIES
 Part B-TUBERCULOSIS DEATHS AND DEATH RATES
 1966-1967 (Provisional)

City, State	Residents of City			
	Deaths		Death Rate*	
	1966	1967	1966	1967
Akron, Ohio	2	5	0.7	1.7
Atlanta, Ga.‡	29	26	4.8	4.3
Baltimore, Md.	108	..	11.9	..
Berkeley, Calif.	1	1	0.8	0.8
Birmingham, Ala.	42	30	12.0	8.5
Boston, Mass.	60	61	9.1	9.3
Buffalo, N. Y.	20	21	4.2	4.4
Camden, N. J.	10	7	8.6	6.0
Charlotte, N. C.‡	5	..	1.6	..
Chattanooga, Tenn.	18	19	14.6	15.7
Chicago, Ill.	203	191	5.6	5.3
Cincinnati, Ohio	29	38	5.8	7.6
Cleveland, Ohio	24	42	2.9	5.2
Columbus, Ohio	16	14	3.0	2.6
Dallas, Texas	21	17	2.6	2.1
Dayton, Ohio	10	15	3.8	5.7
Denver, Colo.	15	19	3.0	3.8
Des Moines, Iowa‡	1	0	0.5	0.0
Detroit, Mich.	141	147	8.6	9.1
El Paso, Texas	28	13	8.0	3.7
Elizabeth, N. J.	6	8	5.1	6.8
Fort Worth, Texas	14	18	3.5	4.4
Fresno, Calif.	6	8	1.5	2.0
Honolulu, Hawaii	18	6	5.3	1.7
Houston, Texas‡	71	..	4.4	..
Indianapolis, Ind.‡	30	35	4.0	4.6
Jacksonville, Fla.	19	20	9.5	10.0
Jersey City, N. J.	30	21	11.1	7.8
Kansas City, Mo.	27	23	4.7	4.0
Long Beach, Calif.	13	4	3.5	1.1
Los Angeles, Calif.‡	373	..	5.3	..
Louisville, Ky.‡	29	26	4.3	3.8
Memphis, Tenn.‡	20	16	2.7	2.1
Miami, Fla.‡	42	46	3.6	3.9
Milwaukee, Wis.	23	19	3.0	2.5
Minneapolis, Minn.	17	8	3.6	1.7
Mobile, Ala.‡	16	24	4.5	6.7
New Orleans, La.	36	50	5.4	7.6
New York, N. Y.	505	495	6.3	6.1
Newark, N. J.	35	36	8.5	8.8
Norfolk, Va.	9	12	2.8	3.9
Oakland, Calif.	15	..	4.0	..

(continued)

Continued
TUBERCULOSIS IN LARGE AMERICAN CITIES
Part B-TUBERCULOSIS DEATHS AND DEATH RATES
1966-1967 (Provisional)

City, State	Residents of City			
	Deaths		Death Rate*	
	1966	1967	1966	1967
Oklahoma City, Okla.	8	12	2.1	3.2
Omaha, Neb.‡	15	4	3.9	1.0
Paterson, N. J.	10	7	6.8	4.7
Philadelphia, Pa.	202	145	9.8	7.0
Phoenix, Ariz.	26	22	5.0	4.2
Pittsburg, Pa.	64	52	11.3	9.2
Portland, Ore.	21	10	5.5	2.6
Providence, R. I.	7	7	3.7	3.7
Richmond, Va.	14	16	6.4	7.4
Rochester, N. Y.	12	8	4.0	2.7
Sacramento, Calif.	16	12	6.0	4.4
St. Louis, Mo.	48	37	6.6	5.1
St. Paul, Minn.	4	8	1.3	2.5
San Antonio, Texas	39	38	5.6	5.3
San Diego, Calif.‡	20	..	1.6	..
San Francisco, Calif.	40	38	5.4	5.1
San Jose, Calif.	9	..	2.5	..
San Juan, Puerto Rico.
Seattle, Wash.	10	5	1.7	0.9
Syracuse, N. Y.	10	11	4.7	5.3
Tampa, Fla.	11	10	3.6	3.3
Toledo, Ohio	11	12	2.8	3.0
Trenton, N. J.	14	9	12.6	8.1
Tucson, Ariz.‡	28	27	8.7	8.4
Tulsa, Okla.	10	7	5.6	3.9
Washington, D.C.	101	..	12.7	..
Wichita, Kansas ‡	5	2	1.5	0.6

*Per 100,000 population.

(..)Data unavailable or not reported by local Public Health Authorities.

‡Data shown are for county when separate details for principal City are not available. Data is unofficial as it includes provisional data as well as data estimates from public health authorities of the respective areas.

TUBERCULOSIS: NEWLY REPORTED CASES, DEATHS AND RATES PER 100,000 POPULATION
New York State (Exclusive of New York City) by County 1967

County*	Population Estimate July 1, 1967	Newly Reported Tuberculosis Cases		Tuberculosis Deaths	
		Number	Rate‡	Number	Rate‡
Albany	285,745	82	28.7	15	5.2
Allegany	43,166	1	2.3	-	0.0
Broome	220,972	21	9.5	4	1.8
Cattaraugus	79,966	6	7.5	1	1.3
Cayuga	74,232	11	14.8	1	1.3
Chautaugua	150,090	17	11.3	2	1.3
Chemung	100,272	9	9.0	1	1.0
Chenango	46,156	6	13.0	3	6.5
Clinton	75,581	6	7.9	1	1.3
Columbia	49,670	15	30.2	1	2.0
Cortland	43,877	-	0.0	-	0.0
Delaware	42,317	2	4.7	-	0.0
Dutchess	199,864	30	15.0	3	1.5
Erie	1,081,266	268	24.8	26	2.4
Essex	34,801	5	14.4	2	5.7
Franklin	43,699	16	36.6	-	0.0
Fulton	50,824	6	11.8	2	3.9
Genesee	58,323	8	13.7	1	1.7
Greene	32,555	3	9.2	-	0.0
Hamilton	4,316	1	23.2	-	0.0
Herkimer	69,722	6	8.6	-	0.0
Jefferson	88,945	8	9.0	2	2.2
Lewis	23,553	1	4.2	-	0.0
Livingston	46,727	3	6.4	1	2.1
Madison	59,423	6	10.1	-	0.0
Monroe	652,411	115	17.6	8	1.2
Montgomery	53,977	3	5.6	2	3.7
Nassau	1,435,850	202	14.1	23	1.6
Niagara	242,373	23	9.5	3	1.2
Oneida	271,109	51	18.8	5	1.8
Onondaga	469,758	75	16.0	17	3.6
Ontario	73,209	10	13.7	1	1.4
Orange	210,417	28	13.3	9	4.3
Orleans	37,699	7	18.6	-	0.0
Oswego	92,994	8	8.6	1	1.1
Otsego	53,630	5	9.3	-	0.0
Putnam	46,289	3	6.5	1	2.2
Rensselaer	148,234	36	24.3	8	5.4
Rockland	194,710	32	16.4	1	0.5
St. Lawrence	116,441	10	8.6	1	0.9
Saratoga	103,572	7	6.8	1	1.0
Schenectady	148,348	10	6.7	6	4.0
Schoharie	22,085	3	13.6	3	13.6
Schuyler	15,609	2	12.8	-	0.0
Seneca	31,355	2	6.4	-	0.0
Steuben	99,224	12	12.1	-	0.0
Suffolk	973,896	130	13.3	10	1.0
Sullivan	47,661	11	23.1	6	12.6
Tioga	44,629	6	13.4	-	0.0
Tompkins	73,788	9	12.2	2	2.7
Ulster	138,121	18	13.0	5	3.6
Warren	47,661	9	18.9	-	0.0
Washington	48,368	5	10.3	-	0.0
Wayne	72,774	6	8.2	-	0.0
Westchester	865,009	135	15.6	19	2.2
Wyoming	34,168	8	23.4	-	0.0
Yates	18,953	1	5.3	-	0.0
Non Residents and Residence Unknown	-	-	-	5	-
Institutional Dis- tricts	111,246	8	7.2	-	0.0
Upstate New York Total	10,001,630	1,527	15.3	203	2.0

County data exclusive of institutional districts, which comprise 50 State institutions and 10 Veterans Administration Hospitals.
‡Rate per 100,000 population.

Solomon Kunitz
State of New York

TUBERCULOSIS: NEWLY REPORTED CASES, DEATHS AND RATES
 Twenty-Six Cities, each with over 25,000 Population,
 In New York State - (Exclusive of New York City) - 1967

City	Population Estimate July 1, 1967	Newly Reported Tuberculosis Cases		Tuberculosis Deaths	
		Number	Rate†	Number	Rate†
Albany	122,938	61	49.6	14	11.4
Amsterdam	24,902	3	12.0	2	8.0
Auburn	31,691	9	28.4	1	3.2
Binghamton	65,492	9	13.7	1	1.5
Buffalo	465,686	205	44.0	19	4.1
Elmira	40,878	6	14.7	-	0.0
Ithaca	28,112	7	24.9	2	7.1
Jamestown	40,148	7	17.4	-	0.0
Kingston	29,062	4	13.8	1	3.4
Lackawanna	28,435	1	3.5	-	0.0
Lockport	25,939	3	11.6	1	3.9
Mt. Vernon	71,063	20	28.1	3	4.2
Newburgh	30,350	8	26.4	1	3.3
New Rochelle	74,105	13	17.5	1	1.3
Niagara Falls	98,238	11	11.2	2	2.0
North Tonawanda ...	36,065	4	11.1	-	0.0
Poughkeepsie	35,970	18	50.0	2	5.6
Rochester	291,692	101	34.6	8	2.7
Rome	45,996	10	21.7	1	2.2
Schenectady	71,162	5	7.0	5	7.0
Syracuse	209,172	59	28.2	15	7.2
Troy	62,984	21	33.3	4	6.4
Utica	95,557	25	26.2	1	1.0
Watertown	31,942	4	12.5	1	3.2
White Plains	49,702	6	12.1	-	0.0
Yonkers	205,700	42	20.4	9	4.4
Total 26 Cities ...	2,312,981	662	28.6	94	4.1
Remainder Upstate New York *	7,688,649	865	11.3	109	1.4

†Rate per 100,000 population.

*Exclusive of institutions, non residents and residence unknown.

TUBERCULOSIS IN SELECTED COUNTRIES
Part A-NEW CASES OF TUBERCULOSIS REGISTERED AND RATES

1965-1967

Country	Population 1967	New Cases			New Rates*		
		1965	1966	1967	1965	1966	1967
Australia	11,928,889	2,903	2,549	2,293	27.1	21.8	19.2
Belgium	9,499,234	3,806	40.1
Canada	20,405,000	4,803	4,517	4,614	24.5	22.6	22.6
Ceylon	11,291,000	6,927	61.7
Czechoslovakia a) ..	14,333,259	10,891	12,182	12,417	76.7	85.4	86.6
Denmark	4,831,400	770	732	..	16.2	15.3	..
Ecuador	5,507,500	6,020	6,265	4,797	115.3	117.6	87.1
England and Wales	48,391,000	16,103	14,606	13,207	33.7	30.4	27.3
Fiji (Colony)	502,956	516	458	469	109.8	94.8	93.2
Finland	4,664,500	7,058	6,838	6,107	153.0	147.4	130.9
France b)	49,650,200	39,224	43,692	..	79.0	88.0	..
German Federal Republic	59,948,000	55,232	55,023	56,995	93.6	92.0	95.1
Greenland	42,102	111	101	86	286.0	255.0	204.3
Hong Kong c)	3,834,000	9,927	11,427	15,253	260.9	306.2	397.8
Iraq	8,410,234	6,686	80.9
Israel	2,596,424	732	610	..	28.2	23.0	..
Japan	100,243,000	315,006	286,563	258,935	320.5	289.3	258.3
Luxembourg	335,234	209	155	172	62.8	46.3	51.3
Malta	318,573	80	93	57	25.1	29.3	17.9
Netherlands	12,590,112	3,758	3,719	..	30.6	29.9	..
New Zealand	2,729,188	1,146	1,128	..	43.3	42.0	..
Europeans	2,520,188	743	710	..	30.3	28.6	..
Maoris	209,000	403	418	..	207.2	206.1	..
Northern Ireland ..	1,491,000	628	481	427	42.8	32.5	28.6
Norway	3,723,153	660	17.7
Panama	1,328,700	1,583	1,496	1,718	134.0	122.5	129.3
Peru	6,087,200	26,295	24,793	21,807	430.6	407.3	358.2
Philippines	33,477,000	125,549	204,889	..	375.0	612.0	..
Poland	31,943,900	54,905	44,192	38,698	174.3	139.4	121.1
Republic of South Africa	18,733,000	67,623	66,761	69,261	378.5	364.9	369.7
Whites	3,563,000	1,260	1,239	1,244	37.1	35.6	34.9
Coloureds	1,859,000	9,068	8,752	8,116	517.9	484.9	436.6
Asiatics	561,000	1,323	1,115	1,150	248.2	203.8	205.0
Bantu	12,750,000	55,972	55,655	58,751	459.3	446.5	460.8
Scotland	5,186,600	2,412	2,301	2,201	46.3	44.3	42.6
Spain	32,140,000	22,783	17,639	..	72.1	55.3	..
State of Singapore	1,964,060	4,711	4,163	3,647	252.6	223.2	185.7
Sweden	7,869,068	2,847	2,548	2,399	36.8	32.6	30.5
Switzerland	6,071,000	3,403	3,228	2,910	57.2	53.8	47.9
United States	197,500,000	49,016	47,767	45,441	25.3	24.4	23.0

*Rate per 100,000 population. (..)Data unavailable or not reported as of
December 1968

Data unofficial as it included provisional data, as well as data estimates from
authorities of respective countries.

a) Due to a new recording system, 1965 data is not comparable with 1966 and 1967
data.

b) Estimated.

c) The increase in TB Morbidity is attributed to an intensified case-finding program.

TUBERCULOSIS IN SELECTED COUNTRIES
Part B-TUBERCULOSIS DEATHS AND DEATH RATES

1965-1967

Country	Deaths			Death Rate*		
	1965	1966	1967	1965	1966	1967
Australia	294	321	275	2.7	2.8	2.3
Canada	697	669	658	3.6	3.3	3.2
Chile	3,682	3,544	3,341	42.6	39.9	36.7
Czechoslovakia	2,195	2,049	1,665	15.5	14.4	11.6
Denmark	97	90	80	2.0	1.9	1.7
Ecuador	1,160	1,302	..	22.5	24.4	..
England and Wales	2,282	2,354	2,041	4.8	4.9	4.2
Fiji (Colony)	40	15	21	8.5	3.1	4.2
Finland	646	523	480	14.0	11.3	10.3
France	7,149	6,549	6,372	14.6	13.3	12.8
German Federal Republic	7,574	7,130	6,414	12.8	11.9	10.7
Greenland	4	2	1	10.3	5.0	2.3
Hong Kong	1,278	1,515	1,493	33.6	40.6	38.9
Iraq	443	521	..	5.4	6.2	..
Israel	74	70	..	2.8	2.6	..
Japan	22,366	20,028	17,675	22.8	20.2	17.6
Luxembourg	28	29	33	8.4	8.7	9.8
Malta	15	8	12	4.7	2.5	3.8
Netherlands	222	188	175	1.8	1.5	1.4
New Zealand	86	111	80	3.2	4.1	2.9
Europeans	69	80	..	2.8	3.2	..
Maoris	17	31	..	8.7	15.3	..
Northern Ireland	73	56	62	5.0	3.8	4.2
Norway	146	3.9
Panama	247	261	261	19.8	20.3	19.6
Peru	3,105	4,077	..	50.8	67.0	..
Philippines	28,689	28,721	..	88.7	85.8	..
Poland	11,768	10,612	10,113	37.4	33.5	31.7
Scotland	353	293	..	6.6	5.6	..
Spain	5,702	5,272	4,475	18.0	16.5	13.9
State of Singapore	647	576	551	34.7	30.1	28.1
Sweden	220	193	170	2.8	2.5	2.2
Switzerland	506	474	467	8.5	7.9	7.7
United States	7,934	7,625	6,560	4.1	3.9	3.3

* Rate per 100,000 population.

(..) Data unavailable or not reported.

† Care should be taken in making international comparisons of tuberculosis morbidity and mortality rates. Reporting of new cases is not done with the same degree of completeness or accuracy in each place. Also criteria used as to what constitutes a "new case" differ. However, for a particular country the local practice is probably fairly consistent and the annual records within the same country, for a relatively short period, may be comparable.

INFANT MORTALITY, OUT-OF-WEDLOCK BIRTHS
AND CASES OF PRIMARY, SECONDARY AND
EARLY LATENT SYPHILIS REPORTED,
BY BOROUGH AND HEALTH CENTER DISTRICTS
NEW YORK CITY, 1967

Health District	Infant Mortality		O of W Births		Primary Secondary & Early Latent Syphilis	
	Deaths	Rate†	Number	% of Total Births	Number	Rate‡
New York City	3,489	23.9	24,336	16.7	4,295	52.9
Manhattan	601	25.3	5,924	25.0	1,805	103.1
Central Harlem	144	39.2	1,934	52.7	394	169.1
East Harlem	121	35.8	1,126	33.3	149	81.4
Kips Bay-Yorkville	31	13.7	168	7.4	110	44.9
Lower East Side	93	22.3	858	20.6	243	85.6
Lower West Side	64	22.3	415	14.4	342	126.2
Riverside	64	18.6	767	22.2	407	150.2
Washington Hgts.	84	21.5	656	16.8	160	60.8
Bronx	703	25.9	5,336	19.7	745	50.7
Fordham-Riverdale	67	18.8	181	5.1	30	12.8
Morrisania	179	28.2	1,942	30.5	278	104.5
Mott Haven	184	33.6	1,715	31.4	205	90.3
Pelham Bay	54	22.5	178	7.4	37	18.6
Tremont	158	30.5	1,096	21.2	147	55.5
Westchester	61	14.6	224	5.5	48	17.2
Brooklyn	1,271	25.4	8,943	17.8	1,087	41.0
Bay Ridge	72	17.0	77	1.8	19	6.7
Bedford	222	34.0	2,400	36.7	284	99.6
Brownsville	230	29.4	1,917	24.5	177	57.1
Bushwick	145	27.4	1,190	22.5	121	59.3
Flatbush	111	16.6	255	3.8	51	10.2
Fort Greene	191	41.0	1,453	31.2	223	107.7
Gravesend	76	16.5	222	4.8	31	9.4
Red Hook-Gowanus	72	24.8	513	17.7	107	69.5
Sunset Park	52	15.7	221	6.7	17	9.2
Wmsbrg.-Green't.	100	24.5	695	17.0	57	30.0
Queens	525	17.7	2,119	7.1	408	20.6
Astoria-L.I.C.	69	17.9	152	3.9	42	16.6
Corona	67	15.2	295	6.7	73	28.4
Flushing	90	14.2	149	2.4	22	4.2
Jamaica East	147	28.0	1,050	20.0	152	47.5
Jamaica West	106	18.9	390	6.9	101	29.1
Maspeth-For. Hills	46	11.0	83	2.0	18	6.1
Richmond	114	23.9	239	5.0	17	6.3
Non-Residents	234	-	231	-	33	-
Residence Unknown	41	-	1,544	-	200	-
Military	-	-	-	-	-	-

† Per 1,000 new births. ‡ Per 100,000 Population.

AIR POLLUTION IN NEW YORK CITY
POLLUTANTS AND SOURCES

MAJOR POLLUTANTS -- ESTIMATED TONS PER YEAR -- 1966/1967

Sources	Sulfur Dioxide	Particulates	Oxides of Nitrogen	Hydrocarbons	Carbon Monoxide
Space Heating	450,500	57,900	115,400	13,500	18,500
Incineration	2,500	32,100	2,500	24,300	46,100
Transportation	20,000	10,200	59,000	249,900	1,690,500
Power Generation	355,200	19,200	108,400	3,000	1,300
Evaporation	--	--	--	134,400	--
TOTALS	828,200	119,400	285,300	425,100	1,756,500

Based on emissions inventory by NYC Dept. of Air Pollution Control as of April, 1968.

Note: Overall tonnage of emissions does not reflect relative importance of each pollutant in terms of health effects or property damage, nor does it reflect local differences in concentrations. However, transportation is responsible for 95% of the carbon monoxide, and heating accounts for about 50% of particulates and sulfur oxide emission.