

# LATENT TB INFECTION THERAPY REPORT (TB78)

Reporting LTBI cases is not mandatory. If LTBI information is provided to BTBC it will be used to gather information about NYC Health profiles. Patient specific information will not be re-disclosed.

MEDICAL RECORD # \_\_\_\_\_

START  STOP  CHANGE  RESTART

DATE FIRST SEEN: \_\_\_\_/\_\_\_\_/\_\_\_\_  
MM DD YY

DOH FACILITY PRESCRIBING TREATMENT \_\_\_\_

CRS # \_\_\_\_\_ STAFF # \_\_\_\_\_

REPORTING FACILITY: \_\_\_\_\_ TELEPHONE (\_\_\_\_) \_\_\_\_\_

ADDRESS NUMBER/STREET \_\_\_\_\_

BORO :

BROOKLYN  BRONX  QUEENS ZIP \_\_\_\_\_  
 MANHATTAN  STATEN ISLAND  OUTSIDE NYC \_\_\_\_\_

## PATIENT INFORMATION

PATIENT NAME LAST: \_\_\_\_\_ FIRST: \_\_\_\_\_ MI: \_\_\_\_\_

SOCIAL SECURITY # \_\_\_\_\_ TELEPHONE (\_\_\_\_) \_\_\_\_\_

ADDRESS NUMBER/STREET \_\_\_\_\_ ZIP \_\_\_\_\_ DATE OF BIRTH \_\_\_\_\_

MALE  FEMALE \_\_\_\_/\_\_\_\_/\_\_\_\_  
MM DD YY

BORO:  BROOKLYN  BRONX  QUEENS  MANHATTAN  STATEN ISLAND  OUTSIDE NYC

RACE:  BLACK  ASIAN/PACIFIC ISLANDER  HISPANIC  WHITE  NATIVE AMERICAN  
ETHNICITY:  NON-HISPANIC  
COUNTRY OF BIRTH \_\_\_\_\_ IF NON US BORN, DATE OF ENTRY TO U.S. (M/Y): \_\_\_\_-\_\_\_\_

## CLINICAL STATUS

DATE OF TB TEST (TST or QFT-G) \_\_\_\_/\_\_\_\_/\_\_\_\_ TST RESULTS \_\_\_\_ MM CONVERSION:  Yes  No X-RAY DATE: \_\_\_\_/\_\_\_\_/\_\_\_\_  
MM DD YY Prior Date: \_\_\_\_/\_\_\_\_/\_\_\_\_ MM DD YY

QFT-G RESULTS:  Positive  Negative  Indeterminate X-RAY RESULTS  
\_\_\_\_ Mitogen \_\_\_\_ ESAT-6 \_\_\_\_ CFP-10 \_\_\_\_ Nil  NORMAL  ABNORMAL  
 Consistent with active TB

Was this patient tested by another provider and referred for evaluation and treatment?  Yes  No If Abnormal Call TB Hotline (212) 788-4162

DATE TLTBI STARTED \_\_\_\_/\_\_\_\_/\_\_\_\_ RECOMMENDED TREATMENT (Check One) DIRECTLY OBSERVED TREATMENT FOR LTBI  
MM DD YY  ISONIAZID  6 months  9 months  12 months  YES  NO  
TB classification (see reverse)  RIFAMPIN  4 MONTHS  6 MONTHS (If yes)  
Class \_\_\_\_\_  OTHER: \_\_\_\_\_  DAILY (≥ 5X/ week)  
 2X weekly

REASON FOR TREATMENT: (Check One)  RECENT CONTACT TO A TB CASE  
(See instructions on reverse side) Last Name \_\_\_\_\_ First Name \_\_\_\_\_  
 MEDICAL RISK Date of Birth \_\_\_\_/\_\_\_\_/\_\_\_\_ Source Case # A \_\_\_\_\_  
 POPULATION RISK MM DD YY  
 ADMINISTRATIVE, NO RISK FACTORS

## STOPPED LTBI TREATMENT / DISCHARGE

DATE OF LAST VISIT \_\_\_\_/\_\_\_\_/\_\_\_\_ # months on treatment for LTBI \_\_\_\_ REASON FOR STOPPING  
MM DD YY  COMPLETED THERAPY (1)  TRANSFERRED \_\_\_\_\_  
 CHOSE TO STOP (2)  REFUSED (2)  MOVED (4)  LOST (3)  
 MEDICAL ADVICE (7)  DIAGNOSED WITH ACTIVE TB A \_\_\_\_\_  
 NOT INFECTED (9)  ADVERSE DRUG REACTION (7)  DIED (5)  
 NO TX INDICATED (7)  PREVIOUS TX (7)

Date: \_\_\_\_/\_\_\_\_/\_\_\_\_ Reported By: (Print) \_\_\_\_\_ FOR OFFICE USE ONLY  
Registry Entry: \_\_\_\_/\_\_\_\_/\_\_\_\_ Entered By: \_\_\_\_\_

REPORTS TO BE SENT TO: New York City Department of Health and Mental Hygiene, Bureau of Tuberculosis Control  
Central Record System (CRS) • 42-09 28th Street, CN-72B, 21st Fl., L.I.C., NY 11101

### TB Classification

Class	Type	Class	Type
0	No TB exposure; not infected	3	Current TB disease
1	TB exposure; no evidence of infection	4	Previous TB disease
2	TB infection; no disease	5	TB suspected

### Conditions that are counted under Medical Risk

<p>HIV infection</p> <p>Recent exposure to TB</p> <p>Tuberculin skin test conversion (increase in TST induration of <math>\geq 10</math> mm within last 2 years)</p> <p>Age &lt; 5 years</p> <p>Fibrotic lesions (on chest X-ray) consistent with old, healed TB</p> <p>Injection drug use</p> <p>Diabetes mellitus</p> <p>Prolonged high-dose corticosteroid therapy or other intensive immunosuppressive therapy</p> <p>Chronic renal failure</p> <p>Some hematologic disorders, such as leukemia or lymphoma</p> <p>Specific malignant neoplasms, such as carcinoma of the head or neck</p> <p>Weight at least 10% less than ideal body weight</p> <p>Pulmonary silicosis</p> <p>Gastrectomy, or jejunioileal bypass</p>
---

### Circumstances that are counted under Population Risk

<p>Residency or occupation in high-risk congregate settings:</p> <ul style="list-style-type: none"> <li>Prisons and jails</li> <li>Health care facilities</li> <li>Nursing homes and long-term facilities</li> <li>Shelters for homeless persons</li> </ul> <p>Birth in a country having a high prevalence or incidence of TB: Includes</p> <ul style="list-style-type: none"> <li>Immigrants</li> <li>Refugees</li> <li>Students</li> <li>Some migrant workers</li> </ul>
--