



NEW YORK CITY DEPARTMENT OF HEALTH AND MENTAL HYGIENE

Thomas Farley, MD, MPH
Commissioner

FOR IMMEDIATE RELEASE
Friday, August 10, 2012
(347) 396-4177

Health Department to Spray Pesticide to Reduce the Number of Mosquitoes and the Risk of West Nile Virus in Selected Parts of Staten Island

August 10, 2012 -- To reduce mosquito activity and the risk of West Nile virus, the Health Department will spray pesticide from trucks in parts of Staten Island on **Wednesday, August 15, between the hours of 8:15 p.m. and 6 a.m. the next morning**, weather permitting. In case of bad weather, application will be delayed until Thursday, August 16 during the same hours. These neighborhoods are being treated due to rising West Nile virus activity with high and/or increasing mosquito populations. The areas to be treated appear below.

Locations of Application

Neighborhoods	Boundaries	Zip Codes
Parts of Dongan Hills, Grasmere, Grant City, Midland Beach, New Dorp, New Dorp Beach, , Oakwood, Oakwood Beach, Old Town and South Beach	Bordered by Lower New York Bay to the East; Sand Lane and Fingerboard Road to the North; Richmond Road to the West; and New Dorp Lane to the South	Parts of the following zip codes: 10304, 10305, 10306
Parts of Annadale, Bay Terrace, Eltingville, and Great Kills	Bordered by Atlantic Ocean, Cleveland Ave, and Giffords Lane to the East; Woodland Ave, and Genesee Ave to the North; and Annadale Road and Poillon Ave to the West; and Atlantic Ocean to the South	Parts of the following zip codes: 10308, 10312

For these sprayings, the Health Department will use a very low concentration of Anvil®, 10 + 10 a synthetic pesticide. When properly used, this product poses no significant risks to human health. The Health Department recommends that people **take the following precautions to minimize direct exposure:**


- Whenever possible, stay indoors during spraying. People with asthma or other respiratory conditions are encouraged to stay inside during spraying since direct exposure could worsen these conditions.
- Air conditioners may remain on, however, if you wish to reduce the possibility of indoor exposure to pesticides, set the air conditioner vent to the closed position, or choose the re-circulate function.

- Remove children’s toys, outdoor equipment, and clothes from outdoor areas during spraying. If outdoor equipment and toys are exposed to pesticides, wash them with soap and water before using again.
- Wash skin and clothing exposed to pesticides with soap and water. Always wash your produce thoroughly with water before cooking or eating.

Reducing Exposure to Mosquitoes

- Consider limiting time outdoors between dusk and dawn in areas with significant mosquito infestations.
- Wear protective clothing when outdoors, and use an approved insect repellent containing DEET, picaridin, oil of lemon eucalyptus (not for children under three), or products that contain the active ingredient IR3535.
- Make sure windows have screens and repair or replace screens that have tears or holes.
- Eliminate any standing water from your property and dispose of containers that can collect water. Standing water is a violation of the New York City Health Code.
- Make sure roof gutters are clean and draining properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. Keep them empty or covered if not in use; drain water that collects in pool covers.
- Report standing water by calling **311** or visiting nyc.gov/health/wnv.

Maps Depicting Specific Areas for Larvicide Application



Planned Spray Areas
in Staten Island, August 15, 2012
NYC Dept of Health and Mental Hygiene



This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.



###

#WNV 009-12

MEDIA CONTACT: (347) 396-4177
Chanel Caraway: pressoffice@health.nyc.gov