



NEW YORK CITY DEPARTMENT OF HEALTH AND MENTAL HYGIENE

Thomas Farley, MD, MPH
Commissioner

FOR IMMEDIATE RELEASE
Friday, August 9, 2013
(347) 396-4177

HEALTH DEPARTMENT TO SPRAY PESTICIDE TO REDUCE THE NUMBER OF MOSQUITOES AND THE RISK OF WEST NILE VIRUS IN SELECTED PARTS OF STATEN ISLAND

August 9, 2013 – To reduce mosquito activity and the risk of West Nile virus, the Health Department will spray pesticide from trucks in parts of Staten Island on **Wednesday, August 14, 2013 between the hours of 8:15 p.m. and 6 a.m. the following morning**, weather permitting. In case of bad weather, application will be delayed until Thursday, August 15, 2013 during the same hours. The neighborhoods listed below are being treated due to rising West Nile virus activity with high mosquito populations.

Locations of Application

Neighborhoods	Boundaries	Zip Codes
Parts of Bay Terrace, Eltingville, Grant City, Great Kills, Midland Beach, New Dorp, New Dorp Beach, Oakwood and Oakwood Beach	Bordered by Midland Avenue, Hylan Boulevard, Tysens Lane, Amboy Road, and Clarke Avenue to the North; Arthur Kill Road, Corbin Avenue, Dewey Avenue, Greaves Avenue, Katan Avenue, Richmond Avenue and Amboy Road to the West; Arden Avenue and Great Kills Harbor to the South; and Fairlawn Avenue, Hylan Boulevard, Great Kills Park and Lower New York Bay to the East	Parts of 10306, 10308, 10312

For these sprayings, the Health Department will use a very low concentration of Anvil® 10+10, a synthetic pesticide. When properly used, this product poses no significant risks to human health. The Health Department recommends that people take the following precautions to minimize direct exposure:

- Whenever possible, stay indoors during spraying. People with asthma or other respiratory conditions are encouraged to stay inside during spraying since direct exposure could worsen these conditions.
- Air conditioners may remain on, however, if you wish to reduce the possibility of indoor exposure to pesticides, set the air conditioner vent to the closed position, or choose the re-circulate function.
- Remove children’s toys, outdoor equipment, and clothes from outdoor areas during spraying. If outdoor equipment and toys are exposed to pesticides, wash them with soap and water before using again.
- Wash skin and clothing exposed to pesticides with soap and water. Always wash your produce thoroughly with water before cooking or eating.


Reducing Exposure to Mosquitoes

- Consider reducing the amount of time spent outdoors during the hours between dusk and dawn in areas with heavy mosquito populations.

- Use an approved insect repellent containing DEET, picaridin, or oil of lemon eucalyptus (not for children under three).
- Make sure windows have screens, and repair or replace screens that have tears or holes.
- Eliminate any standing water from your property, and dispose of containers that can collect water. Standing water is a violation of the New York City Health Code.
- Make sure roof gutters are clean and draining properly.
- Clean and chlorinate swimming pools, outdoor saunas and hot tubs. Keep them empty and covered if not in use; drain water that collects in pool covers.
- Report standing water by calling 311 or visiting nyc.gov.


Map Depicting Specific Area for Pesticide Application

Planned Spray Areas
 in Staten Island, August 14, 2013
 NYC Dept of Health and Mental Hygiene



NYC Health

This map, and the application area it depicts, is an approximation and should not be relied on as a specific description of the area to be treated.



###

WNV #008-13

MEDIA CONTACT: (347) 396-4177
 Jean Weinberg/Veronica Lewin: pressoffice@health.nyc.gov