

2 sizes attached:
4 reservoirs and 1
reservoir

Clam shell for 4
Reservoirs

TO APPLY GEL:

1. Remove the cap from the nozzle, touch the top to the surface to be treated, and push down on the plunger. Apply bait as spots in cracks and crevices. Recap the dispenser after treatment is completed.
2. Store in a cool, dry place.
3. Do not apply gel to areas that have been recently sprayed with insecticide, and do not spray insecticide over gel, as this may cause the bait to become repellent.
4. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to German Cockroaches as long as it is visibly present.
5. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the level of infestation. Replace bait before it is completely consumed to keep German Cockroaches returning.

APPLICATIONS IN AIRCRAFT:

DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT. Application within passenger areas of aircraft is limited to crack and crevice treatment only. Apply Vendetta Plus Cockroach Gel Bait in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, areas between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Use 12 – 24 bait placements per 100 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NYGUARD® and Vendetta® are registered trademarks of McLaughlin Gormley King Company.

ACCEPTED
FOR REGISTRATION

July 8, 2021

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

DOC ID: 574858



ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE



Cockroach Gel Bait

Contains NYGUARD® IGR

ACTIVE INGREDIENTS:

Abamectin B1 0.05%
 Pyriproxyfen 0.50%

OTHER INGREDIENTS 99.45%
 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See package insert for First Aid, Precautionary Statements, and Directions for Use

Manufactured for: MGK, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593
F2976-501
Rev. 0220-0521

EPA Est. No. 1021-MN-2^A, 1021-MN-4^V
Superscript is the first character of the lot number.



**NET CONTENTS: 4 Reservoirs, 1.05 oz. (Net 30 g) each
Total Net Weight: 4.2 oz. (120 g)**

0 848920 000560

Job 185503

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, and waterproof gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product around electrical equipment due to the possibility of shock hazard.

For Use In and Around: Commercial, Industrial, and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Aircraft), and Warehouses

For Use in Commercial, Industrial and Residential Areas

VENDETTA® Plus Cockroach Gel Bait effectively kills German cockroaches and helps prevent reproduction through the effects of the insect growth regulator including inhibited development of nymphs and reproductive adults, sterility of adults, reduced insect fitness, behavioral changes, reduced egg production, deformed insects (twisted wings) and death.

For Household Use – In closets, basements, attics, recreation rooms, living areas, kitchens, bathrooms, dining rooms, pantries, food storage shelving, waste receptacles, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply to humans, animals, clothing, or bedding.
- Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or food containers.
- Do not use insecticide sprays on or near Vendetta Plus Cockroach Gel Bait.
- DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT.

PESTICIDE RESISTANCE MANAGEMENT

Vendetta Plus Cockroach Gel Bait contains Group 6 and Group 7C insecticides. Any insect population may contain individuals naturally resistant to Vendetta Plus Cockroach Gel Bait and other Group 6 and 7C insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same use sites. Appropriate resistance management strategies should be followed.

To delay insecticide resistance consider:

- Avoiding the consecutive use of Vendetta Plus Cockroach Gel Bait or other Group 6 and 7C insecticides that have a similar target site of action, on the same insect species.
- Basing insecticide use on a comprehensive IPM program.
- Monitoring treated insect population for loss of field efficacy.
- Contacting your local extension specialist, and/or manufacturer for insecticide resistance management and or IPM recommendations for the specific site and resistance pest problem.

GENERAL USE DIRECTIONS:

This product is for use only as a spot or crack and crevice treatment for the indoor control of German Cockroaches in residential areas (only in areas inaccessible to children and pets) and both food/feed and non-food/non-feed areas of institutional, warehousing, and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, buses, boats/ships, aircraft, trains, pet shops, and zoos.

Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/feed areas include areas for receiving storage, packing (canning, bottling, wrapping, and boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, and syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surfaces. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists. Avoid contact with textiles and clothing, as bait may stain.

Avoid placing gel on fabrics or carpets since it may stain some absorbent materials. To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

Vendetta Plus Cockroach Gel Bait is for use in controlling German Cockroaches indoors. The pre-filled plastic reservoir containing Vendetta Plus Cockroach Gel Bait is intended for use with bait injector application devices common to the pest control industry. Inject into cracks and crevices, void spaces, and other locations where insects may harbor, live and breed. Concentrate the bait placements as individual spots at insect activity sites (only in areas inaccessible to children and pets).

APPLICATION RATES:

For light infestations of German Cockroaches, 4 – 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of German Cockroaches, 12 – 24 bait points are recommended per 100 sq. ft. of treatment areas. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

Insert

ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE



Cockroach Gel Bait

Contains **NYGUARD® IGR**

ACTIVE INGREDIENTS:

Abamectin B1 0.05%
 Pyriproxyfen 0.50%

OTHER INGREDIENTS 99.45%
 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, and waterproof gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product around electrical equipment due to the possibility of shock hazard.

For Use In and Around: Commercial, Industrial, and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Aircraft), and Warehouses

For Use in Commercial, Industrial and Residential Areas

VENDETTA® Plus Cockroach Gel Bait effectively kills German cockroaches and helps prevent reproduction through the effects of the insect growth regulator including inhibited development of nymphs and reproductive adults, sterility of adults, reduced insect fitness, behavioral changes, reduced egg production, deformed insects (twisted wings) and death.

For Household Use – In closets, basements, attics, recreation rooms, living areas, kitchens, bathrooms, dining rooms, pantries, food storage shelving, waste receptacles, etc.

Manufactured for: **MGK**, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593

F2976-500

Rev. 0220-0521

EPA Est. No. 1021-MN-2^A, 1021-MN-4^V

Superscript is the first character of the lot number.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply to humans, animals, clothing, or bedding.
- Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or food containers.
- Do not use insecticide sprays on or near Vendetta Plus Cockroach Gel Bait.
- DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT.

PESTICIDE RESISTANCE MANAGEMENT

Vendetta Plus Cockroach Gel Bait contains Group 6 and Group 7C insecticides. Any insect population may contain individuals naturally resistant to Vendetta Plus Cockroach Gel Bait and other Group 6 and 7C insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same use sites. Appropriate resistance management strategies should be followed.

To delay insecticide resistance consider:

- Avoiding the consecutive use of Vendetta Plus Cockroach Gel Bait or other Group 6 and 7C insecticides that have a similar target site of action, on the same insect species.
- Basing insecticide use on a comprehensive IPM program.
- Monitoring treated insect population for loss of field efficacy.
- Contacting your local extension specialist, and/or manufacturer for insecticide resistance management and or IPM recommendations for the specific site and resistance pest problem.

GENERAL USE DIRECTIONS:

This product is for use only as a spot or crack and crevice treatment for the indoor control of German Cockroaches in residential areas (only in areas inaccessible to children and pets) and both food/feed and non-food/non-feed areas of institutional, warehousing, and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, buses, boats/ships, aircraft, trains, pet shops, and zoos.

Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/feed areas include areas for receiving storage, packing (canning, bottling, wrapping, and boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, and syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surfaces. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists. Avoid contact with textiles and clothing, as bait may stain.

Avoid placing gel on fabrics or carpets since it may stain some absorbent materials. To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

Vendetta Plus Cockroach Gel Bait is for use in controlling German Cockroaches indoors. The pre-filled plastic reservoir containing Vendetta Plus Cockroach Gel Bait is intended for use with bait injector application devices common to the pest control industry. Inject into cracks and crevices, void spaces, and other locations where insects may harbor, live and breed. Concentrate the bait placements as individual spots at insect activity sites (only in areas inaccessible to children and pets).

APPLICATION RATES:

For light infestations of German Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of German Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment areas. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

TO APPLY GEL:

1. Remove the cap from the nozzle, touch the top to the surface to be treated, and push down on the plunger. Apply bait as spots in cracks and crevices. Recap the dispenser after treatment is completed.
2. Store in a cool, dry place.
3. Do not apply gel to areas that have been recently sprayed with insecticide, and do not spray insecticide over gel, as this may cause the bait to become repellent.
4. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to German Cockroaches as long as it is visibly present.
5. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the level of infestation. Replace bait before it is completely consumed to keep German Cockroaches returning.

APPLICATIONS IN AIRCRAFT:

DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT. Application within passenger areas of aircraft is limited to crack and crevice treatment only. Apply Vendetta Plus Cockroach Gel Bait in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, areas between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Use 12 - 24 bait placements per 100 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:

Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NYGUARD® and Vendetta® are registered trademarks of McLaughlin Gormley King Company.

Syringe label



ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE

Vendetta PLUS

Cockroach Gel Bait

Contains **NYGUARD® IGR**

ACTIVE INGREDIENTS:

Abamectin B1	0.05%
Pyriproxyfen	0.50%
OTHER INGREDIENTS	99.45%
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See insert or box for First Aid, Precautionary Statements,
Directions for Use, and Storage and Disposal

Manufactured for: **MGK**, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593

F2976-040

Rev. 0220-0521

EPA Est. No. 1021-MN-2^a, 1021-MN-4^v

Superscript is the first character of the lot number.

NET CONTENTS: 1.05 oz. (Net 30 g)

LOT NUMBER

Job 185504

Pouch for Single Reservoir

DOC ID: 574859

ACCEPTED
FOR REGISTRATION

July 8, 2021

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE



Cockroach Gel Bait

Contains **NYGUARD® IGR**

ACTIVE INGREDIENTS:

Abamectin B1.....	0.05%
Pyriproxyfen.....	0.50%
OTHER INGREDIENTS	99.45%
	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See package insert for First Aid, Precautionary Statements, and Directions for Use

Manufactured for: **MGK**, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593
F2976-H01
Rev. 0220-0521

EPA Est. No. 1021-MN-2^A, 1021-MN-4^V
Superscript is the first character of the lot number

NET CONTENTS: 1 Reservoir, 1.05 oz. (Net 30 g)



184798 Vendetta Plus Pouch.indd 1

Job 184798

ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE



Cockroach Gel Bait

Contains **NYGUARD® IGR**

ACTIVE INGREDIENTS:

Abamectin B1 0.05%
 Pyriproxyfen 0.50%

OTHER INGREDIENTS 99.45%
 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, and waterproof gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product around electrical equipment due to the possibility of shock hazard.

For Use In and Around: Commercial, Industrial, and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Aircraft), and Warehouses

For Use in Commercial, Industrial and Residential Areas

VENDETTA® Plus Cockroach Gel Bait effectively kills German cockroaches and helps prevent reproduction through the effects of the insect growth regulator including inhibited development of nymphs and reproductive adults, sterility of adults, reduced insect fitness, behavioral changes, reduced egg production, deformed insects (twisted wings) and death.

For Household Use – In closets, basements, attics, recreation rooms, living areas, kitchens, bathrooms, dining rooms, pantries, food storage shelving, waste receptacles, etc.

Manufactured for: **MGK**, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593

F2976-500

Rev. 0220-0521

EPA Est. No. 1021-MN-2^A, 1021-MN-4^V

Superscript is the first character of the lot number.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- Do not apply to humans, animals, clothing, or bedding.
- Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or food containers.
- Do not use insecticide sprays on or near Vendetta Plus Cockroach Gel Bait.
- DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT.

PESTICIDE RESISTANCE MANAGEMENT

Vendetta Plus Cockroach Gel Bait contains Group 6 and Group 7C insecticides. Any insect population may contain individuals naturally resistant to Vendetta Plus Cockroach Gel Bait and other Group 6 and 7C insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same use sites. Appropriate resistance management strategies should be followed.

To delay insecticide resistance consider:

- Avoiding the consecutive use of Vendetta Plus Cockroach Gel Bait or other Group 6 and 7C insecticides that have a similar target site of action, on the same insect species.
- Basing insecticide use on a comprehensive IPM program.
- Monitoring treated insect population for loss of field efficacy.
- Contacting your local extension specialist, and/or manufacturer for insecticide resistance management and or IPM recommendations for the specific site and resistance pest problem.

GENERAL USE DIRECTIONS:

This product is for use only as a spot or crack and crevice treatment for the indoor control of German Cockroaches in residential areas (only in areas inaccessible to children and pets) and both food/feed and non-food/non-feed areas of institutional, warehousing, and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, buses, boats/ships, aircraft, trains, pet shops, and zoos.

Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/feed areas include areas for receiving storage, packing (canning, bottling, wrapping, and boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, and syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surfaces. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists. Avoid contact with textiles and clothing, as bait may stain.

Avoid placing gel on fabrics or carpets since it may stain some absorbent materials. To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

Vendetta Plus Cockroach Gel Bait is for use in controlling German Cockroaches indoors. The pre-filled plastic reservoir containing Vendetta Plus Cockroach Gel Bait is intended for use with bait injector application devices common to the pest control industry. Inject into cracks and crevices, void spaces, and other locations where insects may harbor, live and breed. Concentrate the bait placements as individual spots at insect activity sites (only in areas inaccessible to children and pets).

APPLICATION RATES:

For light infestations of German Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of German Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment areas. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

TO APPLY GEL:

1. Remove the cap from the nozzle, touch the top to the surface to be treated, and push down on the plunger. Apply bait as spots in cracks and crevices. Recap the dispenser after treatment is completed.
2. Store in a cool, dry place.
3. Do not apply gel to areas that have been recently sprayed with insecticide, and do not spray insecticide over gel, as this may cause the bait to become repellent.
4. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to German Cockroaches as long as it is visibly present.
5. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the level of infestation. Replace bait before it is completely consumed to keep German Cockroaches returning.

APPLICATIONS IN AIRCRAFT:

DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT. Application within passenger areas of aircraft is limited to crack and crevice treatment only. Apply Vendetta Plus Cockroach Gel Bait in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, areas between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Use 12 - 24 bait placements per 100 sq. ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:

Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NYGUARD® and Vendetta® are registered trademarks of McLaughlin Gormley King Company.

Syringe label



ABAMECTIN	GROUP	6	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE

Vendetta PLUS

Cockroach Gel Bait

Contains **NYGUARD® IGR**

ACTIVE INGREDIENTS:

Abamectin B1	0.05%
Pyriproxyfen	0.50%
OTHER INGREDIENTS	99.45%
	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See insert or box for First Aid, Precautionary Statements,
Directions for Use, and Storage and Disposal

Manufactured for: **MGK**, 7325 Aspen Lane North, Minneapolis, MN 55428

EPA Reg. No. 1021-2593

F2976-040

Rev. 0220-0521

EPA Est. No. 1021-MN-2^a, 1021-MN-4^v

Superscript is the first character of the lot number.

NET CONTENTS: 1.05 oz. (Net 30 g)

LOT NUMBER

Job 185504