

Table of Contents

Foreword

FOREWORD.....	F-1
---------------	-----

Executive Summary

S.1	INTRODUCTION.....	S-1
S.2	BACKGROUND AND EXISTING CONDITIONS.....	S-2
	Current Status and Recent Trends	S-2
S.3	PURPOSE AND NEED FOR PROPOSED ACTION.....	S-3
	Challenges Affecting East Midtown.....	S-3
	<i>Aging Building Stock</i>	S-3
	<i>Limited Recent Office Development and Few Available Office Development Sites</i>	S-4
	<i>Public Realm Challenges – Pedestrian Realm and Transit Network</i>	S-5
	<i>Challenges of Current Zoning</i>	S-6
	<i>Consequences of Long Term Challenges</i>	S-8
	Prior Studies in the East Midtown Area.....	S-8
	<i>2013 Proposed Action</i>	S-8
	<i>The Vanderbilt Corridor</i>	S-9
	<i>East Midtown Steering Committee</i>	S-10
S.4	THE PROPOSED ACTION.....	S-11
	Goals of the Proposed Action	S-11
	Description of the Proposed Action.....	S-14
	<i>Proposed Zoning Text Amendment</i>	S-14
	<i>Proposed Zoning Map Amendment</i>	S-22
S.5	FRAMEWORK FOR ENVIRONMENTAL ANALYSIS.....	S-23
	Reasonable Worst-Case Development Scenario (RWCDS).....	S-23
	<i>Development Site Criteria</i>	S-23
	<i>New Construction Development Assumptions</i>	S-24
	<i>Projected and Potential Development Sites</i>	S-25
	<i>Summary</i>	S-25
	The Future without the Proposed Action (No-Action Condition)	S-26
	The Future with the Proposed Action (With-Action Condition).....	S-26
	<i>Conceptual Analysis of the Discretionary Actions</i>	S-27
	<i>Conceptual Construction Schedule</i>	S-28
	<i>Alternatives</i>	S-28
S.6	PUBLIC REVIEW PROCESS FOR THE PROPOSED ACTION.....	S-29
	Environmental Review	S-29
	Uniform Land Use Review Procedure.....	S-30
S.7	PROBABLE IMPACTS OF THE PROPOSED ACTION	S-31
	Land Use, Zoning and Public Policy	S-31
	Socioeconomic Conditions.....	S-31
	<i>Direct and Indirect Residential Displacement</i>	S-32
	<i>Direct Business and Institutional Displacement</i>	S-32
	<i>Indirect Business and Institutional Displacement</i>	S-33
	<i>Adverse Effects on Specific Industries</i>	S-34

Open Space	S-34
<i>Direct Effects</i>	S-34
<i>Indirect Effects</i>	S-35
Shadows	S-35
Historic and Cultural Resources.....	S-36
Urban Design and Visual Resources	S-37
Hazardous Materials	S-38
Water and Sewer Infrastructure.....	S-38
<i>Water Supply</i>	S-38
<i>Sanitary Sewage</i>	S-39
<i>Stormwater Drainage and Management</i>	S-39
Solid Waste and Sanitation Services	S-40
Energy.....	S-40
Transportation	S-40
<i>Traffic</i>	S-40
<i>Transit</i>	S-41
<i>Pedestrians</i>	S-42
<i>Vehicular and Pedestrian Safety</i>	S-42
<i>Parking</i>	S-43
Air Quality.....	S-43
Greenhouse Gas Emissions	S-44
Noise.....	S-45
Public Health.....	S-45
Neighborhood Character.....	S-46
Mitigation.....	S-48
<i>Open Space</i>	S-48
<i>Shadows</i>	S-49
<i>Historic and Cultural Resources</i>	S-50
<i>Transportation</i>	S-51
<i>Air Quality (Mobile Source)</i>	S-61
<i>Construction</i>	S-61
Alternatives	S-63
<i>No-Action Alternative</i>	S-63
<i>No Unmitigated Significant Adverse Impact Alternative</i>	S-63
<i>Lesser Density Alternative</i>	S-65
<i>Modified Rezoning Boundary Alternative</i>	S-67
<i>Mandatory POPS Alternative</i>	S-68
Conceptual Analysis.....	S-69
Unavoidable Adverse Impacts	S-70
<i>Open Space</i>	S-70
Shadows	S-71
Historic and Cultural Resources.....	S-72
Transportation	S-72
<i>Traffic</i>	S-72
<i>Transit</i>	S-73
<i>Pedestrians</i>	S-74
Construction	S-75
<i>Historic and Cultural Resources</i>	S-75
<i>Transportation (Traffic)</i>	S-75
<i>Noise</i>	S-76
Growth-Inducing Impacts of the Proposed Action.....	S-76

Irreversible and Irrecoverable Commitment of Resources.....	S-77
Amended Application Analysis.....	S-78
<i>Historic Resources: Direct Impacts</i>	S-78
<i>Open Space</i>	S-79
<i>Transportation</i>	S-79
<i>Construction</i>	S-80
<i>Mitigation and Unavoidable Adverse Impacts</i>	S-80

Chapter 1: Project Description

1.1	INTRODUCTION.....	1-1
1.2	BACKGROUND AND EXISTING CONDITIONS.....	1-2
	Current Status and Recent Trends	1-2
1.3	PURPOSE AND NEED FOR PROPOSED ACTION.....	1-3
	Challenges Affecting East Midtown.....	1-3
	<i>Aging Building Stock</i>	1-3
	<i>Limited Recent Office Development and Few Available Office Development Sites</i>	1-4
	<i>Public Realm Challenges – Pedestrian Realm and Transit Network</i>	1-5
	<i>Challenges of Current Zoning</i>	1-6
	<i>Consequences of Long Term Challenges</i>	1-8
	Prior Studies in the East Midtown Area.....	1-8
	<i>2013 Proposed Action</i>	1-8
	<i>The Vanderbilt Corridor</i>	1-9
	<i>East Midtown Steering Committee</i>	1-9
1.4	THE PROPOSED ACTION.....	1-11
	Goals of the Proposed Action	1-11
	Description of the Proposed Action.....	1-13
	<i>Proposed Zoning Text Amendment</i>	1-13
	<i>Proposed Zoning Map Amendment</i>	1-21
1.5	FRAMEWORK FOR ENVIRONMENTAL ANALYSIS.....	1-22
	Reasonable Worst-Case Development Scenario (RWCDs).....	1-22
	<i>Development Site Criteria</i>	1-22
	<i>New Construction Development Assumptions</i>	1-23
	<i>Projected and Potential Development Sites</i>	1-23
	<i>Summary</i>	1-24
	The Future without the Proposed Action (No-Action Condition)	1-25
	The Future with the Proposed Action (With-Action Condition).....	1-25
	<i>Conceptual Analysis of the Discretionary Actions</i>	1-26
	<i>Conceptual Construction Schedule</i>	1-27
	<i>Alternatives</i>	1-27
1.6	PUBLIC REVIEW PROCESS FOR THE PROPOSED ACTION.....	1-28
	Environmental Review	1-28
	Uniform Land Use Review Procedure.....	1-29

Chapter 2: Land Use, Zoning and Public Policy

CHAPTER 2: LAND USE, ZONING AND PUBLIC POLICY	2-1	
2.1	INTRODUCTION.....	2-1
	Principal Conclusions.....	2-1

2.2	METHODOLOGY.....	2-2
	Study Area Definition	2-3
2.3	DETAILED ASSESSMENT	2-3
	Existing Conditions.....	2-3
	<i>Land Use</i>	2-3
	<i>Zoning</i>	2-10
	<i>Public Policy</i>	2-16
	The Future without the Proposed Action (No-Action Condition)	2-20
	<i>Land Use</i>	2-20
	<i>Zoning</i>	2-23
	<i>Public Policy</i>	2-23
	The Future with the Proposed Action (With-Action Condition).....	2-23
	<i>Land Use</i>	2-23
	<i>Zoning</i>	2-24
	<i>Public Policy</i>	2-31
	Assessment.....	2-32
	<i>Land Use and Zoning</i>	2-32
	<i>Public Policy</i>	2-33

Chapter 3: Socioeconomic Conditions

CHAPTER 3:	SOCIOECONOMIC CONDITIONS	3-1
3.1	INTRODUCTION.....	3-1
	Principal Conclusions.....	3-2
	<i>Direct and Indirect Residential Displacement</i>	3-2
	<i>Direct Business and Institutional Displacement</i>	3-2
	<i>Indirect Business and Institutional Displacement</i>	3-3
	<i>Adverse Effects on Specific Industries</i>	3-4
3.2	METHODOLOGY.....	3-5
	Analysis Approach	3-6
	Study Area Definition	3-6
	Data Sources	3-7
3.3	PRELIMINARY ASSESSMENT.....	3-8
	Direct Business and Institutional Displacement	3-8
	Indirect Business/Institutional Displacement.....	3-10
	Adverse Effects on Specific Industries.....	3-14
3.4	DETAILED ASSESSMENT	3-15
	Direct Business and Institutional Displacement	3-16
	<i>Existing Conditions</i>	3-16
	<i>The Future without the Proposed Action (No-Action Condition)</i>	3-31
	<i>The Future with the Proposed Action (With-Action Condition)</i>	3-32
	Indirect Business and Institutional Displacement.....	3-34
	<i>Existing Conditions</i>	3-34
	<i>The Future without the Proposed Action (No-Action Condition)</i>	3-40
	<i>The Future with the Proposed Action (With-Action Condition)</i>	3-40

Chapter 4: Open Space

4.1	INTRODUCTION.....	4-1
	Principal Conclusions.....	4-1
	<i>Direct Effects</i>	4-2
	<i>Indirect Effects</i>	4-2
4.2	METHODOLOGY.....	4-3
	Open Space Study Area.....	4-4
	Preliminary Assessment.....	4-5
	Framework for Detailed Analysis.....	4-5
	<i>Direct Effects Analysis</i>	4-5
	<i>Indirect Effects Analysis</i>	4-6
	<i>Impact Assessment</i>	4-6
4.3	DETAILED ASSESSMENT.....	4-7
	Existing Conditions.....	4-7
	<i>Study Area Population</i>	4-7
	<i>Inventory of Publicly Accessible Open Space</i>	4-10
	<i>Assessment of Open Space Adequacy</i>	4-22
	The Future without the Proposed Action (No-Action Condition).....	4-23
	<i>Study Area Population</i>	4-23
	<i>Open Space Resources</i>	4-25
	<i>Assessment of Open Space Adequacy</i>	4-27
	The Future with the Proposed Action (With-Action Condition).....	4-28
	<i>Direct Effects Analysis</i>	4-28
	<i>Indirect Effect Effects Analysis</i>	4-28
	<i>Determining Impact Significance</i>	4-29

Chapter 5: Shadows

5.1	INTRODUCTION.....	5-1
	Principal Conclusions.....	5-1
5.2	METHODOLOGY.....	5-2
	Preliminary Screening Assessment.....	5-5
	<i>Tier 1 and Tier 2 Screening Assessments</i>	5-5
	<i>Tier 3 Screening Assessment</i>	5-5
	Resources of Concern.....	5-6
	<i>Open Space Resources</i>	5-6
	<i>Historic Resources</i>	5-6
5.3	DETAILED SHADOW ANALYSIS.....	5-16
	The Future without the Proposed Action (No-Action Condition).....	5-16
	The Future with the Proposed Action (With-Action Condition).....	5-17
5.4	ASSESSMENT.....	5-18
	Open Spaces.....	5-18
	<i>Section I. Longer Shadow Durations</i>	5-18
	<i>Section II. Shorter / Reduced Shadows</i>	5-44

Chapter 6: Historic and Cultural Resources

6.1	INTRODUCTION.....	6-1
	Principal Conclusions.....	6-1
6.2	METHODOLOGY.....	6-3
	Development Background.....	6-3
6.3	ASSESSMENT.....	6-5
	Archaeological Resources.....	6-5
	Architectural Resources.....	6-6
	Criteria and Regulations.....	6-6
	<i>Existing Conditions</i>	6-7
	<i>Designated Individual Landmarks Historic Resources</i>	6-10
	<i>The Future without the Proposed Action (No-Action Condition)</i>	6-62
	<i>The Future with the Proposed Action (With-Action Condition)</i>	6-64

Chapter 7: Urban Design and Visual Resources

7.1	INTRODUCTION.....	7-1
	Principal Conclusions.....	7-2
7.2	METHODOLOGY.....	7-3
	Determining Whether an Urban Design and Visual Resources Assessment is Appropriate.....	7-4
	Study Areas.....	7-5
	<i>Primary Study Area "Analysis Areas"</i>	7-6
	<i>Secondary Study Area "Analysis Areas"</i>	7-7
7.3	PRELIMINARY ASSESSMENT.....	7-7
7.4	DETAILED ANALYSIS, PART I – URBAN DESIGN: STREETS, BUILDINGS, AND OPEN SPACE.....	7-8
	Existing Conditions.....	7-8
	<i>Primary Study Area</i>	7-8
	<i>Primary Study Area – Analysis Areas</i>	7-11
	<i>Secondary Study Area</i>	7-22
	<i>Open Space</i>	7-31
	The Future without the Proposed Action (No-Action Condition).....	7-33
	<i>Primary Study Area - Analysis Areas</i>	7-37
	<i>Secondary Study Area – Analysis Areas</i>	7-38
	<i>Open Space</i>	7-40
	The Future with the Proposed Action (With-Action Condition).....	7-41
	<i>Primary Study Area</i>	7-44
	<i>Primary Study Area – Analysis Areas</i>	7-45
	<i>Secondary Study Area</i>	7-49
	<i>Public Realm Improvements</i>	7-49
	<i>Open Space</i>	7-51
7.5	DETAILED ANALYSIS, PART II – VISUAL RESOURCES.....	7-55
	Introduction.....	7-55

Chapter 8: Hazardous Materials

8.1	INTRODUCTION.....	8-1
8.2	PRINCIPAL CONCLUSIONS.....	8-1

8.3	METHODOLOGY.....	8-2
	Regulatory Databases	8-2
	Historic Sanborn Fire Insurance Maps.....	8-3
	City Directories.....	8-3
	Limitations.....	8-4
8.4	ASSESSMENT	8-4
	Existing Conditions.....	8-4
	The Future without the Proposed Action (No-Action Condition)	8-4
	The Future with the Proposed Action (With-Action Condition).....	8-5

Chapter 9: Water and Sewer Infrastructure

9.1	INTRODUCTION.....	9-1
	Principal Conclusions.....	9-1
	<i>Water Supply</i>	9-2
	<i>Sanitary Sewage</i>	9-2
	<i>Stormwater Drainage and Management</i>	9-2
9.2	METHODOLOGY.....	9-3
9.3	ASSESSMENT	9-3
	Existing Conditions.....	9-3
	<i>Water Supply</i>	9-3
	<i>Wastewater Treatment</i>	9-5
	<i>Stormwater and Drainage Management</i>	9-7
	<i>Water Conservation and WWTP Load Reduction</i>	9-9
	The Future without the Proposed Action (No-Action Condition)	9-9
	<i>Water Supply</i>	9-9
	<i>Wastewater Treatment</i>	9-10
	<i>Stormwater and Drainage Management</i>	9-10
	The Future with the Proposed Action (With-Action Condition).....	9-11
	<i>Water Supply</i>	9-11
	<i>Wastewater Treatment</i>	9-11
	<i>Stormwater and Drainage Management</i>	9-13
	<i>Stormwater Best Management Practices</i>	9-15

Chapter 10: Solid Waste and Sanitation Services

10.1	INTRODUCTION.....	10-1
	Principal Conclusions.....	10-1
10.2	METHODOLOGY.....	10-1
10.3	ASSESSMENT	10-2
	Existing Conditions.....	10-2
	<i>Description of Current Solid Waste Sanitation Services</i>	10-2
	<i>Solid Waste Generation on Projected Development Sites</i>	10-3
	The Future without the Proposed Action (No-Action Condition)	10-4
	The Future with the Proposed Action (With-Action Condition).....	10-5

Chapter 11: Energy

11.1	INTRODUCTION.....	11-1
	Principal Conclusions.....	11-1
11.2	METHODOLOGY.....	11-2
11.3	ASSESSMENT.....	11-2
	Existing Conditions.....	11-2
	<i>Energy Providers</i>	11-2
	<i>Recent Energy Conservation Directives</i>	11-3
	<i>Existing Demands</i>	11-3
	The Future without the Proposed Action (No-Action Condition).....	11-4
	The Future with the Proposed Action (With-Action Condition).....	11-5

Chapter 12: Transportation

12.1	INTRODUCTION.....	12-1
	Principal Conclusions.....	12-2
	<i>Traffic</i>	12-2
	<i>Transit</i>	12-6
	<i>Pedestrians</i>	12-7
	<i>Vehicular and Pedestrian Safety</i>	12-10
	<i>Parking</i>	12-11
12.2	METHODOLOGY.....	12-11
	Preliminary Analysis Methodology.....	12-11
	<i>Level 1 Screening Assessment</i>	12-12
	<i>Level 2 Screening Assessment</i>	12-16
	Transportation Analysis Methodologies.....	12-23
	<i>Traffic</i>	12-23
	<i>Transit</i>	12-24
	<i>Pedestrians</i>	12-27
	<i>Pedestrian and Vehicular Safety Evaluation</i>	12-30
	<i>Parking</i>	12-31
12.3	TRAFFIC.....	12-31
	Existing Conditions.....	12-31
	<i>Study Area Street Network</i>	12-31
	Future Traffic Conditions without the Proposed Action (No-Action Condition).....	12-60
	<i>Future No-Action Traffic Growth</i>	12-60
	<i>Changes to the Study Area Street Network</i>	12-62
	<i>Intersection Capacity Analysis</i>	12-63
	Future Traffic Conditions with the Proposed Action (With-Action Condition).....	12-81
	<i>Future With-Action Traffic Growth</i>	12-81
	<i>Above-Grade Public Realm Improvements</i>	12-82
	<i>Intersection Capacity Analysis</i>	12-82
12.4	TRANSIT.....	12-106
	Existing Conditions.....	12-106
	<i>Subway Stations</i>	12-106
	<i>Subway Line Haul</i>	12-127
	<i>Commuter Railroad</i>	12-129
	<i>Bus</i>	12-130

	Future Transit Conditions without the Proposed Action (No-Action Condition).....	12-133
	<i>Subway Stations</i>	12-133
	<i>Subway Line Haul</i>	12-150
	<i>Commuter Railroad</i>	12-153
	<i>Bus</i>	12-155
	Future Transit Conditions with the Proposed Action (With-Action Condition)	12-155
	<i>Subway Stations</i>	12-155
	<i>Subway Line Haul</i>	12-182
	<i>Commuter Railroad</i>	12-184
	<i>Bus</i>	12-188
12.5	PEDESTRIANS	12-188
	Existing Conditions.....	12-188
	<i>Sidewalks</i>	12-188
	<i>Crosswalks</i>	12-195
	<i>Corner Areas</i>	12-199
	Future Pedestrian Conditions without the Proposed Action (No-Action Condition)	12-202
	<i>Sidewalks</i>	12-202
	<i>Crosswalks</i>	12-208
	<i>Corner Areas</i>	12-212
	Future Pedestrian Conditions with the Proposed Action (With-Action Condition).....	12-216
	<i>Above-Grade Public Realm Improvements</i>	12-217
	<i>Street-Level Pedestrian Operations Analysis</i>	12-218
12.6	VEHICULAR AND PEDESTRIAN SAFETY EVALUATION	12-234
	Second Avenue and East 39th Street.....	12-237
	Second Avenue and East 42nd Street.....	12-238
	Second Avenue and East 53rd Street.....	12-238
	Second Avenue and East 57th Street.....	12-238
	Third Avenue and East 42nd Street.....	12-239
	Third Avenue and East 47th Street.....	12-239
	Third Avenue and East 49th Street.....	12-239
	Third Avenue and East 53rd Street.....	12-239
	Third Avenue and East 54th Street.....	12-240
	Third Avenue and East 57th Street.....	12-240
	Lexington Avenue and East 42nd Street	12-241
	Lexington Avenue and East 50th Street	12-241
	Park Avenue and East 52nd Street.....	12-241
	Park Avenue and East 57th Street.....	12-242
	Madison Avenue and East 42nd Street	12-242
	Fifth Avenue and 42nd Street	12-242
12.7	PARKING	12-243
	Existing Conditions.....	12-243
	<i>Off-Street Parking</i>	12-243
	<i>On-Street Parking</i>	12-247
	Future Parking Conditions without the Proposed Action (No-Action Condition)	12-253
	<i>Off-Street Parking</i>	12-253
	<i>On-Street Parking</i>	12-253
	Future Parking Conditions with the Proposed Action (With-Action Condition).....	12-254
	<i>Off-Street Parking</i>	12-254
	<i>On-Street Parking</i>	12-254

Chapter 13: Air Quality

13.1	INTRODUCTION.....	13-1
	Principal Conclusions.....	13-1
13.2	POLLUTANTS OF CONCERN.....	13-2
	Carbon Monoxide.....	13-3
	Nitrogen Oxides, VOCs, and Ozone.....	13-3
	Lead.....	13-3
	Respirable Particulate Matter - PM ₁₀ and PM _{2.5}	13-3
	Sulfur Dioxide.....	13-4
	Non-Criteria Pollutants.....	13-4
13.3	AIR QUALITY STANDARDS, REGULATIONS AND BENCHMARKS.....	13-5
	National and State Air Quality Standards.....	13-5
	NAAQS Attainment Status and State Implementation Plans.....	13-7
	Determining the Significance of Air Quality Impacts.....	13-8
	<i>CO De Minimis Criteria</i>	13-9
	<i>PM_{2.5} De Minimis Criteria</i>	13-9
	<i>Non-Criteria Pollutant Thresholds</i>	13-9
13.4	METHODOLOGY.....	13-10
	Mobile Sources.....	13-10
	<i>Intersection Analysis</i>	13-11
	Stationary Sources.....	13-15
	<i>Individual HVAC Systems</i>	13-16
	<i>Cumulative Impacts from HVAC Systems</i>	13-16
	<i>Industrial Sources Analysis</i>	13-17
	<i>"Large" or "Major" Source Analysis</i>	13-20
13.5	ASSESSMENT.....	13-23
	Existing Conditions.....	13-23
	The Future without the Proposed Action (No-Action Condition).....	13-24
	<i>Mobile Sources</i>	13-24
	<i>Stationary Sources</i>	13-25
	The Future with the Proposed Action (With-Action Condition).....	13-25
	<i>Mobile Sources</i>	13-26
	<i>Stationary Sources</i>	13-28
	<i>Industrial Sources Analysis</i>	13-32
	<i>Results of the Cancer Risk and Hazard Index Evaluation</i>	13-36
	<i>Summary of Air Toxics Results</i>	13-37
	<i>"Large" or "Major" Source Analysis</i>	13-39

Chapter 14: Greenhouse Gas Emissions

14.1	INTRODUCTION.....	14-1
	Principal Conclusions.....	14-1
14.2	POLLUTANTS OF CONCERN.....	14-2
	<i>Carbon Dioxide (CO₂)</i>	14-2
	<i>Methane (CH₄)</i>	14-2
	<i>Nitrous Oxide (N₂O)</i>	14-2
	<i>Fluorinated Gases</i>	14-2
14.3	METHODOLOGY.....	14-3

14.4	ASSESSMENT	14-4
	GHG Emissions.....	14-4
	<i>Operational Emissions</i>	14-4
	<i>Mobile Source Emissions</i>	14-4
	<i>Construction Phase Emissions</i>	14-5
	<i>Emissions from Solid Waste Management</i>	14-5
	Projected GHG Emissions from the Proposed Action.....	14-6
	Consistency with the GHG Reduction Goal	14-6

Chapter 15: Noise

15.1	INTRODUCTION.....	15-1
	Principal Conclusions.....	15-1
15.2	METHODOLOGY.....	15-2
	Acoustic Fundamentals.....	15-2
	<i>"A"- Weighted Sound Level (dBA)</i>	15-2
	<i>Sound Level Descriptors</i>	15-2
	Noise Standards and Impact Criteria	15-3
	<i>New York CEQR Noise Standards</i>	15-3
	<i>CEQR Noise Exposure Standards</i>	15-4
	<i>New York City Noise Control Code</i>	15-5
	Noise Prediction Methodology	15-6
	<i>General Methodology</i>	15-6
15.3	ASSESSMENT	15-7
	Existing Noise Levels.....	15-7
	<i>Noise Monitoring Locations</i>	15-7
	<i>Noise Monitoring Equipment</i>	15-8
	<i>Existing Noise Levels at Receptor Locations</i>	15-8
	<i>Mechanical Equipment</i>	15-14

Chapter 16: Public Health

16.1	INTRODUCTION.....	16-1
	Principal Conclusions.....	16-1
16.2	PUBLIC HEALTH ASSESSMENT – CONSTRUCTION NOISE	16-1

Chapter 17: Neighborhood Character

17.1	INTRODUCTION.....	17-1
	Principal/Conclusions.....	17-1
17.2	METHODOLOGY.....	17-3
	Study Area	17-3
17.3	PRELIMINARY ASSESSMENT.....	17-4
	Defining Features.....	17-4
	<i>Grand Central Analysis Area</i>	17-4
	<i>Park Avenue Analysis Area</i>	17-6
	<i>Madison Avenue Analysis Area</i>	17-7
	<i>Lexington/Third Avenue Analysis Area</i>	17-7

<i>East Grand Central Analysis Area</i>	17-8
<i>Midtown Analysis Area</i>	17-8
<i>Upper East Side Analysis Area</i>	17-9
<i>East 50s/Turtle Bay Analysis Area</i>	17-9
<i>Murray Hill/Tudor City Analysis Area</i>	17-10
<i>Midtown South Analysis Area</i>	17-11
Assessment of the Potential to Affect the Defining Features of the Neighborhood	17-11
<i>Land Use, Zoning, and Public Policy</i>	17-11
<i>Socioeconomic Conditions</i>	17-12
<i>Open Space</i>	17-13
<i>Historic and Cultural Resources</i>	17-14
<i>Urban Design and Visual Resources</i>	17-15
<i>Shadows</i>	17-15
<i>Transportation</i>	17-16
<i>Noise</i>	17-17

Chapter 18: Construction

18.1 INTRODUCTION	18-1
Principal Conclusions.....	18-1
<i>Transportation</i>	18-1
<i>Air Quality</i>	18-2
<i>Noise and Vibration</i>	18-3
<i>Other Technical Areas</i>	18-4
18.2 METHODOLOGY	18-5
Conceptual Construction Schedule and Activities.....	18-5
<i>Construction Sequencing</i>	18-6
<i>Typical Construction Activities</i>	18-6
<i>Estimate of Construction Period Trucks and Construction Workers</i>	18-7
<i>Determining Peak Year for Cumulative Construction and Operational Effects</i>	18-7
<i>Construction Working Hours</i>	18-7
<i>Construction Staging Areas, Sidewalk and Lane Closures</i>	18-8
18.3 PRELIMINARY ASSESSMENT	18-9
Transportation	18-9
<i>Traffic</i>	18-9
<i>Transit</i>	18-13
<i>Pedestrians</i>	18-16
<i>Parking</i>	18-18
Air Quality.....	18-18
Noise and Vibration.....	18-19
Other Technical Areas	18-19
<i>Land Use and Neighborhood Character</i>	18-19
<i>Socioeconomic Conditions</i>	18-20
<i>Open Space</i>	18-20
<i>Historic and Cultural Resources</i>	18-20
<i>Hazardous Materials</i>	18-21
18.4 PROBABLE IMPACTS OF THE PROPOSED ACTION	18-21
Transportation	18-21
<i>Traffic</i>	18-21
Air Quality.....	18-23
<i>Air Quality Analysis Methodologies</i>	18-24

<i>Emission Estimation Process</i>	18-24
<i>Impacts Assessment</i>	18-27
<i>Probable Impacts from Proposed Project</i>	18-30
Noise.....	18-31
<i>Construction Noise Impact Criteria</i>	18-31
<i>Noise Analysis Methodology</i>	18-32
<i>Determining Existing Noise Levels</i>	18-38
<i>Construction Noise Analysis Results</i>	18-39
Vibration.....	18-46
<i>Introduction</i>	18-46
<i>Construction Vibration Criteria</i>	18-46
<i>Analysis Methodology</i>	18-47
<i>Construction Vibration Analysis Results</i>	18-48

Chapter 19: Mitigation

19.1 INTRODUCTION.....	19-1
Principal Conclusions.....	19-1
<i>Open Space</i>	19-1
<i>Shadows</i>	19-2
<i>Historic and Cultural Resources</i>	19-3
<i>Transportation</i>	19-4
<i>Air Quality (Mobile Source)</i>	19-12
<i>Construction</i>	19-13
19.2 OPEN SPACE.....	19-14
19.3 SHADOWS.....	19-16
19.4 HISTORIC AND CULTURAL RESOURCES.....	19-18
19.5 TRANSPORTATION.....	19-20
Traffic.....	19-20
<i>Action-Without-Improvements</i>	19-20
<i>Action-With-Improvements</i>	19-59
Proposed Mitigation Schedule for Traffic Mitigation Measures.....	19-63
Transit.....	19-63
Subway Stations.....	19-64
<i>Grand Central 42nd Street Subway Station</i>	19-64
<i>42nd St-Bryant Park Subway Station</i>	19-64
<i>Lexington Avenue-53rd Street Subway Station</i>	19-64
Pedestrians.....	19-67
<i>Action-Without-Improvements</i>	19-67
<i>Sidewalks</i>	19-67
<i>Crosswalks</i>	19-69
<i>Corner Areas</i>	19-74
<i>Action-With-Improvements</i>	19-77
19.6 AIR QUALITY.....	19-78
19.7 CONSTRUCTION.....	19-79
Historic and Cultural Resources.....	19-79
Traffic.....	19-80
Noise.....	19-84

Chapter 20: Alternatives

CHAPTER 20: ALTERNATIVES.....	20-1
20.1 INTRODUCTION.....	20-1
Principal Conclusions.....	20-2
<i>No-Action Alternative</i>	20-2
<i>No Unmitigated Significant Adverse Impact Alternative</i>	20-2
<i>Lesser Density Alternative</i>	20-4
<i>Modified Rezoning Boundary Alternative</i>	20-6
<i>Mandatory POPS Alternative</i>	20-7
20.2 NO-ACTION ALTERNATIVE.....	20-8
Land Use, Zoning, and Public Policy.....	20-8
Socioeconomic Conditions.....	20-9
<i>Direct Business and Institutional Displacement</i>	20-9
<i>Indirect Business and Institutional Displacement</i>	20-9
<i>Adverse Effects on Specific Industries</i>	20-10
Open Space.....	20-10
Shadows.....	20-11
Historic and Cultural Resources.....	20-11
Urban Design and Visual Resources.....	20-11
Hazardous Materials.....	20-12
Water and Sewer Infrastructure.....	20-12
Solid Waste and Sanitation Services.....	20-12
Energy.....	20-13
Transportation.....	20-13
<i>Traffic</i>	20-13
<i>Transit</i>	20-15
<i>Pedestrians</i>	20-17
<i>Parking</i>	20-18
Air Quality.....	20-18
Greenhouse Gas (GHG) Emissions.....	20-18
Noise.....	20-18
Public Health.....	20-19
Neighborhood Character.....	20-19
Construction.....	20-20
20.3 NO UNMITIGATED SIGNIFICANT ADVERSE IMPACT ALTERNATIVE.....	20-20
Open Space.....	20-21
Shadows.....	20-21
Historic and Cultural Resources.....	20-22
Transportation.....	20-23
<i>Traffic</i>	20-23
<i>Transit</i>	20-23
<i>Pedestrians</i>	20-24
Construction.....	20-24
<i>Historic and Cultural Resources</i>	20-24
<i>Transportation (Traffic)</i>	20-25
<i>Noise</i>	20-25
20.4 LESSER DENSITY ALTERNATIVE.....	20-25
Land Use, Zoning, and Public Policy.....	20-28

	Socioeconomic Conditions.....	20-29
	Open Space	20-30
	Shadows	20-31
	Historic and Cultural Resources.....	20-31
	Urban Design and Visual Resources	20-32
	Hazardous Materials	20-33
	Water and Sewer Infrastructure	20-33
	<i>Water Supply</i>	20-33
	<i>Wastewater Treatment</i>	20-33
	<i>Stormwater</i>	20-33
	Solid Waste and Sanitation Services	20-34
	Energy.....	20-34
	Transportation	20-35
	<i>Traffic</i>	20-36
	<i>Transit</i>	20-38
	<i>Pedestrians</i>	20-39
	<i>Parking</i>	20-40
	Air Quality.....	20-41
	<i>Mobile Source Analysis</i>	20-41
	<i>Stationary Source Analysis</i>	20-41
	Greenhouse Gas Emissions (GHG).....	20-41
	Noise	20-42
	Public Health.....	20-42
	Neighborhood Character	20-42
	Construction	20-43
20.5	MODIFIED REZONING BOUNDARY ALTERNATIVE.....	20-43
20.6	MANDATORY POPS ALTERNATIVE.....	20-44
	Land Use, Zoning, and Public Policy	20-47
	Socioeconomic Conditions.....	20-47
	Open Space	20-48
	Shadows	20-49
	Historic and Cultural Resources.....	20-49
	Urban Design and Visual Resources	20-50
	Hazardous Materials	20-51
	Water and Sewer Infrastructure	20-51
	<i>Water Supply</i>	20-51
	<i>Wastewater Treatment</i>	20-51
	<i>Stormwater</i>	20-51
	Solid Waste and Sanitation Services	20-52
	Energy.....	20-52
	Transportation	20-52
	Air Quality.....	20-53
	<i>Mobile Source Analysis</i>	20-53
	<i>Stationary Source Analysis</i>	20-53
	Greenhouse Gas Emissions (GHG).....	20-53
	Noise.....	20-53
	Public Health.....	20-53
	Neighborhood Character	20-54
	Construction	20-55

Chapter 21: Conceptual Analysis

21.1	INTRODUCTION.....	21-1
	Principal Conclusions.....	21-2
21.2	METHODOLOGY AND ANALYSIS FRAMEWORK	21-2
21.3	INCREMENT FOR CONCEPTUAL ANALYSIS.....	21-8
	Analysis Framework for Conceptual Analysis.....	21-10
21.4	ENVIRONMENTAL ASSESSMENT	21-11
	Land Use, Zoning, and Public Policy	21-11
	Socioeconomic Conditions.....	21-11
	Open Space	21-12
	Shadows	21-12
	Historic and Cultural Resources.....	21-13
	Urban Design and Visual Resources	21-14
	Hazardous Materials	21-15
	Water and Sewer Infrastructure	21-15
	<i>Water Supply</i>	21-15
	<i>Wastewater Treatment</i>	21-15
	<i>Stormwater and Drainage Management</i>	21-16
	Solid Waste and Sanitation Services	21-16
	Energy.....	21-17
	Transportation.....	21-17
	<i>Traffic</i>	21-19
	<i>Transit</i>	21-21
	<i>Pedestrians</i>	21-21
	<i>Parking</i>	21-22
	Air Quality.....	21-23
	Greenhouse Gas Emissions	21-23
	Noise	21-24
	Public Health.....	21-24
	Neighborhood Character.....	21-24
	Construction	21-25

Chapter 22: Unavoidable Adverse Impacts

22.1	INTRODUCTION.....	22-1
22.2	ANALYSIS.....	22-1
	Open Space	22-1
	Shadows	22-2
	Historic and Cultural Resources.....	22-3
	Transportation.....	22-3
	<i>Traffic</i>	22-3
	<i>Transit</i>	22-4
	<i>Pedestrians</i>	22-5
	Construction	22-6
	<i>Historic and Cultural Resources</i>	22-6
	<i>Traffic</i>	22-6
	<i>Noise</i>	22-7

Chapter 23: Growth Inducing Aspects

23.1 INTRODUCTION.....	23-1
------------------------	------

Chapter 24: Irreversible Commitment

24.1 INTRODUCTION.....	24-1
------------------------	------

Chapter 25: Amended Application Analysis

CHAPTER 25: AMENDED APPLICATION ANALYSIS.....	25-1
25.1 INTRODUCTION.....	25-1
25.2 PRINCIPAL CONCLUSIONS.....	25-1
<i>Historic Resources: Direct Impacts.....</i>	<i>25-2</i>
<i>Open Space.....</i>	<i>25-2</i>
<i>Transportation.....</i>	<i>25-2</i>
<i>Construction.....</i>	<i>25-3</i>
<i>Mitigation and Unavoidable Adverse Impacts.....</i>	<i>25-4</i>
25.3 DESCRIPTION OF THE AMENDED APPLICATION.....	25-6
25.4 AMENDED WITH-ACTION CONDITION REASONABLE WORST CASE DEVELOPMENT SCENARIO.....	25-8
<i>Proposed Amendment to Select Special Transit Land Use Districts.....</i>	<i>25-10</i>
<i>Qualifying Site Modification.....</i>	<i>25-10</i>
<i>Other Modifications in the Proposed A-Text.....</i>	<i>25-10</i>
25.5 REVISED ENVIRONMENTAL ANALYSES FOR THE AMENDED APPLICATION.....	25-11
1. Land Use, Zoning, and Public Policy.....	25-11
<i>Qualifying Site Modification.....</i>	<i>25-11</i>
<i>TA Subdistrict Ancillary Building Easement.....</i>	<i>25-12</i>
2. Socioeconomic Conditions.....	25-12
<i>Qualifying Site Modification.....</i>	<i>25-12</i>
3. Open Space.....	25-13
<i>Qualifying Site Modification.....</i>	<i>25-13</i>
4. Shadows.....	25-14
<i>Methodology.....</i>	<i>25-15</i>
<i>Resources of Concern.....</i>	<i>25-15</i>
<i>Assessment.....</i>	<i>25-16</i>
<i>Open Space Resources.....</i>	<i>25-16</i>
<i>Historic Resources.....</i>	<i>25-17</i>
5. Historic and Cultural Resources.....	25-19
<i>Qualifying Site Modification.....</i>	<i>25-19</i>
6. Urban Design and Visual Resources.....	25-21
<i>Qualifying Site Modification.....</i>	<i>25-21</i>
<i>Transit Easement Volume Ancillary Facility Text Amendment.....</i>	<i>25-22</i>
7. Hazardous Materials.....	25-23
8. Water and Sewer Infrastructure.....	25-24
9. Solid Waste and Sanitation Services.....	25-25
10. Energy.....	25-25
11. Transportation.....	25-26
<i>Qualifying Site Modification.....</i>	<i>25-26</i>

	<i>Traffic</i>	25-28
	<i>Transit</i>	25-34
	<i>Pedestrians</i>	25-40
	<i>Vehicular and Pedestrian Safety</i>	25-42
	<i>Parking</i>	25-42
12.	Air Quality.....	25-43
	<i>Mobile Sources</i>	25-43
	<i>Stationary Sources</i>	25-45
	<i>TA Subdistrict Ancillary Building Easement</i>	25-47
13.	Greenhouse Gas Emissions.....	25-47
	<i>Qualifying Site Modification</i>	25-47
14.	Noise.....	25-47
	<i>Qualifying Site Modification</i>	25-48
	<i>TA Subdistrict Ancillary Building Easement</i>	25-51
15.	Public Health.....	25-52
16.	Neighborhood Character.....	25-52
	<i>Qualifying Site Modification</i>	25-53
17.	Construction.....	25-53
	<i>Qualifying Site Modification</i>	25-54
25.6	MITIGATION.....	25-57
	Open Space.....	25-57
	Shadows.....	25-58
	Transportation.....	25-59
	<i>Traffic</i>	25-59
	<i>Transit</i>	25-65
	<i>Pedestrians</i>	25-65
18.	Air Quality.....	25-67
25.7	CONCEPTUAL ANALYSIS.....	25-68

Chapter 26: Response to Comments on the DEIS

1.1	INTRODUCTION.....	26-1
1.2	LIST OF ELECTED OFFICIALS, ORGANIZATIONS, AND INDIVIDUALS WHO COMMENTED ON THE DEIS.....	26-1
	Elected Officials.....	26-1
	Public Agencies.....	26-1
	Community Board.....	26-2
	Organizations and Interested Public.....	26-2
1.3	COMMENTS AND RESPONSES ON THE DEIS.....	26-3

List of Appendices

APPENDIX A: REASONABLE WORST-CASE DEVELOPMENT SCENARIO, TABLES 1A AND 1B

APPENDIX B: PROPOSED ZONING TEXT

APPENDIX B.1: Proposed Zoning Text

APPENDIX B.2: Proposed Amended Action Zoning Text

APPENDIX C: SOCIOECONOMIC CONDITIONS

APPENDIX D: AGENCY CORRESPONDENCE

APPENDIX E: HAZARDOUS MATERIALS

APPENDIX E.1: Regulatory Agency Database Report

APPENDIX E.2: Historical Sanborn Fire Insurance Maps

APPENDIX E.3: City Directory Reviews

APPENDIX F: TRANSPORTATION

APPENDIX F.1: Transportation Planning Factors

APPENDIX F.2: Modification of Synchro Adjustment Factors

APPENDIX F.3: A Listing of Changes in Intersection Configuration Between Existing and No-Action Conditions

APPENDIX F.4: Assignment of Auto Trips to Off-Street Parking Facilities

APPENDIX F.5: Traffic LOS Tables for Existing, No-Action, and With-Action Conditions

APPENDIX F.6: Traffic Volume Figures for Proposed Action with PRI Condition

APPENDIX F.7: A Listing of Changes in Intersection Configuration in the Proposed Action with PRI Condition

APPENDIX F.8: Traffic LOS Tables for Proposed Action with PRI Condition

APPENDIX F.9: Proposed Traffic Mitigation Measures for Proposed Action with PRI Condition

APPENDIX F.10: Traffic LOS Tables for Proposed Action with PRI Condition With and Without Proposed Mitigation

APPENDIX F.11: Subway Station Assignments

APPENDIX F.12: Subway Station Volumes

APPENDIX F.13: Results of Proposed Action Without Subway Station Improvements (With-Action Without-Improvement)

APPENDIX F.14: Pedestrian Volumes (Sidewalks, Crosswalks and Corners)

APPENDIX F.15: A Listing of Changes to Pedestrian Elements in the Proposed Action with PRI Condition

APPENDIX F.16: Pedestrian LOS Tables for Proposed Action with PRI Condition

APPENDIX F.17: Pedestrian LOS Tables for Proposed Action with PRI Condition and Mitigation

APPENDIX G: NOISE

APPENDIX H: CONSTRUCTION

APPENDIX H.1: Traffic Volume Figures

APPENDIX H.2: Traffic LOS Tables

APPENDIX H.3: Parking Demand

APPENDIX I: ALTERNATIVES

APPENDIX I.1: Lesser Density Alternative RWCDs

APPENDIX I.2: Lesser Density Alternative Traffic Volume Figures

APPENDIX I.3: Lesser Density Alternative Traffic LOS Tables

APPENDIX I.4: Lesser Density Alternative Subway LOS Tables

APPENDIX I.5: Lesser Density Alternative Pedestrian LOS Tables (Sidewalks, Corners and Crosswalks)

APPENDIX I.6: Lesser Density Alternative Parking Accumulation

APPENDIX J: CONCEPTUAL ANALYSIS

APPENDIX J.1: Conceptual Analysis RWCDs Table

APPENDIX J.2: Traffic Volume Figures

APPENDIX J.3: Traffic LOS Tables

APPENDIX J.4: Pedestrian LOS Tables (Sidewalks, Corners and Crosswalks)

APPENDIX J.5: Parking Accumulation

APPENDIX K: E DESIGNATIONS

APPENDIX K.1: Hazardous Materials

APPENDIX K.2: Air Quality

APPENDIX K.3: Noise

APPENDIX L: AMENDED APPLICATION

APPENDIX L.1: Amended Application RWCDs

APPENDIX L.2: Hazardous Materials

APPENDIX L.3: Shadows Tables

APPENDIX L.4: Shadows Figures

APPENDIX L.5: Parking Assignment for Amended Action

APPENDIX L.6: Traffic Volume Figures for Amended Action Without PRI Condition

APPENDIX L.7: Traffic LOS Tables for Amended Action Without PRI Condition

APPENDIX L.8: Traffic Volume Figures for Amended Action with PRI Condition

APPENDIX L.9: Traffic LOS Tables for Amended Action with PRI Condition

APPENDIX L.10: Subway Station Assignments for Amended Action

APPENDIX L.11: Subway Station Analysis for Amended Action

APPENDIX L.12: Subway Station Analysis for Amended Action without Subway Station Improvements

APPENDIX L.13: Pedestrian LOS Tables (Sidewalks, Corners, Crosswalks) for Amended Action Without PRI Condition

APPENDIX L.14: Pedestrian LOS Tables (Sidewalks, Corners, Crosswalks) for Amended Action With PRI Condition

APPENDIX L.15: Parking Accumulation for Amended Action

APPENDIX L.16: Proposed Traffic Mitigation Measures for Amended Action Without PRI Condition

APPENDIX L.17: Traffic LOS Tables for Amended Action Without PRI Condition with and without Proposed Mitigation

APPENDIX L.18: Proposed Traffic Mitigation Measures for Amended Action With PRI Condition

APPENDIX L.19: Traffic LOS Tables for Amended Action With PRI Condition with and without Proposed Mitigation

APPENDIX L.20: Amended Action Subway Station Analysis with Mitigation

APPENDIX L.21: Pedestrian LOS Tables for Amended Action without PRI Condition and Mitigation

APPENDIX L.22: Pedestrian LOS Tables for Amended Action with PRI Condition and Mitigation

APPENDIX M: AMENDED ACTION E-DESIGNATIONS

APPENDIX M.1: Hazardous Materials

APPENDIX M.2: Air Quality

APPENDIX M.3: Noise

APPENDIX N: DEIS COMMENTS

APPENDIX O: ADDITIONAL SHADOWS MITIGATION ANALYSIS OF ST. BARTHOLOMEW'S EPISCOPAL CHURCH

List of Tables

Executive Summary

Table S.1: Blocks and Lots within the Rezoning Area	S-13
Table S.2: RWCDs and Population Summary for Projected Development Sites	S-27
Table S.3: Summary of Movements/Intersections with Significant Adverse Traffic Impacts.....	S-52
Table S.4: Summary of Locations with Significant Adverse Traffic Impacts	S-53
Table S.5 Summary of Elements with Significant Adverse Pedestrian Impacts	S-57
Table S.6: Unmitigated Pedestrian Impacts.....	S-59
Table S.7: Comparison of Proposed Action and Lesser Density Alternative FARs by Subarea.....	S-66

Chapter 1: Project Description

Table 1.1: Blocks and Lots within the Rezoning Area.....	1-12
Table 1.2: RWCDs and Population Summary for Projected Development Sites.....	1-26

Chapter 2: Land Use, Zoning and Public Policy

Table 2.1: Existing Land Uses within the Primary Study Area.....	2-4
Table 2.2: Primary Study Area Existing Zoning Designations	2-11
Table 2.3: Secondary Study Area Existing Zoning Designation	2-14
Table 2.4: Development Projects in the 2036 Future without the Proposed Action.....	2-21
Table 2.5: No-Action to With-Action Comparison of Development for Projected Development Sites.....	2-24

Chapter 3: Socioeconomic Conditions

Table 3.1: Midtown Manhattan Office Submarkets located within the Primary Study Area	3-17
Table 3.2: Age of the Office Building Stock in the Primary Study Area	3-18
Table 3.3: Size of the Office Building Stock in Primary Study Area.....	3-19
Table 3.4: Total Employment by Sector in the Primary Study Area.....	3-21
Table 3.5: RWCDs for the 16 Projected Development Sites.....	3-22
Table 3.6: Potentially Directly Displaced Business/Institutions and Employment on Projected Development Sites	3-24
Table 3.7: Directly Displaced Employment as a Percentage of the Primary and Secondary Study Areas' Employment	3-25
Table 3.8: Potential Directly Displaced Accommodation and Food Service Businesses.....	3-26
Table 3.9: Potential Directly Displaced Professional, Scientific, and Technical Service Businesses	3-29
Table 3.10: Midtown Manhattan Office Submarkets included in the Secondary Study Area and Overall Totals for Midtown and Manhattan Office Markets	3-35
Table 3.11: Total Employment by Sector in the Secondary Study Area	3-39

Chapter 4: Open Space

Table 4.1: RWCDs and Population/Employment Summaries for Projected Development Sites, Compared to the No-Action Condition	4-4
---	-----

Table 4.2: Existing Non-Residential Population in the Open Space Study Area	4-8
Table 4.3: Existing College/Post-Secondary Student Population in the Open Space Study Area.....	4-9
Table 4.4: Existing Residential Population in the Open Space Study Area	4-10
Table 4.5: Summary of Open Space User Groups within the Study Area	4-10
Table 4.6: Inventory of Existing Open Space Resources Included in the Quantitative Analysis.....	4-13
Table 4.7: Existing Conditions: Adequacy of Open Space Resources	4-23
Table 4.8: Development Projects in the Future without the Proposed Action	4-24
Table 4.9: New Open Space Resources in the Future without the Proposed Action.....	4-26
Table 4.10: No-Action Condition - Adequacy of Open Space Resources.....	4-28
Table 4.11: With-Action Condition: Adequacy of Open Space Resources	4-29
Table 4.12: 2036 Future with the Proposed Action: Passive Open Space Ratios Summary.....	4-30
Table 4.13: Open Space Utilization Within a Quarter-Mile of Projected Development Sites	4-32

Chapter 5: Shadows

Table 5.1: Resources of Concern within Defined Shadow Radius – Open Spaces Affected by Incremental Shadows	5-7
Table 5.2: Resources of Concern within Defined Shadow Radius – Open Spaces Not Affected by Incremental Shadows 5-12	
Table 5.3: Resources of Concern within Defined Shadow Radius – Sunlight-Sensitive Historic Resources Affected by Incremental Shadows.....	5-15
Table 5.4: Resources of Concern within Defined Shadow Radius – Sunlight-Sensitive Historic Resources Not Affected by Incremental Shadows.....	5-16
Table 5.5: Incremental Shadow Duration on Resources of Concern – Open Space and Sunlight Sensitive Historic	5-48
Table 5.6: Historic Resources with no Incremental Shadows on Sunlight Sensitive Features	5-59

Chapter 6: Historic and Cultural Resources

Table 6.1: Designated Individual Historic Resources in the Rezoning area and Study Area.....	6-72
Table 6.2: Eligible Historic Resources in the Rezoning area and Study Area	6-76
Table 6.3: RWCDs Projected and Potential Development Sites Within or Located in Proximity to NYCL- or S/NR-designated, and NYCL- or S/NR-eligible Historic Resources	6-79
Table 6.4: Assessment of Proposed Action’s Potential Impacts on Designated or Eligible Historic Resources in the Rezoning area and Study Area	6-83

Chapter 7: Urban Design and Visual Resources

Table 7.1: Development Projects in the 2036 Future without the Proposed Action.....	7-34
Table 7.2: Visual Resources (Refer to Figure 7-10, and Figures 7-11A-W)	7-56

Chapter 8: Hazardous Materials

Table 8.1: Federal and State Regulatory Agency Databases Reviewed.....	8-3
Table 8.2: Summary of Environmental Issues for Projected and Potential Development Sites.....	8-7

Chapter 9: Water and Sewer Infrastructure

Table 9.1: Water Consumption and Wastewater Generation Rates	9-4
Table 9.2: Existing Water Consumption and Wastewater Generation on Projected Development Sites.....	9-5
Table 9.3: Monthly Average Dry Weather Flows from the Newtown Creek WWTP.....	9-6
Table 9.4: Existing Wastewater Generation on Projected Development Sites by Subcatchment Area	9-7
Table 9.5: Existing Stormwater Runoff to the Newtown Creek WWTP	9-8
Table 9.6: Existing Combined Stormwater Runoff and Wastewater Generation to the Newtown Creek WWTP.....	9-8
Table 9.7: No-Action Water Consumption and Wastewater Generation.....	9-10
Table 9.8: Water Consumption and Wastewater Generation in the No-Action and With-Action Conditions.....	9-12
Table 9.9: Combined Stormwater Runoff and Wastewater Generation Flow Volume to the Combined Sewer System in the Proposed Rezoning Area—With-Action Condition	9-13
Table 9.10: Incremental Increase in Combined Stormwater Runoff and Wastewater Generation Flow Volumes to the Combined Sewer System in the Proposed Rezoning Area.....	9-14

Chapter 10: Solid Waste and Sanitation Services

Table 10.1: Existing Solid Waste Generation on Projected Development Sites	10-4
Table 10.2: No-Action Solid Waste Generation on Projected Development Sites.....	10-5
Table 10.3: With-Action Solid Waste Generation on Projected Development Sites	10-6
Table 10.4: Comparison of Weekly Solid-Waste Generation on Projected Development Sites (Existing, No-Action, and With-Action Conditions).....	10-6

Chapter 11: Energy

Table 11.1: Existing Estimated Annual Energy Consumption on Projected Development Sites	11-4
Table 11.2: No-Action Condition: Estimated Annual Energy Consumption on Projected Development Sites.....	11-4
Table 11.3: With-Action Condition: Estimated Annual Energy Consumption on Projected Development Sites	11-5

Chapter 12: Transportation

Table 12.1: RWCDs Summary for Projected Development Sites.....	12-1
Table 12.2: Summary of Significant Adverse Traffic Impacts	12-3
Table 12.2: Summary of Significant Adverse Traffic Impacts (Continued).....	12-4
Table 12.2: Summary of Significant Adverse Traffic Impacts (Continued).....	12-5
Table 12.3: Summary of Significant Adverse Pedestrian Impacts	12-8
Table 12.3: Summary of Significant Adverse Pedestrian Impacts (Continued)	12-9
Table 12.4: Transportation Planning Factors	12-13
Table 12.5: Travel Demand Forecast with the Proposed Action (2036)	12-15
Table 12.6: Summary of Incremental Trips Generated by the Proposed Action.....	12-16
Table 12.7: Net Incremental Peak Hour Subway Trips by Station or Station Complex	12-17
Table 12.8: Net Incremental Peak Hour Local Bus Trips by Route.....	12-20
Table 12.9: Number of Rezoning Area Express Bus Routes and Estimated Distribution of Net Incremental Peak Hour Express Bus Trips by Borough/County	12-21
Table 12.10: Intersection Level of Service Criteria	12-24
Table 12.11: Level of Service Criteria for Subway Station Elements.....	12-25

Table 12.12: Significant Impact Thresholds for Stairways and Passageways	12-26
Table 12.13: Pedestrian Crosswalk/Corner Area and Sidewalk Levels of Service Descriptions	12-28
Table 12.14: Significant Impact Criteria for Sidewalks with Platooned Flow in a CBD Location.....	12-29
Table 12.15: Significant Impact Criteria for Corners and Crosswalks in a CBD Location.....	12-30
Table 12.16: Summary of Existing Levels of Service by Movement	12-36
Table 12.17: Intersections with Existing Congested Approach Movements	12-37
Table 12.17: Intersections with Existing Congested Approach Movements (Continued).....	12-38
Table 12.17: Intersections with Existing Congested Approach Movements (Continued).....	12-39
Table 12.17: Intersections with Existing Congested Approach Movements (Continued).....	12-40
Table 12.17: Intersections with Existing Congested Approach Movements (Continued).....	12-41
Table 12.17: Intersections with Existing Congested Approach Movements (Continued).....	12-42
Table 12.18: East Midtown Development Projects Included in the No-Action Condition Traffic Analysis.....	12-61
Table 12.19: Summary of Existing and No-Action Levels of Service by Movement	12-63
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour	12-64
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-65
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-66
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-67
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-68
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-69
Table 12.20: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-69
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour	12-70
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour (Continued).....	12-71
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour (Continued).....	12-72
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour (Continued).....	12-73
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour (Continued).....	12-74
Table 12.21: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour (Continued).....	12-75
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour	12-76
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-77
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-78
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-79
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-80
Table 12.22: Existing and No-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-81
Note: This Table has been updated for the FEIS.....	12-81
Table 12.23: Summary of No-Action and With-Action Level of Service by Movement	12-83
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour.....	12-84
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-85
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-86
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-87
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-88
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-89
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-90
Table 12.24: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the AM Peak Hour (Continued).....	12-90
Table 12.25: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the Midday Peak Hour	12-90
Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour.....	12-96
Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-97
Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-98
Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).....	12-99

Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).... 12-100

Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).... 12-101

Table 12.26: No-Action and With-Action Intersections with LOS E/F or V/C \geq 0.90 in the PM Peak Hour (Continued).... 12-102

Table 12.27: Summary of Approach Movements and Intersections with Significant Impacts with the Proposed Action.. 12-102

Table 12.28: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Action-With-Improvements Condition and Action-Without-Improvements Condition 12-103

Table 12.29: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Action-With-Improvements Condition and Action-Without-Improvements Condition..... 12-104

Table 12.29: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Action-With-Improvements Condition and Action-Without-Improvements Condition (Continued)..... 12-105

Table 12.30: Existing Conditions Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex 12-109

Table 12.30: Existing Conditions Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex (Continued) 12-110

Table 12.31: Existing Conditions Escalator Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex 12-111

Table 12.32: Existing Conditions Passageway Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex 12-111

Table 12.33: Existing Conditions Fare Control Area Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex 12-112

Table 12.34: Existing Conditions Stair Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station..... 12-114

Table 12.35: Existing Conditions Fare Control Area Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station 12-115

Table 12.36: Existing Conditions Stair Analysis at the Fifth Avenue (7) Subway Station 12-116

Table 12.37: Existing Conditions Fare Control Area Analysis at the Fifth Avenue (7) Subway Station 12-116

Table 12.38: Existing Conditions Stair Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station 12-118

Table 12.39: Existing Conditions Fare Control Area Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station 12-119

Table 12.40: Existing Conditions Stair Analysis at the 51st Street (6) Subway Station 12-121

Table 12.41: Existing Conditions Escalator Analysis at the 51st Street (6) Subway Station 12-121

Table 12.42: Existing Conditions Passageway Analysis at the 51st Street (6) Subway Station 12-121

Table 12.43: Existing Conditions Fare Control Area Analysis at the 51st Street (6) Subway Station 12-122

Table 12.44: Existing Conditions Stair Analysis at the Lexington Avenue/53rd Street Subway Station 12-123

Table 12.45: Existing Conditions Escalator Analysis at the Lexington Avenue/53rd Street Subway Station..... 12-123

Table 12.46: Existing Conditions Fare Control Area Analysis at the Lexington Avenue/53rd Street Subway Station. 12-124

Table 12.47: Existing Conditions Stair Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station 12-125

Table 12.48: Existing Conditions Fare Control Area Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station 12-125

Table 12.49: Existing Conditions Escalator Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station 12-126

Table 12.50: Existing Conditions Stair Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station 12-126

Table 12.51: Existing Conditions Escalator Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station 12-127

Table 12.52: Existing Conditions Subway Line Haul Analysis 12-128

Table 12.53: Existing Conditions Stair Analysis at the Grand Central Terminal - 47th Street Crosspassage 12-129

Table 12.54: Existing Conditions Escalator Analysis at the Grand Central Terminal - 47th Street Crosspassage.....	12-130
Table 12.55: Existing Conditions Passageway Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-130
Table 12.56: No-Action Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex	12-137
Table 12.56: No-Action Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex (Continued)	12-138
Table 12.57: No-Action Escalator Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex...	12-139
Table 12.58: No-Action Passageway Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex.....	12-139
Table 12.59: No-Action Fare Control Area Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station Complex	12-140
Table 12.60: No-Action Stair Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station	12-141
Table 12.61: No-Action Fare Control Area Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station	12-142
Table 12.62: No-Action Stair Analysis at the Fifth Avenue (7) Subway Station.....	12-142
Table 12.63: No-Action Fare Control Area Analysis at the Fifth Avenue (7) Subway Station.....	12-143
Table 12.64: No-Action Stair Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station	12-144
Table 12.65: No-Action Fare Control Area Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station	12-145
Table 12.66: No-Action Stair Analysis at the 51st Street (6) Subway Station.....	12-146
Table 12.67: No-Action Escalator Analysis at the 51st Street (6) Subway Station	12-146
Table 12.68: No-Action Passageway Analysis at the 51st Street (6) Subway Station.....	12-146
Table 12.69: No-Action Fare Control Area Analysis at the 51st Street (6) Subway Station.....	12-147
Table 12.70: No-Action Stair Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station	12-147
Table 12.71: No-Action Escalator Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station.....	12-148
Table 12.72: No-Action Fare Control Area Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station	12-148
Table 12.73: No-Action Stair Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station	12-149
Table 12.74: No-Action Fare Control Area Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station	12-149
Table 12.75: No-Action Escalator Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station .	12-149
Table 12.76: No-Action Stair Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station.....	12-150
Table 12.77: No-Action Escalator Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station.....	12-150
Table 12.78: No-Action Subway Line Haul Analysis.....	12-152
Table 12.78: No-Action Subway Line Haul Analysis (Continued)	12-153
Table 12.79: No-Action Stair Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-154
Table 12.80: No-Action Escalator Analysis at the Grand Central Terminal - 47th Street Crosspassage.....	12-154
Table 12.81: No-Action Passageway Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-154
Table 12.82: With-Action Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station.....	12-157
Table 12.82: With-Action Stair Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station (Continued)	12-158
Table 12.83: With-Action Escalator Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station	12-159
Table 12.84: With-Action Passageway Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station.....	12-159
Table 12.85: With-Action Fare Control Area Analysis at the Grand Central 42nd Street (4, 5, 6, 7, S) Subway Station...	12-160
Table 12.86: With-Action Stair Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station.....	12-162
Table 12.87: With-Action Fare Control Area Analysis at the 42nd Street-Bryant Park (B, D, F, M) Subway Station...	12-163
Table 12.88: With-Action Stair Analysis at the Fifth Avenue (7) Subway Station	12-165
Table 12.89: With-Action Fare Control Area Analysis at the Fifth Avenue (7) Subway Station	12-165
Table 12.90: With-Action Stair Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station....	12-167

Table 12.90: With-Action Stair Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station (Continued)	12-168
Table 12.91: With-Action Fare Control Area Analysis at the 47th-50th Streets-Rockefeller Center (B, D, F, M) Subway Station	12-169
Table 12.92: With-Action Stair Analysis at the 51st Street (6) Subway Station	12-171
Table 12.93: With-Action Escalator Analysis at the 51st Street (6) Subway Station	12-171
Table 12.94: With-Action Passageway Analysis at the 51st Street (6) Subway Station	12-172
Table 12.95: With-Action Fare Control Area Analysis at the 51st Street (6) Subway Station	12-172
Table 12.96: With-Action Stair Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station	12-175
Table 12.97: With-Action Escalator Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station	12-176
Table 12.98: With-Action Fare Control Area Analysis at the Lexington Avenue/53rd Street (E, M) Subway Station	12-176
Table 12.99: With-Action Stair Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station	12-178
Table 12.100: With-Action Fare Control Area Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station	12-178
Table 12.101: With-Action Escalator Analysis at the Lexington Avenue-59th Street (4, 5, 6, N, R, W) Subway Station	12-179
Table 12.102: With-Action Stair Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station	12-181
Table 12.103: With-Action Escalator Analysis at the Fifth Avenue-53rd Street Subway (E, M) Station	12-181
Table 12.104: With-Action Subway Line Haul Analysis	12-183
Table 12.104: With-Action Subway Line Haul Analysis (Continued)	12-184
Table 12.105: With-Action Stair Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-186
Table 12.106: With-Action Escalator Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-186
Table 12.107: With-Action Passageway Analysis at the Grand Central Terminal - 47th Street Crosspassage	12-187
Table 12.108: Existing Sidewalk Conditions in the AM Peak Hour	12-189
Table 12.108: Existing Sidewalk Conditions in the AM Peak Hour (Continued)	12-190
Table 12.109: Existing Sidewalk Conditions in the Midday Peak Hour	12-191
Table 12.109: Existing Sidewalk Conditions in the Midday Peak Hour (Continued)	12-192
Table 12.110: Existing Sidewalk Conditions in the PM Peak Hour	12-193
Table 12.110: Existing Sidewalk Conditions in the PM Peak Hour (Continued)	12-194
Table 12.111: Existing Crosswalk Conditions in the AM Peak Hour	12-196
Table 12.112: Existing Crosswalk Conditions in the Midday Peak Hour	12-197
Table 12.113: Existing Crosswalk Conditions in the PM Peak Hour	12-198
Table 12.114: Existing Corner Conditions	12-199
Table 12.114: Existing Corner Conditions (Continued)	12-200
Table 12.114: Existing Corner Conditions (Continued)	12-201
Table 12.115: No-Action Sidewalk Conditions in the AM Peak Hour	12-203
Table 12.115: No-Action Sidewalk Conditions in the AM Peak Hour (Continued)	12-204
Table 12.116: No-Action Sidewalk Conditions in the Midday Peak Hour	12-205
Table 12.116: No-Action Sidewalk Conditions in the Midday Peak Hour (Continued)	12-206
Table 12.117: No-Action Sidewalk Conditions in the PM Peak Hour	12-207
Table 12.117: No-Action Sidewalk Conditions in the PM Peak Hour (Continued)	12-208
Table 12.118: No-Action Crosswalk Conditions in the AM Peak Hour	12-209
Table 12.119: No-Action Crosswalk Conditions in the Midday Peak Hour	12-210
Table 12.120: No-Action Crosswalk Conditions in the PM Peak Hour	12-211
Table 12.121: No-Action Corner Conditions	12-213
Table 12.121: No-Action Corner Conditions (Continued)	12-214
Table 12.121: No-Action Corner Conditions (Continued)	12-215
Table 12.122: With-Action Sidewalk Conditions in the AM Peak Hour	12-219

Table 12.122: With-Action Sidewalk Conditions in the AM Peak Hour (Continued)	12-220
Table 12.123: With-Action Sidewalk Conditions in the Midday Peak Hour	12-221
Table 12.123: With-Action Sidewalk Conditions in the Midday Peak Hour (Continued)	12-222
Table 12.124: With-Action Sidewalk Conditions in the PM Peak Hour	12-223
Table 12.124: With-Action Sidewalk Conditions in the PM Peak Hour (Continued)	12-224
Table 12.125: With-Action Crosswalk Conditions in the AM Peak Hour	12-226
Table 12.126: With-Action Crosswalk Conditions in the Midday Peak Hour	12-227
Table 12.127: With-Action Crosswalk Conditions in the PM Peak Hour	12-228
Table 12.128: With-Action Corner Conditions	12-230
Table 12.128: With-Action Corner Conditions (Continued)	12-231
Table 12.128: With-Action Corner Conditions (Continued)	12-232
Table 12.129: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Action-With-Improvements Condition and Action-Without-Improvements Condition	12-233
Table 12.130: Summary of Motor Vehicle Crash Data, 2012-2014	12-234
Table 12.130: Summary of Motor Vehicle Crash Data, 2012-2014 (Continued)	12-235
Table 12.131: Existing Off-Street Parking Facilities in Study Area	12-243
Table 12.131: Existing Off-Street Parking Facilities in Study Area (Continued)	12-244
Table 12.131: Existing Off-Street Parking Facilities in Study Area (Continued)	12-245
Table 12.131: Existing Off-Street Parking Facilities in Study Area (Continued)	12-246
Table 12.132: Parking Regulation Code Definitions	12-248
Table 12.132: Parking Regulation Code Definitions (Continued)	12-249
Table 12.132: Parking Regulation Code Definitions (Continued)	12-250
Table 12.132: Parking Regulation Code Definitions (Continued)	12-251
Table 12.132: Parking Regulation Code Definitions (Continued)	12-252
Table 12.133: No-Action Condition Off-Street Parking Capacity, Demand, and Utilization	12-254
Table 12.134: With-Action Condition Net Incremental Weekday Hourly Parking Accumulation by Land Use	12-255
Table 12.135: With-Action Condition Off-Street Parking Capacity, Demand, and Utilization	12-256

Chapter 13: Air Quality

Table 13.1: National Ambient Air Quality Standards	13-7
Table 13.2: NYSDEC Air Guideline Concentrations for Non-Criteria Pollutants	13-10
Table 13.3: Background Concentrations for Intersection Analysis	13-14
Table 13.4: Intersection Analysis Sites	13-15
Table 13.5: Cluster Sites for Cumulative HVAC Analysis	13-17
Table 13.6: Background Concentrations for Stationary Sources Analysis	13-23
Table 13.7: Ambient Background Concentrations	13-24
Table 13.8: No-Action Maximum Predicted CO Concentrations (ppm)	13-25
Table 13.9: No-Action Maximum Predicted 24-Hour PM ₁₀ Concentrations (µg/m ³)	13-25
Table 13.10: With-Action Maximum Predicted CO Concentrations (ppm)	13-26
Table 13.11: With-Action Maximum Predicted 24-Hour PM ₁₀ Concentrations (µg/m ³)	13-26
Table 13.12: Maximum Predicted 24-Hour PM _{2.5} Incremental Concentrations (µg/m ³)	13-27
Table 13.13: Maximum Predicted Annual PM _{2.5} Incremental Concentrations (µg/m ³)	13-27
Table 13.14: HVAC Screening Analysis Results	13-30
Table 13.15: Existing Active Industrial Sources Permit Information	13-34
Table 13.16: Maximum Predicted Impacts on Projected and Potential Sites from Industrial Sources	13-35

Table 13.17: Cancer Risk (CR) and Chronic Non-Cancer Hazard Quotients (HQ) and Total Hazard Index (HI) of the Toxic Pollutants	13-38
Table 13.18: Acute Quotients (AHQ) and Total Hazard Index (AHI) of the Toxic Pollutants	13-39
Table 13.19: Emission Rates & Stack Parameters for Existing Power Plant Building	13-39
Table 13.20: Maximum Predicted Concentration ($\mu\text{g}/\text{m}^3$) from Existing Power Plant Building.....	13-40

Chapter 14: Greenhouse Gas Emissions

Table 14.1: Global Warming Potential for Primary Greenhouse Gases.....	14-3
Table 14.2: Operational Emissions	14-4
Table 14.3: Proposed Action (RWCDs) Annual Vehicle Miles Traveled (miles per year)	14-5
Table 14.4: Mobile Source Emissions.....	14-5
Table 14.5: Total GHG Emissions.....	14-6

Chapter 15: Noise

Table 15.1: Common Noise Levels	15-2
Table 15.2: Noise Exposure Guidelines for Use in City Environmental Quality Review ¹	15-5
Table 15.3: New York City Noise Code.....	15-6
Table 15.4: Noise Monitoring Site Locations.....	15-8
Table 15.5: Existing Short-Term Noise Levels (dBA).....	15-9
Table 15.6: 2036 No-Action Weekday Noise Levels (dBA).....	15-10
Table 15.7: 2036 With-Action Weekday Noise Levels (dBA)	15-12
Table 15.8: Required Attenuation Values to Achieve Acceptable Interior Noise Levels	15-13
Table 15.9: 2036 With-Action Weekday Noise Levels (dBA)	15-14

Chapter 18: Construction

Table 18.1: Quarterly Peak Numbers of Daily Construction Workers and Delivery Trucks (16 Projected Development Sites with New Construction)	18-8
Table 18.2: Total Daily Vehicle Trips During Construction by Quarter.....	18-11
Table 18.3: 2032 First Quarter Construction-Vehicle Trip Projections (in PCEs)	18-12
Table 18.4: 2032 First Quarter Construction Weekday AM Transit Trips	18-14
Table 18.5: 2032 First Quarter Construction Weekday PM Transit Trips	18-14
Table 18.6: 2032 First Quarter Construction Weekday AM Pedestrian Trips	18-17
Table 18.7: 2032 First Quarter Construction Weekday PM Pedestrian Trips	18-17
Table 18.8: Summary of Significant Adverse Traffic Impacts	18-22
Table 18.9: Ambient Background Concentrations.....	18-29
Table 18.10 Maximum Predicted Total Concentrations for Construction Activities.....	18-30
Table 18.11 Construction Equipment Noise Emission Levels (dBA)	18-34
Table 18.11 Construction Equipment Noise Emission Levels (dBA) (Continued).....	18-35
Table 18.12: Construction Noise Receptor Locations.....	18-38
Table 18.13: Existing Short-Term Noise Levels (dBA).....	18-39
Table 18.14: Construction Noise Analysis Results (dBA)	18-40
Table 18.15: Vibration Source Levels for Construction Equipment.....	18-48

Chapter 19: Mitigation

Table 19.1: Summary of Movements/Intersections with Significant Adverse Traffic Impacts	19-4
Table 19.2: Summary of Locations with Significant Adverse Traffic Impacts.....	19-5
Table 19.2: Summary of Locations with Significant Adverse Traffic Impacts (Continued).....	19-6
Table 19.2: Summary of Locations with Significant Adverse Traffic Impacts (Continued).....	19-7
Table 19.3 Summary of Elements with Significant Adverse Pedestrian Impacts.....	19-9
Table 19.4: Unmitigated Pedestrian Impacts	19-11
Table 19.5: 2036 Future with the Proposed Action: Passive Open Space Ratios Summary.....	19-16
Table 19.6: AM Proposed Traffic Mitigation Measures	19-21
Table 19.7: Midday Proposed Traffic Mitigation Measures	19-25
Table 19.8: PM Proposed Traffic Mitigation Measures	19-28
Table 19.9: AM Level of Service Analysis with and without Proposed Mitigation	19-34
Table 19.10: Midday Level of Service Analysis with and without Proposed Mitigation	19-43
Table 19.11: PM Level of Service Analysis with and without Proposed Mitigation	19-51
Table 19.12: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Action- With-Improvements Condition and Action-Without-Improvements Condition	19-61
Table 19.13: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Action-With- Improvements Condition and Action-Without-Improvements Condition.....	19-62
Table 19.14: Mitigated With-Action With-Improvements Subway Escalator Analysis at the Grand Central-42nd Street (4, 5, 6, 7, S) Subway Station.....	19-66
Table 19.15: Mitigated With-Action With-Improvements Subway Escalator Analysis at the Lexington Avenue-53rd Street (E, M) Subway Station	19-66
Table 19.16 Action-With-Mitigation, Sidewalk Conditions.....	19-68
Table 19.17: Action-With-Mitigation, AM Peak Hour Crosswalk Conditions	19-71
Table 19.18: Action-With-Mitigation: Midday Peak Hour Crosswalk Conditions	19-72
Table 19.19: Action-With-Mitigation: PM Peak Hour Crosswalk Conditions	19-73
Table 19.20: Action-With-Mitigation: AM Peak Hour Corner Conditions.....	19-75
Table 19.21: Action-With-Mitigation: Midday and PM Peak Hour Corner Conditions	19-76
Table 19.22: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Action-With- Improvements Condition to Action-Without-Improvements Condition.....	19-77
Table 19.23: Maximum Predicted PM _{2.5} Concentrations (µg/m ³) with Traffic Mitigation	19-78
Table 19.24: AM Proposed Traffic Mitigation Measures - Construction.....	19-80
Table 19.25: PM Proposed Traffic Mitigation Measures - Construction.....	19-81
Table 19.26: AM Level of Service Analysis with and without Proposed Mitigation - Construction.....	19-82
Table 19.27: PM Level of Service Analysis with and without Proposed Mitigation - Construction.....	19-83

Chapter 20: Alternatives

Table 20.1: Comparison of Proposed Action and Lesser Density Alternative FARs by Subarea	20-5
Table 20.2: Summary of Level of Service by Movement – No-Action Alternative vs. Proposed Action.....	20-14
Table 20.2: Summary of Level of Service by Movement – No-Action Alternative vs. Proposed Action (Continued)	20-14
Table 20.3: Summary of Lesser Density Alternative Development Scenario.....	20-27
Table 20.4: Summary of Lesser Density Alternative Population and Employment.....	20-27
Table 20.5: Summary of No-Action to With-Action Incremental Development – Proposed Action vs. Lesser Density Alternative	20-27
Table 20.6: Net Difference in Person Trips between the Lesser Density Alternative and the Proposed Action	20-35

Table 20.7: Net Difference in Vehicle Trips between the Lesser Density Alternative and the Proposed Action.....	20-36
Table 20.8: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Lesser Density Alternative and Proposed Action.....	20-37
Table 20.9: Number of Subway Station Elements with Significant Adverse Transit Impacts – Comparison of Lesser Density Alternative and Proposed Action.....	20-38
Table 20.10: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Lesser Density Alternative and Proposed Action.....	20-40
Table 20.11 – Locations of POPS under Mandatory POPS Alternative	20-46

Chapter 21: Conceptual Analysis

Table 21.1: Comparison of Special Permit Scenario to With-Action RWCDs	21-6
Table 21.2: Conceptual Analysis - Special Permit Scenario.....	21-9
Table 21.3: Conceptual Analysis - Special Permit Scenario Increment.....	21-10
Table 21.4: Net Difference in Person Trips between the Special Permit Scenario and the Proposed Action.....	21-18
Table 21.5: Net Difference in Vehicle Trips between the Special Permit Scenario and the Proposed Action	21-18
Table 21.6: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Special Permit Scenario and Proposed Action	21-20
Table 21.7: Off-Street Parking Capacity, Demand, and Utilization – Comparison of Special Permit Scenario and Proposed Action	21-23

Chapter 25: Amended Application Analysis

Table 25.1: Added Projected and Potential Development Sites with the Amended With-Action Condition	25-8
Table 25.2: Proposed Action Development Scenario	25-9
Table 25.3: Amended With-Action Condition	25-9
Table 25.4: Difference in Proposed Action vs Amended With-Action Condition Increment.....	25-10
Table 25.5: Summary of Environmental Issues for Projected and Potential Development Sites.....	25-23
Table 25.6: Net Difference in Person Trips between the Amended With-Action Condition and the Proposed Action ..	25-27
Table 25.7: Net Difference in Vehicle Trips between the Amended With-Action Condition and the Proposed Action..	25-27
Table 25.8: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Amended Action Without PRI Condition and Proposed Action Without PRI Condition	25-29
Table 25.9: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Amended Action Without PRI Condition and Proposed Action Without PRI Condition	25-30
Table 25.10: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition	25-32
Table 25.11: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition	25-32
Table 25.11: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition (Continued)	25-33
Table 25.12: Net Incremental Peak Hour Subway Trips by Station or Station Complex	25-35
Table 25.13: Net Incremental Peak Hour Local Bus Trips by Route.....	25-36
Table 25.14: Number of Rezoning Area Express Bus Routes and Estimated Distribution of Net Incremental Peak Hour Express Bus Trips by Borough/County	25-37
Table 25.15: Existing Local Bus Analysis	25-38
Table 25.16: No-Action Local Bus Analysis	25-39
Table 25.17: Amended With-Action Condition Local Bus Analysis	25-39

Table 25.18: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Amended Action Without PRI Condition and Proposed Action Without PRI Condition	25-41
Table 25.19: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition	25-42
Table 25.20: Off-Street Parking Capacity, Demand, and Utilization – Comparison of Amended With-Action Condition and Proposed Action.....	25-42
Table 25.21: Maximum Predicted 24-Hour PM ₁₀ Concentrations (µg/m ³)	25-44
Table 25.22: Maximum Predicted 24-Hour PM _{2.5} Incremental Concentrations (µg/m ³)	25-45
Table 25.23: Maximum Predicted Annual PM _{2.5} Incremental Concentrations (µg/m ³).....	25-45
Table 25.24: Amended Noise Monitoring Site Locations	25-48
Table 25.25: Amended Existing Short-Term Noise Levels (dBA)	25-49
Table 25.26: Amended 2036 No-Action Weekday Noise Levels (dBA)	25-49
Table 25.27: Amended 2036 With-Action Weekday Noise Levels (dBA).....	25-49
Table 25.28: Amended 2036 With-Action Weekday Noise Levels (dBA).....	25-50
Table 25.30: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Amended Action Without PRI Condition and Proposed Action Without PRI Condition	25-60
Table 25.31: Summary of Locations with Different Significant Adverse Traffic Impacts – Amended Action Without PRI Condition and Proposed Action Without PRI Condition	25-61
Table 25.32: Number of Intersections and Approaches with Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition	25-63
Table 25.33: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition	25-64
Table 25.33: Summary of Locations with Different Significant Adverse Traffic Impacts – Comparison of Amended Action With PRI Condition and Amended Action Without PRI Condition (Continued)	25-65
Table 25.34: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Amended Action Without PRI Condition to Proposed Action Without PRI Condition	25-66
Table 25.35: Number of Locations with Significant Adverse Pedestrian Impacts – Comparison of Amended Action With PRI Condition to Amended Action Without PRI Condition	25-67
Table 25.36: Maximum Predicted 24-Hour PM _{2.5} Incremental Concentrations (µg/m ³)	25-68
Table 25.37: Maximum Predicted Annual PM _{2.5} Incremental Concentrations (µg/m ³).....	25-68

List of Figures

Executive Summary

Following Page:

Figure S-1: Proposed Rezoning Area	S-1
Figure S-2: Proposed Subdistricts	S-10
Figure S-3: Public Realm Improvements	S-12
Figure S-4: Pedestrian Plaza Illustration.....	S-14
Figure S-5: Park Avenue Improvements.....	S-14
Figure S-6: Existing Zoning.....	S-16
Figure S-6: Proposed Zoning Amendment.....	S-17
Figure S-8: Proposed Rezoning Area RWDCS Sites.....	S-17

Chapter 1: Project Description

Figure 1-1: Proposed Rezoning Area	1-1
Figure 1-2: Proposed Subdistricts.....	1-14
Figure 1-3: Public Realm Improvements.....	1-16
Figure 1-4: Pedestrian Plaza Illustration	1-17
Figure 1-5: Park Avenue Improvements	1-17
Figure 1-6: Existing Zoning	1-21
Figure 1-7: Proposed Zoning Amendments	1-21
Figure 1-8: Proposed Rezoning Area RWDCS Sites	1-23

Chapter 2: Land Use

Figure 2-1: Land Use and Zoning Study and Analysis Areas (Primary and Secondary)	2-2
Figure 2-2: Coastal Zone Boundary.....	2-2
Figure 2-3: Primary Study Area Existing Land Use	2-4
Figure 2-4: Secondary Study Area Existing Land Use.....	2-6
Figure 2-5: Existing Zoning	2-10
Figure 2-6: Special Midtown District and Subdistricts	2-12
Figure 2-7: Historic Resources.....	2-18
Figure 2-8: Business Improvement Districts	2-18
Figure 2-9: No Build Development Projects	2-20
Figure 2-10: Proposed Zoning Amendments	2-24
Figure 2-11: Proposed FAR Subareas.....	2-24

Chapter 3: Socioeconomic Conditions

Figure 3-1: Socioeconomics Study Area.....	3-6
Figure 3-2: Office Submarket Boundaries.....	3-16
Figure 3.3: Office Buildings by Year Built.....	3-18
Figure 3.4: Office Buildings by Floorspace	3-19

Figure 3.5: Hotel Locations	3-31
-----------------------------------	------

Chapter 4: Open Space

Figure 4-1: Open Space Study Area	4-5
Figure 4-2: Existing Open Space Inventory	4-11
Figure 4-3: Open Space Resources in the No-Action Condition	4-25
Figure 4-4: Open Space Resources Observed Utilization Levels	4-31

Chapter 5: Shadows

Figure 5-1: Open Spaces and Historic Resources within the Maximum Shadow Radius (Tiers 1 and 2)	5-3
Figure 5-2a: P3 December Detailed Shadows Analysis	5-59
Figure 5-2b: P3 March Detailed Shadows Analysis	5-59
Figure 5-2c: P3 May Detailed Shadows Analysis	5-59
Figure 5-2d: P3 June Detailed Shadows Analysis	5-59
Figure 5-3a: P5 March Detailed Shadows Analysis	5-59
Figure 5-3b: P5 May Detailed Shadows Analysis	5-59
Figure 5-3c: P5 June Detailed Shadows Analysis	5-59
Figure 5-4a: P15 December Detailed Shadows Analysis	5-59
Figure 5-4b: P15 March Detailed Shadows Analysis	5-59
Figure 5-4c: P15 May Detailed Shadows Analysis	5-59
Figure 5-4d: P15 May Detailed Shadows Analysis Base	5-59
Figure 5-5: P25N May Detailed Shadows Analysis	5-59
Figure 5-6a: P27 March Detailed Shadows Analysis	5-59
Figure 5-6b: P27 May Detailed Shadows Analysis	5-59
Figure 5-6c: P27 June Detailed Shadows Analysis	5-59
Figure 5-7a: P28 March Detailed Shadows Analysis	5-59
Figure 5-7b: P28 May Detailed Shadows Analysis	5-59
Figure 5-7c: P28 June Detailed Shadows Analysis Base	5-59
Figure 5-8: P30 May Detailed Shadows Analysis	5-59
Figure 5-9a: P31 December Detailed Shadows Analysis	5-59
Figure 5-9b: P 31 March Detailed Shadows Analysis	5-59
Figure 5-9c: P31 May Detailed Shadows Analysis	5-59
Figure 5-10: POPS No. 2 Detailed Shadow Analysis	5-59
Figure 5-11: POPS No. 3 Detailed Shadow Analysis	5-59
Figure 5-12: POPS No. 4 Detailed Shadow Analysis	5-59
Figure 5-13: POPS No. 5 Detailed Shadows Analysis	5-59
Figure 5-14: POPS No. 6 Detailed Shadows Analysis	5-59
Figure 5-15: POPS No. 8 Detailed Shadows Analysis	5-59
Figure 5-16: POPS No. 9 Detailed Shadows Analysis	5-59
Figure 5-17: POPS No. 10 Detailed Shadows Analysis	5-59
Figure 5-18: POPS No. 11 Detailed Shadows Analysis	5-59
Figure 5-19: POPS No. 12 Detailed Shadows Analysis	5-59
Figure 5-20: POPS No. 13 Detailed Shadows Analysis	5-59
Figure 5-21: POPS No. 15 Detailed Shadows Analysis	5-59

Figure 5-22: POPS No. 16 Detailed Shadows Analysis..... 5-59

Figure 5-23: POPS No. 17 Detailed Shadows Analysis..... 5-59

Figure 5-24: POPS No. 18 Detailed Shadows Analysis..... 5-59

Figure 5-25: POPS No. 19 Detailed Shadows Analysis..... 5-59

Figure 5-26: POPS No. 20 Detailed Shadows Analysis..... 5-59

Figure 5-27: POPS No. 21 Detailed Shadows Analysis..... 5-59

Figure 5-28: POPS No. 22 Detailed Shadows Analysis..... 5-59

Figure 5-29: POPS No. 23 Detailed Shadows Analysis..... 5-59

Figure 5-30: POPS No. 24 Detailed Shadows Analysis..... 5-59

Figure 5-31: POPS No. 25 Detailed Shadows Analysis..... 5-59

Figure 5-32: POPS No. 26 Detailed Shadows Analysis..... 5-59

Figure 5-33: POPS No. 27 Detailed Shadows Analysis..... 5-59

Figure 5-34: POPS No. 28 Detailed Shadows Analysis..... 5-59

Figure 5-35: POPS No. 30 Detailed Shadows Analysis..... 5-59

Figure 5-36: POPS No. 31 Detailed Shadows Analysis..... 5-59

Figure 5-37: POPS No. 32 Detailed Shadows Analysis..... 5-59

Figure 5-38: POPS No. 33 Detailed Shadows Analysis..... 5-59

Figure 5-39: POPS No. 48 Detailed Shadows Analysis..... 5-59

Figure 5-40: POPS No. 62 Detailed Shadows Analysis..... 5-59

Figure 5-41: POPS No. 63 Detailed Shadows Analysis..... 5-59

Figure 5-42: POPS No. 66 Detailed Shadows Analysis..... 5-59

Figure 5-43: POPS No. 68 Detailed Shadows Analysis..... 5-59

Figure 5-44: POPS No. 70 Detailed Shadows Analysis..... 5-59

Figure 5-45: POPS No. 72 Detailed Shadows Analysis..... 5-59

Figure 5-46: POPS No. 82 Detailed Shadows Analysis..... 5-59

Figure 5-47: POPS No. 83 Detailed Shadows Analysis..... 5-59

Figure 5-48a: POPS No. 84 Detailed Shadows Analysis..... 5-59

Figure 5-48b: Greenacre Park Site Plan Map..... 5-59

Figure 5-48c: Greenacre Park May 6 Duration 1 Site Plan..... 5-59

Figure 5-48d: Greenacre Park May 6 Duration 2 Site Plan..... 5-59

Figure 5-48e: Greenacre Park June 21 Site Plan..... 5-59

Figure 5-48f: Greenacre Park Site Photographs..... 5-59

Figure 5-49: POPS No. 85 Detailed Shadows Analysis..... 5-59

Figure 5-50: POPS No. 103 Detailed Shadows Analysis..... 5-59

Figure 5-51: POPS No. 143 Detailed Shadows Analysis..... 5-59

Figure 5-52: H1 December Detailed Shadows Analysis..... 5-59

Figure 5-53a: H2 March Detailed Shadows Analysis..... 5-59

Figure 5-53b: H2 May Detailed Shadows Analysis..... 5-59

Figure 5-53c: H2 June Detailed Shadows Analysis Base..... 5-59

Figure 5-54a: H3 May Detailed Shadows Analysis..... 5-59

Figure 5-54b: H3 June Detailed Shadows Analysis..... 5-59

Figure 5-55a: H5 May Detailed Shadows Analysis..... 5-59

Figure 5-55b: H5 June Detailed Shadows Analysis..... 5-59

Figure 5-56a: H6 December Detailed Shadows Analysis..... 5-59

Figure 5-56b: H6 March Detailed Shadows Analysis..... 5-59

Figure 5-56c: H6 May Detailed Shadows Analysis..... 5-59

Figure 5-56d: H6 June Detailed Shadows Analysis..... 5-59

Figure 5-57: H12 May Detailed Shadows Analysis..... 5-59

Figure 5-58a: H14 December Detailed Shadows Analysis	5-59
Figure 5-58b: H14 March Detailed Shadows Analysis.....	5-59
Figure 5-58c: H14 June Detailed Shadows Analysis	5-59
Figure 5-59a: H15 May Detailed Shadows Analysis.....	5-59
Figure 5-59b: H15 June Detailed Shadows Analysis.....	5-59
Figure 5-60: H17 December Detailed Shadows Analysis	5-59
Figure 5-61a: H18 March Detailed Shadows Analysis Base.....	5-59
Figure 5-61b: H18 May Detailed Shadows Analysis Base.....	5-59
Figure 5-62a: H19 March Detailed Shadows Analysis Base.....	5-59
Figure 5-62b: H19 May Detailed Shadows Analysis Base.....	5-59
Figure 5-62c: H19 June Detailed Shadows Analysis Base	5-59
Figure 5-63a: H20 December Detailed Shadows Analysis	5-59
Figure 5-63b: H20 March Detailed Shadows Analysis.....	5-59
Figure 5-63c: H20 May Detailed Shadows Analysis	5-59
Figure 5-63d: H20 June Detailed Shadows Analysis	5-59
Figure 5-64: H21 Dec Detailed Shadows Analysis Base	5-59
Figure 5-65a: H22 Dec Detailed Shadows Analysis Base	5-59
Figure 5-65b: H22 May Detailed Shadows Analysis Base.....	5-59
Figure 5-65c: H22 June Detailed Shadows Analysis Base	5-59
Figure 5-66: P4 December 21 Analysis Period.....	5-59
Figure 5-67: ODR Esplanade June 21 Analysis Period Base.....	5-59
Figure 5-68: POPS No. 147 Detailed Shadows Analysis Base.....	5-59
Figure 5-69: H17 December Detailed Shadows Analysis Base.....	5-59

Chapter 6: Historic and Cultural Resources

Figure 6-1: Historic Resources Study Area and RWCD Sites	6-1
Figure 6-2: Designated Historic Districts.....	6-7
Figure 6-3: Representative Photographs of Designated Historic Districts and Resources	6-7
Figure 6-4: Designated Historic Landmarks.....	6-7
Figure 6-5: Eligible Historic Districts and Landmarks.....	6-7
Figure 6-6: Representative Photographs of Eligible Historic Resources in the Project Area.....	6-7
Figure 6-7: Designated Historic Districts and Landmarks, and RWCD Sites	6-7
Figure 6-8: Eligible Historic Districts and Landmarks, and RWCD Sites	6-7

Chapter 7: Urban Design and Visual References

Figure 7-1: Urban Design and Visual Resources Primary Study Area - Aerial View	7-5
Figure 7-2: Urban Design Primary and Secondary Study Areas.....	7-6
Figure 7-3: Existing Density in Primary and Secondary Study Areas	7-8
Figure 7-4: Existing Building Height (Number of Floors) in Primary and Secondary Study Areas.....	7-8
Figure 7-5a: Views of the Built Context within the Primary Study Area Key Map	7-8
Figure 7-5b: Views of the Built Context within the Primary Study Area	7-8
Figure 7-6a: Views of the Built Context within the Secondary Study Area Key Map	7-22
Figure 7-6b: Views of the Built Context within the Secondary Study Area.....	7-22
Figure 7-7: Development and Transportation Projects in the Future without the Proposed Action	7-33

Figure 7-8: Urban Design Primary and Secondary Study Areas.....	7-44
Figure 7-9a: Public Realm Improvements.....	7-50
Figure 7-9b: Pedestrian Plaza Illustration.....	7-50
Figure 7-9c: Park Avenue Improvements.....	7-50
Figure 7-10: Visual Resources and Photo Key for Visual Resources Figures.....	7-55
Figure 7-11: Visual Resources Photographs.....	7-55

Chapter 9: Water and Sewer Infrastructure

Figure 9-1: Subcatchment Areas Map.....	9-6
---	-----

Chapter 12: Transportation

Figure 12-1: Proposed Rezoning Area RWCD Sites.....	12-1
Figure 12-2: Traffic Analysis Locations.....	12-16
Figure 12-3: Study Area Subway Stations.....	12-16
Figure 12-4: Study Area Local Bus Routes.....	12-18
Figure 12-5: Study Area Express Bus Routes.....	12-18
Figure 12-6: Pedestrian Study Areas.....	12-22
Figure 12-7a: 2016 Existing Traffic Volumes Weekday AM Peak Hour.....	12-35
Figure 12-7b: 2016 Existing Traffic Volumes Weekday AM Peak Hour.....	12-35
Figure 12-8a: 2016 Existing Traffic Volumes Weekday Midday Peak Hour.....	12-35
Figure 12-8b: 2016 Existing Traffic Volumes Weekday Midday Peak Hour.....	12-35
Figure 12-9a: 2016 Existing Traffic Volumes Weekday PM Peak Hour.....	12-35
Figure 12-9b: 2016 Existing Traffic Volumes Weekday PM Peak Hour.....	12-35
Figure 12-10a: 2036 No-Action Traffic Volumes Weekday AM Peak Hour.....	12-62
Figure 12-10b: 2036 No-Action Traffic Volumes Weekday AM Peak Hour.....	12-62
Figure 12-11a: 2036 No-Action Traffic Volumes Weekday Midday Peak Hour.....	12-62
Figure 12-11b: 2036 No-Action Traffic Volumes Weekday Midday Peak Hour.....	12-62
Figure 12-12a: 2036 No-Action Traffic Volumes Weekday PM Peak Hour.....	12-62
Figure 12-12b: 2036 No-Action Traffic Volumes Weekday PM Peak Hour.....	12-62
Figure 12-13a: Project Generated Traffic Volumes Weekday AM Peak Hour.....	12-79
Figure 12-13b: Project Generated Traffic Volumes Weekday AM Peak Hour.....	12-79
Figure 12-14a: Project Generated Traffic Volumes Weekday Midday Peak Hour.....	12-79
Figure 12-14b: Project Generated Traffic Volumes Weekday Midday Peak Hour.....	12-79
Figure 12-15a: Project Generated Traffic Volumes Weekday PM Peak Hour.....	12-79
Figure 12-15b: Project Generated Traffic Volumes Weekday PM Peak Hour.....	12-79
Figure 12-16a: 2036 With-Action Traffic Volumes Weekday AM Peak Hour.....	12-79
Figure 12-16b: 2036 With-Action Traffic Volumes Weekday AM Peak Hour.....	12-79
Figure 12-17a: 2036 With-Action Traffic Volumes Weekday Midday Peak Hour.....	12-79
Figure 12-17b: 2036 With-Action Traffic Volumes Weekday Midday Peak Hour.....	12-79
Figure 12-18a: 2036 With-Action Traffic Volumes Weekday PM Peak Hour.....	12-79
Figure 12-18b: 2036 With-Action Traffic Volumes Weekday PM Peak Hour.....	12-79
Figure 12-19: Impacted Intersections Weekday AM Peak Hour.....	12-98
Figure 12-20: Impacted Intersections Weekday Midday Peak Hour.....	12-98
Figure 12-21: Impacted Intersections Weekday PM Peak Hour.....	12-98

Figure 12-22: Grand Central 42nd Street Subway Station Complex—Lexington Avenue Line and Shuttle	Mezzanine
.....	12-100
Figure 12-23: Grand Central 42nd Street Subway Station Complex—Flushing Line	12-101
Figure 12-24: 42nd Street-Bryant Park/Fifth Avenue Subway Station Complex	12-106
Figure 12-25: 47th-50th Streets-Rockefeller Center Subway Station	12-110
Figure 12-26: 51st Street/Lexington Avenue-53rd Street Subway Station Complex	12-114
Figure 12-27: Lexington Avenue-59th Street Subway Station	12-118
Figure 12-28: Fifth Avenue-53rd Street Subway Station	12-120
Figure 12-29: Grand Central Terminal 47th Street Crosspassage	12-123
Figure 12-30: Grand Central Terminal 47th Street Crosspassage in No-Action Condition	12-147
Figure 12-31: Off-Street Parking Facilities	12-239
Figure 12-32a: Off-Street Parking Regulations	12-243
Figure 12-32b: Off-Street Parking Regulations	12-243

Chapter 13: Air Quality

Figure 13-1: Air Quality Mobile Sources Analysis Sites	13-14
--	-------

Chapter 15: Noise

Figure 15-1: Noise Receptor Locations	15-6
---------------------------------------	------

Chapter 17: Neighborhood Character

Figure 17-1: Study and Analysis Areas (Primary and Secondary)	Figure 17-3
---	-------------

Chapter 18: Construction

Figure 18-1a: Construction Schedule: 2019-2028	18-6
Figure 18-1b: Construction Schedule: 2026-2036	18-6
Figure 18-2: Traffic Analysis Locations	18-21
Figure 18-3: Construction Air Quality Analysis Clusters	18-26
Figure 18-4: Projected Peak Daily PM2.5 Construction Emissions Profile by Quarter	18-26
Figure 18-5: Projected Annual PM2.5 Construction Emissions Profile	18-26
Figure 18-6a: Noise Monitoring and Receptor Sites	18-35
Figure 18-6b: Noise Monitoring and Receptor Sites	18-35
Figure 18-7a: Site 4-5 Construction Noise Contour	18-40
Figure 18-7b: Site 15 Construction Noise Contour	18-40

Chapter 19: Mitigation

Figure 19-1: With-Action Intersection Mitigation Weekday AM Peak Hour	19-33
Figure 19-2: With-Action Intersection Mitigation Weekday Midday Peak Hour	19-33
Figure 19-3: With-Action Intersection Mitigation Weekday PM Peak Hour	19-33

Chapter 20: Alternatives

Figure 20-1: Lesser Density Alternatives Subdistricts and Sites..... 20-4

Chapter 21: Conceptual Analysis

Figure 21-1: RWCDS Sites for Conceptual Analysis 21-4

Chapter 25: Amended Application

Figure 25-1: RWCDS Map 25-4
Figure 25-2: UD Figure 1 25-4
Figure 25-3: UD Figure 2 25-4
Figure 25-4: Air Quality Mobile Source Analysis Sites Map..... 25-4
Figure 25-5: Noise Receptor Location 25-4
Figure 25-6a: Construction Schedule 2019-2029 25-4
Figure 25-6b: Construction Schedule 2026-2036 25-4