


GISPROD.SDE.DCP_MN_POPS

SDE Feature Class



Tags

Privately Owned Public Space, Privately Owned Public Spaces, POPS, zoning, incentive, plaza, plazas, DCP, city planning

Summary

Privately owned public spaces (POPS) are outdoor and indoor spaces provided for public enjoyment by private owners in exchange for bonus floor area or waivers. To find out more about POPS, visit the Department of City Planning's website at <http://nyc.gov/pops>

Description

Privately owned public spaces, also known by the acronym POPS, are outdoor and indoor spaces provided for public enjoyment by private owners in exchange for bonus floor area or waivers, an incentive first introduced into New York City's zoning regulations in 1961. To find out more about POPS, visit the Department of City Planning's website at <http://nyc.gov/pops>.

This database contains detailed information about each privately owned public spaces in New York City.

Data Source: Privately Owned Public Space Database (2018), owned and maintained by the New York City Department of City Planning and created in collaboration with Jerold S. Kayden and The Municipal Art Society of New York

Credits

Privately Owned Public Space Database (2018), owned and maintained by the New York City Department of City Planning and created in collaboration with Jerold S. Kayden and The Municipal Art Society of New York.

Use limitations

There are no access and use limitations for this item.

Extent

West -74.015856 **East** -73.864086
North 40.785646 **South** 40.687488

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ▶

* CONTENT TYPE Downloadable Data
EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

[Hide Topics and Keywords ▲](#)

Citation ▶

* TITLE GISPROD.SDE.DCP_MN_POPS
CREATION DATE 2018-08-15 00:00:00

EDITION DATE 2018-08-15

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ▶

DATASET LANGUAGES * English (UNITED STATES)
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.3.1.4959

CREDITS

Privately Owned Public Space Database (2018), owned and maintained by the New York City Department of City Planning and created in collaboration with Jerold S. Kayden and The Municipal Art Society of New York.

ARCGIS ITEM PROPERTIES

NAME DCP_MN_POPS
LOCATION withheld
* ACCESS PROTOCOL ArcSDE Connection

[Hide Resource Details ▲](#)

Extents ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -74.015856

* EAST LONGITUDE -73.864086

* NORTH LATITUDE 40.785646

* SOUTH LATITUDE 40.687488

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 979858.999912

* EAST LONGITUDE 1021887.999843

* SOUTH LATITUDE 189776.000091

- * NORTH LATITUDE 225509.000147
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION NAD_1983_StatePlane_New_York_Long_Island_FIPS_3104_Feet
- * COORDINATE REFERENCE DETAILS
 - PROJECTED COORDINATE SYSTEM
 - WELL-KNOWN IDENTIFIER 102718
 - X ORIGIN -120039300
 - Y ORIGIN -96540300
 - XY SCALE 3048.0060960121918
 - Z ORIGIN 0
 - Z SCALE 1
 - M ORIGIN 0
 - M SCALE 1
 - XY TOLERANCE 0.00328083333333333331
 - Z TOLERANCE 0.001
 - M TOLERANCE 0.001
 - HIGH PRECISION true
 - LATEST WELL-KNOWN IDENTIFIER 2263
 - WELL-KNOWN TEXT PROJCS
 - ["NAD_1983_StatePlane_New_York_Long_Island_FIPS_3104_Feet",GEOGCS
 - ["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID
 - ["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT
 - ["Degree",0.0174532925199433]],PROJECTION["Lambert_Conformal_Conic"],PARAMETER
 - ["False_Easting",984250.0],PARAMETER["False_Northing",0.0],PARAMETER
 - ["Central_Meridian",-74.0],PARAMETER
 - ["Standard_Parallel_1",40.66666666666666],PARAMETER
 - ["Standard_Parallel_2",41.03333333333333],PARAMETER
 - ["Latitude_Of_Origin",40.16666666666666],UNIT
 - ["Foot_US",0.3048006096012192],AUTHORITY["EPSG",2263]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2263
- * CODESPACE EPSG
- * VERSION 8.6.2

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME GISPROD.SDE.DCP_MN_POPS
- * OBJECT TYPE point
- * OBJECT COUNT 354

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ▶

FEATURE CLASS NAME GISPROD.SDE.DCP_MN_POPS

- * FEATURE TYPE Simple
- * GEOMETRY TYPE Point
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 354
- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)[Hide Spatial Data Properties ▲](#)**Distribution** ▶

DISTRIBUTION FORMAT

- * NAME SDE Feature Class

[Hide Distribution ▲](#)**Fields** ▶

DETAILS FOR OBJECT GISPROD.SDE.DCP_MN_POPS ▶

- * TYPE Feature Class
- * ROW COUNT 354

FIELD OBJECTID ▶

- * ALIAS OBJECTID
- * DATA TYPE OID
- * WIDTH 4
- * PRECISION 10
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD POPS_Numbe ▶

- * ALIAS POPS_Numbe
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field POPS_Numbe ▲](#)

FIELD Borough_Na ▶

- * ALIAS Borough_Na
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Borough_Na ▲

FIELD Community_ ▶

- * ALIAS Community_
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Community_ ▲

FIELD Address_Nu ▶

- * ALIAS Address_Nu
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Address_Nu ▲

FIELD Street_Nam ▶

- * ALIAS Street_Nam
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Street_Nam ▲

FIELD Zip_Code ▶

- * ALIAS Zip_Code
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Zip_Code ▲

FIELD Building_A ▶

- * ALIAS Building_A
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Building_A ▲

FIELD Tax_Block ►

- * ALIAS Tax_Block
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Tax_Block ▲

FIELD Tax_Lot ►

- * ALIAS Tax_Lot
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Tax_Lot ▲

FIELD Building_N ►

- * ALIAS Building_N
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Building_N ▲

FIELD Building_L ►

- * ALIAS Building_L
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Building_L ▲

FIELD Year_Compl ►

- * ALIAS Year_Compl
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

Hide Field Year_Compl ▲

FIELD Building_C ►

- * ALIAS Building_C
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field Building_C ▲

FIELD [Public_Spa](#) ▶

- * ALIAS Public_Spa
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Public_Spa](#) ▲

FIELD [Developer](#) ▶

- * ALIAS Developer
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Developer](#) ▲

FIELD [Building_1](#) ▶

- * ALIAS Building_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Building_1](#) ▲

FIELD [Principal_](#) ▶

- * ALIAS Principal_
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Principal_](#) ▲

FIELD [Size_Requi](#) ▶

- * ALIAS Size_Requi
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Size_Requi](#) ▲

FIELD [Hour_Of_Ac](#) ▶

- * ALIAS Hour_Of_Ac
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Hour_Of_Ac ▲](#)

FIELD Amenities_ ►

- * ALIAS Amenities_
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Amenities_ ▲](#)

FIELD Other_Requ ►

- * ALIAS Other_Requ
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Other_Requ ▲](#)

FIELD Permitted_ ►

- * ALIAS Permitted_
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Permitted_ ▲](#)

FIELD Physically ►

- * ALIAS Physically
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field Physically ▲](#)

FIELD Latitude ►

- * ALIAS Latitude
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 38
- * SCALE 8

[Hide Field Latitude ▲](#)

FIELD Longitude ►

- * ALIAS Longitude
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 38
- * SCALE 8

[Hide Field Longitude ▲](#)

FIELD XCoordinat ►

- * ALIAS XCoordinat
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field XCoordinat ▲](#)

FIELD YCoordinat ►

- * ALIAS YCoordinat
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 10
- * SCALE 0

[Hide Field YCoordinat ▲](#)

FIELD Shape ►

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 4
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

[Hide Details for object GISPROD.SDE.DCP_MN_POPS ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE English (UNITED STATES)
- METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format
- SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
- SCOPE NAME * dataset
- * LAST UPDATE 2019-05-28

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2019-05-24 10:33:53
LAST MODIFIED IN ARCGIS FOR THE ITEM 2019-05-28 09:59:58

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2019-05-28 09:59:58

[Hide Metadata Details ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY biannually

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼