R1-R5 Residence Districts

	Use		R1-1	R1-2	R1-2A	R2	R2A	R2X	R3-1	R3-2	R3A	R3X		
Single-Family	Detached	Use Group 1	•	•	•	•	•	•	•	•	•	•		
	Detached								•	•	•	•		
Single- and	Zero Lot Line	Hee Crown O									•			
Two-Family	Semi-Det.	Use Group 2							•	•				
	Attached									•				
Multi-Family	All	Use Group 2								•				
Community Facility		Use Groups 3, 4	•	•	•	•	•	•	•	•	•	•		
	Bulk													
Let Area (min)	Detached/Zero	Lot Line	9,500 sf	5,70	00 sf	3,80	00 sf	2,850 sf	3,8	00 sf	2,375 sf	3325 sf		
Lot Area (min)	Other				n,	/a			1,7	00 sf	n,	/a		
Let Width (min)	Detached/Zero	Lot Line	100 ft	60) ft	40) ft	30 ft	40	0 ft	25 ft	35 ft		
Lot Width (min)	Other				n,	/a			18	8 ft	n,	/a		
Front Yard (min)			20	ft	20 ft*	15 ft	15 ft*		15 ft		10 ft*			
	Deteched	Number	2		2	2	2	2		2	1	2		
	Detached or Zero Lot Line	Each	15 ft	8	ft	5	ft	2 ft	5	ft	0 ft	2 ft		
	Zero Lot Line	Total	35 ft	20) ft	13	3 ft	10 ft	13	3 ft	8 ft	10 ft		
Side Yards (min)		Number							1					
Interior or Through	Semi-Detached	Each			n,	/a			8	ß ft	n/a			
Lots		Total	8 ft											
		Number								2				
	Multi-Family	Each	n/a 8 ft								n,	/a		
	Total								16 ft					
Rear Yard (min)					30 ft			20 ft		30) ft			
Open Space Ratio			15	0.0	n/a	150.0			n	/a				
Lot Coverage (max)			n,	′a	30%	n/a	30%	n/a	3	5%	n,	/a		
Residential FAR	Basic		0.50 0.85				0.85	0.50						
Residential FAR	with Attic Allowa	nce	n/a 1.02							0.60				
Community Facility F	AR						1.	00						
Sky Exposure Plane	starts at:		25 ft n/a 25 ft					n/a						
Perimeter/Street Wa	II (max)		n,	′a	25 ft	n/a			21 ft					
Building Height (max)	Basic		35 ft											
building neight (max)	with QGF		n/a											
Street Wall (max)						n/a				125 ft	n,	/a		
Dwelling Unit Factor	Detached/Semi	-Detached	4,750	2,8	350	1,9	900	2,900	6	25	710	1,000		
Dwelling Ollit Factor	Other					n/a				870	n,	/a		
	Parking													
General (min % of DU)	for Group Parkir	ng Facilities					10	0%						
Reduced	IRHU-outside Tra	ansit Zone					50%	n,	/a					
Requirements	AIRS-outside Tra	nsit Zone				n/a				10%	n,	/a		
(min % of DU)	IRHU/AIRS-insid	le Transit Zone	n/a 0%									/a		
	small number of	f spaces required					n	/a						
Waived Requirements	for single-family interior lots less			n/a waived							n/a			

Streetscape										
All Districts										
Street Tree (min)	n) Shall be provided for every 25 ft of Street Frontage.									
	Different % of front yard be planted, depending of frontage width:									
Planting	Less than 20 ft 20%									
(min)	20 - 34 ft 25%									
	35 - 59 ft	30%								
	60 ft or greater	50%								
R1-2A, R2A, R3A	, R3X									
*Line Up Provision	Front yard has to be at least as deep as adjacent front yard but need not exceed 20 ft in depth,									
FIUVISIUII										

except that in R1-2A Districts, need not exceed 25 ft in depth.

R1-R5 Residence Districts

	Use		R4	R4 Infill	R4-1	R4A	R4B	R5	R5 Infill	R5A	R5B	R5D
Single-Family	Detached	Use Group 1	•	•	•	•	•	•	•	•	•	•
	Detached		•	•	•	•	•	•	•	•	•	•
Single- and	Zero Lot Line	Use Group 2			•		•				•	•
Two-Family	Semi-Det.	- Use Group 2	•	•	•		•	•	•		•	•
	Attached		•	•			•	•	•		•	•
Multi-Family	All	Use Group 2	•	•				•	•		•	•
Community Facility		Use Groups 3, 4	•	•	•	•	•	•	•	•	•	•
	Bulk											
	Detached or Ze	ro Lot Line	3,80	00 sf	2,375 sf	2,850 sf	2,375 sf	3,80	00 sf	2,850	2,3	75 sf
Lot Area (min)	Other			1,700 sf		n/a		1,700 sf		n/a	1,70	00 sf
	Detached or Ze	ro Lot Line	40) ft	25 ft	30 ft	25 ft	40) ft	30 ft	25	5 ft
Lot Width (min)	Other			18 ft	U	n/a		18 ft		n/a	18	3 ft
Front Yard (min)			10 or 18 ft	18 ft	10	ft*	5 ft*	10 or 18 ft	18 ft	10 ft*	5	ft*
		Number	2	2	1	2	1		2	2		1
	Detached or	Each	5	ft	0 ft	2 ft	0 ft	5	ft	2 ft	0	ft
	Zero Lot Line	Total	13	B ft	8 ft	10 ft	8 ft	13 ft		10 ft	8 ft	
Side Yards (min)		Number	1		1		1	1			1	
Interior or Through	Semi-Detached	Each	8 ft		4 ft	n/a	4 ft	8 ft		n/a	4 ft	
Lots		Total	8 ft		4 ft		4 ft	8 ft			4 ft	
		Number	2			1			2		0	
	Multi-Family	Each	8	ft		n/a		8 ft		n/a	0 ft	
	,	Total		i ft				16 ft		,		ft
Rear Yard (min)					I.		30) ft		ı		
Open Space Ratio							n	/a				
Lot Coverage (max)			45%	55%	n,	/a	5	5%	55%	n/a	55%	60%
	Basic		0.75	1.35	0.	75	0.90	1.25	1.65	1.10	1.35	2.00
Residential FAR	with Attic Allowa	ance	0.90	n/a								
Community Facility FA	\R						2.	00				
Sky Exposure Plane	starts at:						n	/a				
Perimeter/St. Wall (m	ax)			25 ft		21 ft	n/a	30 ft		25 ft	30 ft	n/a
Bulliation and Jake ()	Basic			35	5 ft		24 ft	40 ft	33 ft	35 ft	33 ft	40 ft
Building Height (max)	with QGF						n/a					45 ft
Street Wall (max)			18	5 ft		n/a		18	5 ft		n/a	
Dwelling Unit Factor	Detached/Semi	-Detached	870	900	870	1,280	870	760	900	1,560	900	760
	Parking											
General (min % of DU)		ng Facilities	100%	66%		100%		85%	66%	100%	66%	66%
Reduced	IRHU-outside Tr				50%				.5%	50%	42.5%	35%
Requirements	AIRS-outside Tra		10)%		n/a			0%	n/a		0%
(min % of DU)	IRHU/AIRS-insid			%		n/a			1%	n/a		%
,					l /a	/	1		n/a	ı		1
small number of spaces required Waived Requirements for single-family interior lots less than 25ft wide			n,		waived		L	L	n/a			***************************************

	04 4									
Streetscape										
All Districts										
Street Tree (min)	Shall be provided for every 25 ft of									
Street free (illiii)	Street Frontage.									
	Different % of front yard	I has to								
	be planted, depending	on street								
m	frontage width:									
Planting	Less than 20 ft	20%								
(min)	20 - 34 ft	25%								
	35 - 59 ft 30%									
	60 ft or greater	50%								
R4-1, R4A, R5A										
*Line Up	Front yard has to be at least as									
Provision	deep as adjacent front	yard but								
FIUVISIUII	need not exceed 20 ft is	n depth.								
R4B, R5B, R5D										
*Line Un	Front yard has to be no deeper nor									
*Line Up Provision	shallower as adjacent front yard									
FIUVISIUN	but need not exceed 20 ft in depth.									

R6-R10 Residence Districts

R6-R10 Contextual Districts

	Use		R6A	R6B	R7A	R7B	R7D	R7X	R8A	R8B	R8X	R9A	R9D	R9X	R10A	R10X
Single-Family	Detached	Use Group 1	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Single & Two-Family																
Multi-Family	AII	Use Group 2	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Community Facility		Use Groups 3, 4	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Bulk															
Lot Area (min)		All		1,700 sf												
Lot Width (min)		All							18	ft						
Rear Yard (min)		All							30	ft						
	С	orner Lot							100	1%						
Lot Coverage (max)	Other Lot	Narrow Street Wide Street	65%	60%		65%						70%				
	Basic	Narrow Street Wide Street	3.00	2.00	4.00	3.00	4.20	5.00	6.02	4.00	6.02	7.52	9.	.00	10.	00
Residential FAR	MIH / VIH	Narrow Street Wide Street	3.60	2.20	4.60	n/a	5.60	6.00/ 5.00	7.20	n/a	7.20	8.50	10.00	9.70	12.	00
Comm	unity Facility		3.00	2.00	4.00	3.00	4.20	5.00	6.50	4.00	6.00	7.50	9.	.00	10.	00
Base Height	Basic	Narrow Street	40-60 ft	30-40 ft	40-65 ft	40-65 ft	60-85 ft	60-85 ft (95 ft)	60-85 ft	55-65 ft	60-85 ft	60-95 ft	60-85 ft	60-120 ft (125 ft)	60-125 ft	60-85 ft
(min-max) Outside MN Core	(w/QGF)	Wide Street	(65ft)	(45 ft)	(75 ft)	10 00 11	00 00 10	00 00 11 (00 11)	(95 ft)	00 00 10	(95 ft)	60-105 ft	or 15-25ft (if facing	105-120ft (125 ft)	125-155ft	00 00 K
Outside Will Core	MIH/VIH (w/QGF)	Narrow Street Wide Street	40-65 ft	30-40 ft (45 ft)	40-75 ft	n/a	60-95 ft	60-105 ft/ 60-85 ft (95 ft)	60-105 ft	n/a	60-105 ft	60-125 ft	elevated rail)	60-145 ft 105-145ft	60-155 ft 125-155 ft	60-85 ft
	Standard (w/QGF)	Narrow Street Wide Street	70 ft (75 ft)	50 ft (55 ft)	80 ft (85 ft)	75 ft	100 ft (105 ft)	120 ft (125 ft)	120 ft (125 ft)	75 ft	150 ft (155 ft)	135 ft 145 ft	n/a	160 ft (165 ft) 170 ft (175 ft)	185 ft 210 ft	n/a
Building Height (max) Outside MN Core	MIH (w/QGF)	Narrow Street Wide Street	80 ft (85 ft)	50 ft (55 ft)	90 ft (95 ft)	n/a	110 ft (115 ft)	140 ft (145 ft)/ 120 ft (125 ft)	140 ft (145 ft)	n/a	170 ft (175 ft)	160 ft (165 ft) 170 ft (175 ft)	n/a	190 ft (195 ft) 200 ft (205 ft)	(215 ft) 210 ft (215 ft) 230 ft (235 ft)	n/a
Number of Stories	Standard (w/QGF)	Narrow Street Wide Street	n/a (7)	n/a (5)	n/a (8)	n/a	n/a (10)	n/a (12)	n/a (12)	n/a	n/a (15)	n/a	n/a	n/a (16) n/a (17)	n/a n/a (21)	n/a
(max)	MIH / VIH (w/QGF)	Narrow Street Wide Street	8	n/a (5)	9	n/a	11	14 / n/a (12)	14	n/a	17	16 17	n/a	19 20	21 23	n/a
Tower Lot	Coverage (n	nin-max)						n/a					33-40%	n/	'a	33-40%
Dwelling Unit Factor		All							68	0						
	arking															
General (min % of d.u.)	for Group	Parking Facilities	50% 40% 50% 40%													
Reduced		side Transit Zone side Transit Zone	2	5%	15%	25%		15%	12%	15% %	12%					
and Waived	IRHU/AIRS-	inside Transit Zone							0%	6						
Requirements (min % of d.u.)	Small Lot	10,000sf or less 10,000-15,000 sf	50	0%	30% n	50% n/a	;	30%	0% 20%	n/a n/a			0	% 0%		
	waived if	f small # spaces		5	15	5				L	1!	5				

R6-R10 Non-Contextual Districts (Quality Housing)

	Use		R6 OH	R7 R7-1	QH R7-2	R8 OH	R9 OH	R10 OH					
Single-Family	Detached	Use Group 1	•		•	•	•	•					
Single & Two-Family													
Multi-Family	All	Use Group 2	•		•		•	•					
Community Facility		Use Groups 3, 4	•	•		•	•	•					
1	Bulk												
Lot Area (min)		All				1,700	sf						
Lot Width (min)		All				18 ft							
Rear Yard (min)	All					30 ft							
	C	Corner Lot		100%									
Lot Coverage (max)	Other Lot	Narrow Street Wide Street	60% 65%	6	5%		70%						
		Narrow Street	2.20	3.	44	6.02							
Build of SER	Standard	Wide Street	3.60	4.	00	7.20	7.52	10.00					
Residential FAR	MIH	Narrow/Wide Street	3.60	4.	60	7.20	8.00	12.00					
Commun	nity Facility	FAR	4.80	4.80	6.50	6.50	10.00	10.00					
	Standard	Narrow Street	30-45 ft	40-	65 ft	60-85 ft	60-95 ft	60/125 ft					
Base Height (min-max)	Standard	Wide Street	40-65 ft	40-75 ft		60-95 ft	60-105 ft	125-155 ft					
Outside MN Core	MIH / VIH	Narrow Street	30-45 ft	40-	65 ft	60-105 ft	60-125 ft	60-155 ft					
	,	Wide Street	40-65 ft		75 ft			125-155 ft					
	Standard	Narrow Street	55 ft		5 ft	115 ft	135 ft	185 ft					
Building Height (max)	(w/QGF)	Wide Street	70ft (75 ft)	80 ft (85 ft)		130 ft (135 ft)	145 ft	210 ft					
Outside MN Core	MIH	Narrow Street	80 ft (85 ft)	100 ft	(105 ft)	215 ft	160 ft (165 ft)	210 ft (215 ft)					
Outside Wild Oole	(w/QGF)	Wide Street	0011 (0011)			21010	170 ft (175 ft)	230 ft (235 ft)					
	VIH	Narrow Street	55 ft	75 ft		140 ft	160 ft (165 ft)	210 ft (215 ft)					
	(w/QGF)	Wide Street	80 ft (85 ft)	100 ft	(105 ft)	(145 ft)	170 ft (175 ft)	230 ft (235 ft)					
	Standard	Narrow Street	n/a		/a	n/a	n/a	21					
	(w/QGF)	Wide Street	n/a (7)	n/a	a (8)	n/a (13)							
Number of Stories	MIH	Narrow Street	8	1	L3	14	16	21					
(max)	(w/QGF) VIH	Wide Street Narrow Street	n/a		/a		17 16	23 21					
	(w/QGF)	Wide Street	n/a (8)		/а 8	21	17	23					
Tower Lot C			11/4 (0)			n/a	Δ1						
Dwelling Unit Factor		All				680							
_	rking												
General (min % of d.u.)		Parking Facilities		50%			40%						
Contract (mm % or cital)		side Transit Zone	25%		5%		12%						
AIRS-outside Transit Zo Reduced and Waived IRHU/AIRS-inside Tran			-			10%							
Requirements		Zone				0%							
(min% of d.u.)	Small Lot	10,000sf or less	50%				0%						
	Area	10,000-15,000sf	n/a		30%		20%						
	waived i	f small # spaces	5	5(15)									

R6-R10 Non-Contextual Districts (Height Factor and Tower)

Use			R6 HF	R7		DO 115	R		R10			
				R7-1	R7-2	R8 HF		тов	ST	тов		
Single-Family	Detached	Use Group 1	•				• •					
Single & Two-Family	- All	Use Group 2										
Multi-Family	All	ose Group 2	•		•	•			•			
Community Facility		Use Groups 3, 4	•		•	•		•	•			
1	Bulk											
Lot Area (min)		All				1,70	00 sf					
Lot Width (min)		All				18	ß ft					
Rear Yard (min)	All		30 ft									
Residential FAR	Standard		0.78-	0.07	-3.44	0.95-	0.99-	7.52	1	0		
Residential PAR	MIH		2.43	0.67	-3.44	6.02	7.52	8	10	12		
Commun	ity Facility	FAR	4.8 4.8 6.5 6.5 10									
Sky Exposure Plane	begins at:		60 ft 85 ft									
Tower Lot Coverage				n	/a		n/a 40%	20 40%	n/a- 40%	20 40%		
(min-max)				11,	/ a		11/ a- 40/	30-40%	11/ a- 40/	30-40%		
Dwelling Unit Factor		All	680									
Pa	rking											
General (min % of for Group Parking Facilities d.u.)			70% 60% 50% 40%									
	25% 15% 12%											
Reduced and Waived	10%											
Requirements	Small Lot	10,000 or less	50%	50% 30% 0%								
(min % of d.u.)	Area (sf)	10,000-15,000	n/	n/a 30% 20%								
	if required	small # spaces	5 15									

All R6-R10 Districts

Streetscape								
:Tree (min)								
Shall be provided within a								
planting strip for every 25 ft of								
Street Frontage								
ting (min)								
Area between street line and								
building street wall shall be								
planted at ground level or in								
raised planting beds								

	Stre	etscape			
	Street Wall	Location Prov	vision		
	Conte	ctual Districts	3		
DC	D D7D D0D	Lot < 50 ft	no closer nor further		
Ro	B,R7B,R8B	Lot > 50 ft	no closer than		
R6	A,R7A,R7D,	AII			
	R7X,R9D	All	adjacent street wall		
	Non-Contextua	I Districts (QI	l Option)		
	Narrow St.	Lot < 50 ft	no closer nor further		
R6, R7	Narrow St.	Lot > 50 ft	no closer than		
	Wide St.	All	adjacent street wall		
R8,R9,	All within 50 f	t of W. St.	70% of within 8ft		
R10	N. St. beyond 5	70% of within 15ft			
Non	-Contextual Dist	ricte (HE and 1	Tower Ontions)		