



April 28, 2015

Emily Lloyd
Commissioner

Paul V. Rush, P.E.
Deputy Commissioner
Bureau of Water Supply
prush@dep.nyc.gov

465 Columbus Avenue
Valhalla, NY 10595
T: (845) 340-7800
F: (845) 334-7175

Pamela Young, Ph.D.
New York State Department of Health
Bureau of Public Water Supply Protection
Empire State Plaza – Corning Tower 11th Floor
Albany, NY 12237

Phil Sweeney
United States Environmental Protection Agency - Region II
290 Broadway - 24th Floor
New York, NY 10007-1866

Dear Dr. Young and Mr. Sweeney:

With this letter, I am submitting the following deliverables, due April 30, 2015, pursuant to the NYSDOH Revised 2007 Filtration Avoidance Determination (FAD).

Program	Deliverable
<i>3.3 Community Wastewater Management Program</i>	Execute contract changes with CWC
<i>6.1 Watershed Rules and Regulations and Other Enforcement/Project Review</i>	Semi-annual report on project review activities
<i>6.1 Watershed Rules and Regulations and Other Enforcement/Project Review</i>	Semi-annual report on regulatory enforcement actions

The Watershed Agricultural Program, section 4.4, is required to meet with NYSDOH/EPA and NYSDEC to discuss program status and review the adequacy of current metrics. The meeting was held April 27, 2015 in the DEP Kingston headquarters.

As always, if you have questions about any aspects of the City's watershed protection efforts, please do not hesitate to contact me.

Sincerely,

David S. Warne
Assistant Commissioner

c: K. Kosinski, DEC