

**WEST 125TH STREET AND LENOX AVENUE
TAX BLOCK 1909, LOTS 25-33, 38-39, 129, AND 140
MANHATTAN, NEW YORK**

Remedial Investigation Report

**NYC VCP Site Number: 13CVCP091M
E-Designation Site Number: E-201**

Prepared for:

125th and Lenox LLC
500 Fifth Avenue, 54th Floor
New York, New York 10110

Prepared by:

Langan Engineering & Environmental Services, P.C.
360 West 31st Street, 8th Floor
New York, New York 10001
(212) 479-5400

September 2012

REMEDIAL INVESTIGATION REPORT

TABLE OF CONTENTS

TABLE OF CONTENTS	2
FIGURES.....	4
TABLES	5
APPENDICES	6
LIST OF ACRONYMS	7
CERTIFICATION	8
EXECUTIVE SUMMARY	9
1.0 SITE BACKGROUND.....	13
1.1 SITE LOCATION AND CURRENT USAGE	13
1.2 PROPOSED REDEVELOPMENT PLAN	14
1.3 DESCRIPTION OF SURROUNDING PROPERTY	15
2.0 SITE HISTORY	17
2.1 PAST USES AND OWNERSHIP	17
2.2 PREVIOUS INVESTIGATIONS	17
2.3 SITE INSPECTION	19
2.4 AREAS OF CONCERN	19
3.0 PROJECT MANAGEMENT.....	21
3.1 PROJECT ORGANIZATION	21
3.2 HEALTH AND SAFETY	21
3.3 MATERIALS MANAGEMENT	21
4.0 REMEDIAL INVESTIGATION ACTIVITIES	22
4.1 GEOPHYSICAL INVESTIGATION	22
4.2 BORINGS AND MONITORING WELLS.....	22
4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS.....	24
5.0 ENVIRONMENTAL EVALUATION.....	29
5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS.....	29
5.2 SOIL CHEMISTRY	30
5.3 GROUNDWATER CHEMISTRY	31
5.4 SOIL VAPOR CHEMISTRY	32

5.5 PRIOR ACTIVITY 33

5.6 IMPEDIMENTS TO REMEDIAL ACTION 33

6.0 CONCLUSIONS AND RECOMMENDATIONS 34

FIGURES

<u>Figure #</u>	<u>Description</u>
1.	Site Location Map
2.	Site Layout
3.	Soil Sample Location and Results Map
4.	Groundwater Sample Location and Results Map
5.	Soil Vapor Sample and Results Map

TABLES

<u>Table #</u>	<u>Description</u>
1.	Construction Details for Soil Borings and Monitoring Wells
2.	Groundwater Level Data
3.	Analytical Methods Summary
4.	Sample Collection Data for all Media
5.	Soil Analytical Data Summary
6.	Groundwater Analytical Data Summary
7.	Soil Vapor Analytical Data Summary

APPENDICES

<u>Appendix</u>	<u>Description</u>
A.	Previous Phase I ESA Report
B.	Health and Safety Plan
C.	Geophysical Work Summary and Maps
D.	Soil Boring Logs
E	Groundwater Sampling and Well Purging Logs
F.	Soil Vapor Sampling Logs
G.	Laboratory Data Deliverables

LIST OF ACRONYMS

Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	New York State Department of Environmental Conservation Technical Guide 10
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NAPL	Non-aqueous Phase Liquid
NYC VCP	New York City Voluntary Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYC OER	New York City Office of Environmental Remediation
NYSDOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database

CERTIFICATION

I, Joel Landes, am a Qualified Environmental Professional, as defined in RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the West 125th Street and Lenox Avenue Site, (NYC VCP Site No. 13CVCP091M). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.

Joel B Landes 9/28/12
Qualified Environmental Professional Date



EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

Site Location and Current Usage

The Site is located on the eastern portion of the city block between 124th Street, 125th Street, Adam C. Powell Boulevard, and Lenox Avenue in the Harlem section of the borough of Manhattan, New York and consists of the following addresses: 281-291 Lenox Avenue (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39). A Site Location Map is provided in Figure 1. The Site consists of vacant, unpaved land encompassing an approximate area of 32,410 square feet and is bound by West 125th Street and a 10-story shopping center to the north, Lenox Avenue and multi-story residential buildings with ground-level retail space to the east, West 124th Street and multi-story residential buildings to the south, and a vacant lot and one-story retail building to the west. Chain-linked fencing surrounds the Site with a locked gate on West 124th Street. A New York City Transit (NYCT) tunnel for the Number 2 and 3 subway lines is present below Lenox Avenue, directly to the east of the Site. Beyond the adjoining properties, the surrounding area is comprised primarily of multi-story residential and commercial buildings with ground-level retail space and restaurants. A map of the Site boundary is shown in Figure 2.

The Site is an open air lot with approximately 150 ft frontage along West 125th Street, 175 ft frontage along West 124th Street, and 200 ft frontage along Lenox Avenue. The Site is generally flat with el. 26, while the sidewalk elevations fronting the Site on West 125th Street, West 124th Street and Lenox Avenue range between el. 24.60 to el. 26.75.

Summary of Proposed Redevelopment Plan

The planned development consists of a 6-story retail building with a single cellar spanning the entire Site. The depth of the cellar will extend approximately 18 to 21 feet below the existing

Site grade. The foundation design is not yet complete, but is expected to consist of either a mat foundation or spread footings with a pressure slab.

Summary of Past Uses of Site and Areas of Concern

The Site was developed with multi-story residential buildings by 1902. One 5-story and eight 4-story mixed-use buildings occupied the Site (exclusive of Lots 25 through 28 and 140) through 2006. Each of the former buildings contained a basement and a rear yard. The basements contained mechanical rooms and storage areas, ground-level spaces contained lobbies or retail/commercial space, and the upper floors were occupied by residential apartments. A five-story building with a ground-floor automobile repair facility was demolished on Lot 28 in 2002, a two-story residential building was demolished on Lot 27 in 1977, and four-story residential dwellings were demolished on Lots 25, 140, and 26 in 1969. The following Areas of Concern (AOCs) have been identified at the Site:

1. One historical concrete-encased 5,000-gallon fuel oil aboveground storage tank (AST) and one historical concrete-encased 1,500-gallon fuel oil AST located in the basement of the former building on Lot 33 (through 2006).
2. One historical AST located in the basement of the former building on Lot 31 (through 2006).
3. One historical fuel oil underground storage tank (UST) that was removed from Lots 25 and 140 in 2008.
4. A historical dry cleaner located on Lot 32 from 1956 to 1968.
5. A historical automotive repair facility (1978 to 2002) and factory (1927) located on Lot 28.
6. A historical off-site automotive repair and salvage facility located on the adjoining property west of the Site at 117-119 West 124th Street from 1951 to 2003.
7. A historical off-site dry cleaning facility located approximately 120 feet south (cross-gradient) of the Site between 1976 and 2005.
8. An open New York State Department of Environmental Conservation (NYSDEC) spill incident (Spill Number 9800366) located 190 feet west and up-gradient of the Site.

Summary of the Work Performed under the Remedial Investigation

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed 13 soil borings from which 26 soil samples were collected for chemical analysis to evaluate soil quality;
3. Installed 4 permanent and 4 temporary groundwater monitoring wells throughout the Site to establish groundwater flow direction and collected eight groundwater samples for chemical analysis to evaluate groundwater quality;
4. Installed seven soil vapor probes and collected seven vapor samples for chemical analysis.
5. Performed a geophysical survey to identify remnant buried tank structures and associated piping and provide utility clearance for borings.

Summary of Environmental Findings

1. Elevation of the Site ranges from 24.60 to 26.75 feet.
2. Depth to groundwater ranges from approximately 18 to 20 feet below grade surface (ft bgs).
3. Groundwater flow is generally from west to east.
4. Bedrock was not encountered in any of the borings performed at the Site.
5. The stratigraphy of the Site, from the surface down, consists of approximately 13 to 19 feet of historic fill containing varying amounts of gravel, cobbles, and brick fragments, underlain by brown fine- to course-grained native sand.
6. Volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), or polychlorinated biphenyls (PCBs) were not detected in any soil samples at concentrations that exceed either Track 1 Unrestricted Use or Track 2 Restricted Residential Soil Cleanup Objectives (SCOs). The following metals were detected in historic fill at concentrations that exceed their respective Unrestricted Use SCOs: arsenic (maximum of 0.693 to 13.1 milligrams per kilograms [mg/kg]), barium (max. of 428 to 1,290 mg/kg),

copper (max. of 5.56 to 118 mg/kg), lead (max of 464 mg/kg and 650 mg/kg), nickel (4.67 to max of 44.4 mg/kg), and zinc (max of 8.99 to 550 mg/kg). These metals are constituents of historic fill at the Site.

7. PCBs and SVOCs were not detected in groundwater at concentrations that exceed the New York State 6NYCRR Part 703.5 Class GA Groundwater Quality Standards (GQS). Four VOCs were detected at concentrations that exceed their respective Class GA GQS in at least one sample including: benzene (1.9 micrograms per liter [$\mu\text{g/l}$ or ppb] compared to GQS of 1 $\mu\text{g/l}$), chloroform (7.8 to 27 $\mu\text{g/l}$ compared to GQS of 7 $\mu\text{g/l}$), tetrachloroethylene (PCE) (6.7 to 10 $\mu\text{g/l}$ compared to GQS of 5 $\mu\text{g/l}$), and total xylenes (62 $\mu\text{g/l}$ compared to GQS of 5 $\mu\text{g/l}$). A Site source of VOCs in groundwater was not detected in Site soils identified during the RI. The following metals were detected at concentrations that exceed their respective Class GA GQSs in at least one groundwater sample: Metals including iron (430 to 10,800 $\mu\text{g/l}$ compared to GQS of 300 $\mu\text{g/l}$), lead (72 $\mu\text{g/l}$ compared to GQS of 25 $\mu\text{g/l}$), magnesium (352,000 to 644,000 $\mu\text{g/l}$ compared to GQS of 350,000 $\mu\text{g/l}$), manganese (316 to 3,200 $\mu\text{g/l}$ compared to GQS of 300 $\mu\text{g/l}$), and sodium (26,300 to 105,000 $\mu\text{g/l}$ compared to GQS of 20,000 $\mu\text{g/l}$). The source of metals in groundwater appears to be historic fill and/or salt water run-off from the adjacent streets and/or sidewalks.
8. Soil vapor samples identified numerous petroleum related and chlorinated compounds at low to moderate concentrations. VOCs included acetone, chloroform, xylenes, PCE and dichloroethylene. PCE was detected in three vapor samples at 310 $\mu\text{g/m}^3$ and 820 $\mu\text{g/m}^3$. These VOC, PCE, was detected in soil vapor at concentrations that require monitoring and/or mitigation as per Decision Matrix 2 of the New York State Department of Health (NYSDOH) Final Guidance on Soil Vapor Intrusion (October 2006).

REMEDIAL INVESTIGATION REPORT

1.0 SITE BACKGROUND

125th& Lenox LLC is considering enrollment in the New York City Voluntary Cleanup Program (NYC VCP) to investigate and remediate a 0.75-acre site located at 281-291 Lenox Avenue, 107-113 West 124th Street, and 108-110 West 125th Street in the Harlem section of the borough of Manhattan, New York City. Commercial/retail use is proposed for the Site. The RI work was performed between November 8 and November 23, 2010. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY§ 43-1407(f).

1.1 SITE LOCATION AND CURRENT USAGE

The Site is located on the eastern portion of the city block between 124th Street, 125th Street, Adam C. Powell Boulevard, and Lenox Avenue in the Harlem section of the borough of Manhattan, New York and consists of the following addresses: 281-291 Lenox Avenue (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39). A Site Location Map is provided in Figure 1. The Site consists of vacant, unpaved land encompassing an approximate area of 32,410 square feet and is bound by West 125th Street and a 10-story shopping center to the north, Lenox Avenue and multi-story residential buildings with ground-level retail space to the east, West 124th Street and multi-story residential buildings to the south, and a vacant lot and one-story retail building to the west. Chain-linked fencing with a locked gate on West 124th Street surrounds the Site. A New York City Transit (NYCT) tunnel for the Number 2 and 3 subway lines is present below Lenox Avenue, directly to the east of the site. Beyond the adjoining properties, the surrounding area is comprised primarily of multi-story residential and commercial buildings with ground-level retail space and restaurants. A map of the Site boundary is shown on Figure 2.

The Site is an open air lot with approximately 150 ft of frontage along West 125th Street, 175 ft of frontage along West 124th Street, and 200 ft of frontage along Lenox Avenue. The Site is

generally flat with approximate el. +26 BPMD, while the sidewalk elevations fronting the Site on West 125th Street, West 124th Street and Lenox Avenue range between el. +24.60 to el. +26.75.

1.2 PROPOSED REDEVELOPMENT PLAN

The planned development consists of a 6-story retail building with a single cellar level and will span across the entire Site. The depth of the cellar will extend approximately 18 to 21 feet below the existing site grade. The foundation design is not yet complete, but is expected to extend to the groundwater table and will consist of either a mat foundation or spread footings with a pressure slab. Excavation and foundation construction will involve the removal and off-site disposal of approximately 12,000 tons of material.

The current zoning designation is C6-3 with a C4-4D overlay on the southern portion of the Site. The Site is located within the Special 125th Street District. Development projects within this district must comply with Zoning Resolution, Article IX: Special Purpose Districts, Chapter 7: Special 125th Street District. The proposed Site use is consistent with existing zoning.

The New York City Department of City Planning (NYCDCP) has assigned an E-designation (E-201) to the Site. The E-designations for each lot that comprise the Site are presented in the following table:

Lot (address)	Window Wall Attenuation - Alternative Ventilation	Underground Gasoline Storage Tank Testing Protocol	Air Quality – No. 2 Fuel Oil or Natural Gas Heat and Hot Water	Exhaust Stack Location Limitations
Lot 33 (291 Lenox Avenue)	X	X		
Lot 38 (108 West 125 th Street)	X	X	X	X
Lot 39 (110 West 125 th Street)	X	X	X	X
Lot 32 (289 Lenox Avenue)	X	X	X	X
Lot 31 (287 Lenox Avenue)	X	X	X	X

Lot (address)	Window Wall Attenuation - Alternative Ventilation	Underground Gasoline Storage Tank Testing Protocol	Air Quality – No. 2 Fuel Oil or Natural Gas Heat and Hot Water	Exhaust Stack Location Limitations
Lot 30 (285 Lenox Avenue)	X	X	X	X
Lot 129 (283 Lenox Avenue)	X	X	X	X
Lot 29 (281 Lenox Avenue)	X	X		X
Lot 28 (107 West 124 th Street)	X	X	X	X
Lot 27 (109 West 124 th Street)	X	X	X	X
Lot 25 and 140 (113 West 124 Street)	X	X	X	X
Lot 26 (111 West 124 th Street)	X	X	X	X

1.3 DESCRIPTION OF SURROUNDING PROPERTY

The Site is bordered by West 125th Street and a 10-story shopping center to the north, Lenox Avenue and multi-story residential buildings with ground-level retail space to the east, West 124th Street and multi-story residential buildings to the south, and a vacant lot and one-story retail building to the west. Beyond the adjoining properties, the surrounding area is comprised primarily of multi-story residential and commercial buildings with ground-level retail space and restaurants.

The surrounding neighborhood is generally characterized by multi-story, mixed-use residential, commercial, and retail properties. The major thoroughfares, West 125th Street and Lenox Avenue, are zoned for commercial usage and generally populated with commercial and retail properties with mixed-use residential and commercial buildings. Properties along the numbered side streets are zoned for residential usage and typically contain multi-story residential buildings with ground-floor retail.

NYC OER's Searchable Property Environmental E-Database (SPEED) was utilized to research sensitive environmental receptors within a 500-foot radius of the Site. This evaluation revealed that no sensitive receptors such as schools, hospitals, and day care centers exist within the target radius.

2.0 SITE HISTORY

2.1 PAST USES AND OWNERSHIP

The Site was developed with multi-story residential buildings by 1902. One five-story and eight four-story mixed-use buildings occupied the Site (exclusive of Lots 25 through 28 and 140) through 2006. Each of the former buildings contained a basement and a rear yard. The basements contained mechanical rooms and storage areas, ground-level spaces contained lobbies or retail/commercial space, and the upper floors were occupied by residential apartments. A five-story building with a ground-floor automobile repair facility was demolished on Lot 28 in 2002, a two-story residential building was demolished on Lot 27 in 1977, and four-story residential dwellings were demolished on Lots 25, 140, and 26 in 1969. In addition to residential dwellings, various commercial and retail facilities have been listed at the Site since 1927, including an electronics store (2000 - 2008), produce and other food markets (1927 – 1998), a dry cleaning facility on Lot 32 (1956 – 1968), and an automotive repair facility (1978 – 2002) and factory (1927) on Lot 28.

Based on previous Phase I Environmental Site Assessments (ESA) performed at the Site, a 5,000-gallon fuel oil AST and a 1,500-gallon fuel oil AST were active within the basement of 291 Lenox Avenue (Lot 33) until at least 2002. Both of these ASTs were encased in concrete. An aboveground storage tank (AST) of unknown size was located in the basement of 287 Lenox Avenue (Lot 31) and a vent pipe and fill port was observed at 289 Lenox Avenue (Lot 32) outside of the building, indicating the presence of a fuel oil tank.

The Site buildings have been demolished and no evidence of the tanks is currently present. Documentation pertaining to the closure of the tanks identified above was not available for review.

2.2 PREVIOUS INVESTIGATIONS

Phase I ESA, dated June 13, 2002, prepared by Aaron Wright Technical Services, Inc.

The Phase I ESA was conducted on behalf of Carleton Realty Corp. for a proposed nursing home at the Site. At the time of the Phase I site inspection, the Site contained one five-story and eight four-story mixed-use buildings, each with a basement and a rear yard. An active 5,000

gallon fuel oil AST and an abandoned 1,500-gallon fuel oil AST were observed in the basement of 291 Lenox Avenue (Lot 33). An AST of unknown size was located in the basement of 287 Lenox Avenue (Lot 31). In addition, a vent pipe and fill port indicative of a petroleum storage tank were observed adjacent to the building on Lot 32. Aaron Wright recommended that the tanks be removed and decommissioned according to applicable regulations. Documentation regarding the closure of tanks identified by Aaron Wright was not available.

The report noted that Lots 28 and 32 were occupied by an automotive repair facility and dry cleaning facility in 1980 and 1970, respectively. The report also noted a leaking underground storage tank incident (LTANK) that occurred approximately 300 feet west of the Site at 152 West 124th Street in April 1998.

Tank Closure Report, dated February 2008, prepared by Don Carlo Environmental Services

This report stated that Don Carlo Environmental Services (DCES) removed a 550-gallon No. 2 fuel oil underground storage tank (UST) from 293 Lennox Avenue. The report includes a location map that shows the UST was located in the southwestern corner of the Site along West 124th Street and states that notification of the tank closure was not sent to the NYSDEC – Petroleum Bulk Storage (PBS) Unit because the total tank capacity was less than 1,100 gallons.

Field evidence of contamination (i.e., staining or organic vapor concentrations above background) was not observed in soil around the excavated tank. Five endpoint soil samples were collected from the tank excavation and analyzed for NYSDEC Spill Technology and Remediation Series (STARS) VOCs and SVOCs. The analytical results indicated VOC and SVOC concentrations that were below NYSDEC Technical and Administrative Guidance Memo (TAGM) Recommended Soil Cleanup Objectives (RCOs), with the exception of the SVOC benzo(a)pyrene, which was detected at concentrations above the RSCOs in all five endpoint samples. DCES concluded that no further assessment was needed in the area of the removed UST.

Phase I ESA, dated September 2010, prepared by Langan

Langan conducted the Phase I ESA on behalf of Wharton Properties as part of the due diligence associated with the proposed development project discussed herein. The Subject Property was vacant and surrounded by a chain-link fence at the time of the Phase I ESA. Langan's Phase I ESA identified several on-site recognized environmental conditions (RECs) associated with historical site usage, evidence of a previous environmental investigation (i.e., an abandoned monitoring well on Lot 28), and evidence of historical petroleum bulk storage on the Site. Off-site RECs included historical usage of surrounding properties and an open LTANK incident 190 feet west of the Site at 152 West 124th Street. The results of Langan's Phase I ESA were used to identify the Areas of Concern that are addressed in this RIR.

2.3 SITE INSPECTION

A Site inspection was performed between November 8 and November 12, 2010 by Langan to identify features of environmental significance that define Areas of Concern (AOC). The Site Inspection was performed under the direction of a Qualified Environmental Professional (QEP), Michael Burke, CHMM.

2.4 AREAS OF CONCERN

Areas of Concern generally include areas where existing or former activities are known or suspected to have resulted in generation, manufacture, refinement, transport, storage, handling, treatment, discharge, release and/or disposal. Sanborn fire insurance maps available for this Site were reviewed to identify historical features of environmental significance. The 2010 Phase I ESA Report, including the fire insurance maps, is provided in Appendix A. The following AOCs have been identified:

1. One historical 5,000-gallon fuel oil AST and one historical 1,500-gallon fuel oil AST located in the basement of the former building on Lot 33.
2. One historical AST located in the basement of the former building on Lot 31.

3. One historical fuel oil underground storage tank (UST) that was removed from Lots 25 and 140 in 2008.
4. A historical dry cleaner located on Lot 32 from 1956 to 1968.
5. A historical automotive repair facility (1978 to 2002) and factory (1927) located on Lot 28.
6. A historical off-site automotive repair and salvage facility located on the adjoining property west of the Site at 117-119 West 124th Street from 1951 to 2003.
7. A historical off-site dry cleaning facility located approximately 120 feet south of the Site between 1976 and 2005.
8. An open New York State Department of Environmental Conservation (NYSDEC) spill incident (Spill Number 9800366) located 190 feet west and up-gradient of the Site.

3.0 PROJECT MANAGEMENT

3.1 PROJECT ORGANIZATION

The Qualified Environmental Profession (QEP) responsible for preparation of this RIR is Michael Burke, CHMM.

3.2 HEALTH AND SAFETY

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements. The Health and Safety Plan (HASP) is included in Appendix B.

3.3 MATERIALS MANAGEMENT

All material encountered during the RI was managed in accordance with applicable laws and regulations.

4.0 REMEDIAL INVESTIGATION ACTIVITIES

The RI consisted of the following scope of work:

1. Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Geophysical survey to identify remnant buried tank structures and associated piping and provide utility clearance for borings.
3. Installation of 13 soil borings, from which 26 soil samples were collected for chemical analysis to evaluate soil quality;
4. Installation of 4 permanent and 4 temporary groundwater monitoring wells throughout the Site to estimate groundwater flow direction and collection and analysis of 8 groundwater samples to evaluate groundwater quality;
5. Installation of 7 soil vapor probes and collection of 7 samples for chemical analysis;

4.1 GEOPHYSICAL INVESTIGATION

On November 8, 2010, prior to commencement of subsurface work, Nova Geophysical Services (Nova) of Forest Hills, New York, conducted a geophysical investigation under the supervision of a Langan field engineer. The survey included ground penetrating radar (GPR) and electromagnetic conductivity (EM) methods to investigate the presence of underground storage tanks (USTs) and locate buried utilities in the vicinity of each boring location. Borings were relocated as necessary to avoid subsurface utilities and anomalies (other subsurface impediments). Appendix C includes the geophysical work summary and maps. According to Nova, several scattered anomalies were located throughout the surveyed areas, however, none of these anomalies were indicative of USTs.

4.2 BORINGS AND MONITORING WELLS

Drilling and Soil Logging

Boring logs were prepared by a Langan field engineer for all soil samples to document subsurface conditions. Boring logs include a description of the following: soil types and non-soil materials; soil screening results from field instrument measurements, depth to groundwater;

presence of soil mottling; presence of odor, vapors, soil discoloration; and presence of free and/or residual product. Boring logs with this information are attached in Appendix D. A map showing the location of soil borings is provided on Figures 2 and 3. Construction details for soil borings installed during this RI are included in Table 1.

Groundwater Monitoring Well Construction

Four permanent (two-inch diameter) and four temporary (one-inch diameter) polyvinyl chloride (PVC) groundwater monitoring wells were installed during this RI using a Hollow Stem Auger CME 75HT (Hollow Stem Rig) and a Compact Roto Sonic 319 Track Rig (Sonic Rig) to estimate groundwater flow direction and to collect groundwater samples for chemical analysis to evaluate groundwater quality. The four permanent groundwater wells were screened from approximately 15 to 30 ft bgs, and the four temporary groundwater wells were screened from approximately 15 to 25 ft bgs. Monitoring wells were located to investigate each of the AOCs: MW-1, TMW-5 and MW-6 were located the historical UST locations; MW-1 and MW-14 were located down-gradient of the former adjoining auto repair location to the west of the Site; MW-4 was located to investigate the historical dry cleaner location; TMW-7 was located to investigate an off-site petroleum release, and MW-3 was located to investigate an off-site former dry cleaner location south of the Site. A map showing the location of groundwater monitoring wells is provided on Figures 2 and 4.

Survey

A global positioning system (GPS) was used to identify the location of all soil borings and monitoring wells. The location coordinates are included in Table 1.

Water Level Measurement

Static water levels measurements were obtained on November 23, 2010 to determine groundwater elevation and the groundwater flow direction; this data is included in Table 2. Groundwater level data was collected with a Solinst oil-water interface probe.

4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS

Sampling performed as part of the field investigation was conducted for all AOCs and also considered other means for bias of sampling based on professional judgment, area history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy. A summary of samples collected during this RI for all media is presented on Table 4.

Soil Sampling

26 soil samples were collected from 13 soil borings (SB-1 through SB-13) throughout the Site for chemical analysis during this RI. Data on soil sample collection for chemical analyses, including dates of collection and sample depths, is reported in Table 5. Figures 2 and 3 show the location of samples collected in this investigation. Laboratories and analytical methods are shown below. The borings were completed by Aquifer Drilling and Testing, Inc. (ADT) with a Geoprobe® 6620 Track Rig (Geoprobe® Rig) or a Sonic Rig. Environmental borings were completed to approximately 20 to 30 ft bgs.

Soil samples were collected continuously throughout the depth of each environmental boring. Samples were collected with the Sonic rig using 5-inch diameter by 10-foot long core barrel samples with new, dedicated polyethylene bags. Samples were collected with the Geoprobe® track rig using a 5-foot Macrocore® sample barrel, each with a dedicated acetate liner.

Soil samples retrieved from each boring were visually classified for soil type, color, grain size, and moisture content. Each sample was screened for visual, olfactory, and instrumental evidence of contamination. Instrument screening for the presence of total volatile organic vapors was performed with a hand-held PID equipped with a 10.6 electron volt (eV) lamp, calibrated to a known concentration of isobutylene. Following soil sample collection, all boreholes were backfilled with soil cuttings and/or sand, grouted, and restored with material consistent with the

surroundings. Boring logs documenting these observations are included as Appendix D. Prior to backfilling, select soil borings were converted to temporary or permanent monitoring wells (refer to Groundwater Sampling section). Down-hole drilling equipment was decontaminated between borings with Alconox and water.

Soil samples collected from each completed boring were segregated and prepared for submittal to a NYSDOH Environmental Laboratory Accreditation Program (ELAP)-certified laboratory with the appropriate chain-of-custody documentation for analysis. The installation of each of the 13 soil borings involved collecting soil samples at two depth intervals (one shallow soil sample and one deep soil sample). It is anticipated that all material represented by the soil samples will be removed from the Site as part of the excavation and construction activities associated with the redevelopment of the Site.

Each soil sample was collected and placed into pre-cleaned, laboratory-prepared containers. Care was taken to obtain representative soil samples and to fill the sample jars to capacity to minimize loss of volatile constituents. Sample jar threads were wiped clean of soil particles and the jars sealed with Teflon-lined screw closure lids. The sample jars were uniquely labeled to identify the sample number, project name, and the date and time of collection. Soil samples were placed into insulating coolers with ice and submitted under standard chain-of-custody protocol to York Analytical Laboratories, Inc., (York) a NYSDOH ELAP-certified laboratory in Stratford, Connecticut.

Groundwater Sampling

Temporary groundwater monitoring wells TMW-2, TMW-5, TMW-7, and TMW-14 were installed to a total depth of approximately 25 ft bgs. Temporary groundwater monitoring well locations are provided on Figures 2 and 4. Each temporary monitoring well was constructed by inserting dedicated, one-inch diameter PVC well screen and riser into the open borehole. Each well was constructed with a 10-foot screened interval that intersected the observed groundwater table from approximately 15 to 25 ft bgs. The screened interval for each well consisted of 0.020-inch wide slotted PVC casing. One-inch diameter PVC riser was used to complete the well from the top of the screened interval to grade.

Permanent groundwater monitoring wells MW-1, MW-3, MW-4, and MW-6 were installed to a depth of approximately 30 ft bgs. Permanent groundwater monitoring well locations are presented on Figures 2 and 4. Each permanent monitoring well was constructed by inserting new, two-inch diameter PVC well screen and riser into the open borehole. Each well was constructed with a 15-foot screened interval that intersected the observed groundwater table from approximately 15 to 30 ft bgs. Clean filter sand was placed in the annulus between the borehole and the outside of the screen, from the bottom of the boring to about 2-feet above the top of the screen. A 2-foot-thick hydrated bentonite seal was placed above the filter sand. Following installation, the permanent wells were developed using a submersible pump, fitted with dedicated, disposable tubing at a flow rate of generally less than 5 gallons per minute (gpm). Each well was developed such that a minimum of three well volumes were purged and the discharge was free of silt or fine sand.

One groundwater sample was collected from each of the temporary and permanent groundwater wells with a peristaltic pump and dedicated polyethylene tubing. During well purging, the turbidity, pH, temperature, conductivity, reduction oxidation potential, and dissolved oxygen of the groundwater were monitored using a Horiba U-22 water quality meter with a flow-through cell. The groundwater was purged until the water quality parameters were stable and the turbidity was below 100 Nephelometric Turbidity Units (NTU). The monitored parameters were recorded on the groundwater sampling logs provided in Appendix E. Sampling was conducted in accordance with NYSDEC Draft DER-10 Technical Guidance for Site Investigation and Remediation, dated December 2002, and Sampling Guidelines and Protocols, dated March 1991.

Soil Vapor Sampling

Seven soil vapor probes were installed and sampled. Soil vapor sampling locations are provided on Figures 2 and 5. The soil vapor samples in the southern portion of the Site (SV-1, SV-2, and SV-3) were collected from a depth of approximately 6 ft bgs and soil vapor samples from the remainder of the Site were collected from a depth of 18 ft bgs (the anticipated cellar depth). Down-hole drilling equipment was decontaminated between borings with Alconox and water. A soil vapor probe attached to polyethylene tubing was inserted at each soil vapor sample location and the annulus around the probe/tubing was filled with sand to a few inches above the

probe. Bentonite slurry was then applied to the top of the sand pack to grade surface to isolate the sampling points from ambient air. The soil vapor samples were collected into laboratory-supplied, batch certified-clean Summa® canisters that were calibrated for a sampling rate of one hour per sample. Prior to sample collection, the soil vapor was screened with a PID. As a QA/QC measure, helium was introduced as a tracer gas into the sampling chamber at the existing grade to ensure that the soil vapor sampling points were properly sealed and ambient air did not infiltrate the canister. The ambient air sample was collected into a laboratory-supplied, individually certified-clean Summa® canister calibrated for a sampling rate of six hours. Soil vapor sample collection data is reported in Appendix F. The soil vapor investigation was conducted in accordance with the New York State Department of Health (NYSDOH) Guidance for Evaluating Soil Vapor Intrusion in the State of New York, dated October 2006.

Quality Assurance and Quality Control (QA/QC)

Quality assurance/quality control (QA/QC) procedures were implemented during field activities and included the following procedures:

- Calibration of field equipment, including PID, on a daily basis;
- Collection of trip blanks and duplicate samples;
- Use of dedicated and disposable field sampling equipment;
- Proper sample handling and preservation;
- Proper sample chain-of-custody documentation; and
- Completion of boring, groundwater, and soil vapor sampling logs.

One trip blank sample was submitted for two of the three groundwater sample shipments and analyzed for VOCs per EPA Method 8260. Duplicate samples were collected at a frequency of approximately one per ten samples to determine whether laboratory artifacts could have potentially influenced the analytical results of the soil and groundwater samples. A sample summary log showing the QA/QC samples collected, parent samples and analyses performed is provided as Table 4.

Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Michael Burke, CHMM
Chemical Analytical Laboratory	Chemical analytical laboratory used in the RI is NYS ELAP certified and was York Analytical Laboratory.
Chemical Analytical Methods	<p>Soil analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010B • VOCs by EPA Method 8260B • SVOCs by EPA Method 8270C • PCBs by EPA Method 8082 <p>Groundwater analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010B • VOCs by EPA Method 8260B • SVOCs by EPA Method 8270C • PCBs by EPA Method 8082 <p>Soil vapor analytical methods:</p> <ul style="list-style-type: none"> • VOCs by TO-15 VOC parameters.

Results of Chemical Analyses

Laboratory data for soil, groundwater and soil vapor are summarized in Tables 5, 6, and 7, respectively. Laboratory data deliverables for samples evaluated in this RIR are provided in Appendix G.

5.0 ENVIRONMENTAL EVALUATION

5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS

Stratigraphy

Historic urban fill material, predominately consisting of brown fine to course sand with some gravel, brick and silt and light brown medium to fine sand with some silt and trace gravel, brick and wood, was identified beneath the concrete surface cover. The fill layer had an average thickness of 18 feet and ranges from approximately 14 to 20 feet. This fill layer is classified as Historic Urban Fill, as defined in the NYSDEC Draft DER-10 Technical Guidance for Site Investigation and Remediation (dated December 2002). Beneath the fill material was native, brown fine to course sand, ranging from 23 to 29 feet thick, underlain by silty sand, ranging from 5 to 30 feet thick. Geological surface features (e.g., rock outcroppings) were not observed. Soil and bedrock stratigraphy throughout Manhattan typically consists of a layer of historical fill that overlies glacial till, decomposed unconsolidated bedrock, and bedrock. Based on a review of the “Bedrock and Engineering Geologic Maps of New York County and parts of Kings and Queens Counties, New York, and Parts of Bergen and Hudson Counties, New Jersey” (Baskerville Map), dated 1994 and prepared by Charles A. Baskerville, the Site is underlain by bedrock of the Inwood Marble and Hartland Formations, which consists of white calcite-dolomite marble and coarse-grained siliceous dolomite. Based on geotechnical investigations conducted by Langan in the vicinity of the Site, bedrock is estimated to be between 100 and 150 feet below surface grade.

Hydrogeology

A table of water level data for all monitoring wells is included in Table 2. The average depth to groundwater is approximately 19.5 ft bgs and the range in depth is 18 to 20 ft bgs. Groundwater flow is from west to east toward the Harlem River. The inferred groundwater flow direction is presented on Figures 2 and 4. Groundwater in the New York City area is not used as a potable water source. Potable water is provided to the Site by the City of New York and is derived from surface impoundments in the Croton, Catskill, and Delaware watersheds.

5.2 SOIL CHEMISTRY

This RI included 13 soil borings that were advanced at the Site. Soil sample results were compared to the NYSDEC Part 375 Track 1 Unrestricted Use Soil Cleanup Objectives (UUSCOs), Restricted Use Residential SCO (RURSCOs), and Restricted Use Commercial SCO (RUCSCO). A summary table of data for chemical analyses performed on soil samples is included in Table 5. Analytical results are highlighted where the result exceeds a specific regulatory limit. The raw laboratory analytical reports are provided in Appendix G. A soil sample location and results map that presents a summary of soil results that exceed applicable SCOs is shown in Figure 3. Soil samples were collected at two depth intervals (one shallow soil sample and one deep soil sample) at each of the boring locations. It is anticipated that all material represented by the RI soil samples will be removed from the Site as part of the excavation and construction activities associated with the redevelopment. Laboratory analysis of soil samples collected during the RI indicated the following:

VOCs

- One VOC, acetone, was detected at concentrations marginally exceeding its Unrestricted Use SCO in soil samples collected from borings SB-8 and SB-9. This analyte was also detected in the associated analysis batch blanks; therefore, this compound is considered a laboratory artifact and is not representative of Site conditions. No other VOCs were detected in soil at concentrations that exceed the Unrestricted Use SCOs.

SVOCs and PCBs

- SVOCs and PCBs were not detected in any soil samples at concentrations exceeding their Unrestricted Use SCOs.

Metals

- Metals, including arsenic (0.693 to 13.1 mg/kg), barium (428 to 1,290 mg/kg), copper (5.56 to 118 mg/kg), lead (464 mg/kg and 650 mg/kg), nickel (4.67 to 44.4 mg/kg), and zinc (8.99 to 550 mg/kg) were detected at concentrations exceeding their respective Unrestricted Use SCOs in samples collected from historic fill. It is anticipated that all material represented by soil samples will be removed from the Site as part of the excavation and construction activities associated with the redevelopment of the Site.

- Metals were not detected at concentrations that exceed their respective Unrestricted Use SCOs in any of the soil samples collected from native sand underlying historic fill.

Based on their random occurrence throughout the Site, the metals detected at concentrations greater than the SCOs appear to be a constituent of the heterogeneous historic fill material and are not related to a spill or separate contaminant source.

5.3 GROUNDWATER CHEMISTRY

This RI included the installation of four permanent and four temporary groundwater monitoring wells to estimate groundwater flow direction and to collect groundwater samples for chemical analysis. Groundwater sample results were compared to the New York State 6NYCRR Part 703.5 Class GA groundwater quality standards (GQS). A summary table of data for chemical analyses performed on groundwater samples is included in Table 6. Analytical results are highlighted where the result exceeds a specific regulatory limit or guidance value. The raw laboratory analytical reports are provided in Appendix G. A groundwater sample location and results map that presents a summary of groundwater samples that exceed applicable standards is presented on Figure 4. Laboratory analysis of groundwater samples collected during the RI indicated the following:

VOCs

- VOCs, including benzene (1.9 µg/l compared to GQS of 1 microgram per liter [µg/l]), chloroform (ranging from 7.8 to 27 µg/l compared to GQS of 7 µg/l), PCE (ranging from 6.7 to 10 µg/l compared to GQS of 5 µg/l), and total xylenes (62 µg/l compared to GQS of 5 µg/l) were detected in groundwater at least one monitoring well at concentrations that exceeding their GQS.
- Methylene chloride was also detected at concentrations marginally exceeding its GQS in groundwater samples collected from wells TMW-5 and TMW-7. This compound was also detected in the associated analysis batch blanks; therefore, this compound is considered a laboratory artifact and is not representative of Site conditions.
- A Site source of VOCs in groundwater was not identified during this RI.

SVOCs and PCBs

- SVOCs and PCBs were not detected in groundwater samples at concentrations exceeding their GQSs.

Metals

- Several metals were detected in groundwater at concentrations that exceed their respective GQSs, including iron (ranging from 430 to 10,800 µg/l compared to GQS of 300 µg/l), lead (72 µg/l compared to GQS of 25 µg/l), magnesium (ranging from 352,000 to 644,000 µg/l compared to GQS of 350,000 µg/l), manganese (ranging from 316 to 3,200 µg/l compared to GQS of 300 µg/l), and sodium (ranging from 26,300 to 105,000 µg/l compared to GQS of 20,000 µg/l).
- The source of metals impacts to groundwater appears to be historic fill and/or salt water run-off from adjacent streets and/or sidewalks.

5.4 SOIL VAPOR CHEMISTRY

This RI included the installation and sampling of seven soil vapor probes. Soil vapor sample results were compared to NYSDOH Air Guideline Values (AGVs) and NYSDOH Decision Matrices 1 and 2, and were also compared guidance values from the following databases; NYSDOH 2003 Fuel Oil Upper Fence Values, U.S. Environmental Protection Agency (USEPA) Base Database 90th Percentile Indoor Air Values, and Health Effects Institute (HEI) 2005 95th Percentile Indoor Air Values. A summary table of data for chemical analyses performed on soil vapor samples is included in Table 7. Analytical results are highlighted where the result exceeds a specific regulatory limit or guidance value. The raw laboratory analytical reports are provided in Appendix G.

A review of the sub-surface soil vapor sample results indicates that 7 of the 62 VOCs analyzed using EPA Method TO-15 were detected in at least one of the seven soil vapor samples at concentrations that exceed all of the background comparison criteria and include the following: acetone; chloroform; PCE; *o*-xylene; *p* & *m*-xylenes; styrene; and toluene. One VOC, PCE, was also detected in three samples, SV-4 (310 micrograms per cubic meter [$\mu\text{g}/\text{m}^3$]), SV-5 ($820 \mu\text{g}/\text{m}^3$), and SV-7 ($540 \mu\text{g}/\text{m}^3$), at concentrations greater than its AGV of $100 \mu\text{g}/\text{m}^3$. These PCE concentrations also exceed the minimum action levels for monitoring and/or mitigating soil vapor intrusion, as per the NYSDOH Decision Matrix 2.

Data collected during the RI is sufficient to delineate the distribution of contaminants in soil vapor at the Site. A summary table of data for chemical analyses performed on soil vapor samples is included in Table 7. Soil vapor sample locations and a summary of results are presented on Figure 5.

5.5 PRIOR ACTIVITY

Based on an evaluation of the data and information from the RIR, disposal of significant amounts of hazardous waste is not suspected at this Site.

5.6 IMPEDIMENTS TO REMEDIAL ACTION

There are no known impediments to remedial action at this property.

6.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the findings of this RIR, we conclude the following:

Conclusions

- Groundwater depths at the Site range from 18 to 20 feet bgs and flows east toward the Harlem River;
- The Site is underlain by historic urban fill consisting of brown fine to course sand with some gravel, brick and silt and light brown medium to fine sand with some silt and trace gravel, brick and wood. The fill layer thickness ranges from about 14 to 20 feet bgs and is underlain by native, brown fine to course sand followed by silty sand. Bedrock was not encountered during this RI;
- Six metals (arsenic, barium, copper, lead, nickel, and zinc) were detected in soil samples above NYSDEC Part 375 Unrestricted Use SCOs. These contaminants appear to be constituents of the historic urban fill;
- Groundwater samples contained concentrations of VOCs, including benzene, chloroform, PCE, and total xylenes, above their respective Class GA GQS. A Site source of VOCs was not detected during this RI. The metals iron, lead, magnesium, manganese, and sodium were also detected in groundwater samples at concentrations above their Class GA GQS. The source of metals in groundwater is historic fill and/or salt water run-off;
- The geophysical survey did not reveal anomalies indicative of underground storage tanks at the Site;
- PCE was detected in soil vapor at concentrations greater than its AGV of 100 $\mu\text{g}/\text{m}^3$. These PCE concentrations also exceed the minimum action levels for monitoring and/or mitigating soil vapor intrusion, as per the NYSDOH Decision Matrix 2.

Recommendations


For the Site to be suitable for its intended use as a six-story retail building, Langan recommends the following:

- Excess soil that will be generated during the ± 20 foot excavation that will occur during development of the Site will be considered a regulated solid waste. Soil should be

handled and transported in accordance with applicable local, state and federal regulations to a disposal facility that is permitted to accept this material. This material should be properly characterized prior to transportation to an off-site disposal facility;

- A community air monitoring program (CAMP) should be implemented concurrently with earthwork at the Site;
- Because the excavation will extend into the groundwater table, an active soil vapor venting system is not feasible for this Site. A waterproofing membrane must be incorporated into the foundation design. The waterproofing membrane will also act as a vapor barrier that will mitigate any potential PCE soil vapor intrusion;
- The proposed building will cover the entire Site footprint; however, construction plans have not been finalized. Upon completion of the new construction, if any soil is exposed (i.e., soil is not covered by a paved or other impermeable surface), it should be covered with at least two feet of fill material meeting the Part 375 Unrestricted Use SCOs.

FIGURES



SOURCE: PORTION OF USGS CENTRAL PARK QUADRANGLE MAP, 1967, PHOTOREVISED 1979.



21 Penn Plaza, 8th Floor New York, NY 10001
 P: 212.479.5400 F: 212.479.5444
 www.langan.com



NEW JERSEY PENNSYLVANIA NEW YORK CONNECTICUT FLORIDA NEVADA

WEST 125TH STREET AND LENOX AVENUE
 REMEDIAL INVESTIGATION REPORT

SITE LOCATION MAP

NEW YORK NEW YORK

Project No. 170121501	Date 6/8/12	Scale 1"=2500'	Dwg. No. 1
--------------------------	----------------	-------------------	---------------



SB-13		
LOCATION	SB-13	SB-13
LAB SAMPLE ID	10K0596-07	10K0596-08
SAMPLING DATE	11/16/2010	11/16/2010
SAMPLE DEPTH (feet)	0 to 5	15 to 18
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	ND	ND
Metals (mg/kg)		
Total Metals	NE	NE
PCB (mg/kg)		
Total PCBs	ND	ND

SB-7		
LOCATION	SB-7	SB-7
LAB SAMPLE ID	10K0528-13	10K0528-14
SAMPLING DATE	11/13/2010	11/13/2010
SAMPLE DEPTH (feet)	0 to 4	14 to 15
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	ND
Metals (mg/kg)		
Barium	428	39
Lead	159	3.95
Zinc	301	11.5
PCB (mg/kg)		
Total PCBs	ND	ND

SB-6		
LOCATION	SB-6	SB-6
LAB SAMPLE ID	10K0528-15	10K0528-16
SAMPLING DATE	11/13/2010	11/13/2010
SAMPLE DEPTH (feet)	5 to 7	18 to 20
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	ND
Metals (mg/kg)		
Copper	69.2	6.65
Lead	163	3.09
Zinc	114	10.7
PCB (mg/kg)		
Total PCBs	ND	ND

SB-5		
LOCATION	SB-5	SB-5
LAB SAMPLE ID	10K0528-17	10K0528-18
SAMPLING DATE	11/13/2010	11/13/2010
SAMPLE DEPTH (feet)	10 to 13	17 to 18
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	ND	ND
Metals (mg/kg)		
Lead	39.2	650
PCB (mg/kg)		
Total PCBs	ND	ND

SB-10		
LOCATION	SB-10	SB-10
LAB SAMPLE ID	10K0596-11	10K0636-01
SAMPLING DATE	11/16/2010	11/16/2010
SAMPLE DEPTH (feet)	0 to 6	10 to 12
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	NE
Metals (mg/kg)		
Lead	530	5.76
Zinc	227	48.9
PCB (mg/kg)		
Total PCBs	ND	ND

SB-11		
LOCATION	SB-11	SB-11
LAB SAMPLE ID	10K0596-05	10K0596-06
SAMPLING DATE	11/15/2010	11/15/2010
SAMPLE DEPTH (feet)	5 to 10	15 to 20
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	ND
Metals (mg/kg)		
Lead	68.9	5.54
PCB (mg/kg)		
Total PCBs	ND	ND

SB-12		
LOCATION	SB-12	SB-12
LAB SAMPLE ID	10K0596-09	10K0596-10
SAMPLING DATE	11/16/2010	11/16/2010
SAMPLE DEPTH (feet)	10 to 15	15 to 20
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	ND	NE
Metals (mg/kg)		
Copper	118	22.8
Nickel	31.1	13
PCB (mg/kg)		
Total PCBs	ND	ND

SB-2			
LOCATION	SB-2	SB-2	SB-DUP2
LAB SAMPLE ID	10K0528-07	10K0528-19	10K0528-09
SAMPLING DATE	11/12/2010	11/12/2010	11/12/2010
SAMPLE DEPTH (feet)	5 to 9	15 to 16	5 to 9
VOC (mg/kg)			
Total VOCs	NE	NE	NE
SVOC (mg/kg)			
Total SVOC	ND	ND	ND
Metals (mg/kg)			
Nickel	44.4	23.1	30.2
PCB (µg/kg)			
Total PCBs	ND	ND	ND

SB-4			
LOCATION	SB-4	SB-4	SB-DUP1
LAB SAMPLE ID	10K0528-03	10K0528-04	10K0528-08
SAMPLING DATE	11/12/2010	11/12/2010	11/12/2010
SAMPLE DEPTH (feet)	0 to 3	15 to 18	0 to 3
VOC (mg/kg)			
Total VOCs	NE	NE	NE
SVOC (mg/kg)			
Total SVOC	NE	ND	NE
Metals (mg/kg)			
Barium	1290	62.4	1240
Lead	464	4.14	486
Zinc	550	16.7	656
PCB (µg/kg)			
Total PCBs	ND	ND	ND

SB-1		
LOCATION	SB-1	SB-1
LAB SAMPLE ID	10K0528-01	10K0528-02
SAMPLING DATE	11/12/2010	11/12/2010
SAMPLE DEPTH (feet)	6 to 9	16-18
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	ND
Metals (mg/kg)		
Copper	52.1	17.9
Nickel	35.4	14.8
PCB (mg/kg)		
Total PCBs	ND	ND

SB-3		
LOCATION	SB-3	SB-3
LAB SAMPLE ID	10K0528-05	10K0528-06
SAMPLING DATE	11/12/2010	11/12/2010
SAMPLE DEPTH (feet)	5 to 7	15 to 18
VOC (mg/kg)		
Total VOCs	NE	NE
SVOC (mg/kg)		
Total SVOC	NE	ND
Metals (mg/kg)		
Lead	322	5.2
Zinc	150	16.9
PCB (mg/kg)		
Total PCBs	ND	ND

ANALYTE	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESTRICTED USE RESIDENTIAL SOIL CLEANUP OBJECTIVE	NYSDEC PART 375 RESTRICTED USE COMMERCIAL SOIL CLEANUP OBJECTIVE
VOC (mg/kg)			
Acetone	0.05	100	500
SVOC (mg/kg)			
Total SVOC	-	-	-
Metals (mg/kg)			
Arsenic	13	16	16
Barium	350	350	400
Copper	50	270	270
Lead	63	400	1000
Nickel	30	140	310
Zinc	109	2200	10000
PCB (mg/kg)			
Total PCBs	0.1	1	1

SB-8		
LOCATION	SB-8	SB-8
LAB SAMPLE ID	10K0596-03	10K0596-04
SAMPLING DATE	11/15/2010	11/15/2010
SAMPLE DEPTH (feet)	10 to 12	15 to 17
VOC (mg/kg)		
Acetone	0.011 JBD	0.064 BD
SVOC (mg/kg)		
Total SVOC	ND	NE
Metals (mg/kg)		
Copper	54.4	14.1
Nickel	32.1	8.48
PCB (mg/kg)		
Total PCBs	ND	ND

SB-9		
LOCATION	SB-9	SB-9
LAB SAMPLE ID	10K0596-01	10K0596-02
SAMPLING DATE	11/15/2010	11/15/2010
SAMPLE DEPTH (feet)	0 to 10	15 to 18
VOC (mg/kg)		
Acetone	ND	0.056 BD
SVOC (mg/kg)		
Total SVOC	NE	NE
Metals (mg/kg)		
Arsenic	6.16	13.1
Copper	15.8	57.2
Lead	163	323
Zinc	101	148
PCB (mg/kg)		
Total PCBs	ND	ND

- LEGEND**
- SITE BORDER/PROPOSED BUILDING FOOTPRINT
 - LOT BORDERS
 - SB-6 SOIL BORING LOCATION
- NOTES**
- SAMPLE LOCATIONS ARE APPROXIMATE.
 - BASE MAP IS FROM AN ARCHITECTURAL SURVEY (REF. NO.: M1909-004). PREPARED BY JOSEPH NICOLETTI ASSOCIATES, DATED MAY 23, 2008
- QUALIFIERS:**
- D = RESULTS FOR A DILUTED SAMPLE
 - B = ANALYTE FOUND IN THE ANALYSIS BATCH BLANK
 - J = DETECTED ABOVE THE METHOD DETECTION LIMIT BUT BELOW THE REPORTING LIMIT; THEREFORE, RESULT IS AN ESTIMATED CONCENTRATION
 - NE = No EXCEEDANCES
 - ND = NOT DETECTED AT OR ABOVE THE REPORTING LIMIT

- Analytical results were compared to title 6 of the official compilation of the New York Codes, Rules and Regulation (6 NYCRR) Part 375 Unrestricted Use Soil Cleanup Objectives, Part 375 Restricted Use Residential Soil Cleanup Objectives and Part 375 Restricted Use Commercial Soil Cleanup Objectives.
- 6 NYCRR Part 375 Unrestricted Use exceedances are highlighted.
- 6 NYCRR Part 375 Restricted Use Residential exceedances are **bolded** and highlighted.
- 6 NYCRR Part 375 Restricted Use Commercial exceedances are highlighted, **bolded**, *red* and in *italics*.

Warning: It is a violation of the NYS Education Law Article 145 for any person, unless he is acting under the direction of a licensed Professional Engineer, to alter this item in any way.

21 Penn Plaza, 8th Floor New York, NY 10001
 P: 212.479.5400 F: 212.479.5444
 www.langan.com

NEW JERSEY PENNSYLVANIA NEW YORK CONNECTICUT FLORIDA NEVADA VIRGINIA CALIFORNIA

NJ Certificate of Authorization No: 24GA27996400

FIGURE 3
 SOIL SAMPLE LOCATION AND RESULTS MAP
 WEST 125TH STREET AND LENOX AVENUE

MANHATTAN NEW YORK

Project No.	Date	Scale	Fig. No.
170121501	06/13/2012	1" = 40'	3

ANALYTE	NEW YORK STATE 6NYCRR PART 703.5 CLASS GA GQS
VOC (µg/l)	
Benzene	1
Chloroform	7
Methylene chloride	5
o-Xylene	5
Tetrachloroethylene	5
Xylenes, Total	5
SVOC (µg/l)	
Total SVOC	-
Metals (µg/l)	
Iron	13
Lead	350
Magnesium	50
Manganese	63
Sodium	30
PCB (µg/l)	
Total PCBs	-

RESULT NOTES AND QUALIFIERS


- RESULTS EXCEEDING NEW YORK STATE NYCRR PART 703.5 CLASS GA GROUNDWATER QUALITY STANDARDS ARE HIGHLIGHTED AND IN **BOLD**
- ONLY COMPOUNDS EXCEEDING NYS 6 NYCRR PART 703.5 CLASS GA GQS ARE PRESENTED
- VOC = VOLATILE ORGANIC COMPOUND
- SVOC = SEMIVOLATILE ORGANIC COMPOUND
- PCBs = POLYCHLORINATED BIPHENYLS
- µg/l = MICROGRAMS PER LITER
- NA = NOT ANALYZED
- ND = NOT DETECTED AT OR ABOVE THE REPORTING LIMIT
- NE = NO EXCEEDANCES
- B = ANALYTE FOUND IN THE ANALYSIS BATCH BLANK
- J = ANALYTE DETECTED AT OR ABOVE THE MDL (METHOD DETECTION LIMIT) BUT BELOW THE RL (REPORTING LIMIT)
- DATA IS ESTIMATED
- * THIS INDICATED THAT NO REGULATORY LIMIT HAS BEEN ESTABLISHED FOR THIS ANALYTE

LEGEND

- SITE BORDER / PROPOSED BUILDING FOOTPRINT
- LOT BORDERS
- **MW-6** PERMANENT GROUNDWATER MONITORING WELL LOCATION
- **TMW-14** TEMPORARY MONITORING WELL LOCATION

NOTES

- SAMPLE LOCATIONS ARE APPROXIMATE.
- BASE MAP IS FROM AN ARCHITECTURAL SURVEY (REF. NO.: M1909-004), PREPARED BY JOSEPH NICOLETTI ASSOCIATES, DATED MAY 23, 2008



MW-1	
LOCATION	MW1
LAB SAMPLE ID	10K0822-05
SAMPLING DATE	11/23/2010
VOC (mg/kg)	
Chloroform	7.8
Tetrachloroethylene	10
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Manganese	478
Sodium	60100
PCB (mg/kg)	
Total PCBs	ND

TMW-14	
LOCATION	TMW14
LAB SAMPLE ID	10K0528-11
SAMPLING DATE	11/13/2010
VOC (mg/kg)	
Chloroform	27
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Iron	836
Manganese	329
Sodium	26300
PCB (mg/kg)	
Total PCBs	ND

TMW-2	
LOCATION	TMW2
LAB SAMPLE ID	10K0528-10
SAMPLING DATE	11/13/2010
VOC (mg/kg)	
Total VOCs	NE
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Iron	10800
Lead	71
Manganese	2690
Sodium	86800
PCB (mg/kg)	
Total PCBs	ND

MW-3	
LOCATION	MW3
LAB SAMPLE ID	10K0822-01
SAMPLING DATE	11/23/2010
VOC (mg/kg)	
Benzene	1.9 J
o-Xylene	62
Tetrachloroethylene	6.7
Xylenes, Total	62
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Iron	727
Magnesium	35200
Manganese	3200
Sodium	85200
PCB (mg/kg)	
Total PCBs	ND

TMW-7	
LOCATION	TMW7
LAB SAMPLE ID	10K0443-01
SAMPLING DATE	11/9/2010
VOC (mg/kg)	
Methylene chloride	7.4 J,B
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Sodium	47800
PCB (mg/kg)	
Total PCBs	ND

MW-6		
LOCATION	MW6	DUP
LAB SAMPLE ID	10K0822-03	10K0822-04
SAMPLING DATE	11/23/2010	11/23/2010
VOC (mg/kg)		
Chloroform	12	9.5
SVOC (mg/kg)		
Total SVOC	ND	ND
Metals (mg/kg)		
Iron	430	514
Manganese	1260	1330
Sodium	53400	53400
PCB (mg/kg)		
Total PCBs	ND	ND

TMW-5	
LOCATION	TMW5
LAB SAMPLE ID	10K0443-02
SAMPLING DATE	11/9/2010
VOC (mg/kg)	
Methylene chloride	6.6 J,B
Tetrachloroethylene	7.7
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Magnesium	38100
Manganese	316
Sodium	100000
PCB (mg/kg)	
Total PCBs	ND

MW-4	
LOCATION	MW4
LAB SAMPLE ID	10K0822-02
SAMPLING DATE	11/23/2010
VOC (mg/kg)	
Total VOCs	NE
SVOC (mg/kg)	
Total SVOC	ND
Metals (mg/kg)	
Magnesium	64400
Manganese	2380
Sodium	105000
PCB (mg/kg)	
Total PCBs	ND

Warning: It is a violation of the NYS Education Law Article 145 for any person, unless he is acting under the direction of a licensed Professional Engineer, to alter this item in any way.




21 Penn Plaza, 8th Floor New York, NY 10001
P: 212.479.5400 F: 212.479.5444
www.langan.com

NEW JERSEY PENNSYLVANIA NEW YORK CONNECTICUT FLORIDA NEVADA VIRGINIA CALIFORNIA
NJ Certificate of Authorization No: 24GA27996400

FIGURE 4
GROUNDWATER SAMPLE LOCATION
AND RESULTS MAP
WEST 125TH STREET AND LENOX AVENUE
MANHATTAN NEW YORK


Project No.	Date	Scale	Fig. No.
170121501	06/13/2012	1" = 40'	4



WEST 125TH STREET

LENOX AVENUE

WEST 124TH STREET



RESULT NOTES AND QUALIFIERS

- RESULTS EXCEEDING THE NEW YORK STATE DEPARTMENT OF HEALTH (NYSDOH) AIR GUIDELINE VALUE (AGV) ARE HIGHLIGHTED AND **BOLD**
- RESULTS EXCEEDING NYSDOH FUEL OIL 2003 UPPER FENCE VALUE, U.S. ENVIRONMENTAL PROTECTION AGENCY (USEPA) BASE DATABASE 90TH PERCENTILE INDOOR AIR, AND HEALTH EFFECTS INSTITUTE (HEI) 2005 95TH PERCENTILE INDOOR AIR ARE HIGHLIGHTED
- ONLY DETECTED COMPOUNDS ARE PRESENTED
- VOC = VOLATILE ORGANIC COMPOUND
- $\mu\text{g}/\text{m}^3$ = MICROGRAMS PER CUBIC METER
- D = RESULT IS FROM AN ANALYSIS THAT REQUIRED A DILUTION
- J = ANALYTE DETECTED AT OR ABOVE THE MDL (METHOD DETECTION LIMIT) BUT BELOW THE RL (REPORTING LIMIT) - DATA IS ESTIMATED
- ND = NOT DETECTED AT OR ABOVE THE REPORTING LIMIT
- '-' = THIS INDICATES THAT NO REGULATORY LIMIT HAS BEEN ESTABLISHED FOR THIS ANALYTE

LEGEND

- SITE BORDER / PROPOSED BUILDING FOOTPRINT
- LOT BORDERS
- SV-6 SOIL VAPOR SAMPLE LOCATION

NOTES

- SAMPLE LOCATIONS ARE APPROXIMATE.
- BASE MAP IS FROM AN ARCHITECTURAL SURVEY (REF. NO.: M1909-004), PREPARED BY JOSEPH NICOLETTI ASSOCIATES, DATED MAY 23, 2008

SV-7		
LOCATION	SV7	
LAB SAMPLE ID	10K0498-03	
SAMPLING DATE	11/13/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	950	D
Chloroform	75	D
Tetrachloroethylene	540	D
Toluene	87	D

SV-6		
LOCATION	SV6	
LAB SAMPLE ID	10K0498-04	
SAMPLING DATE	11/13/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	350	D
Chloroform	2700	D
Tetrachloroethylene	78	D
Toluene	90	D

SV-5		
LOCATION	SV5	
LAB SAMPLE ID	10K0498-02	
SAMPLING DATE	11/13/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	760	D
Chloroform	210	D
o-Xylene	20	JD
p- & m- Xylenes	68	D
Tetrachloroethylene	820	D
Toluene	120	D

SV-4		
LOCATION	SV4	
LAB SAMPLE ID	10K0498-01	
SAMPLING DATE	11/12/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	430	D
Chloroform	1900	D
Tetrachloroethylene	310	D

SV-2		
LOCATION	SV2	
LAB SAMPLE ID	10K0500-01	
SAMPLING DATE	11/15/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	150	D

SV-3		
LOCATION	SV3	
LAB SAMPLE ID	10K0500-02	
SAMPLING DATE	11/15/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	560	D
Chloroform	8.9	D
o-Xylene	7.9	D
p- & m- Xylenes	27	D
Tetrachloroethylene	9.8	D

SV-1		
LOCATION	SV1	
LAB SAMPLE ID	10K0498-06	
SAMPLING DATE	11/15/2010	
VOC ($\mu\text{g}/\text{m}^3$)		
Acetone	520	D
Chloroform	89	D
Tetrachloroethylene	15	D

ANALYTE	NYSDOH AGV 2006	NYSDOH 2003 FUEL OIL INDOOR AIR UPPER FENCE VALUE	USEPA 2001 BASE DATABASE: 90 PERCENTILE INDOOR AIR	HEI 2005 95 PERCENTILE INDOOR AIR
VOC ($\mu\text{g}/\text{m}^3$)				
Acetone	-	115	110	45.8
Chloroform	-	1.2	1.4	6.34
o-Xylene	-	7.1	7.6	7.24
p- & m- Xylenes	-	11	12	22.2
Tetrachloroethylene	100	2.5	2.9	6.01
Toluene	-	57	58	39.8

Warning: It is a violation of the NYS Education Law Article 145 for any person, unless he is acting under the direction of a licensed Professional Engineer, to alter this item in any way.

LANGAN
ENGINEERING & ENVIRONMENTAL SERVICES
21 Penn Plaza, 8th Floor New York, NY 10001
P: 212.479.5400 F: 212.479.5444
www.langan.com
NEW JERSEY PENNSYLVANIA NEW YORK CONNECTICUT FLORIDA NEVADA VIRGINIA CALIFORNIA
NJ Certificate of Authorization No: 24GA27996400

FIGURE 5
SOIL VAPOR LOCATION AND RESULTS MAP
WEST 125TH STREET AND LENOX AVENUE
MANHATTAN NEW YORK
Project No. 170121501 Date 06/13/2012 Scale 1" = 40' Fig. No. 5

© 2010 Langan Engineering and Environmental Services Inc.

TABLES

TABLE 1
CONSTRUCTION DETAILS FOR SOIL BORINGS AND MONITORING WELLS
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501

	ID Number	Date of Construction	Total Depth (feet)	Casing Dimater (inches)	Ground Surface Elevation	Screened Interval (Elevation Range)	Construction Material	GPS Coordinates
Soil Borings	SB-1	11/12/2012	30	2.5	NM	NA	NA	40.80758, -73.94664
	SB-2	11/12/2012	20	2.5	NM	NA	NA	40.80763, -73.94641
	SB-3	11/13/2012	30	2.5	NM	NA	NA	40.80737, -73.94622
	SB-4	11/12/2012	30	2.5	NM	NA	NA	40.80757, -73.94611
	SB-5	11/13/2012	25	2.5	NM	NA	NA	40.80773, -73.94598
	SB-6	11/13/2012	30	2.5	NM	NA	NA	40.80782, -73.94611
	SB-7	11/13/2012	25	2.5	NM	NA	NA	40.80789, -73.94628
	SB-8	11/15/2012	20	1	NM	NA	NA	40.80754, -73.94654
	SB-9	11/15/2012	20	1	NM	NA	NA	40.80747, -73.94641
	SB-10	11/16/2012	20	1	NM	NA	NA	40.80768, -73.94636
	SB-11	11/15/2012	20	1	NM	NA	NA	40.80765, -73.94621
	SB-12	11/16/2012	20	1	NM	NA	NA	40.80756, -73.94611
	SB-13	11/16/2012	20	1	NM	NA	NA	40.80758, -73.94664
Monitoring Wells	MW-1	11/12/2012	31.09	2	25.8	11.04 to -3.96	PVC	40.80758, -73.94664
	TMW-2	11/12/2012	24.92	1	NM	14.92 - 24.92 ft bgs *	PVC	40.80758, -73.94664
	MW-3	11/12/2012	31.65	2	27.23	10.58 to -4.42	PVC	40.80758, -73.94664
	MW-4	11/10/2012	29.86	2	28.19	13.33 to -1.67	PVC	40.80758, -73.94664
	TMW-5	11/9/2012	26.2	1	NM	16.2 - 26.2 ft bgs *	PVC	40.80758, -73.94664
	MW-6	11/10/2012	28.9	2	28.65	14.75 to -0.25	PVC	40.80758, -73.94664
	TMW-7	11/9/2012	25.3	1	NM	15.3 - 25.3 ft bgs *	PVC	40.80758, -73.94664
	TMW-14	11/13/2012	26.2	1	NM	16.2 - 26.2 ft bgs *	PVC	40.80758, -73.94664

Notes:

NM = Not Measured

NA = Not Applicable

* Temporary well locations were not surveyed. Intervals shown represent feet below grade surface (ft bgs), not elevation.

TABLE 2
ANALYTICAL METHODS SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501

Matrix	Number of Samples	Analytical Parameters Measured	Analytical Methods Used	Number of Duplicate Samples	Number of Trip Blank Samples	Number of Field Blank Samples
Soil	26	VOCs	8260B	2	0	0
		SVOCs	8270C			
		PCBs	8082			
		TAL Metals	6010B			
Groundwater	8	VOCs	8260B	1	2	0
		SVOCs	8270C			
		PCBs	8082			
		Metals	6010B			
Soil Vapor	8	VOCs	TO-15	0	0	1

**TABLE 3
GROUNDWATER LEVEL DATA
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

Monitoring Well ID No.	Date	TOC Elevation	Ground Elevation	Depth to Water (from toc)	Depth to Water (from ground)	Groundwater Elevation
MW-1	11/23/2010	27.13	25.8	20.50	19.17	6.63
TMW-2	11/13/2010	NM	NM	21.65	NM	NM
MW-3	11/23/2010	27.23	25.5	20.65	18.92	6.58
MW-4	11/23/2010	28.19	26.2	21.71	19.72	6.48
TMW-5	11/9/2010	NM	NM	20.26	NM	NM
MW-6	11/23/2010	28.65	26.4	22.26	20.01	6.39
TMW-7	11/9/2010	NM	NM	20.90	NM	NM
TMW-14	11/13/2010	NM	NM	21.49	NM	NM

Notes:

- 1) Depth to Water units in feet
- 2) All elevations in Borough President of Manhattan Datum, which is 2.75 feet above the Mean Sea Level at Sandy Hook New Jersey, 1929, U.S. Geological Survey National Geodetic Vertical Datum (NGVD, 1929)
- 3) TOC = Top of Casing
- 4) NM = Not Measured

**TABLE 4
SAMPLE COLLECTION DATA FOR ALL MEDIA
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

Sample Type	Sample ID	Parent Sample	Sample Depth (feet)	Sampling Date	Analyses				
					Volatile Organic Compound (VOC)	Semi-Volatile Organic Compound (SVOC)	TAL Metals	Polychlorinated biphenyl (PCB)	TO-15 (VOCS)
Soil	SB-1-6-9	-	6 to 9	11/12/2010	x	x	x	x	
	SB-1-16-18	-	16 to 18	11/12/2010	x	x	x	x	
	SB-2-5-9	-	5 to 9	11/12/2010	x	x	x	x	
	SB-2-15-16	-	15 to 16	11/12/2010	x	x	x	x	
	SB-3-5-7	-	5 to 7	11/12/2010	x	x	x	x	
	SB-3-15-18	-	15 to 18	11/12/2010	x	x	x	x	
	SB-4-0-3	-	0 to 3	11/12/2010	x	x	x	x	
	SB-4-15-18	-	15 to 18	11/12/2010	x	x	x	x	
	SB-5-10-13	-	10 to 13	11/13/2010	x	x	x	x	
	SB-5-17-18	-	17 to 18	11/13/2010	x	x	x	x	
	SB-6-5-7	-	5 to 7	11/13/2010	x	x	x	x	
	SB-6-18-20	-	18 to 20	11/13/2010	x	x	x	x	
	SB-7-0-4	-	0 to 4	11/13/2010	x	x	x	x	
	SB-7-14-15	-	15 to 15	11/13/2010	x	x	x	x	
	SB-8-10-12	-	10 to 12	11/15/2010	x	x	x	x	
	SB-8-15-17	-	15 to 17	11/15/2010	x	x	x	x	
	SB-9-0-10	-	0 to 10	11/15/2010	x	x	x	x	
	SB-9-15-18	-	15 to 18	11/15/2010	x	x	x	x	
	SB-10-0-6	-	0 to 6	11/16/2010	x	x	x	x	
	SB-10-10-12	-	10 to 12	11/16/2010	x	x	x	x	
	SB-11-5-10	-	5 to 10	11/15/2010	x	x	x	x	
	SB-11-15-20	-	15 to 20	11/15/2010	x	x	x	x	
	SB-12-10-15	-	10 to 15	11/16/2010	x	x	x	x	
	SB-12-15-20	-	15 to 20	11/16/2010	x	x	x	x	
SB-13-0-5	-	0 to 5	11/16/2010	x	x	x	x		
SB-13-15-18	-	15 to 18	11/16/2010	x	x	x	x		
SB-DUP-1	SB-4-0-3	0 to 3	11/12/2010	x	x	x	x		
SB-DUP-2	SB-2-5-9	5 to 9	11/12/2010	x	x	x	x		
Groundwater	MW-1	-	-	11/23/2010	x	x	x	x	
	TMW-2	-	-	11/13/2010	x	x	x	x	
	MW-3	-	-	11/23/2010	x	x	x	x	
	MW-4	-	-	11/23/2010	x	x	x	x	
	TWM-5	-	-	11/9/2010	x	x	x	x	
	MW-6	-	-	11/23/2010	x	x	x	x	
	TMW-7	-	-	11/9/2010	x	x	x	x	
	TMW-14	-	-	11/13/2010	x	x	x	x	
	DUP	MW-6	-	11/23/2010	x	x	x	x	
Soil Vapor	SV-1	-	-	11/15/2010					x
	SV-2	-	-	11/15/2010					x
	SV-3	-	-	11/15/2010					x
	SV-4	-	-	11/12/2010					x
	SV-5	-	-	11/13/2010					x
	SV-6	-	-	11/13/2010					x
	SV-7	-	-	11/13/2010					x
Additional QA/QC Samples									
Water	Trip Blank	-	-	11/9/2010	x				
	Trip Blank	-	-	11/13/2010	x				
Ambient Air	Field Blank	-	-	11/13/2010					x

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-1 11/12/2010 10K0528-01 GRAB 6 to 9	SB-1 11/12/2010 10K0528-02 GRAB 16-18	SB-2 11/12/2010 10K0528-07 GRAB 5 to 9	SB-DUP2 10K0528-09 11/12/2010 GRAB	SB-2 11/12/2010 10K0528-19 GRAB 15-16	SB-3 11/12/2010 10K0528-05 GRAB 5 to 7	SB-3 11/12/2010 10K0528-06 GRAB 15-18							
Volatile Organics (mg/kg)																	
1,1,1-Trichloroethane	0.68	100	500	0.0022	U	0.0021	U	0.0022	U	0.0024	U	0.0022	U	0.0023	U	0.0021	U
1,1,2,2-Tetrachloroethane	~	~	~	0.0013	U	0.0013	U	0.0013	U	0.0014	U	0.0013	U	0.0014	U	0.0013	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~	0.0014	U	0.0013	U	0.0014	U	0.0015	U	0.0014	U	0.0015	U	0.0013	U
1,1,2-Trichloroethane	~	~	~	0.0014	U	0.0013	U	0.0014	U	0.0015	U	0.0014	U	0.0015	U	0.0014	U
1,1-Dichloroethane	0.27	19	240	0.0016	U	0.0015	U	0.0016	U	0.0017	U	0.0016	U	0.0017	U	0.0015	U
1,1-Dichloroethylene	0.33	100	500	0.0031	U	0.0029	U	0.003	U	0.0033	U	0.0031	U	0.0033	U	0.003	U
1,2,4-Trichlorobenzene	~	~	~	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U
1,2-Dibromo-3-chloropropane	~	~	~	0.0031	U	0.0029	U	0.003	U	0.0033	U	0.0031	U	0.0032	U	0.003	U
1,2-Dibromoethane	~	~	~	0.0016	U	0.0015	U	0.0015	U	0.0017	U	0.0016	U	0.0017	U	0.0015	U
1,2-Dichloroethane	0.02	2.3	30	0.0015	U	0.0014	U	0.0015	U	0.0016	U	0.0015	U	0.0016	U	0.0015	U
1,2-Dichloropropane	~	~	~	0.00051	U	0.00049	U	0.0005	U	0.00055	U	0.00052	U	0.00054	U	0.00049	U
2-Butanone	0.12	100	500	0.006	U	0.0057	U	0.0059	U	0.0064	U	0.0061	U	0.0063	U	0.0058	U
2-Hexanone	~	~	~	0.002	U	0.0019	U	0.002	U	0.0022	U	0.0021	U	0.0021	U	0.002	U
4-Methyl-2-pentanone	~	~	~	0.0062	U	0.0058	U	0.006	U	0.0066	U	0.0062	U	0.0065	U	0.0059	U
Acetone	0.05	100	500	0.014	JD	0.0069	U	0.0071	U	0.0078	U	0.007	BD	0.0077	U	0.011	JD
Benzene	0.06	2.9	44	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U
Bromodichloromethane	~	~	~	0.0015	U	0.0014	U	0.0014	U	0.0015	U	0.0015	U	0.0015	U	0.0014	U
Bromoform	~	~	~	0.0014	U	0.0013	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U	0.0013	U
Bromomethane	~	~	~	0.0029	U	0.0027	U	0.0028	U	0.0031	U	0.0029	U	0.0031	U	0.0028	U
Carbon disulfide	~	~	~	0.0015	U	0.0014	U	0.0015	U	0.0016	U	0.0015	U	0.0016	U	0.0014	U
Carbon tetrachloride	0.76	1.4	22	0.0024	U	0.0023	U	0.0024	U	0.0026	U	0.0025	U	0.0026	U	0.0023	U
Chlorobenzene	1.1	100	500	0.00082	U	0.00077	U	0.00079	U	0.00087	U	0.00083	U	0.00086	U	0.00079	U
Chloroethane	~	~	~	0.0018	U	0.0017	U	0.0017	U	0.0019	U	0.0018	U	0.0019	U	0.0017	U
Chloroform	0.37	10	350	0.00084	U	0.0008	U	0.00082	U	0.0009	U	0.00085	U	0.00089	U	0.00081	U
Chloromethane	~	~	~	0.0021	U	0.002	U	0.002	U	0.0022	U	0.0021	U	0.0022	U	0.002	U
cis-1,2-Dichloroethylene	~	~	~	0.0022	U	0.0021	U	0.0022	U	0.0024	U	0.0023	U	0.0024	U	0.0022	U
cis-1,3-Dichloropropylene	~	~	~	0.00082	U	0.00077	U	0.00079	U	0.00087	U	0.00083	U	0.00086	U	0.00079	U
Dibromochloromethane	~	~	~	0.0016	U	0.0015	U	0.0015	U	0.0017	U	0.0016	U	0.0016	U	0.0015	U
Dichlorodifluoromethane	~	~	~	0.0019	U	0.0018	U	0.0019	U	0.0021	U	0.002	U	0.002	U	0.0019	U
Ethyl Benzene	1	30	390	0.00082	U	0.00077	U	0.00079	U	0.00087	U	0.00083	U	0.00086	U	0.00079	U
Methyl tert-butyl ether (MTBE)	0.93	62	500	0.00089	U	0.00084	U	0.00086	U	0.00095	U	0.0009	U	0.00094	U	0.00085	U
Methylene chloride	0.05	51	500	0.01	JBD	0.01	JBD	0.011	JBD	0.012	JBD	0.017	JBD	0.012	JBD	0.011	JBD
o-Xylene	~	~	~	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0011	U
p- & m- Xylenes	~	~	~	0.0013	U	0.0012	U	0.0012	U	0.0014	U	0.0013	U	0.0014	U	0.0012	U
Styrene	~	~	~	0.001	U	0.00095	U	0.00098	U	0.0011	U	0.001	U	0.0011	U	0.00096	U
Tetrachloroethylene	1.3	5.5	150	0.0012	U	0.0011	U	0.0012	U	0.0013	U	0.0012	U	0.0013	U	0.0012	U
Toluene	0.7	100	500	0.00054	U	0.00051	U	0.00052	U	0.00057	U	0.00054	U	0.00057	U	0.00052	U
trans-1,2-Dichloroethylene	0.19	100	500	0.0015	U	0.0014	U	0.0015	U	0.0016	U	0.0015	U	0.0016	U	0.0015	U
trans-1,3-Dichloropropylene	~	~	~	0.0016	U	0.0015	U	0.0015	U	0.0017	U	0.0016	U	0.0017	U	0.0015	U
Trichloroethylene	0.47	10	200	0.0013	U	0.0013	U	0.0013	U	0.0014	U	0.0013	U	0.0014	U	0.0013	U
Trichlorofluoromethane	~	~	~	0.0021	U	0.002	U	0.0021	U	0.0023	U	0.0021	U	0.0022	U	0.002	U
Vinyl Chloride	0.02	0.21	13	0.0023	U	0.0021	U	0.0022	U	0.0024	U	0.0023	U	0.0024	U	0.0022	U
Xylenes, Total	0.26	100	500	0.0025	U	0.0023	U	0.0024	U	0.0026	U	0.0025	U	0.0026	U	0.0024	U

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-4 11/12/2010 10K0528-03 GRAB 0-3	SB-DUP1 11/12/2010 10K0528-08 GRAB	SB-4 11/12/2010 10K0528-04 GRAB 15-18	SB-5 11/13/2010 10K0528-17 GRAB 10 to 13	SB-5 11/13/2010 10K0528-18 GRAB 17-18	SB-6 11/13/2010 10K0528-15 GRAB 5 to 7	SB-6 11/13/2010 10K0528-16 GRAB 18-20							
Volatile Organics (mg/kg)																	
1,1,1-Trichloroethane	0.68	100	500	0.0024	U	0.0024	U	0.0021	U	0.0022	U	0.0023	U	0.0025	U	0.0022	U
1,1,2,2-Tetrachloroethane	~	~	~	0.0014	U	0.0014	U	0.0013	U	0.0013	U	0.0014	U	0.0015	U	0.0013	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~	0.0015	U	0.0015	U	0.0013	U	0.0014	U	0.0015	U	0.0016	U	0.0014	U
1,1,2-Trichloroethane	~	~	~	0.0015	U	0.0015	U	0.0014	U	0.0014	U	0.0015	U	0.0016	U	0.0014	U
1,1-Dichloroethane	0.27	19	240	0.0017	U	0.0017	U	0.0015	U	0.0016	U	0.0017	U	0.0018	U	0.0016	U
1,1-Dichloroethylene	0.33	100	500	0.0034	U	0.0034	U	0.003	U	0.003	U	0.0032	U	0.0035	U	0.003	U
1,2,4-Trichlorobenzene	~	~	~	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U
1,2-Dibromo-3-chloropropane	~	~	~	0.0033	U	0.0033	U	0.0029	U	0.003	U	0.0032	U	0.0034	U	0.003	U
1,2-Dibromoethane	~	~	~	0.0017	U	0.0017	U	0.0015	U	0.0016	U	0.0016	U	0.0018	U	0.0016	U
1,2-Dichloroethane	0.02	2.3	30	0.0016	U	0.0016	U	0.0015	U	0.0015	U	0.0016	U	0.0017	U	0.0015	U
1,2-Dichloropropane	~	~	~	0.00055	U	0.00056	U	0.00049	U	0.0005	U	0.00053	U	0.00057	U	0.0005	U
2-Butanone	0.12	100	500	0.0065	U	0.0065	U	0.0058	U	0.0059	U	0.0063	U	0.0067	U	0.0059	U
2-Hexanone	~	~	~	0.0022	U	0.0022	U	0.0019	U	0.002	U	0.0021	U	0.0023	U	0.002	U
4-Methyl-2-pentanone	~	~	~	0.0066	U	0.0067	U	0.0059	U	0.006	U	0.0064	U	0.0068	U	0.006	U
Acetone	0.05	100	500	0.0078	U	0.0079	U	0.013	JD	0.012	JBD	0.031	BD	0.0081	U	0.019	JBD
Benzene	0.06	2.9	44	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U
Bromodichloromethane	~	~	~	0.0016	U	0.0016	U	0.0014	U	0.0014	U	0.0015	U	0.0016	U	0.0014	U
Bromoform	~	~	~	0.0015	U	0.0015	U	0.0013	U	0.0013	U	0.0014	U	0.0015	U	0.0013	U
Bromomethane	~	~	~	0.0031	U	0.0031	U	0.0028	U	0.0028	U	0.003	U	0.0032	U	0.0028	U
Carbon disulfide	~	~	~	0.0016	U	0.0023	JD	0.0014	U	0.0015	U	0.0016	U	0.0017	U	0.0015	U
Carbon tetrachloride	0.76	1.4	22	0.0026	U	0.0026	U	0.0023	U	0.0024	U	0.0025	U	0.0027	U	0.0024	U
Chlorobenzene	1.1	100	500	0.00088	U	0.00089	U	0.00078	U	0.0008	U	0.00085	U	0.00091	U	0.0008	U
Chloroethane	~	~	~	0.0019	U	0.0019	U	0.0017	U	0.0017	U	0.0018	U	0.002	U	0.0017	U
Chloroform	0.37	10	350	0.00091	U	0.00091	U	0.0008	U	0.00082	U	0.00087	U	0.00093	U	0.00082	U
Chloromethane	~	~	~	0.0022	U	0.0023	U	0.002	U	0.002	U	0.0022	U	0.0023	U	0.002	U
cis-1,2-Dichloroethylene	~	~	~	0.0024	U	0.0024	U	0.0021	U	0.0022	U	0.0023	U	0.0025	U	0.0022	U
cis-1,3-Dichloropropylene	~	~	~	0.00088	U	0.00089	U	0.00078	U	0.0008	U	0.00085	U	0.00091	U	0.0008	U
Dibromochloromethane	~	~	~	0.0017	U	0.0017	U	0.0015	U	0.0015	U	0.0016	U	0.0017	U	0.0015	U
Dichlorodifluoromethane	~	~	~	0.0021	U	0.0021	U	0.0019	U	0.0019	U	0.002	U	0.0022	U	0.0019	U
Ethyl Benzene	1	30	390	0.00088	U	0.00089	U	0.00078	U	0.0008	U	0.00085	U	0.00091	U	0.0008	U
Methyl tert-butyl ether (MTBE)	0.93	62	500	0.00096	U	0.00096	U	0.00085	U	0.00087	U	0.00092	U	0.00099	U	0.00087	U
Methylene chloride	0.05	51	500	0.013	JBD	0.012	JBD	0.012	JBD	0.015	JBD	0.017	JBD	0.017	JBD	0.014	JBD
o-Xylene	~	~	~	0.0013	U	0.0013	U	0.0011	U	0.0011	U	0.0012	U	0.0013	U	0.0011	U
p- & m- Xylenes	~	~	~	0.0014	U	0.0014	U	0.0012	U	0.0013	U	0.0013	U	0.0014	U	0.0013	U
Styrene	~	~	~	0.0011	U	0.0011	U	0.00096	U	0.00098	U	0.001	U	0.0011	U	0.00098	U
Tetrachloroethylene	1.3	5.5	150	0.0013	U	0.0013	U	0.0012	U	0.0012	U	0.0013	U	0.0014	U	0.0012	U
Toluene	0.7	100	500	0.00058	U	0.00058	U	0.00051	U	0.00053	U	0.00056	U	0.0006	U	0.00052	U
trans-1,2-Dichloroethylene	0.19	100	500	0.0016	U	0.0016	U	0.0015	U	0.0015	U	0.0016	U	0.0017	U	0.0015	U
trans-1,3-Dichloropropylene	~	~	~	0.0017	U	0.0017	U	0.0015	U	0.0016	U	0.0016	U	0.0018	U	0.0016	U
Trichloroethylene	0.47	10	200	0.0014	U	0.0014	U	0.0013	U	0.0013	U	0.0014	U	0.0015	U	0.0013	U
Trichlorofluoromethane	~	~	~	0.0023	U	0.0023	U	0.002	U	0.0021	U	0.0022	U	0.0024	U	0.0021	U
Vinyl Chloride	0.02	0.21	13	0.0024	U	0.0025	U	0.0022	U	0.0022	U	0.0024	U	0.0025	U	0.0022	U
Xylenes, Total	0.26	100	500	0.0026	U	0.0027	U	0.0023	U	0.0024	U	0.0025	U	0.0027	U	0.0024	U

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-7 11/13/2010 10K0528-13 GRAB 0-4	SB-7 11/13/2010 10K0528-14 GRAB 14-15	SB-8 11/15/2010 10K0596-03 GRAB 10 to 12	SB-8 11/15/2010 10K0596-04 GRAB 15-17	SB-9 11/15/2010 10K0596-01 GRAB 0-10	SB-9 11/15/2010 10K0596-02 GRAB 15-18	SB-10 11/16/2010 10K0596-11 GRAB 0-6							
Volatile Organics (mg/kg)																	
1,1,1-Trichloroethane	0.68	100	500	0.0024	U	0.0021	U	0.0022	U	0.0021	U	0.0023	U	0.0024	U	0.0023	U
1,1,2,2-Tetrachloroethane	~	~	~	0.0015	U	0.0013	U	0.0013	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~	0.0015	U	0.0013	U	0.0014	U	0.0013	U	0.0015	U	0.0015	U	0.0015	U
1,1,2-Trichloroethane	~	~	~	0.0016	U	0.0014	U	0.0014	U	0.0014	U	0.0015	U	0.0015	U	0.0015	U
1,1-Dichloroethane	0.27	19	240	0.0018	U	0.0015	U	0.0016	U	0.0015	U	0.0017	U	0.0017	U	0.0017	U
1,1-Dichloroethylene	0.33	100	500	0.0034	U	0.003	U	0.003	U	0.003	U	0.0033	U	0.0033	U	0.0033	U
1,2,4-Trichlorobenzene	~	~	~	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U
1,2-Dibromo-3-chloropropane	~	~	~	0.0034	U	0.0029	U	0.003	U	0.003	U	0.0033	U	0.0033	U	0.0032	U
1,2-Dibromoethane	~	~	~	0.0017	U	0.0015	U	0.0015	U	0.0015	U	0.0017	U	0.0017	U	0.0017	U
1,2-Dichloroethane	0.02	2.3	30	0.0017	U	0.0014	U	0.0015	U	0.0015	U	0.0016	U	0.0016	U	0.0016	U
1,2-Dichloropropane	~	~	~	0.00057	U	0.00049	U	0.0005	U	0.00049	U	0.00054	U	0.00055	U	0.00054	U
2-Butanone	0.12	100	500	0.0066	U	0.0057	U	0.0059	U	0.0058	U	0.0064	U	0.0064	U	0.0063	U
2-Hexanone	~	~	~	0.0022	U	0.0019	U	0.002	U	0.0019	U	0.0021	U	0.0022	U	0.0021	U
4-Methyl-2-pentanone	~	~	~	0.0068	U	0.0059	U	0.006	U	0.0059	U	0.0065	U	0.0065	U	0.0065	U
Acetone	0.05	100	500	0.008	U	0.012	JD	0.011	JBD	0.064	BD	0.077	U	0.056	BD	0.076	U
Benzene	0.06	2.9	44	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U
Bromodichloromethane	~	~	~	0.0016	U	0.0014	U	0.0014	U	0.0014	U	0.0015	U	0.0015	U	0.0015	U
Bromoform	~	~	~	0.0015	U	0.0013	U	0.0013	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U
Bromomethane	~	~	~	0.0032	U	0.0028	U	0.0028	U	0.0028	U	0.0031	U	0.0031	U	0.003	U
Carbon disulfide	~	~	~	0.0016	U	0.0014	U	0.0015	U	0.0014	U	0.0016	U	0.0016	U	0.0016	U
Carbon tetrachloride	0.76	1.4	22	0.0027	U	0.0023	U	0.0024	U	0.0023	U	0.0026	U	0.0026	U	0.0026	U
Chlorobenzene	1.1	100	500	0.0009	U	0.00078	U	0.00079	U	0.00078	U	0.00086	U	0.00087	U	0.00086	U
Chloroethane	~	~	~	0.002	U	0.0017	U	0.0017	U	0.0017	U	0.0019	U	0.0019	U	0.0019	U
Chloroform	0.37	10	350	0.00093	U	0.0008	U	0.00082	U	0.00081	U	0.00089	U	0.00089	U	0.00088	U
Chloromethane	~	~	~	0.0023	U	0.002	U	0.002	U	0.002	U	0.0022	U	0.0022	U	0.0022	U
cis-1,2-Dichloroethylene	~	~	~	0.0025	U	0.0021	U	0.0022	U	0.0021	U	0.0024	U	0.0024	U	0.0024	U
cis-1,3-Dichloropropylene	~	~	~	0.0009	U	0.00078	U	0.00079	U	0.00078	U	0.00086	U	0.00087	U	0.00086	U
Dibromochloromethane	~	~	~	0.0017	U	0.0015	U	0.0015	U	0.0015	U	0.0016	U	0.0017	U	0.0016	U
Dichlorodifluoromethane	~	~	~	0.0021	U	0.0018	U	0.0019	U	0.0019	U	0.002	U	0.0021	U	0.002	U
Ethyl Benzene	1	30	390	0.0009	U	0.00078	U	0.00079	U	0.00078	U	0.00086	U	0.00087	U	0.00086	U
Methyl tert-butyl ether (MTBE)	0.93	62	500	0.00098	U	0.00084	U	0.00086	U	0.00085	U	0.00094	U	0.00094	U	0.00093	U
Methylene chloride	0.05	51	500	0.0055	JBD	0.0092	JBD	0.017	JBD	0.017	JBD	0.021	JBD	0.022	JBD	0.018	JBD
o-Xylene	~	~	~	0.0013	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U
p- & m- Xylenes	~	~	~	0.0014	U	0.0012	U	0.0012	U	0.0012	U	0.0014	U	0.0014	U	0.0013	U
Styrene	~	~	~	0.0011	U	0.00096	U	0.00098	U	0.00096	U	0.0011	U	0.0011	U	0.0011	U
Tetrachloroethylene	1.3	5.5	150	0.0013	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0013	U	0.0013	U
Toluene	0.7	100	500	0.00059	U	0.00051	U	0.00052	U	0.00051	U	0.00057	U	0.00057	U	0.00056	U
trans-1,2-Dichloroethylene	0.19	100	500	0.0017	U	0.0014	U	0.0015	U	0.0015	U	0.0016	U	0.0016	U	0.0016	U
trans-1,3-Dichloropropylene	~	~	~	0.0017	U	0.0015	U	0.0015	U	0.0015	U	0.0017	U	0.0017	U	0.0017	U
Trichloroethylene	0.47	10	200	0.0015	U	0.0013	U	0.0013	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U
Trichlorofluoromethane	~	~	~	0.0023	U	0.002	U	0.0021	U	0.002	U	0.0022	U	0.0023	U	0.0022	U
Vinyl Chloride	0.02	0.21	13	0.0025	U	0.0022	U	0.0022	U	0.0022	U	0.0024	U	0.0024	U	0.0024	U
Xylenes, Total	0.26	100	500	0.0027	U	0.0023	U	0.0024	U	0.0023	U	0.0026	U	0.0026	U	0.0026	U

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-10 11/16/2010 10K0636-01 GRAB 10 to 12	SB-11 11/15/2010 10K0596-05 GRAB 5 to 10	SB-11 11/15/2010 10K0596-06 GRAB 15-20	SB-12 11/16/2010 10K0596-09 GRAB 10-15	SB-12 11/16/2010 10K0596-10 GRAB 15-20	SB-13 11/16/2010 10K0596-07 GRAB 0-5	SB-13 11/16/2010 10K0596-08 GRAB 15-18					
Volatile Organics (mg/kg)															
1,1,1-Trichloroethane	0.68	100	500	0.0023	U	0.0022	U	0.0024	U	0.0021	U	0.0021	U	0.0021	U
1,1,2,2-Tetrachloroethane	~	~	~	0.0014	U	0.0013	U	0.0014	U	0.0013	U	0.0013	U	0.0013	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~	0.0014	U	0.0014	U	0.0015	U	0.0014	U	0.0013	U	0.0013	U
1,1,2-Trichloroethane	~	~	~	0.0015	U	0.0014	U	0.0015	U	0.0014	U	0.0014	U	0.0014	U
1,1-Dichloroethane	0.27	19	240	0.0017	U	0.0016	U	0.0017	U	0.0016	U	0.0015	U	0.0015	U
1,1-Dichloroethylene	0.33	100	500	0.0032	U	0.003	U	0.0034	U	0.0031	U	0.003	U	0.003	U
1,2,4-Trichlorobenzene	~	~	~	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U
1,2-Dibromo-3-chloropropane	~	~	~	0.0032	U	0.003	U	0.0033	U	0.0031	U	0.003	U	0.003	U
1,2-Dibromoethane	~	~	~	0.0016	U	0.0015	U	0.0017	U	0.0016	U	0.0015	U	0.0015	U
1,2-Dichloroethane	0.02	2.3	30	0.0016	U	0.0015	U	0.0016	U	0.0015	U	0.0015	U	0.0015	U
1,2-Dichloropropane	~	~	~	0.00053	U	0.0005	U	0.00056	U	0.00052	U	0.0005	U	0.00049	U
2-Butanone	0.12	100	500	0.0062	U	0.0059	U	0.0065	U	0.0061	U	0.0058	U	0.0058	U
2-Hexanone	~	~	~	0.0021	U	0.002	U	0.0022	U	0.0021	U	0.002	U	0.0019	U
4-Methyl-2-pentanone	~	~	~	0.0063	U	0.006	U	0.0067	U	0.0062	U	0.0059	U	0.0059	U
Acetone	0.05	100	500	0.014	JD	0.018	JBD	0.023	BD	0.018	JBD	0.017	JBD	0.0088	JBD
Benzene	0.06	2.9	44	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U
Bromodichloromethane	~	~	~	0.0015	U	0.0014	U	0.0016	U	0.0015	U	0.0014	U	0.0014	U
Bromoform	~	~	~	0.0014	U	0.0013	U	0.0015	U	0.0014	U	0.0013	U	0.0013	U
Bromomethane	~	~	~	0.003	U	0.0028	U	0.0031	U	0.0029	U	0.0028	U	0.0028	U
Carbon disulfide	~	~	~	0.0015	U	0.0015	U	0.0016	U	0.0015	U	0.0014	U	0.0014	U
Carbon tetrachloride	0.76	1.4	22	0.0025	U	0.0024	U	0.0026	U	0.0025	U	0.0023	U	0.0023	U
Chlorobenzene	1.1	100	500	0.00084	U	0.00079	U	0.00088	U	0.00083	U	0.00079	U	0.00079	U
Chloroethane	~	~	~	0.0018	U	0.0017	U	0.0019	U	0.0018	U	0.0017	U	0.0017	U
Chloroform	0.37	10	350	0.00087	U	0.00082	U	0.00091	U	0.00085	U	0.00081	U	0.00081	U
Chloromethane	~	~	~	0.0021	U	0.002	U	0.0023	U	0.0021	U	0.002	U	0.002	U
cis-1,2-Dichloroethylene	~	~	~	0.0023	U	0.0022	U	0.0024	U	0.0023	U	0.0022	U	0.0022	U
cis-1,3-Dichloropropylene	~	~	~	0.00084	U	0.00079	U	0.00088	U	0.00083	U	0.00079	U	0.00079	U
Dibromochloromethane	~	~	~	0.0016	U	0.0015	U	0.0017	U	0.0016	U	0.0015	U	0.0015	U
Dichlorodifluoromethane	~	~	~	0.002	U	0.0019	U	0.0021	U	0.002	U	0.0019	U	0.0019	U
Ethyl Benzene	1	30	390	0.00084	U	0.00079	U	0.00088	U	0.00083	U	0.00079	U	0.00079	U
Methyl tert-butyl ether (MTBE)	0.93	62	500	0.00091	U	0.00086	U	0.00096	U	0.0009	U	0.00086	U	0.00085	U
Methylene chloride	0.05	51	500	0.0081	JBD	0.018	JBD	0.021	JBD	0.02	JBD	0.016	JBD	0.016	JBD
o-Xylene	~	~	~	0.0012	U	0.0011	U	0.0013	U	0.0012	U	0.0011	U	0.0011	U
p- & m- Xylenes	~	~	~	0.0013	U	0.0012	U	0.0014	U	0.0013	U	0.0012	U	0.0012	U
Styrene	~	~	~	0.001	U	0.00098	U	0.0011	U	0.001	U	0.00097	U	0.00096	U
Tetrachloroethylene	1.3	5.5	150	0.0013	U	0.0012	U	0.0013	U	0.0012	U	0.0012	U	0.0012	U
Toluene	0.7	100	500	0.00055	U	0.00052	U	0.00058	U	0.00054	U	0.00052	U	0.00052	U
trans-1,2-Dichloroethylene	0.19	100	500	0.0016	U	0.0015	U	0.0016	U	0.0015	U	0.0015	U	0.0015	U
trans-1,3-Dichloropropylene	~	~	~	0.0016	U	0.0015	U	0.0017	U	0.0016	U	0.0015	U	0.0015	U
Trichloroethylene	0.47	10	200	0.0014	U	0.0013	U	0.0014	U	0.0013	U	0.0013	U	0.0013	U
Trichlorofluoromethane	~	~	~	0.0022	U	0.0021	U	0.0023	U	0.0021	U	0.002	U	0.002	U
Vinyl Chloride	0.02	0.21	13	0.0023	U	0.0022	U	0.0025	U	0.0023	U	0.0022	U	0.0022	U
Xylenes, Total	0.26	100	500	0.0025	U	0.0024	U	0.0027	U	0.0025	U	0.0024	U	0.0024	U

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-1 11/12/2010 10K0528-01 GRAB 6 to 9	SB-1 11/12/2010 10K0528-02 GRAB 16-18	SB-2 11/12/2010 10K0528-07 GRAB 5 to 9	SB-DUP2 10K0528-09 11/12/2010 GRAB	SB-2 11/12/2010 10K0528-19 GRAB 15-16	SB-3 11/12/2010 10K0528-05 GRAB 5 to 7	SB-3 11/12/2010 10K0528-06 GRAB 15-18							
Semi-Volatiles (mg/kg)																	
1,2,4-Trichlorobenzene	~	~	~	0.0985	U	0.093	U	0.0954	U	0.105	U	0.0993	U	0.104	U	0.0944	U
1,2-Dichlorobenzene	1.1	100	500	0.079	U	0.0746	U	0.0766	U	0.0844	U	0.0797	U	0.0831	U	0.0757	U
1,3-Dichlorobenzene	2.4	17	280	0.086	U	0.0812	U	0.0834	U	0.0919	U	0.0868	U	0.0905	U	0.0824	U
1,4-Dichlorobenzene	1.8	9.8	130	0.0619	U	0.0585	U	0.06	U	0.0662	U	0.0625	U	0.0651	U	0.0594	U
2,4,5-Trichlorophenol	~	~	~	0.0491	U	0.0464	U	0.0476	U	0.0525	U	0.0495	U	0.0517	U	0.0471	U
2,4,6-Trichlorophenol	~	~	~	0.0883	U	0.0834	U	0.0856	U	0.0944	U	0.0891	U	0.0929	U	0.0847	U
2,4-Dichlorophenol	~	~	~	0.0738	U	0.0697	U	0.0715	U	0.0788	U	0.0744	U	0.0776	U	0.0707	U
2,4-Dimethylphenol	~	~	~	0.0579	U	0.0547	U	0.0561	U	0.0619	U	0.0584	U	0.0609	U	0.0555	U
2,4-Dinitrophenol	~	~	~	0.152	U	0.143	U	0.147	U	0.162	U	0.163	U	0.16	U	0.145	U
2,4-Dinitrotoluene	~	~	~	0.079	U	0.0746	U	0.0766	U	0.0844	U	0.0797	U	0.0831	U	0.0757	U
2,6-Dinitrotoluene	~	~	~	0.086	U	0.0812	U	0.0834	U	0.0919	U	0.0868	U	0.0905	U	0.0824	U
2-Chloronaphthalene	~	~	~	0.0551	U	0.0521	U	0.0534	U	0.0589	U	0.0556	U	0.058	U	0.0529	U
2-Chlorophenol	~	~	~	0.105	U	0.0993	U	0.102	U	0.112	U	0.106	U	0.111	U	0.101	U
2-Methylnaphthalene	~	~	~	0.0629	U	0.0594	U	0.061	U	0.0672	U	0.0635	U	0.0662	U	0.0603	U
2-Methylphenol	0.33	100	500	0.0664	U	0.0627	U	0.0644	U	0.071	U	0.067	U	0.0699	U	0.0637	U
2-Nitroaniline	~	~	~	0.0938	U	0.0886	U	0.0909	U	0.1	U	0.0946	U	0.0986	U	0.0899	U
2-Nitrophenol	~	~	~	0.0619	U	0.0585	U	0.06	U	0.0662	U	0.0625	U	0.0651	U	0.0594	U
3,3'-Dichlorobenzidine	~	~	~	0.0455	U	0.043	U	0.0441	U	0.0486	U	0.0459	U	0.0478	U	0.0436	U
3-Nitroaniline	~	~	~	0.0655	U	0.0618	U	0.0635	U	0.0699	U	0.066	U	0.0689	U	0.0628	U
4,6-Dinitro-2-methylphenol	~	~	~	0.137	U	0.129	U	0.132	U	0.146	U	0.138	U	0.144	U	0.131	U
4-Bromophenyl phenyl ether	~	~	~	0.0753	U	0.0711	U	0.073	U	0.0805	U	0.076	U	0.0792	U	0.0722	U
4-Chloro-3-methylphenol	~	~	~	0.0195	U	0.0184	U	0.0189	U	0.0208	U	0.0196	U	0.0205	U	0.0187	U
4-Chloroaniline	~	~	~	0.0713	U	0.0673	U	0.0691	U	0.0762	U	0.0719	U	0.075	U	0.0684	U
4-Chlorophenyl phenyl ether	~	~	~	0.0521	U	0.0492	U	0.0505	U	0.0556	U	0.0525	U	0.0547	U	0.0499	U
4-Methylphenol	0.33	34	500	0.0812	U	0.0767	U	0.0787	U	0.0868	U	0.082	U	0.0854	U	0.0779	U
4-Nitroaniline	~	~	~	0.06	U	0.0566	U	0.0581	U	0.0641	U	0.0605	U	0.0631	U	0.0575	U
4-Nitrophenol	~	~	~	0.0653	U	0.0617	U	0.0633	U	0.0698	U	0.0659	U	0.0687	U	0.0626	U
Acenaphthene	20	100	500	0.105	U	0.0988	U	0.101	U	0.112	U	0.106	U	0.11	U	0.1	U
Acenaphthylene	100	100	500	0.0506	U	0.0478	U	0.049	U	0.054	U	0.051	U	0.0532	U	0.0485	U
Anthracene	100	100	500	0.0451	J	0.0423	U	0.0434	U	0.0478	U	0.0452	U	0.0471	U	0.0429	U
Benzo(a)anthracene	1	1	5.6	0.166	J	0.066	U	0.0677	U	0.0746	U	0.0705	U	0.0836	J	0.067	U
Benzo(a)pyrene	1	1	1	0.124	J	0.0445	U	0.0456	U	0.0503	U	0.0475	U	0.0858	J	0.0451	U
Benzo(b)fluoranthene	1	1	5.6	0.21	U	0.0649	U	0.0666	U	0.0734	U	0.0693	U	0.101	J	0.0659	U
Benzo(g,h,i)perylene	100	100	500	0.0543	U	0.0513	U	0.0526	U	0.058	U	0.0548	U	0.0571	U	0.052	U
Benzo(k)fluoranthene	0.8	1	56	0.153	J	0.066	U	0.0678	U	0.0747	U	0.0705	U	0.0735	U	0.067	U
Benzoic acid	~	~	~	0.124	U	0.117	U	0.12	U	0.132	U	0.125	U	0.13	U	0.118	U
Benzyl alcohol	~	~	~	0.0585	U	0.0552	U	0.0567	U	0.0624	U	0.059	U	0.0615	U	0.056	U
Benzyl butyl phthalate	~	~	~	0.0753	U	0.0711	U	0.073	U	0.0805	U	0.076	U	0.0792	U	0.0722	U
Bis(2-chloroethoxy)methane	~	~	~	0.0666	U	0.0629	U	0.0645	U	0.0711	U	0.0672	U	0.07	U	0.0638	U
Bis(2-chloroethyl)ether	~	~	~	0.0613	U	0.0579	U	0.0594	U	0.0655	U	0.0619	U	0.0645	U	0.0588	U
Bis(2-chloroisopropyl)ether	~	~	~	0.0671	U	0.0633	U	0.065	U	0.0717	U	0.0677	U	0.0705	U	0.0643	U
Bis(2-ethylhexyl)phthalate	~	~	~	0.0605	U	0.0571	U	0.0586	U	0.0646	U	0.061	U	0.0636	U	0.058	U
Chrysene	1	1	56	0.165	J	0.0687	U	0.0705	U	0.0777	U	0.0734	U	0.0836	J	0.0698	U
Di-n-butyl phthalate	~	~	~	0.0539	U	0.0509	U	0.0523	U	0.0576	U	0.0544	U	0.0567	U	0.0517	U
Di-n-octyl phthalate	~	~	~	0.0812	U	0.0767	U	0.0787	U	0.0868	U	0.082	U	0.0854	U	0.0779	U
Dibenzo(a,h)anthracene	0.33	0.33	0.56	0.0456	U	0.0431	U	0.0442	U	0.0488	U	0.046	U	0.048	U	0.0437	U
Dibenzofuran	~	~	~	0.0583	U	0.055	U	0.0565	U	0.0623	U	0.0588	U	0.0613	U	0.0559	U
Diethyl phthalate	~	~	~	0.0948	U	0.0895	U	0.0919	U	0.101	U	0.0956	U	0.0997	U	0.0909	U
Dimethyl phthalate	~	~	~	0.0521	U	0.0492	U	0.0505	U	0.0556	U	0.0525	U	0.0547	U	0.0499	U
Fluoranthene	100	100	500	0.395	U	0.0988	U	0.101	U	0.112	U	0.106	U	0.177	J	0.1	U
Fluorene	30	100	500	0.0506	U	0.0478	U	0.049	U	0.054	U	0.051	U	0.0532	U	0.0485	U
Hexachlorobenzene	0.33	0.33	0.33	0.0294	U	0.0278	U	0.0285	U	0.0314	U	0.0297	U	0.0309	U	0.0282	U
Hexachlorobutadiene	~	~	~	0.0723	U	0.0682	U	0.07	U	0.0772	U	0.0729	U	0.076	U	0.0693	U
Hexachlorocyclopentadiene	~	~	~	0.134	U	0.127	U	0.13	U	0.143	U	0.136	U	0.141	U	0.129	U
Hexachloroethane	~	~	~	0.065	U	0.0613	U	0.063	U	0.0694	U	0.0655	U	0.0683	U	0.0623	U
Indeno(1,2,3-cd)pyrene	0.5	0.5	5.6	0.0666	U	0.0629	U	0.0645	U	0.0711	U	0.0672	U	0.07	U	0.0638	U
Isophorone	~	~	~	0.0671	U	0.0633	U	0.065	U	0.0717	U	0.0677	U	0.0705	U	0.0643	U
N-nitroso-di-n-propylamine	~	~	~	0.0471	U	0.0445	U	0.0457	U	0.0504	U	0.0476	U	0.0496	U	0.0452	U
N-Nitrosodiphenylamine	~	~	~	0.105	U	0.0988	U	0.101	U	0.112	U	0.106	U	0.11	U	0.1	U
Naphthalene	12	100	500	0.0539	U	0.0509	U	0.0523	U	0.0576	U	0.0544	U	0.0567	U	0.0517	U
Nitrobenzene	~	~	~	0.0812	U	0.0767	U	0.0787	U	0.0868	U	0.082	U	0.0854	U	0.0779	U
Pentachlorophenol	0.8	2.4	6.7	0.0506	U	0.0478	U	0.049	U	0.054	U	0.051	U	0.0532	U	0.0485	U
Phenanthrene	100	100	500	0.38	U	0.0629	U	0.0646	U	0.0712	U	0.0672	U	0.0896	J	0.0639	U
Phenol	0.33	100	500	0.0723	U	0.0682	U	0.07	U	0.0772	U	0.0729	U	0.076	U	0.0693	U
Pyrene	100	100	500	0.401	U	0.0612	U	0.0628	U	0.0692	U	0.0654	U	0.148	J	0.0621	U
B(a)P Equivalents				0.21704		0.108327		0.11563		0.122534		0.115639		0.160831		0.109838	

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-4 11/12/2010 10K0528-03 GRAB 0-3	SB-DUP1 10K0528-08 11/12/2010 GRAB	SB-4 11/12/2010 10K0528-04 GRAB 15-18	SB-5 11/13/2010 10K0528-17 GRAB 10 to 13	SB-5 11/13/2010 10K0528-18 GRAB 17-18	SB-6 11/13/2010 10K0528-15 GRAB 5 to 7	SB-6 11/13/2010 10K0528-16 GRAB 18-20					
Semi-Volatiles (mg/kg)															
1,2,4-Trichlorobenzene	~	~	~	0.106	U	0.107	U	0.0939	U	0.102	U	0.109	U	0.096	U
1,2-Dichlorobenzene	1.1	100	500	0.0851	U	0.0855	U	0.0754	U	0.0773	U	0.0819	U	0.0877	U
1,3-Dichlorobenzene	2.4	17	280	0.0927	U	0.0931	U	0.0821	U	0.0842	U	0.0891	U	0.0955	U
1,4-Dichlorobenzene	1.8	9.8	130	0.0667	U	0.067	U	0.0591	U	0.0606	U	0.0642	U	0.0687	U
2,4,5-Trichlorophenol	~	~	~	0.0529	U	0.0532	U	0.0469	U	0.0481	U	0.0509	U	0.0545	U
2,4,6-Trichlorophenol	~	~	~	0.0952	U	0.0956	U	0.0843	U	0.0865	U	0.0915	U	0.098	U
2,4-Dichlorophenol	~	~	~	0.0795	U	0.0798	U	0.0704	U	0.0722	U	0.0764	U	0.0819	U
2,4-Dimethylphenol	~	~	~	0.0624	U	0.0627	U	0.0553	U	0.0567	U	0.06	U	0.0643	U
2,4-Dinitrophenol	~	~	~	0.163	U	0.164	U	0.145	U	0.148	U	0.157	U	0.168	U
2,4-Dinitrotoluene	~	~	~	0.0851	U	0.0855	U	0.0754	U	0.0773	U	0.0819	U	0.0877	U
2,6-Dinitrotoluene	~	~	~	0.0927	U	0.0931	U	0.0821	U	0.0842	U	0.0891	U	0.0955	U
2-Chloronaphthalene	~	~	~	0.0594	U	0.0597	U	0.0526	U	0.054	U	0.0571	U	0.0612	U
2-Chlorophenol	~	~	~	0.113	U	0.114	U	0.1	U	0.103	U	0.109	U	0.117	U
2-Methylnaphthalene	~	~	~	0.0678	U	0.0681	U	0.06	U	0.0616	U	0.0652	U	0.0698	U
2-Methylphenol	0.33	100	500	0.0716	U	0.0719	U	0.0634	U	0.065	U	0.0688	U	0.0737	U
2-Nitroaniline	~	~	~	0.101	U	0.101	U	0.0895	U	0.0918	U	0.0971	U	0.104	U
2-Nitrophenol	~	~	~	0.0667	U	0.067	U	0.0591	U	0.0606	U	0.0642	U	0.0687	U
3,3'-Dichlorobenzidine	~	~	~	0.049	U	0.0492	U	0.0434	U	0.0445	U	0.0471	U	0.0505	U
3-Nitroaniline	~	~	~	0.0706	U	0.0709	U	0.0625	U	0.0641	U	0.0678	U	0.0727	U
4,6-Dinitro-2-methylphenol	~	~	~	0.147	U	0.148	U	0.13	U	0.134	U	0.141	U	0.151	U
4-Bromophenyl phenyl ether	~	~	~	0.0812	U	0.0815	U	0.0718	U	0.0737	U	0.078	U	0.0836	U
4-Chloro-3-methylphenol	~	~	~	0.021	U	0.0211	U	0.0186	U	0.019	U	0.0202	U	0.0216	U
4-Chloroaniline	~	~	~	0.0768	U	0.0772	U	0.068	U	0.0698	U	0.0739	U	0.0791	U
4-Chlorophenyl phenyl ether	~	~	~	0.0561	U	0.0563	U	0.0497	U	0.0509	U	0.0539	U	0.0578	U
4-Methylphenol	0.33	34	500	0.0875	U	0.0879	U	0.0775	U	0.0795	U	0.0842	U	0.0902	U
4-Nitroaniline	~	~	~	0.0646	U	0.0649	U	0.0572	U	0.0587	U	0.0621	U	0.0665	U
4-Nitrophenol	~	~	~	0.0704	U	0.0707	U	0.0623	U	0.0639	U	0.0677	U	0.0725	U
Acenaphthene	20	100	500	0.113	U	0.113	U	0.0998	U	0.102	U	0.108	U	0.116	U
Acenaphthylene	100	100	500	0.0545	U	0.0548	U	0.0483	U	0.0495	U	0.0524	U	0.0562	U
Anthracene	100	100	500	0.0681	J	0.0485	U	0.0427	U	0.0438	U	0.0464	U	0.0497	U
Benzo(a)anthracene	1	1	5.6	0.23	U	0.129	J	0.0666	U	0.0684	U	0.0724	U	0.0775	U
Benzo(a)pyrene	1	1	1	0.193	J	0.133	J	0.0449	U	0.0461	U	0.0488	J	0.0789	J
Benzo(b)fluoranthene	1	1	5.6	0.216	U	0.143	J	0.0656	U	0.0672	U	0.0712	U	0.113	J
Benzo(g,h,i)perylene	100	100	500	0.0585	U	0.0588	U	0.0518	U	0.0531	U	0.0562	U	0.0602	U
Benzo(k)fluoranthene	0.8	1	56	0.222	U	0.197	U	0.0667	U	0.0684	U	0.0724	U	0.115	J
Benzoic acid	~	~	~	0.133	U	0.134	U	0.118	U	0.121	U	0.128	U	0.137	U
Benzyl alcohol	~	~	~	0.063	U	0.0633	U	0.0558	U	0.0572	U	0.0605	U	0.0649	U
Benzyl butyl phthalate	~	~	~	0.0812	U	0.0815	U	0.0719	U	0.0737	U	0.078	U	0.0836	U
Bis(2-chloroethoxy)methane	~	~	~	0.0717	U	0.0721	U	0.0635	U	0.0652	U	0.069	U	0.0739	U
Bis(2-chloroethyl)ether	~	~	~	0.0661	U	0.0664	U	0.0585	U	0.06	U	0.0635	U	0.0681	U
Bis(2-chloroisopropyl)ether	~	~	~	0.0723	U	0.0726	U	0.064	U	0.0656	U	0.0695	U	0.0744	U
Bis(2-ethylhexyl)phthalate	~	~	~	0.157	J	0.131	J	0.0577	U	0.0592	U	0.0626	U	0.0671	U
Chrysene	1	1	56	0.212	U	0.136	J	0.0694	U	0.0712	U	0.0754	U	0.0808	U
Di-n-butyl phthalate	~	~	~	0.0581	U	0.0584	U	0.0515	U	0.0528	U	0.0559	U	0.0599	U
Di-n-octyl phthalate	~	~	~	0.0875	U	0.0879	U	0.0775	U	0.0795	U	0.0842	U	0.0902	U
Dibenzo(a,h)anthracene	0.33	0.33	0.56	0.0492	U	0.0494	U	0.0435	U	0.0447	U	0.0473	U	0.0506	U
Dibenzofuran	~	~	~	0.0628	U	0.0631	U	0.0556	U	0.057	U	0.0604	U	0.0647	U
Diethyl phthalate	~	~	~	0.102	U	0.103	U	0.0904	U	0.0928	U	0.0982	U	0.105	U
Dimethyl phthalate	~	~	~	0.0561	U	0.0563	U	0.0497	U	0.0509	U	0.0539	U	0.0578	U
Fluoranthene	100	100	500	0.583	U	0.319	U	0.0998	U	0.102	U	0.108	U	0.116	U
Fluorene	30	100	500	0.0545	U	0.0548	U	0.0483	U	0.0495	U	0.0524	U	0.0562	U
Hexachlorobenzene	0.33	0.33	0.33	0.0317	U	0.0319	U	0.0281	U	0.0288	U	0.0305	U	0.0327	U
Hexachlorobutadiene	~	~	~	0.0779	U	0.0782	U	0.0689	U	0.0707	U	0.0748	U	0.0802	U
Hexachlorocyclopentadiene	~	~	~	0.145	U	0.145	U	0.128	U	0.131	U	0.139	U	0.149	U
Hexachloroethane	~	~	~	0.07	U	0.0703	U	0.062	U	0.0636	U	0.0673	U	0.0721	U
Indeno(1,2,3-cd)pyrene	0.5	0.5	5.6	0.0717	U	0.0721	U	0.0635	U	0.0652	U	0.069	U	0.0739	U
Isophorone	~	~	~	0.0723	U	0.0726	U	0.064	U	0.0656	U	0.0695	U	0.0744	U
N-nitroso-di-n-propylamine	~	~	~	0.0508	U	0.051	U	0.045	U	0.0461	U	0.0488	U	0.0523	U
N-Nitrosodiphenylamine	~	~	~	0.113	U	0.113	U	0.0998	U	0.102	U	0.108	U	0.116	U
Naphthalene	12	100	500	0.0581	U	0.0584	U	0.0515	U	0.0528	U	0.0559	U	0.0599	U
Nitrobenzene	~	~	~	0.0875	U	0.0879	U	0.0775	U	0.0795	U	0.0842	U	0.0902	U
Pentachlorophenol	0.8	2.4	6.7	0.0545	U	0.0548	U	0.0483	U	0.0495	U	0.0524	U	0.0562	U
Phenanthrene	100	100	500	0.523	U	0.258	U	0.0636	U	0.0652	U	0.069	U	0.0739	U
Phenol	0.33	100	500	0.0779	U	0.0782	U	0.0689	U	0.0707	U	0.0749	U	0.0802	U
Pyrene	100	100	500	0.488	U	0.3	U	0.0618	U	0.0634	U	0.0671	U	0.0942	J
B(a)P Equivalents				0.29831		0.22014		0.109331		0.112276		0.118838		0.157898	0.111792

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-7 11/13/2010 10K0528-13 GRAB 0-4	SB-7 11/13/2010 10K0528-14 GRAB 14-15	SB-8 11/15/2010 10K0596-03 GRAB 10 to 12	SB-8 11/15/2010 10K0596-04 GRAB 15-17	SB-9 11/15/2010 10K0596-01 GRAB 0-10	SB-9 11/15/2010 10K0596-02 GRAB 15-18	SB-10 11/16/2010 10K0596-11 GRAB 0-6							
Semi-Volatiles (mg/kg)																	
1,2,4-Trichlorobenzene	~	~	~	0.108	U	0.0936	U	0.0955	U	0.0941	U	0.104	U	0.104	U	0.103	U
1,2-Dichlorobenzene	1.1	100	500	0.0868	U	0.0751	U	0.0766	U	0.0755	U	0.0832	U	0.0837	U	0.0828	U
1,3-Dichlorobenzene	2.4	17	280	0.0945	U	0.0817	U	0.0834	U	0.0822	U	0.0905	U	0.0911	U	0.0902	U
1,4-Dichlorobenzene	1.8	9.8	130	0.0681	U	0.0589	U	0.06	U	0.0592	U	0.0652	U	0.0656	U	0.0649	U
2,4,5-Trichlorophenol	~	~	~	0.054	U	0.0467	U	0.0476	U	0.047	U	0.0517	U	0.052	U	0.0515	U
2,4,6-Trichlorophenol	~	~	~	0.0971	U	0.0839	U	0.0856	U	0.0845	U	0.093	U	0.0936	U	0.0926	U
2,4-Dichlorophenol	~	~	~	0.0811	U	0.0701	U	0.0715	U	0.0705	U	0.0776	U	0.0782	U	0.0773	U
2,4-Dimethylphenol	~	~	~	0.0636	U	0.055	U	0.0561	U	0.0554	U	0.0609	U	0.0614	U	0.0607	U
2,4-Dinitrophenol	~	~	~	0.167	U	0.144	U	0.147	U	0.145	U	0.16	U	0.161	U	0.159	U
2,4-Dinitrotoluene	~	~	~	0.0868	U	0.0751	U	0.0766	U	0.0755	U	0.0832	U	0.0837	U	0.0828	U
2,6-Dinitrotoluene	~	~	~	0.0945	U	0.0817	U	0.0834	U	0.0822	U	0.0905	U	0.0911	U	0.0902	U
2-Chloronaphthalene	~	~	~	0.0606	U	0.0524	U	0.0534	U	0.0527	U	0.058	U	0.0584	U	0.0578	U
2-Chlorophenol	~	~	~	0.116	U	0.0999	U	0.102	U	0.101	U	0.111	U	0.111	U	0.11	U
2-Methylnaphthalene	~	~	~	0.0691	U	0.0598	U	0.061	U	0.0601	U	0.0662	U	0.0666	U	0.0659	U
2-Methylphenol	0.33	100	500	0.073	U	0.0631	U	0.0644	U	0.0635	U	0.0699	U	0.0704	U	0.0696	U
2-Nitroaniline	~	~	~	0.103	U	0.0891	U	0.0909	U	0.0897	U	0.0987	U	0.0994	U	0.0983	U
2-Nitrophenol	~	~	~	0.0681	U	0.0589	U	0.06	U	0.0592	U	0.0652	U	0.0656	U	0.0649	U
3,3'-Dichlorobenzidine	~	~	~	0.05	U	0.0432	U	0.0441	U	0.0435	U	0.0479	U	0.0482	U	0.0477	U
3-Nitroaniline	~	~	~	0.0719	U	0.0622	U	0.0635	U	0.0626	U	0.0689	U	0.0694	U	0.0686	U
4,6-Dinitro-2-methylphenol	~	~	~	0.15	U	0.13	U	0.132	U	0.13	U	0.144	U	0.145	U	0.143	U
4-Bromophenyl phenyl ether	~	~	~	0.0827	U	0.0716	U	0.073	U	0.072	U	0.0792	U	0.0798	U	0.079	U
4-Chloro-3-methylphenol	~	~	~	0.0214	U	0.0185	U	0.0189	U	0.0186	U	0.0205	U	0.0206	U	0.0204	U
4-Chloroaniline	~	~	~	0.0783	U	0.0678	U	0.0691	U	0.0682	U	0.075	U	0.0756	U	0.0748	U
4-Chlorophenyl phenyl ether	~	~	~	0.0572	U	0.0495	U	0.0505	U	0.0498	U	0.0548	U	0.0552	U	0.0546	U
4-Methylphenol	0.33	34	500	0.0893	U	0.0772	U	0.0787	U	0.0777	U	0.0855	U	0.0861	U	0.0852	U
4-Nitroaniline	~	~	~	0.0659	U	0.057	U	0.0581	U	0.0573	U	0.0631	U	0.0635	U	0.0629	U
4-Nitrophenol	~	~	~	0.0718	U	0.0621	U	0.0633	U	0.0624	U	0.0687	U	0.0692	U	0.0685	U
Acenaphthene	20	100	500	0.115	U	0.0994	U	0.101	U	0.1	U	0.11	U	0.111	U	0.11	U
Acenaphthylene	100	100	500	0.0556	U	0.0481	U	0.049	U	0.0484	U	0.0532	U	0.0536	U	0.053	U
Anthracene	100	100	500	0.0492	U	0.0425	U	0.0434	U	0.0428	U	0.0471	U	0.0517	J	0.0469	U
Benzo(a)anthracene	1	1	5.6	0.245	U	0.0664	U	0.0677	U	0.0668	U	0.0863	J	0.163	J	0.246	U
Benzo(a)pyrene	1	1	1	0.298	U	0.0447	U	0.0456	U	0.045	U	0.117	J	0.166	J	0.29	U
Benzo(b)fluoranthene	1	1	5.6	0.381	U	0.0653	U	0.0666	U	0.0657	U	0.149	J	0.171	J	0.334	U
Benzo(g,h,i)perylene	100	100	500	0.0596	U	0.0516	U	0.0526	U	0.0519	U	0.0874	J	0.105	J	0.0569	U
Benzo(k)fluoranthene	0.8	1	56	0.514	U	0.0664	U	0.0678	U	0.0668	U	0.109	J	0.142	J	0.263	U
Benzoic acid	~	~	~	0.136	U	0.117	U	0.12	U	0.118	U	0.13	U	0.131	U	0.129	U
Benzyl alcohol	~	~	~	0.0642	U	0.0555	U	0.0567	U	0.0559	U	0.0615	U	0.0619	U	0.0613	U
Benzyl butyl phthalate	~	~	~	0.0828	U	0.0716	U	0.073	U	0.072	U	0.0793	U	0.0798	U	0.079	U
Bis(2-chloroethoxy)methane	~	~	~	0.0732	U	0.0633	U	0.0645	U	0.0637	U	0.0701	U	0.0706	U	0.0698	U
Bis(2-chloroethyl)ether	~	~	~	0.0674	U	0.0583	U	0.0594	U	0.0586	U	0.0645	U	0.065	U	0.0643	U
Bis(2-chloroisopropyl)ether	~	~	~	0.0737	U	0.0637	U	0.065	U	0.0641	U	0.0706	U	0.0711	U	0.0703	U
Bis(2-ethylhexyl)phthalate	~	~	~	0.0664	U	0.0575	U	0.0586	U	0.0578	U	0.0636	U	0.0641	U	0.411	U
Chrysene	1	1	56	0.243	U	0.0692	U	0.0705	U	0.0696	U	0.113	J	0.181	J	0.287	U
Di-n-butyl phthalate	~	~	~	0.0593	U	0.0513	U	0.0523	U	0.0516	U	0.0568	U	0.0572	U	0.0565	U
Di-n-octyl phthalate	~	~	~	0.0893	U	0.0772	U	0.0787	U	0.0777	U	0.0855	U	0.0861	U	0.0852	U
Dibenzo(a,h)anthracene	0.33	0.33	0.56	0.0501	U	0.0434	U	0.0442	U	0.0436	U	0.048	U	0.0484	U	0.0478	U
Dibenzofuran	~	~	~	0.064	U	0.0554	U	0.0565	U	0.0557	U	0.0613	U	0.0618	U	0.0611	U
Diethyl phthalate	~	~	~	0.104	U	0.0901	U	0.0919	U	0.0906	U	0.0997	U	0.1	U	0.0994	U
Dimethyl phthalate	~	~	~	0.0572	U	0.0495	U	0.0505	U	0.138	J	0.0548	U	0.0552	U	0.0546	U
Fluoranthene	100	100	500	0.567	U	0.0994	U	0.101	U	0.1	U	0.139	J	0.293	J	0.604	U
Fluorene	30	100	500	0.0556	U	0.0481	U	0.049	U	0.0484	U	0.0532	U	0.0536	U	0.053	U
Hexachlorobenzene	0.33	0.33	0.33	0.0323	U	0.028	U	0.0285	U	0.0281	U	0.031	U	0.0312	U	0.0308	U
Hexachlorobutadiene	~	~	~	0.0794	U	0.0687	U	0.07	U	0.0691	U	0.076	U	0.0766	U	0.0757	U
Hexachlorocyclopentadiene	~	~	~	0.148	U	0.128	U	0.13	U	0.128	U	0.141	U	0.142	U	0.141	U
Hexachloroethane	~	~	~	0.0714	U	0.0617	U	0.063	U	0.0621	U	0.0684	U	0.0688	U	0.0681	U
Indeno(1,2,3-cd)pyrene	0.5	0.5	5.6	0.0732	U	0.0633	U	0.0645	U	0.0637	U	0.0847	J	0.0706	U	0.0772	J
Isophorone	~	~	~	0.0737	U	0.0637	U	0.065	U	0.0641	U	0.0706	U	0.0711	U	0.0703	U
N-nitroso-di-n-propylamine	~	~	~	0.0518	U	0.0448	U	0.0457	U	0.0451	U	0.0496	U	0.0499	U	0.0494	U
N-Nitrosodiphenylamine	~	~	~	0.115	U	0.0994	U	0.101	U	0.1	U	0.11	U	0.111	U	0.11	U
Naphthalene	12	100	500	0.0593	U	0.0513	U	0.0523	U	0.0516	U	0.0568	U	0.0572	U	0.0565	U
Nitrobenzene	~	~	~	0.0893	U	0.0772	U	0.0787	U	0.0777	U	0.0855	U	0.0861	U	0.0852	U
Pentachlorophenol	0.8	2.4	6.7	0.0556	U	0.0481	U	0.049	U	0.0484	U	0.0532	U	0.0536	U	0.053	U
Phenanthrene	100	100	500	0.229	U	0.0633	U	0.0646	U	0.0637	U	0.0718	J	0.252	J	0.297	U
Phenol	0.33	100	500	0.0794	U	0.0687	U	0.07	U	0.0691	U	0.076	U	0.0766	U	0.0757	U
Pyrene	100	100	500	0.455	U	0.0616	U	0.0628	U	0.0619	U	0.159	J	0.371	J	0.508	U
B(a)P Equivalents				0.42559		0.108956		0.111063		0.109584		0.19922		0.25809		0.40902	

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-10 11/16/2010 10K0636-01 GRAB 10 to 12	SB-11 11/15/2010 10K0596-05 GRAB 5 to 10	SB-11 11/15/2010 10K0596-06 GRAB 15-20	SB-12 11/16/2010 10K0596-09 GRAB 10-15	SB-12 11/16/2010 10K0596-10 GRAB 15-20	SB-13 11/16/2010 10K0596-07 GRAB 0-5	SB-13 11/16/2010 10K0596-08 GRAB 15-18							
Semi-Volatiles (mg/kg)																	
1,2,4-Trichlorobenzene	~	~	~	0.101	U	0.0955	U	0.106	U	0.0993	U	0.095	U	0.0943	U	0.0944	U
1,2-Dichlorobenzene	1.1	100	500	0.0813	U	0.0766	U	0.0854	U	0.0796	U	0.0762	U	0.0757	U	0.0758	U
1,3-Dichlorobenzene	2.4	17	280	0.0885	U	0.0834	U	0.0929	U	0.0867	U	0.0829	U	0.0823	U	0.0825	U
1,4-Dichlorobenzene	1.8	9.8	130	0.0637	U	0.0601	U	0.0669	U	0.0624	U	0.0597	U	0.0593	U	0.0594	U
2,4,5-Trichlorophenol	~	~	~	0.0505	U	0.0476	U	0.0531	U	0.0495	U	0.0474	U	0.047	U	0.0471	U
2,4,6-Trichlorophenol	~	~	~	0.0909	U	0.0857	U	0.0955	U	0.089	U	0.0852	U	0.0846	U	0.0847	U
2,4-Dichlorophenol	~	~	~	0.0759	U	0.0715	U	0.0797	U	0.0744	U	0.0711	U	0.0706	U	0.0707	U
2,4-Dimethylphenol	~	~	~	0.0596	U	0.0562	U	0.0626	U	0.0584	U	0.0559	U	0.0554	U	0.0555	U
2,4-Dinitrophenol	~	~	~	0.156	U	0.147	U	0.164	U	0.153	U	0.146	U	0.145	U	0.145	U
2,4-Dinitrotoluene	~	~	~	0.0813	U	0.0766	U	0.0854	U	0.0796	U	0.0762	U	0.0757	U	0.0758	U
2,6-Dinitrotoluene	~	~	~	0.0885	U	0.0834	U	0.0929	U	0.0867	U	0.0829	U	0.0823	U	0.0825	U
2-Chloronaphthalene	~	~	~	0.0567	U	0.0535	U	0.0596	U	0.0556	U	0.0532	U	0.0528	U	0.0529	U
2-Chlorophenol	~	~	~	0.108	U	0.102	U	0.114	U	0.106	U	0.101	U	0.101	U	0.101	U
2-Methylnaphthalene	~	~	~	0.0647	U	0.061	U	0.068	U	0.0634	U	0.0607	U	0.0602	U	0.0603	U
2-Methylphenol	0.33	100	500	0.0683	U	0.0644	U	0.0718	U	0.067	U	0.0641	U	0.0636	U	0.0637	U
2-Nitroaniline	~	~	~	0.0965	U	0.0909	U	0.101	U	0.0945	U	0.0904	U	0.0898	U	0.0899	U
2-Nitrophenol	~	~	~	0.0637	U	0.0601	U	0.0669	U	0.0624	U	0.0597	U	0.0593	U	0.0594	U
3,3'-Dichlorobenzidine	~	~	~	0.0468	U	0.0441	U	0.0492	U	0.0459	U	0.0439	U	0.0436	U	0.0436	U
3-Nitroaniline	~	~	~	0.0674	U	0.0635	U	0.0707	U	0.066	U	0.0631	U	0.0627	U	0.0628	U
4,6-Dinitro-2-methylphenol	~	~	~	0.14	U	0.132	U	0.147	U	0.138	U	0.132	U	0.131	U	0.131	U
4-Bromophenyl phenyl ether	~	~	~	0.0775	U	0.073	U	0.0814	U	0.0759	U	0.0726	U	0.0721	U	0.0722	U
4-Chloro-3-methylphenol	~	~	~	0.02	U	0.0189	U	0.021	U	0.0196	U	0.0188	U	0.0186	U	0.0187	U
4-Chloroaniline	~	~	~	0.0734	U	0.0692	U	0.077	U	0.0719	U	0.0688	U	0.0683	U	0.0684	U
4-Chlorophenyl phenyl ether	~	~	~	0.0535	U	0.0505	U	0.0562	U	0.0525	U	0.0502	U	0.0498	U	0.0499	U
4-Methylphenol	0.33	34	500	0.0836	U	0.0788	U	0.0878	U	0.0819	U	0.0784	U	0.0778	U	0.0779	U
4-Nitroaniline	~	~	~	0.0617	U	0.0582	U	0.0648	U	0.0604	U	0.0578	U	0.0574	U	0.0575	U
4-Nitrophenol	~	~	~	0.0672	U	0.0633	U	0.0706	U	0.0658	U	0.063	U	0.0625	U	0.0626	U
Acenaphthene	20	100	500	0.108	U	0.101	U	0.113	U	0.105	U	0.101	U	0.1	U	0.1	U
Acenaphthylene	100	100	500	0.0521	U	0.0491	U	0.0547	U	0.051	U	0.0488	U	0.0484	U	0.0485	U
Anthracene	100	100	500	0.0461	U	0.0434	U	0.0484	U	0.0451	U	0.0432	U	0.0429	U	0.0429	U
Benzo(a)anthracene	1	1	5.6	0.0719	U	0.0677	U	0.0755	U	0.0704	U	0.0674	U	0.0669	U	0.067	U
Benzo(a)pyrene	1	1	1	0.0484	U	0.0457	U	0.0509	U	0.0475	U	0.0454	U	0.0451	U	0.0451	U
Benzo(b)fluoranthene	1	1	5.6	0.0707	U	0.0666	U	0.0742	U	0.0693	U	0.0663	U	0.0658	U	0.0659	U
Benzo(g,h,i)perylene	100	100	500	0.0558	U	0.0526	U	0.0587	U	0.0547	U	0.0524	U	0.052	U	0.052	U
Benzo(k)fluoranthene	0.8	1	56	0.0719	U	0.0678	U	0.0755	U	0.0705	U	0.0674	U	0.0669	U	0.067	U
Benzoic acid	~	~	~	0.127	U	0.12	U	0.133	U	0.124	U	0.119	U	0.118	U	0.118	U
Benzyl alcohol	~	~	~	0.0601	U	0.0567	U	0.0632	U	0.0589	U	0.0564	U	0.056	U	0.056	U
Benzyl butyl phthalate	~	~	~	0.0775	U	0.0731	U	0.0814	U	0.0759	U	0.0726	U	0.0721	U	0.0722	U
Bis(2-chloroethoxy)methane	~	~	~	0.0685	U	0.0646	U	0.0719	U	0.0671	U	0.0642	U	0.0637	U	0.0638	U
Bis(2-chloroethyl)ether	~	~	~	0.0631	U	0.0595	U	0.0663	U	0.0618	U	0.0591	U	0.0587	U	0.0588	U
Bis(2-chloroisopropyl)ether	~	~	~	0.069	U	0.065	U	0.0725	U	0.0676	U	0.0647	U	0.0642	U	0.0643	U
Bis(2-ethylhexyl)phthalate	~	~	~	0.0622	U	0.0586	U	0.0653	U	0.0609	U	0.078	J	0.0579	U	0.058	U
Chrysene	1	1	56	0.0749	U	0.0706	U	0.0786	U	0.0734	U	0.0702	U	0.0697	U	0.0698	U
Di-n-butyl phthalate	~	~	~	0.0555	U	0.0523	U	0.0583	U	0.0544	U	0.052	U	0.0516	U	0.0517	U
Di-n-octyl phthalate	~	~	~	0.0836	U	0.0788	U	0.0878	U	0.0819	U	0.0784	U	0.0778	U	0.0779	U
Dibenzo(a,h)anthracene	0.33	0.33	0.56	0.047	U	0.0443	U	0.0493	U	0.046	U	0.044	U	0.0437	U	0.0438	U
Dibenzofuran	~	~	~	0.06	U	0.0565	U	0.063	U	0.0587	U	0.0562	U	0.0558	U	0.0559	U
Diethyl phthalate	~	~	~	0.0975	U	0.0919	U	0.102	U	0.0955	U	0.0914	U	0.0908	U	0.0909	U
Dimethyl phthalate	~	~	~	0.143	J	0.0505	U	0.0562	U	0.0525	U	0.0502	U	0.0498	U	0.0499	U
Fluoranthene	100	100	500	0.108	U	0.101	U	0.113	U	0.105	U	0.101	U	0.1	U	0.1	U
Fluorene	30	100	500	0.0521	U	0.0491	U	0.0547	U	0.051	U	0.0488	U	0.0484	U	0.0485	U
Hexachlorobenzene	0.33	0.33	0.33	0.0303	U	0.0285	U	0.0318	U	0.0297	U	0.0284	U	0.0282	U	0.0282	U
Hexachlorobutadiene	~	~	~	0.0743	U	0.0701	U	0.0781	U	0.0728	U	0.0697	U	0.0692	U	0.0693	U
Hexachlorocyclopentadiene	~	~	~	0.138	U	0.13	U	0.145	U	0.135	U	0.13	U	0.129	U	0.129	U
Hexachloroethane	~	~	~	0.0668	U	0.33	U	0.0702	U	0.0655	U	0.0626	U	0.0622	U	0.0623	U
Indeno(1,2,3-cd)pyrene	0.5	0.5	5.6	0.0685	U	0.0646	U	0.0719	U	0.0671	U	0.0642	U	0.0637	U	0.0638	U
Isophorone	~	~	~	0.069	U	0.065	U	0.0725	U	0.0676	U	0.0647	U	0.0642	U	0.0643	U
N-nitroso-di-n-propylamine	~	~	~	0.0485	U	0.0457	U	0.0509	U	0.0475	U	0.0455	U	0.0451	U	0.0452	U
N-Nitrosodiphenylamine	~	~	~	0.108	U	0.101	U	0.113	U	0.105	U	0.101	U	0.1	U	0.1	U
Naphthalene	12	100	500	0.0555	U	0.0523	U	0.0583	U	0.0544	U	0.052	U	0.0516	U	0.0517	U
Nitrobenzene	~	~	~	0.0836	U	0.0788	U	0.0878	U	0.0819	U	0.0784	U	0.0778	U	0.0779	U
Pentachlorophenol	0.8	2.4	6.7	0.0521	U	0.0491	U	0.0547	U	0.051	U	0.0488	U	0.0484	U	0.0485	U
Phenanthrene	100	100	500	0.0685	U	0.0646	U	0.072	U	0.0672	U	0.0643	U	0.0638	U	0.0639	U
Phenol	0.33	100	500	0.0743	U	0.0701	U	0.0781	U	0.0728	U	0.0697	U	0.0692	U	0.0693	U
Pyrene	100	100	500	0.0666	U	0.0676	J	0.07	U	0.0653	U	0.0625	U	0.062	U	0.0621	U
B(a)P Equivalents				0.117978		0.11274		0.123901		0.115619		0.110566		0.109806		0.109938	

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-1 11/12/2010 10K0528-01 GRAB 6 to 9	SB-1 11/12/2010 10K0528-02 GRAB 16-18	SB-2 11/12/2010 10K0528-07 GRAB 5 to 9	SB-DUP2 10K0528-09 11/12/2010 GRAB	SB-2 11/12/2010 10K0528-19 GRAB 15-16	SB-3 11/12/2010 10K0528-05 GRAB 5 to 7	SB-3 11/12/2010 10K0528-06 GRAB 15-18
Polychlorinated Biphenyls (PCBs) (mg/kg)										
Aroclor 1016	~	~	~	0.00856 U	0.00808 U	0.0083 U	0.00914 U	0.00863 U	0.009 U	0.0082 U
Aroclor 1221	~	~	~	0.00856 U	0.00808 U	0.0083 U	0.00914 U	0.00863 U	0.009 U	0.0082 U
Aroclor 1232	~	~	~	0.00856 U	0.00808 U	0.0083 U	0.00914 U	0.00863 U	0.009 U	0.0082 U
Aroclor 1242	~	~	~	0.00856 U	0.00808 U	0.0083 U	0.00914 U	0.00863 U	0.009 U	0.0082 U
Aroclor 1248	~	~	~	0.00856 U	0.00808 U	0.0083 U	0.00914 U	0.00863 U	0.009 U	0.0082 U
Aroclor 1254	~	~	~	0.00737 U	0.00696 U	0.00714 U	0.00787 U	0.00743 U	0.00775 U	0.00706 U
Aroclor 1260	~	~	~	0.00737 U	0.00696 U	0.00714 U	0.00787 U	0.00743 U	0.00775 U	0.00706 U
Aroclor 1262	~	~	~	0.00737 U	0.00696 U	0.00714 U	0.00787 U	0.00743 U	0.00775 U	0.00706 U
Aroclor 1268	~	~	~	0.00737 U	0.00696 U	0.00714 U	0.00787 U	0.00743 U	0.00775 U	0.00706 U
Total PCBs	0.1	1	1	0.00737 U	0.00696 U	0.00714 U	0.00787 U	0.00743 U	0.00775 U	0.00706 U
Metals (mg/kg)										
Aluminum	~	~	~	8880	5830	8780	10600	9580	9770	6970
Antimony	~	~	~	0.152 U	0.143 U	0.147 U	0.162 U	0.153 U	0.16 U	0.145 U
Arsenic	13	16	16	2.33	1.51	2.48	4.12	3.17	3.95	1.87
Barium	350	350	400	101	59.6	60.6	73.7	71.5	235	54.8
Beryllium	7.2	14	590	0.009 U	0.008 U	0.008 U	0.009 U	0.009 U	0.009 U	0.008 U
Cadmium	2.5	2.5	9.3	0.141 U	0.133 U	0.137 U	0.15 U	0.142 U	0.148 U	0.135 U
Calcium	~	~	~	15800	2240	2540	3380	4520	21200	3130
Chromium	~	~	~	16	11.4	21.5	21.9	27.4	17.3	18
Cobalt	~	~	~	11	5.39	12.3	9.52	8.06	7.8	5.79
Copper	50	270	270	52.1	17.9	24.5	25.7	32.3	27.8	29.9
Iron	~	~	~	16200	8960	16300	15300	13900	18500	9850
Lead	63	400	1000	42.7	2.84	21.9	33.4	37.4	322	5.2
Magnesium	~	~	~	6250	2590	6600	5520	3790	5920	3290
Manganese	1600	2000	10000	390	382	462	439	373	382	397
Mercury	0.18	0.81	2.8	0.105 U	0.0992 U	0.102 U	0.112 U	0.106 U	0.111 U	0.101 U
Nickel	30	140	310	35.4	14.8	44.4	30.2	23.1	17.7	17
Potassium	~	~	~	1550	1320	933	1530	1210	3920	1370
Selenium	3.9	36	1,500	1.19	0.834	1.03	0.941	1.27	1.32	0.219 U
Silver	2	36	1,500	0.098 U	0.092 U	0.095 U	0.104 U	0.098 U	0.103 U	0.093 U
Sodium	~	~	~	642	517	297	532	610	357	781
Thallium	~	~	~	0.206 U	0.194 U	0.2 U	0.22 U	0.208 U	0.216 U	0.197 U
Vanadium	~	~	~	22.3	15.5	26.6	24.9	23.8	20.3	21.3
Zinc	109	2200	10000	100	16.3	83.4	98.9	75.6	150	16.9
Additional Parameters										
Solids, Total (%)	~	~	~	92.3	97.7	95.2	86.4	91.5	87.8	96.3

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-4 11/12/2010 10K0528-03 GRAB 0-3	SB-DUP1 10K0528-08 11/12/2010 GRAB	SB-4 11/12/2010 10K0528-04 GRAB 15-18	SB-5 11/13/2010 10K0528-17 GRAB 10 to 13	SB-5 11/13/2010 10K0528-18 GRAB 17-18	SB-6 11/13/2010 10K0528-15 GRAB 5 to 7	SB-6 11/13/2010 10K0528-16 GRAB 18-20							
Polychlorinated Biphenyls (PCBs) (mg/kg)																	
Aroclor 1016	~	~	~	0.00922	U	0.00926	U	0.00816	U	0.00838	U	0.00887	U	0.0095	U	0.00834	U
Aroclor 1221	~	~	~	0.00922	U	0.00926	U	0.00816	U	0.00838	U	0.00887	U	0.0095	U	0.00834	U
Aroclor 1232	~	~	~	0.00922	U	0.00926	U	0.00816	U	0.00838	U	0.00887	U	0.0095	U	0.00834	U
Aroclor 1242	~	~	~	0.00922	U	0.00926	U	0.00816	U	0.00838	U	0.00887	U	0.0095	U	0.00834	U
Aroclor 1248	~	~	~	0.00922	U	0.00926	U	0.00816	U	0.00838	U	0.00887	U	0.0095	U	0.00834	U
Aroclor 1254	~	~	~	0.00794	U	0.00797	U	0.00703	U	0.00721	U	0.00763	U	0.00818	U	0.00718	U
Aroclor 1260	~	~	~	0.00794	U	0.00797	U	0.00703	U	0.00721	U	0.00763	U	0.00818	U	0.00718	U
Aroclor 1262	~	~	~	0.00794	U	0.00797	U	0.00703	U	0.00721	U	0.00763	U	0.00818	U	0.00718	U
Aroclor 1268	~	~	~	0.00794	U	0.00797	U	0.00703	U	0.00721	U	0.00763	U	0.00818	U	0.00718	U
Total PCBs	0.1	1	1	0.00794	U	0.00797	U	0.00703	U	0.00721	U	0.00763	U	0.00818	U	0.00718	U
Metals (mg/kg)																	
Aluminum	~	~	~	6250		6430		5090		2040		3830		13200		2800	
Antimony	~	~	~	0.662		0.953		0.145	U	0.148	U	0.77		0.168	U	0.148	U
Arsenic	13	16	16	8.23		8.27		1.53		0.693		1.6		4.52		0.783	
Barium	350	350	400	1290		1240		62.4		13.8		65.8		177		28.6	
Beryllium	7.2	14	590	0.009	U	0.009	U	0.008	U	0.008	U	0.009	U	0.01	U	0.008	U
Cadmium	2.5	2.5	9.3	0.152	U	0.152	U	0.134	U	0.138	U	0.146	U	0.156	U	0.137	U
Calcium	~	~	~	50400		54400		2450		477		15200		30700		505	
Chromium	~	~	~	12.9		14.5		14.7		5.97		9.3		21.9		7.11	
Cobalt	~	~	~	4.23		5.21		5.39		1.15		3.22		11.6		2.86	
Copper	50	270	270	19.4		24.1		26		14.4		28		69.2		6.65	
Iron	~	~	~	10400		11600		8870		5260		7150		22100		5900	
Lead	63	400	1000	464		486		4.14		39.2		650		163		3.09	
Magnesium	~	~	~	5880		6550		2550		972		2740		5280		1210	
Manganese	1600	2000	10000	212		251		332		24.2		137		407		346	
Mercury	0.18	0.81	2.8	0.113	U	0.114	U	0.1	U	0.103	U	0.109	U	0.117	U	0.102	U
Nickel	30	140	310	12.7		14.7		16.2		4.67		9.72		27.8		8.67	
Potassium	~	~	~	1340		1620		1080		445		721		3530		783	
Selenium	3.9	36	1,500	0.696		1.59		0.935		0.224	U	0.237	U	0.602		0.594	
Silver	2	36	1,500	0.105	U	0.106	U	0.093	U	0.095	U	0.101	U	0.108	U	0.095	U
Sodium	~	~	~	647		612		509		101		179		384		95.6	
Thallium	~	~	~	0.222	U	0.223	U	0.196	U	0.201	U	0.213	U	0.228	U	0.201	U
Vanadium	~	~	~	22		25.2		16.1		6.68		10.2		35.7		7.32	
Zinc	109	2200	10000	550		656		16.7		12.2		69.6		114		10.7	
Additional Parameters																	
Solids, Total (%)	-	-	-	85.7		85.3		96.8		94.3		89.1		83.2		94.7	

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-7 11/13/2010 10K0528-13 GRAB 0-4		SB-7 11/13/2010 10K0528-14 GRAB 14-15		SB-8 11/15/2010 10K0596-03 GRAB 10 to 12		SB-8 11/15/2010 10K0596-04 GRAB 15-17		SB-9 11/15/2010 10K0596-01 GRAB 0-10		SB-9 11/15/2010 10K0596-02 GRAB 15-18		SB-10 11/16/2010 10K0596-11 GRAB 0-6	
Polychlorinated Biphenyls (PCBs) (mg/kg)																	
Aroclor 1016	~	~	~	0.0094	U	0.00813	U	0.0083	U	0.00818	U	0.00901	U	0.00907	U	0.00897	U
Aroclor 1221	~	~	~	0.0094	U	0.00813	U	0.0083	U	0.00818	U	0.00901	U	0.00907	U	0.00897	U
Aroclor 1232	~	~	~	0.0094	U	0.00813	U	0.0083	U	0.00818	U	0.00901	U	0.00907	U	0.00897	U
Aroclor 1242	~	~	~	0.0094	U	0.00813	U	0.0083	U	0.00818	U	0.00901	U	0.00907	U	0.00897	U
Aroclor 1248	~	~	~	0.0094	U	0.00813	U	0.0083	U	0.00818	U	0.00901	U	0.00907	U	0.00897	U
Aroclor 1254	~	~	~	0.00809	U	0.007	U	0.00714	U	0.00704	U	0.00775	U	0.00781	U	0.00772	U
Aroclor 1260	~	~	~	0.00809	U	0.007	U	0.00714	U	0.00704	U	0.00775	U	0.00781	U	0.00772	U
Aroclor 1262	~	~	~	0.00809	U	0.007	U	0.00714	U	0.00704	U	0.00775	U	0.00781	U	0.00772	U
Aroclor 1268	~	~	~	0.00809	U	0.007	U	0.00714	U	0.00704	U	0.00775	U	0.00781	U	0.00772	U
Total PCBs	0.1	1	1	0.00809	U	0.007	U	0.00714	U	0.00704	U	0.00775	U	0.00781	U	0.00772	U
Metals (mg/kg)																	
Aluminum	~	~	~	11200		3930		8990		2120		9640		8440		7800	
Antimony	~	~	~	0.167	U	0.144	U	0.147	U	0.145	U	0.478		1.5		0.519	
Arsenic	13	16	16	4.5		1.02		1.76		0.698		6.16		13.1		6.49	
Barium	350	350	400	428		39		114		27.4		138		115		279	
Beryllium	7.2	14	590	0.01	U	0.008	U	0.008	U	0.008	U	0.009	U	0.009	U	0.009	U
Cadmium	2.5	2.5	9.3	0.155	U	0.134	U	0.137	U	0.135	U	0.148	U	0.149	U	0.148	U
Calcium	~	~	~	26600		600		3040		773		47100		54900		16100	
Chromium	~	~	~	23.7		10.8		18.8		4.58		13.7		16.5		15.6	
Cobalt	~	~	~	8.28		4.2		11.1		3.04		4.01		4.69		4.15	
Copper	50	270	270	28.3		14.3		54.4		14.1		15.8		57.2		33.3	
Iron	~	~	~	17100		7540		14500		4310		9920		15000		10600	
Lead	63	400	1000	159		3.95		17.5		3.24		163		323		530	
Magnesium	~	~	~	6170		1980		4540		1110		13600		9000		2850	
Manganese	1600	2000	10000	419		283		315		279		600		510		257	
Mercury	0.18	0.81	2.8	0.115	U	0.0999	U	0.102	U	0.1	U	0.111	U	0.111	U	0.11	U
Nickel	30	140	310	29		13.5		32.1		8.48		15.1		18.1		15.3	
Potassium	~	~	~	2350		538		2560		515		1450		1530		913	
Selenium	3.9	36	1,500	1.03		0.823		1.55		0.813		0.803		1.4		1.97	
Silver	2	36	1,500	0.107	U	0.093	U	0.095	U	0.093	U	0.103	U	0.103	U	0.102	U
Sodium	~	~	~	282		134		373		104		759		704		504	
Thallium	~	~	~	0.226	U	0.196	U	0.2	U	0.197	U	0.217	U	0.218	U	0.216	U
Vanadium	~	~	~	33.9		14.2		21.3		6.72		21.2		29.2		23.1	
Zinc	109	2200	10000	301		11.5		48		10.2		101		148		227	
Additional Parameters																	
Solids, Total (%)	-	-	-	84		97.1		95.2		96.6		87.7		87.1		88.1	

**TABLE 5
SOIL ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID SAMPLE TYPE SAMPLE DEPTH (ft.)	NYSDEC PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 RESIDENTIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	NYSDEC PART 375 COMMERCIAL RESTRICTED USE SOIL CLEANUP OBJECTIVES	SB-10 11/16/2010 10K0636-01 GRAB 10 to 12	SB-11 11/15/2010 10K0596-05 GRAB 5 to 10	SB-11 11/15/2010 10K0596-06 GRAB 15-20	SB-12 11/16/2010 10K0596-09 GRAB 10-15	SB-12 11/16/2010 10K0596-10 GRAB 15-20	SB-13 11/16/2010 10K0596-07 GRAB 0-5	SB-13 11/16/2010 10K0596-08 GRAB 15-18							
Polychlorinated Biphenyls (PCBs) (mg/kg)																	
Aroclor 1016	~	~	~	0.0088	U	0.0083	U	0.00925	U	0.00863	U	0.00825	U	0.00819	U	0.0082	U
Aroclor 1221	~	~	~	0.0088	U	0.0083	U	0.00925	U	0.00863	U	0.00825	U	0.00819	U	0.0082	U
Aroclor 1232	~	~	~	0.0088	U	0.0083	U	0.00925	U	0.00863	U	0.00825	U	0.00819	U	0.0082	U
Aroclor 1242	~	~	~	0.0088	U	0.0083	U	0.00925	U	0.00863	U	0.00825	U	0.00819	U	0.0082	U
Aroclor 1248	~	~	~	0.0088	U	0.0083	U	0.00925	U	0.00863	U	0.00825	U	0.00819	U	0.0082	U
Aroclor 1254	~	~	~	0.00758	U	0.00714	U	0.00796	U	0.00743	U	0.0071	U	0.00705	U	0.00706	U
Aroclor 1260	~	~	~	0.00758	U	0.00714	U	0.00796	U	0.00743	U	0.0071	U	0.00705	U	0.00706	U
Aroclor 1262	~	~	~	0.00758	U	0.00714	U	0.00796	U	0.00743	U	0.0071	U	0.00705	U	0.00706	U
Aroclor 1268	~	~	~	0.00758	U	0.00714	U	0.00796	U	0.00743	U	0.0071	U	0.00705	U	0.00706	U
Total PCBs	0.1	1	1	0.00758	U	0.00714	U	0.00796	U	0.00743	U	0.0071	U	0.00705	U	0.00706	U
Metals (mg/kg)																	
Aluminum	~	~	~	2600		6790		4640		4680		4480		2160		2160	
Antimony	~	~	~	0.156	U	0.147	U	0.164	U	0.153	U	0.146	U	0.145	U	0.145	U
Arsenic	13	16	16	1.47		2.51		1.56		2.79		1.86		1.38		0.802	
Barium	350	350	400	31.7		72.8		45.5		50.3		47.5		27.1		25.8	
Beryllium	7.2	14	590	0.009	U	0.008	U	0.009	U	0.009	U	0.008	U	0.008	U	0.008	U
Cadmium	2.5	2.5	9.3	0.145	U	0.137	U	0.152	U	0.142	U	0.136	U	0.135	U	0.135	U
Calcium	~	~	~	712		6160		1300		1290		576		991			
Chromium	~	~	~	8.06		22.2		12.6		10.3		11		5.17		5.49	
Cobalt	~	~	~	2.81		6.42		5.54		5.56		5.47		2.7		2.22	
Copper	50	270	270	14.8		33.1		35.1		118		22.8		11.5		5.56	
Iron	~	~	~	5930	B	11200		8780		9550		7020		4490		3980	
Lead	63	400	1000	5.76		68.9		5.54		24.4		3.34		2.52		2.79	
Magnesium	~	~	~	1040		3030		1990		2460		2400		861		911	
Manganese	1600	2000	10000	368		304		396		442		246		287		285	
Mercury	0.18	0.81	2.8	0.108	U	0.102	U	0.114	U	0.106	U	0.101	U	0.101	U	0.101	U
Nickel	30	140	310	14.3		21.9		14.3		31.1		13		6.85		6.06	
Potassium	~	~	~	635		1380		1160		872		1010		478		537	
Selenium	3.9	36	1,500	1.14		1.33		1.43		1.6		1.07		0.883		0.219	U
Silver	2	36	1,500	0.1	U	0.095	U	0.105	U	0.098	U	0.094	U	0.093	U	0.093	U
Sodium	~	~	~	114		394		180		161		170		75		88.9	
Thallium	~	~	~	0.212	U	0.2	U	0.222	U	0.207	U	0.199	U	0.197	U	0.197	U
Vanadium	~	~	~	20		18.9		12.7		295		15.6		6.77		5.99	
Zinc	109	2200	10000	48.9		54.6		20.9		36.6		26.7		9.06		8.99	
Additional Parameters																	
Solids, Total (%)	~	~	~	89.7		95.2		85.4		91.6		95.7		96.4		96.3	

Notes:

1. Soil sample results were compared to New York State Department of Environmental Conservation (NYSDEC) 6 NY Code of Rules and Regulations (NYCRR) PART 375-6 Unrestricted Use Soil Cleanup Objectives (SCOs), Residential Restrictive Use SCOs, and Commercial Restrictive Use SCOs.

2. NYSDEC Part 375 Unrestricted Use SCOs are highlighted.

3. NYSDEC Part 375 Residential Restrictive Use SCOs are in **Bold**.

4. NYSDEC Part 375 Commercial Restrictive Use SCOs are **bolded in italics and red**.

5. PCBs = polychlorinated biphenyls

6. mg/kg = milligrams per kilogram

Qualifiers:

D = Results for a diluted sample.

B = Analyte found in the analysis batch blank

U = Analyte was not detected at or above the reporting limit.

J = Detected above the Method Detection Limit but below the Reporting Limit; therefore, result is an estimated concentration

~ = No regulatory limit has been established for this analyte

**TABLE 6
GROUNDWATER ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501**

LOCATION SAMPLING DATE LAB SAMPLE ID	NEW YORK STATE 6NYCRR PART 703.5 CLASS GA GQS	MW1 11/23/2010 10K0822-05	TMW2 11/13/2010 10K0528-10	MW3 11/23/2010 10K0822-01	MW4 11/23/2010 10K0822-02	TMW5 11/9/2010 10K0443-02	MW6 11/23/2010 10K0822-03	TMW7 11/9/2010 10K0443-01	TMW14 11/13/2010 10K0528-11	Trip Blank 11/9/2010 10K0443-03	Trip Blank 11/13/2010 10K0528-12	DUP 11/23/2010 10K0822-04
Volatile Organic Compounds (VOCs) (µg/l)												
Acetone	50	3.1 U	4.7 J,B	7.3 J,B	3.4 J,B	6 J,B	3.1 U	5.5 J,B	3.1 U	3.9 J,B	4.3 J,B	3.1 U
Benzene	1	0.48 U	0.48 U	1.9 J	0.48 U	0.48 U	0.48 U	0.48 U				
Bromodichloromethane	"	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U	2.8 J	0.62 U	0.62 U	0.62 U
Chloroform	7	7.8	6.2 U	2.6 J	2.5 J	1.7 J	12	1.5 J	27	0.36 U	0.36 U	9.5
Isopropylbenzene	5	0.39 U	0.39 U	2.6 J	0.39 U	0.39 U	0.39 U	0.39 U				
Methylene chloride	5	3.9 J,B	4.5 J,B	4.9 J,B	3.9 J,B	6.6 J,B	4.3 J,B	7.4 J,B	4.7 J,B	6.8 J,B	6.1 J,B	3.6 J,B
o-Xylene	5	0.5 U	0.5 U	62	0.5 U	0.5 U	0.5 U	0.5 U				
Tetrachloroethylene	5	10	0.99 J	6.7	4.2 J	7.7	0.52 U	1.2 J	0.52 U	0.52 U	0.52 U	4.5 J,J
Trichloroethylene	5	0.57 U	0.57 U	0.57 U	0.57 U	0.95 J	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
Xylenes, Total	5	1 U	1 U	62	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
SVOCs (µg/l)												
Total SVOCs	"	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	ND
Polychlorinated Biphenyls (PCBs) (µg/l)												
Total PCBs	"	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	ND
Metals (µg/l)												
Aluminum	"	17	8700	237	70	7 U	408	7 U	1420	NA	NA	506
Barium	1000	69	198	106	85	112	87	163	36	NA	NA	87
Calcium	"	44300	38500	88200	137000	128000	37200	96700	42400	NA	NA	37300
Iron	300	148	10800	727	186	6 U	430	22	836	NA	NA	514
Lead	25	3	71	5	1 U	1 U	3	1 U	3	NA	NA	3
Magnesium	35000	6870	8900	35200	64400	38100	10100	14800	5060	NA	NA	10200
Manganese	300	478	2690	3200	2380	316	1260	54	329	NA	NA	1330
Nickel	100	0.8 U	31	10	23	10	5	0.8 U	0.8 U	NA	NA	5
Potassium	~	4470	8940	12800	10600	9800	6300	6730	5900	NA	NA	6400
Sodium	20000	60100	86800	85200	105000	100000	53400	47800	26300	NA	NA	53400
Thallium	0.5*	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NA	NA	2 U

Notes:

- Groundwater samples were compared to New York State NYCRR Part 703.5 Class GA Groundwater Quality Standards and Guidance Values.
- Results exceeding NYSDEC AWQS or Guidance Values are highlighted and in **BOLD**.
- With the exception of listed non-detections of PCBs, only detected compounds are presented.
- VOCs: Volatile Organic Compounds
- SVOCs: Semivolatile Organic Compounds
- PCBs: polychlorinated biphenyls
- µg/L = Micrograms per Liter
- NA = Not Analyzed

Qualifiers:

- U=analyte not detected at or above the level indicated
- B=analyte found in the analysis batch blank
- J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
- ND = Not detected at or above the reporting limit
- ~ = this indicates that no regulatory limit has been established for this analyte
- * = Value is a TOGS Guidance Value and not a standard

TABLE 7
SOIL VAPOR ANALYTICAL DATA SUMMARY
WEST 125TH STREET AND LENOX AVENUE
NEW YORK NEW YORK
LANGAN PROJECT NO. 170121501

LOCATION SAMPLING DATE LAB SAMPLE ID	NYSDOH AGV 2006	NYSDOH 2003 FUEL OIL INDOOR AIR UPPER FENCE VALUE	USEPA 2001 BASE DATABASE: 90 PERCENTILE INDOOR AIR	HEI 2005 95 PERCENTILE INDOOR AIR	SV1 11/15/2010 10K0498-06	SV2 11/15/2010 10K0500-01	SV3 11/15/2010 10K0500-02	SV4 11/12/2010 10K0498-01	SV5 11/13/2010 10K0498-02	SV6 11/13/2010 10K0498-04	SV7 11/13/2010 10K0498-03	AA 11/13/2010 10K0498-05
VOCs (ug/m³)												
1,1,1-Trichloroethane	~	2.5	3.1	~	2.8 U	2.8 U	2.7 U	28 U	14 U	27 U	27 U	2.7 U
1,1,2,2-Tetrachloroethane	~	0.38	<0.25	~	3.1 U	3.1 U	3 U	31 U	15 U	30 U	30 U	3 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	2.5	1.8	~	3.8 U	3.8 U	3.6 U	38 U	18 U	37 U	36 U	3.6 U
1,1,2-Trichloroethane	~	0.38	<0.25	~	3 U	3 U	2.9 U	30 U	15 U	29 U	29 U	2.9 U
1,1-Dichloroethane	~	0.38	<0.25	~	1.9 U	1.9 U	1.8 U	19 U	9.3 U	19 U	18 U	1.8 U
1,1-Dichloroethylene	~	~	<0.25	~	1.3 U	1.3 U	1.3 U	13 U	6.4 U	13 U	13 U	1.3 U
1,2,4-Trichlorobenzene	~	0.47	3.4	~	2.3 U	2.3 U	2.2 U	24 U	11 U	23 U	22 U	2.2 U
1,2,4-Trimethylbenzene	~	9.8	9.5	~	2.7 U	2.7 U	9 D	27 U	13 U	27 U	26 U	2.6 U
1,2-Dichlorobenzene	~	0.48	0.7	~	2.4 U	2.4 U	2.3 U	24 U	11 U	23 U	23 U	2.3 U
1,2-Dichloroethane	~	0.37	<0.25	~	1.4 U	1.4 U	1.4 U	14 U	7 U	14 U	14 U	1.4 U
1,2-Dichloropropane	~	0.39	<0.25	~	3.4 U	3.4 U	3.2 U	34 U	16 U	33 U	32 U	3.2 U
1,2-Dichlorotetrafluoroethane	~	0.42	~	~	3.7 U	3.7 U	3.5 U	37 U	18 U	36 U	36 U	3.6 U
1,3,5-Trimethylbenzene	~	3.9	3.6	~	2.2 U	2.2 U	2.1 U	22 U	11 U	22 U	21 U	2.1 U
1,3-Butadiene	~	~	~	~	3.6 U	3.6 U	3.4 U	100 D	17 U	260 D	34 U	3.4 U
1,3-Dichlorobenzene	~	0.46	0.6	~	2.7 U	2.7 U	2.6 U	27 U	13 U	27 U	26 U	2.6 U
1,4-Dichlorobenzene	~	1.2	1.3	~	4 U	4 U	3.8 U	40 U	20 U	39 U	39 U	3.8 U
1,4-Dioxane	~	~	~	~	6.5 U	6.5 U	6.2 U	66 U	32 U	64 U	62 U	6.2 U
2,2,4-Trimethylpentane	~	~	~	~	1.8 U	1.8 U	9.7 D	55 D	8.9 U	18 U	18 U	1.8 U
2-Butanone	~	16	16	~	37 D	1.4 U	21 D	14 U	67 D	14 U	13 U	1.3 U
2-Chloro-1,3-Butadiene	~	~	~	~	2.2 U	2.2 U	2.1 U	22 U	11 U	22 U	21 U	2.1 U
2-Hexanone	~	~	~	~	4.1 U	4.1 U	3.9 U	41 U	20 U	40 U	39 U	3.9 U
3-Chloropropene	~	~	~	~	0.68 U	0.68 U	0.64 U	6.8 U	3.3 U	6.6 U	6.5 U	0.65 U
Acetone	~	115	110	45.8	520 D	150 D	560 D	430 D	760 D	350 D	950 D	9.7 D
Benzene	~	~	~	~	2.3 U	2.3 U	8.4 D	23 U	14 JD	31 D	22 U	2.2 U
Benzyl chloride	~	~	~	~	4.5 U	4.5 U	4.3 U	45 U	22 U	44 U	43 U	4.3 U
Bromodichloromethane	~	~	~	~	5 JD	2.2 U	2.1 U	86 D	11 U	63 D	21 U	2.1 U
Bromoform	~	~	~	~	4.5 U	4.5 U	4.3 U	45 U	22 U	44 U	43 U	4.3 U
Bromomethane	~	0.48	0.6	~	1.9 U	1.9 U	1.8 U	19 U	9.3 U	19 U	18 U	1.8 U
Carbon disulfide	~	~	~	~	0.67 U	0.68 U	1.1 D	18 JD	3.3 U	35 D	6.5 U	0.64 U
Carbon tetrachloride	~	1.3	0.8	1.1	2.3 U	2.4 U	2.2 U	24 U	17 U	23 U	23 U	2.2 U
Chlorobenzene	~	0.41	<0.25	~	3 U	3 U	2.8 U	30 U	15 U	29 U	29 U	2.9 U
Chloroethane	~	0.39	<0.25	~	2.4 U	2.4 U	2.3 U	24 U	12 U	23 U	23 U	2.3 U
Chloroform	~	1.2	1.4	6.34	89 D	2 U	8.9 D	1900 D	210 D	2700 D	75 D	1.9 U
Chloromethane	~	16	3.3	~	1.2 U	1.2 U	1.1 U	12 U	5.7 U	12 U	11 U	1.1 U
cis-1,2-Dichloroethylene	~	0.41	<0.25	~	1.9 U	2 U	1.9 U	20 U	9.5 U	19 U	19 U	1.9 U
cis-1,3-Dichloropropylene	~	0.38	<0.25	~	2.3 U	2.3 U	2.2 U	23 U	11 U	23 U	22 U	2.2 U
Cyclohexane	~	6.3	~	~	1.2 U	1.2 U	3.7 D	12 U	5.9 U	12 U	12 U	1.2 U
Dichlorodifluoromethane	~	10	15	~	4.7 JD	2.8 U	2.7 U	28 U	14 U	28 U	27 U	2.7 U
Ethyl acetate	~	~	~	~	1.6 U	1.6 U	1.5 U	16 U	7.6 U	15 U	15 U	1.5 U
Ethyl Benzene	~	6.4	7.3	~	3.9 JD	2.6 U	7.7 D	26 U	21 D	25 U	25 U	2.5 U
Hexachlorobutadiene	~	0.49	4.6	~	5.9 U	5.9 U	5.6 U	59 U	29 U	58 U	56 U	5.6 U
Isopropanol	~	~	~	~	2.3 U	2.3 U	2.2 U	23 U	11 U	22 U	22 U	2.2 U
Methyl isobutyl ketone	~	1.9	2.2	~	34 D	4 U	3.8 U	41 U	20 U	39 U	39 U	3.9 U
Methyl tert-butyl ether (MTBE)	~	14	26	36	1.8 U	1.8 U	1.7 U	18 U	8.6 U	17 U	17 U	1.7 U
Methylene chloride	60	16	22	7.5	2.5 JBD	1.4 U	1.3 U	14 U	6.6 U	13 U	13 U	1.3 U
n-Heptane	~	18	19	~	6.8 D	1.6 U	11 D	35 JD	28 D	16 U	15 U	1.5 U
n-Hexane	~	14	18	~	2.2 U	2.2 U	8.2 D	120 D	16 JD	83 D	21 U	2.1 U
o-Xylene	~	7.1	7.6	7.24	3.8 JD	3 U	7.9 D	30 U	20 JD	29 U	29 U	2.9 U
p- & m- Xylenes	~	11	12	22.2	13 D	6.8 U	27 D	68 U	68 D	66 U	65 U	6.5 U
p-Ethyltoluene	~	~	~	~	4 JD	0.87 U	9.2 D	8.8 U	4.2 U	8.5 U	8.3 U	0.83 U
Propylene	~	~	~	~	2.1 U	2.1 U	2 U	21 U	10 U	21 U	20 U	2 U
Styrene	~	1.4	1.3	5.13	2.4 U	2.4 U	2.3 U	24 U	12 U	24 U	23 U	2.3 U
Tetrachloroethylene	100	2.5	2.9	6.01	15 D	2.8 U	9.8 D	310 D	820 D	78 D	540 D	2.7 U
Tetrahydrofuran	~	0.78	3.3	~	2.4 U	2.4 U	2.3 U	24 U	12 U	23 U	23 U	2.3 U
Toluene	~	57	58	39.8	8.4 D	2.5 JD	25 D	47 D	120 D	90 D	87 D	2.6 JD
trans-1,2-Dichloroethylene	~	~	~	~	2.5 U	2.5 U	2.4 U	25 U	12 U	24 U	24 U	2.4 U
trans-1,3-Dichloropropylene	~	0.4	<0.25	~	1.3 U	1.3 U	1.3 U	13 U	6.5 U	13 U	13 U	1.3 U
Trichloroethylene	5	0.46	0.5	1.36	2.5 U	2.5 U	2.4 U	26 U	12 U	25 U	24 U	2.4 U
Trichlorofluoromethane (Freon 111)	~	12	17	~	2.8 U	2.8 U	2.6 U	28 U	13 U	27 U	26 U	2.6 U
Vinyl acetate	~	~	~	~	0.9 U	0.9 U	0.86 U	9.1 U	4.4 U	8.8 U	8.6 U	0.86 U
Vinyl bromide	~	~	~	~	1.9 U	1.9 U	1.8 U	19 U	9.2 U	19 U	18 U	1.8 U
Vinyl Chloride	~	0.37	<0.25	~	1.7 U	1.7 U	1.6 U	17 U	8.1 U	16 U	16 U	1.6 U

Notes and Qualifiers

- Results exceeding the New York State Department of Health (NYSDOH) Air Guideline Value (AGV) Exceedances are highlighted and **BOLD**.
- Ambient air sample results are less than all of the following background databases: NYSDOH Fuel Oil 2006; Upper Fence Value, U.S. Environmental Protection Agency (USEPA) Base Database 90th Percentile Indoor Air, and Health Effects Institute (HEI) 2005 95th Percentile Indoor Air
- Results exceeding all background databases are highlighted
- Reportable detection limits exceeding background databases or Guidance Values are italicized
- VOC = Volatile Organic Compound
- ug/m³: micrograms per cubic meter
- U=analyte not detected at or above the level indicated
- B=analyte found in the analysis batch blank
- J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
- D=result is from an analysis that required a dilution
- ~this indicates that no regulatory limit has been established for this analyte

APPENDIX A

PREVIOUS PHASE I ESA REPORT

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
WEST 125TH STREET AND LENOX AVENUE
NEW YORK, NEW YORK**

Prepared For:

Wharton Properties
500 5th Avenue, 54th Floor
New York, New York 10110

Prepared By:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, New York 10001

September 16, 2010

Langan Project No. 170121501



TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Scope of the ESA	1
1.2	Assumptions, Limitations, and Exceptions	3
2.0	SITE DESCRIPTION	4
2.1	Location and Description	4
2.2	Current Use of the Subject Property	4
2.3	Description of Site Improvements	4
2.4	Current Use of Adjoining and Surrounding Properties	4
3.0	USER PROVIDED INFORMATION	5
3.1	Previous Environmental Reports	5
3.2	Title Records	7
3.3	User and Owner/Operator Questionnaire	8
4.0	RECORDS REVIEW	9
4.1	Environmental Records	9
4.1.1	Federal Agency Database Findings	11
4.1.2	State Agency Database Findings.....	11
4.1.3	Other Database Findings.....	14
4.1.4	Local Regulatory Agency Findings	16
4.2	Physical Setting Sources	19
4.2.1	Topography	19
4.2.2	Geology	19
4.2.3	Hydrology	20
4.3	Historical Use Information	20
4.3.1	Aerial Photographs.....	20
4.3.2	Sanborn Fire Insurance Maps.....	21
4.3.3	Historical USGS Topographic Quadrangles.....	24

4.3.4	City Directories	24
4.3.5	Environmental Lien Search	27
5.0	SITE RECONNAISSANCE	28
5.1	Methodology and Limiting Conditions	28
5.1.1	Date and Time of Inspections	28
5.2	General Site Setting and Reconnaissance Observations.....	28
6.0	INTERVIEWS	31
6.1	Site Owner	31
6.2	Owners/Tenants of Adjacent Properties	31
7.0	ADDITIONAL SERVICES	32
7.1	Radon	32
7.2	Asbestos-Containing Material, Lead-Based Paint, and Polychlorinated Biphenyls 32	
8.0	DEVIATIONS AND DATA GAPS	33
8.1	Deviations	33
8.2	Data Gaps.....	33
9.0	FINDINGS AND OPINIONS.....	34
10.0	REFERENCES	37
11.0	STATEMENT OF QUALIFICATIONS AND SIGNATURES.....	38

FIGURES

Figure 1 Site Location Map

APPENDICES

Appendix A Site Reconnaissance Photographs
Appendix B Questionnaire
Appendix C Previous Environmental Reports
Appendix D Environmental Data Resources Inc. TM Report
Appendix E Freedom of Information Act Requests
Appendix F New York City Department of Building Records
Appendix G New York City Planning Commission Zoning Map
Appendix H Aerial Photographs
Appendix I Sanborn Fire Insurance Maps
Appendix J Historical USGS Topographic Quadrangle Maps Summary
Appendix K City Directory Abstract
Appendix L Environmental Lien Search
Appendix M Resumes

EXECUTIVE SUMMARY

Langan Engineering and Environmental Services, P.C. (Langan) was retained by Wharton Properties (the "User") to prepare a Phase I Environmental Site Assessment (ESA) for an assemblage of properties on the city block located between 124th Street, 125th Street, Adam C. Powell Boulevard, and Lenox Avenue in the Harlem section of the borough of Manhattan, New York. The Subject Property consists of the following addresses: 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39). A site location map is provided as Figure 1.

The Subject Property is vacant land encompassing an approximate area of 32,410 square feet. Chain-linked fencing surrounds the Subject Property with a locked gate on West 124th Street. The planned redevelopment at the Subject Property includes construction of a 12-story building with one basement level.

This Phase I ESA was conducted in general accordance with the American Society for Testing Materials (ASTM) Practice E1527-05 (Standard Practice for ESA: Phase I ESA Process) and the United States Environmental Protection Agency's (USEPA) All Appropriate Inquiry (AAI) Rule. The objective of this Phase I ESA was to identify the presence or likely presence, use, or release on the Subject Properties of hazardous substances or petroleum products as defined in ASTM E1527-05 as a recognized environmental condition (REC).

The Phase I ESA identified the following RECs on the Subject Property:

REC 1 - Historical Site Usage

The following historical property uses were identified on the Subject Property:

- A milliner (hat making facility) was located at 297 Lenox Avenue in 1927;
- A tailor/cleaner was located at 291 Lenox Avenue in 1927;
- A dry cleaner was located at 289 Lenox Avenue (Lot 32) from 1956-1968; and
- 107 West 124th Street (Lot 28) was used as a factory in 1927 and an auto repair facility between 1978 and 2002.

Solvents, petroleum products, and/or other chemicals used during operations at these facilities may have adversely impacted soil and groundwater at the Subject Property through leaks or spills.

REC 2 - Evidence of Environmental Investigation

An abandoned temporary monitoring well was observed in the southwestern portion of the Subject Property indicating previous environmental investigation activities at the Subject Property.

REC 3 - Petroleum Bulk Storage

Based on a Phase I ESA prepared by Aaron Wright Technical Services, Inc. (Aaron Wright) in 2002, an active 5,000-gallon fuel oil tank and an abandoned 1,500-gallon fuel tank were observed in the basement of 291 Lenox Avenue (Lot 33). Both of these tanks were above ground and encased in concrete. An aboveground storage tank (AST) of unknown size was located in the basement of 287 Lenox Avenue (Lot 31). Aaron Wright did not have access to 289 Lenox Avenue (Lot 32) during their investigation; however, a vent pipe and fill port were located outside the building, indicating the presence of a fuel oil tank. Aaron Wright recommended that the tanks be removed and decommissioned according to applicable regulations.

The buildings at the Subject Property have been demolished and no evidence of the tanks is currently present; however, documentation pertaining to the closure of the tanks identified by Aaron Wright were not available. Potential leaks from the previously identified petroleum bulk storage tanks may have adversely impacted the soil and groundwater at the Subject Property; historical petroleum bulk storage tanks are considered a REC.

REC 4 – E Designation

Each of the lots that comprise the Subject Property are included on the New York City Department of Environmental Protection (NYCDEP) E Designation list. E-designations may indicate hazardous materials contamination or air and/or noise quality concerns. The inclusion of the Subject Property on the NYCDEP E Designation list is a REC.

The following RECs were identified at surrounding Properties:

REC 1 - Historic Use of Surrounding Properties

The following historical uses of surrounding properties are considered RECs:

- An auto repair and auto junk facility was located at 117-119 West 124th Street, a western adjoining property, between 1951 and 2003. Spills or leaks of petroleum products or solvents used at this facility may have adversely impacted groundwater at the Subject Property.
- A dry cleaner was identified at 275 Lenox Avenue, approximately 120 feet south (cross-gradient) of the Subject Property, between 1976 and 2005. The chlorinated solvent tetrachloroethylene (PERC or PCE) is commonly used during dry cleaning operations. Due to its proximity to the dry cleaner, inadvertent releases of PCE may have adversely impacted groundwater at the Subject Property.

REC 2 - Open Leaking Tank (LTANK) Incident at 152 West 124th Street

A tank test failure at this location, approximately 190 feet west (up-gradient) of the Subject Property, was reported to the New York State Department of Environmental Conservation (NYSDEC) on April 7, 1998 (NYSDEC Spill No. 9800366). The spill case is associated with a 2,000-gallon No. 2 fuel oil AST. Additional information was not provided. Aaron Aright stated in their 2002 Phase I ESA that this incident was not a concern; however, the incident remains open and cleanup activities have not met NYSDEC standards. Given its regulatory status, proximity, and up-gradient location relative to the Subject Property, this LTANK incident is considered a REC with respect to the Subject Property.

Asbestos, Lead, and Polychlorinated Biphenyl (PCBs)

Subject Property buildings have been demolished; the presence of asbestos-containing material (ACM), lead-based paint, and/or PCB-containing material is unlikely.

1.0 INTRODUCTION

Langan Engineering and Environmental Services, P.C. (Langan) was retained by Wharton Properties (the "User") to complete a Phase I Environmental Site Assessment (ESA) for an assemblage of properties on the city block located between 124th Street, 125th Street, Adam C. Powell Boulevard, and Lenox Avenue in the Harlem section of the borough of Manhattan, New York. The Subject Property consists of the following addresses: 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39).

The purpose of this ESA is to identify Recognized Environmental Conditions (RECs) in connection with the Subject Property, as defined in The Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, Designation E1527-05, which states:

"The presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimis conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies."

1.1 Scope of the ESA

This ESA was conducted utilizing a standard of good commercial and customary practice that is consistent with ASTM E1527-05. Any significant scope-of-work additions, deletions, or deviations to ASTM E1527-05 are noted in Section 9.0 of this report. In general, the scope of this assessment consisted of obtaining information from the User; reviewing readily available information and environmental data relating to the Subject Properties; reviewing readily available maps and records maintained by federal, state, and local regulatory agencies; interviewing readily available persons knowledgeable about the Subject Properties; and conducting a site visit. The specific scope of this assessment included the following:

1. A site reconnaissance to inspect on-site conditions and assess the location of the Subject Properties with respect to surrounding property uses and natural surface features. Photographs taken as part of the site reconnaissance are provided in Appendix A.
2. A review of the Owner/Operator/Site-Manager questionnaire. A copy is included as Appendix B.
3. A review of available previous environmental reports for the Subject Property. A copy of the reviewed reports are provided in Appendix C.
4. A review of readily available environmental databases maintained by the USEPA, state, and local agencies within the approximate minimum search distance. The environmental database report is provided by Environmental Data Resources, Inc. (EDR) and a copy of the report is included in Appendix D.
5. Freedom of Information Act (FOIA) requests were sent to federal, state, and local agencies. Copies of the FOIA requests are included in Appendix E.
6. New York City Department of Buildings (NYCDOB) records and a Planning Commission Zoning Map were reviewed. Available NYCDOB records and the Zoning Map are included in Appendices F and G, respectively.
7. A review of physical characteristics of the Subject Properties through a review of referenced sources for topographic, geologic, soils, and hydrologic data.
8. A review and interpretation of aerial photographs, Sanborn Fire Insurance Maps (Sanborn Maps), historical topographic maps, and city directories to identify previous activities on and in the vicinity of the Subject Properties. Copies are included in Appendices H, I, J, and K, respectively.
9. A review of an Environmental Lien search for the Subject Properties. A copy of the environmental lien search report is included as Appendix L.
10. A review of published radon occurrence maps to evaluate whether the Subject Properties is located in an area with a propensity for elevated radon levels.

1.2 Assumptions, Limitations, and Exceptions

This Phase I ESA report was prepared for Wharton Properties, for the Subject Property located at 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25 and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39) in Manhattan, New York. The report is intended to be used in its entirety. Excerpts taken from this report are not necessarily representative of the assessment findings. Langan cannot assume responsibility for use of this report for any property other than the Subject Property addressed herein, or by any third party without a written authorization from Langan.

Langan's scope of services, which is described in Section 1.2, was limited to that agreed to with the User and no other services beyond those explicitly stated are implied. The services performed and agreed upon for this effort comports to those prescribed in the ASTM Standard E1527-05. Intrusive sampling (i.e. soil borings and groundwater sampling) was not performed as part of this Phase I ESA.

This Phase I ESA was not intended to be a definitive investigation of possible environmental impacts at the Subject Properties. The purpose of this investigation was limited to determining if there is reason to suspect the possibility of RECs at the Subject Properties. It should be understood that even the most comprehensive Phase I ESA may fail to detect environmental liabilities at a particular site. Therefore, Langan cannot "insure" or "certify" that the Subject Properties are free of environmental impacts. No expressed or implied representation or warranty is included or intended in this report, except that our services were performed, within the limits prescribed by our client, with the customary standard of care exercised by professionals performing similar services under similar circumstances within the same jurisdiction.

The conclusions, opinions, and recommendations provided in this report are based solely on the specific activities as required for the performance of ASTM E1527-05 and are intended exclusively for the purpose stated herein, at the specified Subject Properties, as it existed at the time of our site visit.

2.0 SITE DESCRIPTION

2.1 Location and Description

The Subject Property consists of 12 lots on Tax Block 1909 , including: 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39) in Manhattan, New York. Each of the lots are vacant and covered with vegetation, approximately 6 to 12 inches tall, and scattered demolition debris, including brick and concrete fragments. The proposed development of the Subject Property includes a 12-story commercial building with one basement level.

Based on visual observations of the surrounding area during the site reconnaissance, the Subject Property is located in an urban area characterized by multi-story residential and commercial buildings with ground-level retail and restaurants. According to the United States Geological Survey (USGS) Brooklyn Quadrangle 7.5-minute Series Topographic Map, the Subject Property is relatively flat and the surrounding area slopes gently towards the east. Groundwater at the Subject Property is presumed to flow east towards the Harlem River.

2.2 Current Use of the Subject Property

The Subject Property is currently vacant land, but was previously occupied by multi story residential buildings with ground-level commercial space. See Appendix A for site reconnaissance photographs.

2.3 Description of Site Improvements

Buildings at the Subject Property were previously demolished. Site improvements were not observed on the Subject Property during this Phase I ESA.

2.4 Current Use of Adjoining and Surrounding Properties

The Subject Property is bound by West 125th Street and a 10-story shopping center to the north, Lenox Avenue and multi-story residential buildings with ground-level retail space to the east, West 124th Street and multi-story residential buildings to the south, and a vacant lot and a 1-story retail building to the west. Beyond adjoining properties, the surrounding area is comprised primarily of multi-story residential and commercial buildings with ground-level retail space and restaurants.

3.0 USER PROVIDED INFORMATION

3.1 Previous Environmental Reports

Phase I ESA, dated June 13, 2002, prepared by Aaron Wright Technical Services, Inc.

According to the Phase I ESA prepared by Aaron Wright Technical Services, Inc (Aaron Wright), one five-story and eight four-story mixed use buildings, each with a basement and a rear yard, were located at the Subject Property. Basements contained mechanical rooms and storage areas, ground-level spaces were occupied by lobbies or retail/commercial space, and the upper floors were occupied by residential apartments. At the time of Aaron Wright's inspection of the Subject Property on May 30, 2002, an active 5,000 gallon fuel oil aboveground storage tank (AST) and an abandoned 1,500-gallon fuel AST were observed in the basement of 291 Lenox Avenue (Lot 33). Both ASTs were encased in concrete. An AST of unknown size was located in the basement of 287 Lenox Avenue (Lot 31). Aaron Wright did not have access to 289 Lenox Avenue (Lot 32) during their inspection; however, a vent pipe and fill port were located outside the building, indicating the presence of a petroleum bulk storage tank. Aaron Wright recommended that the tanks be removed and decommissioned according to applicable regulations. Documentation regarding the closure of tanks identified by Aaron Wright were not available. Potential leaks from identified tanks may have adversely impacted soil and groundwater at the Subject Property; therefore, the historical tanks are considered a REC.

Aaron Wright noted that 107 West 124th Street (Lot 28) was occupied by an auto repair facility in 1980; however, they concluded that this facility was not a REC because it was located on the first floor of the building with a basement level beneath it and they did not observe evidence of petroleum bulk storage tanks. Based on a review of City Directory listings, 289 Lenox Avenue (Lot 32) was identified as French Dry Cleaners (a first floor establishment) in 1970. Aaron Wright did not gain access to this building during their Site reconnaissance, but they concluded that this facility was not a REC because it was located on the first floor above a basement level. Based on the potential for the former auto repair facility at 107 West 124th Street and the former dry cleaner at 289 Lenox Avenue to impact the soil and groundwater at the Subject Property with solvents and petroleum products through former drainage systems, Langan considers both of these former facilities a REC.

Aaron Wright also noted a leaking under ground storage tank incident (LTANK) that occurred on April 7, 1998 at 152 West 124th Street, approximately 300 feet west of the Subject Property.

They concluded that this incident was not a REC as groundwater was not impacted. This determination appears to be based on information in the EDR report provided to Aaron Wright that stated that impacts to ground water were "not reported." According to the EDR Report provided to Langan to complete this Phase I ESA, this LTANK incident remains open and NYSDEC clean up standards were not met. Based on this site's close proximity to the Subject Property and the current regulatory status, this LTANK incident is considered a REC in relation to the Subject Property.

Tank Closure Report, dated February 2008, prepared by Don Carlo Environmental Services

This Tank Closure Report stated that Don Carlo Environmental Services (DCES) removed a 550-gallon No. 2 fuel oil underground storage tank (UST) from 293 Lennox Avenue. The report includes a location map that shows the UST was actually located in the southwestern corner of the Subject Property along West 124th Street. According to the report, DCES excavated to the top of the tank, cut the top of the tank, and pumped the tank contents into a 55-gallon drum. The tank was then excavated, cut, cleaned, and shipped off-site as scrap metal. The DCEC report did not specify where the 55-gallon drum containing the contents of the removed UST was shipped to. The report stated that notification was not sent to the NYSDEC – Petroleum Bulk Storage (PBS) Unit because the total tank capacity was less than 1,100 gallons.

Soil around the tank was screened for visual signs of a petroleum release and for total organic vapors with a photoionization detector (PID). Stained soil was not documented PID readings of 0.0 parts per million (ppm) were measured. Five endpoint soil samples were collected from the tank excavation and were analyzed for NYSDEC Spill Technology and Remediation Series (STARS) volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). Results were below NYSDEC Technical and Administrative Guidance Memo (TAGM) Recommended Soil Cleanup Objectives (RCOs), with the exception of the SVOC benzo (a) pyrene. This SVOC was detected in all five endpoint samples at concentrations ranging from 210 to 310 micrograms per kilogram ($\mu\text{g}/\text{kg}$), which are marginally above the TAGM RSCO of 61 $\mu\text{g}/\text{kg}$. DCES concluded that no further assessment was needed in the area of the removed UST. The marginally elevated concentrations of benzo(a)pyrene relative to the TAGM RSCO in endpoint samples collected by DCES are typical of historic urban fill material and are not considered a REC; however, the absence of documentation reporting proper closure of the ASTs identified by Aaron Wright is considered a REC.

A copy of the previous environmental reports is included in Appendix C on CD.

3.2 Title Records

Langan researched prior ownership records and environmental conditions for the Site at www.propertyshark.com/mason/nyc/index.html. Property shark listed 125th & Lenox LLC as the owner of all Subject Property lots, except for 113 West 124th Street, which is owned by 113 West 124th Street LLC. The following table lists available deed transaction information for the Site.

Document Date	First Party	Second Party
291 Lenox Avenue (Lot 33)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
289 Lenox Avenue (Lot 32)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
287 Lenox Avenue (Lot 31)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
7/31/1985	Commissioner Of Finance	City Of New York
285 Lenox Avenue (Lot 30)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
283 Lenox Avenue (Lot 129)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
281 Lenox Avenue (Lot 29)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
107 W 124th Street (Lot 28)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	

Document Date	First Party	Second Party
109 W 124th Street (Lot 27)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
111 W 124th Street (Lot 26)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
113 W 124th Street (Lots 25 and 140)		
1/7/2004	Lande Realty Corporation	113 West 124TH Street LLC
1989	City Of New York	Lande Realty Corp
1974	Ro-Malik EnterprisesLtd	Harlem Reliance Systems
1974	City Of New York	Ro-Malik Enterprises Ltd
1972	Finance Admstr Cty Of NY	City Of New York
108 W 125th Street (Lot 38)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	
110 W 125th Street (Lot 39)		
7/10/2002	Juneglory Realty Corporation	125TH & Lenox LLC
	Juneglory, Inc.	

The review of ownership information did not indicate RECs at the Site.

3.3 User and Owner/Operator Questionnaire

As per the ASTM E1527-05 guidance, questionnaires were provided to the User/Owner in order to obtain specialized User knowledge. The questionnaires were completed by Andrew Lester, Director of Construction at Wharton Properties. The completed questionnaires did not provide any significant information regarding the Subject Property that would alter the conclusions of this report. The completed questionnaires are provided as Appendix B.

4.0 RECORDS REVIEW

4.1 Environmental Records

Regulatory database information was provided by EDR and is included in Appendix D on a CD. The EDR report provides a listing of sites identified on select federal and state standard source environmental databases within the approximate search radius specified by ASTM E1527-05. Langan reviewed each environmental database on a record-by-record basis to evaluate whether the sites identified represent a potential for environmental impact to the Subject Property. Langan also reviewed "Orphan Sites" listed within the report. Orphan Sites are those sites that could not be mapped due to inadequate address information. Any Orphan Sites that were identified by Langan within the ASTM search radii, either during the site reconnaissance or by cross-referencing to mapped listings, are addressed in the discussion below.

The following table lists the number of sites identified in standard and additional environmental record databases, within the prescribed search radius and appearing in the EDR Report.

DATABASE RECORD SUMMARY			
Database Reviewed (Date of government version)	Minimum Search Area	Site listed	Number of Sites Within Minimum Search Area
USEPA DATABASES			
National Priorities List (NPL) (3/31/2010)	1 Mile Radius	No	0
Delisted NPL (3/31/2010)	1/2 Mile Radius	No	0
Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) and CERCLIS No Further Remediation Action Planned (NFRAP) (1/23/2010 and 6/23/2009, respectively)	1/2 Mile Radius	No	0
Resource Conservation and Recovery Act (RCRA) Corrective Reports (CORRACTS) (3/25/2010)	1 Mile Radius	No	1
RCRA Treatment, Storage, and Disposal Facilities (TSDF) (2/17/2010)	1/2 Mile Radius	No	0
RCRA Large Quantity Generators (RCRA-LQG) (2/17/2010)	Subject Property and Adjoining	No	0

DATABASE RECORD SUMMARY			
Database Reviewed (Date of government version)	Minimum Search Area	Site listed	Number of Sites Within Minimum Search Area
RCRA Small Quantity Generators (RCRA-SQG) (2/17/2010)	Subject Property and Adjoining	No	0
Facility Information System (FINDS) Database (4/14/2010)	Subject Property	No	0
Environmental Response Notification System (ERNS) (12/31/2009)	Subject Property	No	0
Engineering Controls (EC) Sites Lists (12/20/2009)	Subject Property	No	0
Institutional Controls (IC) Sites Lists (12/20/2009)	Subject Property	No	0
NYSDEC DATABASES			
Hazardous Waste Disposal Sites (SHWS) and Delisted SHWS (5/24/2010)	1 Mile Radius	No	1
Hazardous Substance Waste Disposal Site Inventory (HSWDS) (1/1/03)	1/2 Mile Radius	No	0
Solid Waste or Landfill Facilities (SWF/LF) (4/13/2010)	1/2 Mile Radius	No	0
LTANKS (5/24/2010)	1/2 Mile Radius	No	69
SPILLS Information Database (NY SPILLS) (5/24/2010)	1/8 Mile Radius	Yes	23
EC Sites Lists (5/24/2010)	Subject Property	No	0
IC Sites Lists (5/24/2010)	Subject Property	No	0
Voluntary Cleanup Program (VCP) (5/24/2010)	1/2 Mile Radius	No	0
Brownfields (5/24/2010)	1/2 Mile Radius	No	1
Chemical Bulk Storage (CBS) Underground storage tank (UST) and aboveground storage tanks (AST) Databases (1/1/2002)	Subject Property and Adjoining	No	0
Major Oil Storage Facilities (MOSF) UST and AST Databases (01/01/2002)	Subject Property and Adjoining	No	0
Registered and Historical Drycleaners (DRYCLEANERS) (3/23/2010)	1/4 Mile Radius (N/A)	No	1

DATABASE RECORD SUMMARY			
Database Reviewed (Date of government version)	Minimum Search Area	Site listed	Number of Sites Within Minimum Search Area
Petroleum Bulk Storage Facilities (PBS) UST and AST Databases (4/6/2010)	Subject Property and Adjoining	No	1
EDR (PROPRIETARY) DATABASES			
EDR Former Manufactured Gas Plant (MGP) Sites (N/A)	1 Mile Radius (N/A)	No	1

N/A Not Applicable; databases with a "Not Applicable" Minimum Search Radius are databases reviewed as part of the Phase I ESA but not required as per ASTM E1527-05.

A description of the databases reviewed is provided in the EDR Report (Appendix C). A summary of sites identified within the prescribed search area is presented below:

4.1.1 Federal Agency Database Findings

RCRA Corrective Action Facilities

RCRA Corrective Action Facilities list (CORRACTS) identifies hazardous waste handlers with RCRA corrective action activity. As per ASTM E1527-05, the approximate minimum search distance required for CORRACTS facilities is within one mile of the Subject Property. The Subject Property was not listed in the RCRA-CORRACTS database; however, one RCRA-CORRACTS facility was identified within the search radius. The identified facility is located more than 4,600 feet from the Subject Property at a topographically cross-gradient location, and is not considered a REC.

Other Federal Databases

No NPL, Delisted NPL, Resource Conservation and Recovery Act (RCRA) Treatment, Storage, and Disposal Facilities (TSDF), RCRA Generators, Emergency Response Notification System (ERNS), FINDS, Engineering Controls (EC), or Institutional Controls (IC) sites were listed within their respective minimum search distances as specified by ASTM E1527-05.

4.1.2 State Agency Database Findings

Inactive Hazardous Waste Disposal Sites

New York State maintains a list of Inactive Hazardous Waste Disposal Sites (HSWS). As per ASTM E1527-05, the approximate minimum search distance required for HSWS facilities is within one mile of the Subject Property. The Subject Property was not listed in the HSWS database; however, one HSWS facility was identified within the required search distance. The identified facility is approximately 4,400 feet northeast from the Subject Property at a topographically down-gradient location, and is not considered a REC.

Leaking Underground Storage Tanks Database

The Leaking Storage Tanks (LTANKS) database contains an inventory of reported leaking storage tank incidents, including leaking USTs and ASTs. The primary causes of the LTANK incidents include tank test failures, tank failures, and tank overfills. As per ASTM E1527-05, the approximate minimum search distance required for LTANK incidents is within ½ mile of the Subject Property. The Subject Property was not listed in the LTANK database; however, 69 LTANKS sites were identified within 1/2 mile of the Subject Property. Of the listed LTANK sites, 68 have been closed, are located topographically cross- or down-gradient from the Subject Property, and/or are located more than 1,900 feet from the Subject Property. Details of an active and topographically up-gradient LTANK site are summarized below:

- **Site Name:** 152 West 124th Street
- **Site Address:** 152 West 124th Street
Spill Number: 9800366
- **Location:** This site is located approximately 190 feet west - northwest and topographically up-gradient relative to the Subject Property.

Details: A tank test failure was reported while testing a 2,000-gallon No. 2 fuel oil AST at this location on April 7, 1998. Additional information was not provided. Aaron Wright stated in their 2002 Phase I ESA that this incident was not a concern; however, the incident remains open and cleanup activities have not met NYSDEC standards. Given its regulatory status, close proximity, and up-gradient location relative to the Subject Property, this LTANK incident is considered a REC.

Spills Database

The Spills database, maintained and updated by NYSDEC, is an inventory of sites where spills have been identified and reported to NYSDEC. As per ASTM E1527-05, the approximate minimum search distance required for spills is within 1/8-mile of the Subject Property. According to EDR, 23 reported spill incidents were located within 1/8 mile of the Subject Properties. One of the identified spills was listed at 104 West 125th Street, which is located at the Subject Property. This incident occurred on May 3, 2001 in a Con Edison Vault when transformer fluid leaked. The spilled material was contained and cleaned up, subsequently closed on September 9, 2004, and is not considered a REC. The remaining 22 spill incidents reported were each granted closed status by the NYSDEC and are not considered RECs.

Brownfields

The Brownfields list includes any real property where development or re-use may be complicated by the presence or potential presence of hazardous waste, petroleum, or other contaminants. As per ASTM E1527-05, the approximate minimum search distance required for Brownfield sites is within ¼-mile of the Subject Property. The Subject Property was not listed in the Brownfields database. One Brownfield site was identified within ½ mile of the Subject Property; however, this facility is located more than 2,000 feet east, southeast of the Subject Property, at a topographically down-gradient location, and is not considered a REC.

Petroleum Bulk Storage Facilities (PBS) UST and AST Databases

The PBS database is a listing of USTs and ASTs registered with the NYSDEC. The required search radius for PBS facilities is the Subject Property and adjoining properties. Petroleum bulk storage tanks were not identified at the Site; however, according to previous reports by Aaron Wright's and DCES (see Section 3.1) at least 3 ASTs and 1 UST were present. In addition, evidence of an additional tank was observed by Aaron Wright in 2002. Aaron Wright recommended that the identified tanks be decommissioned as per NYSDEC regulation prior to demolition. The buildings at the Subject Property have been demolished and Langan is only aware of closure documentation for the removal of a 550-gallon UST in the southwest corner of the Subject Property in February 2008 by DCES. Historic unregistered petroleum bulk storage tanks at the Subject Property, and the absence of appropriate associated closure documentation, are considered a REC.

One adjoining property was included in the UST database and is described below:

Site Name: Harlem Center

Site Address: 105 West 125th Street

Location: This site adjoins the Subject Property to the north across West 125th Street.

Details: Two 1,000-gallon USTs and one 3,000-gallon UST were closed and removed from this location between 2001 and 2003. Following tank removal, impacted soil was removed and endpoint samples were collected, which were deemed satisfactory by the NYSDEC. As the tanks have been removed and the soil left in place at this facility did not appear to be petroleum-impacted; historical petroleum bulk storage at this adjoining property is not considered a REC.

Registered and Historical Drycleaners

This database includes the listing of all registered dry cleaning facilities. One dry cleaner was identified within one-quarter mile of the Subject Property. The identified dry cleaner is located more than 800 feet south of the Subject Property at a topographically cross-gradient location, and is not considered a REC.

Other State Databases

No Solid Waste Facilities or Landfill (SWF/LF), Hazardous Substance Waste Disposal (HSWDS), Voluntary Cleanup Program (VCP), EC, IC, Chemical Bulk Storage (CBS) UST and AST, or Major Oil Storage Facilities (MOSF) UST and AST were listed within their respective minimum search distances as specified by ASTM E1527-05.

4.1.3 Other Database Findings

Manufactured Gas Plant (MGP) Sites

The Manufactured Gas Plant (MGP) Sites database is a proprietary database that includes records of manufactured coal gas plants compiled by EDR. One MGP site was identified within a one-mile radius of the Subject Property. This facility is located approximately 4,800 feet from the Subject Property and is not considered a REC.

E-Designated sites

The New York City Department of Environmental Protection (NYCDEP) maintains a list of E-designated sites. E-designations may indicate hazardous materials contamination or air and/or noise quality concerns. Each of the Subject Property lots were identified with E-designations. The below table presents a summary of the E-designation associated with each Subject Property lot:

Lot (address)	Window Wall Attenuation - Alternative Ventilation	Underground Gasoline Storage Tank Testing Protocol	Air Quality – No. 2 Fuel Oil or Natural Gas Heat and Hot Water	Exhaust Stack Location Limitations
Lot 33 (291 Lenox Avenue)	X	X		
Lot 38 (108 West 125-Street)	X	X	X	X
Lot 39 (110 West 125-Street)	X	X	X	X
Lot 32 (289 Lenox Avenue)	X	X	X	X
Lot 31 (287 Lenox Avenue)	X	X	X	X
Lot 30 (285 Lenox Avenue)	X	X	X	X
Lot 129 (283 Lenox Avenue)	X	X	X	X
Lot 29 (281 Lenox Avenue)	X	X		X
Lot 28 (107 West 124-Street)	X	X	X	X
Lot 27 (109 West 124-Street)	X	X	X	X

Lot (address)	Window Wall Attenuation - Alternative Ventilation	Underground Gasoline Storage Tank Testing Protocol	Air Quality – No. 2 Fuel Oil or Natural Gas Heat and Hot Water	Exhaust Stack Location Limitations
Lot 25 and 140 (113 West 124 Street)	X	X	X	X
Lot 26 (111 West 124 Street)	X	X	X	X

Each of the above listed E-designations was listed in category E-201 and issued in April, 2008. The listing of lots that comprise the Subject Property on the NYCDEP E Designation list is considered a REC.

4.1.4 Local Regulatory Agency Findings

FOIA Requests

FOIA requests were submitted to the following federal, state, and local agencies via written correspondence:

- New York City Department of Environmental Protection (NYCDEP);
- New York City Department of Health (NYCDOH);
- New York City Fire Department (FDNY);
- New York State Department of Health (NYSDOH);
- NYSDEC; and
- USEPA, Region 2.

FOIA requests were sent on July 26, 2010. In a response from the NYCDEP dated August 6, 2010, the NYCDEP stated that they found no relevant records pertaining to the Subject Property. As of the date of this report, no other FOIA response have been received. Should any future responses alter the conclusions provided within this report, we will issue modified conclusions as an addendum to this report. Copies of the FOIA requests are included in Appendix E.

NYCDOB

Langan conducted a records search through the NYCDOB online query system on August 10, 2010. The Subject Property was listed with several "E" designations, which are described in more detail in section 4.1.2 above. Below is a summary of the information available on the NYCDOB web site regarding the Subject Property:

Lot 33 (291 Lenox Avenue)

Lot 33 (291 Lenox Avenue) is classified as "V1-vacant land" with 3 buildings previously located on the lot. A certificate of occupancy (CO), dated April 9, 1964, for this lot indicated a boiler room/storage area in the basement, stores on the ground level, and apartments on floors 2 – 4. A commercial low pressure boiler was previously located on the lot.

Lot 38 (108 West 125th Street)

Lot 38 (108 West 125th Street) is classified as "V1-vacant land." One building was previously located on this lot, which currently has a Stop Work Order associated with it for "demolition-unsafe/illegal/mechanical demo," issued on October 3, 2008. CO and boiler records were not found.

Lot 39 (110 West 125th Street)

Lot 39 (110 West 125th Street) was classified as "V1-vacant land" with one building previously located on the Lot. A Stop Work Order was issued for the Lot on October 3, 2008 for "demolition-unsafe/illegal/mechanical demo." CO and boiler records were not found.

Lot 32 (289 Lenox Avenue)

Lot 32 (289 Lenox Avenue) was classified as "V1-vacant land" with one building previously located on the Lot. A CO, dated January 14, 1949, indicated storage in the basement and stores on the ground-level. Boiler records were not found.

Lot 31 (287 Lenox Avenue)

Lot 31 (287 Lenox Avenue) was classified as "V1-vacant land" with one building previously located on the Lot. A CO, dated January 20, 1948, indicated storage in the basement and a store on the ground-level. Boiler records were not found.

Lot 30 (285 Lenox Avenue)

Lot 30 (285 Lenox Avenue) was classified as "V1-vacant land" with one building previously located on the Lot. CO and boiler records were not found.

Lot 129 (283 Lenox Avenue)

Lot 129 (283 Lenox Avenue) was classified as "V1-vacant land" with one building previously located on the Lot. CO and boiler records were not found.

Lot 29 (281 Lenox Avenue)

Lot 29 (281 Lenox Avenue) was classified as "V1-vacant land" with one building previously located on the Lot. A multi-unit low-pressure boiler was listed in the basement of the former building. There are no structures currently located at the Subject Property; however, the Subject Property is incorrectly associated with an active boiler by the NYCDOB. CO documents were not available.

Lot 28 (107 West 124th Street)

Lot 28 (107 West 124th Street) was classified as "V1-vacant land" with one building previously located on the Lot. A CO dated April 13, 1927 indicated a laundry facility in the basement and ground-level and a factory on floors 2 - 5. A second CO, dated December 22, 1930, indicated a storage area and boiler room in the basement, a 5-car auto garage on the ground-level, and storage facilities on floors 2 – 5. Boiler records were not found.

Lot 27 (109 West 124th Street)

Lot 27 (109 West 124th Street) was classified as "V1-vacant land" with no indications of previous structures.

Lot 26 (111 West 124th Street)

Lot 26 (111 West 124th Street) was classified as "V1-vacant land" with no indications of previous structures.

Lot 25 and Lot 140 (113 West 124th Street)

Lot 25 (113 West 124th Street) was classified as "V1-vacant land" with no indications of previous structures. Lot 140 was not listed on the on the NYCDOB website.

Each of Subject Property lots are included in the special 125th Street District and were identified as E-restricted for hazmat/noise/air. No outstanding Environmental Control Board violations were listed for the Subject Property. Historical use of Lot 28 as a factory is considered a REC as solvents, petroleum products, other chemicals used at this facility may have adversely impacted soil and groundwater at the Subject Property through leaks or spills. In addition, the inclusion of lots that comprise the Subject Property on the NYCDEP E Designation list is considered a REC. Copies of the available NYCDOB records are provided in Appendix F.

Zoning Department

According to the New York City Planning Commission Zoning Map 6a, the Subject Property is located in a C6-3 commercial district with a C4-4D overlay on the southern portion of the Subject Property. According to the zoning map, the Subject Property is E-designated within category E-201 by the NYCDEP. E-designations associated with the Subject Property are discussed in detail in section 4.1.2 above. The subject Property is located within the Special 125th Street District. Development projects within this district should comply with Zoning Resolution, Article IX: Special Purpose Districts, Chapter 7: Special 125th Street District. A copy of the zoning map and resolution is provided in Appendix F.

4.2 Physical Setting Sources

4.2.1 Topography

Based on the USGS Brooklyn Quadrangle Topographic Maps (7.5-minute series), the elevation of the Subject Property is approximately 25 feet above mean sea level (MSL). The topography of the Subject Property is generally flat, and the surrounding area slopes gently towards the east.

4.2.2 Geology

Geological surface features (e.g., rock outcroppings) were not observed on the Site. Soil and bedrock stratigraphy throughout Manhattan typically consists of a layer of historical fill that overlies glacial till, decomposed unconsolidated bedrock, and bedrock. Based on a review of the "Bedrock and Engineering Geologic Maps of New York County and parts of Kings and Queens Counties, New York, and Parts of Bergen and Hudson Counties, New Jersey" (Baskerville Map), dated 1994 and prepared by Charles A. Baskerville, the Site is underlain by

bedrock of the Inwood Marble and Hartland Formations, which consists of white calcite-dolomite marble and coarse-grained siliceous dolomite. Based on geotechnical investigations conducted by Langan in the vicinity of the Site, bedrock at the Site is estimated to be between 100 and 150 feet below surface grade.

4.2.3 Hydrology

Groundwater flow is typically topographically influenced, as shallow groundwater tends to originate in areas of topographic highs and flows toward areas of topographic lows, such as rivers, stream valleys, ponds, and wetlands. A broader, interconnected hydrogeologic network often governs groundwater flow at depth or in the bedrock aquifer. Groundwater depth and flow direction are also subject to hydrogeologic and anthropogenic variables such as precipitation, evaporation, extent of vegetation cover, and coverage by impervious surfaces. Other factors influencing groundwater include depth to bedrock, the presence of artificial fill, and variability in local geology and groundwater sources or sinks.

Based geotechnical investigations performed by Langan in the vicinity of the Subject Property, groundwater at the Subject Property is expected to be between 20 and 25 feet bgs. Groundwater is presumed to flow east toward the Harlem River. Except for parts of Jamaica, Queens, groundwater in the New York City area is not used as a potable water source. Potable water is provided to the Subject Property by the City of New York and is derived from surface impoundments in the Croton, Catskill, and Delaware watersheds.

4.3 Historical Use Information

Langan reviewed available historic resources (including aerial photographs, Sanborn and topographic maps, and city directories) dated 1902 to 2006. Findings of the reviews are presented below.

4.3.1 Aerial Photographs

Langan reviewed aerial photographs of the Subject Property and surrounding areas for the years 1954, 1966, 1975, 1984, 1994, and 2006. Copies of aerial photographs are included in Appendix H. Pertinent findings are summarized in the below table:

HISTORICAL AERIAL PHOTOGRAPH SUMMARY	
YEAR	COMMENTS

HISTORICAL AERIAL PHOTOGRAPH SUMMARY	
YEAR	COMMENTS
1954	<p>Subject Property: The Subject Property is improved with several multi-story buildings.</p> <p>Surrounding Area: The surrounding area is a fully developed urban area comprised of multi-story residential and commercial buildings. Two parks are located approximately 500 feet southeast and 1,800 west of the Subject Property.</p>
1966	<p>Subject Property: The Subject Property is relatively unchanged from the previous aerial photograph</p> <p>Surrounding Area: The surrounding area is primarily unchanged from the previous photo, except that some of the smaller residential properties in the area have been redeveloped as larger commercial buildings.</p>
1975	<p>Subject Property: The Subject Property is relatively unchanged from the previous aerial photograph.</p> <p>Surrounding Area: Surrounding properties appear primarily the same except for the redevelopment of the block immediately north of the Subject Property, including the demolition of several buildings leaving vacant land, and the construction of a high-rise building.</p>
1984	<p>Subject Property: The southwestern portion of the Subject Property now appears vacant. The remainder of the property appears primarily unchanged.</p> <p>Surrounding Area: Surrounding properties appear primarily unchanged from the previous photo.</p>
1994	Details of the Subject Property and surrounding area are indiscernible due to the poor quality of the photo.
2006	<p>Subject Property: The Subject Property is relatively unchanged from the 1984 photograph.</p> <p>Surrounding Area: Surrounding properties appear primarily unchanged from the 1984 photograph, except that the northern adjoining property across West 125th Street has been redeveloped as a large commercial building.</p>

Langan's review of the aerial photographs did not identify RECs at the Subject Property or any of the surrounding properties.

4.3.2 Sanborn Fire Insurance Maps

Langan reviewed Sanborn Maps for the Subject Property for the years 1902, 1912, 1951, 1976, 1978, 1980, 1985, 1986, 1988, 1989, 1991-1996, and 2001-2005. Sanborn Maps constitute a database of prior site uses of real property for many cities and towns in the United States. Copies of the maps are provided in Appendix I. A summary of the Sanborn Maps is presented the table below.

SANBORN MAP SUMMARY	
YEAR	COMMENTS
1902	<p>Subject Property: The Subject Property is occupied by 16 3-to 4-story residential buildings and four 1-story sheds and/or garages.</p> <p>Surrounding Area: The surrounding properties are mostly developed with multi-story residential buildings, hotels, social clubs, storage facilities, schools, and commercial businesses.</p>
1912	<p>Subject Property: The Subject Property is occupied by 13 2-to 5-story residential buildings, each with a basement. Buildings along 125th Street and Lenox Avenue have ground-level retail stores.</p> <p>Surrounding Area: Surrounding properties are primarily occupied by residential buildings, offices, stores, hotels, a department store, bakeries, warehouses, schools, carpenters, and furniture and upholstery stores. A subway station is shown at the intersection of 125th Street and Lenox Avenue. A sign painting facility and an iron works facility were located at 119 and 123 West 124th Street, respectively.</p>
1951	<p>Subject Property: The Subject Property is relatively unchanged, except that the 5-story building at 107 West 124th Street is now used for furniture storage and a 1-story building of unspecified use is located on Lot 140.</p> <p>Surrounding Area: Surrounding properties are primarily occupied by residential buildings, offices, stores, churches, laundry facilities, warehouses, storage facilities, commercial businesses, and social clubs. An auto repair facility was located at 119 West 124th Street, approximately 25 feet west of the Subject Property.</p>
1976	<p>Subject Property: The Subject Property appears the same as the 1951 map, except that the buildings at 109 and 113 West 124th Street and on Lot 140 were demolished and the lots are now vacant. Use is no longer specified for the building at 107 West 124th Street.</p> <p>Surrounding Area: Surrounding properties appear primarily the same as in the 1951 Sanborn map except that several properties on the block bound by West 125th and West 126th Street and Lenox and Seventh Avenues were demolished and redeveloped as a parking facility and state offices. A dry cleaner is now located at 275 Lenox Avenue, and an auto junk facility is now located at 117 West 124th Street, adjacent to the auto repair shop at 119 West 124th Street.</p>
1978 and 1980	<p>Subject Property: The Subject Property is relatively unchanged except that an auto repair facility is located on the 1st floor of the building at 107 West 124th Street and the building at 111 West 124th Street has been demolished, leaving 109-113 West 124th Street vacant.</p> <p>Surrounding Area: Surrounding properties are primarily unchanged from the 1976 Sanborn map, except that the northern adjoining properties appear vacant in 1980.</p>
1985, 1986, 1988, 1989, 1991-1996, and 2001-2002	<p>Subject Property: The Subject Property is relatively unchanged, except for commercial use indicated at 110 West 125th Street.</p> <p>Surrounding Area: Surrounding properties are primarily unchanged from the</p>

SANBORN MAP SUMMARY	
YEAR	COMMENTS
	1980 Sanborn map.
2003- 2005	Subject Property: The Subject Property is relatively unchanged, except that the 5-story building with an auto repair facility at 107 West 124 th Street has been demolished leaving the lot vacant. Surrounding Area: Surrounding properties are primarily unchanged from the 2002 Sanborn map, except that the auto repair facility and auto junk yard at 117-119 West 124 th Street are no longer present.

Langan's Sanborn Map review revealed the Subject Property was developed with multi-story residential buildings with basements as early as 1902. Ground-level stores or commercial businesses were located in the buildings along 125th Street and Lenox Avenue. An auto repair facility was located on the first floor of the building at 107 West 124th Street from 1978-2002. Leaks or Spills of petroleum products or solvents used during operations at the auto repair facility at the Subject Property may have adversely impacted the soil and groundwater at the Subject Property.

According to the Sanborn Map review, surrounding properties were primarily occupied by residential buildings (some with ground-level stores), offices, parking facilities, garages, hotels, schools, churches, and other commercial buildings. The following RECs were identified on surrounding properties:

- An iron works facility was located at 123 West 124th Street, approximately 75 feet west of the Subject Property, in 1912. In addition, a sign painting facility was located at 119 West 24th Street, approximately 25 feet from the Subject Property in 1912. Spills or leaks of petroleum products used at these facilities may have impacted groundwater at the Subject Property.
- An auto repair/auto junk yard was located at 117-119 West 124th Street, which adjoins the Subject Property to the west, between 1951 and 2003. Spills or leaks of petroleum products or solvents used at this facility may have adversely impacted groundwater at the Subject Property.
- A dry cleaner was identified at 275 Lenox Avenue, approximately 120 feet south of the Subject Property, between 1976 and 2005. The chlorinated solvent tetrachloroethylene (PERC or PCE) is commonly used during dry cleaning operations. Due to the proximity

of the dry cleaner to the Subject Property, inadvertent releases of PCE may have adversely impacted groundwater at the Subject Property.

4.3.3 Historical USGS Topographic Quadrangles

Langan reviewed historical USGS Topographic Quadrangles obtained from EDR for information regarding past uses of the Subject Property. Quadrangle maps were available for the Subject Property for the years 1897, 1947, 1966, 1979, and 1995. Copies of the topographic maps are provided in Appendix J. Pertinent findings are summarized in the flowing table.

HISTORICAL USGS TOPOGRAPHIC QUADRANGLE MAP SUMMARY	
YEAR	COMMENTS
1897	<p>Subject Property: The Subject Property is located on a block that appears to be fully developed with buildings.</p> <p>Surrounding Area: The area surrounding the Subject Property is a fully developed street grid. A park is located approximately 550 feet southeast of the Subject Property and the Harlem River is located approximately 3,000 feet to the east.</p>
1947	<p>Subject Property: The Subject Property appears relatively unchanged. Elevation is the Site is between 20 and 40 feet above mean sea level (msl).</p> <p>Surrounding Area: The surrounding properties appear relatively unchanged, except that the park to the southeast of the Site is identified as Mount Morris Park and Morning Side Park and Columbia University are shown approximately three and five blocks west of the Subject Property, respectively.</p>
1966, 1979, and 1995	<p>Subject Property: The Subject Property appears relatively unchanged, except that the elevation is now shown as approximately 25 feet above msl, indicating that the area was resurveyed.</p> <p>Surrounding Area: The surrounding properties appear relatively unchanged, except several schools and churches are noted throughout the surrounding areas.</p>

Langan's review of historical topographic maps identified that the Subject Property and surrounding area have been developed since at least 1897. No RECs were identified relative to the Subject Property.

4.3.4 City Directories

The City Directory Abstract, obtained from EDR, is a review of available business directories, including city, cross-reference, and telephone directories, at approximately five-year intervals for the years spanning 1920 through 2006. A copy of the City Directory Abstract is provided in Appendix K. A summary of the City Directory Abstract is presented in the following table.

CITY DIRECTORY SUMMARY		
YEAR	LISTED ADDRESS	OCCUPANT(S)
1920	Subject Property	Subject Property was not listed.
	Surrounding Properties	Surrounding Properties were not listed
1923	Subject Property	Subject Property was not listed.
	Surrounding Properties	Surrounding Properties were not listed
1927	Subject Property	Subject Property was listed as residences, a meat market, detective agency, bakery, cigar store, window cleaners, a pub, a real estate office, Citizens Liberty League, Dentists office and Dental Lab, Kalkulator Sam Millinery (hat making facility) (297 Lenox Avenue), a fur shop, and a knitting store.
	Surrounding Properties	Surrounding Properties were listed as residences, stores, a dental lab, restaurants, and other commercial businesses.
1931	Subject Property	The Subject Property was listed as residences.
	Surrounding Properties	Surrounding properties were listed as residences.
1938	Subject Property	The Subject Property was listed as a meat market and a pharmacy.
	Surrounding Properties	Surrounding properties were listed as residences.
1942	Subject Property	The Subject Property was listed as a pharmacy.
	Surrounding Properties	Surrounding properties were not listed.
1956	Subject Property	The Subject Property was listed as residences and Cola French Dry Cleaners (289 Lenox Avenue).
	Surrounding Properties	Surrounding properties were listed as residences and a lounge.
1958	Subject Property	The Subject Property included residences, Cola French Dry Cleaners (289 Lenox Avenue), United Tailoring and Cleaning Company (291 Lenox Avenue), and a restaurant/lounge.
	Surrounding Properties	Surrounding properties were listed as residences, offices, and a lounge.
1963	Subject Property	The Subject Property listings included residences, Cola French Dry Cleaners (289 Lenox Avenue), stationary store, and a restaurant.
	Surrounding	Surrounding properties were listed as residences, offices,

CITY DIRECTORY SUMMARY		
YEAR	LISTED ADDRESS	OCCUPANT(S)
	Properties	stores, restaurants, and Stanley's Cleaning and Dyeing (286 Lenox Avenue).
1968	Subject Property	The Subject Property listings included residences, a supermarket, snack bar, Josh French Dry Cleaners (289 Lenox Avenue), Puff by Pinkie, and an insurance company.
	Surrounding Properties	Surrounding properties were listed as residences, upholsterer, Stanley's Cleaning and Dyeing (286 Lenox Avenue), and offices.
1973	Subject Property	The Subject Property listings included residences, Allied Custom Hatters, Triple Variety Corp, Powder Puff by Pinkie, an insurance company, and a real estate office.
	Surrounding Properties	Surrounding properties included residences, Harlem Stationary and Printing, Inc (286 Lenox Ave), and offices.
1978	Subject Property	The Subject Property listings included residences, a produce market, real estate office, and Powder Puff by Marion.
	Surrounding Properties	Surrounding properties were listed as residences, a lounge, and offices.
1983	Subject Property	Subject Property listings included residences, medical and commercial offices, produce market, barber shop, real estate office, and Powder Puff by Marion.
	Surrounding Properties	Surrounding properties were listed as residences, stores, offices, a lounge, and music/video production companies.
1988	Subject Property	Subject Property listings included residences, RAJA Food Corp, produce market, barber shop, and Powder Puff by Marion.
	Surrounding Properties	Surrounding properties listings included residences, stores, offices, a lounge, and music/video production companies.
1993	Subject Property	Subject Property was listed as RAJA Food Corp, produce market, barber shop, and Powder Puff by Marion.
	Surrounding Properties	Surrounding properties were listed as residences, stores, offices, a restaurant, and a lounge.
1998	Subject Property	Subject Property listings included AA Lenox Ave, National Development and Research Institute, produce market, and Powder Puff by Marion.
	Surrounding Properties	Surrounding properties were listed as residences, stores, offices, restaurants, and a lounge.
2000	Subject Property	Subject Property listings included Powder Puff Marion, International Development and Research, a residence, and an electronics store.
	Surrounding Properties	Surrounding properties were listed as residences, an emergency towing company, offices, stores, and a lounge.
2006	Subject Property	The Subject Property was listed as an electronics store.

CITY DIRECTORY SUMMARY		
YEAR	LISTED ADDRESS	OCCUPANT(S)
	Surrounding Properties	Surrounding properties were listed as residences, restaurants, offices, stores, and a lounge.

Based on the available occupant listings, the Subject Property has been used for residential and commercial purposes. The following RECs were identified on the Subject Property:

- A dry cleaner was located at 289 Lenox Avenue from 1956-1968 and a tailor/cleaner was located at 291 Lenox Avenue in 1927. Spills or leaks of the solvent PCE or other chemicals used at these facilities may have adversely impacted the soil and groundwater at the Subject Property.
- A milliner was located at 297 Lenox Avenue in 1927. Dyes or pigments containing solvents used at this facility may have adversely impacted soil at groundwater at the Subject Property though leaks or spills.

Surrounding properties were listed primarily as residences, offices, stores, restaurants, a lounge, a cleaning/dyeing facility, and a printing facility. The cleaning/dyeing facility and printing facility identified were located across Lenox Avenue from the Subject Property at topographically down-gradient locations. Based on a review of the city directories, RECs were not identified at surrounding properties in relation to the Subject Property.

4.3.5 Environmental Lien Search

Langan contracted EDR to conduct an Environmental Lien search for the Subject Property. The results of the search, which included a compilation of available data and verification of the findings with the appropriate regulatory authorities, revealed that there are no Environmental Liens or other Activity and Use Limitations (AUL) associated with the Subject Property. A copy of the Environmental Lien Search is provided in Appendix L.

5.0 SITE RECONNAISSANCE

5.1 Methodology and Limiting Conditions

The site reconnaissance was conducted in a systematic manner focusing on the spatial extent of the Subject Property and then progressing to the adjacent and surrounding properties.

The assessment of the adjacent and surrounding properties was limited to identifying, if possible, any indications of past or current use that may involve the use, storage, disposal, or generation of hazardous substances or petroleum products; noting the general type of current use; the general topography of the surrounding area; and providing a general description of adjoining or adjacent structures. A description of the observed adjacent and surrounding properties is provided in Section 2.2.

5.1.1 Date and Time of Inspections

The site inspection was conducted by Ms. Jennifer Armstrong of Langan at 11:00 am on August 2, 2010. The weather at the time of the inspection was sunny and approximately 80°F. Ms. Armstrong was unaccompanied during the Site Reconnaissance.

5.2 General Site Setting and Reconnaissance Observations

Buildings, Other Structures, Foundations

There are no buildings or other improvements at the Subject Property. Scattered demolition debris, i.e. bricks and concrete, were scattered across the ground surface of the Subject Property. An abandoned temporary monitoring well, indicative of previous environmental investigation, was observed in the southwest portion of the Subject Property. The surface of the subject property is mostly covered with vegetation, approximately 6 - 12 inches in height, thus limiting visibility of the ground surface.

Two concrete-filled cellar entrances were observed on the southern sidewalk of 125th Street between Lots 33 and 38. An electrical vault is located on the western sidewalk of Lenox Avenue, midblock between West 124th and West 125th Street. The No. 2 and 3 subway line runs north-south below Lenox Avenue, immediately east of the Subject Property.

Pits, Ponds, Lagoons

Langan did not observe pits, ponds, or lagoons on the Subject Property.

Pools of Liquid

Langan did not observe any pools of liquid or standing water on the Subject Property.

Storm Drains, Wells, and Cisterns

Langan did not observe storm drains, wells, or cisterns at the Subject Property.

Polychlorinated Biphenyl (PCB) Transformers and Suspect Equipment

Langan did not observe transformers or other suspect PCB-containing materials at the Subject Property.

Storage Containers and Drums

Storage containers and drums were not observed at the Subject Property.

Air Emissions or Wastewater Discharges

Sources of air emissions or wastewater discharges were not observed at the Subject Property.

Sumps

Sumps were not observed at the Subject Property.

USTs or ASTs

Evidence of USTs/ASTs or associated fill ports and vents was not observed at the Subject Property.

Monitoring Wells or Remedial Activities

An abandoned temporary monitoring well was observed in the southwest portion of the subject Property indicating previous environmental investigation.

Stained or Discolored Soils

Evidence of stained or discolored soils was not observed at the Subject Property.

Leachate or Seeps

Leachate or seeps were not observed at the Subject Property.

Site Reconnaissance Conclusions

Based on the observed conditions associated with the site reconnaissance, an abandoned monitoring well in the southwestern portion of the Subject Property, indicating previous environmental investigation and potentially impacted groundwater, is considered a REC.

6.0 INTERVIEWS

6.1 Site Owner

The Site owner was not interviewed as part of this Phase I ESA.

6.2 Owners/Tenants of Adjacent Properties

Owners/tenants of adjacent properties were not available to be interviewed at the time of the site reconnaissance.

7.0 ADDITIONAL SERVICES

7.1 Radon

According to the USEPA Map of Radon Zones, the Borough of Manhattan has a low radon potential (less than 2 picocuries per liter [pCi/L]). The Map of Radon Zones has been compiled as a general guideline and does not necessarily reflect radon concentrations at specific localities. The USEPA recommends that actions be taken to minimize radon exposure when the radon potential in living areas exceeds 4 pCi/L. The NYSDOH has estimated that 0.9% of living areas and 4% of basements of homes in Manhattan have radon concentrations above 4 pCi/L. Based on the available information, elevated concentrations of radon in indoor air at the Subject Property are unlikely.

7.2 Asbestos-Containing Material, Lead-Based Paint, and Polychlorinated Biphenyls

All of the buildings at the Subject Property were previously demolished. The presence of asbestos-containing material (ACM), lead-based paint (LBP) and/or PCB-containing material is unlikely.

8.0 DEVIATIONS AND DATA GAPS

8.1 Deviations

Langan has performed a Phase I ESA of the Subject Properties utilizing a standard of good commercial and customary practice that is consistent with the ASTM E1527-05 and the 40 Code of Federal Regulations (CFR) Part 312 Standards and Practices for AAI. Significant deviations were not made to the above referenced standards.

8.2 Data Gaps

In order to address data gaps, additional sources of information may be consulted. According to AAI, Section 312.20 (g), "to the extent there are data gaps (as defined in section 312.10) in the information developed...that affect the ability of persons (including the environmental professional) conducting the all appropriate inquiries to identify conditions indicative of releases or threatened releases...such persons should identify such data gaps, identify the sources of information consulted to address such data gaps, and comment upon the significance of such data gaps." According to ASTM E 1527-05, Section 8.3.2.3, "historical research is complete when either: (1) the objectives in 8.3.1 through 8.3.2.2 are achieved; or (2) data failure is encountered. Data failure occurs when all standard historical sources that are reasonably ascertainable and likely to be useful have been reviewed and yet the objectives have not been met. If data failure is encountered, the report shall document the failure and, if any of the standard historical sources were excluded, give the reasons for the exclusion."

This Phase I ESA was completed without data gaps.

9.0 FINDINGS AND OPINIONS

This Phase I ESA was conducted in general accordance with the ASTM Practice E1527-05 (Standard Practice for ESA: Phase I ESA Process) and the USEPA AAI Rule. The objective of this Phase I ESA was to identify the presence or likely presence, use, or release on the Subject Property of hazardous substances or petroleum products as defined in ASTM E1527-05 as a REC.

The Phase I ESA identified the following RECs on the Subject Property:

REC 1 - Historical Site Usage

The following historical property uses were identified on the Subject Property:

- A milliner (hat making facility) was located at 297 Lenox Avenue in 1927;
- 107 West 124th Street (Lot 28) was used as a factory in 1927 and an auto repair facility between 1978 and 2002;
- A dry cleaner was located at 289 Lenox Avenue (Lot 32) from 1956-1968; and
- A tailor/cleaner was located at 291 Lenox Avenue in 1927.

Solvents, petroleum products, and/or other chemicals used during operations at these facilities may have adversely impacted soil and groundwater at the Subject Property through leaks or spills.

REC 2 - Evidence of Environmental Investigation

An abandoned temporary monitoring well was observed in the southwestern portion of the Subject Property indicating previous environmental investigation.

Based on a Phase I ESA prepared by Aaron Wright Technical Services, Inc. (Aaron Wright) in 2002, an active 5,000-gallon fuel oil tank and an abandoned 1,500-gallon fuel tank were observed in the basement of 291 Lenox Avenue (Lot 33). Both of these tanks were above ground and encased in concrete. An aboveground storage tank (AST) of unknown size was located in the basement of 287 Lenox Avenue (Lot 31). Aaron Wright did not have access to 289 Lenox Avenue (Lot 32) during their investigation; however, a vent pipe and fill port were located outside the building, indicating the presence of a fuel oil tank. Aaron Wright

recommended that the tanks be removed and decommissioned according to applicable regulations.

The buildings at the Subject Property have been demolished and no evidence of the tanks is currently present; however, documentation pertaining to the closure of the tanks identified by Aaron Wright were not available. Potential leaks from the previously identified petroleum bulk storage tanks may have adversely impacted the soil and groundwater at the Subject Property; historical petroleum bulk storage tanks are considered a REC.

REC 4 – E Designation

Each of the lots that comprise the Subject Property are included on the New York City Department of Environmental Protection (NYCDEP) E Designation list. E-designations may indicate hazardous materials contamination or air and/or noise quality concerns. The inclusion of the Subject Property on the NYCDEP E Designation list is a REC.

The following RECs were identified at surrounding Properties:

REC 1 - Historic Use of Surrounding Properties

The following historical uses of surrounding properties are considered RECs:

- An auto repair and auto junk facility was located at 117-119 West 124th Street, a western adjoining property, between 1951 and 2003. Spills or leaks of petroleum products or solvents used at this facility may have adversely impacted groundwater at the Subject Property.
- A dry cleaner was identified at 275 Lenox Avenue, approximately 120 feet south of the Subject Property, between 1976 and 2005. The chlorinated solvent tetrachloroethylene (PERC or PCE) is commonly used during dry cleaning operations. Due to the proximity of the dry cleaner to the Subject Property, inadvertent releases of PCE may have adversely impacted groundwater at the Subject Property.

REC 2 - Open Leaking Tank Incident at 152 West 124th Street

A tank test failure at this location, approximately 190 feet west (up-gradient) of the Subject Property, was reported to the New York State Department of Environmental Conservation

(NYSDEC) on April 7, 1998 (NYSDEC Spill No. 9800366). The spill case is associated with a 2,000-gallon No. 2 fuel oil AST. Additional information was not provided. Aaron Aright stated in their 2002 Phase I ESA that this incident was not a concern; however, the incident remains open and cleanup activities have not met NYSDEC standards. Given its regulatory status, proximity, and up-gradient location relative to the Subject Property, this LTANK incident is considered a REC with respect to the Subject Property.

Asbestos, Lead, and Polychlorinated Biphenyl (PCBs)

Subject Property buildings have been demolished; the presence of asbestos-containing material (ACM), lead-based paint, and/or PCB-containing material is unlikely.

10.0 REFERENCES

The following references were reviewed as part of this Phase I ESA:

Environmental Data Resources, Inc. July 21, 2010. Aerial Photo Decade Package.

Environmental Data Resources, Inc. July 22 and July 26, 2010. City Directory Abstract.

Environmental Data Resources, Inc. July 26, 2010. Environmental Lien Search.

Environmental Data Resources, Inc. July 21, 2010. Historical Topographic Map Report.

Environmental Data Resources, Inc. July 21, 2010. Radius Map with GeoCheck.

Environmental Data Resources, Inc. July 21, 2010. Sanborn Map Report.

Environmental Protection Agency, [USEPA Map of Radon Zones](#).

New York City Department of Buildings, Building Information System, <http://www.nyc.gov/html/dob/html/bis/bis.shtml>, retrieved August 10, 2010.

New York City Planning Commission. December 9, 2009. Zoning Map 6A.

Property Shark Reports, <http://www.propertyshark.com>, retrieved August 2010.

11.0 STATEMENT OF QUALIFICATIONS AND SIGNATURES


Langan declares that, to the best of its professional knowledge and belief, the personnel who performed this Phase I ESA meet the definition of Environmental Professional as defined in Subsection 312.10 of 40 CFR 312 and that they have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Subject Properties. They have developed and performed the AAs in conformance with the standards and practices set forth in 40 CFR Part 312. Resumes outlining the qualifications of the Environmental Professionals who performed this Phase I ESA are provided in Appendix M.

Langan Engineering and Environmental Services, P.C.



Michael D. Burke


Project Manager



Joel B. Landes, P.E.

Senior Associate

FIGURES



MAP REFERENCED: UNITED STATES GEOLOGICAL SURVEY (USGS), CENTRAL PARK, NEW YORK - NEW JERSEY TOPOGRAPHIC QUADRANGLE MAP, DATED 1996, REVISED 1979



21 Penn Plaza, 8th Floor New York, NY 10001
 P: 212.479.5400 F: 212.479.5444
 www.langan.com

NEW JERSEY PENNSYLVANIA NEW YORK CONNECTICUT FLORIDA
 NEVADA VIRGINIA CALIFORNIA

NJ Certificate of Authorization No: 24GA27996400

**LENOX AVENUE AND WEST 125TH STREET
 PHASE I ENVIRONMENTAL SITE ASSESSMENT
 NEW YORK, NEW YORK**

SITE LOCATION MAP

Project No. 170121501	Date 8/24/2010	Scale NTS	Dwg. No. 1
--------------------------	-------------------	--------------	---------------

APPENDIX A



Photo 1: View of the Subject Property from the east on Lenox Avenue.



Photo 2: Gated entrance to the Subject Property on West 124th Street. View is toward the south from the Subject Property.



Photo 3: Northwestern portion of the Subject Property. View is toward the north. The northern adjoining shopping center across West 125th Street is in the background.



Photo 4: Southwest portion of the Subject Property. View is toward the southwest.



Photo 5: Abandoned monitoring well in the southwest portion of the Subject Property. View is toward the west.



Photo 6: Southeast portion of the Subject Property. View is toward the southeast. Southern adjoining residential buildings across West 124th Street are in the background.



Photo 7: Northeast portion of the Subject Property. View is toward the northeast.



Photo 8: Concrete filled cellar entrances on West 125th Street at the northern extent of the Subject Property. View is toward the southeast from West 125th Street.



Photo 9: Con Edison vault in the western sidewalk of Lenox Avenue, immediately east of the Subject Property. View is towards the north from Lenox Avenue.



Photo 10: Southern adjoining properties across West 124th Street. View is towards the southwest from Lenox Avenue.



Photo 11: Vacant lot adjoining the Subject Property to the west. View is towards the north from west 124th Street.



Photo 12: Eastern adjoining properties across Lenox Avenue. View is towards the east from Lenox Avenue.

APPENDIX B

ASTM PRACTICE E 1527-05: USER/CLIENT QUESTIONNAIRE

Please complete the below form and return to
Langan Engineering and Environmental Services Inc.

Providing the following information (if available) to the environmental professional (Langan) is one of the requirements to qualify for one of the *Landowner Liability Protections* offered under CERCLA. Missing or incomplete information could result in a determination that "all appropriate inquiry" is not complete.

General Information

User/Client Name (s): 125TH + LENDX LLC.

Property Name: 125TH + LENDX LLC.

Address: 500 FIFTH AVENUE 54 FL

NEW YORK NY 10110

Property Type: LAND

Type of Property Transaction:

- Purchase of property
- Financing of property
- Sale of property
- Ground Lease
- Build to Suit Lease
- Other CONSTRUCTION

Reason Why Phase I ESA is required: _____

Site Contact (s): ANDREW LESTER

Required Information

The citation at the end of each item (e.g. 40 CFR 312.XX) is the section of EPA's November 1, 2005 AA Final Rule which discusses that item.

(1.) Environmental cleanup liens that are filed or recorded against the site (40 CFR 312.25). Yes No

Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state or local law? [Please note, unless specifically delegated in the Scope of Work for the Phase I ESA, it is the User's responsibility to undertake a review of recorded land title records and judicial records to identify any environmental liens and to report these liens to the environmental professional conducting a Phase I ESA.]

(2.) Activity and Land Use (AUL) limitations that are in place on the site or that have been filed or recorded in a registry (40 CFR 312.26). Yes No

Are you aware of any AULs, such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? [Please note, unless specifically delegated in the Scope of Work for the ESA, it is the User's responsibility to undertake a review of recorded land title records and judicial records to identify any activity and use limitations and to report these limitations to the environmental professional conducting a Phase I Environmental Site Assessment.]

(3.) Specialized knowledge or experience of the person seeking to qualify for LLP (40 CFR 312.28). Yes No

As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?

Yes No

(4.) Relationship of the purchase price to the fair market value of the property if it were not contaminated (40 CFR 312.29). Yes No

- (a.) Does the purchase price being paid for this property reasonably reflect the fair market value of the property? [If no, proceed to Parts 4a and 4b.] Yes No
- (b.) If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? Yes No
- (c.) Identify an explanation for the lower price and provide a written record of such explanation as an attachment.

(5.) Commonly known or reasonably known or reasonably ascertainable information about the property (40 CFR 312.30). Yes No

Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,

- (a.) Do you know the past uses of the property? Yes No
- (b.) Do you know of specific chemicals that are present or once were present at the property? Yes No
- (c.) Do you know of spills or other chemical releases that have taken place at the property? Yes No
- (d.) Do you know of any environmental cleanups that have taken place at the property? Yes No

(6.) The degree of obviousness of the presence of likely presence of contamination at the property, and the ability to detect the contamination by appropriate Investigation (40 CFR 312.31). Yes No

As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property?

Yes No

SIGNATURE:

It is understood that the information presented in this form is an integral part of the Phase I ESA process and that Langan will evaluate and rely on this information in the development of the final Phase I ESA report.

Completed By:

Andrew Lester

Print/Type Name:

ANDREW LESTER

Title:

DIRECTOR OF CONSTRUCTION

Company:

WHARTON PROPERTIES

Date:

7/23/10



**ASTM PRACTICE E 1527-05:
OWNER/OPERATOR/SITE-MANAGER QUESTIONNAIRE**

Please complete the below form and return to
Langan Engineering and Environmental Services Inc.

Project Location/Address: 125 TH & LENOX
NEW YORK, NY

ASTM E-1527-05, Section 10.9

Do you know of any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the property? Yes No

Do you know of any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the property? Yes No

Do you know of any notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products? Yes No

ASTM E-1527-05, Section 10.8

Are you aware if any of the documents listed below exists and if so, whether copies can and will be provided to the Consultant performing the ESA?

	Unaware	Document Exists	Copy will be provided
Environmental site assessment reports	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Environmental compliance audit reports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Environmental permits (such as solid waste disposal permits, hazardous waste disposal permits, NPDES permits, wastewater permits, underground injection permits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Registrations for underground and aboveground storage tanks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Material safety data sheets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Community-right-to-know plan	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Unaware	Document Exists	Copy will be provided
Safety plans; preparedness and prevention plans; spill prevention, countermeasure and control plans, etc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Reports regarding hydrogeologic conditions on the property or surrounding area	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Notices or other correspondence from any governmental agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hazardous waste generator notices or reports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Geotechnical studies	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Risk Assessments	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Recorded Activity and Use Limitations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Environmental Cleanup Reports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Do you have contact information for the prior owner of the property? Yes No

If yes, please provide information below:

Prior Owner's Name _____

Contact person _____

Address _____

Telephone _____

Do you have contact information for the prior occupant of the property? Yes No

If yes, please provide information below:

Prior Occupant's Name _____

Contact person _____

Address _____

Telephone _____

Do you have information on the prior facility manager of the property? Yes No

If yes, please provide information below:
Prior Facility Manager's Name _____

Contact person _____

Address _____

Telephone _____

This form was completed by:

Property Owner Operator Key Site Manager User EP

Name: ANDREW LESTER

Address: 500 FIFTH AVE 54 FL

NEW YORK, NY 10110

Signature: Andrew Lester Date: 7/23/10

APPENDIX C



Don Carlo Environmental Services Inc.

**1225 Atlantic Avenue
Brooklyn, NY 11216
Tel: 718-857-3100
Fax: 718-857-2100**

TANK CLOSURE REPORT

**293 Lenox Avenue
New York, NY 10027**

February 2008

Prepared for:

**Mr. Andrew Lester
125 & Lenox LLC
C/O Wharton Realty
500 Fifth Avenue, 54th Floor
New York, NY 10110**

Prepared by:

DON CARLO ENVIRONMENTAL SERVICES, INC.

**1225 Atlantic Avenue
Brooklyn, NY
Tel: 718-857-3100
Fax: 718-857-2100**



Table of Contents

EXECUTIVE SUMMARY	1
1. GENERAL INFORMATION	3
1.1. PROJECT LOCATION.....	3
1.2. RESPONSIBLE PARTIES.....	3
1.3. TANK INFORMATION.....	3
1.4. REGULATORY AUTHORITIES.....	4
1.5. SCOPE OF WORK.....	4
2. TANK REMOVAL PROCEDURES	5
2.1. PETROLEUM BULK STORAGE REGISTRATION/DEREGISTRATION.....	5
2.2. TANK EXCAVATION.....	5
2.3. TANK CLEANING.....	5
2.4. TANK REMOVAL AND DISPOSAL.....	5
2.5. ONSITE FIELD SCREENING.....	5
3. SUBSURFACE INVESTIGATION	6
3.1. SAMPLING LOCATIONS.....	6
3.2. ONSITE PID FIELD SCREENING AND HEAD SPACE ANALYSIS.....	6
3.3. ANALYSIS.....	6
4. INTERIM RECOMMENDATIONS	7
4.1. EXTENDED SAMPLING AND ANALYSIS.....	7
5. SITE ASSESSMENT	8
5.1. GENERAL LAND USE.....	8
5.2. SOIL PROFILES.....	8
5.3. WELLS.....	8
6. CONCLUSIONS AND RECOMMENDATIONS	9
TABLES FOR LABORATORY RESULTS	10-11
FIGURE 1	12-13
REFERENCES ATTACHED	

February 13, 2008

Executive Summary

On January 15, 2008, Don Carlo Environmental Services, Inc. (DCES) was retained by Mr. Andrew Lester D.b.a. 125 & Lenox LLC C/O Wharton Realty to perform tank closure procedures at 293 Lenox Avenue, New York, NY 10027.

The tank closure was performed in order to remove one (1) 550-gallon #2 fuel oil Underground Storage Tank (UST) and associated piping from the subject property. All work was performed in accordance with NYSDEC Petroleum Bulk Storage regulations (6 NYCRR Part 612 & 613) and with other appropriate regulations as promulgated by FDNY under Title 3 of the R.C.N.Y. Section 21-02. The subsurface investigation procedures were conducted in accordance with the recommendations of the ASTM Practice 1503 and NYSDEC Spill Prevention Operations Technology Series Memo #14 (SPOTS #14).

Work performed involved:

- Excavation of the tank was conducted in order to expose the entire tank top.
- After the top of the tank was excavated, the tank was cut in order to access the remaining products (tank bottoms) within the tank.
- The remaining tank bottoms were removed and the interior tank walls were scrape cleaned. One (1) NYCDOT Approved 55-gallon drum was used to contain the tank bottoms.
- Visual inspection was also conducted on the interior walls of the tank for holes; no holes were observed.
- The UST and associated piping were removed from the subject property and disposed of as scrap metal.
- Onsite field screening of the excavated soil and within the tank grave was conducted visually and by using a Toxi RAE Photoionization Detector (PID) model PGM-30.
- Collection of endpoint soil samples (EP-1 through EP-5) from within the tank grave for analysis using EPA Test Methods STARS 8021 for Volatile Organic Compounds (VOCs) and 8270 Semi-Volatile Organic Compounds (SVOCs).
- The previous tank grave was backfilled with clean fill materials.

Conclusion/Recommendations

Analysis of the end point soil samples identified marginal exceeding levels of Benzo(a)Pyrene in all five (5) samples analyzed. Soil samples analyzed as compared with NYSDEC TAGM-4046 Recommended Soil Cleanup Objectives (RSCOs).


It is DCES's opinion that the contaminants identified came from the historic fill materials used to backfill the tank in place. The fill materials identified were gravel, brick, coal and coarse sand. DCES has concluded that no further assessment needed for the previous tank grave at the subject property.



Theodore Yen, P.E.
Don Carlo Environmental Services, Inc.

1. General Information

1.1. Project location



293 Lenox Avenue, New York, NY 10027

1.2. Responsible Parties

Owner	125 & Lenox LLC C/O Wharton Realty 500 Fifth Avenue, 54 th Floor New York, NY 10110	Mr. Andrew Lester (212) 573-9001
Tank Contractor	Don Carlo Environmental Services, Inc. 1225 Atlantic Avenue Brooklyn, New York, 11216	Mr. Romeo Santos (718) 857-3100
Environmental Consultant	Don Carlo Environmental Services, Inc. 1225 Atlantic Avenue Brooklyn, New York, 11216	Mr. Theodore Yen (718) 857-3100

1.3. Tank Information

PBS#	Tank #	Capacity and Product Type	Location
2-607337	01	550-gal. #2 Fuel Oil UST	East of the subject property.

**293 Lenox Avenue
New York, NY 10027**

1.4. Regulatory Authorities

Agency	Law	Contact
NYS Department of Environmental Conservation	Petroleum Bulk Storage Regulations	Mr. Nick Lombardo (718) 482-7305
New York City Fire Department	Title 3, R.C.N.Y. Section 21-02	Metrotech Center (718) 999-1635

1.5. Scope of work

The Scope of Work Conducted at the subject property consists of the removal of one (1) 550-gallon #2 fuel oil UST.

- Excavation to expose the tank top was conducted in order to expose the entire tank top.
- The top of the tank was cut in order to access the remaining products within the tank. The remaining products in the tank were removed and contained into a New York City Department of Transportation (NYCDOT) Approved 55-gallon drum.
- Removal and disposal of the UST and associated piping.
- Collection of endpoint soil samples from within the previous tank grave.
- Laboratory analysis of five (5) soil samples using EPA Test Methods STARS 8021 for Volatile Organic Compounds (VOCs) and 8270 for Semi-Volatile Organic Compounds (SVOCs).
- Submittal of tank closure report.

2. Tank Removal Procedures

Procedures, as listed, refer to the removal of two (2) gasoline USTs (1/2,000-gal. & 1/550-gal.) from the subject property.

2.1. Petroleum Bulk Storage Registration/Deregistration

No notification with the NYSDEC - PBS Unit was filed; the tank capacity was less than eleven hundred gallons (1,100-gallons) for the facility.

2.2. Tank Excavation

The top of the UST was excavated in order to expose the entire tank top.

2.3. Tank Cleaning

The top of the tank was cut to allow entry and the tank was entered using confined space entry. The remaining product (tank bottom sludge) within the tank was removed. All products removed from within the tank were contained into one (1) NYCDOT approved 55-gallon drum.

2.4. Tank Removal and Disposal

The UST and associated piping were cut into pieces using oxyacetylene torch cutting process. All cut pieces were removed from the subject property and disposed of as scrap metal.

2.5. Onsite Field Screening

During excavation to uncover and remove the tank, onsite field screening included visual observation for petroleum staining and odors of soil were conducted. A Toxi RAE Photoionization Detector (PID) model PGM-30 was also used to screen general soil condition surrounding and beneath the tank. No staining of petroleum contamination was noticed.

3. Subsurface Investigation

3.1. Sampling locations

DCES conducted onsite field screening and collection of five (5) soil samples (EP-1 through EP-5) from within four (4) walls and bottom of the previous tank grave. Each soil sample collected was field screened for visual staining of petroleum and by using a Photoionization Detector (PID).

3.2. Onsite PID Field Screening – Head Space Analysis

A Photoionization Detector (PID) was used to screen general soil conditions during endpoint soil sampling. All soil samples collected were placed in glass jars until the containers were half-full. The contents were then shaken vigorously; the PID probe was then inserted into the container and readings taken.

All end point soil samples collected were field screened and logged with a zero PPM (0:00 PPM) PID reading.

With a zero PID reading, dry soil samples were labeled, logged on a Chain of Custody and submitted to York Analytical Laboratories, Inc. in Stratford, CT for analysis.

3.3. Analysis

Five (5) soil samples (EP-1 through EP-5) were collected and submitted with proper Chain of Custody to York Analytical Laboratories for analysis on February 5, 2008. The five (5) soil samples were analyzed under EPA Test Methods STARS 8021 for Volatile Organic Compounds (VOCs) and 8270 for Semi-Volatile Organic Compounds (SVOCs).

Analysis of the five (5) soil samples identified one (1) marginally exceeding contaminant, Benzo(a)Pyrene, in all five (5) soil samples. Soil analytical results were compared with NYSDEC TAGM-4046 Recommended Soil Cleanup Objectives (RSCOs).

4. Interim Recommendations

4.1. *Extended Sampling and Analysis*

N/A

5. Site Assessment

5.1. General Land Use

The subject property is currently a vacant lot with no activities. A chain link fence borders the subject property on three (3) sides.

5.2. Soil Profiles

Soils within the excavation were primarily mixed materials coarse sand, gravel and miscellaneous fill (brick and coal).

5.3. Wells

The municipality supplies potable water in the area. No groundwater monitoring wells were identified within the subject property.

6. Conclusions and Recommendations

One (1) previously used #2 fuel oil Underground Storage Tank (UST) was removed from the subject property and disposed of legally as scrap metal. The tank remaining product was removed and contained into a NYCDOT Approved 55-gallon drum.

Subsurface soils within the excavated pit were field screened and endpoint soil samples were collected and analyzed. Analysis of the five (5) endpoint soil samples identified one (1) marginal exceeding contaminant in all five (5) samples. Soil analytical results were compared with the NYSDEC TAGM 4046 Recommended Soil Cleanup Objectives (RSCOs).

DCES has completed the above scope of work as per the NYSDEC and FDNY's protocols, and recommends that no further assessment is needed for the previous tank area at the subject property.

TABLES FOR LABORATORY RESULTS

**293 LENOX AVENUE
NEW YORK, NY 10027**

TABLE 1

**SOIL ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS
(VOCs)**

Compounds	NYS DEC (TAGM-4046)	EP-1	EP-2	EP-3	EP-4	EP-5
MTBE, µg/kg	NS	ND	ND	ND	ND	ND
Benzene, µg/kg	60	ND	ND	ND	ND	ND
n-Butyl benzene, µg/kg	NS	ND	ND	ND	ND	ND
sec-Butyl benzene, µg/kg	NS	ND	ND	ND	ND	ND
tert-Butylbenzene, µg/kg	NS	ND	ND	ND	ND	ND
Isopropyl benzene, µg/kg	NS	ND	ND	ND	ND	ND
p-Isopropyl toluene, µg/kg	NS	ND	ND	ND	ND	ND
n-Propylbenzene, µg/kg	NS	ND	ND	ND	ND	ND
Ethyl benzene, µg/kg	5,500	ND	ND	ND	ND	ND
Naphthalene, µg/kg	NS	ND	ND	ND	ND	ND
Toulene, µg/kg	1,500	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene, µg/kg	NS	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene, µg/kg	NS	ND	ND	ND	ND	ND
p & m-Xylene, µg/kg	1,200	ND	ND	ND	ND	ND
o-Xylene, µg/kg	1,200	ND	ND	ND	ND	ND

NOTES:

NYSDEC- NYS DEC Recommended Soil Cleanup Objectives (RSCOs) – TAGM 4046

ND – Not Detected

Bold Text denotes exceedances.

All units are µg/kg

MDL – Method Detection Limits

293 LENOX AVENUE
NEW YORK, NY 10027

TABLE 2

SOIL ANALYTICAL RESULTS FOR SEMI-VOLATILE ORGANIC
COMPOUNDS (SVOCs)

Compounds	NYS DEC (TAGM-4046)	EP-1	EP-2	EP-3	EP-4	EP-5
Anthracene, µg/kg	50,000	ND	ND	ND	ND	ND
Fluorene, µg/kg	50,000	ND	ND	ND	ND	ND
Phenanthrene, µg/kg	50,000	200	ND	160	ND	ND
Pyrene, µg/kg	50,000	410	280	310	290	310
Acenaphthene, µg/kg	50,000	ND	ND	ND	ND	ND
Benzo(a)Anthracene, µg/kg	224	220	160	180	ND	ND
Fluoranthene, µg/kg	50,000	440	290	370	310	340
Benzo(b)Fluoranthene, µg/kg	1,100	260	320	360	300	330
Benzo(k)Fluoranthene, µg/kg	1,100	240	310	330	290	310
Chrysene, µg/kg	400	380	240	320	290	290
Benzo(a)Pyrene, µg/kg	61 or MDL	210	280	310	240	240
Benzo(g,h,i)Perylene, µg/kg	50,000	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)Pyrene, µg/kg	3,200	ND	ND	ND	ND	ND
Dibenzo(a,h)Anthracene, µg/kg	14 or MDL	ND	ND	ND	ND	ND

NOTES:

NYSDEC- NYS DEC Recommended Soil Cleanup Objectives (RSCO's) – TAGM 4046

ND – Not Detected

Bold Text denotes exceedances.

All units are µg/kg


MDL – Method Detection Limits

FIGURE 1

SITE PLAN

FIGURE 1

293 LENOX AVENUE, NEW YORK, NY - SITE PLAN



YORK

ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for:

Don Carlo Environmental
1225 Atlantic Ave.
Brooklyn, NY 11216
Attention: Danny Singh

Report Date: 2/12/2008
Re: Client Project ID: 293 Lenox Ave., NY, NY
York Project No.: 08020141

CT License No. PH-0723

New Jersey License No. CT-005

New York License No. 10854



Report Date: 2/12/2008
 Client Project ID: 293 Lenox Ave., NY, NY
 York Project No.: 08020141

Don Carlo Environmental
 1225 Atlantic Ave.
 Brooklyn, NY 11216
 Attention: Danny Singh

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 02/06/08. The project was identified as your project "293 Lenox Ave., NY, NY".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			EP-1		EP-2	
York Sample ID			08020141-01		08020141-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, STARS List	SW846-8260	ug/Kg	---	---	---	---
1,2,4-Trimethylbenzene			Not detected	10.0	Not detected	10.0
1,3,5-Trimethylbenzene			Not detected	10.0	Not detected	10.0
Benzene			Not detected	2.00	Not detected	2.00
Ethylbenzene			Not detected	10.0	Not detected	10.0
Isopropylbenzene			Not detected	10.0	Not detected	10.0
Methyl-tert-butyl ether			Not detected	10.0	Not detected	10.0
Naphthalene			Not detected	10.0	Not detected	10.0
n-Butylbenzene			Not detected	10.0	Not detected	10.0
n-Propylbenzene			Not detected	10.0	Not detected	10.0
o-Xylene			Not detected	10.0	Not detected	10.0
p- & m- Xylenes			Not detected	10.0	Not detected	10.0
p-Isopropyltoluene			Not detected	10.0	Not detected	10.0
sec-Butylbenzene			Not detected	10.0	Not detected	10.0
tert-Butylbenzene			Not detected	10.0	Not detected	10.0
Toluene			Not detected	10.0	Not detected	10.0

YORK

Client Sample ID			EP-1		EP-2	
York Sample ID			08020141-01		08020141-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Semi-Volatiles, STARS List	SW846-8270	ug/kG	---	---	---	---
Acenaphthene			Not detected	165	Not detected	165
Acenaphthylene			Not detected	165	Not detected	165
Anthracene			Not detected	165	Not detected	165
Benzo[a]anthracene			220	165	160	165
Benzo[a]pyrene			210	165	280	165
Benzo[b]fluoranthene			260	165	320	165
Benzo[g,h,i]perylene			Not detected	165	Not detected	165
Benzo[k]fluoranthene			240	165	310	165
Chrysene			380	165	240	165
Dibenz[a,h]anthracene			Not detected	165	Not detected	165
Fluoranthene			440	165	290	165
Fluorene			Not detected	165	Not detected	165
Indeno[1,2,3-cd]pyrene			Not detected	165	Not detected	165
Naphthalene			Not detected	165	Not detected	165
Phenanthrene			200	165	Not detected	165
Pyrene			410	165	280	165

Client Sample ID			EP-3		EP-4	
York Sample ID			08020141-03		08020141-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, STARS List	SW846-8260	ug/Kg	---	---	---	---
1,2,4-Trimethylbenzene			Not detected	10.0	Not detected	10.0
1,3,5-Trimethylbenzene			Not detected	10.0	Not detected	10.0
Benzene			Not detected	2.00	Not detected	2.00
Ethylbenzene			Not detected	10.0	Not detected	10.0
Isopropylbenzene			Not detected	10.0	Not detected	10.0
Methyl-tert-butyl ether			Not detected	10.0	Not detected	10.0
Naphthalene			Not detected	10.0	Not detected	10.0
n-Butylbenzene			Not detected	10.0	Not detected	10.0
n-Propylbenzene			Not detected	10.0	Not detected	10.0
o-Xylene			Not detected	10.0	Not detected	10.0
p- & m- Xylenes			Not detected	10.0	Not detected	10.0
p-Isopropyltoluene			Not detected	10.0	Not detected	10.0
sec-Butylbenzene			Not detected	10.0	Not detected	10.0
tert-Butylbenzene			Not detected	10.0	Not detected	10.0
Toluene			Not detected	10.0	Not detected	10.0
Semi-Volatiles, STARS List	SW846-8270	ug/kG	---	---	---	---
Acenaphthene			Not detected	165	Not detected	165
Acenaphthylene			Not detected	165	Not detected	165
Anthracene			Not detected	165	Not detected	165
Benzo[a]anthracene			180	165	Not detected	165
Benzo[a]pyrene			310	165	240	165
Benzo[b]fluoranthene			360	165	300	165
Benzo[g,h,i]perylene			Not detected	165	Not detected	165
Benzo[k]fluoranthene			330	165	290	165
Chrysene			320	165	290	165
Dibenz[a,h]anthracene			Not detected	165	Not detected	165

YORK

Client Sample ID			EP-3		EP-4	
York Sample ID			08020141-03		08020141-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Fluoranthene			370	165	310	165
Fluorene			Not detected	165	Not detected	165
Indeno[1,2,3-cd]pyrene			Not detected	165	Not detected	165
Naphthalene			Not detected	165	Not detected	165
Phenanthrene			160	165	Not detected	165
Pyrene			310	165	290	165

Client Sample ID			EP-5	
York Sample ID			08020141-05	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles, STARS List	SW846-8260	ug/Kg	---	---
1,2,4-Trimethylbenzene			Not detected	10.0
1,3,5-Trimethylbenzene			Not detected	10.0
Benzene			Not detected	2.00
Ethylbenzene			Not detected	10.0
Isopropylbenzene			Not detected	10.0
Methyl-tert-butyl ether			Not detected	10.0
Naphthalene			Not detected	10.0
n-Butylbenzene			Not detected	10.0
n-Propylbenzene			Not detected	10.0
o-Xylene			Not detected	10.0
p- & m- Xylenes			Not detected	10.0
p-Isopropyltoluene			Not detected	10.0
sec-Butylbenzene			Not detected	10.0
tert-Butylbenzene			Not detected	10.0
Toluene			Not detected	10.0
Semi-Volatiles, STARS List	SW846-8270	ug/kG	---	---
Acenaphthene			Not detected	165
Acenaphthylene			Not detected	165
Anthracene			Not detected	165
Benzo[a]anthracene			Not detected	165
Benzo[a]pyrene			240	165
Benzo[b]fluoranthene			330	165
Benzo[g,h,i]perylene			Not detected	165
Benzo[k]fluoranthene			310	165
Chrysene			290	165
Dibenz[a,h]anthracene			Not detected	165
Fluoranthene			340	165
Fluorene			Not detected	165
Indeno[1,2,3-cd]pyrene			Not detected	165
Naphthalene			Not detected	165
Phenanthrene			Not detected	165
Pyrene			310	165

Units Key:

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb


YORK

Report Date: 2/12/2008
Client Project ID: 293 Lenox Ave., NY, NY
York Project No.: 08020141

Notes for York Project No. 08020141

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:


for Robert Q. Bradley
Managing Director

Date: 2/12/2008

YORK

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page ___ of ___

08020141

Company Name DON CARLO ENV. SERV.	Report To:	Invoice To:	Project ID/No. 293 LENDX AVE N.Y., N.Y.	Samples Collected By (Signature) <i>[Signature]</i>	Name (Printed) ROBERT CASIO
---	-------------------	--------------------	--	---	---------------------------------------

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air		
EP-1	TANK GRAVE	2-5-08		✓		8021/8270 STARS	GLASS
EP-2	"	2-5-08		✓			
EP-3	"	2-5-08		✓			
EP-4	"	2-5-08		✓			
EP-5	"	2-5-08		✓			

Chain-of-Custody Record	Sample Relinquished by <i>[Signature]</i>	Date/Time	Sample Received by H. Bernard Norton	Date/Time 2-6-08 11:45AM
Bottles Relinquished from Lab by	Date/Time	Bottles Received in Field by	Date/Time	Turn-Around Time 3.7c

Comments/Special Instructions
Standard ___ RUSH(define) ___



Don Carlo Environmental Services Inc.

*1225 Atlantic Avenue
Brooklyn, NY 11216
Tel: 718-857-3100
Fax: 718-857-2100*

Ground Penetrating Radar Report

293 Lenox Avenue
New York, NY

January 14, 2008

Prepared for:

Wharton Properties/Carlton Realty
500 Fifth Avenue, 54th Floor
New York, NY 10110

Prepared by:

DON CARLO ENVIRONMENTAL SERVICES, INC.
1225 Atlantic Avenue
Brooklyn, NY
Tel: 718-857-3100
Fax: 718-857-2100



Don Carlo Environmental Services Inc.

*1225 Atlantic Avenue
Brooklyn, NY 11216
Tel: 718-857-3100
Fax: 718-857-2100*

January 14, 2008

Wharton Properties/Carlton Realty
500 Fifth Avenue, 54th Floor
New York, NY 10110
Attn: Andrew Lester

Re: Ground Penetrating Radar (GPR)
Location: 293 Lenox Avenue, New York, NY

Dear Sir:

This letter serves as a findings report for the Ground Penetrating Radar (GPR) survey performed on the above reference property, herein identified as the subject property. The GPR field survey was performed on January 14, 2008, and over target portions of the planimetric surface of the subject property to locate underground storage tanks (UST) that may currently exist.

The GPR used by the subject property was a Geophysical Survey System, Inc.(GSSI) SIR (Surface Interface Radar) System-2 with a 250MHZ antenna. A GPR system consists of a radar control unit, control cable and a transducer (antenna). The control unit transmits a trigger pulse at a normal repetition rate of 50 kHz. The trigger pulse is sent to the transmitter electronics in the transducer via the control cable. The transmitter electronic amplifies the trigger pulse into the bipolar pulse that is radiated to the subsurface. The transmitter pulses vary in shape and frequency according to the transducer used. In the subsurface soil, variations of the signal occur at boundaries where there is a dielectric contrast (void, steel, soil type, etc.). Signal reflections travel back to the control unit are represented as color graphic images for interpolation. The SIR System-2 is capable of transmitting electromagnetic energy in the frequency range of the 16MHz to 2000MHz.

A qualified operator used knowledge of the subsurface soil composition to calibrate the SIR System-2 to site specific conditions. Factor settings such as range, gain, number of gain points and scans per units, were modified to yield the most accurate data to describe the surface conditions.

The operator specified a coordinated system on the planimetric surface of the site to map subsurface dielectric anomalies detected on the premises. The property was surveyed by hand –towing a 250 MHz GPR antenna in rough five-foot pattern. Where a dielectric anomaly was found, a more spatially specific coordinated system was designed over the area to determine its size, shape and orientation. The data collected during the survey was reviewed by the operator and compared against past experience, technical judgment and prior site knowledge to classify the anomalies.

Findings:

On January 14, 2008, DCES performed a Ground Penetrating Radar (GPR) survey on the open lot locations of the subject property. The Ground Penetrating Radar Survey detected hyperbolic subsurface anomalies that was consistent with underground storage tanks. Site assessment were also conducted by a DCES technician for connected lines (vent of fill). No vent lines were present and no fill lines were presernt on site. One visible underground storage was found partially excavated at the northeastern portion of property. (See attached figure.)

Recommendations:

DCES recomends no further assessment or survey needed to rule out buried materials and/or anomaly at the site.

The GPR survey described above was performed in accordance with good commercial and customary practice and generally accepted protocols within the consulting industry. DCES does not accept reponsibility for survey limitations due to inherent technological limitations or site specific conditions. However made appropriate effort to identify and notify the client of such limitations and conditions. In particular, please note that the survey describe above does not represent a full utility clearance survey, and dose not relieve any party of applicable legal obligations to notify a utility one-call service prior to excavating or drilling.

Please contact me if you have any questions or comments regarding this matter.

Sincerely,




Robert Ocasio

Don Carlo Environmental Services Inc.

WEST 124TH STREET

LENOX AVENUE



125TH
WEST 125TH STREET

THANK YOU, WE APPRECIATE YOUR BUSINESS

05680

MASPETH RECYCLING

58-08 48TH STREET
MASPETH, NEW YORK 11378
(718) 628-1290



QUALITY RECYCLED CONCRETE PRODUCTS

CUSTOMER	DATE	CUSTOMER TRUCK	LICENSE NO.	TIME	CUSTOMER P.O.
	2-5-08	26931			
SOLD TO:					
JOB LOCATION: Don Carlo					
DELIVER TO: 293 Lenox Avenue 10					

PRODUCT DESCRIPTION

CODE	PRODUCT	CUBIC YARDS	\$ PER CY	CODE	PRODUCT	CUBIC YARDS	\$ PER CY
1	3/4" RECYCLE BLEND			14	DUMP CLEAN CONCRETE		
2	3/4" RECYCLE STONE			14B	DUMP LARGE PIECES CONCRETE		
3	3/8" RECYCLE BLEND			14D	DUMP CONCRETE WITH STEEL		
12	SCREEN FILL			15	DUMP DIRT		
13	SAND			15A	DUMP MIX LOADS		
				16	DUMP ASPHALT		
<i>Jose Delgado</i>							
HAULED BY CUSTOMER		DEL. BY		RECEIVED			


FULL PAYMENT MUST BE REMITTED FOR THE ABOVE TONNAGE OR YARDAGE WITHOUT QUESTION, IF THIS IS SIGNED.



Don Carlo Environmental Services Inc.

1225 Atlantic Avenue
Brooklyn, NY 11216
Tel: 718-857-3100
Fax: 718-857-2100

NYC Fire Department
Bulk Fuel Safety Unit
#9 Metrotech Center
Brooklyn, N.Y. 11201



AFFIDAVIT

STATE OF NEW YORK)

ss.:

COUNTY OF KINGS)

I, Romeo L. Santos, Jr., being duly sworn, depose and say that my place of business is located at 1225 Atlantic Avenue, Brooklyn, New York 11216.

That I hold License No. 62697339 (W 16) – expiration date – 02/27/10, for NYCFD to Install, Test, and Repair Oil Tanks (buried or above ground).

That on February 5th 2008, I supervised the legal removal of one (1) 550-gallon, #2 fuel oil, Underground Storage Tank (UST).

The tank was pumped out, cleaned, purged, rendered gas free, cut and removed from the subject property. All piping lines were disconnected, drained, cleaned, purged, removed and disposed of accordingly. The tank was removed properly and disposed of as scrap metal.


This Affidavit is issued to attest the proper tank removal procedure conducted by a Licensed New York City Fire Department Underground Tank Installer and in accordance with (Title 3 R.C. N.Y. Section 21-02).

Job Location: 293 Lenox Avenue
New York, NY 10027

Owner: 125 & Lenox LLC.
500 Fifth Avenue, 54th Floor
New York, NY 10110

Romeo L. Santos, Jr.
License #62697339
Exp: 02/10

Sworn to before me this
19 Day of February, 2008



Notary Public

AARON WRIGHT

**Phase I Environmental Site Assessment
Of
Proposed Nursing Home
97 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
New York, New York 10027**

Aaron & Wright Project No. M020179A.JM

**Phase I Environmental Site Assessment
Of
Proposed Nursing Home
281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
New York, New York 10027**

Aaron & Wright Project No. M020179A.JM

**Prepared for: Mr. Eliot Tawil
Carleton Realty Corp.
20 East 46th Street, Suite 1200
New York, New York 10017**

**Prepared by: Aaron & Wright Technical Services Incorporated
711 East Main Street, 2nd Floor
Bridgewater, New Jersey 08807
Phone: (732) 764-8900 Fax: (732) 764-8902**

June 13, 2002

Locations Nationwide

AARON WRIGHT

June 13, 2002

Mr. Eliot Tawil
Carleton Realty Corp.
20 East 46th Street, Suite 1200
New York, New York 10017

RE: Phase I Environmental Site Assessment
Proposed Nursing Home
281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
New York, New York 10027
Aaron & Wright Project No. M020179A.JM

Dear Mr. Tawil:

Aaron & Wright Technical Services Incorporated (Aaron & Wright) has completed a Phase I Environmental Site Assessment (ESA) of the above-referenced property. The report was conducted in accordance with American Society for Testing and Materials (ASTM) guidelines E 1527-00, Standard & Poor's *Environmental Criteria*, the Client's scope of work and generally accepted industry standards.

The investigation was conducted on behalf of and for the exclusive use of Carleton Realty Corp. (Client), solely for use in an environmental evaluation of the subject property. This report and findings contained herein shall not, in whole or in part, be disseminated or conveyed to any other party, nor used by any other party, in whole or in part without prior written consent of Aaron & Wright. However, Aaron & Wright acknowledges and agrees that the report may be conveyed to and relied upon by the Client, Lender, and the title insurer associated with the refinancing and/or property transfer of the subject property.

We hope you find the report complete and informative. Please do not hesitate to contact us if you have any questions or if we can be of further service to you.

Sincerely,

AARON & WRIGHT TECHNICAL SERVICES INCORPORATED



Jeremy Mushlin
Project Manager



Richard Dagnall
President

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY	15
1.1 <u>Property Description</u>	15
1.2 <u>Project Summary</u>	16
1.3 <u>Recommendations & Discussion</u>	17
2.0 PURPOSE, SCOPE AND LIMITATIONS	18
2.1 <u>Purpose</u>	18
2.2 <u>Scope of Work</u>	18
2.3 <u>Limitations</u>	19
2.4 <u>Property Access and Non-Access Disclosure</u>	20
3.0 PROPERTY DESCRIPTION	22
3.1 <u>Property Description</u>	22
3.2 <u>Utilities and Service Providers</u>	22
3.3 <u>Neighboring Properties</u>	22
4.0 ENVIRONMENTAL SETTING	23
4.1 <u>Topography</u>	23
4.2 <u>Surface Water Bodies</u>	23
4.3 <u>Geology and Hydrology</u>	23
4.4 <u>Environmental Summary/Conclusions</u>	24
5.0 PRIOR USE HISTORY	25
5.1 <u>Interviews/Records</u>	25
5.2 <u>Previous Reports</u>	26
5.3 <u>Historical Maps</u>	26
5.4 <u>Aerial Photographs/Topographic Maps</u>	28
5.5 <u>City Directories</u>	28
5.6 <u>Chain of Title</u>	29
5.7 <u>Historical Summary/Conclusions</u>	29
6.0 ENVIRONMENTAL DATABASE REVIEW	30
6.1 <u>Subject Property</u>	31
6.2 <u>NPL, CERCLIS & NFRAP Sites</u>	31
6.3 <u>RCRA Facilities</u>	31
6.4 <u>ERNS Incidents</u>	31
6.5 <u>Supplemental Federal Databases including FINDS and TRIS Databases</u>	32
6.6 <u>SHWS Database</u>	32
6.7 <u>SWF/LF Facilities</u>	32
6.8 <u>UST, LUST & AST Sites</u>	32
6.9 <u>Additional and Supplemental State or Local Databases or Information</u>	33
6.10 <u>Environmental Database Summary</u>	33
7.0 SITE RECONNAISSANCE	34
7.1 <u>Visual Observations</u>	34
7.2 <u>Underground and Above Ground Tanks</u>	35
7.3 <u>PCB-Containing Equipment</u>	36
7.4 <u>Preliminary Asbestos Evaluation</u>	36
7.5 <u>Radon Review</u>	38
7.6 <u>Lead-Based Paint Evaluation</u>	38
7.7 <u>Drinking Water Evaluation</u>	39

APPENDICES

- Appendix 1 - Property Photographs
- Appendix 2 - List of References/Letters of Inquiry
- Appendix 3 - Personnel Qualifications
- Appendix 4 - Property Questionnaire and Supporting Information
- Appendix 5 - Property Maps and Drawings
- Appendix 6 - Historical Documentation
- Appendix 7 - Environmental Database

1.0 EXECUTIVE SUMMARY

1.1 Property Description

Property Name: Proposed Nursing Home

Property Address: 281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street

City /State/Zip Code: New York, New York 10027

Property Usage: Residential with ground floor commercial/retail units

Narrative Description: The subject property consists of one 5-story and eight 4-story mixed-use buildings, each with basements and rear yard areas. The eight 4-story buildings each have ground floor commercial units. The majority of the buildings were constructed prior to 1902. The buildings are of wood and concrete-frame construction with load-bearing concrete masonry and concrete exterior walls. The first floors consist of the lobbies and ground floor retail/commercial units. The upper floors contain residential units. Mechanical and storage areas are located in the basements. With the exception of 291-297 Lenox Avenue (which is currently partially occupied), the second through fourth floors of the buildings were unoccupied, boarded up, and were not accessed. Additional site improvements include poured concrete slab sidewalks in the front of the buildings.

It should be noted that 291-297 Lenox Avenue (one building) is also known as 100-106 West 125th Street, and that 281 Lenox Avenue is also known as 101-105 West 124th Street. The breakdown of the 11 parcels is as follows: 107 West 124th Street: a 5-story vacant building, which was locked and is structurally unsound (Aaron & Wright did not gain access to any interior areas of this building.); 109-111 West 124th Street: two adjacent and undeveloped, unpaved lots; 281 Lenox Avenue: a 4-story residential building with a basement and a vacant ground floor commercial unit (formerly a nail salon); 283 Lenox Avenue: a 4-story residential building with a basement and a vacant ground floor commercial unit (formerly a Jamaican grocery store); 285 Lenox Avenue: a 4-story residential building with a basement and a vacant ground floor commercial unit (formerly a "NARDI" office); 289 Lenox Avenue: a 4-story residential building with a basement and a vacant ground floor commercial unit (formerly a check cashing establishment); 291-297 Lenox Avenue: a 4-story residential building with a basement and six active ground floor commercial units (including a shoe repair shop, two men's clothing stores, a seafood restaurant, a record store, and a women's clothing store); 108 West 125th Street: a 4-story residential building with a basement and a ground floor women's hosiery shop; and 110 West 125th Street: a 4-story residential building with a basement and a ground floor jewelry and beeper store.

1.2 Project Summary

HAZARD	ACCEPTABLE	O&M RECOMMENDED	ROUTINE SOLUTION	ADDITIONAL STUDY	ESTIMATED COST*
Property History	X				
Database Review	X				
Visual Observations	X				
USTs and ASTs			X		See below (1)
PCBs	X				
Asbestos			X		See below (2)
Radon	X				
Lead-Based Paint			X		See below (3)
Drinking Water	X				

* Costs depicted, if any, are estimates for investigations and/or program development, and do not constitute a quote to provide services. Additional costs may be incurred as a result of the completion of the recommended activities.

- (1) Decommission and remove all fuel oil tanks on-site
- (2) Conduct asbestos surveys of the buildings on-site
- (3) Take precautions for lead-based paint while demolishing buildings on-site

1.3 Recommendations & Discussion

Aaron & Wright did not find evidence indicating prior use of the subject property or activity at neighboring properties that would indicate the likelihood of environmental impairment to the subject property. In addition, Aaron & Wright did not observe visual evidence of hazardous-material contamination, indications of improper hazardous material storage or disposal, or identify significant recognized environmental concerns relating to polychlorinated biphenyls (PCBs), radon, or drinking water at the subject property.

Aaron & Wright identified an active 5,000-gallon fuel oil tank completely encased in concrete in the basement boiler room of 291 Lenox Avenue. In addition, the following abandoned fuel oil tanks were identified on-site: one 1,500-gallon fuel oil tank completely encased in concrete in the basement of 291 Lenox Avenue, and one AST of unknown size in the basement of 287 Lenox Avenue. In addition, a fuel oil fill cap and vent pipe were identified in front of 289 Lenox Avenue. However, access was not gained to any interior areas of this building. Therefore, Aaron & Wright was unable to inspect for potential tanks in this area. Given that the buildings on-site are slated for demolition, Aaron & Wright recommends that these tanks be decommissioned and removed in accordance with all federal, state, and local regulations. In addition, Aaron & Wright recommends that care be taken in the development of the subject property. In the event that additional aboveground fuel oil tanks are discovered during interior demolition, the ASTs should be decommissioned and removed in accordance with all local, state, and federal regulations. If USTs are discovered during future site excavations, the USTs should be removed in accordance with all federal, state, and local regulations.

Small amounts of suspect friable aircell pipe insulation with cementitious pipe fitting insulation in poor condition was identified in the basements of the following buildings: 291 Lenox Avenue (approximately 20 SF pipe elbows only); 281 Lenox Avenue (approximately 20 LF aircell insulation); 108 West 125th Street (approximately 20 LF); and 110 West 125th Street (approximately 35 LF). In addition, approximately 200 SF of suspect friable cementitious boiler insulation in poor condition was identified in the 291 Lenox Avenue basement. Also, suspect friable 12"x12", 2'x2', and 2'x4' drop ceiling tiles were observed throughout the ground floor commercial units. Lastly, suspect non-friable 9"x9" and 12"x12" vinyl floor tiles, vinyl sheet flooring, and wallboard and joint compound were observed throughout the buildings.

Given the ages of the buildings on-site (prior to 1902), it is possible that painted surfaces contain lead. It is Aaron & Wright's understanding that the buildings will be demolished.

Given that the buildings are slated for demolition, comprehensive asbestos and lead-based paint (LBP) surveys of the each of the buildings should be conducted in compliance with NESHAP and New York City Building Department regulations before initiating such destructive activities. The surveys should include an assessment of all subject building materials, including those in areas which are normally inaccessible.

Any ACM removed from the subject property should be removed in accordance with all applicable federal, state and local regulations. The procedure should be performed in a safe and controlled manner by a qualified asbestos/lead abatement contractor. The contractor should use prudent techniques recognized as industry standards. Any removed asbestos or LBP should be disposed of in an approved and legal manner.

Based on the scope of work performed, it is Aaron & Wright's professional opinion that no recognized environmental concerns were identified at the subject property, except as noted above, that would warrant further environmental study at this time.

2.0 PURPOSE, SCOPE AND LIMITATIONS

2.1 Purpose

Aaron & Wright was retained to conduct a Phase I Environmental Site Assessment of the subject property to assist in the underwriting of a proposed mortgage loan of the real property. The assessment was designed to provide an objective, independent, professional opinion of the potential environmental risks, if any, associated with the subject property. The purpose of this environmental assessment was to identify recognized environmental conditions at the subject property. "Recognized environmental conditions" means the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not pose a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate government agencies.

2.2 Scope of Work

The assessment was conducted in accordance with American Society for Testing and Materials (ASTM) *Standard Guide for Environmental Site Assessments: Phase I Environmental Site Assessment Process* E 1527-00, *Standard & Poor's Environmental Criteria*, the scope of work provided by the Client, and generally accepted industry standards.

The specific scope of work included the following:

Environmental Setting - Efforts were made to determine the environmental setting of the subject property with respect to topography, surface water bodies, flood plain, wetlands, soil type, depth to groundwater and direction of groundwater flow. "Wetlands" is a general term used to describe a variety of ecosystems, which may include prairie potholes, marshes, fens, bogs, wet meadows and swamps. It is not part of this assessment to conduct a formal wetland determination utilizing the defined criteria, but to determine if additional work should be considered based on Aaron & Wright's observations.

Prior Use History Review - Attempts were made to identify the prior usage of the property back to the earlier of the property's first developed use or 1940, using as many sources that were both reasonably ascertainable and likely to be useful. Standard historical sources include any or all of the following: aerial photographs, historical maps, tax information, land title records, topographic maps, local street directories, building department records, zoning/land use records, prior reports and interviews with local agencies.

Environmental Database Review - Reasonably ascertainable environmental databases were reviewed to determine whether the subject property or any neighboring properties were suspected of having or known to have environmental concerns likely to adversely impact the subject property. The databases reviewed and the radii chosen are based on the ASTM standard and Client's scope of work.

Property Reconnaissance - A property reconnaissance, consisting of a visual inspection of the subject property and neighboring properties as observable from the subject property, was conducted to identify recognized environmental conditions associated with the subject property, to the extent not obstructed by bodies of water, adjacent buildings or other obstacles. Potential recognized environmental concerns include, but are not limited to, areas of staining, stressed vegetation, pits, ponds, lagoons, drains, sumps, dry wells and septic systems.

It is important to note the scope of this investigation is limited to a visual inspection to identify areas of potential concern to the real property and a review of readily accessible government databases. The inspection does not include a regulatory compliance audit of the facility. There are detailed regulations concerning the proper use, storage and disposal of hazardous and regulated material. These regulations include, but are not limited to, permitting, paper keeping and manifesting requirements, as well as community and employee right-to-know laws.

UST and AST Search - Attempts were made to identify any ASTs containing hazardous or regulated materials, and to identify visual indications of USTs, such as fill and vent pipes, or volume gauges. In addition to the visual inspection, state database of facilities with registered USTs were reviewed, and the property contact and local regulatory officials were interviewed regarding any knowledge of ASTs or USTs.

PCB Search - An attempt was made to identify electrical or hydraulic equipment known to or likely to contain PCBs, identify the condition of such equipment and to determine the ownership of the equipment. Per ASTM guidelines, fluorescent light ballasts likely to contain PCBs are not addressed due to the limited quantity of PCB materials contained.

Preliminary ACM Evaluation - Efforts were made to identify the presence of the most obvious and common ACM. The potential for the presence of friable ACM was evaluated based on the age of the improvements, dates of renovation and other relevant information. Appendix G of the USEPA Guidance Document: *Managing Asbestos in Place - A Building Owner's Guide to Operations and Maintenance Programs for Asbestos-Containing Materials* (the Green Book) was used as a guide in identifying suspect materials. Materials listed in the Green Book, which were installed prior to 1989, are suspected of containing asbestos. However, it should be noted that asbestos may still be utilized in some non-friable products, such as sheet vinyl flooring, vinyl floor tiles, floor tile mastic, asbestos-cement board and roofing materials, as these materials may still be manufactured and installed in the United States. The level of the preliminary evaluation performed was not designed to comply with the survey requirements of the Asbestos Hazard Emergency Response Act (AHERA), 40 Code of Federal Regulations (CFR) Part 763, National Emission Standard for Hazardous Air Pollutants (NESHAP) 40 CFR 61, Occupational Safety and Health Administration (OSHA) 29 CFR Part 1926.1101, or other local, state or federal regulations, but has been conducted per accepted industry practices to satisfy the scope of work of the rating agencies and/or lenders. Samples collected, if any, will be analyzed for the presence of asbestos by a National Voluntary Lab Accreditation Program (NVLAP) accredited laboratory using polarized light microscopy and dispersion staining. Any testing results obtained are for the personal use of the Client only.

Preliminary Radon Review - The potential for elevated radon to exist within the subject buildings and to pose a significant concern was evaluated based on regional potential for radon, the usage of the subject buildings, and the type of construction and mechanical systems present.

Preliminary LBP Evaluation - The potential for the presence of LBP at the property and the potential to pose a significant concern was evaluated based on the age of the improvements, dates of renovation and the current and proposed uses of the property. Paint applied prior to 1978 is assumed to be LBP. Lead may also be found in materials other than painted surfaces, such as bathtub and ceramic tile glazing and vinyl mini-blinds. Such items are not included in this preliminary LBP evaluation. This evaluation was not designed or intended to comply with the survey requirements as outlined in the HUD regulations, or other local, state or federal regulations, but was conducted per accepted industry practices to satisfy the scope of work of the client, rating agencies and/or lender. Samples collected, if any, will be analyzed using the Flame Atomic Absorption Spectrophotometry method. Any testing results obtained are for the personal use of the Client only.

Preliminary Drinking Water Evaluation - The potential for elevated lead and other contaminants in the drinking water supply were evaluated. The evaluation consisted of determining the source of the potable water supply and the results of any sampling or compliance data generated for the water supply. Any testing results obtained are for the personal use of the Client only.

Photographs representative of Aaron & Wright's observations are included in Appendix 1. In addition to visual observations, Aaron & Wright relied on the sources and contacted the individuals listed in Appendix 2. If and when applicable, additional forms and checklists required by the Client are also included in the appendices.

2.3 Limitations

Aaron & Wright has performed the services and prepared this report in accordance with generally accepted consulting practices, and makes no other warranties, either expressed or implied, as to the character and nature of such services or product.

Aaron & Wright, its officers, and its employees, have no present or contemplated interest in the property. Our employment and compensation for preparing this report are not contingent upon our observations or conclusions.

Information in this report, concerning equipment operation, condition of spaces and concealed areas not observed or viewable and for the disclosure of known problems, if any, is from sources deemed to be reliable, including, but not limited to property managers and maintenance personnel; however, no representation or warranty is made as to the accuracy thereof.

No environmental site assessment can wholly eliminate uncertainty regarding the potential for recognized environmental conditions in connection with a property. This study is designed to reduce but not eliminate uncertainty regarding the existence of such conditions in a manner that recognizes reasonable limits of time and cost. Based on the scope of work, Aaron & Wright cannot warrant subsurface conditions.

2.4 Property Access and Non-Access Disclosure

Inspector: Jeremy Mushlin
A copy of the inspector's qualifications is included in Appendix 3.

Date of Inspection: May 30, 2002

Weather Conditions: Sunny and approximately 78 degrees

Property Questionnaire Sent to: Mr. Eliot Tawil Carleton Realty Corp., Purchaser of the subject property
Mr. Tawil did not return a completed questionnaire to Aaron & Wright. A copy of the blank questionnaire is provided in Appendix 4.

Property Contact: Mr. Eliot Tawil Carleton Realty Corp., Purchaser of the subject property

Property Escort: Mr. Dominic Monera Engineer for the subject property for the past 15 years

Areas Accessed: All areas of the property were accessed, with the exception of the areas noted below.

Inaccessible Areas: With the exception of the western stairwell and roof of 291 Lenox Avenue, no areas above the ground floor of any of the buildings on-site were accessed. However, Aaron & Wright was able to gain access to the ground floor retail units and basements of all of the buildings on-site, with the exception of 289 Lenox Avenue, which was locked, and Aaron & Wright's site contact did not have a key to this area. In addition, Aaron & Wright did not gain access to any areas of the interior of 107 West 124th Street, as this building was boarded up and structurally unsound. Therefore, Aaron & Wright was unable to make determinations of potential environmental conditions in these areas.

Property Diagram: A property diagram is provided in Appendix 5.

Legal Description:

Aaron & Wright was not provided a legal description of the subject property. However, the subject property is known as Block 1909, Lots 26, 27, 28, 29, 129, 30, 31, 32, 33, 38, and 39 for tax purposes. The breakdown of addresses and lots numbers is provided in the building department records in Appendix 6.

3.0 PROPERTY DESCRIPTION

3.1 Property Description

Property Size:	Approximately 30,000 SF
	Source: Sanborn map
Property Usage:	Residential with ground floor commercial/retail units
Number of Buildings:	Nine buildings and two undeveloped lots
Date of Construction:	Prior to 1902
	Source: Sanborn map

3.2 Utilities and Service Providers

Electricity:	Consolidated Edison of New York (ConEd)
Gas:	Consolidated Edison of New York (ConEd)
Potable Water:	City of New York
Sanitary Sewer:	City of New York
Storm Water:	City of New York
Solid Waste:	Contracted as needed
Pest Control:	Contracted as needed
HVAC Maintenance:	Contracted as needed
Fire/Security :	Contracted as needed
Roof Maintenance:	Contracted as needed

3.3 Neighboring Properties

North:	Multiple-story residential buildings, some with ground-floor retail units, including a restaurant
West:	Single- and multiple-story residential and commercial buildings, some with ground-floor retail units, including a clothing store
South:	Multiple-story residential buildings, some with ground-floor retail units, including a liquor store
East:	Single- and multiple-story residential and commercial buildings, some with ground-floor retail units, including a restaurant

4.0 ENVIRONMENTAL SETTING

Aaron & Wright has attempted to determine the general environmental setting of the subject property. Information regarding topography, surface water, geology and hydrology are used to evaluate the likelihood of hazardous substances or petroleum products migrating onto the subject property, or within or from the subject property, into groundwater or soil.

4.1 Topography

USGS Topographic Map: Central Park, New York - New Jersey
A copy of the topographic map is included in Appendix 5.

Property Elevation: Approximately 30 feet above sea level

Topography: The subject property and surrounding area are relatively flat.

4.2 Surface Water Bodies

On-Site Water Bodies: There are no surface water bodies on or bordering the subject property.

Nearest Surface Water Body: The East River is located approximately one mile to the east of the subject property.

Flood Plain Designation: Zone X - Areas outside of both the 100 and 500-year floodplains
Source: FEMA map reproduced on the TransAmerica Flood Hazard Certification (Flood Insights) website - no panel number available

Indications of Wetlands: Aaron & Wright did not observe any water bodies or vegetation indicative of wetlands on the subject property. The subject property is covered with the buildings and concrete. It is unlikely that portions of the subject property would be classified as wetlands.

4.3 Geology and Hydrology

Soil Type: The site is characterized by its location within the geological period known as Cretaceous, Tertiary, and Pleistocene, consisting of gravels, sands, and clays, according to the Geologic Map of New York, 1989, published by the Geological Survey, New York State Museum. The surficial soils at the subject property are classified as the Urban Land complex. The Urban Land complex indicates that more than 100 percent of the predominant native soil type has been disturbed and covered with an impervious layer consisting of buildings, sidewalks, streets and other structures.

Estimated Depth to Groundwater: Unknown

Anticipated Flow Direction: To the east, towards the East River

Basis of Flow Direction:

Based on the USEPA Ground Water Handbook, Vol.1 Ground Water and Contamination, September 1990, the water table typically conforms to surface topography. This means the direction of flow for shallow groundwater is generally from higher elevations to lower elevations. Localized flow direction may vary as a result of tide, rainfall, development, geologic characteristics, nearby surface water bodies, underground utilities such as storm drains, septic systems and sewers, or other influences such as the presence of high volume wells.

4.4 Environmental Summary/Conclusions

Findings:

Based on a review of the topographic map, no special hazards, such as sink holes, oil and gas wells, gravel pits, landfills or pipelines were indicated on the subject or adjacent properties. No concerns related to surface water bodies, flood plains or wetlands were noted.

Recommendations:

No further study or action is recommended.

5.0 PRIOR USE HISTORY

The objective of consulting historical sources is to develop a history of the previous uses of the subject property and surrounding area, in order to help identify the likelihood of past uses having led to recognized environmental conditions in connection with the subject property. Copies of prior use support documentation, when available, are included in Appendix 6.

5.1 Interviews/Records

Aaron & Wright attempted to obtain, contact or interview the sources of information listed below in order to determine the prior use history of the subject property and identify historical or existing recognized environmental conditions, if any, at the subject or adjacent properties.

Source: Property Questionnaire

Pertinent Information: Aaron & Wright sent Mr. Tawil a property questionnaire requesting information about the subject property, past and current operations, historical uses and any known environmental concerns including asbestos, radon, lead-based paint, underground and aboveground storage tanks, PCBs and spills or release of regulated or hazardous materials. A completed copy of the questionnaire was not returned to Aaron & Wright.

Source: Mr. Eliot Tawil Carleton Realty Corp., Purchaser of the subject property

Pertinent Information: Mr. Tawil was unaware of the construction dates of the buildings on-site. Mr. Tawil stated that the residential portions of the property are currently unoccupied. He added that all of the buildings on-site are slated for demolition. Moreover, he was unaware of any previous or current environmental concerns related to the subject property.

Source: Mr. Dominic Monera Engineer for the subject property for the past 15 years

Pertinent Information: Mr. Monera was unaware of the construction dates of the buildings on-site. Mr. Monera stated that the buildings on-site were previously heated by fuel oil, and that fuel oil tanks are currently located on-site. Mr. Monera was unaware of any previous or current environmental concerns related to the subject property.

Source: Walk-In New York City Department of Buildings

Pertinent Information: Aaron and Wright requested information pertaining to Certificates of Occupancy (COs), dates of construction and any previous developments or use of the subject property. Permits for minor alterations and violations for the buildings on-site are listed on the Property Profile Overviews (PPOs), which was reviewed at the New York City Building Department. No environmentally significant records were identified. Copies of the PPOs are provided in Appendix 6. Several COs for the subject property, dating from 1933 to 1959, were listed on the PPOs.

The building department was unable to provide any additional information regarding the prior use history of the subject property.

Source: Walk-in New York City Fire Department

Pertinent Information: Aaron & Wright requested information pertaining to any records any aboveground or underground storage tanks, hazardous materials, spills, leaks, or other similar circumstances that could be of environmental concern. No records of buried tanks were listed with the New York City Fire Department. Copies of the Fire Department records request forms are provided in Appendix 2.

Source: Walk-in New York City Health Department

Pertinent Information: Aaron & Wright requested information regarding citizen complaints and/or investigations on the use, handling, release, or discharge of solid or liquid wastes, hazardous materials, and any other circumstances of environmental concern for the subject property. The health department was unable to provide any information regarding circumstances of environmental concern for the subject property, as these records are not filed with the New York City Health Department.

Source: Walk-in New York City Zoning Department

Pertinent Information: The zoning department was unable to provide any information regarding the prior use history of the subject property.

5.2 Previous Reports

Aaron & Wright was not provided with any previous reports for the subject property.

5.3 Historical Maps

A number of publishers formerly produced maps that showed the location and use of structures on a property at a given point in time. These maps were widely available for areas that were significantly developed during the late 1800s through the 1950s, though coverage exists for some areas through the 1970s. Aaron & Wright had Environmental Data Resources, Inc., (EDR) review its collection of historical maps for any available maps of the subject property. The EDR collection is the largest and most extensive private collection of prior-use maps in the United States and includes Sanborn Fire Insurance Maps, Manufacturers Mutual Fire Insurance Maps, Nirenstein Real Estate Atlases, as well as maps published by William G. Baist, Hopkins, Rascher, Bracy, Scarlett and Scarlett, Bromley and Hexamer.

The following historical maps were obtained and reviewed (copies of the maps are provided in Appendix 6):

Date: 1902 Map Type: Sanborn Fire Insurance Map

Subject Property: The following buildings are depicted on-site:
107 West 124th Street: A 2-story dwelling
109 West 124th Street: A 2-story dwelling
111 West 124th Street: A 4-story dwelling
(The following buildings are assumed to be the same buildings identified during Aaron & Wright's site inspection):
281 Lenox Avenue: A 4-story dwelling
283 Lenox Avenue: A 4-story dwelling
285 Lenox Avenue: A 4-story dwelling
287 Lenox Avenue: A 3-story dwelling
289 Lenox Avenue: A 3-story dwelling
291-297 Lenox Avenue: A 4-story dwelling
108 West 125th Street: A 4-story dwelling
110 West 125th Street: A 4-story dwelling

Adjacent Prop.: Adjacent properties consist of multiple-story dwellings.

Date: 1912 Map Type: Sanborn Fire Insurance Map

Subject Property: The following buildings are depicted on-site:
107 West 124th Street: A 5-story dwelling (assumed to be the building identified during Aaron & Wright's site inspection)
109 West 124th Street: Same as 1902
111 West 124th Street: Same as 1902
281 Lenox Avenue: Same as 1902 (with a ground floor store)
283 Lenox Avenue: Same as 1902 (with a ground floor store)
285 Lenox Avenue: Same as 1902 (with a ground floor store)
287 Lenox Avenue: Same as 1902 (with a ground floor store)
289 Lenox Avenue: Same as 1902 (with a ground floor store)
291-297 Lenox Avenue: Same as 1902 (with a ground floor store)
108 West 125th Street: Same as 1902 (with a ground floor store)
110 West 125th Street: Same as 1902 (with a ground floor store)

Adjacent Prop.: Similar to 1902

Date: 1945 Map Type: Sanborn Fire Insurance Map

Subject Property: Same as 1912, with 107 West 124th Street labeled "Furniture Storage"

Adjacent Prop.: Similar to 1912

Date: 1980 Map Type: Sanborn Fire Insurance Map

Subject Property: Same as 1945, with the exception of 109 and 111 West 124th Street consisting of undeveloped lots, and 107 West 124th Street labeled "Auto Repair 1st [floor]"

Adjacent Prop.: Similar to 1945

The ground floor of 107 West 124th Street is listed as being occupied by an auto repair facility on the 1980 Sanborn map. This area currently consists of a boarded up, vacant building with a basement. Aaron & Wright did not gain access to this building during the site inspection. Given that this previous facility was located on the ground floor of the building with a basement situated below, and that no evidence of underground storage tanks were identified for this address, this listing is not an issue of concern.

5.4 Aerial Photographs/Topographic Maps

The following topographic map was reviewed:

Date: 1995 Scale: 1"=2,000'
Source: United States Geological Survey
Subject Property: The subject property is shown to be in an area of general urban development where only landmark buildings are depicted; therefore, no site-specific information was available from the topographic map.
Adj. Properties: Adjacent properties are shown to be in an area of general urban development where only landmark buildings are depicted; therefore, no site-specific information was available from the topographic map.

5.5 City Directories

City directories identify the name of the individual or company located at a given address. Aaron & Wright attempted to find city directories at the following location:

New York Public Library

(212) 661-7220

The following city directories were identified and reviewed:

Date: 1930 Title: New York City Address Directory
Subject Property: Commercial and residential listings
Adj. Property: Commercial and residential listings
Date: 1940 Title: New York City Address Directory
Subject Property: Commercial and residential listings
Adj. Property: Commercial and residential listings
Date: 1950 Title: New York City Address Directory
Subject Property: Commercial and residential listings
Adj. Property: Commercial and residential listings

Date: 1960 Title: New York City Address Directory
Subject Property: Commercial and residential listings
Adj. Property: Commercial and residential listings

Date: 1970 Title: New York City Address Directory
Subject Property: Commercial and residential listings, including French Dry Cleaners at 289 Lenox Avenue
Adj. Property: Commercial and residential listings

289 Lenox Avenue is listed on the 1970 New York City Telephone-Address directory as having a ground-floor dry cleaning establishment. This dry cleaner is not listed on the 1945 or 1980 Sanborn Fire Insurance maps, and was last occupied by a check cashing establishment. This building contains a basement which extends beneath the retail space which contained the former dry cleaners. Aaron & Wright did not gain access to this building during the site inspection. However, given the identified presence of a basement, the urban nature of the surrounding area, and that no indications or reports of leaks, spills, or the mishandling or improper disposal of chemicals were identified by Aaron & Wright, this previous dry cleaning facility is not expected to pose an environmental concern to the subject property.

5.6 Chain of Title

A chain of title was not provided by the Client, nor was one readily available for Aaron & Wright's review. Based on the historical data reviewed and the limited information typically provided in a chain of title, it is Aaron & Wright's opinion that a chain of title would not have provided any significant additional information.

5.7 Historical Summary/Conclusions

Findings: The majority of subject property was improved with the current improvements prior to 1902. The surrounding area has been developed as early as 1902, and has consisted primarily of residential buildings with ground floor stores.

Actions: Based on the information provided above, it is Aaron & Wright's professional opinion that the intent of the scope of work for prior use history has been met, and no prior usage of the subject property or adjacent properties were identified that would be considered a recognized environmental concern or indicate the need for additional study.

6.0 ENVIRONMENTAL DATABASE REVIEW

The purpose of the environmental database review is to obtain and review records that will help identify activities at the subject property or surrounding properties likely to environmentally impact the subject property. The database information was obtained through EDR. Because of the density of the highly-developed urban setting in which the subject property is located, Aaron & Wright has reduced the approximate minimum search distances of certain databases provided below, in accordance with ASTM E1527-00, 7.1.2.1. The Federal NPL site list and Federal RCRA TSD list are never reduced. A detailed description of the databases reviewed and a listing of all sites identified are provided in Appendix 7. The plotting of the sites in the EDR database is done through geo-coding and the locations provided are approximations. Aaron & Wright attempted to visually verify the distances to sites located in close proximity to the subject property.

DATABASE	RADIUS (In miles)	NUMBER OF SITES
National Priority List (NPL) and Proposed NPL	1.0	None
Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)	0.25	None
CERCLIS-No Further Remedial Action Planned (NFRAP)	0.125	None
Resource Conservation and Recovery Act Corrective Actions (CORRACTS)	1.0	1
Resource Conservation and Recovery Act Treatment, Storage and Disposal Facilities (RCRIS-TSD)	0.50	None
Resource Conservation and Recovery Information System Large Quantity Generators (RCRIS Lg. Quan. Gen.), and Small Quantity Generators (RCRIS Sm. Quan. Gen.) Includes Violations and Enforcement actions (RCRA Viol)	0.125	2
Emergency Notification Response System (ERNS)	0.125	None
Supplemental Federal ASTM databases, includes Facility Index System (FINDS), Toxic Release Inventory Database (TRIS), and Resource Conservation and Recovery Act Administrative Action Tracking System (RAATS)	0.125 or as listed	3
State Hazardous Waste Sites (State equivalent of CERCLIS and NPL)	0.25	None
State Solid Waste Facilities/Landfill Database (SWF/LF)	0.25	None
Leaking Underground Storage Tanks (LUST)	0.50	46
Underground Storage Tanks (UST)	0.125	4
Supplemental State ASTM databases, includes Aboveground Storage Tanks (AST) and State Spill Lists (SPILLS)	0.125	9

*TP = Target Property

Anticipated Groundwater Flow Direction: To the east, towards the East River

The groundwater flow direction is used to determine whether sites are located up-, cross- or down-gradient of the subject property, which provides an indication of their potential to impact the subject property.

6.1 Subject Property

Databases identified on: None

Comment: N/A

6.2 NPL, CERCLIS & NFRAP Sites

The National Priority List (NPL) is the USEPA database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) List contains sites which are either proposed to be on the NPL, and sites which are in the screening and assessment phase for possible inclusion on the NPL. No Further Remedial Action Planned (NFRAP) sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly, or the contamination was not serious enough to require federal Superfund action or NPL consideration.

No NPL, CERCLIS, or NFRAP sites were identified within the study radii.

6.3 RCRA Facilities

Regulated hazardous waste activity is tracked under the Resource Conservation and Recovery Act (RCRA). Facilities that treat, store or dispose of hazardous waste are listed in the RCRA TSD database. Facilities that generate hazardous wastes are listed in the GNRTR database. This database includes facilities that generate at least 1,000 kg/month of non-acutely hazardous waste or 1 kg/month of acutely hazardous waste, referred to as large-quantity generators, and those that generate less than 1,000 kg/month of non-acutely hazardous waste, referred to as small-quantity generators. RCRA facilities which have had a release of hazardous waste or constituents to the environment, for which the government is requiring corrective action, are tracked in the Corrective Action Tracking System (CORRACTS) database, while generators that are known to have violated RCRA regulations are tracked in the RCRA violations and enforcement (RCRA Viol) or the RCRA Administrative Action Tracking System (RAATS) database. These violations can be the result of paperwork problems and are not necessarily related to releases of hazardous material.

No RCRA TSD or Viols sites were identified within the study radius.

One CORRACTS site was identified within the study radius. This site, Olin Water Services, at 609 West 131st Street, is located approximately 0.90 mile to the northwest of, and crossgradient from, the subject property the subject property. However, given the hydrological location and distance of this site from the subject property, this site is not an issue of concern at this time.

Two RCRIS sites were identified within the study radius. The closest site, NYS Adam Clayton Powell Jr. S.O.B., at 163 West 125th Street, is located approximately 0.10 mile to the west of, and crossgradient from, the subject property. Violations exist for this facility. However, given the hydrological location and distance of this site from the subject property, this site is not an issue of concern at this time. One additional site is listed on the RCRIS. However, a listing on the GNRTR database is not necessarily indicative of an environmental concern. This site is not listed on the CORRACTS or RCRA Viol databases, and is, therefore, not an issue of concern at this time.

6.4 ERNS Incidents

The Emergency Response and Notification System (ERNS) is a national database containing records of releases of oil and hazardous substances reported to the USEPA, U.S. Coast Guard, the National Response Center and the Department of Transportation, since 1986.

No ERNS sites were identified within the study radius.

6.5 Supplemental Federal Databases including FINDS and TRIS Databases

Additional federal databases include the Facility Index System (FINDS) and Toxic Inventory Information System (TRIS). The FINDS report is a computerized inventory of all facilities that are regulated or tracked by the USEPA. These facilities are assigned an identification number that serves as a cross-reference for other databases in the USEPA's program system. The appearance of a site in the FINDS system does not, in itself, indicate an environmental concern. The TRIS report contains information concerning the industrial release and/or transfer of toxic chemicals, as reportable under Title III of the Superfund Amendments and Re-authorization Act of 1986 (SARA Title III). Inclusion on this database is required for facilities which release reportable amounts of chemicals into the environment. However, inclusion on the TRIS database does not indicate that chemicals have been released in amounts that exceed federal or state standards or the facilities' permits.

Three FINDS sites were identified within the study radius. These sites are cross-listed on other USEPA databases (such as the GNRTR database), and are discussed further in the appropriate sections of this database review.

6.6 SHWS Database

State Hazardous Waste Sites (SHWS) are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund or NPL) are identified along with sites where cleanup will be paid for by potentially responsible parties.

No SHWS listings were identified within the study radii.

6.7 SWF/LF Facilities

The State Solid Waste Facilities/Landfill Database (SWF/LF) is a collection of known regulated and unregulated solid waste landfills, incinerators, or transfer stations.

No SWF/LF facilities were identified within the study radius.

6.8 UST, LUST & AST Sites

The state Underground Storage Tank (UST) and Aboveground Storage Tank (AST) databases are an inventory of all regulated USTs and ASTs, respectively. The Leaking Underground Storage Tank (LUST) database is a listing of all confirmed or suspected releases from underground storage tanks that have been reported to the state.

Four UST sites were identified within the study radius. The closest UST site, 105 West 125th Street, is located adjacent to the north of, and crossgradient from, the subject property. This site is not listed on the LUST database. In addition, there are three remaining UST sites. UST sites not known or suspected to have had a release are generally not considered recognized environmental concerns. Sites with known or suspected releases are discussed below.

Nine AST sites were identified within the study radius. The closest AST site, 310 Lenox Avenue, is located approximately 0.10 mile to the north, and crossgradient from the subject property. Many area buildings utilize heating oil as a fuel source, and are equipped with ASTs. These tanks are generally located in a vault in the basements of the buildings and can be visually inspected and gauged to determine if leaks have occurred. In addition, fuel oil typically has a limited migration potential.

Forty-six LUST sites were identified within the study radius. Twenty-eight of the LUST sites are listed as being closed. A closure designation is given when adequate remediation has been performed, and all the appropriate paperwork has been filed as necessary. Given the remedial status of these 28 sites, these sites are not an issue of concern.

Seventeen of the remaining 18 LUST sites impacted land. These 18 sites are located between 0.10 and 0.50 mile from the subject property. The closest of these sites is located at 152 West 124th Street, approximately 0.10 mile to the west of, and crossgradient from, the subject property. Given the distances of these sites from the subject property, and that groundwater was not impacted, these sites are not cause for significant concern.

The remaining LUST site impacted groundwater. This site, Shell Service Station, on St. Nicolas Avenue, is located approximately 0.45 mile to the west of, and crossgradient from, the subject property. Given the hydrological location and distance from the subject property, this site is not an issue of concern at this time.

Based on the Lawrence Livermore National Laboratory study *Recommendations To Improve the Cleanup Process for California's Leaking Underground Fuel Tanks ("LUFTs")*, October 16, 1995, petroleum contamination did not extend more than 200 to 250 feet in 90% of the release incidents investigated, in which groundwater was impacted. This information was generally confirmed by a study conducted by the Bureau of Economic Geology entitled *Extent, Mass, and Duration of Hydrocarbon Plumes from Leaking Petroleum Storage Tanks in Texas*, 1997, and is consistent with Aaron & Wright's experience in conducting subsurface investigations across the country.

The state historically has not held owners or operators of a property financially responsible for the cleanup of petroleum contamination where the contamination has come onto the property solely as the result of subsurface migration from a source outside the property and the owners or operators did not cause, contribute to or aggravate the release. The probability that the security holder of the subject property would be financially responsible from a potential off-site release from these sites is likely limited. For this reason, and for the reasons listed above, it is Aaron & Wright's opinion that the identified UST and LUST sites do not pose a significant environmental concern to the subject property.

6.9 Additional and Supplemental State or Local Databases or Information

EDR provided a list of sites for which the exact locations could not be identified. Aaron & Wright reviewed the list of "unplottable" sites and determined that some of these sites may be located within the study radii; however, based on their locations, compliance status and/or nature of the listings, none of these sites are considered an environmental concern to the subject property.

6.10 Environmental Database Summary

Findings: Aaron & Wright did not identify activities at the subject property or at neighboring properties that would indicate a significant potential for recognized environmental conditions, based on the information contained in the databases reviewed.

Recommendations: No further investigations or actions are recommended at this time.

7.0 SITE RECONNAISSANCE

During the property visit, attempts were made to observe the subject property and improvements. The purpose of the property reconnaissance is to obtain information indicating the likelihood of recognized environmental concerns in connection with the subject property.

7.1 Visual Observations

During the property reconnaissance, Aaron & Wright looked for the following visual indications of potential environmental concern.

POTENTIAL CONCERNS	COMMENTS
• Hazardous or regulated materials stored on the property	No hazardous or regulated materials were identified on-site.
• Medical/biological wastes stored on the property	No medical or biological wastes were observed or reported.
• X-ray or other radioactive activities conducted on the property	No x-ray or other radioactive activities were observed or reported.
• Activities likely to generate, store or use hazardous materials	No manufacturing, fabrication, or assembly operations are conducted on the property.
• Operations that result in a wastewater or air discharge	No operations likely to result in a significant wastewater or air discharge were noted.
• Interior stains or corrosion	No signs of interior stains or corrosion, likely to have been generated by a hazardous or regulated material, were noted.
• Strong, pungent or noxious odors	No significant odors were noted or reported.
• Discolored drains or sumps	No discolored drains or sumps were noted or reported.
• Pits, ponds or lagoons	No pits, ponds, or lagoons, associated with hazardous or regulated materials, were observed or reported.
• Stained soil or pavement	No significantly stained soil or pavement were observed or reported.
• Stressed vegetation	No significant areas of stressed vegetation were observed or reported.
• Improperly stored solid waste	No improper solid waste storage was noted. The removal and disposal of general refuse and solid waste is outsourced to private contractors.
• Onsite wells or septic systems	No on-site wells or septic systems were observed or reported.

Recommendations: Aaron & Wright did not observe any recognized environmental concerns that would warrant additional action or investigation.

7.2 Underground and Above Ground Tanks

An effort was made to identify all ASTs, USTs, or vent pipes, fill pipes or access ways indicating USTs. In addition information from local records and historical maps and information regarding historical heating sources were reviewed.

POTENTIAL CONCERNS	COMMENTS
<ul style="list-style-type: none">• Visual indication of ASTs	<p>Aaron & Wright identified an active 5,000-gallon fuel oil tank completely encased in concrete in the basement boiler room of 291 Lenox Avenue. No weepholes were identified on the base of the tank encasement. The fuel oil grade was not listed on-site, and Aaron & Wright's site contact was unaware of the grade of fuel oil used. No areas of petroleum staining were identified in the vicinities of this tank.</p> <p>In addition, the following abandoned fuel oil tanks were identified on-site: one 1,500-gallon fuel oil tank completely encased in concrete in the basement of 281 Lenox Avenue (no weepholes were identified on the base of this tank encasement, and no areas of petroleum staining were identified in the vicinities of this tank); and one AST of unknown size in the basement of 287 Lenox Avenue (this tank was covered in rubble and debris, and the condition and capacity of the tank was not visible).</p> <p>In addition, a fuel oil fill cap and vent pipe were identified in front of 289 Lenox Avenue. However, access was not gained to this building. Therefore, Aaron & Wright was unable to inspect for potential tanks in this area.</p>
<ul style="list-style-type: none">• Visual indications of USTs	<p>Aaron & Wright did not identify any visual indications of USTs on the subject property.</p>
<ul style="list-style-type: none">• Records of USTs	<p>No records indicating the past or current presence of USTs on the property were identified.</p>
<ul style="list-style-type: none">• Current heating source	<p>The subject buildings, with the exception of 291 Lenox Avenue, which is heated by one oil-fired boiler, are currently unheated.</p>
<ul style="list-style-type: none">• Historical usage heating oil	<p>Historically, it is assumed that the subject property utilized heating oil as a heat source. Information obtained by Aaron & Wright indicates the heating oil was most likely contained in ASTs. There are no indications of USTs utilized for heating oil on the subject property.</p>
<ul style="list-style-type: none">• Other	<p>There were no indications of USTs on the historical maps reviewed.</p>
<p>Recommendations:</p>	<p>Aaron & Wright identified an active 5,000-gallon fuel oil tank completely encased in concrete in the basement boiler room of 291 Lenox Avenue. In addition, the following abandoned fuel oil tanks were identified on-site: one 1,500-gallon fuel oil tank completely encased in concrete in the basement of 291 Lenox Avenue, and one AST of unknown size in the basement of 287 Lenox Avenue. In addition, a fuel oil fill cap and vent pipe were identified in front of 289 Lenox Avenue. However, access was not gained to this building. Therefore, Aaron & Wright was unable to inspect for potential tanks in this area. Given that the buildings on-site are slated for demolition, Aaron & Wright recommends that these tanks be decommissioned and removed in accordance with all federal, state, and local regulations. In addition, Aaron & Wright recommends that care be taken in the development of the subject property.</p>

In the event that additional aboveground fuel oil tanks are discovered during interior demolition, the ASTs should be decommissioned and removed in accordance with all local, state, and federal regulations. If USTs are discovered during future site excavations, the USTs should be removed in accordance with all federal, state, and local regulations.

7.3 PCB-Containing Equipment

Aaron & Wright relied on visual observations and interviews with the property contacts and/or the utility company to identify known or potential PCB-containing electrical or hydraulic equipment. Where identified, efforts were made to determine ownership and to identify indications of leakage.

POTENTIAL CONCERNS	COMMENTS
• Pole-mounted Transformers	No pole-mounted transformers were identified on the subject property.
• Pad-mounted Transformers	No pad-mounted transformers were identified on the subject property.
• Hydraulic Elevators or Lifts	No hydraulic elevators or lifts were identified on the subject property.

Recommendations: No information was obtained or observations made that would warrant any additional investigation or action.

7.4 Preliminary Asbestos Evaluation

Efforts were made to identify the presence of the most obvious and common ACM. The potential for the presence of friable ACM was evaluated based on the age of the improvements, dates of renovation, and other relevant information.

Per the Client's scope of work, samples of building materials were not collected and analyzed; however, an effort was made to identify suspect ACM.

SUSPECT ACM	LOCATION/CONDITION/COMMENT
• Cement Pipes	No suspect ACM cement pipes were observed.
• Cement Wallboard or Siding	No suspect ACM cement wallboard or siding was observed.
• Asphalt/Vinyl Floor Tile and Mastic	An unquantified amount of 9"x9" and 12"x12" vinyl floor tiles and mastic were observed throughout the buildings. These materials are considered non-friable, and ranged from good to poor condition.
• Vinyl Sheet Flooring and Backing	An unquantified amount of vinyl sheet flooring was observed throughout the buildings. This material is considered non-friable, and ranged from good to poor condition.
• Acoustical Or Decorative Plaster	No suspect ACM acoustical or decorative plaster was observed.
• Textured Paints/Coatings	No suspect ACM textured paints and coatings were observed.
• Ceiling Tiles and Lay-in Panels	Suspect ACM 12"x12", 2'x2', and 2'x4' drop ceiling tiles were observed throughout the ground floor commercial units. These materials are considered friable, and ranged from good to poor condition.

SUSPECT ACM	LOCATION/CONDITION/COMMENT
• Spray-Applied Insulation	No suspect ACM spray-applied insulation was observed.
• Blown-in Insulation	No suspect ACM blown-in insulation was observed.
• Fireproofing Materials	No suspect ACM fireproofing materials were observed.
• Taping Compounds (thermal)	No suspect ACM thermal taping compounds were observed.
• HVAC Duct Insulation	No suspect ACM duct insulation was observed.
• Boiler Insulation	Approximately 200 SF of suspect friable cementitious boiler insulation in poor condition was identified in the 291 Lenox Avenue main basement area.
• Breeching Insulation	No suspect ACM breeching insulation was observed.
• Ductwork Flexible Fabric Connection	No suspect ACM flexible fabric ductwork was observed.
• Pipe Insulation	Small amounts of suspect friable aircell pipe insulation with cementitious pipe fitting insulation in poor condition was identified in the basements of the following buildings: 291 Lenox Avenue (approximately 20 SF pipe elbows only); 281 Lenox Avenue (approximately 20 LF aircell insulation); 108 West 125 th Street (approximately 20 LF); and 110 West 125 th Street (approximately 35 LF).
• Roofing Materials	It is possible that roofing materials contain asbestos. These materials are considered non-friable and should not pose a significant environmental concern to the subject property.
• Wallboard/Joint Compounds	Suspect ACM wallboard and joint compound are present throughout the subject property. These materials are considered non-friable and should not pose a significant concern unless disturbed.

Recommendations: Small amounts of suspect friable aircell pipe insulation with cementitious pipe fitting insulation in poor condition was identified in the basements of the following buildings: 291 Lenox Avenue (approximately 20 SF pipe elbows only); 281 Lenox Avenue (approximately 20 LF aircell insulation); 108 West 125th Street (approximately 20 LF); and 110 West 125th Street (approximately 35 LF). In addition, approximately 200 SF of suspect friable cementitious boiler insulation in poor condition was identified in the 291 Lenox Avenue basement.

Also, suspect friable 12"x12", 2'x2', and 2'x4' drop ceiling tiles were observed throughout the ground floor commercial units. In addition, non-friable 9"x9" and 12"x12" vinyl floor tiles, vinyl sheet flooring, and wallboard and joint compound were observed throughout the buildings.

Given that the buildings are slated for demolition, comprehensive asbestos surveys of each of the buildings should be conducted in compliance with NESHAP and New York City Building Department regulations before initiating such destructive activities. The surveys should include an assessment of all subject building materials, including those in areas which are normally inaccessible. Materials that should be considered suspect ACM are listed in Appendix G of the EPA publication, *Managing Asbestos in Place*, (the "Green Book"). Materials listed in the Green Book, which were installed prior to 1989, are suspected of containing asbestos.

However, it should be noted that asbestos may still be utilized in some non-friable products, such as sheet vinyl flooring, vinyl floor tiles, floor tile mastic, asbestos-cement board and roofing materials, as these materials may still be manufactured and installed in the United States.

Any ACM removed from the subject property should be removed in accordance with all applicable federal, state and local regulations. The procedure should be performed in a safe and controlled manner by a qualified asbestos abatement contractor. The contractor should use prudent techniques recognized as industry standards. Any removed asbestos should be disposed of in an approved and legal manner.

7.5 Radon Review

An evaluation was made to determine the potential for elevated levels of radon at the subject property based on the property's location, construction type and usage.

RADON FACTORS	COMMENTS
• Radon Zone	The subject property is located in Radon Zone 3, which has a predicted average indoor screening level of less than 2 picocuries per liter (pCi/L). The USEPA action level for radon is 4 pCi/L.
• Are There Regularly Occupied Subsurface or Ground Level Residential Units	No
• Results of Previous Tests at the Property	No previous test results were made available to Aaron & Wright.

Recommendations: Based on the low regional averages, radon is not considered a significant concern and no additional investigation is warranted.

7.6 Lead-Based Paint Evaluation

Aaron & Wright evaluated the potential for significant concerns relating to the presence of LBP at the subject property. The LBP evaluation was based on the age of the improvements, dates of renovation and other relevant information.

LBP FACTORS	COMMENTS
• Constructed Date:	Prior to 1902 Construction of the property improvements occurred prior to 1979; therefore, LBP may be present.
• Property Usage	Residential with ground floor commercial/retail units
• Damaged or Peeling Paint	Damaged and peeling paint was observed in the vacant ground floor commercial units.
• Previous LBP Tests	Aaron & Wright was not provided with any previous LBP testing results.

Recommendations: Given the ages of the buildings on-site (prior to 1902), it is possible that painted surfaces contain lead. It is Aaron & Wright's understanding that the buildings will be demolished. Aaron & Wright recommends that proper precautions be taken in accordance with OSHA Industrial Guidelines, New York State, and New York City Regulations for lead paint to minimize the generation of lead-borne dust.

Any LBP removed from the subject property should be removed in accordance with all applicable federal, state and local regulations. The procedure should be performed in a safe and controlled manner by a qualified lead abatement contractor. The contractor should use prudent techniques recognized as industry standards. Any removed LBP should be disposed of in an approved and legal manner.

7.7 Drinking Water Evaluation

The potential for problems relating to elevated levels of contaminants, particularly lead, was evaluated.

DRINKING WATER FACTORS	COMMENTS
• Source of Drinking Water	The subject property receives its drinking water from the City of New York. The source of the water is the Catskills in Upstate New York. According to Ms. Aspa Capetamakis, the Supervisor of Special Investigations for the New York City Department of Environmental Protection, the city tests its water before it enters the distribution system. The water reportedly meets federal and state drinking water standards, including those for lead and copper. Therefore, Aaron & Wright does not consider the quality of drinking water to be a significant concern.
• Other	No concerns regarding drinking water were reported to Aaron & Wright by the property contact or tenants.

Recommendations No information was uncovered that would warrant additional investigation or action.

APPENDIX 1

PROPERTY PHOTOGRAPHS




Photo 4: View of a typical basement storage area




Photo 5: View of a typical ground-floor retail area




Photo 6: View of the unpaved yard area on-site

Property Name: Proposed Nursing Home
Address: 281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
City/State: New York, New York
Project number: m020179a



Photo 7: View of surrounding properties to the north



Photo 8: View of surrounding properties to the south




Photo 9: View of surrounding properties to the east

Property Name: Proposed Nursing Home
Address: 281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
City/State: New York, New York
Project number: m020179a




Photo 10: View of the active 5,000-gallon fuel oil tank at 291 Lenox Avenue

Photo 11: View of suspect asbestos-containing friable aircell pipe insulation on-site

Property Name: Proposed Nursing Home
Address: 281-297 Lenox Avenue, 107-111 West 124th Street, and 108-110 West 125th Street
City/State: New York, New York
Project number: m020179a

APPENDIX 2

LIST OF REFERENCES/LETTERS OF INQUIRY

SOURCES OF INFORMATION				
CONTACT OR AUTHOR	DOCUMENT/ORGANIZATION	DATE OF DOCUMENT OR CONTACT	PHONE NUMBER	INFORMATION SOUGHT
United States Geologic Survey	Central Park, New York - New Jersey Topographic Map	1995	N/A	Property setting, elevation, surface water bodies, historical uses, estimated groundwater flow
USEPA	Ground Water Handbook, Vol. 1, Ground Water and Contamination	September 1990	N/A	Groundwater flow direction
United States Dept. of Agriculture	Generalized Bedrock Geology of New York	1989	N/A	Subject property soils information
New York Public Library	City Directories	N/A	(212) 661-7220	Prior use history information
Walk-in	New York City Department of Buildings	6/4/02	(718) 802-3693	Historical building permits, construction dates, certificates of occupancy, building code violations
Walk-in	New York City Fire Department	6/3/02	(718) 999-2681	Historical records of environmental concerns, underground storage tank information, fire code violations
Walk-in	New York City Health Department	6/4/02	(212) 720-3300	Past or present environmental concerns, health code violations
Walk-in	New York City Zoning Department	6/4/02	(718) 802-3693	Past and present zoning, zoning compliance.
Mr. Elliot Tawil	Carleton Realty Corp., Purchaser of the subject property	May 30, 2002	(917) 453-7080	Historical information of the subject property, known or suspected environmental or structural issues and previous reports.
Ms. Aspa Capetamakias	Supervisor of Special Investigations for the New York City Department of Environmental Protection	6/4/02	(718) 337-4357	Information regarding the source and quality of potable water supplied to the subject property.

FIRE DEPARTMENT • CITY OF NEW YORK
BUREAU OF REVENUE MANAGEMENT

A-95A (5/99)

9 MetroTech East
Brooklyn, N.Y. 11201-3857

RECORD SEARCH REQUEST
UNDERGROUND STORAGE TANKS

MAIL TO:

40 B. Stein Ct.
Staten Island, NY 10308

Search No. 2881

The undersigned requests the following information re: Premises

281-897 Lenox Ave

Manhattan

ADDRESS

BOROUGH

For Buried Motor Vehicle Fuel Tanks Only:

1. No. and Size of tanks..... FEE: \$10.00
2. No. and Size of sealed and/or removed tanks..... FEE: \$10.00
3. Most recent tank and/or piping test results, including type of test performed..... FEE: \$10.00
4. History of leaks..... FEE: \$10.00
5. Pending Headquarters Violation Orders..... FEE: \$10.00
6. Other..... FEE: \$10.00

State Applicant's interest in or relation to premises:

(THE CITY OF NEW YORK IS NOT BEING SUED, NOR IS THERE ANY INTENTION TO SUE THE CITY OF NEW YORK)

Signed: [Signature]

Date: 6/3/72

DO NOT WRITE BELOW THIS LINE

Gentlemen:

In reply to your request concerning the premises mentioned above, please be advised that as of 9 A.M.,
our records show the following:

(MAKE ADDITIONAL ON REVERSE SIDE)

No Record

Searched by: [Signature]

11/7/72

VIOLATIONS RECORDED ABOVE ARE ONLY THOSE WHICH ARE A MATTER OF RECORD IN HEADQUARTERS OF THE BUREAU OF FIRE PREVENTION, AND MAY NOT INCLUDE VIOLATIONS ISSUED BY LOCAL UNITS, UNLESS A SUMMONS FOR "FAILURE TO COMPLY" WAS ISSUED. ALL REPORTED TANK INFORMATION COMES FROM RECORDS, WHICH EXIST IN THE FIRE DEPARTMENT DISTRICT OFFICE FOLDERS, OR ON COMPUTER FILES.

MAXIMUM RESPONSE TIME 20 BUSINESS DAYS

FIRE DEPARTMENT • CITY OF NEW YORK
BUREAU OF REVENUE MANAGEMENT

A-95A (5/99)

9 MetroTech East
Brooklyn, N.Y. 11201-3857

RECORD SEARCH REQUEST
UNDERGROUND STORAGE TANKS

MAIL TO: 40 B Stearns Court
Staten Island, NY 10307

Search No. 28731

The undersigned requests the following information re: Premises

110 West 125 St
ADDRESS

Manhattan
BOROUGH

For Buried Motor Vehicle Fuel Tanks Only

1. No. and Size of tanks..... FEE: \$10.00
2. No. and Size of sealed and/or removed tanks..... FEE: \$10.00
3. Most recent tank and/or piping test results, including type of test performed..... FEE: \$10.00
4. History of leaks..... FEE: \$10.00
5. Pending Headquarters Violation Orders..... FEE: \$10.00
6. Other..... FEE: \$10.00

State Applicants interest in or relation to premises:

(THE CITY OF NEW YORK IS NOT BEING SUED, NOR IS THERE ANY INTENTION TO SUE THE CITY OF NEW YORK)

Signed: *Charles J. Kelly*

Date: 6/3/02

DO NOT WRITE BELOW THIS LINE.

Gentlemen:

In reply to your request concerning the premises mentioned above, please be advised that as of 9 A.M. our records show the following:

(MAKE ADDITIONAL ON REVERSE SIDE)

No Records

Searched by: *Heenan* 6/3/02

VIOLATIONS RECORDED ABOVE ARE ONLY THOSE WHICH ARE A MATTER OF RECORD IN HEADQUARTERS OF THE BUREAU OF FIRE PREVENTION, AND MAY NOT INCLUDE VIOLATIONS ISSUED BY LOCAL UNITS. UNLESS A SUMMONS FOR "FAILURE TO COMPLY" WAS ISSUED. ALL REPORTED TANK INFORMATION COMES FROM RECORDS, WHICH EXIST IN THE FIRE DEPARTMENT DISTRICT OFFICE FOLDERS, OR ON COMPUTER FILES.

MAXIMUM RESPONSE TIME 20 BUSINESS DAYS

APPENDIX 3

PERSONNEL QUALIFICATIONS

QUALIFICATIONS OF AARON & WRIGHT

CORPORATE OVERVIEW

Aaron & Wright Technical Services Incorporated is a full-service real estate consulting firm specializing in meeting the third party due diligence needs of clients active in the acquisition, finance or securitization of real estate. Aaron & Wright provides a full range of services, including but not limited to:

- Phase I and Phase II Environmental Site Assessments
- Brownfields Investigations and Remediation
- Asbestos and Lead Paint Management Programs
- Property Condition Assessments
- Americans with Disabilities Act Surveys
- Probable Maximum Loss/Seismic Studies
- Plan and Cost Reviews and Construction Draw Inspections
- Third Party Desktop Report Reviews

Aaron & Wright provides services nationwide, utilizing a network of regional offices and satellite locations. Aaron & Wright has appraised, consulted and/or performed environmental and property condition assessments on over \$12 billion of real estate throughout the United States, Canada, Mexico and the Caribbean. Our national presence allows us to effectively handle large portfolios of properties, and to respond quickly to the needs of clients, providing answers and solutions when time is of the essence. Aaron & Wright is well known for responsiveness and client service. Our company's focus is to provide solutions, not just to provide reports.

Since its inception in 1994, Aaron & Wright has prepared over:

- 4,800 Phase I ESAs and Transaction Screens
- 250 Phase II ESAs
- 3,700 Property Condition Assessments
- 250 Probable Maximum Loss (PML) studies

Aaron & Wright has prepared environmental and property condition reports on over:

- 3,500 multi family properties
- 2,700 retail properties
- 900 office buildings
- 700 industrial and mixed use properties
- 550 special use properties

ENVIRONMENTAL & ENGINEERING SERVICES

Aaron & Wright's Environmental & Engineering Group was founded in 1994, and has grown to be one of the most highly-regarded firms providing environmental and structural due diligence on a national basis. Aaron & Wright's reports are widely utilized on Wall Street, as well as Main Street. Our environmental site assessments and property condition assessments have been widely accepted by the major rating agencies, Wall Street investment banks, Fannie Mae, Freddie Mac, as well as numerous life insurance companies, banks, and national developers.

Aaron & Wright has engineers, architects and environmental scientists strategically located across the country. The practice of using local Project Managers and Engineers with centralized review and production allows us to provide local knowledge and expertise, and provide reports with a consistently high level of quality, content and appearance. The Environmental & Engineering Services Group has significant experience dealing with multifamily, hospitality, retail, office, light industrial, mobile home communities and credit tenant lease properties.

Aaron & Wright's Environmental & Engineering Group is comprised of a staff of Professional Engineers (PEs), Professional Geologists (PGs), Certified Hazardous Materials Managers (CHMMs), architects and other professionals with hands on experience with building foundations, building construction, roofing, asbestos, hazardous site characterization, underground storage tank removals, site remediations and other related fields.

REMEDICATION SERVICES

Aaron & Wright's Remediation Group was founded in 2001 to provide its clients with an effective method on resolving environmental concerns. The Remediation Group is staffed with Aaron & Wright's most senior Professional Geologists (PGs), Professional Engineers (PEs), chemists and other professionals.

The group focuses on brownfields redevelopment, leaking underground storage tank assessments and closures, dry cleaner investigations and remediations, and other hazardous site investigations and cleanups.

Our real estate experience and technical knowledge provides the firm with a unique perspective in remediating contaminated property. Aaron & Wright works hand-in-hand with developers, industrial operators, and other real estate owners to find cost-effective, real-world solutions to environmentally-impacted real estate. We maintain a solid working relationship with the regulatory agencies, and can often facilitate quick resolutions of complex cleanup issues.

INDUSTRIAL HYGIENE SERVICES

Aaron & Wright's Industrial Hygiene Group was founded in 2002 to address our clients' asbestos, lead, mold and indoor air quality needs. The staff is comprised of Certified Industrial Hygienists (CIHs) and other environmental professionals.

This group focuses on conducting pre-renovation/demolition asbestos and lead-based paint surveys, as well as investigations concerning mold and other indoor air quality concerns. Once a concern is identified, Aaron & Wright's professionals can develop procedures and specifications to abate the concern or design operations and maintenance (O&M) programs for managing the materials in place. The firm also provides management oversight on abatement projects.

CONTACT INFORMATION

Aaron & Wright can be reached at any of the following numbers:

Corporate	(713) 942-8980
Midwest Region	(312) 578-0633
New Jersey	(732) 764-8900
New York	(917) 679-9386
Southeast Region	(704) 543-4221
Northeast Region	(978) 365-7440
Western Region	(720) 851-2527
Southwest Region	(972) 547-0623

"Succeeding by Exceeding Client Expectations"

PARTIAL CLIENT LIST

- Absolut Financial Services
- Ackman-Ziff
- AIMCO
- Addison Law Firm
- Allied Irish Bank
- Arbor National Commercial Mortgage Corp.
- ARCS Commercial Funding
- Aries Capital, Inc.
- Axiom Capital
- Bank of America
- Bear Stearns Commercial Mortgage
- Bentley Forbes Group
- Berkshire Mortgage
- Boston Capital Corp.
- Brandywine Financial Corp.
- Capital Lease Funding, LP
- Chase Manhattan
- CIBC World Markets
- CIT Small Business Lending
- Columbia Housing Corp.
- Compass Bank
- Cohen Financial
- CreditVest, Inc.
- Criimi Mae
- CS First Boston/Column
- Deutsche Banc Capital Markets
- EF&A Funding
- Emigrant Funding Corp.
- Epstein Canarick Group
- First Union Small Business Capital
- Fleet Bank
- G.E. Capital Asset Management Corp.
- GMAC Commercial Mort. Corp.
- Holliday, Fenoglio and Fowler, L.P.
- Hotel Mortgage Resources Corp.
- HSA Wexford Bancgroup
- HSBC Bank USA
- Hudson Hotels Group
- Imperial Commercial Capital
- Jefferson Pilot Life Ins. Co.
- Kushner Companies
- LaSalle Real Estate Capital Markets
- Legg Mason
- L.J. Melody & Assoc.
- Lehman Brothers
- Lend Lease
- Lenox Healthcare, LLC
- Local Oklahoma Bank
- Lodgians Corp.
- Longwood Health Care Man.
- Manufacturers Life Ins. Co.
- M & T Bank
- McKinley & Associates
- Merchant's Bank
- Merrill Lynch Mortgage Capital
- Mid-North Financial
- Mitchell Mortgage Corp.
- Morgan Stanley Capital
- Mutual Life Ins. Co.
- Mutual Trust Life Ins. Co.
- National Guardian Life Ins. Co.
- Nationwide Life Insurance
- NBD Real Est. Svcs.
- NorthMarq
- ORIX Real Estate Cap. Markets
- PW Funding
- Protective Life Ins. Co.
- Prudential Mort. Capital Corp.
- Reilly Mortgage Capital Corp.
- Silicon Valley Bank
- Situs Companies
- Solomon Smith Barney
- Southern Farm Bureau
- Sovran Self Storage
- Sparks Financial Corp.
- Stoltz Management
- Sun Life America
- The Nature Conservancy
- Triple S Steel
- UBS Warburg, LLC
- Valley National Bank
- Wachovia Securities
- Wells Fargo
- Westminster Capital Company
- Zimmer Development Corp.

JEREMY MUSHLIN
Project Manager

Academic

- Masters of Public Administration (MPA) - Environmental Policy, New York University - Wagner Graduate School of Public Service
- B. A. Environmental Policy & Geography, Boston University

Certifications/Registrations/Additional Training:

- 24-Hour Asbestos Inspector Class, A.H.E.R.A. - 40CFR763-Appendix C; NYSDOL Licensed Asbestos Inspector
- Multiple certifications in Javascript, Macromedia Flash and multi-media design, New York University - IT Department

Experience

Mr. Mushlin has performed over 1,100 Phase I Environmental Site Assessments of retail, commercial, residential, and office properties for use by real estate/lending institutions. Duties have included writing, editing, and reviewing environmental technical reports, acting as liaison between real estate/financial entities and environmental agencies, and managing due diligence inquiries around the United States.

RICHARD DAGNALL

PRESIDENT

Professional Experience

Mr. Dagnall has been working in the environmental and engineering fields since 1984 when as a consultant to the United States Environmental Protection Agency (USEPA), he inspected over 100 potentially hazardous waste sites (CERCLIS sites) and scored the sites for possible inclusion on the National Priorities List. Later, as a Remedial Project Manager for the USEPA Superfund program, he was responsible for the overseeing the remedial investigations, feasibility studies and cleanups at Superfund sites.

After gaining this experience in the regulatory analysis of projects for compliance with federal and state environmental regulations, Mr. Dagnall started conducting due diligence for property owners and lending institution in 1988. He has prepared or reviewed Environmental Site Assessments Phase I's and Property Condition Assessments on over one thousand industrial, office, multi-family, retail, undeveloped and residential properties nationwide for regional banks, investment banks, insurance companies, developers and law firms.

Mr. Dagnall co-founded Aaron and Wright Technical Services Inc in 1994. As President of the company, Mr. Dagnall directs the technical and business operations of the company. Under his leadership, the company has grown to be a true national provider of engineering and environmental due diligence reports on commercial real estate for the lending industry.

Additionally, Mr. Dagnall has written articles on various environmental and structural engineering topics and has participated in environmental round tables hosted by trade and economic groups.

Educational Background

- ◆ BS, Chemical Engineering, University of Akron
- ◆ M.B.A, Finance, University of Chicago

Additional Training & Memberships

- ◆ Member, Mortgage Bankers Association
- ◆ Association of Career Real Estate Professionals
- ◆ AHERA Building Inspectors course, USEPA

APPENDIX 4

PROPERTY QUESTIONNAIRE

AARON & WRIGHT
GENERAL QUESTIONNAIRE

Answer all applicable questions or check the appropriate box

Job Number: _____

Property Name: _____ Address: _____

City/State/Zip _____

PROPERTY DESCRIPTION *Provide a site map if available*

Property Size: _____ Number of Building(s): _____

Size of Building(s): _____ Date of Construction: _____

For retail, office or industrial, please provide net rentable SF: _____

For multifamily, hotel, mobile home park, provide number of living units, guest rooms or pad sites: _____

UTILITIES & SERVICES *Provide the name of the contractor or utility providing the following:*

Electric	_____	Pest Control	_____
Gas	_____	HVAC Maintenance	_____
Potable Water	_____	Fire/Security	_____
Sanitary Sewer	_____	Elevator Maintenance	_____
Storm Water	_____	Roof Maintenance	_____
Landscaping	_____	Pool	_____
Solid Waste	_____	Other	_____

This questionnaire was completed by:

Name: _____ Title: _____

Signature: _____ Date: _____

AARON & WRIGHT
ENVIRONMENTAL QUESTIONNAIRE

*Answer all applicable questions or check
the appropriate box*

PREVIOUS INVESTIGATIONS

1. Has a Phase I Environmental Assessment, asbestos survey, tank closure/removal report or other environmental study of the subject property ever been performed? - Yes - No
2. If yes, what concerns were noted or recommendations made? _____
Please provide a copy of the previous study if possible.

PAST & PRESENT USAGE

1. To the best of your knowledge, is the subject property or any adjoining property currently used, or have they ever been used for industrial purposes? - Yes - No
2. Is the property or any adjoining property currently used, or have they ever been used, as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard, landfill, or as a waste treatment, storage, disposal, process or recycling facility? - Yes - No

SITE CONDITIONS

1. Has fill dirt been brought onto the property that originated from a contaminated site or that is of an unknown origin? - Yes - No
2. Are there currently, or to the best of your knowledge have there been previously, any pits, ponds, or lagoons located on the property in connection with waste treatment or disposal? - Yes - No
3. To the best of your knowledge, have any hazardous substances or petroleum products, unidentified waste materials, tires, automotive or industrial batteries, or any other waste materials been dumped above grade, buried and/or burned, on the property? - Yes - No

STORAGE TANKS & DRAINS

1. Are there currently, or to the best of your knowledge have there been previously, any registered or unregistered above ground or underground storage tanks located on the property? - Yes - No
2. Are there currently, or to the best of your knowledge have there been previously, any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the property or adjacent to any structures located on the property? - Yes - No
3. Are there currently, or to the best of your knowledge have there been previously, any flooring, drains, or walls located within the facility that are stained by substances other than water or are emitting foul odors? - Yes - No

REGULATORY STATUS

1. If the property is served by a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system, or has the well been designated as contaminated by any government environmental/health agency? - Yes - No
2. Do you have any knowledge of environmental liens or governmental notification relating to past or recurrent violations of environmental laws with respect to the property or any facility located on the property? - Yes - No

3. Do you have knowledge of the past or current existence of hazardous substances or petroleum products or environmental violations with respect to the property or any facility located on the property? - Yes - No
4. Are there any threatened or pending lawsuits or administrative proceedings concerning a release or threatened release of hazardous substances or petroleum products involving the property or any owner or occupant of the property? - Yes - No

TRANSFORMERS AND HYDRAULIC EQUIPMENT

1. Are there any electrical transformers, capacitors or hydraulic equipment on the subject property? - Yes - No
2. If yes, who owns the item? _____
3. If yes, has any of the equipment been sampled for PCBs? - Yes - No
4. If yes, what levels were present? _____

ASBESTOS

1. Has there been an asbestos survey of the building that included physical sampling by a qualified firm? - Yes - No
2. If yes, what asbestos-containing materials were identified Are there any electrical transformers, capacitors or hydraulic equipment on the subject property? _____

RADON

1. Has the building been tested for radon? - Yes - No
2. If yes, what levels of radon were detected? _____

LEAD-BASED PAINT


1. Has the building been tested for lead-based paint? - Yes - No
2. If yes, what surfaces were found to contain lead? _____

COMMENTS (If you answered yes to any of the above, please provide details below or attach appropriate documentation.)

APPENDIX 5

PROPERTY MAPS AND DRAWINGS

Site Diagram



Proposed Nursing Home
New York, New York

APPENDIX 6

HISTORICAL DOCUMENTATION




AVENUE

AVENUE

1902

53

55



WEST 1902 STREET
 WEST 1904 STREET
 WEST 1944 STREET

Subject

WEST

WEST

WEST

WEST

WEST


WEST

WEST

WEST

SEVENTH


AVENUE



WEST STREET

123RD


WEST



WEST STREET

124TH

WEST



WEST STREET

LENOX

1912

AVENUE

Subject

SEVENTH

AVENUE

STREET

STREET

STREET

WEST 122ND

WEST 123RD

WEST 124TH


LENOX

AVENUE

1945







89



85

ADAM CLAYTON POWELL JR.
(SEVENTH)

BLVD
CAYE



74

LENOX

1980

89

Subject
AVENUE

00

06/04/02 PUBLIC ACCESS PROPERTY PROFILE OVERVIEW BISPIQ70
110 WEST 125 STREET 1 MANHATTAN 10027 BIN# 1057830

WEST 125 STREET 110 - 110 HEALTH AREA : 15 TAX BLK: 1909
CENSUS TRACT: 222 TAX LOT: 39...
COMMUNITY BB: 110 CONDO :
MULTI STRUCT: 01 VACANT :

DOB SPECIAL PLACE NAME : 1 PROPERTY RECORD(S)
DOB BUILDING REMARKS :
FINANCE OCCUPANCY CODE : K9-STORE BUILDING LANDMARK STATUS :

COUNTS FOR THIS BIN RECORD VERIFIED : NO
ACTIONS : 0 , 1 JOBS/FILINGS (PF4) SPECIAL STATUS :
VIOLATIONS DOB : 0 , 0 OPEN LOCAL LAW : NO
ECB : 0 , 0 OPEN (PF12) SRC : NO
COMPLAINTS : 0 , 0 OPEN (PF11)

PF 3 = ELEVATORS ENTER KEY= ACTIONS PF 5/6/7 = NEW ADDR/BIN/BLK-LCT
PF 8 = BOILERS (TYPE :) PF 9/10 = BROWSE BIN/BLK-LCT
*NO ARA'S FILED PF 15 = BROWSE 1 PROPERTY RECORDS
PF 14 = LRC/HPD/LOFT USE ONLY PF 16 = ADDTN'L PROPERTY INFO

06/04/02

PUBLIC ACCESS PROPERTY PROFILE OVERVIEW

BISPIQ79

281 LENOX AVENUE 1 MANHATTAN

10027 BIN# 1057824

LENOX AVENUE	281 - 281	HEALTH AREA :	15	TAX BLK:	1909.
WEST 124 STREET	101 - 105	CENSUS TRACT:	222	TAX LOT:	29...
		COMMUNITY BD:	110	CONDO :	
		MULTI STRUCT:	01	VACANT :	

=====

DOB SPECIAL PLACE NAME : 1 PROPERTY RECORD(S)

DOB BUILDING REMARKS :

FINANCE OCCUPANCY CODE : S3-RESIDENCE-MULTI-U LANDMARK STATUS :

COUNTS FOR THIS BIN			RECORD VERIFIED :	YES	
ACTIONS	: 10	, 4	JOBS/FILINGS (PF4)	SPECIAL STATUS :	
VIOLATIONS DOB	: 10	, 9	OPEN	LOCAL LAW :	NO
RCE	: 1	, 0	OPEN (PF12)	SRC :	NO
COMPLAINTS	: 3	, 0	OPEN (PF11)		

PF 3 = ELEVATORS	ENTER KEY= ACTIONS	PF 5/6/7 = NEW ADDR/BIN/BLK-LOT
PF 8 = BOILERS	(TYPE :)	PF 9/10 = BROWSE BIN/BLK-LOT
*NO ARA'S FILED		PF 15 = BROWSE 1 PROPERTY RECORDS
PF 14 = LBC/HFD/LOFT USE ONLY		PF 16 = ADDTN'L PROPERTY INFO

06/04/02 20 ACTIONS AT 281 LENOX AVENUE MANHATTAN
BLOCK: 01909 LOT: 00029

BISFOCV3
PAGE 1

A .	BN	2355-31	BN	5570-89	BEA	1083-21
E .	ESA	2083-39	ESA	801-41	FE	1244-35
C .	FO	354-65	MISC	2018-89	ERS	1362-47
D .	UB	23-91	V	112085CSTD7F	V	112085ZSTD3F
E .	V	112085ZSTD6F	V	112085ZSTD6F	V	021086CSTD1F
F .	V	031086CSTD12F	V*	112085ZSTD4F	V	091597LL6291190567
G .	V	031699LL6291065E1	V	022701LL629106552	VEC*	050691CD3PR06

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R

PF1-PREV SCREEN PF6-REFRESH(ENTER TYPE) COL. NO. TO ZOOM

06/04/02 PUBLIC ACCESS PROPERTY PROFILE OVERVIEW BISPIQ70
283..... LENOX AVENUE..... 1 MANHATTAN 10027 BIN# 1057838

LENOX AVENUE 283 - 283 HEALTH AREA : 15 TAX BLK: 1909.
CENSUS TRACT: 222 TAX LOT: 129..
COMMUNITY ED: 110 CONDO :
MULTI STRUCT: D1 VACANT :

DOE SPECIAL PLACE NAME : 1 PROPERTY RECORD(S)
DOE BUILDING REMARKS :
FINANCE OCCUPANCY CODE : S3-RESIDENCE-MULTI-U LANDMARK STATUS:

COUNTS FOR THIS BIN RECORD VERIFIED : YES
ACTIONS : 5 / 1 JOBS/FILINGS (PF4) SPECIAL STATUS :
VIOLATIONS DOB : 0 / 0 OPEN LOCAL LAW : NO
ECB : 1 / 1 OPEN (PF12) SEQ : NO
COMPLAINTS : 2 / 0 OPEN (PF11)

PF 3 = ELEVATORS ENTER KEY= ACTIONS PF 5/6/7 = NEW ADDR/BIN/BLK-LOT
PF 8 = BOILERS (TYPE :) PF 9/10 = BROWSE BIN/BLK-LOT
*NO ARA'S FILED PF 15 = BROWSE 1. PROPERTY RECORDS
PF 14 = LPC/HPD/LOFT USE ONLY PF 16 = ADDTN'L PROPERTY INFO

06/04/02

6

ACTIONS AT 283 LENOX AVENUE MANHATTAN

BISPOCV3

BLOCK: 01909 LOT: 00129

PAGE 1

A . AST 667-552

ESA 1116-22

PRS 1707-51

B . PRS 251-56

UB 41-31

VECB 820896C10BL01

C .
D .
E .
F .
G .
H .
I .
J .
K .
L .
M .
N .
O .
P .
Q .
R .

PF1-PREV SCREEN PF5-REFRESH(ENTR TYPE : :) COL. NO: TO ZOOM

06/04/02 PUBLIC ACCESS PROPERTY PROFILE OVERVIEW BISS1070
285 LENOX AVENUE 1 MANHATTAN 10027 BIN# 1057825

LENOX AVENUE 285 - 285 HEALTH AREA : 15 TAX BLK: 1909
CENSUS TRACT: 222 TAX LOT: 30...
COMMUNITY BD: 110 CONDO :
MULTI STRUCT: 01 VACANT :

=====

DOB SPECIAL PLACE NAME : 1 PROPERTY RECORD(S)
DOB BUILDING REMARKS :
FINANCE OCCUPANCY CODE : S3-RESIDENCE-MULTI-U LANDMARK STATUS:

COUNTS FOR THIS BIN

ACTIONS	: 3	, 1	JOBS/FILINGS (PF4)	RECORD VERIFIED : YES
VIOLATIONS DOB	: 2	, 2	OPEN	SPECIAL STATUS :
ECE	: 0	, 0	OPEN (PF12)	LOCAL LAW : NO
COMPLAINTS	: 0	, 0	OPEN (PF11)	SRO : NO

PF 1 = ELEVATORS ENTER KEY= ACTIONS PF 5/6/7 = NEW ADDR/BIN/BLK-LOT
PF 8 = BOILERS (TYPE :) PF 9/10 = BROWSE BIN/BLK-LOT
*NO ARA'S FILED PF 15 = BROWSE 1. PROPERTY RECORDS
PF 14 = LPC/HPD/LOFT USE ONLY PF 16 = ADDTN'L PROPERTY INFO

06/04/02 5 ACTIONS AT 285 LENOX AVENUE MANHATTAN
BLOCK: 01989 LOT: 00030

BISPOCV3
PAGE 1

A	ALT	2184-11	ALT	2720-13*	ALT	208-14*
B	V	072795ESST05T	V	072795ESST05T		
C						
D						
E						
F						
G						
H						
I						
J						
K						
L						
M						
N						
O						
P						
Q						
R						

PREV SCREEN REFRESH(ENTR TYPE) COL. NO. TO ZOOM

06/04/02

145 ACTIONS AT 291 LENOX AVENUE MANHATTAN

BISPOCV3

BLOCK: 01900 LOT: 00033

PAGE 3

A . SA	1746-08	SR	13359-01	SR	8177-12
B . SR	2445-14	SR	3213-19	SR	2130-22
C . SR	3831-22	SR	5325-27	SR	4575-31
D . SR	273-33	SR	2417-33	SR	2347-52
E . UB	1552-02*	UB	263-04*	UB	267-33*
F . V	09-08-75C34287252-7	V	52478ES29J4	V	4370-44
G . V*	120781CSTL4	V*	12781CSTC3	V*	120781CSTL5
H . V*	999999NO FORM12078/	V*	999999NO FORM12078/	V*	999999NO FORM1278/C
I . V	021097LL629108984	V	091697LL6291190588	VP	112091CSTR07
J . V	033198ES1002SI	V	090299CZSTF05AC	V	022701LL6291066553
K . VECB	101188B15281	VECB	030891CD1PR03	VECB	091291CSTR05
L . VECB	090891CSTJ10	VECB	071291CSTR05	VECB	061792CSTR16
M . VECB	112091CSTR07	VEC*	120690CSTJ07	VEC*	030797CB10GM01
N . VEC*	030797CB10CLM02				
Q .					
R .					

PF1-PREV SCREEN PF6-REFRESH(ENTR TYPE) COL. NO. TO ZOOM

RED BIN HAS BEEN CHANGED---USE OTHER BINS THEN HIT PF6

06/04/02

PUBLIC ACCESS PROPERTY PROFILE OVERVIEW

BISBIO70

293 LENOX AVENUE 1 MANHATTAN

10027 BIN# 1085326

LENOX AVENUE	293 - 297	HEALTH AREA :	15	TAX BLK:	1909.
WEST 125 STREET	100 - 102	CENSUS TRACT:	222	TAX LOT:	33...
WEST 125 STREET	104 - 106	COMMUNITY BD:	110	CONDO :	
LENOX AVENUE	291 - 291	MULTI STRUCT:	03	VACANT :	

DOB SPECIAL PLACE NAME : 0 PROPERTY RECORD(S)

DOB BUILDING REMARKS :

FINANCE OCCUPANCY CODE :

LANDMARK STATUS:

OTHER BINS : 1057826

COUNTS FOR THIS BIN

ACTIONS	: 0	: 0	JOBS/FILINGS (PF4)	RECORD VERIFIED :
VIOLATIONS DOS	: 0	: 0	OPEN	SPECIAL STATUS :
ECB	: 0	: 0	OPEN (PF12)	LOCAL LAW :
COMPLAINTS	: 1	: 0	OPEN (PF11)	SRO :

- PF 3 = ELEVATORS ENTER KEY= ACTIONS PF 5/6/7 = NEW ADDR/BIN/BLK-LOT
- PF 8 = BOILERS (TYPE :) PF 9/10 = BROWSE BIN/BLK-LOT
- *NO ARA'S FILED PF 15 = BROWSE 0 PROPERTY RECORDS
- PF 14 = LFC/RPD/LOFT USE ONLY PF 16 = ADDTN'L PROPERTY INFO

06/04/02

20

ACTIONS AT 281 LENOX AVENUE MANHATTAN

BISPOCV3

BLOCK: 01909 LOT: 09039

PAGE 1

A .	BN	2355-31	BN	5570-89	BSA	1083-21
B .	BSA	2083-38	BSA	801-41	FE	1244-36
C .	FO	364-65	MISC	2018-89	PRS	1362-47
D .	UB	23-31	V	112085CSTD7F	V	112085ZSTD3F
E .	V	112085ZSTD5F	V	112085ZSTD6F	V	021086CSTD1F
F .	V	021086CSTD13F	V*	112085ZSTD4F	V	091697LL6291190587
G 1	V	031699LL629106651	V	022701LL629106552	VEC*	050691CD3DR06
H .						
I .						
J .						
K .						
L .						
M .						
N .						
O .						
P .						
Q .						
R .						

F01-PREV SCREEN F06-REFRESH(ENTER TYPE . . .) COL. NO. TO ZOOM

APPENDIX 7
ENVIRONMENTAL DATABASES

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HARLEM CENTER (Continued)

U003836029

SPDES Number:	Not reported	SWIS ID:	6201
Operator:	ALEX CROWDER (718) 923-8558		
Emergency Contact:	ALEX CROWDER (718) 923-8558		
Total Tanks:	0		
Owner:	FC HARLEM CENTER LLC ONE METROTECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	FOREST CITY RATNER COMPANIES ATTN: ALEX CROWDER ONE METRO TECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558		
Tank Status:	Closed - Removed		
Capacity (gals):	1000		
Tank Location:	UNDERGROUND		
Tank Id:	2	Install Date:	08/01/2001
Tank Type:	Steel/carbon steel	Product Stored:	NOS 5 OR 6 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	None
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	12/11/2006
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	OTHER		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	62		
Region:	2		
PBS Number:	2-607248	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6201
Operator:	ALEX CROWDER (718) 923-8558		
Emergency Contact:	ALEX CROWDER (718) 923-8558		
Total Tanks:	0		

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

1
ESE
< 1/8
41 ft.
Higher

HARLEM CENTER
105 W. 125TH STREET
NEW YORK, NY 10027

UST **U003836029**
N/A

PBS UST:

PBS Number:	2-607248	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6201
Operator:	ALEX CROWDER (718) 923-8558		
Emergency Contact:	ALEX CROWDER (718) 923-8558		
Total Tanks:	0		
Owner:	FC HARLEM CENTER LLC ONE METROTECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	FOREST CITY RATNER COMPANIES ATTN: ALEX CROWDER ONE METRO TECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558		
Tank Status:	Closed - Removed		
Capacity (gals):	3000		
Tank Location:	UNDERGROUND		
Tank Id:	1		
Tank Type:	Steel/carbon steel	Install Date:	08/01/2001
Tank Internal:	NONE	Product Stored:	NOS 5 OR 6 FUEL OIL
Pipe Location:	Underground	Pipe Internal:	NONE
Tank External:	NONE/NONE	Pipe Type:	STEEL/IRON
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None		
Date Tested:	Not reported	Dispenser:	None
Date Closed:	Not reported	Next Test Date:	Not reported
Deleted:	False	Test Method:	Not reported
Dead Letter:	False	Updated:	True
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Owner Screen:	Minor data missing
Tank Screen:	0	Renewal Date:	Not reported
Renew Flag:	Renwal has not been printed	Federal ID:	Not reported
Certification Flag:	False	Facility Screen:	No data missing
Old PBS Number:	Not reported	Certification Date:	Not reported
Inspected Date:	Not reported	Expiration Date:	12/11/2006
Inspection Result:	Not reported	Inspector:	Not reported
Lat/long:	Not reported		
Facility Type:	OTHER		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	62		
Region:	2		
PBS Number:	2-607248	CBS Number:	Not reported

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
-----------------	----------------------------	--	-----------------	------------------	------------------	----------------	---------------	--------------------------

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
CERCLIS		0.250	0	0	NR	NR	NR	0
CERC-NFRAP		0.125	0	NR	NR	NR	NR	0
CORRACTS		1.000	0	0	0	1	NR	1
RCRIS-TSD		0.500	0	0	0	NR	NR	0
RCRIS Lg. Quan. Gen.		0.125	0	NR	NR	NR	NR	0
RCRIS Sm. Quan. Gen.		0.125	2	NR	NR	NR	NR	2
ERNS		0.125	0	NR	NR	NR	NR	0
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		0.250	0	0	NR	NR	NR	0
State Landfill		0.250	0	0	NR	NR	NR	0
LTANKS		0.500	3	9	34	NR	NR	46
UST		0.125	4	NR	NR	NR	NR	4
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
SWTIRE		TP	NR	NR	NR	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
FINDS		0.125	3	NR	NR	NR	NR	3
HMIRS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
NPL Liens		1.000	0	0	0	0	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
RAATS		0.125	0	NR	NR	NR	NR	0
TRIS		0.125	0	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS		0.500	0	0	0	NR	NR	0
AST		0.125	9	NR	NR	NR	NR	9
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF AST		0.500	0	0	0	NR	NR	0
NY Spills		TP	NR	NR	NR	NR	NR	0
<u>EDR PROPRIETARY HISTORICAL DATABASES</u>								
Coal Gas		1.000	0	0	0	2	NR	2



The EDR Radius Map™ Report

**Proposed Nursing Home
110 West 125th Street
New York, NY 10027**

Inquiry Number: 790965.1s

May 31, 2002

The Source For Environmental Risk Management Data

**3530 Post Road
Southport, Connecticut 06490**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Findings Summary.....	4
Map Findings.....	6
Orphan Summary.....	96
Zip Scan Report.....	ZIP-1
Government Records Searched/Data Currency Tracking.....	GR-1

GEOCHECK ADDENDUM

GeoCheck - Not Requested

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2001 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

110 WEST 125TH STREET
NEW YORK, NY 10027

COORDINATES

Latitude (North): 40.807900 - 40° 48' 28.4"
Longitude (West): 73.945700 - 73° 56' 44.5"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 588928.3
UTM Y (Meters): 4517755.5

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440073-G8 CENTRAL PARK, NY NJ
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP..... CERCLIS No Further Remedial Action Planned
RCRIS-TSD..... Resource Conservation and Recovery Information System
RCRIS-LQG..... Resource Conservation and Recovery Information System
ERNS..... Emergency Response Notification System

STATE ASTM STANDARD

SHWS..... Inactive Hazardous Waste Disposal Sites in New York State
SWF/LF..... Facility Register
CBS UST..... Chemical Bulk Storage Database
MOSF UST..... Major Oil Storage Facilities Database
SWTIRE..... Registered Waste Tire Storage & Facility List
VCP..... Voluntary Cleanup Agreements

EXECUTIVE SUMMARY

SWRCY..... Registered Recycling Facility List

FEDERAL ASTM SUPPLEMENTAL

CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
Delisted NPL..... National Priority List Deletions
HMIRS..... Hazardous Materials Information Reporting System
MLTS..... Material Licensing Tracking System
MINES..... Mines Master Index File
NPL Liens..... Federal Superfund Liens
PADS..... PCB Activity Database System
RAATS..... RCRA Administrative Action Tracking System
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

STATE OR LOCAL ASTM SUPPLEMENTAL

HSWDS..... Hazardous Substance Waste Disposal Site Inventory
MOSF AST..... Major Oil Storage Facilities Database
NY Spills..... Spills Information Database

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the target property includes a tolerance of +/- 10 feet. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in *bold italics* are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL ASTM STANDARD

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 11/14/2001 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>OLIN WATER SERVICES</i>	<i>609 W 131ST ST</i>	<i>1/2 - 1 NW</i>	<i>O62</i>	<i>93</i>

EXECUTIVE SUMMARY

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 12/01/2001 has revealed that there are 2 RCRIS-SQG sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYS ADAM CLAYTON POWELL JR SOB	163 W 125TH ST	0 - 1/8 WNW B7		16
104 WEST 123RD STREET RESIDENC	W 123RD ST	0 - 1/8 SSW C11		23

STATE ASTM STANDARD

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 46 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	75 W. 126TH ST	0 - 1/8 ENE 4		12
152 WEST 124TH STREET	152 WEST 124TH STREET	0 - 1/8 W A9		18
52 PAYTON CORP - MAN	52 W 126 ST	0 - 1/8 E 17		29
Not reported	242 LENOX AV	1/8 - 1/4 SSW 18		30
APT BUILDING	137 WEST 128TH ST	1/8 - 1/4 NNE 19		31
129 WEST 122ND STREET	129 WEST 122ND STREET	1/8 - 1/4 SW D20		32
129 WEST 122ND	129 WEST 122ND	1/8 - 1/4 SW D21		33
91-53 121ST ST/QUNS/LIRR	91-53 121ST STREET	1/8 - 1/4 SSW 22		34
231 WEST 125 STREET	231 WEST 125 STREET	1/8 - 1/4 WNW 23		36
2002 5TH AVENUE	2002 5TH AVENUE	1/8 - 1/4 SE E24		37
24 WEST 121 STREET	24 W 121ST STREET	1/8 - 1/4 S 25		38
MORRIS PARK SENIOR CITIZEN (J	17 EAST 124TH STREET	1/8 - 1/4 SE 27		40
42 WEST 120TH STREET	42 WEST 120TH STREET	1/4 - 1/2 S F28		44
42 WEST 120TH ST/CIBRO	42 WEST 120TH STREET	1/4 - 1/2 S F29		45
42 W. 120TH ST	42 W. 120TH ST	1/4 - 1/2 S F30		46
127 W 119TH ST	127 W 119TH ST	1/4 - 1/2 SW 31		47
APARTMENT HOUSE	50 WEST 119TH ST	1/4 - 1/2 S G33		50
49 WEST 119TH ST/MANH	49 WEST 119TH STREET	1/4 - 1/2 S G34		51
2 WEST 120TH ST	2 WEST 120TH ST	1/4 - 1/2 S 35		52
APARTMENT HOUSE	135 132ND ST	1/4 - 1/2 NNE 36		56
302 WEST 128TH ST/MANH	302 WEST 128TH STREET	1/4 - 1/2 NW H37		57
302 WEST 128TH STREET	302 WEST 128TH STREET	1/4 - 1/2 NW H38		58
SHELL SERVICE STATION	ST NICHOLAS AVE	1/4 - 1/2 W J42		63
235 ST. NICHOLAS AVENUE	235 ST / NICHOLAS AVENU	1/4 - 1/2 W J43		64
ARDEN MANAGEMENT	151 WEST 133RD STREET	1/4 - 1/2 NNE 46		68
302 W 120TH ST	302 W 120TH ST	1/4 - 1/2 W 47		69
ST THOMAS THE APOSTLE CHURCH	262 WEST 118TH STREET	1/4 - 1/2 WSW L48		71
CHURCH AT	262 W 118TH ST	1/4 - 1/2 WSW L49		74
273 W. 132 ST.	273 W. 132 ST.	1/4 - 1/2 N 51		76
TAFT HOUSES	131 SAINT NICHOLAS AVE	1/4 - 1/2 SW M53		80
131 ST. NICHOLAS AVENUE (TAFT)	131 ST. NICHOLAS AVE.	1/4 - 1/2 SW M54		82
344 WEST 122ND STREET	344 WEST 122ND STREET	1/4 - 1/2 W 55		85

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Taft	131 ST NICHOLAS	1/4 - 1/2SW	M56	86
Not reported	411 W 128TH ST	1/4 - 1/2NW	58	88
215 W 116TH ST	215 W 116TH ST	1/4 - 1/2SW	N59	90
APT BUILDING	222 WEST 116TH ST	1/4 - 1/2SW	N60	91
105 LENOX AVE/HARLEM HOSP	105 LENOX AVENUE	1/4 - 1/2SSW	61	92

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
33 W 131 STREET	43 W 131 STREET	1/4 - 1/2NE	32	49
APARTMENT BLDG	45 WEST 132ND ST	1/4 - 1/2NE	I39	60
APARTMENT HOUSE	45 W 132ND ST	1/4 - 1/2NE	I40	61
78-80 E 127TH ST/NYCHPD	78-80 E 127TH ST	1/4 - 1/2ESE	41	62
59 ENGINE / 30 TRUCK	111 WEST 133RD ST	1/4 - 1/2NNE	K44	65
NYC HOUSING	123 WEST 133RD ST	1/4 - 1/2NNE	K45	67
126 WEST 134TH ST	126 WEST 134TH ST	1/4 - 1/2NNE	50	75
JACKIE ROBINSON	110 EAST 129TH STREET	1/4 - 1/2E	52	77
470 LENNOX AVE	470 LENNOX AVE	1/4 - 1/2NNE	57	87

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 4 UST sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HARLEM CENTER	105 W. 125TH STREET	0 - 1/8 ESE	1	6
132 WEST 125TH STREET	132 WEST 125TH STREET	0 - 1/8 WNW	3	10
ADAM CLAYTON POWELL JR. STATE	163 WEST 125 STREET	0 - 1/8 WNW	B8	17
55 WEST 125TH ST	55 WEST 125TH ST	0 - 1/8 ESE	10	20

FEDERAL ASTM SUPPLEMENTAL

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 10/29/2001 has revealed that there are 3 FINDS sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYS ADAM CLAYTON POWELL JR SOB	163 W 125TH ST	0 - 1/8 WNW	B7	16
104 WEST 123RD STREET RESIDENC	W 123RD ST	0 - 1/8 SSW	C11	23
104 WEST 123RD STREET RESIDENC	104 W 123RD ST	0 - 1/8 SSW	C12	23

EXECUTIVE SUMMARY

STATE OR LOCAL ASTM SUPPLEMENTAL

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 9 AST sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
310 LENOX ASSOCIATES, L.P.	310 LENOX AVENUE	0 - 1/8 NE	2	8
146 WEST 124TH STREET	146 WEST 124TH STREET	0 - 1/8 WSW	A5	13
RICE HIGH SCHOOL	74 W 124TH ST	0 - 1/8 SSE	6	15
152 WEST 124TH STREET	152 WEST 124TH STREET	0 - 1/8 W	A9	18
55 WEST 125TH ST	55 WEST 125TH ST	0 - 1/8 ESE	10	20
OBERIA EMPSEY MULTI-SERVICE	127 WEST 127TH STREET	0 - 1/8 NNE	13	23
EPHESUS SEVENTH-DAY ADVENTIST	101 W 123RD STREET	0 - 1/8 SSW	C14	25
120 WEST 123RD STREET	120 WEST 123RD STREET	0 - 1/8 SW	15	26
62 WEST 124 STREET	62 WEST 124TH STREET	0 - 1/8 SSE	16	28

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MARCUS GARVEY	124TH STREET / FIFTH	1/8 - 1/4 SE	E26	39

PROPRIETARY DATABASES

Former Manufactured Gas (Coal Gas) Sites:

The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative

A review of the Coal Gas list, as provided by EDR, has revealed that there are 2 Coal Gas sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
STANDARD GAS CO.	617 W. 131ST ST.	1/2 - 1 NW	O63	95
CONSOLIDATED GAS CO.	630 W. 132ND ST.	1/2 - 1 NW	64	95

EXECUTIVE SUMMARY


Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
NYCDOS W. 135TH ST. MTS	SWF/LF
RUSSO RECYCLING COMPANY	SWF/LF
SUN RECYCLING, INC	SWF/LF
DURANTE BROS. CONSTRUCTIO	SWF/LF
100	LTANKS
398 KINGS H'WAY/ISLAND TR	LTANKS
89-50 127TH ST/QUEENS	LTANKS
NYCDOT BRIDGE BIN 2246669	RCRIS-SQG
NEAR CALLER'S HOME ON 124TH ST.	ERNS
WAGNER	CBS AST
EAST HARLEM MATERIALS	SWRCY

OVERVIEW MAP - 790965.1s - Aaron & Wright



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- ☒ National Priority List Sites
- ☒ Landfill Sites
- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- Wetlands



TARGET PROPERTY: ADDRESS: Proposed Nursing Home CITY/STATE/ZIP: 110 West 125th Street LAT/LONG: New York NY 10027 40.8079 / 73.9457	CUSTOMER: Aaron & Wright CONTACT: Tracy Cassara INQUIRY #: 790965.1s DATE: May 31, 2002 1:56 pm
--	--

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
-----------------	----------------------------	--	-----------------	------------------	------------------	----------------	---------------	--------------------------

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HARLEM CENTER (Continued)

U003836029

Owner:	FC HARLEM CENTER LLC ONE METROTECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558	
Owner Type:	Corporate/Commercial	
Owner Mark:	First Owner	
Owner Subtype:	Not reported	
Mailing Address:	FOREST CITY RATNER COMPANIES ATTN: ALEX CROWDER ONE METRO TECH CENTER NORTH BROOKLYN, NY 11201 (718) 923-8558	
Tank Status:	Closed - Removed	
Capacity (gals):	1000	
Tank Location:	UNDERGROUND	
Tank Id:	3	Install Date: 08/01/2001
Tank Type:	Steel/carbon steel	Product Stored: NOS 5 OR 6 FUEL OIL
Tank Internal:	NONE	Pipe Internal: NONE
Pipe Location:	Underground	Pipe Type: STEEL/IRON
Tank External:	NONE/NONE	
Missing Data for Tank:	No Missing Data	
Pipe External:	NONE/NONE	
Second Containment:	NONE/NONE	
Leak Detection:	NONE/NONE	
Overfill Prot:	None	Dispenser: None
Date Tested:	Not reported	Next Test Date: Not reported
Date Closed:	Not reported	Test Method: Not reported
Deleted:	False	Updated: True
Dead Letter:	False	Owner Screen: Minor data missing
FAMT:	Fiscal amount for registration fee is correct	
Total Capacity:	0	Renewal Date: Not reported
Tank Screen:	0	Federal ID: Not reported
Renew Flag:	Renwal has not been printed	Facility Screen: No data missing
Certification Flag:	False	Certification Date: Not reported
Old PBS Number:	Not reported	Expiration Date: 12/11/2006
Inspected Date:	Not reported	Inspector: Not reported
Inspection Result:	Not reported	
Lat/long:	Not reported	
Facility Type:	OTHER	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	62	
Region:	2	

2
 NE
 < 1/8
 189 ft.
 Higher

310 LENOX ASSOCIATES, L.P.
310 LENOX AVENUE
NEW YORK, NY 10027

AST U003396780
N/A

PBS AST:		
PBS Number:	2-602684	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

310 LENOX ASSOCIATES, L.P. (Continued)

U003396780

Owner: 310 LENOX ASSOCIATES, L.P.
310 LENOX AVENUE
NEW YORK, NY 10027
Owner Phone: (212) 685-6200
Facility Phone: (212) 685-6200
Operator: WALTER & SAMUELS, INC.
Emergency Name: JOSEPH DIMARTINO
Emergency Phone: (212) 696-7135
Total Tanks: 2
Total Capacity: 3000
Tank ID: 1
Capacity (Gal): 1500
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Install Date: 01/01/1966
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/VAULT
Pipe Type: NONE
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: NONE/NONE
Overfill Protection: None
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: WALTER & SAMUELS, INC.
Mailing Address: 419 PARK AVENUE SOUTH
NEW YORK, NY 10016
Mailing Contact: 310 LENOX ASSOCIATES, LP
Mailing Telephone: (212) 685-6200
Owner Mark: First Owner Expiration Date: 05/13/2001
Certification Flag: False Certification Date: 05/13/1996
Renew Flag: False Renew Date: / /
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2
Fiscal Amount for Registration Fee is Correct: True
PBS Number: 2-602684 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 6201
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than
1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: OTHER

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

310 LENOX ASSOCIATES, L.P. (Continued)

U003396780

Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: 310 LENOX ASSOCIATES, L.P.
310 LENOX AVENUE
NEW YORK, NY 10027
Owner Phone: (212) 685-6200
Facility Phone: (212) 685-6200
Operator: WALTER & SAMUELS, INC.
Emergency Name: JOSEPH DIMARTINO
Emergency Phone: (212) 696-7135
Total Tanks: 2
Total Capacity: 3000
Tank ID: 2
Capacity (Gal): 1500
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Install Date: 01/01/1966
Tank Internal: NONE
Tank External: NONE/PAINTED/ASPHALT COATING
Tank Containment: NONE/Vault
Pipe Type: NONE
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: NONE/NONE
Leak Detection: NONE/NONE
Overfill Protection: None
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: WALTER & SAMUELS, INC.
Mailing Address: 419 PARK AVENUE SOUTH
NEW YORK, NY 10016
Mailing Contact: 310 LENOX ASSOCIATES, LP
Mailing Telephone: (212) 685-6200
Owner Mark: First Owner Expiration Date: 05/13/2001
Certification Flag: False Certification Date: 05/13/1996
Renew Flag: False Renew Date: / /
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: No data missing
Tank Screen: No data missing
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2
Fiscal Amount for Registration Fee is Correct: True

3
WNW
< 1/8
209 ft.
Higher

132 WEST 125TH STREET
132 WEST 125TH STREET
NEW YORK, NY 10027

UST U000412049
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

132 WEST 125TH STREET (Continued)

EDR ID Number
EPA ID Number

Database(s)

U000412049

PBS UST:
PBS Number: 2-600333 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 6201
Operator: NICK RODERICO
(212) 222-2344
Emergency Contact: EUGENE WEBB
(212) 926-7100
Total Tanks: 2
Owner: 132 WEST 125TH STREET CO., INC.
2534 SEVENTH AVENUE
NEW YORK, NY 10039
(212) 926-7100
Owner Type: Corporate/Commercial
Owner Mark: First Owner
Owner Subtype: Not reported
Mailing Address: WEBB & BROOKER, INC.
ATTN: EUGENE WEBB (AGENT)
2534 SEVENTH AVE/ADAM CLAYTON POWELL BLV
NEW YORK, NY 10039
(212) 926-7100
Tank Status: In Service
Capacity (gals): 2300
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Id: 001 Install Date: 01/01/1970
Tank Type: Steel/carbon steel Product Stored: NOS 5 OR 6 FUEL OIL
Tank Internal: NONE Pipe Internal: NONE
Pipe Location: Underground Pipe Type: STEEL/IRON
Tank External: NONE/PAINTED/ASPHALT COATING
Missing Data for Tank: No Missing Data
Pipe External: NONE/NONE
Second Containment: NONE/VAULT
Leak Detection: NONE/NONE
Overfill Prot: Product Level Gauge Dispenser: Suction
Date Tested: Not reported Next Test Date: Not reported
Date Closed: Not reported Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: Minor data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 4600 Renewal Date: Not reported
Tank Screen: No data missing Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: No data missing
Certification Flag: False Certification Date: 07/20/2001
Old PBS Number: Not reported Expiration Date: 09/11/2006
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: OTHER
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2
PBS Number: 2-600333 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 6201
Operator: NICK RODERICO
(212) 222-2344
Emergency Contact: EUGENE WEBB

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

132 WEST 125TH STREET (Continued)

U000412049

(212) 926-7100
 Total Tanks: 2
 Owner: 132 WEST 125TH STREET CO., INC.
 2534 SEVENTH AVENUE
 NEW YORK, NY 10039
 (212) 926-7100
 Owner Type: Corporate/Commercial
 Owner Mark: First Owner
 Owner Subtype: Not reported
 Mailing Address: WEBB & BROOKER, INC.
 ATTN: EUGENE WEBB (AGENT)
 2534 SEVENTH AVE/ADAM CLAYTON POWELL BLV
 NEW YORK, NY 10039
 (212) 926-7100
 Tank Status: In Service
 Capacity (gals): 2300
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Id: 002
 Tank Type: Steel/carbon steel
 Tank Internal: NONE
 Pipe Location: Underground
 Tank External: NONE/PAINTED/ASPHALT COATING
 Missing Data for Tank: No Missing Data
 Pipe External: NONE/NONE
 Second Containment: NONE/VAULT
 Leak Detection: NONE/NONE
 Overfill Prot: Product Level Gauge
 Date Tested: Not reported
 Date Closed: Not reported
 Deleted: False
 Dead Letter: False
 FAMT: Fiscal amount for registration fee is correct
 Total Capacity: 4600
 Tank Screen: No data missing
 Renew Flag: Renewal has not been printed
 Certification Flag: False
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspection Result: Not reported
 Lat/long: Not reported
 Facility Type: OTHER
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2

Install Date: 01/01/1970
 Product Stored: NOS 5 OR 6 FUEL OIL
 Pipe Internal: NONE
 Pipe Type: STEEL/IRON
 Dispenser: Suction
 Next Test Date: Not reported
 Test Method: Not reported
 Updated: True
 Owner Screen: Minor data missing
 Renewal Date: Not reported
 Federal ID: Not reported
 Facility Screen: No data missing
 Certification Date: 07/20/2001
 Expiration Date: 09/11/2006
 Inspector: Not reported

4
 ENE
 < 1/8
 427 ft.
 Higher

75 W. 126TH ST
 MANHATTEN, NY

LTANKS S104620743
 N/A

LTANKS:

Spill Number: 9911165
 Facility Contact: LORRAINE HORSFORD
 Investigator: ROMMEL
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Region of Spill: 2
 Facility Tele: Not reported
 SWIS: 61
 Caller Agency: Not reported
 Caller Extension: Not reported
 Notifier Agency: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

146 WEST 124TH STREET (Continued)

U003395015

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Type: Not reported
 Owner Type: Not reported
 Owner Sub Type: Not reported
 Owner: NYC HOUSING PRESERV & DEVEL
 75 MAIDEN LANE
 NEW YORK, NY 10038

Owner Phone: (212) 806-8091
 Facility Phone: (212) 806-8091
 Operator: PIJUSH LODH
 Emergency Name: MILTON MASTER
 Emergency Phone: (212) 806-8213
 Total Tanks: 1
 Total Capacity: 2000
 Tank ID: 001
 Capacity (Gal): 2000
 Missing Data for Tank : Minor data missing
 Tank Location: ABOVEGROUND
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Install Date: / /
 Tank Internal: Not reported
 Tank External: Not reported
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON
 Pipe Location: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Leak Detection: NONE
 Overfill Protection: Product Level Gauge
 Dispenser Method: Suction
 Date Tested: / /
 Date Closed: / /
 Updated: False
 Date Inspected: Not reported
 Result of Inspection: Not reported
 Mailing Name: NYC HOUSING PRESERV & DEVEL
 Mailing Address: 75 MAIDEN LANE
 NEW YORK, NY 10038

Mailing Contact: Not reported
 Mailing Telephone: (212) 806-8091
 Owner Mark: First Owner
 Certification Flag: False
 Renew Flag: False
 Lat/Long: Not reported
 Dead Letter: False
 Facility Screen: Minor data missing
 Owner Screen: Minor data missing
 Tank Screen: Minor data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2

Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
 Test Method: Not reported
 Deleted: False
 Inspector: Not reported

Expiration Date: 03/28/1994
 Certification Date: 03/28/1989
 Renew Date: / /

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

6
 SSE
 < 1/8
 467 ft.
 Higher

RICE HIGH SCHOOL
74 W 124TH ST
NEW YORK, NY 10027

Database(s) EDR ID Number
 EPA ID Number

AST A100153909
 N/A

PBS AST:

PBS Number:	2-256625	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported	Previous PBS#:	Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.		
Facility Type:	SCHOOL		
Owner Type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Owner:	CONGREGATION OF CHRISTIAN BROS 74 W. 124TH STREET NEW YORK, NY 10027		
Owner Phone:	(212) 369-4100		
Facility Phone:	(212) 369-4100		
Operator:	MR. E. FLOOD		
Emergency Name:	MR. E. FLOOD		
Emergency Phone:	(212) 369-4100		
Total Tanks:	1		
Total Capacity:	5000		
Tank ID:	001		
Capacity (Gal):	5000		
Missing Data for Tank :	No data missing		
Tank Location:	ABOVEGROUND		
Product Stored:	NOS 1,2, OR 4 FUEL OIL		
Tank Type:	Steel/carbon steel		
Install Date:	/ /		
Tank Internal:	NONE		
Tank External:	NONE/PAINTED/ASPHALT COATING		
Tank Containment:	NONE/VAULT		
Pipe Type:	STEEL/IRON		
Pipe Location:	Aboveground		
Pipe Internal:	NONE		
Pipe External:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Protection:	Vent Whistle		
Dispenser Method:	Submersible		
Date Tested:	/ /		
Date Closed:	/ /		
Updated:	True		
Date Inspected:	Not reported		
Result of Inspection:	Not reported		
Mailing Name:	EMPIRE STATE FUEL OIL		
Mailing Address:	1640 MCDONALD AVE BROOKLYN, NY 11230		
Mailing Contact:	KENNETH REID		
Mailing Telephone:	(718) 627-5100		
Owner Mark:	First Owner		
Certification Flag:	False		
Renew Flag:	False		
Lat/Long:	Not reported		
Dead Letter:	False		
Facility Screen:	No data missing		
Owner Screen:	No data missing		

Next Test Date: / /
 Test Method: Not reported
 Deleted: False
 Inspector: Not reported

Expiration Date: 02/03/2003
 Certification Date: 09/30/1999
 Renew Date: / /

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RICE HIGH SCHOOL (Continued)

A100153909

Tank Screen: No data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2
 Fiscal Amount for Registration Fee is Correct: True

**B7
 WNW
 < 1/8
 475 ft.
 Higher**

**NYS ADAM CLAYTON POWELL JR SOB
 163 W 125TH ST
 NEW YORK, NY 10027
 Site 1 of 2 in cluster B**

**RCRIS-SQG 1000551524
 FINDS NYD986938660**

RCRIS:

Owner: NYS OGS
 (518) 474-1546
 EPA ID: NYD986938660
 Contact: KEITH F HERCULES
 (914) 961-4390

Classification: Small Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ANNUAL REPORTING REQUIREMENTS
 Date Violation Determined: 07/19/2000
 Actual Date Achieved Compliance: 16-OCT-00

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 07/19/2000
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ANNUAL REPORTING REQUIREMENTS
 Date Violation Determined: 08/13/1998
 Actual Date Achieved Compliance: 23-SEP-98

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 08/13/1998
 Penalty Type: Not reported

Regulation Violated: Not reported
 Area of Violation: GENERATOR-ANNUAL REPORTING REQUIREMENTS
 Date Violation Determined: 10/07/1996
 Actual Date Achieved Compliance: 05-NOV-96

Enforcement Action: WRITTEN INFORMAL
 Enforcement Action Date: 10/07/1996
 Penalty Type: Not reported

There are 3 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	GENERATOR-ANNUAL REPORTING REQUIREMENTS	16-OCT-00
Non-Financial Record Review	GENERATOR-ANNUAL REPORTING REQUIREMENTS	23-SEP-98
Non-Financial Record Review	GENERATOR-ANNUAL REPORTING REQUIREMENTS	05-NOV-96

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

NYS ADAM CLAYTON POWELL JR SOB (Continued)

EDR ID Number
 EPA ID Number

Database(s)

1000551524

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Biennial Reporting System (BRS)
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

**B8
 WNW
 < 1/8
 475 ft.
 Higher**

**ADAM CLAYTON POWELL JR. STATE OFFICE BLDG
 163 WEST 125 STREET
 NEW YORK, NY 10027**

**UST U003065835
 N/A**

Site 2 of 2 in cluster B

PBS UST:

PBS Number:	2-398985	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6201
Operator:	NYS OFFICE OF GENERAL SERVICE (212) 961-4390		
Emergency Contact:	WILL BROWN (212) 961-4390		
Total Tanks:	1		
Owner:	NEW YORK STATE OFFICE OF GENERAL SERVICE EMPIRE STATE PLAZA, CORNING TOWER, 39 FL ALBANY, NY 12242 (518) 474-6057		
Owner Type:	State Government		
Owner Mark:	First Owner		
Owner Subtype:	NYS Office of General Services		
Mailing Address:	ADAM CLAYTON POWELL JR. STATE OFFICE BUILDING ATTN: MR. WILL BROWN 163 WEST 125 STREET NEW YORK, NY 10027 (212) 961-4390		
Tank Status:	In Service		
Capacity (gals):	3000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank Id:	001	Install Date:	09/01/1970
Tank Type:	Steel/carbon steel	Product Stored:	DIESEL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Submersible
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	3000	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	05/15/2000
Old PBS Number:	Not reported	Expiration Date:	10/06/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

ADAM CLAYTON POWELL JR. STATE OFFICE BLDG (Continued)

U003065835

Facility Type: OTHER
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2

A9
West
< 1/8
484 ft.
Higher

152 WEST 124TH STREET
152 WEST 124TH STREET
MANHATTAN, NY

AST S103517646
LTANKS N/A

Site 2 of 2 in cluster A

LTANKS:

Spill Number:	9800366	Region of Spill:	2
Facility Contact:	ROYAL ENVIRONMENTAL	Facility Tele:	(914) 934-5992
Investigator:	TIBBE	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	ROYAL ENVIRONMENTAL	Spiller Phone:	(914) 934-5992
Spiller:	UNK		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Tank Test Failure	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Tank Tester	Reported to Dept:	04/08/1998 19:10
Spill Date:	04/07/1998 11:00		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	04/13/1998		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	04/08/1998		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	1		
Test Method:	Horner EZ Check		
Capacity of Failed Tank:	2000		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	True		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: CALLER TESTED THE TANK WHICH FAILED.

PBS AST:

PBS Number: 2-470287 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 6201
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: Not reported
Owner Type: Not reported
Owner Sub Type: Not reported
Owner: CITY OF NEW YORK H.P.D.
75 MAIDEN LANE
NEW YORK, NY 10038
Owner Phone: (212) 806-8091
Facility Phone: (212) 806-8091
Operator: P. LODH
Emergency Name: MILTON MASTER
Emergency Phone: (212) 806-8213
Total Tanks: 1
Total Capacity: 2000
Tank ID: 001
Capacity (Gal): 2000
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: False Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: CITY OF NEW YORK H.P.D.
Mailing Address: 75 MAIDEN LANE
NEW YORK, NY 10038
Mailing Contact: Not reported
Mailing Telephone: (212) 806-8091
Owner Mark: First Owner Expiration Date: 03/28/1994
Certification Flag: False Certification Date: 03/28/1989
Renew Flag: False Renew Date: / /
Lat/Long: Not reported
Dead Letter: False
Facility Screen: Minor data missing

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

152 WEST 124TH STREET (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Owner Screen: Minor data missing
 Tank Screen: Minor data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2
 Fiscal Amount for Registration Fee is Correct: True

S103517646

**10
 ESE
 < 1/8
 535 ft.
 Higher**

**55 WEST 125TH ST
 55 WEST 125TH ST
 NEW YORK, NY 10027**

**UST U003697790
 AST N/A**

PBS UST:

PBS Number:	2-604161	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6201
Operator:	ROBERT GUARCO (212) 369-2188		
Emergency Contact:	IGWE N. HARVEY (212) 987-2315		
Total Tanks:	3		
Owner:	COGSWELL REALTY GROUP 1330 AVE. OF THE AMERICAS NEW YORK, NY 10019 (212) 582-6688		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	COGSWELL REALTY GROUP 1330 AVE. OF THE AMERICAS NEW YORK, NY 10019 (212) 582-6688		
Tank Status:	In Service		
Capacity (gals):	2500		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank Id:	OBL	Install Date:	Not reported
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Aboveground	Pipe Type:	STEEL/IRON
Tank External:	NONE/PAINTED/ASPHALT-COATING		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/VAULT		
Leak Detection:	NONE/NONE		
Overfill Prot:	Float Vent Valve	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	5275	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/30/1999
Old PBS Number:	Not reported	Expiration Date:	07/20/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

55 WEST 125TH ST (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U003697790

SPDES Number: Not reported SWIS Code: 6201
 Federal ID: Not reported Previous PBS#: Not reported
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
 Owner Type: Corporate/Commercial
 Owner Sub Type: Not reported
 Owner: COGSWELL REALTY GROUP
 1330 AVE. OF THE AMERICAS
 NEW YORK, NY 10019
 Owner Phone: (212) 582-6688
 Facility Phone: (212) 369-2188
 Operator: ROBERT GUARCO
 Emergency Name: IGWE N. HARVEY
 Emergency Phone: (212) 987-2315
 Total Tanks: 3
 Total Capacity: 5275
 Tank ID: 014
 Capacity (Gal): 275
 Missing Data for Tank : No data missing
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Install Date: / /
 Tank Internal: NONE
 Tank External: NONE/PAINTED/ASPHALT COATING
 Tank Containment: NONE/CUT-OFF WALLS
 Pipe Type: STEEL/IRON
 Pipe Location: Above/Underground Combination
 Pipe Internal: NONE
 Pipe External: NONE/NONE
 Leak Detection: NONE/NONE
 Overfill Protection: Float Vent Valve
 Dispenser Method: Suction
 Date Tested: / / Next Test Date: / /
 Date Closed: / / Test Method: Not reported
 Updated: True Deleted: False
 Date Inspected: Not reported Inspector: Not reported
 Result of Inspection: Not reported
 Mailing Name: COGSWELL REALTY GROUP
 Mailing Address: 1330 AVE. OF THE AMERICAS
 NEW YORK, NY 10019
 Mailing Contact: Not reported
 Mailing Telephone: (212) 582-6688
 Owner Mark: First Owner Expiration Date: 07/20/2004
 Certification Flag: False Certification Date: 07/30/1999
 Renew Flag: False Renew Date: / /
 Lat/Long: Not reported
 Dead Letter: False
 Facility Screen: No data missing
 Owner Screen: No data missing
 Tank Screen: No data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2
 Fiscal Amount for Registration Fee is Correct: True

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

OBERIA EMPSEY MULTI-SERVICE (Continued)

EDR ID Number
 EPA ID Number

Database(s)

A100159821

Tank Location:	ABOVEGROUND	
Product Stored:	NOS 1,2, OR 4 FUEL OIL	
Tank Type:	Steel/carbon steel	
Install Date:	//	
Tank Internal:	Not reported	
Tank External:	Not reported	
Tank Containment:	NONE/VAULT	
Pipe Type:	STEEL/IRON	
Pipe Location:	Aboveground	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	Not reported	
Overfill Protection:	Product Level Gauge	
Dispenser Method:	Suction	
Date Tested:	//	Next Test Date: //
Date Closed:	//	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	NYC HUMAN RESOURCES ADMIN	
Mailing Address:	260 11TH AVENUE NEW YORK, NY 10001	
Mailing Contact:	DENNIS MURPHY	
Mailing Telephone:	(212) 630-9408	
Owner Mark:	First Owner	Expiration Date: 03/31/2005
Certification Flag:	False	Certification Date: 04/03/2000
Renew Flag:	False	Renew Date: //
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	
Owner Screen:	Minor data missing	
Tank Screen:	Minor data missing	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	62	
Region:	2	
Fiscal Amount for Registration Fee is Correct: True		
PBS Number:	2-604479	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6201
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	OTHER	
Owner Type:	Local Government	
Owner Sub Type:	Not reported	
Owner:	CITY OF NEW YORK HUMAN R ESOURCES ADMIN 260 11TH AVENUE NEW YORK, NY 10001	
Owner Phone:	(212) 630-9030	
Facility Phone:	(212) 749-0353	
Operator:	JUNE ANDREWS	
Emergency Name:	JUNE ANDREWS	
Emergency Phone:	(212) 749-0353	
Total Tanks:	2	
Total Capacity:	10000	
Tank ID:	002	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

EPHESUS SEVENTH-DAY ADVENTIST CHURCH (Continued)

A100193959

Facility Phone: (212) 662-5536
Operator: N. CULLEN PHIPPS
Emergency Name: JOHN CUNNINGHAM
Emergency Phone: (718) 597-7180
Total Tanks: 1
Total Capacity: 3000
Tank ID: 001
Capacity (Gal): 3000
Missing Data for Tank : No data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: NONE
Tank External: PAINTED/ASPHALT COATING
Tank Containment: VAULT
Pipe Type: STEEL/IRON
Pipe Location: Above/Underground Combination
Pipe Internal: NONE
Pipe External: NONE
Leak Detection: NONE
Overfill Protection: Vent Whistle
Dispenser Method: Suction
Date Tested: / / Next Test Date: / /
Date Closed: / / Test Method: Not reported
Updated: True Deleted: False
Date Inspected: Not reported Inspector: Not reported
Result of Inspection: Not reported
Mailing Name: HEAD DEACON
Mailing Address: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
101 WEST 123RD STREET
NEW YORK, NY 10027
Mailing Contact: CULLEN PHIPPS
Mailing Telephone: (212) 662-5536
Owner Mark: First Owner Expiration Date: 02/03/2003
Certification Flag: False Certification Date: 11/05/2001
Renew Flag: False Renew Date: / /
Lat/Long: Not reported
Dead Letter: False
Facility Screen: No data missing
Owner Screen: Minor data missing
Tank Screen: No data missing
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2
Fiscal Amount for Registration Fee is Correct: True

15
SW
< 1/8
565 ft.
Higher

120 WEST 123RD STREET
120 WEST 123RD STREET
NEW YORK, NY 10027

AST U003394936
N/A

PBS AST:
PBS Number: 2-470341 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 6201
Federal ID: Not reported Previous PBS#: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site _____ Database(s) _____ EDR ID Number
EPA ID Number

120 WEST 123RD STREET (Continued)

U003394936

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: Not reported
Owner Type: Local Government
Owner Sub Type: Not reported
Owner: NYC HOUSING PRESERV & DEVEL
75 MAIDEN LANE
NEW YORK, NY 10038
Owner Phone: (212) 806-8091
Facility Phone: (212) 360-5851
Operator: A. ANGRISANI
Emergency Name: W. ROBERTS
Emergency Phone: (212) 360-7947
Total Tanks: 1
Total Capacity: 3000
Tank ID: 001
Capacity (Gal): 3000
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND 10% OR MORE BELOW GROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Install Date: / /
Tank Internal: Not reported
Tank External: Not reported
Tank Containment: NONE
Pipe Type: STEEL/IRON
Pipe Location: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Leak Detection: NONE
Overfill Protection: Product Level Gauge
Dispenser Method: Suction
Date Tested: / /
Date Closed: / /
Updated: False
Date Inspected: Not reported
Result of Inspection: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
4TH FLOOR - ROOM 427
NEW YORK, NY 10038
Mailing Contact: IVAN SCHWARTZ
Mailing Telephone: (212) 806-8037
Owner Mark: First Owner
Certification Flag: False
Renew Flag: False
Lat/Long: Not reported
Dead Letter: False
Facility Screen: Minor data missing
Owner Screen: Minor data missing
Tank Screen: Minor data missing
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2
Fiscal Amount for Registration Fee is Correct: True

Next Test Date: / /
Test Method: Not reported
Deleted: False
Inspector: Not reported

Expiration Date: 03/28/1999
Certification Date: 03/17/1994
Renew Date: / /

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

16
 SSE
 < 1/8
 587 ft.
 Higher

62 WEST 124 STREET
 62 WEST 124TH STREET
 NEW YORK, NY 10027

Database(s) EDR ID Number
 EPA ID Number

AST A100183330
 N/A

PBS AST:
 PBS Number: 2-606751 CBS Number: Not reported
 SPDES Number: Not reported SWIS Code: 6201
 Federal ID: Not reported Previous PBS#: Not reported
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Type: APARTMENT BUILDING
 Owner Type: Local Government
 Owner Sub Type: Not reported
 Owner: NYC/HPD/DPM
 100 GOLD ST., #6Z1
 NEW YORK, NY 10038
 Owner Phone: (212) 863-7087
 Facility Phone: (212) 863-7087
 Operator: ASST. COMMISSIONER/DPM
 Emergency Name: ASST. COMMISSIONER/DPM
 Emergency Phone: (212) 863-7087
 Total Tanks: 1
 Total Capacity: 4000
 Tank ID: 001
 Capacity (Gal): 4000
 Missing Data for Tank : Minor data missing
 Tank Location: ABOVEGROUND
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Install Date: / /
 Tank Internal: NONE
 Tank External: PAINTED/ASPHALT COATING
 Tank Containment: Not reported
 Pipe Type: STEEL/IRON
 Pipe Location: Above/Underground Combination
 Pipe Internal: NONE
 Pipe External: NONE
 Leak Detection: NONE
 Overfill Protection: Vent Whistle
 Dispenser Method: Suction
 Date Tested: / / Next Test Date: / /
 Date Closed: / / Test Method: Not reported
 Updated: True Deleted: False
 Date Inspected: Not reported Inspector: Not reported
 Result of Inspection: Not reported
 Mailing Name: NYC/HPD/DPM
 Mailing Address: 100 GOLD STREET
 #6Z1
 NEW YORK, NY 10038
 Mailing Contact: ASST. COMMISSIONER/DPM
 Mailing Telephone: (212) 863-7087
 Owner Mark: First Owner Expiration Date: 08/21/2006
 Certification Flag: False Certification Date: 08/31/2001
 Renew Flag: False Renew Date: / /
 Lat/Long: Not reported
 Dead Letter: False
 Facility Screen: No data missing

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site	Database(s)	EDR ID Number EPA ID Number
62 WEST 124 STREET (Continued)		A100183330
Owner Screen:	No data missing	
Tank Screen:	Minor data missing	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	62	
Region:	2	
Fiscal Amount for Registration Fee is Correct: True		

17
 East
 < 1/8
 628 ft.
 Same

52 PAYTON CORP - MAN	LTANKS	S102671478
52 W 126 ST		N/A
MANHATTAN, NY		

LTANKS:

Spill Number: 8910155	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: TAYLOR	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (212) 684-4527
Spiller: SAME	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 01/24/1990	
Spill Cause: Tank Overfill	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Tank Truck
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 01/23/1990 15:00	Reported to Dept: 01/23/1990 16:01
Cleanup Ceased: 01/24/1990	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/24/1990	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	
Leak Rate Failed Tank: Not reported	
Gross Leak Rate: Not reported	
Material:	
Material Class Type: 1	
Quantity Spilled: 7	
Units: Gallons	
Unknown Qty Spilled: 7	
Quantity Recovered: 7	
Unknown Qty Recovered: False	
Material: #2 FUEL OIL	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

52 PAYTON CORP - MAN (Continued)

S102671478

Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: ROUTINE DELIVERY - LAST DELIVERY ON 1/6/90 - TANK WAS STILL FULL - BA
ERENKLAU SENDS SPILL TEAM TO RESPOND.

18
SSW
1/8-1/4
734 ft.
Higher

242 LENOX AV
MANHATTAN, NY

LTANKS S104620016
N/A

LTANKS:

Spill Number: 9814473
Facility Contact: JAMES KELLY
Investigator: MULQUEEN
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: CASTLE OIL - SUBCONTRCT
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 03/03/1999 19:17
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/04/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/03/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False

Region of Spill: 2
Facility Tele: (212) 338-3255
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 03/03/1999 20:26

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

(Continued)

S104620016

Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: 3/3/99 mmm:RESPONDED TO SPILL AND FOUND 15-20 GALLONS OF FRESH 2 ON FLOOR OF BASEMENT. FDNY PUT DOWN SPEEDI DRY. OIL DELIVERY EARLIER IN DAY, , SPILL APPEARS TO BE FROM OVERFILL. SLIGHT DRIP COMING FROM SUCTION LINE AT BASE OF TANK. 3/4/99 mmm:CALLED CASTLE OIL - CONFIRMED DELIVERY BUT THEY WERE NOT NOTIFIED OF SPILL. WILL INVESTIGATE AND CLEAN UP IF NEEDED.
 Spill Cause: CON ED CALLED FOR A GAS LEAK AT THE ABOVE LOCATION AND FOUND BASEMENT FULL OF FUEL OIL - UNKNOWN IF THERE ACTUALLY IS A GAS LEAK - FD ON SCENE - DEP ALSO NOTIFIED - CON ED ML99003397

19
 NNE
 1/8-1/4
 786 ft.
 Higher

APT BUILDING
137 WEST 128TH ST
MANHATTEN, NY

LTANKS S105055126
N/A

LTANKS:

Spill Number: 0103076	Region of Spill: 2
Facility Contact: TED MAFFEI	Facility Tele: (718) 361-9910
Investigator: SANGESLAND	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: SAME	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: Not reported	
Spill Cause: Tank Test Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: 2-600990
Spill Date: 06/20/2001 09:00	Reported to Dept: 06/20/2001 10:05
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 06/20/2001	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 06/20/2001	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	
Leak Rate Failed Tank: Not reported	
Gross Leak Rate: Not reported	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

APT BUILDING (Continued)

S105055126

Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: WILL BUT IN A TEMP TANK AND REMOVE OLD ONE

**D20
 SW
 1/8-1/4
 835 ft.
 Higher**

**129 WEST 122ND STREET
 129 WEST 122ND STREET
 MANHATTAN, NY**

**LTANKS S102672412
 N/A**

Site 1 of 2 in cluster D

LTANKS:

Spill Number:	9313921	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	COASTAL OIL		
Spiller Address:	31-70 COLLEGE POINT BLVD. FLUSHING, QUEENS		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/25/1994		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	02/25/1994 13:38	Reported to Dept:	02/25/1994 13:38
Cleanup Ceased:	02/25/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	02/28/1994		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

129 WEST 122ND STREET (Continued)

S102672412

Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: CONTAINED IN BOILER ROOM - SPEEDY DRY USED TO CLEAN UP - CALLED MR MACAR DLE, CONFIRMED CLEAN UP.

D21
SW
1/8-1/4
835 ft.
Higher

129 WEST 122ND
129 WEST 122ND
MANHATTAN, NY

LTANKS S102672083
N/A

Site 2 of 2 in cluster D

LTANKS:

Spill Number: 9212076 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: TANG SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: COASTAL OIL CO.
Spiller Address: CALLER
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/22/1993
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 01/22/1993 12:01 Reported to Dept: 01/22/1993 13:38
Cleanup Ceased: 01/22/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/29/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

129 WEST 122ND (Continued)

S102672083

Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: CLERICAL ERROR RESULTED IN DUPLICATE DELIVERY-TANK OVERFLOW OCCURED-OIL ON CONCRETE FLOOR IN TANK-SPILL TEAM ON SITE TO CLEAN WITH SPEEDI-DRI AND WILL P/U AND DISPOSE

22
 SSW
 1/8-1/4
 1085 ft.
 Higher

**91-53 121ST ST/QUNS/LIRR
 91-53 121ST STREET
 NEW YORK CITY, NY**

**LTANKS S104275625
 NY Spills N/A**

SPILLS:

Spill Number: 8904486	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: SIGONA	SWIS: 63
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: LIRR	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 08/06/1989	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Railroad Car
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 08/05/1989 05:25	Reported to Dept: 08/05/1989 07:28
Cleanup Ceased: 08/06/1989	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 09/06/1989	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 08/25/1989	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 2000
Units: Gallons
Unknown Qty Spilled: 2000
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
Remark: 08/06/89: EPA WAS NOTIFIED, FUEL CONTAINED IN TRAIN YARD SUMP WHICH GOES TO OIL WATER SEPARATOR.
DEC Remarks: LOCOMOTIVE DERAILED, FUEL TANK WAS PUNCTURED, SPILL ON GROUND NEAR TRACKS.

LTANKS:

Spill Number: 9009530 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: TANG SWIS: 63
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (718) 217-3252
Spiller: LIRR
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/04/1998
Spill Cause: Tank Test Failure Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 11/30/1990 13:42 Reported to Dept: 12/03/1990 10:10
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/03/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/02/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Material:
 Material Class Type: 2
 Quantity Spilled: -1
 Units: Pounds
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: METHYLENE CHLORIDE
 Class Type: Hazardous
 Chem Abstract Service Number: METHYLENE CHLORIDE
 Last Date: Not reported
 Num Times Material Entry In File: 68
 Material: DICHLOROMETHANE
 Class Type: Hazardous
 Chem Abstract Service Number: DICHLOROMETHANE
 Last Date: Not reported
 Num Times Material Entry In File: 0
 DEC Remarks: SPILL STOPPED, CLEANED UP.
 Spill Cause: PAINT STRIPPING SOLUTION OVERFLOWED FROM UNDERGROUND TANK, ON LAND, GETTING INTO WATER.

**23
 WNW
 1/8-1/4
 1120 ft.
 Higher**

**231 WEST 125 STREET
 231 WEST 125 STREET
 NEW YORK, NY**

**LTANKS S102671989
 N/A**

LTANKS:

Spill Number: 9209622	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: TANG	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 03/31/1995	
Spill Cause: Tank Overfill	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Tank Truck
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 11/15/1992 13:50	Reported to Dept: 11/18/1992 14:14
Cleanup Ceased: 03/31/1995	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 03/31/1995	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 11/23/1992	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

231 WEST 125 STREET (Continued)

S102671989

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 3
Units: Gallons
Unknown Qty Spilled: 3
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: CAME OUT VENT AFTER DELIVERY-COMBINED CLEANUP CREW ON SCENE

E24
SE
1/8-1/4
1125 ft.
Higher

2002 5TH AVENUE
2002 5TH AVENUE
NEW YORK, NY

LTANKS S102672359
N/A

Site 1 of 2 in cluster E

LTANKS:

Spill Number: 9312897
Facility Contact: Not reported
Investigator: ALEX ZHITOMISKY
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: BARENKLAU OIL
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/03/1994
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/01/1994 15:40
Cleanup Ceased: 02/03/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/30/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/30/1994
Date Region Sent Summary to Central Office: Not reported
Tank Test:
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/01/1994 15:52

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

2002 5TH AVENUE (Continued)

S102672359

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: FUEL CAME OUT OF THE CAGE. BAERENKLAU CLEANED WITH A SPEEDY DRY.

**25
 South
 1/8-1/4
 1177 ft.
 Higher**

**24 WEST 121 STREET
 24 W 121ST STREET
 MANHATTAN, NY**

**LTANKS S104278315
 N/A**

LTANKS:

Spill Number: 9908095
 Facility Contact: AJAY PATEL
 Investigator: SIGONA
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: AJAY PATEL, DIRECTOR
 Spiller: HPD
 Spiller Address: 100 GOLD ST
 NEW YORK, NY 10038
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Notifier: Other
 Spill Date: 10/04/1999 11:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/08/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/04/1999
 Date Region Sent Summary to Central Office: Not reported

Region of Spill: 2
 Facility Tele: (212) 863-7764
 SWIS: 62
 Caller Agency: Not reported
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: (212) 312-8277

Resource Affected: On Land
 Spill Source: Private Dwelling
 PBS Number: Not reported
 Reported to Dept: 10/04/1999 11:23

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

24 WEST 121 STREET (Continued)

S104278315

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: DEC Sigona investigated on 10/4/99 at 2:25 P.M. arrived on scene no work on site. Called PTC Anthony Lara on 10/4/99, he said Issac inspected the abandoned building who said may be leaking. Called A.J. Patel, he will call back. According to PTC,, the FDNY stopped them to clean the floor and wanted the tank floor. Issac said HPD may want to use a different contractor to handle a tank replacement remediation. There are 2-275 gallon ASTs which are leaking and require replacement. DECC Sigona called Ajay Patel on 10/28/99 at 11:30 A.M., left message with Secretary. Ajay Patel, Director of Bureau of Maintenance and Procurement, HPD 212)863-7764.

Spill Cause: Caller reports tank leak to floor approximately 15 gallons.

E26
SE
1/8-1/4
1198 ft.
Higher

MARCUS GARVEY
124TH STREET / FIFTH AVE.
MANHATTAN, NY 10035

CBS AST S102639150
N/A

Site 2 of 2 in cluster E

CBS AST:
CBS Number: 2-000148 Telephone: (212) 410-2818
Owner: N.Y.C. DEPT. OF PARKS & RECREATION
16 W 61 ST.
MANHATTAN, NY 10023
(212) 397-3100
Facility Status: Active
Total Tanks: 1
Tank Status: In Service
Tank Error Status: No Missing Data
Tank Location: Aboveground
Install Date: Not reported
Capacity (Gal): 550
Tank Type: Plastic
Substance: Single Hazardous Substance on DEC List
Extrnl Protection: None/Other
Intrnl Protection: None
Tank Containment: None/None
Pipe Type: PLASTIC Pipe Location: Aboveground
Pipe Internal: Other
Pipe External: None/Other
Pipe Containment: None/None Haz Percent: 15

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MARCUS GARVEY (Continued)

S102639150

Leak Detection:	None/Groundwater Well		
Overfill Protection:	5/5		
Chemical:	Chlorine	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	6201
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	7782505
SPDES Number:	Not reported	ICS Number:	2-700519
Facility Type:	Municipality		
Operator:	MELVIN BEVERHOUDT	Facility Town:	NEW YORK CITY
Emrgncy Contact:	JON MAZZA	Emrgncy Phone:	(718) 383-6363
Certified Date:	11/05/1999	Expiration Date:	12/08/2001
Owner type:	Local Government		
Owner Sub Type:	Not reported		
Mail Name:	N.Y.C. DEPT. OF PARKS & RECREATION		
Mail Contact:	MAN.BORO OFFICE-JON MAZZA		
	16 W 61 ST.		
	MANHATTAN, NY 10023		
Mail Phone:	(212) 397-3100		
Tank Secret:	False	Date Entered:	07/19/1989 09:00:54
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	09/01/93	Date Expired:	12/08/93
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	550		
Unique Tank Id Number:	001		
Date Pre-Printed Renewal App Form Was Last Printed:			09/06/2001

27
 SE
 1/8-1/4
 1293 ft.
 Higher

MORRIS PARK SENIOR CITIZEN (J.ROBINSON)
17 EAST 124TH STREET
NEW YORK, NY 10035

UST U001840732
 LTANKS N/A
 NY Spills

SPILLS:

Spill Number:	9611020	Region of Spill:	2
Facility Contact:	DAVE FORTE	Facility Tele:	(212) 306-3226
Investigator:	HEALY	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	DAVE FORTE	Spiller Phone:	Not reported
Spiller:	NYC HOUSING		
Spiller Address:	250 BROADWAY		
	MANHATTAN, NY 10007		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/13/1996		
Spill Cause:	Human Error	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Tank Truck
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	12/06/1996 11:15	Reported to Dept:	12/06/1996 12:37
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/13/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/06/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 60
Units: Gallons
Unknown Qty Spilled: 60
Quantity Recovered: 60
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
Remarks: Not reported
DEC Remarks: OVERFILL FROM DELIVERY.

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

LTANKS:

Spill Number: 9004771
Facility Contact: JOHN COLLINS
Investigator: SIGONA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JOHN COLLINS
Spiller: NYCHA
Spiller Address: 250 BROADWAY
NEW YORK, NY 10007
Region of Spill: 2
Facility Tele: (212) 306-3129
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 306-3142
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/1996
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 07/30/1990 14:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: 2-475165
Reported to Dept: 07/30/1990 16:49

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/20/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/02/1990
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: 001
Test Method: Horner EZ Check
Capacity of Failed Tank: 5000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Pounds
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751

DEC Remarks: RECEIVED COPY OF TANK TEST REPORT. THE REPORT INDICATES THAT THE TANK TEST FAILED BECAUSE THE TANK WAS MISSING BOLTS ON MANWAY. SUBSEQUENT TANK TEST IN 1/92 PASSED TIGHTNESS TEST.

Spill Cause: TANK FAILED HORNER EZY CHECK WITH A VISUAL GROSS LEAK, WILL EXCAVATE, IS OLATE RETEST.

Spill Number: 9513238
Facility Contact: SUPER
Investigator: SACCACIO
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: FRANK OCELLO
Spiller: NYC HOUSING
Spiller Address: 250 BROADWAY
MANHATTAN, NY 10007

Region of Spill: 2
Facility Tele: (212) 722-7880
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 306-3229

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 01/20/1996 13:27
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty

Resource Affected: Groundwater
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 01/22/1996 13:24

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/02/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/22/1996
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 15
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 1/25/96 - Heavy rains in the last week caused seepage of oil and groundw ater into boiler room of this project. Oil got into sump pit also. Sump pumps were shut down. Winston Contracting power washed the floor and sump but oil continues to seep in. Tank is encased in concrete and has failed an air test. Tank has been taken out of service and replaced with four 275 gallon tanks temporarily project runs gas for hot water and oil for heat only). Tank is to be ultrasonically and internally inspected.

Spill Cause: GROUND SEAPAGE

PBS UST:
PBS Number: 2-475165 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 6201
Operator: LUIS PONCE
(718) 707-5725

Emergency Contact: EMERGENCY SERVICE DEPT.
(718) 289-3940

Total Tanks: 0
Owner: NYC HOUSING AUTHORITY
23-02 49TH AVENUE
LONG ISLAND CITY, NY 11101
(718) 707-5725

Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: 51
Mailing Address: NYC HOUSING AUTHORITY
ATTN: LUIS PONCE
23-02 49TH AVENUE
LONG ISLAND CITY, NY 11101
(718) 707-5725

Tank Status: Closed - In Place

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Capacity (gals):	5000	Install Date:	04/01/1977
Tank Location:	UNDERGROUND	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Id:	001	Pipe Internal:	Not reported
Tank Type:	Steel/carbon steel	Pipe Type:	STEEL/IRON
Tank Internal:	Not reported		
Pipe Location:	1		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	WRAPPED [PIPING]		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	01/01/1992	Next Test Date:	Not reported
Date Closed:	08/01/1997	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	Not reported
Old PBS Number:	Not reported	Expiration Date:	05/30/2005
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	62		
Region:	2		

F28
South
1/4-1/2
1500 ft.
Higher

42 WEST 120TH STREET
42 WEST 120TH STREET
MANHATTAN, NY

LTANKS S100879309
N/A

Site 1 of 3 in cluster F

LTANKS:

Spill Number:	9313894	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	O'DOWD	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/05/1994		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	02/22/1994 12:00	Reported to Dept:	02/25/1994 09:43
Cleanup Ceased:	12/05/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

42 WEST 120TH STREET (Continued)

S100879309

Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/05/1994
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/25/1994
 Date Region Sent Summary to Central Office: Not reported

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: 1
 Quantity Spilled: 450
 Units: Gallons
 Unknown Qty Spilled: 450
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #6 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #6 FUEL OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 2190

DEC Remarks: 12/05/94: WENT TO SITE SHOULD BE CLEANED UP BY END OF WEEK VANDALISM.
 Spill Cause: CRACKED OIL TANK? BUR. OF RENTAVATION REPAIR WILL BID THIS OUT FOR CLE
 AN UP - TANK IS ABOVEGROUND, MR JOE TORRES HAS INSPECTED THE SPILL, AND
 DETERMINED THAT IS DUE TO OVERFILL FRON VENT PIPE.

F29
South
1/4-1/2
1500 ft.
Higher

42 WEST 120TH ST/CIBRO
42 WEST 120TH STREET
NEW YORK CITY, NY

LTANKS S104275517
N/A

Site 2 of 3 in cluster F

LTANKS:

Spill Number: 8803777	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: TOMASELLO	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: CIBRO	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 11/06/2001	Resource Affected: On Land
Spill Cause: Tank Overfill	Spill Source: Private Dwelling
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Fire Department	Reported to Dept: 07/29/1988 15:57
Spill Date: 07/29/1988 14:00	
Cleanup Ceased: 11/06/2001	
Last Inspection: Not reported	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

42 WEST 120TH ST/CIBRO (Continued)

S104275517

Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/06/2001
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/02/1988
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 300
 Units: Gallons
 Unknown Qty Spilled: 300
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: 11/06/01: MF-R9 ANOTHER SPILL AT THIS SITE 9313894, CLOSED, ANOTHER SPILL 9411587 OPEN. NO FURTHER INFO ON THIS SPILL, 8803777, NOTHING IN FILE. DEAD ISSUE. NO FURTHER ACTION POSSIBLE. *****COMPUTER FILE*****

Spill Cause: FUEL TANK, SPILL IN BASEMENT, FOAMED SPILL, OWNER SUPERINTENDANT NOT AVAILABLE.

**F30
 South
 1/4-1/2
 1500 ft.
 Higher**

**42 W. 120TH ST
 42 W. 120TH ST
 MANHATTAN, NY**

**LTANKS S101341199
 N/A**

Site 3 of 3 in cluster F

LTANKS:

Spill Number:	9411587	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SIGONA	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYCHA		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

42 W. 120TH ST (Continued)

S101341199

Spill Notifier: Other
 Spill Date: 11/30/1994 09:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 01/25/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 01/06/1995
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 100
 Units: Gallons
 Unknown Qty Spilled: 100
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #4 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #4 FUEL OIL
 Last Date: 12/05/1994
 Num Times Material Entry In File: 1751
 DEC Remarks: Not reported
 Spill Cause: SPEEDY DRY USED-WILL PUT INTO DRUMS ETC.

**31
 SW
 1/4-1/2
 1608 ft.
 Higher**

**127 W 119TH ST
 127 W 119TH ST
 NYC, NY**

**LTANKS S100177828
 NY Spills N/A**

SPILLS:

Spill Number: 9710463
 Facility Contact: A. J. PATEL;
 Investigator: MULQUEEN
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: A. J. PATEL;
 Spiller: Not reported
 Spiller Address: 127 WEST 119TH ST
 MANHATTAN
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/31/1997
 Spill Cause: Equipment Failure
 Region of Spill: 2
 Facility Tele: (212) 863-7764
 SWIS: 62
 Caller Agency: Not reported
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: (212) 863-7764
 Resource Affected: On Land

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

127 W 119TH ST (Continued)

S100177828

Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/11/1997 17:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/04/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/12/1997
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 20
Units: Gallons
Unknown Qty Spilled: 20
Quantity Recovered: 20
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
Remarks: Not reported
DEC Remarks: cross over line leak-has been cleaned as of now-

LTANKS:

Spill Number: 9111198
Facility Contact: Not reported
Investigator: TANG
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 01/31/1992
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 01/29/1992 16:00
Cleanup Ceased: 01/31/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 01/29/1992 09:27

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

127 W 119TH ST (Continued)

S100177828

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/07/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 20
Units: Gallons
Unknown Qty Spilled: 20
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: SORBENT APPLIED. CLEANUP CONFIRMED.

32
NE
1/4-1/2
1693 ft.
Lower

33 W 131 STREET
43 W 131 STREET
MANHATTAN, NY

LTANKS S102671505
N/A

LTANKS:

Spill Number: 8911311
Facility Contact: Not reported
Investigator: O'DOWD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: PUBLIC FUEL
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 03/16/1990
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/28/1990 15:15
Cleanup Ceased: 03/16/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 02/28/1990 16:01

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

33 W 131 STREET (Continued)

S102671505

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/27/1991
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/05/1990
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 5
Units: Not reported
Unknown Qty Spilled: 5
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: VENT SPRAY DUE TO OVERFILL - PAVEMENT SPILL TEAM TO CLEAN UP.

G33
South
1/4-1/2
1699 ft.
Higher

APARTMENT HOUSE
50 WEST 119TH ST
NEW YORK, NY
Site 1 of 2 in cluster G

LTANKS S104621393
N/A

LTANKS:

Spill Number: 0000405
Facility Contact: WALTER MILLER
Investigator: TOMASELLO
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: INTERBORO
Spiller Address: UNK
NEW YORK, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 04/10/2000 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Region of Spill: 2
Facility Tele: (212) 369-4079
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (000) 000-0000
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 04/10/2000 15:15

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

APARTMENT HOUSE (Continued)

S104621393

Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 04/11/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 04/10/2000
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 1
 Units: Gallons
 Unknown Qty Spilled: Yes
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: Not reported

Spill Cause: CALLER STATES EVERY MONTH OIL IS DELIVERED ATLEAST 1 GALLON GETS SPILLED DUE TO TANK OVERFILL-ON GOING PROBLEM AND ALSO HAS SEEN OIL SPRAYED ON W ALL IN BASEMENT.

G34
 South
 1/4-1/2
 1702 ft.
 Higher

**49 WEST 119TH ST/MANH
 49 WEST 119TH STREET
 NEW YORK CITY, NY**

**LTANKS S104275554
 N/A**

Site 2 of 2 in cluster G

LTANKS:

Spill Number: 8907609	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: FINGER	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (718) 438-6676

Spiller: ALMAR FUEL OIL

Spiller Address: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported

Spill Cause: Tank Overfill

Water Affected: Not reported

Spill Notifier: Affected Persons

Spill Date: 10/30/1989 11:00

Cleanup Ceased: Not reported

Resource Affected: On Land

Spill Source: Other Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 10/31/1989 14:10

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

49 WEST 119TH ST/MANH (Continued)

S104275554

Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: Not reported
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 11/01/1989
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 250
 Units: Gallons
 Unknown Qty Spilled: 250
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: Not reported
 Spill Cause: FUEL COMPANY DELIVERED OIL TO THE WRONG BLDG, SPILL CONTAINED IN
 BA
 SEMENT, SPEEDY DRY APPLIED.

35
 South
 1/4-1/2
 1728 ft.
 Higher

**2 WEST 120TH ST
 2 WEST 120TH ST
 MANHATTAN, NY**

AST S102143394
 LTANKS N/A
 NY Spills

SPILLS:

Spill Number: 9208787	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: TANG	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: Not reported	
Spiller Address: Not reported	
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 03/31/1995	
Spill Cause: Unknown	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Local Agency	PBS Number: Not reported
Spill Date: 10/28/1992 15:00	Reported to Dept: 10/29/1992 17:36

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

2 WEST 120TH ST (Continued)

S102143394

Cleanup Ceased: 03/31/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/31/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/30/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: 1
Quantity Spilled: 1500
Units: Gallons
Unknown Qty Spilled: 1500
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751

Remarks: Not reported
DEC Remarks: FD WENT OVER AND FOAMED BASEMENT YESTERDAY. HAZ MAT SPECIALIST ON ROUTE 1 FT DEEP IN FUEL -KOOON WAS ALREADY ON ROUTE WHEN I CALLED ,CALL BACK, RES PONDED W/ DEP HAZMAT, OIL IN BSMT CLEANED UP.

LTANKS:

Spill Number: 9612461
Facility Contact: Not reported
Investigator: MULQUEEN
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: CHARLIE
Spiller: MYSTIC OIL
Spiller Address: 19-01 STEINWAY ST
ASTORIA, NT
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/13/1997
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 01/18/1997 12:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 01/18/1997 12:34

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

2 WEST 120TH ST (Continued)

S102143394

Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/13/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/18/1997
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751

DEC Remarks: Not reported
Spill Cause: TANK OVERFILLED - CLEANUP IN PROGRESS

PBS AST:

PBS Number: 2-346152 CBS Number: Not reported
SPDES Number: Not reported SWIS Code: 6201
Federal ID: Not reported Previous PBS#: Not reported
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Type: APARTMENT BUILDING
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Owner: 2 WEST 120TH REALTY CO. LLC
ONE PENN PLAZA - SUITE 4000
NEW YORK, NY 10119
Owner Phone: (212) 564-2111
Facility Phone: (917) 919-9368
Operator: BRYAN
Emergency Name: BRYAN
Emergency Phone: (917) 919-9368
Total Tanks: 1
Total Capacity: 3500
Tank ID: 001
Capacity (Gal): 3500
Missing Data for Tank : Minor data missing
Tank Location: ABOVEGROUND
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

2 WEST 120TH ST (Continued)

S102143394

Install Date: / /
 Tank Internal: Not reported
 Tank External: Not reported
 Tank Containment: CUT-OFF WALLS
 Pipe Type: STEEL/IRON
 Pipe Location: Aboveground
 Pipe Internal: Not reported
 Pipe External: Not reported
 Leak Detection: Not reported
 Overfill Protection: Product Level Gauge, Vent Whistle
 Dispenser Method: Suction
 Date Tested: / / Next Test Date: / /
 Date Closed: / / Test Method: Not reported
 Updated: True Deleted: False
 Date Inspected: Not reported Inspector: Not reported
 Result of Inspection: Not reported
 Mailing Name: WIENER REALTORS
 Mailing Address: ONE PENN PLAZA
 SUITE 4000
 NEW YORK, NY 10119
 Mailing Contact: HARRY HIRSH
 Mailing Telephone: (212) 564-2111
 Owner Mark: Second Owner Expiration Date: 09/11/2005
 Certification Flag: False Certification Date: 09/15/2000
 Renew Flag: False Renew Date: / /
 Lat/Long: Not reported
 Dead Letter: False
 Facility Screen: No data missing
 Owner Screen: Minor data missing
 Tank Screen: Minor data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2
 Fiscal Amount for Registration Fee is Correct: True

PBS OWNHIST

Operator: JUAN MALDENADO
 Emergency: MARC HERTZ
 Emergency Tel: (212) 315-1177 Old PBSNO: Not reported
 Facility Type: APARTMENT BUILDING
 Facility Owner: 2 WEST 120 ST
 Facility Address: 2 WEST 120TH ST
 2 WEST 120TH ST
 NEW YORK, NY 10027
 Inspector: Not reported Inspect Date: Not reported
 Insp Result: Not reported Federal ID: Not reported
 Owner: ALLP FIFTH REALTY
 Owner Tel: (212) 315-1177 Owner Type: Not reported
 Owner Subtype: Not reported
 Mail Address: ALLP FIFTH REALTY
 402 WEST 47TH STREET
 NEW YORK, NY 10036
 Not reported
 (212) 315-1177
 Owner Mark: First Owner
 Certify Date: 12/14/1997 Expiration: 12/14/1997
 Total Capacity (Gal): 3000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

2 WEST 120TH ST (Continued)

S102143394

CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 6201
Facility Phone : (212) 534-7139
Num of Active Tanks : 1
Facility Owner: ALLP FIFTH REALTY
Facility Address: 402 WEST 47TH STREET

NEW YORK, NY 10036
Owner Phone: (212) 315-1177
Facility Status: 1
Certificate Needs Printed : False
Renewal Printed : False
Pre-printed Renewal Form Last Printed : Not reported
Fiscal Amt For Registration Fee Pbsrect: True
Dt Ownership Transfer Occurr in Computer : 09/11/2000
Facility Record Updated: True

36
NNE
1/4-1/2
1841 ft.
Higher

APARTMENT HOUSE
135 132ND ST
NEW YORK, NY

LTANKS S105054595
N/A

LTANKS:

Spill Number: 0100345 Region of Spill: 2
Facility Contact: SCOTT SWANSON Facility Tele: (718) 539-4515
Investigator: ROMMEL SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: SCOTT SWANSON Spiller Phone: (718) 539-4515
Spiller: APARTMENT HOUSE >
Spiller Address: 135 132ND ST
NEW YORK, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 04/10/2001 09:30 Reported to Dept: 04/10/2001 09:34
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/11/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/10/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S105054595

Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 2500
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: tank failed test - no product spillage

H37
NW
1/4-1/2
1906 ft.
Higher

302 WEST 128TH ST/MANH
302 WEST 128TH STREET
NEW YORK CITY, NY
Site 1 of 2 in cluster H

LTANKS S104275666
N/A

LTANKS:

Spill Number: 9104865
Facility Contact: Not reported
Investigator: TANG
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO OIL CO
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 08/05/1991
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/05/1991 14:00
Cleanup Ceased: 08/05/1991
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/07/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 852-7000

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/05/1991 14:56

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

302 WEST 128TH ST/MANH (Continued)

S104275666

Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 4
 Units: Gallons
 Unknown Qty Spilled: 4
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: TANK OVERFILL DUE TO HUMAN ERROR, SPILL ON CONCRETE, NO DRAIN AFFECTED, SP
 EEDY DRY APPLIED, WHALECO OIL WILL PICK UP DISPOSE.

**H38
 NW
 1/4-1/2
 1906 ft.
 Higher**

**302 WEST 128TH STREET
 302 WEST 128TH STREET
 MANHATTAN, NY**

**LTANKS S100494355
 NY Spills N/A**

Site 2 of 2 in cluster H

SPILLS:

Spill Number: 9500164	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MARTINKAT	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: MARK RYAN	
Spiller Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 04/05/1995	Resource Affected: On Land
Spill Cause: Equipment Failure	Spill Source: Other Non Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Responsible Party	Reported to Dept: 04/05/1995 11:31
Spill Date: 04/05/1995 11:15	
Cleanup Ceased: 04/05/1995	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 05/09/1995	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

302 WEST 128TH STREET (Continued)

EDR ID Number
EPA ID Number

Database(s)

S100494355

Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: -1
Units: Gallons
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Remarks: Not reported
DEC Remarks: SMALL SPRAY OF FUEL REPORTED CAUSED BY TRAPPED AIR

LTANKS:

Spill Number: 9209732
Facility Contact: Not reported
Investigator: TANG
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/20/1992
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 11/20/1992 12:00
Cleanup Ceased: 11/20/1992
Last Inspection: Not reported
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 11/20/1992 13:22

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/23/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/23/1992
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Material:
Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: TRAPPED VENT-CONTAINED ON SIDEWALK

I39
NE
1/4-1/2
1933 ft.
Lower

APARTMENT BLDG
45 WEST 132ND ST
MANHATTAN, NY

LTANKS S103038485
N/A

Site 1 of 2 in cluster I

LTANKS:

Spill Number: 9712788
Facility Contact: GEORGE WHITE
Investigator: MARTINKAT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: NICK PASCAL
Spiller: HESS
Spiller Address: 238 W. FORT LEE RD
BOGOTA, NJ
Region of Spill: 2
Facility Tele: (212) 862-6380
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (201) 489-5100
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/17/1998
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/17/1998 08:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/03/1998
Is Updated: False
Resource Affected: On Land
Spill Source: Tank Truck
PBS Number: Not reported
Reported to Dept: 02/17/1998 08:47
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/17/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

APARTMENT BLDG (Continued)

S103038485

Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #6 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #6 FUEL OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 2190
 DEC Remarks: Not reported
 Spill Cause: CAUSED BY DEFECTIVE GAUGE OVERFILL - CLEANUP CREW ON WAY

140
 NE
 1/4-1/2
 1933 ft.
 Lower

APARTMENT HOUSE
45 W 132ND ST
NEW YORK, NY
 Site 2 of 2 in cluster I

LTANKS S104516333
N/A

LTANKS:

Spill Number: 9912013	Region of Spill: 2
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: O'DOWD	SWIS: 62
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: HESS OIL CO	
Spiller Address: 238 W FORT LEE RD	
	BOGOTA, NJ 07603
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.	
	Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/08/2000	
Spill Cause: Tank Overfill	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 01/18/2000 10:20	Reported to Dept: 01/18/2000 10:47
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 02/18/2000	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/18/2000	
Date Region Sent Summary to Central Office: Not reported	
Tank Test:	
PBS Number: Not reported	
Tank Number: Not reported	
Test Method: Not reported	
Capacity of Failed Tank: Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104516333

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 50
Units: Gallons
Unknown Qty Spilled: 50
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190
DEC Remarks: 1/26/2000 10:50 HRS SPOKE TO NICK/HESS HE SAID HIS GUY WAS DIRECTED TO T
HE WRONG TANK TO FILL. IT WAS AN OVERFILL OUT OF THE VENT PIPE ONTO DIR
T. A CONTRACTOR WAS HIRED TO DO THE CLEAN UP. CALL CUSTOMER SERVICE 80
0-437-7872 TO FIND OUT WHICH CONTRRCTOR.
Spill Cause: TOLD TO FILL WRONG TANK CAUSING OVERFILL. CLEAN UP CREW CONTACTED.

41
ESE
1/4-1/2
1943 ft.
Lower

78-80 E 127TH ST/NYCHPD
78-80 E 127TH ST
NYC, NY

LTANKS S100153378
N/A

LTANKS:

Spill Number: 9106395
Facility Contact: Not reported
Investigator: TANG
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/13/1991
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 09/13/1991 12:01
Cleanup Ceased: 09/13/1991
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/25/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/13/1991 13:50

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

78-80 E 127TH ST/NYCHPD (Continued)

S100153378

Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 100
Units: Gallons
Unknown Qty Spilled: 100
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
DEC Remarks: // : WILL PICK UP DISPOSE.
Spill Cause: SPILL CONTAINED IN TANK ROOM. FLOOR TANK VACCUUMED. DRIZ-ALL APPLIED

J42
West
1/4-1/2
2010 ft.
Higher

SHELL SERVICE STATION
ST NICHOLAS AVE
NEW YORK, NY 10027

RCRIS-SQG 1000981334
FINDS NY0000968586
LTANKS

Site 1 of 2 in cluster J

RCRIS:

Owner: SHELL OIL PRODUCTS CO
(516) 365-2489
EPA ID: NY0000968586
Contact: BROOKS PERLEE
(516) 365-2489

Classification: Small Quantity Generator
Used Oil Recyc: No
TSDF Activities: Not reported
Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

LTANKS:

Spill Number:	8900371	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SULLIVAN	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 937-3020
Spiller:	SHELL		
Spiller Address:	ROBERT SANFORD		
Spill Class:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 04/12/1989 18:00
Cleanup Ceased: 04/19/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 10/07/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/13/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Pounds
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: Not reported
Spill Cause: TWO 4K TANKS FAILED PETRO. LR S = -1.076GPH -0.735GPH, WAS DE
TERMINED TANKS FAILED BECAUSE OF TRAPPED AIR, TANKS WERE RETESTED PASS
ED.

J43
West
1/4-1/2
2010 ft.
Higher

235 ST. NICHOLAS AVENUE
235 ST / NICHOLAS AVENUE
MANHATTAN, NY

LTANKS S100879167
N/A

Site 2 of 2 in cluster J

LTANKS:

Spill Number: 9312945
Facility Contact: Not reported
Investigator: MILLER
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: SAME
Spiller Address: Not reported
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

235 ST. NICHOLAS AVENUE (Continued)

S100879167

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported

Spill Cause: Tank Test Failure Resource Affected: On Land

Water Affected: Not reported Spill Source: Gas Station

Spill Notifier: Tank Tester PBS Number: Not reported

Spill Date: 02/02/1994 14:10 Reported to Dept: 02/02/1994 14:15

Cleanup Ceased: Not reported

Last Inspection: Not reported

Cleanup Meets Standard: False

Recommended Penalty: No Penalty

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: True

Spill Record Last Update: 08/16/1995

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 02/03/1994

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported

Tank Number: Not reported

Test Method: Not reported

Capacity of Failed Tank: 0

Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: 1

Quantity Spilled: -1

Units: Not reported

Unknown Qty Spilled: -1

Quantity Recovered: 0

Unknown Qty Recovered: False

Material: GASOLINE

Class Type: Petroleum

Chem Abstract Service Number: GASOLINE

Last Date: 09/29/1994

Num Times Material Entry In File: 21329

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.

Spill Cause: EIR - 2/3/94 TEST INCONCLUSIVE -

K44
NNE
1/4-1/2
2086 ft.
Lower

59 ENGINE / 30 TRUCK
111 WEST 133RD ST
MANHATTEN, NY

Site 1 of 2 in cluster K

LTANKS S102960160
N/A

LTANKS:

Spill Number: 9711067 Region of Spill: 2

Facility Contact: TONY MARINO Facility Tele: (718) 391-1062

Investigator: KOLLEENY SWIS: 62

Caller Name: Not reported Caller Agency: Not reported

Caller Phone: Not reported Caller Extension: Not reported

Notifier Name: Not reported Notifier Agency: Not reported

Notifier Phone: Not reported Notifier Extension: Not reported

Spiller Contact: MICHAEL BYRNE Spiller Phone: (716) 856-5636

Spiller: NYC DDC

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

59 ENGINE / 30 TRUCK (Continued)

S102960160

Spiller Address: 30-30 THOMPSON AVE - FL 5
LONG ISLAND CITY, NT 11101
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 01/02/1998 13:30 Reported to Dept: 01/02/1998 14:11
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 01/15/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/02/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: Not reported
Spill Cause: sample results came back today - were investigating ust s for leakage -
poss tanks leaking

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K45
NNE
1/4-1/2
2090 ft.
Lower

NYC HOUSING
123 WEST 133RD ST
MANHATTAN, NY

LTANKS S105054585
N/A

Site 2 of 2 in cluster K

LTANKS:

Spill Number: 0100281
Facility Contact: SCOTT SWANSON
Investigator: DEMEO
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: SCOTT SWANSON
Spiller: NYC HOUSING AUTHORITY
Spiller Address: UNKNOWN
Region of Spill: 2
Facility Tele: (718) 539-4515
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (718) 539-4515
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 04/09/2001 09:10
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/09/2001
Is Updated: False
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 04/09/2001 10:26
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/09/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 2000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

46
NNE
1/4-1/2
2118 ft.
Higher

ARDEN MANAGEMENT
151 WEST 133RD STREET
MANHATTAN, NY

LTANKS S104279138
N/A

LTANKS:

Spill Number: 9911375 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: KRIMGOLD SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: DENNIS Spiller Phone: (718) 788-8080
Spiller: ROYAL TRUCKING
Spiller Address: BROOKLYN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/28/1999
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Tank Truck
Spill Notifier: Other PBS Number: Not reported
Spill Date: 12/28/1999 22:00 Reported to Dept: 12/28/1999 22:22
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/18/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/28/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: TANK OVERFILL. ABOUT 50 GAL SPILLED OUTSIDE THE BUILDING. CLEANED UP BY
THE SPILLER.
Spill Cause: CALLER RECEIVED A CALL FROM NEW YORK CITY FIRE DEPARTMENT ABOUT SPILL AT

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

302 W 120TH ST (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102671752

Facility Contact: Not reported
Investigator: CAMMISA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: WHALECO
Spiller Address: Not reported
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/26/1993
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 05/25/1993 13:10
Cleanup Ceased: 05/26/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/19/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/27/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: OVERFILL ONTO CONCRETE - DRIVER APPLIED SPEEDI DRI - CREW EN ROUTE TO FINISH CLEAN-UP.

L48
WSW
1/4-1/2
2292 ft.
Higher

ST THOMAS THE APOSTLE CHURCH
262 WEST 118TH STREET
NYC, NY 10026
Site 1 of 2 in cluster L

UST U001836421
LTANKS N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE CHURCH (Continued)

U001836421

LTANKS:

Spill Number: 9814945 Region of Spill: 2
Facility Contact: FATHER GEORGE HANNER Facility Tele: Not reported
Investigator: SIGONA SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: CASTLE FUEL
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/19/1999
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Other PBS Number: 2-321281
Spill Date: 03/17/1999 09:15 Reported to Dept: 03/17/1999 09:36
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/19/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/17/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 100
Units: Gallons
Unknown Qty Spilled: 100
Quantity Recovered: 100
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: DEC Sigona) investigated on 3/19/1999 at 11:30 A.M. met with superinten dent. Performed inspection of tank room. Confirmed the 2 fuel oil spi ll was contained in vault for aboveground tank. The tank was painted an d seemed to be good physical condition resting on solid footings/craddl es. The floor was visibly clean with no significant petroleum vapors. The fill pipe supplys oil to aboveground tank vaulted with access. At t he exit from boiler room to street the pipe appeared to be moderatelly c

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE CHURCH (Continued)

U001836421

eroded. The superintendent will relay the info to the manager of the church, and indicated that they will replace the fill line if necessary. Otherwise there is no further action required. DEC SIGONA RESPONDED CONFIRMED CLEANUP. CLOSED 3/18

Spill Cause: CASTLE OIL DRIVER OVERFILLED TANK. SPILLED INTO THE TANK ROOM. PETROLEUM TANK CLEANERS HAS CREWS ENROUTE TO CLEAN UP.

PBS UST:

PBS Number:	2-321281	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6201
Operator:	FR. GEORGE HANNA (212) 662-2693		
Emergency Contact:	FR. GEORGE HANNA (212) 662-2765		
Total Tanks:	1		
Owner:	ARCHDIOCESS OF NEW YORK 1011 1ST AVENUE NYC, NY 10022 (212) 371-1000		
Owner Type:	Not reported		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	ST. THOMAS THE APOSTLE CHURCH ATTN: FR. GEORGE HANNA 262 WEST 118TH STREET NYC, NY 10026 (212) 662-2693		
Tank Status:	In Service		
Capacity (gals):	3000		
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS		
Tank Id:	885	Install Date:	Not reported
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	1	Pipe Type:	STEEL/IRON
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	VAULT		
Leak Detection:	NONE		
Overfill Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	False
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	3000	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	Minor data missing
Certification Flag:	False	Certification Date:	12/21/1998
Old PBS Number:	Not reported	Expiration Date:	08/17/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	Not reported		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	62		
Region:	2		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

L49 CHURCH AT
WSW 262 W 118TH ST
1/4-1/2 MANHATTAN, NY
2292 ft.
Higher Site 2 of 2 in cluster L

LTANKS S103479371
N/A

LTANKS:

Spill Number: 9806629
Facility Contact: FATHER GEORGE HANNER
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: FATHER GEORGE HANNER
Spiller: CHURCH AT
Spiller Address: 262 W 118TH ST
MANHATTAN, NY

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: Not reported
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 08/25/1998 11:00

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/28/1998 16:31

Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/03/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/28/1998
Date Region Sent Summary to Central Office: Not reported

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 200
Units: Gallons
Unknown Qty Spilled: 200
Quantity Recovered: 200
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: Not reported
Spill Cause: THEY WERE SCRAPING THE TANK TO PAINT IT IT JUST LET GO - CALLER HAS AL
READY DONE CLEAN UP

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

50
NNE
1/4-1/2
2348 ft.
Lower

126 WEST 134TH ST
126 WEST 134TH ST
NEW YORK CITY, NY

LTANKS S104275703
N/A

LTANKS:

Spill Number: 9402941
Facility Contact: Not reported
Investigator: SIGONA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: NYC PROPERTY DEPT OGS
Spiller Address: DIVISION OF REAL ESTATE
NEW YORK CITY, NY
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 566-7530
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 05/23/1994 09:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/17/1999
Is Updated: False
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/31/1994 11:26
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/25/1994
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
DEC Remarks: Not reported
Spill Cause: DISCOVERED U/G TANKS TAKEN ON WATER LEAKING. KRIMGOLD WAS NOTIFIED AT

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

126 WEST 134TH ST (Continued)
1115 HRS.

S104275703

51
North
1/4-1/2
2353 ft.
Higher

273 W. 132 ST.
273 W. 132 ST.
MANHATTAN, NY

LTANKS S102672039
N/A

LTANKS:

Spill Number: 9210863 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: STEVE MILLER SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: M.B. TRUCKING
Spiller Address: 1281 VIELE AVENUE
BRONX, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/18/1992
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 12/18/1992 15:30 Reported to Dept: 12/18/1992 18:32
Cleanup Ceased: 12/18/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/09/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/18/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

273 W. 132 ST. (Continued)

EDR ID Number
EPA ID Number

Database(s)

DEC Remarks: Not reported
Spill Cause: NO TANK ALARM. 3/4 FULL TANK. AL EASTMAN CLEAN UP. ON CONCRETE IN BAS
EMENT. NO CALLBACK REQUIRED.

S102672039

52
East
1/4-1/2
2403 ft.
Lower

JACKIE ROBINSON
110 EAST 129TH STREET
NEW YORK, NY 10029

UST U001840718
LTANKS N/A
NY Spills

SPILLS:

Spill Number: 9907036
Facility Contact: FRANK OCELLO
Investigator: SACCACIO
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: FRANK OCELLO
Spiller: JACKIE ROBINSON
Spiller Address: 110 E129TH ST
MANHATTAN
Region of Spill: 2
Facility Tele: (212) 306-3229
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 306-3229
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Unknown
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 09/13/1999 14:20
Cleanup Ceased: Not reported
Last Inspection: Not reported
Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: -474959
Reported to Dept: 09/13/1999 14:31
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/09/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/13/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 20000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

JACKIE ROBINSON (Continued)

U001840718

Last Date: 12/07/1994
Num Times Material Entry In File: 24464
Remarks: Not reported
DEC Remarks: TANK WILL BE REPLACED SOON.

LTANKS:

Spill Number: 9812531 Region of Spill: 2
Facility Contact: FRANK OCELLO Facility Tele: (212) 306-3229
Investigator: SACCACIO SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: NYS HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
MANHATTAN, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/20/1999
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: -474959
Spill Date: 01/11/1999 12:45 Reported to Dept: 01/11/1999 13:02
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/20/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/11/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 1
Test Method: Horner EZ Check
Capacity of Failed Tank: 20000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

DEC Remarks: 5/20/99 - Saccacio - Subsequent tank test failure. Previous tank test failures 9808458 on 10/8/99 closed and 9315465 on 1/16/92 open. See the

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

JACKIE ROBINSON (Continued)

EDR ID Number
 EPA ID Number

Database(s)

U001840718

latter spill for updates. Spill closed
 Spill Cause: WILL ISOLATE AND RETEST.

PBS UST:
 PBS Number: 2-474959 CBS Number: Not reported
 SPDES Number: Not reported SWIS ID: 6201
 Operator: LUIS PONCE
 (718) 707-5725
 Emergency Contact: EMERGENCY SERVICE DEPT.
 (212) 289-3940

Total Tanks: 1
 Owner: NYC HOUSING AUTHORITY
 23-02 49TH AVENUE
 LONG ISLAND CITY, NY 11101
 (718) 707-5725

Owner Type: Local Government
 Owner Mark: First Owner
 Owner Subtype: 51
 Mailing Address: NYC HOUSING AUTHORITY
 ATTN: LUIS PONCE
 23-02 49TH AVENUE
 LONG ISLAND CITY, NY 11101
 (718) 707-5725

Tank Status: In Service
 Capacity (gals): 10000
 Tank Location: UNDERGROUND
 Tank Id: NEW TK #1
 Tank Type: Fiberglass coated steel
 Tank Internal: 9
 Pipe Location: Underground
 Tank External: FIBERGLASS
 Missing Data for Tank: Minor Data Missing
 Pipe External: OTHER
 Second Containment: DOUBLED-WALLED TANK
 Leak Detection: IN-TANK SYSTEM
 Overfill Prot: High Level Alarm, Automatic Shut-Off
 Date Tested: Not reported
 Date Closed: Not reported
 Deleted: False
 Dead Letter: False
 FAMT: Fiscal amount for registration fee is correct
 Total Capacity: 10000
 Tank Screen: Minor data missing
 Renew Flag: Renewal has not been printed
 Certification Flag: False
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspection Result: Not reported
 Lat/long: Not reported
 Facility Type: APARTMENT BUILDING
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 62
 Region: 2

Install Date: 06/01/2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Pipe Internal: OTHER
 Pipe Type: NOT DEFINED

Dispenser: Suction
 Next Test Date: Not reported
 Test Method: Not reported
 Updated: True
 Owner Screen: Minor data missing
 Renewal Date: Not reported
 Federal ID: Not reported
 Facility Screen: No data missing
 Certification Date: 05/25/2001
 Expiration Date: 03/28/2004
 Inspector: Not reported

PBS Number: 2-474959 CBS Number: Not reported
 SPDES Number: Not reported SWIS ID: 6201
 Operator: LUIS PONCE

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

JACKIE ROBINSON (Continued)

U001840718

Emergency Contact: (718) 707-5725
 EMERGENCY SERVICE DEPT.
 (212) 289-3940

Total Tanks: 1

Owner: NYC HOUSING AUTHORITY
 23-02 49TH AVENUE
 LONG ISLAND CITY, NY 11101
 (718) 707-5725

Owner Type: Local Government

Owner Mark: First Owner

Owner Subtype: 51

Mailing Address: NYC HOUSING AUTHORITY
 ATTN: LUIS PONCE
 23-02 49TH AVENUE
 LONG ISLAND CITY, NY 11101
 (718) 707-5725

Tank Status: Closed - Removed

Capacity (gals): 20000

Tank Location: UNDERGROUND

Tank Id: OLD 1

Tank Type: Steel/carbon steel

Tank Internal: Not reported

Pipe Location: Underground

Tank External: Not reported

Missing Data for Tank: Minor Data Missing

Pipe External: WRAPPED [PIPING]

Second Containment: Not reported

Leak Detection: Not reported

Overfill Prot: 2

Date Tested: Not reported

Date Closed: 06/01/2000

Deleted: False

Dead Letter: False

FAMT: Fiscal amount for registration fee is correct

Total Capacity: 10000

Tank Screen: Minor data missing

Renew Flag: Renewal has not been printed

Certification Flag: False

Old PBS Number: Not reported

Inspected Date: Not reported

Inspection Result: Not reported

Lat/long: Not reported

Facility Type: APARTMENT BUILDING

Town or City: NEW YORK CITY

Town or City Code: 01

County Code: 62

Region: 2

Install Date: 05/01/1973

Product Stored: NOS 1,2, OR 4 FUEL OIL

Pipe Internal: Not reported

Pipe Type: STEEL/IRON

Dispenser: Suction

Next Test Date: Not reported

Test Method: Not reported

Updated: True

Owner Screen: Minor data missing

Renewal Date: Not reported

Federal ID: Not reported

Facility Screen: No data missing

Certification Date: 05/25/2001

Expiration Date: 03/28/2004

Inspector: Not reported

**M53
 SW
 1/4-1/2
 2417 ft.
 Higher**

**TAFT HOUSES
 131 SAINT NICHOLAS AVE
 MANHATTAN, NY**

**LTANKS S105230223
 N/A**

Site 1 of 3 in cluster M

LTANKS:

Spill Number: 0107089

Facility Contact: NORMAN ZABUSKY

Investigator: TIPPLE

Caller Name: Not reported

Region of Spill: 2

Facility Tele: (718) 707-5719

SWIS: 62

Caller Agency: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

S105230223

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: RAD OIL COMPANY
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 10/09/2001 11:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/10/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/09/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 1500
Units: Gallons
Unknown Qty Spilled: 1500
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 10/10/01 SITE VISIT REVEALED THAT THE OIL HAD FILLED THE RISER AREA ABOVE THE TANKS AND SPILLED OUT ONTO THE PAVED SURFACE OF THE PARKING LOT. UPON FURTHER INSPECTION THERE WAS FRESH 2 OIL THAT HAD IMPACTED THE SUMP WITH THE OLD OIL MOP STILL ABLE TO FUNCTION. THE OLD OIL WAS DISCOLORED, THE FRESH OIL IS RED. HOUSING AUTHORITY TO REMOVE THE SATURATED SOIL FROM THE FILL AREA AND CONTINUOUSLY RUN THE OIL MOP. FIRST ESTIMATE OF 1500 GAL. SPILL MAY BE ON THE LOW SIDE.
Spill Cause: overfilled during delivery - caused spill in fill box and manway - unknown if impacted soil. still under investigation.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

M54 **131 ST. NICHOLAS AVENUE (TAFT)**
SW **131 ST. NICHOLAS AVE.**
1/4-1/2 **NEW YORK, NY 10029**
2422 ft.
Higher

UST **U001840730**
LTANKS **N/A**

Site 2 of 3 in cluster M

LTANKS:

Spill Number:	9003741	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	HEALY	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(212) 306-3142
Spiller:	NYC HOUSING AUTHORITY		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/27/1995		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	2-475130
Spill Date:	07/03/1990 13:00	Reported to Dept:	07/03/1990 14:06
Cleanup Ceased:	04/27/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	04/27/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/06/1990		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	001		
Test Method:	Not reported		
Capacity of Failed Tank:	0		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	-1		
Units:	Not reported		
Unknown Qty Spilled:	-1		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#4 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#4 FUEL OIL		
Last Date:	12/05/1994		
Num Times Material Entry In File:	1751		
DEC Remarks:	Not reported		
Spill Cause:	GROSS LEAK AT MANWAY GASKET, RETURN LINE LEAKING SUCTION LINE-TO REMOVE, REPAIR RETEST. TANK RETESTED 3/6/91-FAILED, WILL E, I R. SEE SPILL		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

131 ST. NICHOLAS AVENUE (TAFT) (Continued)

U001840730

9302271

Spill Number: 9302271 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: SACCACIO SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (212) 306-3142
Spiller: NYCHA
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: 2-475130
Spill Date: 05/18/1993 16:25 Reported to Dept: 05/18/1993 17:40
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/27/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/20/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 001
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: T.T.F.
Spill Cause: WILL EI R - EXCAVATING CONTAMINATED SOIL.
PBS UST:
PBS Number: 2-475130 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 6201

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

131 ST. NICHOLAS AVENUE (TAFT) (Continued)

U001840730

Operator:	LUIS PONCE (718) 707-5725	
Emergency Contact:	EMERGENCY SERVICE DEPT. (718) 289-3940	
Total Tanks:	1	
Owner:	NYC HOUSING AUTHORITY 23-02 49TH AVENUE LONG ISLAND CITY, NY 11101 (718) 707-5725	
Owner Type:	Local Government	
Owner Mark:	First Owner	
Owner Subtype:	51	
Mailing Address:	NYC HOUSING AUTHORITY ATTN: LUIS PONCE 23-02 49TH AVENUE LONG ISLAND CITY, NY 11101 (718) 707-5725	
Tank Status:	In Service	
Capacity (gals):	8000	
Tank Location:	UNDERGROUND	
Tank Id:	#1	Install Date: 09/01/2000
Tank Type:	Fiberglass coated steel	Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Internal:	9	Pipe Internal: OTHER
Pipe Location:	Underground	Pipe Type: NOT DEFINED
Tank External:	PAINTED/ASPHALT COATING	
Missing Data for Tank:	Minor Data Missing	
Pipe External:	OTHER	
Second Containment:	DOUBLED-WALLED TANK	
Leak Detection:	INTERSTITIAL MONITORING	
Overfill Prot:	High Level Alarm, Automatic Shut-Off	Dispenser: Suction
Date Tested:	Not reported	Next Test Date: Not reported
Date Closed:	Not reported	Test Method: Not reported
Deleted:	False	Updated: True
Dead Letter:	False	Owner Screen: Minor data missing
FAMT:	Fiscal amount for registration fee is correct	
Total Capacity:	8000	Renewal Date: Not reported
Tank Screen:	Minor data missing	Federal ID: Not reported
Renew Flag:	Renwal has not been printed	Facility Screen: No data missing
Certification Flag:	False	Certification Date: 10/13/2000
Old PBS Number:	Not reported	Expiration Date: 03/28/2004
Inspected Date:	Not reported	Inspector: Not reported
Inspection Result:	Not reported	
Lat/long:	Not reported	
Facility Type:	APARTMENT BUILDING	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	62	
Region:	2	
PBS Number:	2-475130	CBS Number: Not reported
SPDES Number:	Not reported	SWIS ID: 6201
Operator:	LUIS PONCE (718) 707-5725	
Emergency Contact:	EMERGENCY SERVICE DEPT. (718) 289-3940	
Total Tanks:	1	
Owner:	NYC HOUSING AUTHORITY	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

131 ST. NICHOLAS AVENUE (TAFT) (Continued)

EDR ID Number
EPA ID Number

Database(s)

U001840730

23-02 49TH AVENUE
LONG ISLAND CITY, NY 11101
(718) 707-5725

Owner Type: Local Government
Owner Mark: First Owner
Owner Subtype: 51
Mailing Address: NYC HOUSING AUTHORITY
ATTN: LUIS PONCE
23-02 49TH AVENUE
LONG ISLAND CITY, NY 11101
(718) 707-5725

Tank Status: Closed - Removed
Capacity (gals): 10000
Tank Location: UNDERGROUND
Tank Id: 001
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Pipe Location: Underground
Tank External: Not reported
Missing Data for Tank: Minor Data Missing
Pipe External: NONE
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: Product Level Gauge
Date Tested: 11/01/1994
Date Closed: 09/01/2000
Deleted: False
Dead Letter: False
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 8000
Tank Screen: Minor data missing
Renew Flag: Renewal has not been printed
Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: APARTMENT BUILDING
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 62
Region: 2

Install Date: 03/01/1965
Product Stored: NOS 1,2, OR 4 FUEL OIL
Pipe Internal: Not reported
Pipe Type: STEEL/IRON

Dispenser: Suction
Next Test Date: Not reported
Test Method: HORNER
Updated: True
Owner Screen: Minor data missing
Renewal Date: Not reported
Federal ID: Not reported
Facility Screen: No data missing
Certification Date: 10/13/2000
Expiration Date: 03/28/2004
Inspector: Not reported

55
West
1/4-1/2
2427 ft.
Higher

344 WEST 122ND STREET
344 WEST 122ND STREET
MANHATTAN, NY

LTANKS S102960167
N/A

LTANKS:

Spill Number: 9711778
Facility Contact: JAMES WILLIAMS
Investigator: MARTINKAT
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JAMES WILLIAMS
Spiller: 344 WEST 122ND STREET

Region of Spill: 2
Facility Tele: (212) 222-0113
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 222-0113

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

344 WEST 122ND STREET (Continued)

S102960167

Spiller Address: 344 WEST 122ND STREET
MANHATTAN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response:
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/21/1998
Spill Cause: Tank Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 01/21/1998 09:00 Reported to Dept: 01/21/1998 09:57
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/21/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/21/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: GETTING SOMEONE TO PUMP OUT THE TANK AND GETTING ESTIMATES TO REPLACE IT
(2 FAMILY HOUSE. 10:15 SPOKE TO JAMES WILLIAMS OWNER)
Spill Cause: CALLER FILLED TANK AND FOUND LEAK AT BOTTOM OF TANK.

M56
SW
1/4-1/2
2433 ft.
Higher

TAFT
131 ST NICHOLAS
MANHATTAN, NY
Site 3 of 3 in cluster M

LTANKS S100493400
N/A

LTANKS:

Spill Number: 9200615 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: HEALY SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TAFT (Continued)

S100493400

Spiller Contact: Not reported Spiller Phone: (212) 306-3142
Spiller: NYCHA
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/27/1995
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: 2-475130
Spill Date: 04/15/1992 12:00 Reported to Dept: 04/15/1992 15:36
Cleanup Ceased: 04/27/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/27/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/24/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 001
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
DEC Remarks: Not reported
Spill Cause: E I R 10K. SEE SPILL 9302271

57 470 LENNOX AVE
NNE 470 LENNOX AVE
1/4-1/2 , MANHATTEN, NY
2476 ft.
Lower

LTANKS S102662850
N/A

LTANKS:

Spill Number: 9613251 Region of Spill: 2
Facility Contact: NICK PASCAL Facility Tele: (210) 489-5100
Investigator: TOMASELLO SWIS: 62
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

470 LENNOX AVE (Continued)

S102662850

Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: AMERADA HESS CORP
Spiller Address: 1 HESS PLAZA
WOODBRIDGE, NJ 07095
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Overflow Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 02/07/1997 17:10 Reported to Dept: 02/07/1997 17:42
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/11/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/07/1997
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190
DEC Remarks: Not reported
Spill Cause: TWO TANKS AT LOCATION - DRIVER MADE DELIVERY AND STARTED TO PUMP WATER
AL INTO TANK THAT WAS ALREADY FILLED - APPROX 20 TO 30 GALLONS SPILLED
- CREW ON THE WAY TO CLEAN UP

58
NW
1/4-1/2
2584 ft.
Higher

411 W 128TH ST
MANHATTAN, NY

LTANKS S105055110
N/A

LTANKS:

Spill Number: 0102976 Region of Spill: 2
Facility Contact: OPR 441 Facility Tele: (212) 570-4300
Investigator: DEMEO SWIS: 62
Caller Name: Not reported Caller Agency: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

(Continued)

S105055110

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: OPR 441
Spiller: Not reported
Spiller Address: 411 W 128TH ST
MANHATTAN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Local Agency
Spill Date: 06/18/2001 09:08
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/11/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/18/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464

Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 570-4300
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 06/18/2001 09:08

DEC Remarks: On 6/18/01 Spill responder De Meo received a report from NYFD regarding fuel oil leaking into a HPD owned apartment building, located at 411 West 128th Street in Manhattan (spill 0102976). The oil from an unknown source was coming out of drains and small open excavations in the basement of the above mentioned property. Additionally, in the courtyard behind the property oil was observed leaching through a 20 ft. high retaining wall. A canvas of the area revealed a leaking 5,000 gallon tank at 412 West 129th Street. The above tank was leaking the fuel oil into an open excavation (3 ft x 3ft x 3ft). The building owner was instructed to empty contents of tank and address the impacts to building on W128th. Environmental Tank cleaners was retained to pump oil and perform cleanup. DLE

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

(Continued)

S105055110

was notified and responded to scene. Several summons were issued for existing violations. A complete subsurface investigation will be performed.

Spill Cause: fd on scene

N59
 SW
 1/4-1/2
 2597 ft.
 Higher

215 W 116TH ST
 215 W 116TH ST
 MANHATTAN, NY

LTANKS S102673312
 N/A

Site 1 of 2 in cluster N

LTANKS:

Spill Number:	9515764	Region of Spill:	2
Facility Contact:	CHARLIE	Facility Tele:	(212) 865-4223
Investigator:	GUTIERREZ	SWIS:	62
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	CHARLIE	Spiller Phone:	(212) 865-4223
Spiller:	LEVITES MGT.		
Spiller Address:	215 WEST 116TH ST MANHATTAN, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/14/1996	Resource Affected:	On Land
Spill Cause:	Tank Overfill	Spill Source:	Private Dwelling
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Other	Reported to Dept:	03/08/1996 17:51
Spill Date:	03/08/1996 17:30		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/14/1996		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/08/1996		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	10		
Units:	Gallons		
Unknown Qty Spilled:	10		
Quantity Recovered:	0		
Unknown Qty Recovered:	True		
Material:	#4 FUEL OIL		
Class Type:	Petroleum		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

215 W 116TH ST (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102673312

Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry in File: 1751
DEC Remarks: Not reported
Spill Cause: A 10 GAL SPILL OCCURED FROM A OVERFILL. IT APPEARS CAUSED BY A FAULTY GAGE. SPILL IS IN ALLEY WAY. IN PROCESS OF CLEANING UP SPILL. CLEANED UP BY OIL CO. USING SPEEDY DRY.

N60
SW
1/4-1/2
2625 ft.
Higher

APT BUILDING
222 WEST 116TH ST
MANHATTAN, NY

LTANKS S102662757
N/A

Site 2 of 2 in cluster N

LTANKS:

Spill Number: 9610840
Facility Contact: Not reported
Investigator: MULQUEEN
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JOHN GOODWIN
Spiller: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY ST
ASTORIA, NY 11105
Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (800) 635-3835
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/13/1997
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/02/1996 19:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/25/2001
Is Updated: False
Resource Affected: On Land
Spill Source: Commercial Vehicle
PBS Number: Not reported
Reported to Dept: 12/02/1996 22:04
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/02/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 15

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S102662757

Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
DEC Remarks: Not reported
Spill Cause: WRONG TANK SIZE ON SLIP CLEANED W/ SPEEDY DRI ON PAVEMENT

61
SSW
1/4-1/2
2633 ft.
Higher

105 LENOX AVE/HARLEM HOSP
105 LENOX AVENUE
NEW YORK CITY, NY

LTANKS S100168183
N/A

LTANKS:

Spill Number: 9010952
Facility Contact: Not reported
Investigator: O,DOWD
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: HARLEM HOSPITAL
Spiller Address: 105 LENOX AVENUE
NEW YORK, N.Y.
Spill Class: Not reported
Spill Closed Dt: 01/17/1991
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 01/14/1991 16:25
Cleanup Ceased: 01/17/1991
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/29/1991
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/28/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0

Region of Spill: 2
Facility Tele: Not reported
SWIS: 62
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (212) 491-8707

Resource Affected: On Land
Spill Source: Other Non Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 01/14/1991 16:30

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

105 LENOX AVE/HARLEM HOSP (Continued)

S100168183

Unknown Qty Recovered: False
 Material: #6 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #6 FUEL OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 2190
 DEC Remarks: 01/17/91: TANK OVERFILL, ALL IN CONTAINMENT DIKE, NO AFFECT ON SEWERS, NYCD
 EP WAS ON SCENE TO INVESTIGATE, ABC TANK TO CLEAN UP, DEC CONFIRMED
 CLEAN UP DISPOSAL OF CONTAMINATED MATERIAL.
 Spill Cause: 20K TANK, ABC TANK CLEANERS CALLED TO PUMP OUT PIT, WHOLE TANK RUPTURED IN
 BASEMENT, OIL IN CONTAINMENT PIT, TANK OVERFILL, TANKS-A-LOT TO CLEAN UP SP
 ILL, ENGINEER TURNED OFF WRONG CHECK VALVE.

O62
 NW
 1/2-1
 4755 ft.
 Higher

OLIN WATER SERVICES
609 W 131ST ST
NEW YORK, NY 10027

Site 1 of 2 in cluster O

FINDS 1000306415
 RCRIS-LQG NYD068212695
 TSCA
 CORRACTS

CORRACTS Data:

EPA Id: NYD068212695
 Region: 2
 State: Not reported
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: Not reported
 Actual Date: 11/30/1985
 Corrective Action: CA050 - RFA Completed

EPA Id: NYD068212695
 Region: 2
 State: Not reported
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: Not reported
 Actual Date: 09/22/1992
 Corrective Action: CA050 - RFA Completed

EPA Id: NYD068212695
 Region: 2
 State: Not reported
 Area Name: SITEWIDE
 Original Scheduled Date: Not reported
 New Scheduled Date: Not reported
 Actual Date: 07/19/1994
 Corrective Action: CA070NO - RFA Determination Of Need For An RFI, RFI is Not Necessary

EPA Id: NYD068212695
 Region: 2
 State: Not reported
 Area Name: SITEWIDE
 Original Scheduled Date: 3/31/1994
 New Scheduled Date: Not reported
 Actual Date: 01/19/1994
 Corrective Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective
 action priority

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

RCRIS Corrective Action Summary:

Event: RFA Determination Of Need For An RFI, RFI is Not Necessary;
 Event Date: 07/19/1994
 Event: CA Prioritization, Facility or area was assigned a low corrective action
 priority.
 Event Date: 01/19/1994
 Event: RFA Completed
 Event Date: 09/22/1992
 Event: RFA Completed
 Event Date: 11/30/1985

RCRIS:

Owner: OLIN WATER SERVICES OLIN CORPORATION
 (212) 368-1000
 EPA ID: NYD068212695
 Contact: HARVEY RUBENSTEIN
 (212) 368-1000
 Rank Status: 2
 Rank Date: 09/30/1995
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	03/25/1987
Actual Date Achieved Compliance:	Not reported
Regulation Violated:	Not reported
Area of Violation:	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined:	03/29/1984
Actual Date Achieved Compliance:	11-SEP-84
Enforcement Action:	WRITTEN INFORMAL
Enforcement Action Date:	07/13/1984
Penalty Type:	Not reported

There are 2 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	11-SEP-84

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 Biennial Reporting System (BRS)
 Facility Registry System (FRS)
 Resource Conservation and Recovery Act Information system (RCRAINFO)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

O63
 NW
 1/2-1
 4820 ft.
 Higher

STANDARD GAS CO.
 617 W. 131ST ST.
 NEW YORK, NY 10027

Site 2 of 2 in cluster O

COAL GAS SITE DESCRIPTION:

Site is between 131st St. and 132nd St. Site is between Riverside Dr. and Broadway. Site was a Gas Holder (B12)

©Copyright 1993 Real Property Scan, Inc.

Database(s) EDR ID Number
 EPA ID Number

Coal Gas G00000373
 N/A

64
 NW
 1/2-1
 5024 ft.
 Same

CONSOLIDATED GAS CO.
 630 W. 132ND ST.
 NEW YORK, NY 10027

COAL GAS SITE DESCRIPTION:

Site was a Gas Holder by 1895. (B12)

©Copyright 1993 Real Property Scan, Inc.

Coal Gas G00000356
 N/A

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
MANHATTAN	S102639147	WAGNER	124TH STREET BET. 1ST / 2ND AVE.	10035	CBS AST
NEW YORK	S102662621	100	EAST 124TH STREET		LTANKS
NEW YORK	S104550645	EAST HARLEM MATERIALS	EAST 127TH STREET AND 2ND		SWRCY
NEW YORK	S103276284	NYC DOS W. 135TH ST. MTS	WEST 135 STREET	10027	SWF/IF
NEW YORK	S105265286	RUSSO RECYCLING COMPANY	248-12 BROOKVILLE BLVD.		SWF/IF
NEW YORK	S102671279	398 KINGS HWAY/ISLAND TR	398 KINGS HIGHWAY		LTANKS
NEW YORK	89113716	NEAR CALLER'S HOME ON 124TH ST.	NEAR CALLER'S HOME ON 124TH ST.		ERNS
NEW YORK	S105265262	SUN RECYCLING, INC	5710-5718 PRESTON COURT		SWF/IF
NEW YORK	1004755815	NYC DOT BRIDGE BIN 2246669	RIVERSIDE DR OVER W 125TH ST	10027	RCRIS-SQG
NEW YORK	S100145642	89-50 127TH ST/QUEENS	89050 127TH STREET		LTANKS
NEW YORK	S105265281	DURANTE BROS. CONSTRUCTIO	31-40 123RD STREET		SWF/IF

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10025	U001835298	2-253790	13-15 WEST 100TH STREET, CORPORATI	13 WEST 100 STREET	NEW YORK	NY	UST
10025	U003386699	2-195367	HOTEL MIDWAY	216 W 100 ST	NEW YORK	NY	UST
10025	U003074799	2-357774	FONY ENGINE CO 76 / L C 22	145 WEST 100TH STREET	NEW YORK	NY	AST, UST
10025	U001940663	2-601697	24TH PRECINCT	151 WEST 100TH STREET	MANHATTAN	NY	AST
10025	U001842041	2-601697	2640 REALTY CORP.	219 WEST 100TH STREET	MANHATTAN	NY	AST
10025	U003395450	2-510939	HOTEL WHITEHALL	250 WEST 100TH STREET	NEW YORK	NY	UST
10025	U003127968	2-359777	TAMPLE ANSCHE CHESD	251 WEST 100TH STREET	NEW YORK	NY	UST
10025	A100183135	2-606521	HOTEL WHITEHALL	314 WEST 100TH ST	NEW YORK	NY	AST
10025	U003392740	2-240613	B. BEMBURY/TA ADMINISTRATOR	12-14 WEST 101 STREET	NEW YORK	NY	AST
10025	U003396478	2-602170	B. BEMBURY/TA ADMINISTRATOR	16-18 WEST 101 STREET	NEW YORK	NY	AST
10025	U003396479	2-602171	B. BEMBURY/TA ADMINISTRATOR	16-18 WEST 101 STREET	NEW YORK	NY	AST
10025	U003398330	2-270067	12,14,16,18 WEST 101ST ST	12-14 WEST 101ST ST	NEW YORK	NY	AST
10025	U001834332	2-201065	FRANT HOTEL	210 W 101ST STREET	NEW YORK CITY	NY	UST
10025	U004231397	000098608474	229 WEST 101ST ST	211 WEST 101ST STREET	NEW YORK	NY	FINDS
10025	U003385345	2-130532	BROADWAY HOTEL	229 WEST 101ST ST	NEW YORK	NY	AST
10025	U003384692	2-092711	DOUGLASS II	230 WEST 101ST ST	NEW YORK	NY	AST
10025	A100153887	2-195405	SCOTT REALTY CO	241 WEST 101ST STREET	NEW YORK	NY	AST
10025	U000418243	2-475378	4-10 WEST 101ST STREET OWNERS CORI	4 WEST 101ST STREET	NEW YORK	NY	UST
10025	U003384687	2-092622	215 WEST 101TH STREET	215 WEST 101TH STREET	NEW YORK	NY	AST
10025	U003388207	2-260371	WEST SIDE H S - M505	140 W 102 ST	NEW YORK	NY	AST
10025	U003389639	2-205109	M.D. MANAGEMENT CO	110 W 102 ST	NEW YORK	NY	AST
10025	U003394185	2-553604	WEST END MANOR	216 WEST 102 ST	NEW YORK	NY	AST
10025	U003394185	2-091499	WEST SIDE HIGH SCH	315 W 102 ST	NEW YORK	NY	AST
10025	U003393416	2-236993	ROYAL CLEANER	140 W 102ND ST	MANHATTAN	NY	FINDS
10025	000098718296	000098718296	STAIN BUSTER CLEANERS	216 W 102ND ST	NEW YORK	NY	RCRIS/SQG, FINDS
10025	U00105337	000010139074	THE BROADMOOR	235 WEST 102ND STREET	NEW YORK	NY	FINDS
10025	U004260892	2-472662	240 WEST 102ND STREET	240 WEST 102ND STREET	NEW YORK	NY	UST
10025	U003241834	2-206894	2701 BROADWAY REALTY CO	235 W 103 ST	NEW YORK	NY	UST
10025	U003389007	2-257206	242 WEST 103 ASSOCIATES, INCORPORA	242 WEST 103 STREET	NEW YORK	NY	UST
10025	U000398509	2-195030	MANHATTAN VALLEY MGMT CO 18 W 103	18 WEST 103RD STREET	NEW YORK	NY	UST
10025	A100183260	2-606666	203 WEST 103 ST	203 WEST 103RD STREET	NEW YORK	NY	AST
10025	U003389538	2-604432	205 WEST 103 STREET OWNERS CORP	205 WEST 103RD STREET	NEW YORK	NY	AST
10025	U003384865	2-197351	210 WEST 103RD STREET OWNERS CORI	210 WEST 103RD STREET	NEW YORK	NY	AST
10025	U003390954	2-096149	COMAS HOLDING CORP	217 WEST 103RD ST	NEW YORK	NY	AST
10025	U001840743	2-359467	DOUGLAS II	239 WEST 103RD STREET	NEW YORK	NY	UST
10025	U000403955	2-475386	308 W 103RD ST CORP	308 W 103RD ST	NEW YORK	NY	UST
10025	U003388320	2-332070	JOMAR REALTY CO	4 WEST 103RD ST	NEW YORK	NY	AST
10025	U003387085	2-269921	103 EQUITY HOLDINGS LLC	5 WEST 103RD ST	NEW YORK	NY	AST
10025	U003386286	2-288101	103 EQUITY HOLDINGS	9 WEST 103RD STREET	NEW YORK	NY	AST
10025	U001215609	NYR0000047845	NYCHA - DOUGLASS	W 103RD ST	NEW YORK	NY	RCRIS/SQG, FINDS
10025	A100183180	2-606552	BIG BEAR LLC (OWNER OF APT.BLDG.)	216 W 104 ST	NEW YORK	NY	AST
10025	U003397311	2-603630	NYCHA DOUGLASS CITY	101 WEST 104TH ST (CORNER COLUMBU	NEW YORK	NY	AST
10025	U004571373	NYD986920296	SHAW REALTY CO LLC	110 WEST 104TH STREET	NEW YORK	NY	UST
10025	A100183396	2-606822	UNITED METHODIST CITY SOCIETY	111-117 WEST 104TH ST	NEW YORK CITY	NY	FINDS
10025	U001835541	2-606978	206 WEST 104TH ST	119 WEST 104TH STREET	NEW YORK	NY	AST
10025	U003384906	2-099430	THE 209 WEST CONDOMINIUM	12 WEST 104TH ST	NEW YORK	NY	AST
10025	U000388508	2-252697	USPSC/CATHEDRAL STA	209 WEST 104TH ST	NEW YORK	NY	AST
10025	U000398506	2-195006	CATHEDRAL	215 WEST 104TH ST.	NEW YORK	NY	AST
10025	U004566627	NY61800001139	DOUGLAS II	215 WEST 104TH STREET	NYC	NY	FINDS
10025	U003392389	000010786112	DOUGLAS HOUSES	244 W 104TH ST	NEW YORK	NY	UST
10025	U002034221	2-601873	245 WEST 104TH ST HOUSING CORP	244 WEST 104TH STREET	NEW YORK	NY	UST
10025	U003389529	2-197203	250 WEST 104TH ST	245 WEST 104TH ST	NEW YORK	NY	AST
10025	U003384961	2-284254	309 WEST 104 STREET OWNERS CORP	250 WEST 104TH ST	NEW YORK	NY	AST
10025	U003392454	2-405080	MANFAR ASSOCIATES	309 W 104TH ST	NEW YORK	NY	AST
10025	U003389635	2-204994	NYCHA DOUGLASS HOUSES	65 WEST 104TH STREET	NEW YORK	NY	AST
10025	U004761591	NYR0000086419	145 WEST 105 ST	W 104TH ST	NEW YORK	NY	RCRIS/SQG
10025	U003395205	2-479462	145-147 WEST 105TH ST HOU DEV FUND (145 WEST 105 ST	NYC	NY	AST
10025	U003386920	2-195685	JO & WO REALTY CORPORATION	145-147 WEST 105 ST	NEW YORK	NY	AST
10025	U003389808	2-285714	229 W 105 ST	201 WEST 105 STREET	NEW YORK	NY	AST
10025	U003388881	2-282758	MANHATTEN VALLEY MGMT. CO.	229 W 105 ST	NEW YORK	NY	AST
10025	U003395206	2-195650	58 WEST 105 ST	58 WEST 105 ST	NEW YORK	NY	AST
10025	U003384419	2-479470	SIGMUND FOX	58 WEST 105 ST	NYC	NY	AST
10025	A100183398	2-100161	107 WEST 105 STREET	107 WEST 105TH STREET	NEW YORK	NY	AST
10025	U004324336	0000108033776	NYC BD OF ED - PUBLIC SCHOOL 145 MAI	150 W 105TH ST	NEW YORK	NY	FINDS
10025	U003394176	2-353744	P-S 145	150 WEST 105TH STREET	NEW YORK	NY	AST

** - Indicates location may or may not be in requested radius. Site has not been assigned a latitude/longitude coordinate. Further review recommended.

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	A100183222	2-606621	157-161 WEST 108TH ST. HDFC	157-161 WEST 108TH STREET		NEW YORK	NY	AST
10025	U000405335	2-218798	GROSVENOR NEIGHBORHOOD HOUSE IN	176 WEST 105TH STREET		NEW YORK	NY	UST
10025	U0003392040	2-406813	212 WEST 105TH STREET HDV CORP	212 WEST 105TH ST		NEW YORK	NY	AST
10025	U000403040	2-403423	215 WEST 105TH STREET OWNERS CORF	215 WEST 105TH STREET		NEW YORK	NY	UST
10025	U0003386684	2-416045	230 W 105 REALTY CORP.	230 WEST 105TH ST		NEW YORK	NY	AST
10025	A100166608	2-481033	GRANGE ASSOCIATES LLC	248 WEST 105TH STREET		NEW YORK	NY	AST
10025	U0003395248	2-481076	HARLINGTON REALTY CO. LLC	250 WEST 105TH STREET		NEW YORK	NY	AST
10025	U0003384225	2-085650	314-16 WEST 105TH ST	314-16 WEST 105TH ST		NEW YORK	NY	AST
10025	U0003387416	2-252263	JHJ REALTY LLC	55 W 105TH ST		NEW YORK	NY	AST
10025	U0003396085	2-601231	69 WEST 105TH STREET APARTMENT HO	69 WEST 105TH STREET		NEW YORK	NY	AST
10025	U0003383632	2-056556	VERITAS REALTY CO	8 WEST 105TH STREET		NEW YORK	NY	AST
10025	U004759391	NYR000009464	NYC BD OF ED - PUBLIC SCHOOL 145 MAI	W 105TH ST		NYC	NY	RCRIS/SQG
10025	U000395204	2-479464	13 WEST 106 ST	13 WEST 106 ST		NEW YORK	NY	AST
10025	A1001289040	2-455253	13-100 DUKE ELLINGTON BLVD. H.D.F.C	17 WEST 106 STREET, BASEMENT		NEW YORK	NY	AST
10025	U0003385880	2-148598	300 WEST 106 STREET	300 WEST 106 STREET		NEW YORK	NY	AST
10025	U0003389613	2-204455	ASCENSION CHURCH RETREAT HOME	302 W 106 ST		NEW YORK	NY	AST
10025	A100182984	2-600970	51 WEST 106 STREET	51 WEST 106 ST		NEW YORK	NY	AST
10025	U0003387921	2-314641	MANHATTAN VENTURA LLC	53-57 W 106 STREET		NEW YORK	NY	AST
10025	U0003388323	2-269972	RSP REALTY LLC	65 W 106 STREET		NEW YORK	NY	AST
10025	U0003178597	2-603058	WMDC ASSOC. LP	105 EAST 106TH STREET		NEW YORK	NY	UST
10025	A100178066	2-605796	109 WEST 106TH STREET APARTMENT H	109 WEST 106TH STREET		NEW YORK	NY	AST
10025	A100183035	2-606377	115 WEST 106TH STREET	115 WEST 106TH STREET		NEW YORK	NY	AST
10025	U001833370	000007611780	JEWISH HOME HOSPITAL	120 W 106TH ST		NEW YORK	NY	FINDS
10025	U0003383824	2-150177	JEWISH HOME & HOSP FOR AGED	120 WEST 106TH STREET		NEW YORK	NY	UST
10025	A100166631	2-065665	MANHATTAN WEST ASSOCIATES	135 WEST 106TH STREET		NEW YORK	NY	AST
10025	U0003394976	2-602336	D-E-B-H-D-F-C CO-OP	15 WEST 106TH STREET		NEW YORK	NY	AST
10025	U0003384729	2-470295	153 WEST 106TH STREET	153 WEST 106TH STREET		NEW YORK	NY	AST
10025	U0003389613	2-093459	PNINA REALTY ASSOCIATES	160 WEST 106TH STREET		NEW YORK	NY	AST
10025	U0003397111	2-603341	161 WEST 106TH STREET	161 WEST 106TH STREET		NEW YORK	NY	AST
10025	A100157537	2-278017	PRANA INVESTMENTS INC.	200 W 106TH ST		NEW YORK	NY	AST
10025	A100183585	2-607026	936 AMSTERDAM AVE INC.	201 WEST 106TH STREET		NEW YORK	NY	AST
10025	U001836232	2-309559	207 W 106TH ST	207 W 106TH ST		NEW YORK	NY	UST
10025	U000402564	2-309435	211 W 106TH ST	211 W 106TH ST		NEW YORK	NY	UST
10025	U004218500	000009665462	225 W 106TH ST. BUILDING	225 W 106TH ST		NEW YORK CITY	NY	SPILLS, UST
10025	U0003393297	2-326429	RESIDENTIAL APARTMENT BUILDING	238 WEST 106TH STREET		NEW YORK	NY	FINDS
10025	U0003389163	2-068485	310 WEST 106TH STREET	310 WEST 106TH STREET		NEW YORK	NY	AST
10025	U001833566	2-274069	315 WEST 106TH STREET	315 WEST 106TH STREET		NEW YORK	NY	AST
10025	U0003388321	2-269948	MARC REALTY CO	56 WEST 106TH ST		NEW YORK	NY	AST
10025	A100173425	2-341835	THE HANSSON TRUST	61-63 WEST 106TH STREET		NEW YORK	NY	AST
10025	U001233225	NYR0000063750	JEWISH HOME & HOSPITAL	W 106TH ST		NEW YORK	NY	SPILLS, RCRIS/SQG, FINDS
10025	U0003395203	2-479446	10 WEST 107 ST	10 WEST 107 ST		NEW YORK	NY	AST
10025	U0003386918	2-195669	MANHATTEN VALLEY DEVELOPMENT	10 WEST 107 ST		NEW YORK	NY	AST
10025	U0003386762	2-280267	ELISEO CARREAR ELVIO RODRIGUEZ	12 W 107 TH ST		NEW YORK	NY	AST
10025	U0003390435	2-364177	HIRTH REAL ESTATE	202 W 107 ST		NYC	NY	AST
10025	U0003391869	2-290963	APT BLDG MICHAEL ROSENBLATT	203 W 107 ST		NYC	NY	AST
10025	U0003312853	2-117084	JEOMILL REALTY CORP	207-209 W 107 ST		NEW YORK	NY	AST
10025	U0003384733	2-093546	K R F MANAGEMENT CO	211 W 107 STREET		NEW YORK	NY	AST, UST
10025	U004322513	00010784926	NYC BD OF ED - IS 54M	230 WEST 107 STREET		NEW YORK	NY	FINDS
10025	U0003394162	2-353906	IS. 54	103 W 107TH ST		NEW YORK	NY	AST
10025	U000185820	NYD044707305	PADDED WAGON MOVERS	103 WEST 107TH STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U0003389698	2-237337	ELTA APARTMENTS INC	120 W 107TH ST		NEW YORK	NY	AST
10025	U0003396784	2-602697	201 WEST 107TH STREET	166 W 107TH ST		NEW YORK	NY	AST
10025	U0003384734	2-093556	K R F MANAGEMENT CO	210 WEST 107TH STREET		NEW YORK	NY	AST
10025	U0003389612	2-204439	ASCENSION CHURCH RECTORY	210 WEST 107TH ST		NEW YORK	NY	AST
10025	U0003393854	2-346470	233-35 WEST 107TH ST	221 W 107TH ST		NEW YORK	NY	AST
10025	A100159781	2-604402	235 WEST 107TH STREET	233-35 WEST 107TH ST		NEW YORK	NY	AST
10025	U0003388945	2-283959	WEST SIDE INN	237 WEST 107TH STREET		NEW YORK	NY	AST
10025	U001832694	2-087349	P & R PARTMENT CORPORATION	245 WEST 107TH ST		NEW YORK	NY	AST
10025	U0003386633	2-155869	BORAY ESTATES INC	262 WEST 107TH ST		NEW YORK	NY	AST
10025	U0003386359	2-270452	63-67 WEST 107TH STREET PARTNERS	300 W 107TH STREET		NEW YORK	NY	AST
10025	U0003395104	2-472891	SUEHAR ASSOCIATES	64 WEST 107TH STREET		NEW YORK	NY	AST
10025	A100178109	2-605853	JODANI ASSOCIATES	68 WEST 107TH STREET		NEW YORK	NY	AST
10025	U000262713	NYD982532244	JEWISH HOME & HOSPITAL ROYAL GARA	W 107TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U004761744	NYR0000089979	NYC BD OF ED - IS 54M	137 W 108 ST		NEW YORK CITY	NY	UST
10025	U000396115	2-145416	E & B OPERATING CORP	224 W 108 ST		NEW YORK	NY	AST
10025	U000402168	2-204447	ASCENSION SCHOOL	226 W 108 ST		NEW YORK	NY	AST
10025	U0003396194	2-601490	SAMJO REALTY CORP.	241 W 108 ST		NYC	NY	AST
10025	U001833752	2-213705	241 W 108 ST	241 W 108 ST		NEW YORK	NY	AST
10025	U000241804	2-244244	255 WEST 108 STREET CORPORATION	255 WEST 108 STREET		NEW YORK	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10025	A100182979	2-600944	11 WEST 108 STREET	11 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003391876	2-364320	SOUTHERN BAPTIST CHURCH	12-16 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003385968	2-606743	15 WEST 108 STREET	15 WEST 108TH STREET	NEW YORK	NY	AST
10025	A100168829	2-195677	17-19 WEST 108TH ST. H.D.F.C.	17-19 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003396326	2-601819	200 WEST 108TH STREET HOUSING CORP	200 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003385136	2-096717	201 WEST 108 STREET CORPORATION	201 WEST 108TH STREET	NYC	NY	AST
10025	U003397136	2-603397	204 WEST 108TH STREET ASSOC.	204 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003387247	2-201901	209 WEST 108TH ST	209 WEST 108TH ST	NEW YORK	NY	AST
10025	A100162991	2-600996	212 WEST 108 STREET	212 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003385180	2-112801	216 WEST 108TH STREET	216 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003386601	2-243051	235 WEST 108TH ST OWNERS CORP	235 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003395564	2-600163	246 W 108TH STREET	246 WEST 108TH STREET	NEW YORK	NY	AST
10025	U004322691	000010786760	300 WEST 108 OWNERS CORP	300 W 108TH ST	NEW YORK	NY	FINDS
10025	U003383412	2-045195	300 WEST 108 OWNERS CORP	300 WEST 108TH ST	NEW YORK	NY	AST
10025	U003383017	2-248398	301 WEST 108 OWNERS CORP	301 WEST 108TH ST	NEW YORK	NY	AST
10025	U003383972	2-060470	316 WEST 108TH ST-109TH ST	316 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003395079	2-455261	70 WEST 108TH STREET	70 WEST 108TH STREET	NEW YORK	NY	AST
10025	U003383394	2-070149	72 WEST 108TH STREET	72 WEST 108TH STREET	NEW YORK	NY	AST
10025	U04761518	NYE000087684	300 WEST 108 OWNERS CORP	W 108TH ST	NEW YORK	NY	RCRIS/SQ
10025	U003385877	2-150509	229 W 109 RLY CORP	229 W 109 ST	NEW YORK	NY	AST
10025	A100166489	2-239917	309 WEST 109 STREET	257-263 WEST 109 ST	NEW YORK	NY	AST
10025	U003385179	2-112771	309 WEST 109TH STREET CORPORATION	309 WEST 109 STREET	NEW YORK	NY	AST
10025	U003393421	2-277959	66 W 109 ST	66 W 109 ST	NY	NY	AST
10025	A100073797	2-273511	136-140 WEST 109TH STREET PARTNERS	136 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003384007	2-061425	174 PROPERTY ASSOC INC	170 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003390401	2-290416	203-09 WEST 109TH ST	174 WEST 109TH ST	NEW YORK	NY	AST
10025	U003385944	2-272310	203-09 WEST 109TH ST	203 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003389664	2-205559	204-06 WEST 109TH ST	204-06 WEST 109TH ST	NEW YORK	NY	AST
10025	U003390774	2-323276	203-219 W 109TH ST	205 WEST 109TH ST	NEW YORK	NY	AST
10025	U003385997	2-273481	203-211 WEST 109TH ST ASSOCIAT	209 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003385574	2-108790	215-109 ASSOC.	215 W 109TH STREET	NEW YORK	NY	AST
10025	U003392214	2-219968	225 WEST 109TH STREET	215 W 109TH STREET	NEW YORK	NY	AST
10025	A100182928	2-219541	237 W 109TH ST OWNERS CORP	225 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003390776	2-323282	243 W 109TH STREET	235 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003384568	2-113999	247 WEST 109TH STREET	237 W 109TH ST	NEW YORK	NY	AST
10025	U003392212	2-219533	NEW RIVERSIDE RESIDENCE	243 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003395476	2-511331	MORE COUSINS, LLC	247 WEST 109TH STREET	NEW YORK	NY	AST
10025	A100173563	2-604784	NYC BD OF ED - PUBLIC SCHOOL 165 MAI	312 WEST 109TH STREET	NEW YORK	NY	AST
10025	U000912005	NY0000377481	TULIP APARTMENTS INC	70 WEST 109TH STREET	NEW YORK	NY	AST
10025	U003392549	2-200042	ARNLE REALTY CO LLC	W 109TH ST	NEW YORK	NY	RCRIS/SQ, FINDS
10025	A100183495	2-606926	110 HOLDING CORP	412 WEST 110TH ST	NEW YORK	NY	AST
10025	U000981390	2-188182	AMHERST-CORTLAND & CONDOMINIUM #	500 WEST 110TH STREET	NEW YORK	NY	AST
10025	U001632908	2-480495	THE BRITAINIA CONDOMINIUM	501 W 110TH ST	NEW YORK	NY	AST
10025	U003392644	2-210323	MARSHID REALTY CO	504-510 WEST 110TH STREET	NEW YORK	NY	RCRIS/SQ, FINDS
10025	U003395701	2-600649	HARMONY HALL	527 WEST 110TH STREET	NEW YORK	NY	AST, UST
10025	A100157494	2-198773	CHARTER EQUITIES	535 WEST 110TH STREET	NEW YORK	NY	AST
10025	U000990291	NYR000002501	CON EDISON - WEST 110TH ST SS	544 WEST 110TH STREET	NEW YORK	NY	AST
10025	U001090333	NYR0000021709	ASHLAND ENV - AMHERST CORTLAND	610 WEST 110TH STREET	NEW YORK	NY	AST
10025	U004218516	000099665628	600 WEST 111 STREET BUILDING	W 110TH ST	NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003388757	2-280143	ST JOHN COURT	600 WEST 111 STREET BUILDING	NEW YORK	NY	FINDS
10025	U003386854	2-194506	BLENNERHASSET CORP	904 WEST 111ST ST	NEW YORK	NY	AST
10025	U003390038	2-245259	SHERER REALTY CORP INC	904 WEST 111TH ST	NEW YORK	NY	AST
10025	U003385523	2-117439	TRUSTEES OF COLUMBIA UNIV	507 WEST 111TH ST	NEW YORK	NY	AST
10025	U001840208	2-453994	TRUSTEES OF COLUMBIA UNIV	513-515 WEST 111TH ST	NEW YORK	NY	AST
10025	U003394432	2-4539501	528 WEST OWNERS CORP	518 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003386855	2-194514	TRUSTEES OF COLUMBIA UNIVERSITY	521 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003396237	2-601609	632 WEST OWNERS CORP	528 WEST 111TH ST	NEW YORK	NY	AST
10025	U003386859	2-194557	TRUSTEES OF COLUMBIA UNIV.	529 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003394468	2-453919	536 WEST 111TH STREET	532 WEST 111TH ST	NEW YORK	NY	AST
10025	U0033241815	2-242276	545 WEST 111TH ST	535 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003383462	2-046590	BROADWAY 111 ST ASSOCIATES	536 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003392472	2-408384	RESIDENTIAL APARTMENT BLDG	545 WEST 111TH STREET	NEW YORK	NY	AST
10025	U003391915	2-402923	CALIFORNIA SUITES, INC.	600 WEST 111TH ST	NEW YORK	NY	AST
10025	A100193878	2-091308	WILSON ANN	603 WEST 111TH ST	NEW YORK	NY	AST
10025	U003396590	000010786896	BANK STREET SCHOOL	605 611 WEST 111TH STREET	NEW YORK	NY	FINDS
10025	U004322908	NYR0000077180	HOTEL COLONIAL HOUSE	610 WEST 111TH STREET	NEW YORK	NY	FINDS, FTTS
10025	U004761142	NY00001305671	508 WEST 112TH STREET, INC.	611 W 112 ST	NEW YORK	NY	AST
10025	U004566686	2-317233		611 W 112 ST	NEW YORK	NY	AST
10025	U003387591	2-317233		611 W 112 ST	NEW YORK	NY	AST
10025	U003396136	2-601344		508-510 WEST 112TH STREET	NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	U003394445	2-453676	TRUSTEES OF COLUMBIA UNIV.	509 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394444	2-453668	TRUSTEES OF COLUMBIA UNIV.	511 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003396238	2-601610	TRUSTEES OF COLUMBIA UNIVERSITY.	512 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394467	2-453900	TRUSTEES OF COLUMBIA UNIV.	521 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394443	2-453641	TRUSTEES OF COLUMBIA UNIV.	522 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394466	2-453897	TRUSTEES OF COLUMBIA UNIV.	523 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394431	2-453498	TRUSTEES OF COLUMBIA UNIV.	530 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394430	2-453471	TRUSTEES OF COLUMBIA UNIV.	533 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394442	2-453633	TRUSTEES OF COLUMBIA UNIV.	539 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003394485	2-453986	TRUSTEES OF COLUMBIA UNIV.	542 WEST 112TH STREET		NEW YORK	NY	AST
10025	U001736533	2-601611	T&J REALTY CO.	601 WEST 112TH STREET		NEW YORK	NY	AST
10025	A100163461	2-606890	SIS-O-SIX ASSOCIATES	605 WEST 112TH STREET		NEW YORK	NY	AST
10025	U003386571	2-146407	ST LUKES ROOSEVELT HOSP CENTER	606 WEST 113 STREET		NEW YORK	NY	AST
10025	U001831421	2-045543	ENGINE 47	501 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394392	2-357812	TRUSTEES OF COLUMBIA UNIV.	502 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394429	2-453463	TRUSTEES OF COLUMBIA UNIV.	506 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394483	2-453978	TRUSTEES OF COLUMBIA UNIV.	511 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003388417	2-275956	517 W 113TH ST	517 W 113TH ST		NEW YORK	NY	AST
10025	U003394482	2-453951	TRUSTEES OF COLUMBIA UNIV.	526 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003396240	2-601613	TRUSTEES OF COLUMBIA UNIVERSITY.	530 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394470	2-453935	TRUSTEES OF COLUMBIA UNIV.	535 WEST 113TH STREET		NEW YORK	NY	AST
10025	U000418174	2-453943	TRUSTEES OF COLUMBIA UNIV.	536 WEST 113TH STREET		NEW YORK	NY	AST
10025	U001840199	2-453927	TRUSTEES OF COLUMBIA UNIV.	541 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394441	2-453625	TRUSTEES OF COLUMBIA UNIV.	549 WEST 113TH STREET		NEW YORK	NY	AST
10025	U004263134	000010169480	600 W 113TH ST. BUILDING	600 W 113TH ST		NEW YORK	NY	FINDS
10025	U003394455	2-453773	TRUSTEES OF COLUMBIA UNIV.	600 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003394440	2-453617	TRUSTEES OF COLUMBIA UNIV.	610 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003392346	2-311820	615-617 WEST 113TH STREET	615-617 WEST 113TH STREET		NEW YORK	NY	AST
10025	U003393688	2-341584	CHURCH OF NOTRE DAME	405 WEST 114TH ST		NEW YORK	NY	AST
10025	U003389818	2-286079	BROADWAY PRESBYTERIAN CHURCH	601 W 114TH ST		NEW YORK	NY	AST
10025	U003383407	2-045047	809 WEST 114TH ST	609 WEST 114TH STREET		NEW YORK	NY	AST
10025	U0031217422	2-034983	ST HILDAS & ST HUGHS SCHOOL	619 WEST 114TH ST		NEW YORK	NY	AST
10025	U003385396	2-188166	622 WEST 114TH STREET CORP.	622 WEST 114TH STREET		NEW YORK	NY	AST
10025	U000418141	2-453765	TRUSTEES OF COLUMBIA UNIV.	415 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003394437	2-453579	TRUSTEES OF COLUMBIA UNIV.	419 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003397164	2-803429	600 WEST 115TH STREET CORPORATION	600 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003394461	2-459141	TRUSTEES OF COLUMBIA UNIV.	601 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003394439	2-453695	TRUSTEES OF COLUMBIA UNIV.	604 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003394459	2-454133	TRUSTEES OF COLUMBIA UNIV.	610 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003394458	2-454125	TRUSTEES OF COLUMBIA UNIV.	629 WEST 115TH STREET		NEW YORK	NY	AST
10025	U003396236	2-601608	TRUSTEES OF COLUMBIA UNIVERSITY.	501 WEST 121 STREET		NEW YORK	NY	AST
10025	U003387515	2-295159	166 WEST 129 ST CORP	166 WEST 129 ST		NEW YORK	NY	AST
10025	U001840918	2-266345	5 EAST 16TH ST	5 EAST 16TH ST		NEW YORK	NY	AST
10025	U004077653	000007672670	DOWNTOWN IGNITION	548 W 48TH ST		NEW YORK	NY	AST
10025	U001460222	NYR000066738	DOWNTOWN IGNITION	W 48TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003395470	2-511269	431 WEST 54TH STREET	431 WEST 54TH STREET		NEW YORK	NY	AST
10025	U003387683	2-198730	B M I REALTY CO	250 W 57TH ST SUITE 1310		NEW YORK	NY	AST
10025	A100166805	2-117290	126 WEST 73 OWNERS CORP.	126 WEST 73RD STREET		NEW YORK	NY	AST
10025	U004322562	000010785662	VERIZON WIRELESS	101 W 87TH ST		NEW YORK	NY	AST
10025	U004761649	NYR000089003	VERIZON WIRELESS	W 87TH ST		NEW YORK	NY	FINDS
10025	U000410821	2-475351	WISE	49 WEST 89TH STREET		NEW YORK	NY	RCRIS/SQG
10025	U001832550	2-606654	150 WEST 92 ST.	150 WEST 92ND STREET		NEW YORK	NY	AST, LTANKS
10025	U002536785	2-606343	CENTRAL BAPTIST CHURCH	166 WEST 92ND STREET		NEW YORK	NY	AST
10025	U003390991	2-194026	AMSTERDAM OWNERS CORPORATION	175 WEST 92ND ST		NEW YORK	NY	AST
10025	U003396332	2-234087	201 W 92ND ST	201 W 92ND ST		NEW YORK	NY	AST
10025	U003396138	2-601346	SENATE RESIDENCE OWNERS, INC.	206 WEST 92ND STREET		NEW YORK	NY	AST
10025	A100129047	2-603666	214 WEST 92ND STREET ASSOCIATED, L	214 WEST 92ND STREET		NEW YORK	NY	AST
10025	U003387680	2-198668	215 EQUITIES CORPORATION	215 WEST 92ND STREET		NEW YORK	NY	AST
10025	U004231400	000009080502	251 W 92ND ST BUILDING	251 W 92ND ST		NEW YORK	NY	FINDS
10025	U003393007	2-360910	251 W 92ND ST	251 W 92ND ST		NEW YORK	NY	AST
10025	U003393248	2-325910	288-290 OWNERS CORPORATION	288-290 WEST 92ND STREET		NEW YORK	NY	AST
10025	A100193939	2-265217	294 WEST 92 STREET	294 WEST 92ND STREET		NEW YORK	NY	AST
10025	U003107142	2-258199	200 RIVERSIDE DRIVE	321 W 92ND ST		NEW YORK	NY	AST
10025	U003393817	2-345695	35 WEST 92ND ST. CORPORATION	35 WEST 92ND STREET		NEW YORK	NY	AST
10025	U003390214	2-209325	HIRTH REAL ESTATE	55 W 92ND ST		NEW YORK	NY	AST
10025	A100182998	2-601020	7 WEST 92 STREET	7 WEST 92ND STREET		NEW YORK	NY	AST
10025	U004076896	000007659194	100 WEST 93RD STREET BUILDING	100 WEST 93 STREET		NEW YORK	NY	FINDS
10025	A100173314	2-200506	WEST 93 ASSOCIATES, LP	316 WEST 93 STREET		NEW YORK	NY	AST
10025	A100183394	2-606820	316 WEST 93 STREET	316 WEST 93 STREET		NEW YORK	NY	AST
10025	A100194254	2-607234	35 WEST 98TH STREET ASSOCIATES	35 WEST 98 STREET		NEW YORK	NY	AST
10025	U004566018	NYT0000186983	COLUMBIA GRAMMAR AND PREPARATOF	5 WEST 93 ST		NEW YORK	NY	FINDS, FTTS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	U003395076	2-455245	10-12 WEST 93RD STREET	10-12 WEST 93RD STREET		NEW YORK	NY	AST
10025	U000402312	2-237663	LEADER HOUSE	100 WEST 93RD ST		NEW YORK	NY	AST
10025	U003107135	2-194085	123 W 93 OWNERS CORP	123 WEST 93RD STREET		NEW YORK	NY	AST
10025	U003385036	2-111570	124 WEST 93RD ST	124 WEST 93RD ST		NEW YORK	NY	AST
10025	U003389258	2-303909	130 EAST 93RD ST	130 EAST 93RD ST		NEW YORK	NY	FINDS
10025	U00009158620	000009158620	NYC SCHOOL CONSTRUCTION AUTH	154 WEST 93RD STREET		NEW YORK	NY	AST, JUST
10025	2-353841	2-353841	INTERMEDIATE SCHOOL 118	175 WEST 93RD STREET		NEW YORK	NY	AST
10025	U003394845	2-478554	WESTWIND CORP	180 WEST 93RD ST		NEW YORK	NY	AST
10025	U003386927	2-193992	AMSTERDAM OWNERS CORPORATION	200 W 93RD ST		NEW YORK	NY	AST
10025	U001834729	2-234095	200 W 93RD ST	200 W 93RD ST		NEW YORK	NY	AST
10025	U001503963	2-600054	CONGREGATION SHAARE ZEDEK	212 WEST 93RD STREET		NEW YORK	NY	AST
10025	U003390451	2-145998	220 W 93RD ST	220 WEST 93RD STREET		NEW YORK	NY	AST
10025	U001832629	2-606678	ABL REALTY	253 WEST 93RD ST		NEW YORK	NY	AST
10025	A100183237	2-606639	308 WEST 93 STREET	307 WEST 93RD STREET		NEW YORK	NY	AST
10025	A100183240	2-606643	310 WEST 93 STREET	308 WEST 93RD STREET		NEW YORK	NY	AST
10025	A100183393	2-606619	312 WEST 93RD ST. ASSOC	310 WEST 93RD STREET		NEW YORK	NY	AST
10025	U003396419	2-602036	37 WEST 93RD STREET	312 WEST 93RD STREET		NEW YORK	NY	AST
10025	A100183238	2-606640	37 WEST 93RD ST	312 WEST 93RD STREET		NEW YORK	NY	AST
10025	U001832297	2-114006	COLUMBIA GRAMMAR & PREP SCHOOL	325 WEST 93RD STREET		NEW YORK	NY	AST
10025	U003396343	2-601847	57 WEST 93RD CORP	37 WEST 93RD ST		NEW YORK	NY	AST
10025	U003383473	2-045969	NYC SCHOOL CONSTRUCTION AUTH	57 WEST 93RD STREET		NEW YORK	NY	AST
10025	U001961517	NYR000083006	204 WEST 94 ST ASSOC	W 93RD ST		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U003386744	2-246719	OIL TANK AT 32 IN 94 ST	204 WEST 94 ST		NEW YORK	NY	AST
10025	U003387548	2-295779	110 WEST 94TH ST	321 WEST 94 ST		NEW YORK	NY	AST
10025	U003388995	2-257036	111 WEST 94TH STREET CORPORATION	110 W 94TH ST		NEW YORK	NY	AST
10025	U003392987	2-330620	201 WEST 94TH STREET	111 WEST 94TH STREET		NEW YORK	NY	AST
10025	U003395163	2-478083	203 WEST 94TH STREET	201 WEST 94TH STREET		NEW YORK	NY	AST
10025	U003396171	2-601417	SAP II 94 BROADWAY LLC	210 WEST 94TH STREET		NEW YORK	NY	AST
10025	A100157642	2-604230	250 W 94TH ST. BUILDING	210 WEST 94TH STREET		NEW YORK	NY	FINDS
10025	U0009665236	00009665236	DEVON HOTEL	250 W 94TH ST		NEW YORK CITY	NY	AST
10025	A100183195	2-287180	NORSON REALTY CORP.	250 WEST 94TH ST		NEW YORK	NY	AST
10025	U00183196	2-606588	LEWIS FUTTERMAN	306 WEST 94TH STREET		NEW YORK	NY	AST
10025	U003393692	2-043184	NICK GAVALAS	310 WEST 94TH STREET		NEW YORK	NY	AST
10025	U003385765	2-158526	319 WEST LLC.	311 WEST 94TH ST		NEW YORK	NY	AST
10025	U003396414	2-602024	FIRST HUNGARIAN CONGREGATION OHA	315 WEST 94TH STREET		NEW YORK	NY	AST
10025	U003384244	2-089222	RESIDENTIAL BLDGS 160 WEST OWNERS (319 WEST 94TH STREET		NEW YORK	NY	AST
10025	A1001840741	2-475343	CON ED - V 8181	54 WEST 94TH STREET		NEW YORK	NY	AST
10025	A100178347	2-606144	RESIDENTIAL BLDGS 160 WEST OWNERS (118 WEST 95 ST		NEW YORK	NY	AST
10025	U003391279	2-374679	CON ED - V 8181	160 W 95 ST		NEW YORK	NY	AST
10025	U003387688	2-198817	RESIDENTIAL APARTMENT BUILDING	70 W 95 ST		NEW YORK	NY	FINDS
10025	U042029933	000009343192	RESIDENTIAL APARTMENT BUILDING	108 WEST 95TH STREET		NEW YORK	NY	AST
10025	A100183335	2-606756	CLEVELAND ARMS APARTMENT CORP	150 WEST 95TH ST		NEW YORK	NY	AST
10025	U003383420	2-046527	SYMPHONY CLEANERS	200 W. 95 STREET		NEW YORK	NY	AST
10025	A100183107	2-606477	SYMPHONY CLEANERS	205 WEST 95TH STREET		NEW YORK	NY	AST
10025	U003389678	2-236950	251 W 95TH ST AKA 2541-2547 BROADWA	206 WEST 95TH STREET		NEW YORK	NY	AST
10025	A100183249	2-606653	PENNINGTON HOTEL	251 W 95TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10025	U000347295	NYD982534547	PENNINGTON HOTEL	251 W 95TH ST		NEW YORK	NY	AST
10025	U000406496	2-206989	CONTINENTAL STUDIOS INC.	311 WEST 95TH STREET		NEW YORK	NY	AST
10025	U003393632	2-340359	CONTINENTAL STUDIOS INC.	311 WEST 95TH STREET		NEW YORK	NY	AST
10025	A100183194	2-606586	65 W 95TH OWNERS CORP.	316 WEST 95TH STREET		NEW YORK	NY	AST
10025	A100183195	2-606587	SIMICHE CLEANERS	330 WEST 95TH STREET		NEW YORK	NY	AST
10025	U003389533	2-197289	SIMICHE CLEANERS	46 WEST 95TH STREET		NEW YORK	NY	AST
10025	A100193964	2-326712	8 WEST 95TH ST	65 WEST 95TH STREET		NEW YORK	NY	AST
10025	U001699968	NYD081677411	MIDWEST CLEANERS	70 W 95TH ST		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U004260563	000010135496	MIDWEST CLEANERS	8 WEST 95TH ST		NEW YORK	NY	FINDS
10025	U003390660	2-244708	REGINA METROPOLITAN CORP	110 WEST 96 STREET		NEW YORK	NY	AST
10025	U003385965	2-272825	FIRST CHURCH OF CHRIST, SCIENTIST O	168 WEST 96 STREET		NEW YORK	NY	FINDS
10025	U004070285	000007567084	FIRST CHURCH OF CHRIST, SCIENTIST O	214 W 96 ST		NEW YORK	NY	AST
10025	U003388209	2-260401	111-113-115-117 W 96TH ST	27 WEST 96 ST		NEW YORK	NY	AST
10025	U003392550	2-200050	12 WEST 96TH STREET	1 WEST 96TH STREET		NEW YORK	NY	AST, JUST
10025	U003790888	2-608192	127-129-131 WEST 96TH ST CORP	111-113-115-119 W 96TH ST		NEW YORK	NY	AST
10025	U003178475	2-202703	143 9 WEST 96TH ST	12 W 96TH ST		NEW YORK	NY	AST
10025	A100157669	2-336297	HENSEONS 96TH CORP.	127-129-131 WEST 96TH STREET		NEW YORK	NY	AST
10025	U003384017	2-604297	PLWJ REALTY, INC.	206 WEST 96TH ST		NEW YORK	NY	AST
10025	A100166544	2-064416	MTA NYCT SUBSTATION 14	143 9 WEST 96TH ST		NEW YORK	NY	AST
10025	U003386116	2-328561	COLUMBIA CONDOMINIUM	231 W 96TH ST		NEW YORK	NY	AST
10025	U004177726	000009027872	ATLAS GARAGE (EXXON #4512)	264 W 96TH ST		NEW YORK	NY	FINDS
10025	U003392133	2-217786		275 WEST 96TH STREET		NEW YORK	NY	AST
10025	U001840996	2-480762		303 WEST 96TH STREET		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	1000566631	NYD989892048	96TH STREET AUTO CARE INC	315 W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1000789502	NYD987009636	MOBIL OIL CORP S542B	323-35 W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U0004081159	2-157821	MOBIL SIS 17C39	325 W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1000693806	NYD986999286	AUTOMOTIVE DIAGNOSTIC	328 WEST 96TH STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10025	A100168803	2-113980	328 WEST 96TH STREET OWNERS CORP.	41 WEST 96TH STREET		NEW YORK	NY	AST
10025	U003389946	2-193518	44 OWNERS CORP.	44 WEST 96TH STREET		NEW YORK	NY	AST
10025	A100182908	2-082066	WEST 96TH STREET OWNERS CORP.	46 W 96TH ST		NEW YORK	NY	AST
10025	U003383322	2-040568	WEST 96TH STREET	49 WEST 96TH STREET		NEW YORK	NY	AST
10025	U003387919	2-314609	50 WEST 96TH STREET	50 WEST 96TH STREET		NEW YORK	NY	AST
10025	U001836013	2-202657	50 WEST 96TH STREET	65 W 96TH ST		NEW YORK	NY	AST
10025	100437049	000010832976	TOWER WEST ASSOCIATES	96TH ST BROADWAY		NEW YORK	NY	FINDS
10025	1000134218	NYD982738775	NYCTA 96TH ST CENTRAL INSTR	W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1000335607	NYD986894582	EXXON CO USA - SERVICE STATION 3051	W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1001818173	NYR000076638	MTA NYCT SUBSTATION T4	W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1004758474	NYU000020362	TOWER WEST ASSOCIATES	W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U001223528	NYR000048439	TOWER WEST ASSOCIATES	W 96TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003387823	NYD980785182	AMERICAN WASTE SYSTEMS	W 96TH ST STE 26F		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U004181715	000009078480	97 STREET CLEANERS	241 WEST 97 STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003386359	2-148423	311 WEST 97TH STREET OWNERS CORP	50 WEST 97 STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10025	1004218510	000009665560	CENTRAL PARK GARDENS	209 WEST 97TH ST		NEW YORK	NY	FINDS
10025	U003392546	2-199974	KENT EQUITIES CORP	223 WEST 97TH ST		NEW YORK	NY	FINDS
10025	U003385398	2-188212	229 WEST 97 REALTY ASSOC	230 W 97TH ST		NEW YORK	NY	AST
10025	1004231405	000009808562	330 W 97TH ST BUILDING	230 WEST 97TH STREET		NEW YORK	NY	FINDS
10025	U003127521	2-100552	A.D.G. REALTY INC	241 W 97TH ST		NEW YORK	NY	FINDS
10025	1004326060	000010821988	AMERY'S D.C. CORP	241 WEST 97TH STREET BUILDING		NEW YORK	NY	FINDS
10025	1004075211	000007631912	241 WEST 97TH STREET BUILDING	ROYAL YORK HOTEL		NEW YORK	NY	FINDS
10025	A100183478	2-606909	251 WEST 97 STREET	251 WEST 97TH STREET		NEW YORK	NY	FINDS
10025	U003384177	2-084565	ROYAL YORK HOTEL	258 WEST 97TH STREET		NEW YORK	NY	FINDS
10025	U003382533	2-199753	26 WEST 97TH ST	26 WEST 97TH ST		NEW YORK	NY	AST
10025	U003383408	2-045055	RESIDENTIAL APARTMENT BUILDING	308-10 WEST 97TH ST		NEW YORK	NY	AST
10025	U003393235	2-325724	YALE SYNDICATE	316 WEST 97TH STREET		NEW YORK	NY	AST
10025	U003390879	2-320978	CENTRAL PARK GARDENS INC	50 WEST 97TH STREET		NEW YORK	NY	AST
10025	1004756886	NYD982534562	AMERY'S D C CORP	W 97TH ST		NEW YORK	NY	RCRIS/SQG
10025	U003390034	2-266671	220 WEST 98 ST	220 WEST 98 STREET		NEW YORK	NY	AST
10025	A100193846	2-043338	255 WEST 98TH STREET OWNER'S CORP	255 WEST 98 STREET		NEW YORK	NY	AST
10025	U003390070	2-267422	GRAMONT OWNERS CORP.	207-215 WEST 98TH STREET		NEW YORK	NY	AST
10025	U003396907	2-602926	THE ANDREW	215 WEST 98TH STREET		NEW YORK	NY	AST
10025	1004075194	000007631736	EXPANSION GROUP	220 WEST 98TH STREET		NEW YORK	NY	FINDS
10025	U003389657	2-205419	240 W 98TH ST	240 W 98TH ST		NEW YORK	NY	AST
10025	U003393809	2-345423	THE 243 WEST 98 CONDOMINIUM	243 W 98TH ST		NEW YORK	NY	AST
10025	A100183206	2-606800	THE ANDREW	315-17 WEST 98TH STREET		NEW YORK	NY	AST
10025	U003386248	2-206512	315-17 WEST 98TH ST COMPANY	206 WEST 98TH ST		NEW YORK	NY	AST
10025	A100159726	2-096598	200-230 W. 99 REALTY LLC	216 WEST 98TH ST		NEW YORK	NY	AST
10025	U00157468	2-096571	200-230 W. 99 REALTY LLC	225 WEST 98TH ST		NEW YORK	NY	AST
10025	A100183099	2-606467	ST. MICHAEL'S CHURCH	230 WEST 98TH ST		NEW YORK	NY	AST
10025	A100159727	2-096601	200-230 W. 99 REALTY LLC	233 WEST 98TH ST		NEW YORK	NY	AST
10025	U003386821	2-193917	99 STREET ASSOCIATES	243 WEST 98TH STREET		NEW YORK	NY	AST
10025	A100147031	2-346586	244 W 99TH STREET, INC.	244 W 99TH STREET		NEW YORK	NY	AST
10025	U003388181	2-259986	D-DAY REALTY	280 WEST 99TH STREET		NEW YORK	NY	AST
10025	U001635436	2-281156	UZEINY	309 WEST 99TH STREET		NEW YORK	NY	AST
10025	U003386239	2-268194	310 WEST 99TH ST	310 WEST 99TH ST		NEW YORK	NY	AST
10025	U003386350	2-043346	DAN COMPANY	315 WEST 99TH STREET		NEW YORK	NY	AST
10025	U003127903	2-285684	CROWN ENVIRONMENTAL SERVICES INC	W 99TH ST - STE 607		NEW YORK	NY	AST
10025	U000437529	NYD981488893	AMSTERDAM NURSING HOME CORP	1060 AMSTERDAM AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U001638953	2-338729	ST. LUKE'S / ROOSEVELT HOSPITAL CEN	1111 AMSTERDAM AVENUE		NEW YORK	NY	AST
10025	U000899028	NYU0000197103	TOP NOTCH CLEANERS	650 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U001836343	NYU0000228981	KAE LEE CLEANER	687 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U001836343	2-266604	706 AMSTERDAM AVENUE	706 AMSTERDAM AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003388288	2-281144	714 AMSTERDAM AVE	714 AMSTERDAM AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U000401068	2-281144	732 AMSTERDAM AVE	732 AMSTERDAM AVE		NEW YORK	NY	AST
10025	1004075196	000007631756	NEW AMSTERDAM ASSOCIATES	733 AMSTERDAM AVE		NEW YORK	NY	FINDS
10025	U001636087	2-237655	NEW AMSTERDAM	765 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U001635789	2-303895	BRUSCO REALTY CORP	770 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U000418246	2-208043	DOUGLAS II	830 AMSTERDAM AVENUE		NEW YORK	NY	AST
10025	U000418246	2-475467	DOUGLAS II	850 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U003395705	2-600662	850 AMSTERDAM AVE	854 AMSTERDAM AVE		NEW YORK	NY	AST
10025	1000201898	NYD121569131	W-LEE CLEANERS	868 AMSTERDAM AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U000418244	2-475424	DOUGLAS II	896 AMSTERDAM AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10025	1000117354	NYD982729329	DANI CLEANERS			NEW YORK	NY	

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	A100183586	2-607027	PROVARC CO. INC.	930 AMSTERDAM AVENUE	**	NEW YORK	NY	AST
10025	2-089427	2-089427	940 AMSTERDAM AVENUE	940 AMSTERDAM AVENUE		NEW YORK	NY	AST
10025	A100183563	2-607002	943 AMSTERDAM AVE HDFC	943 AMSTERDAM AVE		NEW YORK	NY	AST
10025	U003387575	2-316946	CASMA REALTY CORP	847 AMSTERDAM AV		NY	NY	AST
10025	U003382929	2-289183	G. RUGGIERI	965 AMSTERDAM AVE AKA 174 W 107 ST.	**	NY	NY	AST
10025	A100194270	2-607257	963 AMSTERDAM AVE	963 AMSTERDAM AV		NEW YORK	NY	AST
10025	U003835977	2-606786	987 AMSTERDAM AVENUE	987 AMSTERDAM AVENUE		NEW YORK	NY	AST
10025	U000441929	NYD980789630	PROYOUNG CLEANERS INC	AMSTERDAM AVENUE		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U0000053389	NYR0000053389	NYCHA - DOUGLASS HOUSES	AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQ, FINDS
10025	U000292894	NYD064993934	ST LUKES HOSPITAL SITE	AMSTERDAM AVE & 114TH ST		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000871726	NY0000092866	ACCURATE REFINING CORP	636 11TH AVE - 5TH FLOOR		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000210045	NYD982716920	SUPER CLEANERS	2510 BROADWAY		NEW YORK	NY	RCRIS/SQ, FINDS
10025	U000195871	NYD981081458	CHOIS BROADWAY CLEANERS INC	2605 BROADWAY		NEW YORK	NY	RCRIS/SQ, FINDS
10025	U003386969	2-233455	2612 HOTEL CORP	2612 BROADWAY		NEW YORK	NY	SPILLS, RCRIS/SQ, FINDS
10025	A100178187	2-605949	BOOTH HOUSE	2643 BROADWAY		NEW YORK	NY	AST
10025	U000218135	NYD981087844	RIVERSIDE CLEANERS	2647 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U003390312	2-212881	2647 BROADWAY	2647 BROADWAY		NY	NY	AST
10025	U000117337	NYD103094314	ONE HOUR FRENCH CLEANERS	2651 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000564207	NYD988966661	HUDSON DRY CLEANERS INC	2655 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U004260564	000010135504	HUDSON B Y DRY CLEANERS	2655 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000141867	NYD982736456	TINA CLEANERS TAILORS	2668 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000415572	NYD981132343	CUSTOM FRENCH CLEANERS TAILORS	2672 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000114533	NYD981183155	PAUL JOHN CLEANERS INC DBA KAY FR	2675 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000408428	2-340568	2680 B'DWAY	2680 BROADWAY		NEW YORK	NY	UST
10025	U000141862	NYD981081599	TINA CLEANERS TAILORS	2702 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U003392894	2-266094	2708 BROADWAY	2708 BROADWAY		NEW YORK	NY	AST
10025	A100177841	2-601265	REGENT HOTEL	2720 BROADWAY		NEW YORK	NY	AST
10025	U003383893	2-059051	CINEPLEX ODEON OLYMPIA CINEMAS	2770 BROADWAY		NEW YORK	NY	AST
10025	U00374609	NYD981065236	KIMS DRY CLEANING STORE	2785 BROADWAY		NEW YORK	NY	AST
10025	U004260568	000010135750	KIM S BROADWAY CLEANERS INC	2785 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U003385941	2-27272	NOAM ASSOCIATES	2785 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U003393893	2-3477108	2790 BROADWAY OWNERS CORP	2790 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000131886	NYD981081722	YAT SING CLEANERS	2808 BROADWAY		NEW YORK CITY	NY	AST
10025	U004323435	000010794484	WOOLWORTH CORP	2831 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10025	U000395728	2-129801	CITIBANK NA	2861 BROADWAY		NEW YORK	NY	UST
10025	U003389342	2-306177	2875 BROADWAY	2875 BROADWAY		NEW YORK	NY	AST
10025	U001833195	2-153664	FORMER PARKING GARAGE	2900 BROADWAY		NEW YORK	NY	AST
10025	U003397302	2-603621	KIM FRENCH CLEANERS	2906-2908 BROADWAY		NEW YORK	NY	AST
10025	U001028509	NYR000007419	WOOLWORTH CORP	BROADWAY	**	NEW YORK	NY	UST
10025	U004760484	NYR0000046516	MORNINGSIDE HOUSING ASSOCIATES	BROADWAY		NEW YORK	NY	RCRIS/SQ, FINDS
10025	U003389264	2-303992	CATHEDRAL PARKWAY TOWERS	410 CATHEDRAL PARKWAY		NEW YORK	NY	AST
10025	U003392615	2-207795	501 CATHEDRAL PARKWAY	424 CATHEDRAL PARKWAY		NEW YORK	NY	AST
10025	U003384960	2-110124	509 CATHEDRAL PKWY	501 CATHEDRAL PARKWAY		NEW YORK	NY	AST
10025	U003388406	2-275751	515 CATHEDRAL PKWY	509 CATHEDRAL PKWY		NEW YORK	NY	AST
10025	U003388378	2-275239	CHEMICAL BANK	515 CATHEDRAL PKWY		NEW YORK	NY	AST
10025	U000417162	2-275085	271 TENANTS CORPORATION	543 CATHEDRAL PARKWAY		NEW YORK	NY	AST
10025	U000129019	2-315281	THE BROOKFORD	271 CENTRAL PARK WEST		NEW YORK	NY	UST
10025	U003391403	2-370452	ARDSLEY TENANTS CORPORATION	315 CENTRAL PARK WEST		NY	NY	AST
10025	U002257941	2-314722	322 REALTY CORP.	320 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U003395394	2-509787	325 CENTRAL PARK WEST COOPERATIVE	322 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	A100173574	2-604809	327 CENTRAL PK W	325 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U003387578	2-198617	THE TURIN APARTMENTS	327 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U003387357	2-251356	RESIDENTIAL BUILDING	333 CENTRAL PARK W		NEW YORK	NY	AST
10025	U004222586	000009714050	336 TENANTS CORPORATION	336 CENTRAL PARK WEST		NEW YORK	NY	FINDS
10025	U000395000	2-113735	350 CENTRAL PARK WEST BUILDING	350 CENTRAL PARK WEST		NEW YORK	NY	FINDS
10025	U004071330	000007580942	360 CENTRAL PARK WEST BUILDING	350 CENTRAL PARK WEST		NEW YORK	NY	FINDS
10025	U003385966	2-272841	360 CENTRAL PARK WEST BUILDING	360 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U004065159	000007496626	370 CPW OWNERS, INC.	360 CENTRAL PARK WEST		NEW YORK	NY	FINDS
10025	U003386019	2-273929	THE VALUX CONDOMINIUM	370 CENTRAL PARK WEST		NEW YORK	NY	UST
10025	U003127576	2-096873	382 CENTRAL PARK WEST	370 CENTRAL PARK WEST		NYC	NY	AST
10025	U003395230	2-479799	382 CENTRAL PARK WEST	372 CENTRAL PARK WEST		NYC	NY	AST
10025	U003395174	2-603843	HAN MI DRY CLEANERS	382 CENTRAL PARK WEST		NYC	NY	AST
10025	U001840915	2-478954	407 CENTRAL PARK WEST	382 CENTRAL PARK WEST		NYC	NY	AST
10025	U004072194	000007592518	407 CENTRAL PARK WEST CONDOMI	405 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003386313	2-269840	415 CENTRAL PARK WEST OWNERS COR	400 CENTRAL PARK WEST		NEW YORK	NY	FINDS
10025	U003389457	2-318892	CATCENDIX CORP	407 CENTRAL PARK WEST		NY	NY	AST
10025	U003390438	2-291005	415 CENTRAL PARK WEST OWNERS COR	415 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U003391640	2-403326	THE BRAENDER CONDOMINIUM	418 CENTRAL PARK WEST		NEW YORK	NY	AST
10025	U000410244	2-472638	THE JADAM CONDOMINIUM	420 CENTRAL PARK WEST		NEW YORK	NY	UST
10025	U003392479	2-406473	PARK FRONT APT	435 CENTRAL PARK WEST		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	U003241886		444 CENTRAL PARK OWNERS	444 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003387075		446 CENTRAL PARK WEST	446 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U002096628		447/448 CENTRAL PARK WEST	447/448 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U001833154		PARKSIDE WEST ASSOCIATES	448 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003386388		APARTMENT HOUSE	461 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003396592		PARK WEST STUDIOS, INC.	465 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003384708		THE 467 CONDOMINIUM	467 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003391242		UPWEST LLC	471/473/474/475 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U003384710		477 CENTRAL PARK WEST OWNERS LTD.	477 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U001836675		478-480 CENTRAL PARK W APT HSE	478 CENTRAL PARK W		NEW YORK	NY	AST, UST
10025	U003391952		485 CPW OWNERS CORPORATION	485 CENTRAL PARK WEST		NEW YORK	NY	AST, UST
10025	U004185236		HANMI CLEANERS CORP	CENTRAL PARK W		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U003946711		NYC TA - 91ST STREET SUBSTATION	CENTRAL PARK W & E 106TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U00395216		NYC DEP - SHAFT 12	CENTRAL PARK W & E 106TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U001833829		140 CLAREMONT AVE	140 CLAREMONT AVE	**	NEW YORK	NY	UST
10025	U004260910		ROYALE CLEANERS	689 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U004323408		ELDORADO CLEANERS	689 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U004327021		CHAS CUSTOM CLEANER TAILOR	696 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U004260846		CRYSTAL 94 CLEANERS	696 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U00457941		CHESEBRO INTL INC	697 COLUMBUS AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U00142535		BIBA FRENCH CLEANERS	730 COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10025	U003396170		WESTMONT	730 COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10025	U002399984		MAXENE CLEANERS	750 COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10025	U001841007		THE KEY WEST	750 COLUMBUS AVE		NEW YORK	NY	UST
10025	U000411130		STELLAR PWV MANAGEMENT LLC	784 COLUMBUS AVENUE		NEW YORK	NY	AST, UST, LTANKS
10025	U004216462		788 COLUMBUS AVENUE	788 COLUMBUS AVENUE		NEW YORK	NY	AST, UST
10025	U00166606		STELLAR PWV MANAGEMENT	792 COLUMBUS AVENUE		NEW YORK	NY	FINDS
10025	U001840914		STELLAR PWV MANAGEMENT	792 COLUMBUS AVENUE		NEW YORK	NY	FINDS
10025	U004260911		CASSIE S CLEANERS	792 COLUMBUS AVENUE		NEW YORK	NY	UST
10025	U004416657		NYCHA - DOUGLASS HOUSES	804 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U004263070		DOUGLASS HOUSES	845 COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U000410832		DOUGLAS I	880 COLUMBUS AVE		NEW YORK CITY	NY	FINDS
10025	S103517630		910 COLUMBUS AVE	880 COLUMBUS AVE		NEW YORK	NY	UST, LTANKS
10025	U003385009		M BROTHERS INC	910 COLUMBUS AVE		NEW YORK	NY	AST
10025	U001835551		927 COLUMBUS AVENUE HDFC	925 COLUMBUS AVENUE		NEW YORK	NY	AST
10025	U00173447		THE STERLING GROUP, LLC	927 COLUMBUS AVENUE		NEW YORK	NY	AST
10025	U001835552		931-33 COLUMBUS AVENUE HDFC	929 COLUMBUS AVENUE		NEW YORK	NY	AST
10025	U00395219		942 CLE CLEANER	931 COLUMBUS AVENUE		NEW YORK	NY	AST
10025	U00107298		NYD1175038639	942 COLUMBUS AV		NYC	NY	AST
10025	U001835550		951 COLUMBUS AVENUE HDFC	942 COLUMBUS AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U00223447		WOOLWORTH 31221	951 COLUMBUS AVENUE		NEW YORK	NY	AST
10025	U004755505		NYR0000042127	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10025	U004760540		NYR0000040204	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG
10025	U004762488		NYR0000048330	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG
10025	U004762626		NYR0000097444	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG
10025	U004762627		NYR0000098848	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG
10025	U004283812		NYR0000098855	COLUMBUS AVE		NEW YORK	NY	RCRIS/SQG
10025	U004761905		NYC DEP - SHAFT 12B	COLUMBUS AVE		NEW YORK	NY	FINDS
10025	U001835506		NYC DEP - SHAFT 12B	COLUMBUS AVE W 101ST ST		NEW YORK	NY	RCRIS/SQG
10025	U003387754		UZI EINY	337 WEST END AVENUE		NEW YORK	NY	UST
10025	U003387891		522 APARTMENTS CORPORATION	522 WEST END AVENUE		NEW YORK	NY	AST
10025	U003383825		639 APARTMENTS CORPORATION	639 WEST END AVENUE		NEW YORK	NY	AST
10025	U003393251		640 WEST END AVE CONDO	640 WEST END AVENUE		NEW YORK	NY	AST
10025	U003386018		645 W END AVE CORP	645 WEST END AVENUE		NEW YORK	NY	AST
10025	U000400399		646 WEST END AVENUE	646 WEST END AVENUE		NEW YORK	NY	AST
10025	U003390576		650 WEST END AVE	650 WEST END AVENUE		NEW YORK	NY	UST
10025	U003391086		670 APTS CORP C/O ORSID REALTY CORI	650 WEST END AVENUE		NY	NY	AST
10025	U003398407		RESIDENTIAL APARTMENT BUILDING	675 WEST END AVENUE		NEW YORK	NY	AST
10025	U003387922		680 W END AVE	675 WEST END AVENUE		NEW YORK	NY	AST
10025	U003386340		685 WEST END OWNERS CORPORATION	680 WEST END AVENUE		NEW YORK	NY	AST
10025	U001444734		697 WEST END AVENUE	685 WEST END AVENUE		NEW YORK	NY	AST
10025	U001834936		700 WEST END AVENUE	697 WEST END AVENUE		NEW YORK	NY	AST
10025	U003384954		710 WEST END AVENUE	698 WEST END AVENUE		NEW YORK	NY	AST
10025	U003127574		711 WEST END AVE LLC	700 WEST END AVENUE		NEW YORK	NY	AST
10025	U004218483		720 WEST END AVE BUILDING	710 WEST END AVENUE		NEW YORK	NY	AST
10025	U001836058		THE WILLIAMS RESIDENCE	720 WEST END AVE		NEW YORK CITY	NY	FINDS
10025	U000409332		P.S. 75	720 WEST END AVENUE		NEW YORK	NY	UST
10025	U003385508		WOLK PROPERTIES CO	735 WEST END AVENUE		NEW YORK	NY	UST
10025	U003390292		RESIDENTIAL BUILDING	740 WEST END AVENUE		NEW YORK	NY	AST
10025				741 WEST END AVENUE		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	U003385233	2-145068	749 WEST END OWNERS CORP	749 WEST END AVENUE		NEW YORK	NY	AST
10025	U000403675	2-321737	752 W END RUN REALTY CORP.	752 WEST END AVENUE		NEW YORK	NY	AST
10025	U003391042	2-328645	220 WEST 71ST STREET	755 WEST END AVENUE		NEW YORK	NY	AST
10025	U003363449	2-046442	760 WEST END AVENUE OWNERS, INC.	760 WEST END AVENUE		NEW YORK	NY	AST
10025	A100178185	2-605947	771 WEST END AVENUE INC.	771 WEST END AVE INC.	**	NEW YORK	NY	AST UST
10025	U003385961	2-272701	777 WEST END AVE	777 WEST END AVENUE		NEW YORK	NY	AST
10025	U000394391	2-063762	780 WEST END AVENUE	780 WEST END AVENUE		NEW YORK	NY	AST
10025	A100166451	2-153362	782 WEST END AVENUE	782 WEST END AVENUE		NEW YORK	NY	AST
10025	U003388663	2-278416	785 WEST END AVENUE CORP	785 WEST END AVENUE		NEW YORK	NY	AST
10025	U003392591	2-200700	800 WEST END AVENUE	800 WEST END AVENUE		NEW YORK	NY	AST
10025	U003388196	2-260177	801 WEST END AVENUE	801 WEST END AVENUE		NEW YORK	NY	AST
10025	U003385843	2-149877	ALL ENDALE APARTMENTS	801 WEST END AVENUE		NEW YORK	NY	AST
10025	1004231410	00009808610	817 WEST END AVE BUILDING	808 WEST END AVENUE		NEW YORK	NY	FINDS
10025	U003392233	2-235172	817 WEST END CO	817 WEST END AVE		NEW YORK	NY	AST
10025	U003385842	2-149969	ALLENDALE APARTMENTS	817 WEST END AVENUE		NEW YORK	NY	AST
10025	U003386438	2-241520	825 WEST END AVENUE CONDOMINIUM	820 WEST END AVENUE		NEW YORK	NY	AST
10025	U003384766	2-094218	838 WEST END AVE	825 WEST END AVENUE		NEW YORK	NY	AST
10025	A100173569	2-604796	839 WEST END AVE INC.	838 WEST END AVENUE		NEW YORK	NY	AST
10025	U000400590	2-277029	840 WEST END AVE CORP.	839 WEST END AVENUE		NEW YORK	NY	AST
10025	U003384029	2-057509	NOYRA REALTY CORP	840 WEST END AVENUE		NEW YORK	NY	SPILLS, UST
10025	U003396589	2-602337	DYNASTY HOTEL	845 WEST END AVENUE		NEW YORK	NY	AST
10025	U003386789	2-248193	855 WEST END OWNERS CORPORATION	850 WEST END AVENUE		NEW YORK	NY	AST
10025	U003389867	2-308951	WEST END ASSOC	855 WEST END AVENUE		NEW YORK	NY	AST
10025	U003388091	2-240257	875 W E APARTMENT CORP	855 WEST END AVENUE		NEW YORK	NY	AST
10025	U003384311	2-990816	878 RESIDENT CORPORATION	875 WEST END AVENUE		NEW YORK	NY	AST
10025	U001637069	2-359939	884 W END AVE	878 WEST END AVENUE		NEW YORK	NY	AST
10025	U003127866	2-318329	885 WEST END AVE	878 WEST END AVENUE		NEW YORK	NY	AST
10025	U003391245	2-335967	895 W END AVE CORP	884 WEST END AVENUE		NEW YORK	NY	AST
10025	U003391611	2-402117	ATLANTIC REALTY	885 WEST END AVENUE		NEW YORK	NY	AST
10025	U001837135	2-328979	DR. M. NAGEL	900 WEST END AVENUE		NEW YORK	NY	AST
10025	U003389444	2-318612	910 W.E.A. REALTY L.L.C.	900 WEST END AVENUE		NEW YORK	NY	AST
10025	A1001783274	2-155756	924 WEST END AVE	910 WEST END AVENUE		NEW YORK	NY	SPILLS, UST
10025	A100177820	2-405086	925 WEST END AVENUE	924 WEST END AVENUE		NEW YORK	NY	AST
10025	U003389224	2-297887	929-31 WEST END AVENUE, INC.	925 WEST END AVENUE		NEW YORK	NY	AST
10025	U003396398	2-601993	THE WESTBOURNE	929 WEST END AVENUE		NEW YORK	NY	AST
10025	U001836620	2-930106	LANCASTER STUDIO ASSOC	930 WEST END AVENUE		NEW YORK	NY	AST
10025	U003391691	2-361232	BIJU REALTY CO	936 WEST END AVENUE		NEW YORK	NY	AST
10025	U003386837	2-2707199	949 WEST END AVENUE	945 WEST END AVENUE		NEW YORK	NY	AST
10025	U003396715	2-602558	1356 FIRST AVENUE CONDOMINIUM	949 WEST END AVENUE		NEW YORK	NY	AST
10025	U004571800	NYD986975787	AC-ROCHESTER	1356 FIRST AVENUE		NEW YORK	NY	FINDS, FTTS
10025	U000249206	NYD0986339328	DANIELLE CLEANERS	100 LEXINGTON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	A100194205	2-607175	153 MANHATTAN AVENUE H.D.F.C	1334 LEXINGTON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	U00136698	NYD982726234	NEW YORK TELEPHONE CO	161 MANHATTAN AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10025	S103517628	2-948551	BELL ATLANTIC	193 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U003395213	2-479571	194/8 MANHATTAN AV	194/8 MANHATTAN AVENUE		NYC	NY	AST
10025	U003394912	2-469920	258 MANHATTAN AVENUE	194/8 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U003381136	2-334170	4 & 8 MANHATTAN AVENUE	258 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U003366931	2-196936	50 MANHATTEN AVE	4 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U001834143	2-196642	MANHATTEN VALLEY MANAGEMENT CO.	50 MANHATTAN AVE		NEW YORK	NY	AST
10025	U003395214	2-479578	60 MANHATTAN AV	58-60 MANHATTAN AVE		NEW YORK	NY	AST
10025	U003387415	2-252255	MANHATTAN AVENUE APTS., LLC	60 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U003383421	2-045535	ST LUKES ROOSEVELT HOSP CENTER	78 MANHATTAN AVENUE		NEW YORK	NY	AST
10025	U003393802	2-345024	LA TOURNAIE APTS INC	44 MORNINGSIDE DR		NEW YORK	NY	AST
10025	U001838249	2-161497	MONT CENIS APTS INC	50 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10025	A100177984	2-305682	405-06 CENTRAL PARK WEST A/K/A ONE I	ONE WEST 100TH STREET		NEW YORK	NY	AST
10025	A100175102	2-609044	194 RIVERSIDE OWNERS CORP.	194 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003396371	2-601925	NELSON RICHARDSON	200 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003392013	2-405525	THE TERRACE COURT	200 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003369226	2-2979117	210 RIVERSIDE TENANTS,INC.	210 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U000406519	2-216699	214 RIVER OWNERS CORP	214 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003069031	2-482757	222 RIVERSIDE DRIVE	222 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003127528	2-113972	224 RIVERSIDE DRIVE OWNERS COR	224 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003391862	2-363960	227 RIVERSIDE DRIVE	227 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	A100177818	2-374547	230 RIVERSIDE DRIVE CORP.	230 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003389055	2-284807	243 RIVERSIDE DRIVE INC.	243 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003396135	2-601342	244 RIVERSIDE OWNERS,INC.	244 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003392077	2-149578	DEBORA ASSOCIATES	250 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	1004323087	000010790846	258 RIVERSIDE OWNERS CORP	258 RIVERSIDE DRIVE		NEW YORK	NY	FINDS
10025	U003385427	2-189340	258 RIVERSIDE OWNERS CORP.	258 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U000403304	2-260645	260 RIVERSIDE DR	260 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003369973	2-456873	265 RIVERSIDE DR	265 RIVERSIDE DRIVE		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10025	A100775098	2-290653	270 RIVERSIDE DRIVE	270 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003390069	2-267414	276 RIVERSIDE DRIVE	276 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U004075209	000007631894	WEINREB MANAGEMENT	276 RIVERSIDE DRIVE		NEW YORK CITY	NY	FINDS
10025	U003385975	2-273007	OXFORD TOWERS COMPANY	280 RIVERSIDE DRIVE		NEW YORK NY	NY	AST
10025	U003390134	2-321230	285 RIVERSIDE DR CORP	285 RIVERSIDE DRIVE		NEW YORK NY	NY	AST
10025	U003385977	2-273023	290 RIVERSIDE COMPANY	290 RIVERSIDE DRIVE		NEW YORK NY	NY	AST
10025	U003389575	2-258903	299 OWNERS CORP	299 RIVERSIDE DR		NEW YORK NY	NY	AST
10025	A100169081	2-604704	300 OWNERS DRIVE	300 RIVERSIDE DRIVE		NEW YORK NY	NY	AST
10025	U003388658	2-278297	305 RIVERSIDE CORP	305 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003389344	2-509223	MASTERS APARTMENT CORP	315 HOMES CORP		MANHATTAN	NY	AST
10025	U003127675	2-207772	315 HOMES CORP	315 RIVERSIDE DR		NEW YORK	NY	AST
10025	U0009608366	000009608366	320 RIVERSIDE DR BUILDING	320 RIVERSIDE DR		NEW YORK	NY	FINDS
10025	U003386793	2-280828	320 RIVERSIDE APTS CORP	320 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003386001	2-273570	325 RIVERSIDE DRIVE	325 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003390317	2-212997	RIVERSIDE STUDY CENTER	330 RIVERSIDE DRIVE		NYC	NY	AST
10025	U003385323	2-130079	340 RIVERSIDE DR OWNERS CORP	340 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003385362	2-187070	345 RIVERSIDE DR APARTMENT CORP.	345 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U004259471	000010109746	RESIDENTIAL BLDG	355 RIVERSIDE DR		NEW YORK	NY	FINDS
10025	U003390880	2-332232	RSD OWNERS CORPORATION	355 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003127510	2-098877	360 RIVERSIDE DRIVE OWNERS COR	360 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003394463	2-453862	TRUSTEES OF COLUMBIA UNIV.	362 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U004075182	000007631618	TRUSTEES OF COLUMBIA UNIV.	375 RIVERSIDE DRIVE		NEW YORK CITY	NY	FINDS
10025	U003386791	2-286515	375 RIVERSIDE DR OWNERS INC	375 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003383393	2-044830	380 RIVERSIDE DR	380 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003383399	2-044962	390 RIVERSIDE DR	390 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003383403	2-045004	395 RIVERSIDE DR	395 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003389453	2-318841	404 RIVERSIDE DR INC	404 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003394462	2-453854	TRUSTEES OF COLUMBIA UNIV.	410 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U003386397	2-214299	417 RIVERSIDE DR INC	417 RIVERSIDE DR		NEW YORK	NY	AST
10025	U003386856	2-194522	420 RIVERSIDE OWNERS CORP	420 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U004231393	000009808414	MAYFLOWER DEVELOPMENT CORPORAT	425 RIVERSIDE DRIVE		NEW YORK CITY	NY	FINDS
10025	U003391610	2-402109	MAYFLOWER DEVELOPMENT CORP	435 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U001840195	2-453848	TRUSTEES OF COLUMBIA UNIV.	435 RIVERSIDE DRIVE		NEW YORK	NY	AST
10025	U0040405935	2-218852	NYC DEPARTMENT OF HEALTH	RIVERSIDE DISTRICT HEALTH CENTER		NEW YORK	NY	AST
10025	U004760932	NYR000066001	238 RIVERSIDE OWNERS CORP	110 ST		NEW YORK	NY	AST
10025	U00365372	NYD980532337	CONSOLIDATED EDISON /COOKING STATIC	520 W 112TH ST, SUITE 9A		NEW YORK	NY	AST
10025	U004667736	NY70002044212	APICOM INTERNATIONAL BEE PRODUCT	110 STREET		NEW YORK	NY	AST
10025	S102872863	HS2024	CONED, MANHATTAN COOKING	31 TIEMANN PLACE		NEW YORK	NY	AST
10025	U00090426	2-242578	31 TIEMANN PLACE CONDOMINIUM	WESTEND AVE		NEW YORK	NY	AST
10026	U003384109	2-082775	NYC BD OF ED - PUBLIC SCHOOL 75 MAN	141 W 110 ST		NEW YORK	NY	RCRIS/SQQ
10026	U001836672	2-146056	MANHATTAN ARMS HOTEL CORP	217 W 110 ST APT HOUSE		NEW YORK	NY	FINDS
10026	U004033346	2-145971	217 W 110 ST APT HOUSE	217 W 110 ST		NEW YORK	NY	HSWDS
10026	U003388997	2-257060	PARK NORTH ASSOCIATES, LLC	241 W 110 ST		NEW YORK	NY	RCRIS/SQQ, FINDS
10026	A100175129	2-399876	WEST 110TH REALTY	131 W 110TH ST		NEW YORK	NY	AST
10026	A100173592	2-604830	207 REALTY ASSOCIATES	15-19 WEST 110TH STREET		NEW YORK	NY	AST
10026	U003385811	2-145807	21 W 110 ST	207 WEST 110TH STREET		NEW YORK	NY	AST
10026	U003389180	2-294713	CATHEDRAL ASSETS	225 W 110TH ST		NEW YORK	NY	AST
10026	U00146970	2-151645	LINCOLN CORRECTIONAL FACILITY	31 WEST 110TH ST		NEW YORK	NY	AST
10026	U003391609	2-402095	MENON INVESTMENTS	35 WEST 110TH STREET		NEW YORK	NY	AST
10026	U003395764	2-600844	45 W, 110TH STREET	45 W, 110TH STREET		NEW YORK	NY	AST
10026	U003386777	2-247995	ROBERT LEWIS, RECEIVER C/O ROBERT	55 WEST 110TH ST		NEW YORK	NY	AST
10026	U003764773	2-604968	LASKER POOL	WEST 110TH STREET & LENOX AVE.		NEW YORK	NY	AST
10026	U003395181	2-479101	111 NEW LAND CORPORATION	141 WEST 111 STREET		NEW YORK	NY	AST
10026	A100175187	2-600969	226 WEST 111 STREET	226 WEST 111 STREET		NEW YORK	NY	AST
10026	U003394934	2-470333	109 WEST 111TH STREET	109 WEST 111TH STREET		NEW YORK	NY	AST
10026	U003386815	2-193844	MILTON MANNING 7A ADMIN.	128-139 W 111TH ST		NEW YORK	NY	AST
10026	A100175323	2-608110	127 WEST 111 ST	127 WEST 111TH STREET		NEW YORK	NY	AST
10026	U003386653	2-249432	141 W 111 ST (EQUITIES INC)	141 WEST 111TH STREET		NEW YORK	NY	AST
10026	A100166454	2-160385	157 W 11 ST (AKA 1825 ADAM CLAYTON P	157 W 111TH ST		NEW YORK	NY	AST
10026	A100183400	2-608817	NEW HORIZONS ASSOCIATES	200 WEST 111TH STREET		NEW YORK	NY	AST
10026	U001841356	2-600233	216 WEST 111 STREET	216 W 111TH STREET		NEW YORK	NY	AST
10026	U003835930	2-600994	NEW WEST APARTMENTS-PHASE I	32/38 WEST 111TH STREET		NEW YORK	NY	AST
10026	U003385538	2-147788	242 W 112 ST	242 W 112 ST		NEW YORK	NY	AST
10026	U003396074	2-601202	HPD	297 WEST 112 ST		NEW YORK	NY	AST
10026	A100154033	2-604224	109 W, 112TH ST, REALTY LLC	50 W 112 STREET		NEW YORK	NY	AST
10026	A100182980	2-600965	123 WEST 112 STREET	109 W, 112TH STREET		NEW YORK	NY	AST
10026	U003394208	2-354147	P.S. 185	123 WEST 112TH STREET		NEW YORK	NY	AST
10026	U003394908	2-468960	200 WEST 112TH STREET	200 WEST 112TH STREET		NEW YORK	NY	AST
10026	A100183213	2-606610	240 W 112 ST HDFC	240 WEST 112TH STREET		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10026	U003395081	2-455288	316 WEST 112TH STREET	316 WEST 112TH STREET		NEW YORK	NY	AST
10026	U003395091	2-602896	LISA DAWN APARTMENTS INC.	200 W 113 ST		NEW YORK	NY	AST
10026	A000409352	2-353817	P.S. 113	240 WEST 113TH STREET		NEW YORK	NY	AST
10026	U000183350	2-606771	267 WEST 113 STREET	267 WEST 113TH STREET		NEW YORK	NY	AST
10026	U003395596	2-600256	269-271-273 WEST 113TH STREET	269-271-273 WEST 113TH STREET	**	NEW YORK	NY	AST
10026	U003395884	2-150657	MARLENE ESTATE ASSOC	269-273 W 113TH ST		NEW YORK	NY	AST
10026	U003394157	2-353434	I.S. 88	215 W 114 ST		NY C	NY	AST
10026	A000183385	2-606808	110 WEST 114 STREET	110 WEST 114TH STREET		NEW YORK	NY	AST
10026	U0001840729	NYD982728560	RANDOLPH HOUSES	208 WEST 114TH STREET		NEW YORK	NY	AST
10026	U000141482	2-475122	NYC BD OF ED - IS 88 SCHOOL BUILDING	215 W 114TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10026	U0001840728	2-475114	RANDOLPH HOUSES	218 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001840740	2-475106	RANDOLPH HOUSES	230 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001840740	2-475335	RANDOLPH HOUSES	242 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001840727	2-475092	RANDOLPH HOUSES	253 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001840739	2-475319	RANDOLPH HOUSES	283 WEST 114TH STREET		NEW YORK	NY	AST
10026	U004760504	000090064304	NYCHA - RANDOLPH HOUSE	265 W 114TH ST		NYC	NY	FINDS
10026	U000410816	2-475300	RANDOLPH HOUSES	269 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001840738	2-475297	RANDOLPH HOUSES	275 WEST 114TH STREET		NEW YORK	NY	AST
10026	U001818272	NYR000078030	NYCHA - RANDOLPH HOUSE	W 114TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10026	U003393693	2-341681	APT BLDG 313-315 W 115 ST	313-315 W 115 ST		NEW YORK	NY	AST
10026	A000182963	2-469750	101 WEST 115 STREET	101 WEST 115TH STREET		NEW YORK	NY	AST
10026	U004205413	000009373460	NYCHA - KING TOWERS	2 W 115TH ST		NEW YORK	NY	FINDS
10026	U003396814	2-602749	315 WEST 115TH STREET	315 WEST 115TH STREET		NEW YORK	NY	AST
10026	U003394926	2-470031	352 WEST 115TH STREET	352 WEST 115TH STREET		NEW YORK	NY	AST
10026	U003394929	2-69742	357 WEST 115TH STREET	357 WEST 115TH STREET		NEW YORK	NY	AST
10026	U00197530	NYR0000400880	NY PUBLIC LIBRARY 115TH STREET THE	W 115TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10026	U001968686	NYR0000800697	NYCHA - KING TOWERS	W 115TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10026	U000400978	2-260194	CANAAN BAPTIST CHURCH	132 W 116 ST		NEW YORK	NY	AST
10026	U003386602	2-243086	U.S. POSTAL SER/MORNINGSIDE STA	232 WEST 116 ST		NEW YORK	NY	AST
10026	U003395188	2-479276	2424 WEST 116 ST	2424 WEST 116 ST		NEW YORK	NY	AST
10026	A000183384	2-606607	128 WEST 116TH STREET	128 WEST 116TH STREET		NEW YORK	NY	AST
10026	A000183235	2-606636	JAKS REALTY ENT. CORP.	131 WEST 116TH STREET		NEW YORK	NY	AST
10026	U000192036	NYD981080815	GOODRIGHT CLEANERS	215 W 116TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10026	A000173468	2-457558	11678 HEIGHTS C/O LEVITES REALTY	215 WEST 116TH STREET		NEW YORK	NY	AST
10026	U003835989	2-476005	UNITED STATES POSTAL SERVICE/MORN	232 WEST 116TH STREET		NEW YORK	NY	AST
10026	U003394932	2-606847	235 WEST 116 STREET	235 WEST 116TH STREET		NEW YORK	NY	AST
10026	U003394932	2-470058	240 WEST 116TH STREET	240 WEST 116TH STREET		NEW YORK	NY	AST
10026	A000183423	2-606851	358 WEST 116 STREET	358 WEST 116TH STREET		NEW YORK	NY	AST
10026	U000175383	2-605075	369 WEST 116TH STREET	369 WEST 116TH STREET		NEW YORK	NY	AST
10026	U003395016	2-471054	138 WEST 117TH STREET	138 WEST 117TH STREET		NEW YORK	NY	AST
10026	U003394935	2-470074	258 WEST 117TH STREET, H.D.F.C.	258 WEST 117TH STREET		NEW YORK	NY	AST
10026	U003394933	2-470066	353 WEST 117TH STREET	353 WEST 117TH STREET		NEW YORK	NY	AST
10026	U003396569	2-602308	353 WEST 117TH STREET, HDPC INC.	353 WEST 117TH STREET		NEW YORK	NY	AST
10026	U003395007	2-470953	101 WEST 118TH STREET	101 WEST 118TH STREET		NEW YORK	NY	AST
10026	A0001839340	2-341487	DUNLEVY MILBANK CHLDRNS CNTR	14-32 WEST 118TH STREET		NEW YORK	NY	AST
10026	U00183409	2-606837	152 WEST 118 STREET	152 WEST 118TH STREET		NEW YORK	NY	AST
10026	U003390240	2-209813	160 WEST 118TH STREET	160 WEST 118TH STREET		NEW YORK	NY	AST
10026	A000183245	2-606649	200/02/04 W. 118TH ST. HDPC	200 WEST 118TH STREET		NEW YORK	NY	AST
10026	U001836421	2-321281	ST THOMAS THE APOSTLE CHURCH	282 WEST 118TH STREET		NEW YORK	NY	AST, LTANKS
10026	U003386781	2-248053	271 118TH ST	271 W 118TH ST		NYC	NY	AST
10026	A000183421	2-606849	278 WEST 118 STREET	278 WEST 118TH STREET		NEW YORK	NY	AST
10026	U004222901	000009718364	P.S. 149 SOJOURNER TRUTH ELEM S	34 W 118TH ST		NYC MANHATTAN	NY	FINDS
10026	U003394177	2-353752	CANAAN HOUSES	34 WEST 118TH STREET		NEW YORK	NY	AST
10026	U001841663	2-600905	HPD	8 WEST 118TH STREET		NEW YORK	NY	AST
10026	U003394989	2-470716	102 WEST 119 STREET	102 WEST 119TH STREET		NEW YORK	NY	AST
10026	A000183352	2-606773	157 WEST 119TH STREET	157 WEST 119TH STREET		NEW YORK	NY	AST
10026	U003394990	2-470724	274 W 119TH ST REALTY	157 WEST 119TH STREET		NEW YORK	NY	AST
10026	U003390623	2-159530	HOUSING DEVELOPMENT FUND CORPOF	274 W 119TH ST		NEW YORK	NY	AST
10026	U003835897	2-607047	EMANUEL AFRICAN METH.EPIS.CHCH	37-41 WEST 119TH ST		NEW YORK	NY	AST
10026	A000183259	2-606665	86 W 119TH ST	86 W 119TH ST		NEW YORK	NY	AST
10026	U003393584	2-333921	HPD	86 W 119TH ST		NEW YORK	NY	AST
10026	U003394928	2-469734	611 WEST 135 ST	100 WEST 121ST STREET		NEW YORK	NY	AST
10026	A000168875	2-286230	619 WEST 135 ST	611 W 135 ST		NEW YORK	NY	AST
10026	U003388746	2-279935	ELKAM REALTY	109 E 79 ST		NEW YORK	NY	AST
10026	U000644451	NYD987007796	M.W. CLEANERS CORP	1980 7TH AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10026	U000132802	NYD980757967	R.S. STRAUSS	2027 8TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10026	U00056243	NYD986868020	110TH STREET SERVICE STATION	2040 8TH AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10026	U001028807	NYE000010397	MR.TWERSKY	7TH AVE		NEW YORK	NY	AST
10026	U003390348	2-268942	2211 8TH AVENUE ASSOCS	2211 8TH AVENUE		NEW YORK	NY	AST

L, WSW, 1/4 - 1/2

SUITE 5W

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10026	U003392097	2-152749	PAUL ROBESON HOUSES	1990 A C POWELL BLVD	**	NEW YORK	NY	AST
10026	U003390132	2-321214	45 CENTRAL PARK NORTH TENANTS ASS	45 CENTRAL PARK NORTH (45 WEST 110	**	NEW YORK	NY	AST
10026	U001840965	2-480865	110TH STREET SERVICE STATION	2040 EIGHTH AVENUE		NEW YORK	NY	AST
10026	U003396941	2-602983	2162 EIGHTH AVENUE ASSOCIATES, INC.	2166 EIGHTH AVENUE	**	NEW YORK	NY	AST
10026	U00183398	2-606177	2211 8 AVENUE	2211 EIGHTH AVENUE		MANHATTAN	NY	AST
10026	U003395576	2-600101	CITY OF N.Y. DEPT. OF H.P.D.	2041 FIFTH AVE		NY	NY	AST
10026	U001835041	2-607848	CHARLES HILL TOWERS	2050 FREDERICK DOUGLASS BLVD		NEW YORK	NY	AST
10026	U003790822	2-605984	2053 FREDERICK DOUGLASS BLVD.	2053 FREDERICK DOUGLASS BLVD.		NEW YORK	NY	AST
10026	U001781706	2-605947	2063 FREDERICK DOUGLASS BLVD.(112S	2063 FREDERICK DOUGLASS BLVD.(112T	**	NEW YORK	NY	AST
10026	U003395848	2-600987	CITY OF N.Y. DEPT OF H.P.D	110 LENOX AVENUE		NEW YORK	NY	AST
10026	U003395004	2-470929	110 LENOX AVENUE	110 LENOX AVENUE		NEW YORK	NY	AST
10026	U003127855	2-297992	153-57 LENOX AVE REHAB 1	15357 LENOX AVE (110 W 118TH ST)		NEW YORK	NY	AST
10026	U00194104	2-607057	162 LENOX AVENUE HDFC	162 LENOX AVENUE		NEW YORK	NY	AST
10026	U00245497	NYD986887842	DORIAN CLEANERS INC	29 LENOX AVE		NEW YORK	NY	AST
10026	U000413962	2-474886	KING TOWERS	70 LENOX AVENUE		NEW YORK	NY	AST
10026	U003644488	2-474888	KING TOWERS	70 LENOX AVENUE		NEW YORK	NY	AST
10026	U003644489	2-475033	KING TOWERS	70 LENOX AVENUE		NEW YORK	NY	AST
10026	U003127604	2-130117	CANAAN IV TOWER	95 LENOX AVENUE		NEW YORK	NY	AST
10026	U001224103	NYR000053199	NYCHA - KING TOWERS	MALCOLM X BLVD TRANS		NEW YORK	NY	RCRIS/SQG, FINDS
10026	A001783349	2-606770	250 MANHATTAN AVENUE	250 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	A001833315	2-606735	272 MANHATTAN AVENUE	272 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	U003384809	2-095117	DOUBLE DOWN REALTY CORP	312 MANHATTAN AVE		NEW YORK	NY	AST
10026	U001666670	2-604526	320 MANHATTAN AVENUE	320 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	U003387354	2-251283	370 MANHATTAN AVE	370 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	U000981318	NY0000965145	ALFRED S FRIEDMAN MGMT	370 MANHATTAN AVE APT 31		NEW YORK	NY	AST
10026	S103517664	2-602877	370 MANHATTAN AVENUE	370 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	U00182964	2-469882	375 MANHATTAN AVENUE APT. 3S	375 MANHATTAN AVENUE		NEW YORK	NY	AST
10026	U003393491	2-336440	HAROLD APARTMENTS	437 MANHATTAN AVE		NEW YORK	NY	AST
10026	U003396668	2-602475	14 MORNINGSIDE AVE (HDFC)	14 MORNINGSIDE AVENUE		NEW YORK	NY	AST
10026	A00175384	2-605076	20 MORNINGSIDE AVENUE	20 MORNINGSIDE AVENUE		NEW YORK	NY	AST
10026	U003384425	2-100358	ZRK REALTY CORP	40 MORNINGSIDE AVENUE		NEW YORK	NY	AST
10026	U003394909	2-469904	59 MORNINGSIDE AVENUE	59 MORNINGSIDE AVENUE		NEW YORK	NY	AST
10026	U003395190	2-479292	8 MORNINGSIDE AV	8 MORNINGSIDE AVE		NEW YORK	NY	AST
10026	U004283808	000010387936	NYCDEP - SHAFT 11	MORNINGSIDE PARK AT W 121ST ST	**	NYC	NY	FINDS
10026	U004761991	NYR000092445	NYCDEP - SHAFT 11	MORNINGSIDE PARK AT W 121ST ST	**	NYC	NY	FINDS
10026	U003394921	2-470007	100 ST. NICHOLAS AVENUE, HDFC	100 ST. NICHOLAS AVENUE		NEW YORK	NY	RCRIS/SQG
10026	U003392325	2-311448	RESIDENTIAL	188 ST. NICHOLAS AVE		NEW YORK	NY	AST
10026	A00182973	2-473014	121 SAINT NICHOLAS AVENUE	121 SAINT NICHOLAS AVENUE		NEW YORK	NY	AST
10026	U003394905	2-469866	1827 SEVENTH AVENUE	1827 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U003384459	2-107166	VICLAIR REALTY CORP	1854 SEVENTH AVE		NEW YORK	NY	AST
10026	U003396071	2-601196	HPD	1854 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U003395019	2-471089	1864 7TH AVENUE	1864 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U003394982	2-470635	186769 SEVENTH AVENUE HDFC	186769 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U003393490	2-336432	DESCHLER APARTMENTS	1871 SEVENTH AVENUE	**	NEW YORK	NY	AST
10026	U003394931	2-469777	1878 SEVENTH AVENUE H D F C	1878 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U003395193	2-479322	1885 7 AV	1885 SEVENTH AV		NEW YORK	NY	AST
10026	U003394520	2-456624	1890 7TH AVE	1890 SEVENTH AVE		NEW YORK	NY	AST
10026	U003398281	2-306030	1949 SEVENTH AVENUE	1949 SEVENTH AVENUE		NEW YORK	NY	AST
10026	U004260926	000010139426	MAXWELL CLEANERS	1980 SEVENTH AVE	**	NYC	NY	FINDS
10026	A00175200	2-601004	1987 SEVENTH AVE	1987 SEVENTH AVE		NYC	NY	FINDS
10027	S102640328	2-000266	LOVALA D. LASKER POOL	110 STREET/LENOX AVENUE		NEW YORK	NY	AST
10027	U003388339	2-270229	MC BAIN HALL	562 WEST 113TH STREET		NEW YORK	NY	AST
10027	U003396242	2-601615	TRUSTEES OF COLUMBIA UNIVERSITY	605 WEST 113TH STREET		NEW YORK	NY	AST
10027	U003074832	2-453609	TRUSTEES OF COLUMBIA UNIV	540 WEST 114TH STREET		NEW YORK	NY	AST
10027	U003396235	2-601607	TRUSTEES OF COLUMBIA UNIV.	544 WEST 114TH STREET		NEW YORK	NY	AST
10027	U003388677	2-278734	RIVER HALL	628 WEST 114TH STREET		NEW YORK	NY	AST
10027	U001690986	2-604727	BARNARD COLLEGE	600 W. 116TH STREET		NEW YORK	NY	AST
10027	U003394454	2-454117	TRUSTEES OF COLUMBIA UNIV	606 WEST 116TH STREET		NEW YORK	NY	AST
10027	A00169097	2-604728	BARNARD COLLEGE	607 WEST 116TH STREET		NEW YORK	NY	AST
10027	U00169098	2-604729	BARNARD COLLEGE	616 W. 116TH STREET		NEW YORK	NY	AST
10027	U001961588	2-604729	BARNARD COLLEGE	620 WEST 116TH STREET		NEW YORK	NY	AST
10027	U003385924	2-600969	MTA NYCT - 116TH STATION 1 & 9 LINE	W 116TH ST & BROADWAY		NEW YORK	NY	FINDS, RCRIS/LOG
10027	U003395842	2-600969	CITY OF N.Y. DEPT OF H.P.D	140 WEST 117 ST		NEW YORK	NY	AST
10027	U001842002	2-600969	TRUSTEES OF COLUMBIA UNIVERSITY	103 WEST 118 ST		NEW YORK	NY	AST
10027	U003740179	2-601616	COLUMBIA UNIVERSITY	405 WEST 118TH STREET		NEW YORK	NY	AST
10027	A00159796	2-604440	COLUMBIA UNIVERSITY	410 WEST 118TH STREET		NEW YORK	NY	AST
10027	U004567506	NY0001956184	COLUMBIA UNIVERSITY-410 W 118TH ST	410 WEST 118TH STREET		NEW YORK	NY	AST
10027	U003394438	2-453587	TRUSTEES OF COLUMBIA UNIVER.	415 WEST 118TH STREET		NEW YORK	NY	FINDS
10027	U003396243	2-601617	TRUSTEES OF COLUMBIA UNIVERSITY	421 WEST 118TH STREET		NEW YORK	NY	AST
10027	U003394473	2-454206	TRUSTEES OF COLUMBIA UNIV	423 WEST 118TH STREET		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10027	U003394453	2-454109	TRUSTEES OF COLUMBIA UNIV	419 WEST 119TH STREET	NEW YORK	NY	AST
10027	U003394479	2-454052	TRUSTEES OF COLUMBIA UNIV	420 WEST 119TH STREET	NEW YORK	NY	AST
10027	U000418163	2-454192	TRUSTEES OF COLUMBIA UNIV	430 WEST 119TH STREET	NEW YORK	NY	AST
10027	U003394174	2-363523	P S 180	370 W 120 ST	N Y C	NY	MLTS
10027	10011709999		COLUMBIA UNIVERSITY	500 W 120 ST	NEW YORK	NY	AST
10027	A1001833397	2-606825	103 WEST 120 STREET	103 W 120TH STREET	NEW YORK	NY	AST
10027	1004761993	NYR000092460	NYR000092460	120TH ST E OF AMSTERDAM AVE	NEW YORK	NY	RCRIS/SGG
10027	1004283810	000010387956	NYCDEP - SHAFT 11B	120TH ST E OF AMSTERDAM AVE	NEW YORK	NY	FINDS
10027	S1001433394	2-346152	NYCDEP - SHAFT 11B	2 WEST 120TH ST	NEW YORK	NY	AST, LTANKS, SPILLS
10027	A1001833353	2-606774	206 WEST 120 STREET	206 WEST 120TH STREET	NEW YORK	NY	AST
10027	A100173823	2-604964	PUBLIC SCHOOL 81	212 WEST 120TH STREET	NEW YORK	NY	AST
10027	A1001833357	2-606778	304 WEST 120 STREET	304 WEST 120TH STREET	NEW YORK	NY	AST
10027	1004156273	000008736224	HARBOR MORNINGSID DCC	311 W 120TH ST	NEW YORK CITY	NY	FINDS
10027	U003394451	2-454095	TRUSTEES OF COLUMBIA UNIV	414 WEST 120TH ST	NEW YORK	NY	AST
10027	U003394451	2-454095	TRUSTEES OF COLUMBIA UNIV	414 WEST 120TH STREET	NEW YORK	NY	AST
10027	U003394451	2-064777	MATHILDE SCHECHTER RESIDENCE	415 W 120TH STREET	NEW YORK	NY	AST
10027	U003394451	2-195022	SILROB REALTY LLC	417 WEST 120TH ST	NEW YORK	NY	AST
10027	U003394450	2-454087	TRUSTEES OF COLUMBIA UNIV	423 WEST 120TH STREET	NEW YORK	NY	AST
10027	U003394480	2-454060	TRUSTEES OF COLUMBIA UNIV	434 WEST 120TH STREET	NEW YORK	NY	AST
10027	1004566767	NY0001415009	COLUMBIA UNIVERSITY	500 WEST 120TH ST	NEW YORK	NY	FINDS
10027	U000407645	2-032980	TEACHER'S COLLEGE COLUMBIA UNIV	525 W 120TH ST	NEW YORK	NY	FINDS
10027	U001831792	2-058477	COLUMBIA UNIVERSITY POWERHOUSE	525 WEST 120TH STREET	NEW YORK	NY	FINDS
10027	1001489063	NYR000070813	HARBOR MORNINGSID DCC	530 WEST 120TH STREET	NEW YORK	NY	UST
10027	1004324334	000010603736	NYC BD OF ED - PUBLIC SCHOOL 76 MAN P.S. 76	W 120TH ST	NEW YORK CITY	NY	UST
10027	U003394170	2-353930	229 WEST 121 STREET	220 W 121ST ST	NEW YORK	NY	FINDS
10027	A100183417	2-606845	361 WEST 121 STREET	229 WEST 121ST STREET	NEW YORK	NY	AST
10027	U003394939	2-470082	414 WEST 121 STREET APARTMENT COR	229 WEST 121ST STREET	NEW YORK	NY	AST
10027	U001840189	2-450282	TRUSTEES OF COLUMBIA UNIVER.	361 WEST 121ST STREET	NEW YORK	NY	AST
10027	U003800404	2-606463	COLUMBIA UNIVERSITY TEACHERS COLL	503 WEST 121ST STREET	NEW YORK	NY	UST
10027	U003394452	2-453722	TRUSTEES OF COLUMBIA UNIV	516 WEST 121ST STREET	NEW YORK	NY	UST
10027	U003394471	2-454176	TRUSTEES OF COLUMBIA UNIV	519 WEST 121ST STREET	NEW YORK	NY	AST
10027	1004759389	2-064769	GOLDSMITH HALL	527 WEST 121ST STREET	NEW YORK	NY	AST
10027	U003394173	2-353736	NYC BD OF ED - PUBLIC SCHOOL 76 MAN P.S. 74	W 121 ST	NEW YORK	NY	AST
10027	U003385904	2-450932	PALM TREES CONDOMINIUM	134 WEST 122ND STREET	NEW YORK	NY	RCRIS/SGG
10027	A100183257	2-606862	ALBERTA L HARRISON	3-5 W 122ND ST	NEW YORK	NY	AST
10027	A100194170	2-607133	303 W 122ND ST. HDFC	302 WEST 122ND STREET	NEW YORK	NY	AST
10027	A100183316	2-606736	TRUSTEES OF COLUMBIA UNIVERSITY	312 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394624	2-601614	1260 APARTMENT CORP	500 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394472	2-454184	TRUSTEES OF COLUMBIA UNIV	501 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394469	2-283029	POMEROY COMPANY	502 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003393132	2-304131	CARRICK COMPANY	503 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394469	2-454168	TRUSTEES OF COLUMBIA UNIV	506 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394469	2-283061	509 WEST 122ND STREET OWNERS CORP	506 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394469	2-600932	MUREL MANAGEMENT CO.	509 WEST 122ND ST	NEW YORK	NY	AST
10027	A100166596	2-453714	TRUSTEES OF COLUMBIA UNIV.	515 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394449	2-453749	TRUSTEES OF COLUMBIA UNIVERSITY	520 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003394481	2-454079	TRUSTEES OF COLUMBIA UNIV	530 WEST 122ND STREET	NEW YORK	NY	AST
10027	A100147128	2-604140	ONE ONE MORRIS PARK ASSOCIATES, LI	540 WEST 122ND STREET	NEW YORK	NY	AST
10027	U003393543	2-218243	GARMAR REALTY CORP	11-15 WEST 123 STREET	NEW YORK	NY	AST
10027	U00193959	2-338419	EPHESUS SEVENTH-DAY ADVENTIST CHI	265 W 123 ST	NEW YORK	NY	AST
10027	1004161105	000008784154	104 WEST 123RD STREET RESIDENCE	101 W 123RD STREET	NEW YORK	NY	FINDS
10027	U003394936	2-470341	120 WEST 123RD STREET	104 W 123RD ST	NEW YORK CITY	NY	FINDS
10027	1001818183	NYR000076745	NYC DEPT PARKS & REC - MORNINGSID	120 WEST 123RD STREET	NEW YORK	NY	RCRIS/SGG, FINDS
10027	A100183336	2-606757	151 WEST 123 STREET	123RD ST & MORNINGSID AVE	NEW YORK	NY	AST
10027	U003394940	2-470090	157 WEST 123RD STREET, HDFC	151 W 123RD STREET	NEW YORK	NY	AST
10027	U003394984	2-470051	270 WEST 123RD STREET	157 WEST 123RD STREET	NEW YORK	NY	AST
10027	U003394984	2-283010	510 WEST 123RD STREET OWNERS CORP	170 WEST 123RD STREET	NEW YORK	NY	AST
10027	U003127632	2-283045	POMEROY COMPANY	510 W 123RD STREET	NEW YORK	NY	AST
10027	U003394980	2-283053	POMEROY COMPANY	524 WEST 123RD STREET	NEW YORK	NY	AST
10027	A100183491	2-606924	528 W. 123 STREET REALTY CORP.	526 WEST 123RD STREET	NEW YORK	NY	AST
10027	1001489205	NYR000072579	104 WEST 123RD STREET	W 123RD ST	NEW YORK	NY	RCRIS/SGG, FINDS
10027	1001233068	NYR000061283	WEST 123RD ST BETWEEN BROADWAY A	WEST 123RD ST BETWEEN BROADWAY A	NEW YORK	NY	ERNS
10027	U003395015	2-471046	HARLEM COMMONWEALTH DEV CORP	124TH ST & 8TH AVE CORNER	NEW YORK	NY	FINDS, RCRIS/LQG
10027	S103517546	2-470287	146 WEST 124TH STREET	146 WEST 124TH STREET	NEW YORK	NY	AST, LTANKS
10027	A100183125	2-606809	GEMA HALL	152 WEST 124TH STREET	NEW YORK	NY	AST
10027	1004572538	NYD987024098	AMOCO ORLANDO TEJED	31-33 WEST 124TH STREET	NEW YORK	NY	FINDS
10027	A100183330	2-606751	62 WEST 124 STREET	62 WEST 124TH STREET	NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10027	A109153909	2-256625	RICE HIGH SCHOOL	74 W 124TH ST	6, South, 0 - 1/8	NEW YORK	NY	AST
10027	1001197531	NYR000040998	NY PUBLIC LIBRARY HARLEM THE	W 124TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	1004642321		ONE WEST 125 ST, INC	1 W 125 ST		NEW YORK	NY	FTTS
10027	U0030656335	2-398985	ADAM CLAYTON POWELL JR, STATE OFFI	163 WEST 125 STREET	B, NW, 0 - 1/8	NEW YORK	NY	UST
10027	U001841957	2-601507	DHANOTA BROTHERS INC	673 W 125 STREET		MANHATTAN	NY	FINDS
10027	U003060765	2-216755	ONE WEST 125 ST, INC	1 WEST 125TH ST		NEW YORK	NY	UST
10027	U003836029	2-607248	HARLEM CENTER	105 W 125TH STREET	1, SE, 0 - 1/8	NEW YORK	NY	UST
10027	U00134217	NYD982738767	NYCTA 82 CENTRAL INSTR ROOM	125TH ST BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U000412049	2-600333	132 WEST 125TH STREET	132 WEST 125TH STREET	3, NW, 0 - 1/8	NEW YORK	NY	UST
10027	U000551524	NYD986938860	NYS ADAM CLAYTON POWELL JR SOB	163 W 125TH ST	B, NW, 0 - 1/8	NEW YORK	NY	RCRIS/SQG, FINDS
10027	A100175660	2-605389	17 W 125 ST	17 WEST 125TH STREET		NEW YORK	NY	AST
10027	U003393640	2-340464	SUPER 125TH STREET REALTY CORP	303 W 125TH ST		NEW YORK	NY	AST
10027	U00130516	NYD981492689	SUPER BRITE CLEANERS-S S CLEANER:	365 WEST 125TH STREET		NYC	NY	AST
10027	U003392388	2-365432	MANHATTANVILLE	405 WEST 125TH STREET		MANHATTAN	NY	UST
10027	U003800412	2-606489	ST. JOSEPH OF THE HOLY FAMILY	415 WEST 125TH STREET		NEW YORK	NY	UST
10027	U001840104	2-357828	ENGINE 37 / LADDER 40	445 W 125TH ST		NEW YORK	NY	AST
10027	U003385686	2-754962	445 W 125TH ST	453 WEST 125 STREET		NEW YORK	NY	AST
10027	A100182968	2-471038	453 WEST 125 STREET	457 WEST 125TH STREET		NEW YORK	NY	AST
10027	U003394987	2-470694	BAHAR REALTY ASSOCIATES	501 W 125TH ST		NEW YORK	NY	AST
10027	U003389256	2-303879	BAHAR REALTY ASSOCIATES	501 W 125TH ST		NEW YORK	NY	AST
10027	A100194094	2-607044	156 E 105 EQUITIES CONF C/O M. SAMOL	511 W 125TH ST		NEW YORK	NY	AST
10027	A100183119	2-606502	545 WEST 125TH STREET	545 WEST 125TH STREET		NEW YORK	NY	AST
10027	U003697790	2-604161	55 WEST 125TH ST	55 WEST 125TH ST		NEW YORK	NY	AST, UST
10027	U003385294	2-112518	56769 WEST 125TH ST	567 WEST 125TH ST		NEW YORK	NY	AST
10027	U001838208	2-606074	RIDON REPAIR SERVICE INC	619 W 125TH ST		NEW YORK	NY	UST
10027	U003128243	2-601494	MERRICK ROAD INC.	619 WEST 125TH STREET		NEW YORK	NY	UST
10027	U002258797	2-342130	REALITY HOUSE, INC.	637 W. 125TH STREET		NEW YORK	NY	UST
10027	U004667067	NYR001492453	SHELL	305 WEST 126 ST		NEW YORK	NY	FINDS
10027	A100175196	2-600993	305 WEST 126 ST	361 W 126 ST		NEW YORK	NY	AST
10027	U003395667	2-600992	CITY OF N.Y. DEPARTMENT OF H.P.D	365 WEST 126 ST		NEW YORK	NY	AST
10027	U003390851	2-331716	THE YORICK CORP	520 W 126 ST		NEW YORK	NY	AST
10027	U003395866	2-600991	CITY OF N.Y. DEPARTMENT OF H.P.D	367 W 126 ST		NEW YORK	NY	AST
10027	U000405820	2-217514	26 PCT	566 WEST 126 ST		NEW YORK	NY	AST
10027	U001833769	2-214191	OLD BROADWAY HOTEL	540 W 126 ST		NEW YORK	NY	UST
10027	U003390025	2-266477	THREE-TWO-TEN AOCIATES	1 WEST 126TH ST		NEW YORK	NY	UST
10027	U001834346	2-201383	1 WEST 126 ST	359 WEST 126TH STREET		NEW YORK	NY	UST
10027	U003383513	2-048787	359 WEST 126TH STREET	363 WEST 126TH STREET		NEW YORK	NY	UST
10027	A100129132	2-603813	363 WEST 126TH STREET	419 WEST 126TH STREET		NEW YORK	NY	AST, UST
10027	A100185152	2-606942	CENTRAL HARLEM ALCOHOL CRISIS CEN	433 WEST 126TH STREET		NEW YORK	NY	AST
10027	A100183342	2-606763	464 WEST 126TH STREET	464 WEST 126TH STREET		NEW YORK	NY	AST
10027	U003935911	2-470708	NYCHA - MANHATTANVILLE	W 126TH ST		NEW YORK	NY	UST
10027	U001224091	NYR000053074	P.S. 154	250 WEST 127TH STREET		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003394204	2-354090	368 WEST 127TH STREET	368 WEST 127TH STREET		NEW YORK	NY	AST
10027	A100175025	2-055360	TERRACE APARTMENTS, INC.	375 WEST 127TH STREET		NEW YORK	NY	AST
10027	U003396937	2-602979	TERRACE APARTMENTS, INC.	379 WEST 127TH STREET		NEW YORK	NY	AST
10027	U003396938	2-602980	MISSIONARIES OF CHARITY	406 WEST 127TH STREET		NEW YORK	NY	AST
10027	U003397347	2-603672	NYCHA - SAINT NICHOLAS	W 127TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001224110	NYR000053264	137 W 128 ST	137 W 128 ST		NEW YORK	NY	UST
10027	U003835929	2-600990	411 WEST 128 STREET	411 WEST 128 STREET		NEW YORK	NY	UST
10027	A100175165	2-600966	411 WEST 128 STREET	415 WEST 128 STREET		NEW YORK	NY	AST
10027	A100175174	2-600943	CITY OF N.Y. DEPARTMENT OF H.P.D	60 WEST 128 STREET		NEW YORK	NY	AST
10027	U003395640	2-600965	CITY OF N.Y. DEPARTMENT OF H.P.D	410 WEST 128TH STREET		NEW YORK	NY	AST
10027	A100183379	2-608739	BETANCOURT JOSE - PRIVATE PROPRT	W 128TH ST		NEW YORK	NY	AST
10027	U001202923	NYR0000041939	CITY OF N.Y. DEPARTMENT OF H.P.D	102 WEST 129 ST		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U003395684	2-600988	148 WEST 129 ST	148 WEST 129 ST		NEW YORK	NY	UST
10027	U003835928	2-600988	CITY OF N.Y. DEPARTMENT OF H.P.D	35 WEST 129 STREET		NEW YORK	NY	UST
10027	U003395839	2-600964	PADESKO REALTY CORP	39 WEST 129 STREET		NEW YORK	NY	AST
10027	U003392825	2-247669	409 W 129 ST	408-411 W 129 ST		NEW YORK	NY	AST
10027	U003390016	2-259705	NORMAN & MARSHALL REALTY CORP	416 W 129 ST		NYC	NY	AST
10027	U003386152	2-275042	ARTHORP CLEANERS	623 WEST 129 STREET		NEW YORK	NY	AST
10027	U004260868	00001013888	ABAX INC	116 W 129TH ST APT 5E		NEW YORK	NY	FINDS
10027	U004188190	000009153788	ABAX INC	120 W 129TH ST APT 2W		NEW YORK CITY	NY	FINDS
10027	U004168182	000009153806	133 WEST 129TH STREET	133 WEST 129TH STREET		NEW YORK CITY	NY	FINDS
10027	A100182969	2-471070	31-33 WEST 129TH STREET	31-33 WEST 129TH STREET		NEW YORK	NY	AST
10027	A100182978	2-600942	31-33 WEST 129TH STREET H.D.F.C.	412 WEST 129TH STREET		NEW YORK	NY	AST
10027	A100183288	2-608705	412 WEST 129TH STREET	412 WEST 129TH STREET		NEW YORK	NY	AST
10027	U003396915	2-602938	129 STREET REALTY CORP	419 WEST 129TH STREET		NEW YORK	NY	AST
10027	A100183372	2-606794	43-45 WEST 129TH STREET	43-45 WEST 129TH STREET		NEW YORK	NY	AST
10027	U003396908	2-602928				NEW YORK	NY	AST
10027	U003394992	2-470732				NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10027	A100183212	2-606909	CONVENT AVENUE FAMILY LIVING CENTE	456 WEST 129TH STREET		NEW YORK	NY	AST
10027	A100183331	2-606752	46 WEST 129 STREET	46 WEST 129TH STREET		NEW YORK	NY	AST, UST
10027	U000417987	2-344729	BELL ATLANTIC	47 WEST 129TH STREET		NEW YORK	NY	AST
10027	U000395028	2-471208	47 WEST 129TH STREET	47 WEST 129TH STREET		NEW YORK	NY	FINDS
10027	U004174377	000008984332	NYC BD OF ED - JHS 43 M	509 W 129TH ST		NEW YORK CITY	NY	FINDS
10027	A100183287	2-606704	51-53 WEST 129TH STREET HDFC	51-53 WEST 129TH STREET		NEW YORK	NY	UST
10027	U003800425	2-606651	623 WEST 129TH STREET	623 WEST 129TH STREET		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001489282	NYR000073486	NYC BD OF ED - JHS 43 M	W 129TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U00760918	NYR000065078	APATHORP CLEANERS INC	W 129TH ST APT 2W		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001961535	NYR000083220	ABAX INC	W 129TH ST APT 5E		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001961533	NYR000083204	ABAX INC	W 129TH ST APT 5E		NEW YORK	NY	AST
10027	U003383776	2-062596	STANDARD AROMATICS INC	621 W 130 ST		NEW YORK	NY	AST
10027	U003387598	2-236403	408 WEST 130TH ST JACHAR REALTY COI	408 WEST 130TH ST		NEW YORK	NY	AST
10027	A100153885	2-161470	418 WEST 130TH LLC	418 WEST 130TH STREET		NEW YORK	NY	FINDS
10027	U004234341	000010803824	NYC BD OF ED - PUBLIC SCHOOL 129 MAI	425 W 130TH ST		NEW YORK CITY	NY	FINDS
10027	U003394159	2-353442	P S 129	425 WEST 130TH STREET		NEW YORK	NY	AST
10027	U000791574	NYD987030871	NEW YORK TELEPHONE CO	603 WEST 130TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003074747	2-344664	BELL ATLANTIC	632 WEST 130TH ST		NEW YORK	NY	AST, UST
10027	U002803555	NYR001827104	BOILER REPAIR MAINTENANCE CO INC	W 130TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003835923	2-600963	NYC BD OF ED - PUBLIC SCHOOL 129 MAI	158 WEST 131 STREET		NEW YORK	NY	RCRIS/SQG
10027	U007593986	NYR000009630	UNCLE SAM CHEMICAL CO, INC.	573-577 W 131 ST ST		NEW YORK	NY	UST
10027	U000279425	2-000165	HVY GARAGE GETTY 98313	637 W 131 ST		NEW YORK	NY	CBS, AST, TSCA
10027	U000397372	2-271878	PUBLIC SCHOOL 223	131ST STREET &		NEW YORK	NY	UST
10027	A100178412	2-606230	156 WEST 131 STREET	156 WEST 131ST STREET		NEW YORK	NY	AST
10027	A100183426	2-606854	203 WEST 131 STREET	203 WEST 131ST STREET		NEW YORK	NY	AST
10027	A100183413	2-606841	NYCHA - ST NICHOLAS HOUSES	236 W 131ST ST		NEW YORK	NY	FINDS
10027	U004322368	000010783426	UNCLE SAM CHEMICAL CO INC	573-577 WEST 131ST STREET		NEW YORK	NY	AST, UST
10027	U003074295	2-045462	OLIN WATER SERVICES	609 W 131ST ST		NEW YORK	NY	FINDS, RCRIS/LQG, TSCA, CORRACTS
10027	U000306415	NYD068212695	OLIN WATER SERVICES	609 W 131ST ST	O, NNW, 1/2 - 1	NEW YORK	NY	FINDS, RCRIS/LQG, TSCA, CORRACTS
10027	U003388304	2-269433	615 WEST 131ST STREET	615 W 131ST ST		NEW YORK	NY	AST
10027	U000912474	NYG0000806893	COLUMBIA UNIVERSITY PRINTING PLANT	615 W 131ST ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U004231427	000009809806	STANDARD GAS CO.	617 W 131ST ST	O, NNW, 1/2 - 1	NEW YORK	NY	FINDS
10027	G000000373	2-606618	MIDWAY ELECTRIC SUPPLY CO, INC.	641 WEST 131ST STREET		NEW YORK	NY	COAL GAS
10027	U003800419	NYR000073197	UNCLE SAM CHEMICAL CO INC	W 131ST ST		NEW YORK	NY	UST
10027	U001489257	NYD000073197	UNCLE SAM CHEMICAL CO INC	W 131ST ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U000990031	NYD001360742	ALEXANDER DOLL CO INC	W 131ST ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U004761933	NYR000091868	NYCHA - ST NICHOLAS HOUSES	405 WEST 131TH STREET		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003383804	2-063193	1437 AMSTERDAM AVE REALTY INC	605 WEST 132 STREET		NEW YORK	NY	RCRIS/SQG
10027	S102641566	2-000286	MANHATTANVILLE BUS DEPOT	608 W. 132 STREET		NEW YORK	NY	AST
10027	S102638036	2-000045	DREW WATER SERVICES (ASHLAND CHE	113 W 132ND ST APT 2		NEW YORK	NY	CBS, UST
10027	U004188189	000009153778	ABAX INC	135 WEST 132ND STREET		NEW YORK CITY	NY	FINDS
10027	U003395017	2-471062	135 WEST 132ND STREET	155 WEST 132ND STREET		NEW YORK	NY	AST
10027	A100183313	2-606733	SAINT ALOYSIUS CHURCH	219 W 132ND ST		NEW YORK	NY	AST
10027	U003128919	2-319155	SAINT ALOYSIUS SCHOOL	223 W 132ND ST		NEW YORK	NY	UST
10027	U003128015	2-215503	602 WEST 132ND STREET	602 WEST 132ND STREET		NEW YORK	NY	UST
10027	U003835913	2-470945	NEW YORK CITY TRANSIT AUTHORITY	605 WEST 132ND ST		NEW YORK	NY	FINDS, RCRIS/LQG, RAATS
10027	U00136839	NYD980641682	OLIN CORP., OLIN WATER SERVICES	608 W. 132ND ST.		NEW YORK	NY	FINDS
10027	U04566517	NYG000651216	CONSOLIDATED GAS CO.	630 W. 132ND ST.		NEW YORK	NY	FINDS
10027	G000000356	NYR0000083196	ABAX INC	W 132ND ST APT 2		NEW YORK	NY	COAL GAS
10027	U001961532	2-017426	MGM AUTO SERVICE INC	640 WEST 132RD STR		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001838871	2-606880	537 WEST 133 STREET	537 WEST 133 ST.		NEW YORK	NY	UST
10027	A100183452	2-354171	P S 195	625 W 133 ST		NEW YORK	NY	AST
10027	U003394199	2-190004	MANHATTANVILLE BUS DEPOT	666 WEST 133 STREET		NEW YORK	NY	AST
10027	U003107130	000010803570	NYC BD OF ED - PUBLIC SCHOOL 161 MAI	499 W 133RD ST		NEW YORK	NY	FINDS
10027	U004324317	000010803570	NYC BD OF ED - PUBLIC SCHOOL 161 MAI	499 W 133RD ST		NEW YORK	NY	FINDS
10027	U003394207	2-354112	P S 161	501 WEST 133RD STREET		NEW YORK	NY	AST
10027	U003394567	2-457531	501 WEST 133RD STREET	547 W 133RD ST		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U000440629	NYD982270068	BODY PRO INC	547 W 133RD ST		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U00124803	NYD012132320	LEE MYLES	547 W 133RD ST		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U003397321	2-603942	PRESTIGE TRANS CORP. DBA LEE MYLES	600 WEST 133RD STREET		BRONX	NY	AST
10027	A100173564	2-604785	GRADY, INC.	W 133RD ST		NEW YORK	NY	AST
10027	U00872440	NYD987036530	NYCHA - MANHATTANVILLE BUS DEPOT	W 133RD ST		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U001224070	NYR000052860	NYC BD OF ED - ROBERTO CLEMENTE IS	W 133RD ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U004759398	NYR000009555	NYC BD OF ED - PUBLIC SCHOOL 161 MAI	W 133RD ST		NEW YORK	NY	RCRIS/SQG
10027	U004374812	000011349638	NYCDOT BRIDGE BIN 2246670	134TH ST OVER RIVERSIDE DR		NEW YORK	NY	FINDS
10027	U004755814	NYG0000446039	NYCDOT BRIDGE BIN 2246670	134TH ST OVER RIVERSIDE DR		NEW YORK	NY	RCRIS/SQG
10027	S103276284	31T01	NYCDOS W, 135TH ST, MTS	WEST 135 STREET		NEW YORK	NY	SWIFL
10027	U000553750	NYD986981837	NYC DEPT OF SANITATION	W 135TH ST, NORTH RIVER		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U045668105	NYG0002371755	NYNEX-MANHOLE	E 14TH ST, AVENUE C		MANHATTAN	NY	FINDS
10027	U045668104	NYG0002371748	NYNEX - MANHOLE	43RD ST MADISON AVE		MANHATTAN	NY	FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10027	U003396961	2-603028	440 - 446 ST. NICHOLAS AVENUE	440 - 446 ST. NICHOLAS AVENUE	**	NEW YORK	NY	AST
10027	U000134231	NVD986885853	NYCTA - 77TH STREET EDR ROOM	77TH ST LEXINGTON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U000408546	000009713688	WILLIAMS INSTITUTIONAL C M E	2225 ADAM CLAYTON POWELL JR BL		NEW YORK	NY	AST
10027	U004222553	000092134462	COLUMBIA UNI - HAMILTON HALL	1130 AMSTERDAM AVE		NEW YORK	NY	FINDS
10027	U004570174	2-474991	NYCHA - GRANT	1320 AMSTERDAM AVE		NEW YORK	NY	UST
10027	U001840721	NVD987034246	NELSONS CLEANERS	1320 AMSTERDAM AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	A100157497	2-201332	AMSTER REALTY CORP	1345 AMSTERDAM AVE		NEW YORK	NY	AST
10027	U003385425	2-189324	1350 AMSTERDAM AVE 1346-1358	1345-1349 AMSTERDAM AVE		NEW YORK	NY	AST
10027	U000140972	NVD980642342	NYCTA - AMSTERDAM BUS DEPOT	1350 AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003074394	2-190403	AMSTERDAM BUS DEPOT	1381 AMSTERDAM AVENUE		NEW YORK	NY	SPILLS, UST
10027	U000288	000009713688	AMSTERDAM BUS DEPOT	1381 AMSTERDAM AVENUE		NEW YORK	NY	CBS AST, SPILLS, AST
10027	U004216471	2-474916	NYC HA AMSTERDAM AVE	1430 AMSTERDAM AVENUE		MANHATTAN	NY	FINDS
10027	A1001640715	00009685198	MANHATTANVILLE	1430 AMSTERDAM AVENUE, BOILER ROO		NEW YORK	NY	UST, LTANKS, SPILLS
10027	A100163377	2-606799	1439 AMSTERDAM AVENUE	1439 AMSTERDAM AVE		NEW YORK	NY	AST
10027	U004222556	000009713716	MAHATTAN HOUSES	1475 AMSTERDAM AVE		NEW YORK	NY	FINDS
10027	U000556381	NVD986989432	SYLAN CORP	350 AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	A100169100	2-604731	BARNARD COLLEGE	2271-89 8TH AVE	**	NEW YORK	NY	UST
10027	U001837964	2-217522	28 PCT	2271-89 8TH AVE		NEW YORK	NY	AST
10027	U0033391559	2-400904	2359-61 8TH AVE	2359-61 8TH AVE		NEW YORK	NY	AST
10027	NVD982535817	NVD982535817	D O PROFESSIONAL CLEANERS	2366 8TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U00340046	2-480134	CO-OP FRENCH CLEANERS	2378 8TH AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U001840970	2-406475	131ST STREET CLEANERS	2406 8TH AVE		NYC	NY	UST
10027	U000563699	NVD986961274	PARIS CLEANERS	2439 8TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U00261972	NVD981082423	ALP CLEANERS INC	7TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U00107322	NVD981482201	ST. NICHOLAS HOUSES	8TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U001640714	2-474994	WHERE WHEN CONTRACT D258763	2406 8TH AVENUE		NEW YORK	NY	UST
10027	U00420736	000011988572	BARNARD COLLEGE - ALTSCHUL HALL	BELOW HENRY HUDSON PKWY		NEW YORK	NY	FINDS
10027	U00472658	NYR000099168	WHERE & WHEN CONTRACT D258763	BELOW HENRY HUDSON PKWY		NEW YORK	NY	RCRIS/SQG
10027	U004323919	000010789464	BARNARD COLLEGE - ALTSCHUL HALL	3009 BROADWAY	**	NEW YORK	NY	FINDS
10027	U000399967	2-316601	UNION THEOLOGICAL SEMINARY	3041 BROADWAY		NEW YORK	NY	UST
10027	U001631754	2-064750	JEWISH THEOLOGICAL SEMINARY	3080 BROADWAY		NEW YORK	NY	UST
10027	U003386943	2-196096	3111 BROADWAY	3111 BROADWAY		NEW YORK	NY	AST
10027	U003390790	2-327476	RESIDENTIAL APARTMENT BUILDING	3115 BROADWAY		NEW YORK	NY	AST
10027	U003389059	2-284874	3117 BROADWAY OWNERS CORP	3117 BROADWAY		NEW YORK	NY	AST
10027	A100183506	2-606941	BRASIL REALTY CO LLC	3143 BROADWAY		NEW YORK	NY	AST
10027	U004232401	000009821636	FINEST BROADWAY CLEANERS	3151 BROADWAY		NEW YORK	NY	FINDS
10027	U003395111	2-473006	BROADWAY VENTURE, LLC	315761 BROADWAY		NEW YORK	NY	AST
10027	U004176526	000090390856	VIVIAN CLEANERS	3161 BROADWAY		NEW YORK	NY	FINDS
10027	U00191420	NYR000132061	RIVERSIDE DRYCLEANERS INC	3167 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U000289932	NYR0000818054	3225 BROADWAY SERVICE STATION INC	3225 BROADWAY		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003031006	2-509078	AMOCO SERVICE STATION	3225 BROADWAY		NEW YORK	NY	AST, UST, LTANKS
10027	U000353396	NYR0001009844	GIBALTAR TRANSMISSION	3251 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U000981533	2-801563	MOBIL BIG APPLE SERVICE CENTER	3260 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10027	U001736497	000000881482	U-HAUL CENTER 803-69	3270 BROADWAY		NEW YORK	NY	UST
10027	U000912603	2-084034	J-HAUL OF METRO NY	3270 BROADWAY		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U000394960	2-109312	3285 BROADWAY REALTY CO	3285 BROADWAY		NEW YORK	NY	UST
10027	A100183325	2-606746	SPOTLESS CLEANERS	3680 BROADWAY		NEW YORK	NY	AST
10027	U004176527	000090390866	BARNARD COLLEGE - ALTSCHUL HALL	BROADWAY		NEW YORK	NY	FINDS
10027	U004759898	NYR000024935	FINEST BROADWAY CLEANERS	BROADWAY	**	NEW YORK	NY	RCRIS/SQG
10027	U004757033	NVD982795759	CON ED MH 61734	BROADWAY TIEMANN PL	**	NEW YORK	NY	RCRIS/SQG
10027	U004202522	000009338488	LASALLE LLC	BROADWAY BETW 121 & 112TH ST	**	MANHATTAN	NY	FINDS
10027	U001961671	2-272647	ROCKSPRINGS MANAGEMENT COMPANY	3137 BROADWAY/YAKA 122 LASALLE	**	NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003389380	2-286346	CON ED - 125 ST BWAY	125 ST BWAY	**	NEW YORK	NY	AST
10027	U003389552	000009342720	MANHATTAN SCHOOL OF MUSIC	125 CLAREMONT AVENUE	**	NEW YORK	NY	FINDS
10027	U003652069	2-601612	TRUSTEES OF COLUMBIA UNIVERSITY.	150 CLAREMONT AVENUE		NEW YORK	NY	UST
10027	U003396239	2-046140	M & A VASARHELY	160 CLAREMONT AVENUE		NEW YORK	NY	AST
10027	U003383488	2-289140	CLAREMONT LASALLE INC	170 CLAREMONT AVE		NEW YORK	NY	AST
10027	U0033893927	2-187682	180 CLAREMONT AVE	180 CLAREMONT AVE		NEW YORK	NY	AST
10027	U003394448	2-453706	TRUSTEES OF COLUMBIA UNIV.	181 CLAREMONT AVENUE		NEW YORK	NY	AST
10027	U003386953	2-233102	RESIDENTIAL APARTMENT BUILDING	182 CLAREMONT AVE		NEW YORK	NY	AST
10027	U003127914	2-267198	CLAREMONT WEST ASSOC	184 CLAREMONT AVE		NEW YORK	NY	AST
10027	U003384933	2-107832	185 CLAREMONT AVENUE	185 CLAREMONT AVENUE		NEW YORK	NY	UST
10027	U003127652	2-272647	CLAREMONT WEST ASSOCIATES	186 CLAREMONT AVENUE		NEW YORK	NY	UST
10027	U003388781	2-280593	188 CLAREMONT AVE	188 CLAREMONT AVE		NEW YORK	NY	UST
10027	U003389867	2-258806	189 & 191 CLAREMONT AVE	189-191 CLAREMONT AVE		NEW YORK	NY	AST
10027	U003386236	2-206288	NEGBA REALTY CORP	192 CLAREMONT AVENUE		NEW YORK	NY	AST
10027	U003394474	2-454214	TRUSTEES OF COLUMBIA UNIV	195 CLAREMONT AVE		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10027	U000413989	2-600584	200 CLAREMONT AVE	200 CLAREMONT AVE	**	NEW YORK	NY	UST
10027	U000418166	2-484230	TRUSTEES OF COLUMBIA UNIV	25 CLAREMONT AVE		NEW YORK	NY	UST
10027	A100169101	2-604732	BARNARD COLLEGE	42-76 CLAREMONT AVENUE I		NEW YORK	NY	AST
10027	A003394475	2-454222	TRUSTEES OF COLUMBIA UNIV	47 CLAREMONT AVE		NEW YORK	NY	AST
10027	A100169102	2-604733	BARNARD COLLEGE	49 CLAREMONT AVENUE		NEW YORK	NY	AST
10027	U001197233	NYR000013045	E M REALTY MGMT CO	CLAREMONT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U003397144	2-603406	ONE CONVENT AVENUE REALTY CORP I	1 CONVENT AVENUE		NEW YORK	NY	AST
10027	U003395555	2-600120	102 CONVENT AVENUE	102 CONVENT AVENUE		NEW YORK	NY	AST
10027	U003396946	2-602819	106 CONVENT AVENUE	106 CONVENT AVENUE		NEW YORK	NY	AST
10027	U003391767	2-215112	110 CONVENT AVENUE	110 CONVENT AVENUE		NEW YORK	NY	AST
10027	A100177986	2-605685	110 CONVENT AVENUE ASSOC	110 CONVENT AVENUE		NEW YORK	NY	AST
10027	U003394914	2-489689	THE ST AGNES HOUSING DEVELOPMEN	21-25 CONVENT AVENUE		NEW YORK	NY	AST
10027	A100175208	2-601019	48 CONVENT AVE	41 CONVENT AVENUE		NEW YORK	NY	AST
10027	U003074518	2-081094	ANNUNCIATION CHURCH	48 CONVENT AVE		NYC	NY	AST
10027	U003393438	2-282707	CONVENT PROPERTIES	80 CONVENT AVE		NEW YORK	NY	AST, UST
10027	U001207055	2-603381	COLUMBIA UNIV. IN THE CITY OF NY	88 CONVENT AVE		MANHATTAN	NY	AST
10027	U003297831	2-159514	HARLEM USA	289 ENGINEERING TERRACE	**	NEW YORK	NY	MLTS
10027	U003740129	NYD986952083	7 GRACIE SQUARE CORP	2319 FREDRICK DOUGLASS BLVD. #125T1	**	NEW YORK	NY	UST
10027	U00552803	NYR000053413	NYSDOT CONTRACT D253478	7 GRACIE SQUARE	**	NEW YORK	NY	UST
10027	U001224125	NYR000038114	NYCHA - GRANT	HARLEM RIV DR 157TH ST VIADUCT	**	NEW YORK	NY	UST
10027	U004178529	00009038096	A S CLEANERS	LASALLE ST		NEW YORK	NY	RCRIS/SQG, FINDS
10027	U004070293	00007567172	Y M CLEANERS	104 LENOX AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10027	A100183439	2-606867	GORDEN S DRY CLEANER	175 LENOX AVENUE		NEW YORK	NY	FINDS
10027	U003396780	2-602884	320 LENOX AVENUE	213 LENOX AVE		NEW YORK CITY	NY	FINDS
10027	U003395215	2-4719566	406 LENOX AV	220 LENOX AVENUE	2. ENE, 0 - 1/8	NEW YORK	NY	AST
10027	U004760085	NYR000031658	GORDEN S CLEANERS	406 LENOX AV		NEW YORK	NY	AST
10027	U00425748	NYD980534192	COLUMBIA UNIVERSITY POWER HOUS	LENOX AVE	**	NEW YORK	NY	RCRIS/SQG
10027	A100153936	2-348430	530 MANHATTAN AVENUE HDFC	401 LOW LIBRARY 116 AMST E	**	NEW YORK	NY	FINDS, RCRIS/LQG
10027	S102143265	2-316237	540 MANHATTAN AV	530 MANHATTAN AVENUE	**	NEW YORK	NY	AST
10027	A100182927	2-219037	NYUST DEPARTMENT OF HEALTH	540 MANHATTAN AV	**	NEW YORK	NY	SPILLS, AST
10027	U003394456	2-453781	TRUSTEES OF COLUMBIA UNIV	MANHATTANVILLE DISTRICT HEALTH CEI	**	NEW YORK	NY	AST
10027	U003800406	2-606468	COLUMBIA UNIVERSITY TEACHERS COLL	106 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10027	U003394464	2-453870	COLUMBIA UNIVERSITY TEACHERS COLL	106 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10027	U003392589	2-200689	TRUSTEES OF COLUMBIA UNIV	106 MORNINGSIDE DRIVE		NEW YORK	NY	FINDS
10027	U001833025	2-453140	114 MORNINGSIDE DRIVE CORP	110 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10027	U003394201	2-354198	P S 36	114 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10027	A004326716	000010829292	NYC BD OF ED - PUBLIC SCHOOL 36 MAN	117 MORNINGSIDE AVE		NEW YORK CITY	NY	UST
10027	A100177988	2-605687	160-166 MORNINGSIDE AVENUE REALTY	123 MORNINGSIDE DR		NEW YORK	NY	FINDS
10027	U003394465	2-453889	TRUSTEES OF COLUMBIA UNIV	123 MORNINGSIDE DR		NEW YORK	NY	AST
10027	U003394433	2-453528	TRUSTEES OF COLUMBIA UNIV	162 MORNINGSIDE AVENUE		NEW YORK	NY	AST
10027	U003386845	2-194360	98 MORNINGSIDE INC	88 MORNINGSIDE DRIVE		NEW YORK	NY	AST
10027	U001090493	NYU005000542	NYC BD OF ED - PUBLIC SCHOOL 36 MAN	92 MORNINGSIDE AVENUE	**	NEW YORK	NY	RCRIS/SQG, FINDS
10027	U004755962	NYU0000902445	NYC BD OF ED - PUBLIC SCHOOL 36 MAN	MORNINGSIDE AVE	**	NEW YORK	NY	RCRIS/SQG
10027	U00551945	000009255464	PARKSIDE CORRECTIONAL FACILITY	MORNINGSIDE DR	**	MANHATTAN	NY	FINDS, RCRIS/LQG, UST
10027	U003764783	2-604976	PELHAM FRITZ RECREATION CENTER	10 MOUNT MORRIS PARK WEST	**	NEW YORK	NY	UST
10027	A100176524	2-606111	COMMUNITY MANAGEMENT CORP	18 MOUNT MORRIS PARK WEST	**	NEW YORK	NY	FINDS, FTTS
10027	U004196103	000009255464	PELHAM FRITZ RECREATION CENTER	24 MOUNT MORRIS PARK WEST	**	NEW YORK	NY	AST
10027	U003396940	2-602982	TERRACE APARTMENTS, INC.	1 ST NICHOLAS TERRACE	**	NEW YORK	NY	AST
10027	U003397103	2-604323	K.M. NICHOLAS CORPORATION	1 ST NICHOLAS TERRACE	**	NEW YORK	NY	AST
10027	U003712115	2-604257	NICHOLAS PARKING CORP.	2,4 ST. NICHOLAS TERR.	**	NEW YORK	NY	AST
10027	U003297751	2-190810	C & L AUTO CARE	225 ST. NICHOLAS AVE.	**	NEW YORK	NY	AST
10027	A100166721	2-604598	270 ST. NICHOLAS AVENUE HDFC	235 ST. NICHOLAS AVE.	**	NEW YORK	NY	AST, UST
10027	U001836335	2-259837	278-285 ST NICHOLAS AVE	270 ST NICHOLAS AVENUE	**	NEW YORK	NY	AST
10027	U003389204	2-297011	ALPHA REALTY CO	265 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10027	U003393849	2-346160	CITY OF N.Y. DEPT OF H.P.D	301 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10027	U003395875	2-600988	41-47 ST NICHOLAS LLC	370 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10027	U003394689	2-089729	D U FOURTH REALTY	41 ST NICHOLAS TERRACE	**	NEW YORK	NY	AST
10027	U003396255	2-601645	420 ST. NICHOLAS AVENUE	410 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10027	U003387474	2-291951	438 ST NICHOLAS AVE APT BLDG	420 ST NICHOLAS AVENUE	**	NEW YORK	NY	AST
10027	U003391528	2-399825	49 TERRACE CORPORATION	438 ST NICHOLAS AVENUE	**	NEW YORK	NY	AST
10027	U003396939	2-602981	TERRACE APARTMENTS, INC.	49 ST NICHOLAS TERRACE	**	NEW YORK	NY	AST
10027	U000981334	NYU0000968586	SHELL SERVICE STATION	5 ST. NICHOLAS AVE	**	NEW YORK	NY	RCRIS/SQG, FINDS, LTANKS
10027	A100183305	2-606724	12 OLD BROADWAY	12 OLD BROADWAY	**	NEW YORK	NY	AST
10027	S102638148	2-000146	SHELTERING ARMS	126-129 OLD BROADWAY / AMSTERDAM	**	NEW YORK	NY	CB5 AST
10027	U004225749	NYD980768818	COLUMBIA UNIVERSITY	PRESTIS HALL 632 W. 125 ST	**	NEW YORK	NY	FINDS, RCRIS/LQG
10027	U003386020	2-273945	WOODBRIEGE HALL	43T RIVERSIDE DRIVE	**	NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10027	U003383404	2-045012	440 RIVERSIDE OWNERS CORP	440 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003390434	2-453536	TRUSTEES OF COLUMBIA UNIV.	445 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003394460	2-453638	TRUSTEES OF COLUMBIA UNIV.	448 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003394436	000010797022	TRUSTEES OF COLUMBIA UNIV.	454 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U001838881	2-032840	INTERCHURCH CENTER	475 RIVERSIDE DR		NEW YORK CITY	NY	FINDS
10027	U003395318	2-482838	THE RIVERSIDE CHURCH	490 RIVERSIDE DR		NEW YORK	NY	FINDS
10027	U003394446	2-453684	INTERNATIONAL HOUSE	527 RIVERSIDE DR		NEW YORK	NY	AST
10027	U003394478	000009039076	TRUSTEES OF COLUMBIA UNIV.	527 RIVERSIDE DRIVE		NEW YORK	NY	FINDS
10027	U003394477	2-454044	TRUSTEES OF COLUMBIA UNIV.	528 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003394476	2-454028	TRUSTEES OF COLUMBIA UNIV.	530 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003394484	2-454001	TRUSTEES OF COLUMBIA UNIV.	540 RIVERSIDE DRIVE		NEW YORK	NY	FINDS
10027	U00193897	2-194468	RVR REALTY LLC	547 RIVERSIDE DRIVE		NY	NY	FINDS
10027	U003383398	2-044954	PLEASANT HOMES INC	548 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U003394435	2-453852	TRUSTEES OF COLUMBIA UNIV.	549 RIVERSIDE DRIVE		NEW YORK	NY	AST
10027	U004760193	NYR0000353562	INTERCHURCH CENTER	560 RIVERSIDE DR		NEW YORK	NY	AST
10027	U004374813	000011349648	NYCDOT BRIDGE BIN 2246669	RIVERSIDE DR OVER W 125TH ST		NEW YORK	NY	RCRIS/SQG
10027	U004755815	NY0000446062	NYCDOT BRIDGE BIN 2246669	RIVERSIDE DR OVER W 125TH ST		NEW YORK	NY	RCRIS/SQG
10027	U003392680	2-211826	K.M. NICHOLAS CORP	2 SAINT NICHOLAS TERRACE		NEW YORK	NY	FINDS
10027	U004567637	NY0002194108	MORNINGSIDE HEIGHTS HTS HO	80 LA SALLE ST		NEW YORK CITY	NY	FINDS
10027	U001839055	2-336475	MORNINGSIDE HEIGHTS HOUSING	80 LA SALLE STREET		NYC	NY	UST
10027	A00183301	2-806720	GRAHAM COURT OWNERS CORP	1809 SEVENTH AVENUE		NEW YORK	NY	AST
10027	U003394566	2-457523	SALEM UNITED METHODIST CHURCH	1825 SEVENTH AVENUE		NEW YORK	NY	AST
10027	U003390252	2-210536	SALEM UNITED METHODIST CHURCH	2090 7TH AVE		NEW YORK	NY	AST
10027	U003394105	2-607058	SALEM UNITED METHODIST CHURCH	2190 SEVENTH AVENUE		NEW YORK	NY	AST
10027	U003835992	2-469912	NORTH RIVER WATER POLLUTION CONTI	2228 SEVENTH AVENUE		NEW YORK	NY	AST
10027	S02839887	2-606869	RESIDENTIAL APARTMENT BLDG	2246 7 AVENUE		NEW YORK	NY	CRS AST
10027	U003390544	2-510823	RESIDENTIAL APARTMENT BLDG	40 TIEMANN PLACE		NEW YORK	NY	AST
10027	U003390796	2-327611	55 TIEMANN OWNERS CORPORATION	45 TIEMANN PL		NEW YORK	NY	AST
10027	U003386636	2-194115	69 TIEMANN OWNERS CORP	55 TIEMANN PLACE		NEW YORK	NY	AST
10027	U003386637	2-194123	CON ED - MH62566	69 TIEMANN PLACE		NEW YORK	NY	AST
10027	U004202883	000009342172	NAGI BAZ	BWAY 137 ST		NEW YORK	NY	FINDS
10027	U003398133	2-243159	CON ED MH 60640	1750 WEBSTER AVE		BRONX	NY	UST
10029	U004202232	000009332722	IS 50	109 ST 1 AVE		MANHATTAN	NY	FINDS
10029	U001840890	2-478407	119-121 EAST 100TH STREET	419 EAST 100 STREET		NEW YORK	NY	UST
10029	U003394962	2-470554	326-338 EAST 100TH STREET PARTNERS	119-121 EAST 100TH STREET		NEW YORK	NY	FINDS
10029	A00092196	2-601765	J.H.S. 99	338 EAST 100TH STREET		NEW YORK	NY	AST
10029	U004775451	2-605154	LEHMAN VILLAGE BLDG 13	410 EAST 100TH STREET		NEW YORK	NY	AST
10029	U003393690	000009714108	E HARLEM CHILDRENS CENTER	50 E 101 ST		NEW YORK	NY	FINDS
10029	U003390908	2-332704	E101 ST REALTY ASSOC	169-75 E 101 ST		NEW YORK	NY	AST
10029	U004231398	000009808484	173 E 101ST ST BUILDING	130 E 101 ST		NEW YORK	NY	FINDS
10029	U001841248	2-511927	METRO NORTH CONSOLIDATED	310 E 102 ST		NEW YORK	NY	UST
10029	A00183140	2-606529	119 E. 102ND STREET/HDFC	119 EAST 102ND STREET		NEW YORK	NY	AST
10029	U004188193	000009153816	ABAX INC	123 E 102ND ST		NEW YORK	NY	FINDS
10029	U000410385	2-472670	127 EAST 102ND ST CORP	127 EAST 102ND STREET		NEW YORK	NY	UST
10029	U003394948	2-470120	129-131 EAST 102ND STREET	129-131 EAST 102ND STREET		NEW YORK	NY	AST
10029	U003394949	2-217492	23RD POLICE PRECINCT	164 EAST 102ND ST		NEW YORK	NY	UST
10029	U003395899	2-601024	CITY OF N.Y. DEPT OF H.P.D.	301 EAST 102ND STREET		NEW YORK	NY	AST
10029	U00416236	2-474924	METRO NORTH HOUSES	50 E 102ND ST		MANHATTAN	NY	AST
10029	U00416236	000011942510	CARVER HOUSES	60 WEST 102ND STREET		NEW YORK	NY	UST
10029	U000410634	2-475491	NYCHA - CARVER HOUSES	102ND ST		NEW YORK	NY	FINDS
10029	U001224106	NYR000053223	NYCHA - METRO NORTH CONSOLIDATED	E 102ND ST		NEW YORK	NY	UST
10029	U004762426	NYR000096818	NYCHA - CARVER HOUSES	E 102ND ST		NEW YORK	NY	RCRIS/SQG
10029	U004762487	NYR000097436	NYCHA - CARVER HOUSES	E 102ND ST		NEW YORK	NY	RCRIS/SQG
10029	U001961536	NYR000083238	ABAX INC	E 102ND ST		NEW YORK	NY	RCRIS/SQG
10029	A00169044	2-604653	102 EAST 103RD STREET	E 102ND ST		NEW YORK	NY	AST
10029	U00089874	NY0000186338	NYCDOT BRIDGE BIN 2232180	102 EAST 103RD STREET		NEW YORK	NY	AST
10029	U003385948	2-272361	112 EAST 103RD ST	103RD ST BRIDGE OVER FDR DR		NEW YORK	NY	AST
10029	A00169043	2-604652	118 EAST 103RD STREET	112 EAST 103RD ST		NEW YORK	NY	AST
10029	A00169012	2-604609	124 EAST 103RD STREET	118 EAST 103RD ST		NEW YORK	NY	AST
10029	U000912704	NY0000902544	NYC BD OF ED - PUBLIC SCHOOL 171 MAI	124 E. 103RD ST.		NEW YORK	NY	AST
10029	A00139049	2-603973	P.S. 171-M	19 E 103RD ST		NEW YORK	NY	AST
10029	U004326718	000010829310	NYC BD OF ED - PUBLIC SCHOOL 121 MAI	19 E 103RD STREET		NEW YORK	NY	RCRIS/SQG
10029	A00183239	2-606641	EAST 104TH STREET HOUSING DEVELOP	232 E 103RD ST		NEW YORK	NY	AST
10029	U004755964	NY0000902502	NYC BD OF ED - PUBLIC SCHOOL 121 MAI	315 EAST 103RD STREET		NEW YORK	NY	FINDS
10029	U003386294	2-208078	164 EAST 104 STREET	E 103RD ST		NEW YORK	NY	RCRIS/SQG

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10029	1000644406	000007486628	NYC SCHOOL CONSTRUCTION AUTH - PS	131 E 104TH ST		NEW YORK	NY	FINDS
10029	A100178405	2-606222	PUBLIC SCHOOL 72	180 EAST 104TH STREET		NEW YORK	NY	AST
10029	A100138996	2-479994	SAN FRANCISCO ASSOCIATES LLP	21 EAST 104TH STREET		NEW YORK	NY	UST
10029	A1001832188	2-100102	SAN FRANCISCO ASSOC., LP	29 EAST 104TH STREET		NEW YORK	NY	AST
10029	A1000912699	2-601658	NY SCHOOL CONSTRUCTION AUTH - PS	E 104TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10029	A100183230	2-606631	NY SCHOOL CONSTRUCTION AUTH - PS	345 EAST 104TH STREET		NEW YORK	NY	AST
10029	A100183230	2-219185	ST. CECILIA RECTORY	125 EAST 105 STREET		NEW YORK	NY	UST
10029	U003394498	2-454389	16 E 105 ST	16 E 105 ST		NY	NY	AST
10029	U003386271	2-207446	E SUNOJ VS ALTHEIM	179 E 105 ST		NEW YORK	NY	AST
10029	U003388155	2-258105	UPTOWN PROPERTIES INC	212-14 EAST 105 ST		NEW YORK	NY	AST
10029	U001832253	2-098299	BRAINCHILD INC	26 EAST 105 ST		NEW YORK	NY	FINDS
10029	U004039917	000066917212	NYCHA - CLINTON HOUSES	107 E 105TH ST		NEW YORK	NY	AST
10029	U003800430	2-606608	APARTMENT BUILDING	175 EAST 105TH STREET		NEW YORK	NY	AST
10029	A100193994	2-454370	18 EAST 105TH STREET	18 EAST 105TH STREET		NEW YORK	NY	AST
10029	U003394897	2-469793	207-209 EAST 105TH STREET	207-209 EAST 105TH STREET		NEW YORK	NY	AST
10029	A100157606	2-478253	PARK EAST HS (495)	230 EAST 105TH STREET		NEW YORK	NY	AST
10029	A100183231	2-606631	METRO NORTH GARDENS HDFC	250 EAST 105TH STREET		NEW YORK	NY	AST
10029	U000410774	2-474878	EAST RIVER	418 EAST 105TH STREET		NEW YORK	NY	UST, LTANKS, SPILLS
10029	U001840725	2-475068	WILSON HOUSES	425 EAST 105TH STREET		NEW YORK	NY	UST
10029	U001224123	NYR000053397	NYCHA - EAST RIVER HOUSES	E 105TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U001224448	NYR000056655	NYCHA - CLINTON HOUSES	E 105TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U003392188	2-219177	MERCY CONVENT	112 E 106 ST		NEW YORK	NY	AST
10029	U003392187	2-219169	ST CECILIA CHURCH	120 E 106 ST		NEW YORK	NY	AST
10029	U003394598	2-455024	169 EAST 106TH STREET	169 EAST 106TH STREET		NEW YORK	NY	AST
10029	U001741288	NYD065209864	WIN PETER PAN CLEANERS	211 E 106TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U004573987	NYD986925378	KLEEN KING	211 E 106TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U004571379	NYD986920379	CSR CLEANERS INCORPORATED	211 E 106TH ST		NEW YORK	NY	FINDS
10029	U003178566	2-602988	SETTLEMENT HEALTH	212 EAST 106TH STREET		NEW YORK	NY	UST
10029	A100175069	2-219193	REACH CHARTER SCHOOL	220 EAST 106TH STREET		NEW YORK	NY	AST
10029	A100169011	2-604608	312 EAST 106TH STREET	312 E 106TH ST		NEW YORK	NY	AST
10029	A100183483	2-606914	314 EAST 106TH ST	314 EAST 106TH STREET		NEW YORK	NY	AST
10029	U000399259	2-291897	GETTY #00212	421 EAST 106TH STREET		NEW YORK	NY	UST
10029	U004324340	000010803814	NYC BD OF ED - PUBLIC SCHOOL 146 MAI	60 E 106TH ST		NEW YORK	NY	FINDS
10029	U003395169	2-478385	PS 146	E 106TH ST		NEW YORK	NY	AST
10029	U004222589	00009714090	LEHMAN VILLAGE BLDG 12	E 106TH ST		NEW YORK	NY	FINDS
10029	U003394429	NYD981131162	WIN CLEANERS	E 106TH ST		NEW YORK	NY	RCRIS/LQG
10029	U004759395	NYR000009522	NYC BD OF ED - PUBLIC SCHOOL 146 MAI	4 EAST 107TH STREET		NEW YORK	NY	RCRIS/SQG
10029	U001838789	2-326445	LAKEVIEW APARTMENTS	315 E 108 ST		NEW YORK	NY	UST
10029	U001833336	2-145629	315 321 E 108 ST APT HOUSE	323 E 108 ST		NEW YORK	NY	UST
10029	U003391393	2-370290	323 E 108TH ST	301 EAST 108TH STREET		NEW YORK	NY	AST
10029	A100166678	2-604537	301 EAST 108TH STREET	331-333 EAST 108TH ST		NEW YORK	NY	AST
10029	U001833620	2-292257	331-333 EAST 108TH ST NYC	70 EAST 108TH STREET		NEW YORK	NY	UST
10029	U000410793	2-475041	LEHMAN VILLAGE	240 E 109 ST		NEW YORK	NY	UST
10029	U002606677	NYD982529398	JUNIOR HIGH SCHOOL 117M	311 E 109 ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	A100168949	2-370371	311 EAST 109TH STREET	324 E 109 ST		NEW YORK	NY	AST
10029	U003396887	2-602992	324 E 109 ST	326 E 109 ST		NEW YORK	NY	AST
10029	U003391391	2-370274	326 E 109TH ST	14 EAST 109TH STREET		NEW YORK	NY	UST
10029	U001835345	2-278475	ST EDWARD THE MARTYR CHURCH	19-21 E 109TH ST		NEW YORK	NY	AST
10029	U003390417	2-290726	MULTIPLE DWELLING	219 EAST 109TH STREET		NEW YORK	NY	AST
10029	U003390417	2-353957	P.S. 83	23 EAST 109TH STREET		NEW YORK	NY	AST
10029	A100157472	2-114332	MADISON CENTRAL REALTY LLC	240 EAST 109TH STREET		NEW YORK	NY	AST
10029	U003394150	2-353833	I.S. 117	305 EAST 109TH STREET		NEW YORK	NY	AST
10029	U003391395	2-370312	307 EAST 109TH STREET	307 EAST 109TH STREET		NEW YORK	NY	AST
10029	U003391394	2-370304	ST. ANN'S CONVENT	317 EAST 109TH STREET		NEW YORK	NY	AST
10029	U003790900	2-606351	WALTERS AUTO COLLISION	339 E 109TH STREET		NEW YORK	NY	UST
10029	U004034338	NYD982189045	309 E 110TH ST	308 E 110 ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U00134223	NYD982738825	NYCTA - 186 CENTRAL INSTR RMI	110TH ST LEXINGTON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U009915909	NYD001007846	NYC DOT - 110TH STREET GRIT CHAMBER	137 EAST 110TH STREET		NEW YORK	NY	RCRIS/SQG, FINDS
10029	A100177864	2-603407	137 EAST 110TH STREET LLC	139 EAST 110TH STREET		NEW YORK	NY	AST
10029	U003392382	2-365345	HELL GATE	153 E 110TH STREET		NEW YORK	NY	AST
10029	U004324228	000010802648	AGUILAR BRANCH	174 E 110TH ST		NEW YORK	NY	FINDS
10029	U001840311	2-456977	NY PUBLIC LIBRARY - AGUILAR BRANCH-	174 EAST 110TH STREET		NEW YORK	NY	UST
10029	U003790901	2-606352	ST. ANN R.C. CHURCH/SCHOOL	E 110TH ST		NEW YORK	NY	RCRIS/SQG
10029	U002259470	2-601498	MANHATTAN GRIT CHAMBER	235 EAST 111 STREET		NEW YORK	NY	UST
10029	U003384421	2-100196	235 EAST 111 STREET REALTY CORPORA	132 EAST 111TH STREET		NEW YORK	NY	AST
10029	A100183129	2-606613	GREATER HIGHWAY DELIVERANCE TEMF	141 E 111TH ST		NEW YORK	NY	FINDS
10029	U004324337	000010803786	NYC BD OF ED - PUBLIC SCHOOL 101 MAI			NEW YORK	NY	FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10029	U003394183	2-353787	P.S. 101	141 EAST 111TH STREET		NEW YORK	NY	AST
10029	A100169042	2-604651	238 EAST 111TH STREET			NEW YORK	NY	AST
10029	U003394390	2-357723	FDNY ENGINE CO 91	242 EAST 111TH STREET		NEW YORK	NY	AST
10029	A100183081	2-606441	BOYS' CLUB OF N.Y.	321 EAST 111TH STREET		NEW YORK	NY	AST
10029	U000410783	2-474975	JEFFERSON HOUSES (REHAB. BLDG.)	335 EAST 111TH STREET		NEW YORK	NY	UST
10029	U003390524	2-151475	LAFAYETTE WAREHOUSE	400 E 111TH ST.		NEW YORK	NY	AST
10029	G000000433		CONSOLIDATED GAS CO.	420 E. 111TH ST.		NEW YORK	NY	COAL GAS
10029	NY000009498		NYC BD OF ED - PUBLIC SCHOOL 101 MAI	E 111TH ST.		NEW YORK	NY	RCRIS/SQG
10029	U004218549	000009685952	JAMES WELDON JOHNSON HOUSES	163 E 112TH ST		NEW YORK	NY	FINDS
10029	U003384216	2-095602	204 EAST 112TH ST	204 EAST 112TH ST		NEW YORK	NY	AST
10029	U000410818	2-475927	TAFT REHAB	218 WEST 112TH STREET		NEW YORK	NY	UST
10029	A100183244	2-606648	VILLA ESTATES INC.	310 EAST 112TH STREET		NEW YORK	NY	AST
10029	A100163232	2-606633	PASCAL ESTATE INC.	314 EAST 112TH STREET		NEW YORK	NY	AST
10029	U00140975	NY0900777387	NYCHA - JEFFERSON	65 E 112TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U001224126	NY0000053421	NYCHA	E 112TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U003394168	2-353485	P.S. 102	315 E 113 ST		NEW YORK	NY	UST
10029	U000403050	2-209260	OUR LADY QUEEN OF ANGELS CHURCH	232 EAST 113TH STREET		NEW YORK	NY	AST
10029	A100183069	2-604627	HOLY TABERNACLE CHURCH	407 EAST 114TH STREET		NEW YORK	NY	AST
10029	A100169037	2-604646	413-15 EAST 114TH STREET	413-15 EAST 114TH STREET		NEW YORK	NY	AST
10029	U000410789	2-478415	PS 57	176 EAST 115 STREET		NEW YORK	NY	UST
10029	U000410789	2-475017	JEFFERSON HOUSES	300 EAST 115TH STREET		NEW YORK	NY	SPILLS, UST
10029	U003394197	2-095111	GEORGE CRIOLLO	313 EAST 115TH STREET		NEW YORK	NY	AST
10029	U003394064	2-470562	424 EAST 115TH STREET, H.D.F.C.	424 EAST 115TH STREET		NEW YORK	NY	AST
10029	U003384023	2-605737	63 EAST 115 STREET	434-436 EAST 115TH STREET		NEW YORK	NY	AST
10029	U003385894	2-606877	310 E 116 ST ASSOCIATES	63 EAST 115TH STREET		NEW YORK	NY	AST
10029	U003385894	2-145599	416 EAST 116 STREET	310 E 116 ST		NEW YORK	NY	AST
10029	A100175211	2-601026	OUR LADY OF MT CARMEL CHURCH	448 EAST 116 ST		NEW YORK	NY	AST
10029	U003127693	2-110892	503 E 116 STREET	448 EAST 116 ST		NEW YORK	NY	AST
10029	A100166423	2-090875	102 EAST 116TH STREET	503 E 116 STREET		NEW YORK	NY	AST
10029	A100169038	2-604647	NYCTA - 207 CENTRAL INSTR RM	102 EAST 116TH STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U00134224	2-604650	228 EAST 116TH STREET	116TH ST LEXINGTON AVE		NEW YORK	NY	AST
10029	A100169041	2-604650	OMETZ REALTY CORP	228 EAST 116TH STREET		NEW YORK	NY	AST
10029	U003396948	2-602999	234 EAST 116TH STREET	232 E 116TH STREET		NEW YORK	NY	AST
10029	A100169040	2-604649	234 EAST 116TH STREET	232 E 116TH STREET		NEW YORK	NY	AST
10029	U003835910	2-470570	JOEL GARDEBS AS RECEIVER	234 EAST 116TH STREET		NEW YORK	NY	AST
10029	U003397229	2-603554	STANDARD GAS LIGHT CO.	451-455 EAST 116TH STREET		NEW YORK	NY	AST
10029	G000000371		G.A.P. AUTO REPAIR	462 E. 116TH ST.		NEW YORK	NY	COAL GAS
10029	U004326650	000010828586	ELITE AUTO REPAIR	511 E 116TH ST		NEW YORK	NY	FINDS
10029	U004070729	00007572494	MCQUESTON DEVELOPMENT CORP	511 EAST 116TH STREET		NEW YORK	NY	FINDS
10029	U004180545	00009064834	83 EAST 116TH STREET	67-85 E 116TH ST		NEW YORK	NY	FINDS
10029	U003712117	2-604260	EXPERT CLEANERS	83 EAST 116TH ST		NEW YORK	NY	UST
10029	U002191155	NY000077511	MCQUESTON DEVELOPMENT CORP	E 116TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U004756037	000000973669	G.A.P. AUTO REPAIR	E 116TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U004374084	000011342324	NYC BD OF ED - MANHATTAN CTR MATH	E 116TH ST		NEW YORK	NY	FINDS
10029	U004759403	NY000009605	NYC BD OF ED - MANHATTAN CTR MATH	E 116TH ST & FDR DR		NEW YORK	NY	RCRIS/SQG
10029	U003652023	2-603631	TAFT REHAB (MANAGEMENT BY ROSENB)	E 116TH ST & FDR DR		NEW YORK	NY	FINDS
10029	U000410785	2-474963	JEFFERSON HOUSES	201-3 WEST 117TH STREET		NEW YORK	NY	RCRIS/SQG
10029	A100194203	2-607172	245 EAST 119TH STREET	306 EAST 117TH STREET		NEW YORK	NY	UST
10029	U003652024	2-603632	TAFT REHAB (MANAGEMENT BY ROSENB)	245 EAST 117TH STREET		NEW YORK	NY	UST
10029	U000410901	2-475149	JACKIE ROBINSON	245 EAST 119TH STREET		NEW YORK	NY	SPILLS, UST
10029	U001840718	2-474959	JACKIE ROBINSON	95 WEST 119TH STREET		NEW YORK	NY	UST
10029	U003835933	2-601069	252 W 149 ST	120 EAST 123RD STREET		NEW YORK	NY	UST
10029	U001840638	2-473103	JACKSON HOUSES	110 EAST 129TH STREET		NEW YORK	NY	UST, LTANKS, SPILLS
10029	U003392598	2-200786	403 EAST 70TH STREET	252 W 149 ST		NEW YORK	NY	UST
10029	U0033241820	2-333840	40 EAST 97TH STREET AKA 1227 MADISO	300 EAST 158TH STREET		NEW YORK	NY	UST
10029	U003386217	2-206024	301 EAST 91ST ST	403 EAST 70TH STREET		NEW YORK	NY	AST
10029	U003392562	2-211486	53 EAST 98TH STREET	40 EAST 89TH STREET		NEW YORK	NY	UST
10029	U003392562	2-211451	53 E 97TH ST	301 EAST 91ST ST		NEW YORK	NY	AST
10029	U003393738	2-606172	AMERICAN APARTMENTS	53 EAST 98TH STREET		NEW YORK	NY	AST
10029	A100177575	2-059673	109E. 97 TH STREET	51 E 97 ST		NEW YORK	NY	AST
10029	U003384055	2-061175	ST. FRANCIS DE SALES SCHOOL	53 EAST 97 STREET		NEW YORK	NY	AST
10029	U003383724	2-061417	BELL ATLANTIC	108 E. 97TH ST.		NEW YORK	NY	AST
10029	U004077640	000007672366	BELL ATLANTIC	133 EAST 97TH STREET		NEW YORK	NY	AST
10029	U003074754	2-344893	BELL ATLANTIC	151 E 97TH ST		NEW YORK	NY	FINDS
10029	A100175224	2-601051	154 EAST 97TH STREET	151 EAST 97TH STREET		NEW YORK	NY	UST
10029	A100175225	2-601053	156 EAST 97TH STREET	151 EAST 97TH STREET		NEW YORK	NY	UST
10029	U003395393	2-509698	160 EAST 97TH STREET	154 EAST 97TH STREET		NEW YORK	NY	AST
10029	U003396772	2-602670	SEVENTEEN EAST NINETY-SEVENTH COI	156 EAST 97TH STREET		NEW YORK	NY	AST
10029	U003387654	2-315648	24 EAST 97TH STREET	160 EAST 97TH STREET		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10029	U003382665	2-211516	52-58 EAST 97TH STREET	52-58 EAST 97TH STREET		NY	NY	AST
10029	U003382667	2-211540	60 EAST 97TH STREET	60 EAST 97TH STREET		NY	NY	AST
10029	U003392664	2-211508	68 EAST 97TH STREET	68 EAST 97TH STREET		NY	NY	AST
10029	U003392666	2-211524	69 EAST 97TH STREET	69 EAST 97TH STREET		NY	NY	AST
10029	U003392663	2-211494	72 EAST 97TH ST	72 EAST 97TH ST		NEW YORK	NEW YORK	AST
10029	U003385570	2-148393	9 EAST 97 STREET OWNERS CORP	9 EAST 97 STREET		NEW YORK	NEW YORK	AST
10029	U004760973	2-604972	NORTH MEADOW EAST	97TH ST, TRANSVERSE ROAD (CENTRAL	**	NEW YORK	NEW YORK	UST
10029	U004760977	NYR0000067421	BELL ATLANTIC	E 97TH ST		NEW YORK	NEW YORK	RCRIS/SQG
10029	U001128070	2-211435	JANE B ARON RESIDENCE HALL	50 E 98 ST		NEW YORK	NEW YORK	UST
10029	A100139007	2-603902	16 EAST 98TH ST. OWNERS CORP.	16 EAST 98TH ST.		NEW YORK	NEW YORK	UST
10029	U004648025	NYD987013687	ST. BERNARDS	4 EAST 98TH ST.		NEW YORK	NEW YORK	FITTS
10029	U001575557	2-322873	ST. BERNARDS	4 EAST 98TH ST.		NEW YORK	NEW YORK	FINDS
10029	U003385664	2-154407	153 E. 99TH STREET	153 E 99 ST		NEW YORK	NEW YORK	AST
10029	U003383942	2-470157	153 E 99TH ST	153 E 99TH ST		NEW YORK	NEW YORK	AST
10029	U004324338	000010803796	NYC BD OF ED - PUBLIC SCHOOL 109 MAI	163-165 EAST 99TH STREET		NEW YORK	NEW YORK	AST
10029	U001840896	2-478512	PS 109	215 E 99TH ST		NEW YORK	NEW YORK	FINDS
10029	U003312840	2-455733	NYC DEPT. OF SANITATION	215 EAST 99TH STREET		NEW YORK	NEW YORK	UST
10029	G000000368	NYR0000009506	CONSOLIDATED GAS CO.	343 EAST 99TH STREET		NEW YORK	NEW YORK	COAL GAS
10029	93301249	2-091766	22 AND 26 E 109 ST BETWEEN MADISON /	E 99TH ST	**	NEW YORK	NEW YORK	ERNS
10029	U001398778	2-357820	FRAWLEY PLAZA ASSOCIATION	1295 5TH AVE (1660 MADISON AVE)		NEW YORK	NEW YORK	UST
10029	U001840097	NYD980786511	ENGINE COMPANY 58	1367 5TH AVE		NEW YORK	NEW YORK	UST
10029	U00136862	2-600575	ENGINE COMPANY 53	1782 3RD AVE		NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	A100194051	2-800575	ENGINE COMPANY 53	1836 3RD AVE		NEW YORK	NEW YORK	AST
10029	U003395684	NYD077718948	EL BARIO CLEANERS	1836 3RD AVE		NEW YORK	NEW YORK	UST
10029	U00161891	2-207438	RICHARD EBERTHART	1848 3RD AVE		NEW YORK	NEW YORK	RCRIS/SQG, FINDS
10029	U003366270	NYD982278707	LE TRIOMPHE CLEANERS INC	1869 2ND AVE		NY	NY	AST
10029	U000419854	NYD982192214	HANEE CLEANERS DBA REFAEL CLEANE!	1871 2ND AVE		NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	U000201899	NYD061204319	METROPOLITAN HOSPITAL CENTER	1ST AVE		NEW YORK	NEW YORK	FINDS, RCRIS/LOG, LTANKS,
10029	U00367822	NYR000091496	NYCHA - JEFFERSON HOUSES	1ST AVE		NEW YORK	NEW YORK	SPILLS
10029	U001432804	NYD986757983	R S STRAUSS	2005-07 3RD AVE		NEW YORK	NEW YORK	RCRIS/SQG
10029	U002800083	NYD066899150	HARLEM CLEANERS	2008 3RD AVE		NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	U004260866	00010139034	HARLEM CLEANERS	2008 3RD AVE		NEW YORK	NEW YORK	FINDS
10029	U002278686	NYD982277053	A B FABRICARE CORP	2039 2ND AVE		NEW YORK	NEW YORK	RCRIS/SQG, FINDS
10029	U00548169	NYD980235170	NYCHA - WILSON	2040 1ST AVE		NEW YORK	NEW YORK	RCRIS/SQG, FINDS
10029	U00443029	NYD982536963	BENZAMIN FRENCH CLEANER INC	2059 2ND AVE		NEW YORK	NEW YORK	RCRIS/SQG, FINDS
10029	U004260873	00010139888	K D C FRENCH CLEANERS INC	2059 2ND AVE		NEW YORK	NEW YORK	FINDS
10029	U004323486	000010794894	NYCHA - JEFFERSON HOUSES	2089 3RD AVE		NEW YORK	NEW YORK	FINDS
10029	U003391392	2-370282	2108 2ND AVE	2108 2ND AVE		NY	NY	AST
10029	U00106403	NYD980781330	K T CHANG DRY CLEANERS	2113 3RD AVE		NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	U004222555	00009713706	RESIDENTIAL BUILDING	2175 1ST AVE		NEW YORK	NEW YORK	FINDS
10029	U0009713912	00009713912	JEFFERSON HOUSES BLDG 7	2185 1ST AVE		NEW YORK	NEW YORK	FINDS
10029	U004322573	00010783760	NYCHA JEFFERSON HOUSES	2205 1ST AVE		NEW YORK	NEW YORK	FINDS
10029	U004322402	00009713922	JEFFERSON HOUSES BLDG 17	2237 2ND AVE		NEW YORK	NEW YORK	FINDS
10029	U004222574	00009713922	K D C FRENCH CLEANERS INC	2ND AVE	**	NEW YORK	NEW YORK	FINDS
10029	U004756382	NYR000093435	NYCHA - WASHINGTON HOUSES	2ND AVE	**	NEW YORK	NEW YORK	RCRIS/SQG
10029	U004762090	NYR000093435	NYCHA - WASHINGTON HOUSES	2ND AVE	**	NEW YORK	NEW YORK	RCRIS/SQG
10029	U004762803	NYR000100628	FRANKLIN PLAZA APT INC	2ND AVE	**	NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	U001229358	NYR000059295	MITA NYCT - 2ND AVENUE TUNNEL	3RD AVE	**	NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	U004760434	NYR0000444883	YORKVILLE CLEANERS	3RD AVE	**	NEW YORK	NEW YORK	RCRIS/SQG
10029	U004760444	NYR000045195	NYCHA - TAFT	5TH AVE	**	NEW YORK	NEW YORK	RCRIS/SQG
10029	U001224093	NYR000053090	FLOWER HOSPITAL	5TH AVE 106TH ST		NEW YORK	NEW YORK	FINDS
10029	U004361192	2-605844	TOGON REALTY CORP	2129 2ND AVE.		NEW YORK	NEW YORK	FINDS, RCRIS/LOG
10029	A100178104	2-000243	THOMAS JEFFERSON POOL AND BATHHC	1249 5 AVENUE		NEW YORK	NEW YORK	AST
10029	S102641494	00006803290	TERENCE CARDINAL COOKE HEALTH CAI	1367 5TH AVENUE		NEW YORK	NEW YORK	FINDS
10029	U000416793	2-475025	TAFT	1760 3RD AVENUE		NEW YORK	NEW YORK	SPILLS, UST
10029	U000410791	2-475025	F. NIGHTINGALE HEALTH CENTER	1773 3RD AVENUE		NEW YORK	NEW YORK	UST
10029	U003312835	NYD986874824	NYCHA-LEXINGTON	1774 3RD AVENUE		NEW YORK	NEW YORK	FINDS
10029	U002034294	2-601952	LEXINGTON HOUSES (WASHINGTON/LEX.	1845 7TH AVENUE	**	NEW YORK	NEW YORK	AST, UST, LTANKS
10029	A100175296	2-602182	CENTRAL PARK NORTH LLC	1851 7TH AVENUE		NEW YORK	NEW YORK	AST
10029	U00175297	2-602183	CENTRAL PARK NORTH LLC	1955 7TH AVENUE		NEW YORK	NEW YORK	AST
10029	U003065864	2-475181	WASHINGTON HOUSES	2232 1ST AVENUE		NEW YORK	NEW YORK	AST
10029	U003394971	2-470236	MOJANT SINAI HOSPITAL	5TH AVENUE EAST 101ST STREET		MANHATTAN	MANHATTAN	AST
10029	U004048443	000007191312	1158 FIFTH AVENUE INC	1158 FIFTH AVENUE		NEW YORK	NEW YORK	FINDS
10029	U003386502	2-112976	FIFTH AVE DEVELOPMENT CO	1165 FIFTH AVE		NEW YORK	NEW YORK	AST
10029	U004004651	NYD980647333	TWO EAST 96 ST CO INC	1165 FIFTH AVENUE		NEW YORK	NEW YORK	AST, FINDS, RCRIS/LOG
10029	U003385185	2-112964	1170 FIFTH AVENUE CORP	1170 FIFTH AVENUE		NEW YORK	NEW YORK	AST
10029	U003385186	2-113018				NEW YORK	NEW YORK	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10029	U001832311	2-114316	BRISBANE HOUSE INC	1215 FIFTH AVENUE		NEW YORK CITY	NY	UST
10029	U001836803	2-160555	N Y ACADEMY OF MEDICINE	1216 FIFTH AVENUE		NEW YORK	NY	UST, UST
10029	U003074617	2-400114	T CARDINAL COOKE HEALTH CARE C	1249 FIFTH AVENUE		NEW YORK	NY	UST
10029	U001833901	2-240214	THE TWELVE SEVENTY FIFTH AVENUE CC	1270 FIFTH AVENUE		MANHATTAN	NY	UST
10029	U003396114	2-601293	METROPOLITAN HOSPITAL	1274 FIFTH AVENUE		NEW YORK	NY	AST
10029	G000000369	NYD982723108	STANDARD GAS CO.	1901 FIRST AVENUE		NEW YORK	NY	SPILLS, UST
10029	U003128220	2-600698	2109 1ST AVE REALTY CORP.	2100 FIRST AVENUE		NEW YORK	NY	AST, RCRIS/SQG
10029	G000000372	2-326798	CONSOLIDATED GAS CO.	2109 FIRST AVENUE		NEW YORK	NY	COAL GAS
10029	U001838802	2-452785	1199 HOUSING CORPORATION	2120 FIRST AVENUE		NEW YORK	NY	UST
10029	U003074816	2-452785	NORTHSIDE OPERATIONS CENTER	2130-2135 FIRST AVE.		NEW YORK	NY	COAL GAS
10029	G000000370	NYD981562788	CONSOLIDATED GAS CO.	2142 FIRST AVENUE		NEW YORK	NY	UST
10029	96486556	NYD981562788	CON EDISON - EAST 110TH ST SERVICE C	FIRST AVE		NEW YORK	NY	AST, UST
10029	U003153124	2-047538	GAYLORD WHITE HOUSES 2029 2ND AVE	1503 LEXINGTON AVENUE	**	NEW YORK	NY	COAL GAS
10029	U003521728	NYD058302266	THE MOUNT SINAI MEDICAL CENTER	1 GUSTAVE L LEVY PL		NEW YORK	NY	SPILLS, FINDS, RCRIS/LQG
10029	U001838024	2-219002	MOUNT SINAI MEDICAL CENTER THE	1 GUSTAVE L LEVY PL		NEW YORK	NY	ERNS
10029	U00248567	NYD981185440	NYC DEPARTMENT OF HEALTH	EAST HARLEM DISTRICT HEALTH CENTE1		NEW YORK	NY	AST, UST
10029	U00177883	2-600556	EDDIES CLEANERS	1503 LEXINGTON AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U004083885	000007880236	1504 LEXINGTON AVENUE	1503 LEXINGTON AVENUE		NEW YORK	NY	UST
10029	U00140960	NYD980642227	NYC HOUSING AUTH	1539 LEXINGTON AVENUE		NEW YORK	NY	FINDS
10029	S102640563	2-000280	NYCCTA	1539 LEXINGTON AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U003074375	2-190020	100 STREET BUS DEPOT	1553 LEXINGTON AVENUE		NEW YORK	NY	CBS AST
10029	A100169014	2-604611	100TH STREET BUS DEPOT	1553 LEXINGTON AVENUE		NEW YORK	NY	AST, UST, LTANKS
10029	A100168015	2-604612	1569 LEXINGTON AVENUE	1569 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	A100169013	2-604610	1575 LEXINGTON AVENUE	1575 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	U001833708	2-208469	1590 LEXINGTON AVENUE	1590 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	U003386230	2-206180	AMOCO SERVICE STATION	1621 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	U003397360	2-206172	1621 LEXINGTON AVENUE	1621 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	U004061149	2-603687	1636-42 LEXINGOTN AVENUE, LLC	1636 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	A100175477	2-605184	104TH LEXINGTON CLEANERS	1642 LEXINGTON AVENUE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U003387071	2-287865	JULIA DE BURGOS CULTURAL CENTER	1680 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	A100157594	2-474967	1759-73 LEXINGTON AVE	1759-73 LEXINGTON AVE		NEW YORK	NY	AST
10029	U001203058	2-474967	LEXINGTON NORTH REALTY, LTD.	1774 LEXINGTON AVENUE		NEW YORK CITY	NY	AST
10029	A100177381	NYD9868983668	JOHNSON HOUSES	1809 LEXINGTON AVENUE		NEW YORK	NY	AST
10029	A100177979	2-605677	NYCHA - JOHNSON HOUSES	1844 LEXINGTON AVENUE		NEW YORK	NY	SPILLS, UST, TSCA
10029	U000900366	NYR000003459	1860-1862 LEXINGTON AVE REALTY LLC	1862 LEXINGTON AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U001090500	NYU000500617	NYC ECONOMIC DEVELOPMENT CO	LEXINGTON AVE		NEW YORK	NY	AST
10029	U001224127	NYR000053439	1599 LEXINGTON AVENUE	LEXINGTON AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U001482794	NYR000068676	NYCHA - JOHNSON HOUSES	LEXINGTON AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U004763033	NYR000102939	NYC HOUSING AUTH	LEXINGTON AVE		NEW YORK	NY	RCRIS/SQG
10029	S103517619	2-211478	1391 MADISON AVE	1391 MADISON AVE		NEW YORK	NY	SPILLS, AST
10029	U003392659	2-354015	1411 MADISON AVE	1411 MADISON AVE		NEW YORK	NY	AST
10029	U003394194	2-354015	I.S. 43	1573 MADISON AVE		NEW YORK	NY	AST
10029	U003030986	2-400211	106 STREET FRENCH DRY CLEANERS	1580 MADISON AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U001841326	2-600162	LAKEVIEW APARTMENTS	1600 MADISON AVENUE		NEW YORK	NY	UST
10029	U00409350	000008984656	VILLA HERMOSA APTS	1609 MADISON AVENUE		NEW YORK	NY	FINDS
10029	U00409350	2-353795	NYC BD OF ED - PUBLIC SCHOOL 108 MAI	1615 MADISON AVE		NEW YORK	NY	FINDS
10029	U004326288	000010824566	W BROS DRY CLEANERS HONG CO	1644 MADISON AVE		NEW YORK	NY	UST
10029	U000693810	NYD986999316	MADISON CLEANERS	1716 MADISON AVE		NEW YORK	NY	FINDS
10029	U000117339	NYD980235048	NYCHA - TAFT HOUSES	1644 MADISON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U001489047	NYR000009472	NYC BD OF ED - PUBLIC SCHOOL 108 MAI	1740 MADISON AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10029	U004756554	NYD162381768	W BROS DRY CLEANERS HONG CO	MADISON AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10029	U00412089	2-600375	NYC DEPT OF PARKS & RECREATION	MADISON AVE		NEW YORK	NY	RCRIS/SQG
10029	U004202773	000009341034	CON ED - MH 39122	NORTH MEADOWS COMPLEX (CENTRAL I		NEW YORK	NY	UST
10029	U001840730	2-475130	131 ST. NICHOLAS AVENUE (TAFT)	NEC 107 ST. LEXINGTON AVE		MANHATTAN	NY	FINDS
10029	U003387960	2-315559	1240 PARK AVE	131 ST. NICHOLAS AVE.		NEW YORK	NY	UST, LTANKS
10029	A100182986	2-211419	THE BAUM-ROTHSCHILD STAFF PAVI	1249 PARK AVE		NEW YORK	NY	AST
10029	U00182986	2-600972	1287 PARK AVENUE	1287 PARK AVENUE		NEW YORK	NY	AST
10029	U002170650	2-602096	CLINTON	1405 PARK AVENUE		NEW YORK	NY	UST
10029	U004222588	000009714080	LEHMAN VILLAGE BLDG II	1485 PARK AVENUE		NEW YORK	NY	FINDS
10029	U001840711	2-474835	CLINTON	1630 PARK AVENUE		NEW YORK	NY	UST, LTANKS
10029	U003393642	2-340480	1630 PARK AVE ASSOCIATES	1485 PARK AVENUE		NEW YORK	NY	AST
10029	U004202827	000009341584	CON ED - TM 1301	1630 PARK AVENUE		NEW YORK	NY	UST, LTANKS
10029	U003395310	2-482579	291 PLEASANT AVENUE	PARK PL ALBANY AVE		NEW YORK	NY	FINDS
10029	U004566787	NY0001416049	NYC-HA WASHINGTON HOUSES	291 PLEASANT AVENUE		BRCKLYN	NY	AST
10029	U000410795	2-475076	WHITE HOUSES	1955 SECOND AVENUE		NEW YORK	NY	FINDS
10029	U003385762	2-250538	MR JAMES PARKER	2029 SECOND AVENUE		NEW YORK CITY	NY	UST
10029	U003385762	2-250538	MR JAMES PARKER	2033 SECOND AVENUE		NEW YORK	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10029	1004076918	000007659674	FRANKLIN PLAZA APARTMENTS	2085 SECOND AVENUE	**	NEW YORK	NY	FINDS
10029	1001831520	2-054879	FRANKLIN PLAZA ARTS INC	2085 SECOND AVENUE		NEW YORK	NY	UST, LTANKS
10029	1000243214	NYD039587514	MUCHO MUCHO NATIONAL BANK EAST HA	2176 SECOND AVENUE		NEW YORK	NY	FINDS, RCRIS/LOG
10029	1007833492	2-273864	NEW YORK NATIONAL BANK EAST HA	2256 SECOND AVENUE	**	NEW YORK	NY	UST
10029	1004202276	000009333448	CON ED - YORK 96	SWC PALADINO 1 AVE	**	NEW YORK	NY	FINDS
10029	1000260923	000010139398	UPPER YORKVILLE CLEANERS	1786 THIRD AVE	**	NEW YORK	NY	UST
10029	1003740224	2-604599	HOLY AGONY CHURCH	1834 THIRD AVENUE	**	NEW YORK	NY	UST
10029	1003385151	2-097683	FIGORT REALTY CORP	1912 THIRD AVENUE	**	NEW YORK	NY	UST
10029	1001178050	2-605770	MORTLEN REALTY CORP	1950 THIRD AVENUE	**	NEW YORK	NY	UST
10029	1000869871	NY0000186304	NYC DOT BRIDGE BIN 2240620	WARDS ISLAND BRIDGE OVER		NEW YORK	NY	RCRIS/SQG, FINDS
10030	1001175173	2-600941	132 WEST 133 STREET	132 WEST 133 STREET		NEW YORK	NY	AST
10030	1003395861	2-600986	CITY OF N.Y. DEPARTMENT OF H.P.D	142 WEST 133 STREET		NEW YORK	NY	AST
10030	1001183173	2-606585	ALEM ENTERPRISES INC.	101 WEST 133RD STREET		NEW YORK	NY	AST
10030	1003074802	2-357801	F.D.N.Y. ENG 59	111 WEST 133RD STREET		NEW YORK	NY	AST, UST
10030	1001163407	2-606855	119 WEST 133 STREET	119 WEST 133RD STREET		MANHATTAN	NY	AST
10030	1003835908	2-470376	123 WEST 133RD STREET	123 WEST 133RD STREET		NEW YORK	NY	AST
10030	1003835917	2-471399	125 WEST 133RD STREET	125 WEST 133RD STREET		NEW YORK	NY	UST
10030	1003395049	2-471372	167 WEST 133RD STREET	167 WEST 133RD STREET		NEW YORK	NY	UST
10030	1001838068	2-237477	204.206 WEST 133RD ST NYC	204.206 WEST 133RD STREET		NEW YORK	NY	UST
10030	1000399201	2-252387	ST PHILLIP SENIOR HOUSE	220 W 133RD ST		NEW YORK CITY	NY	UST
10030	1001175172	2-600939	108 WEST 134 STREET	108 WEST 134 STREET		NEW YORK	NY	UST
10030	1003835922	2-600982	114 WEST 134 STREET	114 WEST 134 STREET		NEW YORK	NY	UST
10030	100175171	2-600938	124 WEST 134 STREET	124 WEST 134 STREET		NEW YORK	NY	UST
10030	1001233066	NYR000061259	MTA NYCT - RIVERSIDE DRIVE LOT	134TH ST & 12TH AVE	**	NEW YORK	NY	FINDS, RCRIS/LOG
10030	1003394208	2-354139	P. S. 175	175 WEST 134TH STREET		NEW YORK	NY	AST
10030	1003394180	2-353760	P. S. 92	222 WEST 134TH STREET		NEW YORK	NY	AST
10030	1003394998	2-470783	237 WEST 134TH STREET	237 WEST 134TH STREET		NEW YORK	NY	AST
10030	1001832555	2-606669	319 WEST 134TH STREET	319 WEST 134TH STREET		NEW YORK	NY	AST
10030	1003385446	2-189901	HARLEM YMCA MAIN BLDG	180 WEST 134TH STREET		NEW YORK	NY	AST
10030	1003385447	2-189928	HARLEM YMCA	181 WEST 135TH STREET		NEW YORK	NY	AST
10030	1003395072	2-471879	185 WEST 135TH STREET	185 WEST 135TH STREET		NEW YORK	NY	AST
10030	1003395071	2-471860	187 WEST 135TH STREET	187 WEST 135TH STREET		NEW YORK	NY	AST
10030	1001576697	2-604340	135 STREET RENAISSAN	201 WEST 135TH STREET		NEW YORK	NY	AST
10030	1003835909	2-470422	211 WEST 135TH STREET	211 WEST 135TH STREET		NEW YORK	NY	UST
10030	1002258805	2-342815	32ND PCT	250 WEST 135TH STREET		NEW YORK	NY	UST
10030	1001829898	2-600984	521 WEST 135 STREET	521 WEST 135TH STREET		NEW YORK	NY	UST
10030	1003395069	2-471844	170-172 WEST 136TH STREET	170-172 WEST 136TH STREET		NEW YORK	NY	AST
10030	1001632778	2-606980	122 WEST 137 STREET	122 WEST 137 ST		NEW YORK	NY	AST
10030	1003395833	2-600958	131 W 137 ST	131 W 137 ST		NEW YORK	NY	AST
10030	1003395832	2-341231	CITY OF N.Y. DEPARTMENT OF H.P.D	174 WEST 137 STREET		NEW YORK	NY	AST
10030	1003393672	2-341231	PROPERTY SALVAGE CORP	179 W 137 ST		NEW YORK	NY	AST
10030	1003394364	2-356824	HARLEM TEAMS FOR SELF-HELP INC	118-120 W 137TH STREET		NEW YORK	NY	AST
10030	1001833290	2-606707	138 WEST 137TH STREET REALTY CORP.	138 WEST 137TH STREET		NEW YORK	NY	AST
10030	1003394941	2-470384	117 W 138 ST	117 W 138 ST		NEW YORK	NY	AST
10030	1003835919	2-600957	104 WEST 138TH STREET	104 WEST 138TH STREET		NEW YORK	NY	AST
10030	1003395064	2-471437	BARCELONA REALTY CORP.	107 WEST 138TH STREET		NEW YORK	NY	AST
10030	1001832326	2-606637	112 WEST 138TH STREET	112 WEST 138TH STREET		NEW YORK	NY	AST
10030	1003396433	2-602069	128 WEST 138 STREET HDPC	128 WEST 138TH STREET		NEW YORK	NY	AST
10030	1003394796	2-084836	NYCTA - 263 CENTRAL INSTR RM	138TH ST LEXINGTON AVE	**	NEW YORK	NY	FINDS, RCRIS/LOG
10030	1000134227	NYD982738866	VENTURE REALTY INC.	100 WEST 139 STREET		NEW YORK	NY	UST
10030	1001939982	2-360015	106 W 139 ST	106 W 139 ST		NEW YORK	NY	UST
10030	1003835927	2-600982	126 WEST 139TH STREET	126 WEST 139 ST		NEW YORK	NY	UST
10030	1001666005	2-259969	141-153 W 139 ST	141-153 W 139 ST		NEW YORK	NY	UST
10030	1003384192	2-085022	PRIFOO CORP	144 W 139 ST		NEW YORK	NY	AST
10030	1003393239	2-325783	100 WEST 139TH STREET	100 WEST 139TH STREET		NEW YORK	NY	AST
10030	1004188191	000009153798	ABAX INC	118 W 139TH ST APT 2W		NEW YORK	NY	AST
10030	1003835918	2-471402	118 WEST 139TH STREET	118 WEST 139TH STREET		NEW YORK	NY	FINDS
10030	1003835916	2-471380	132 WEST 139TH STREET	132 WEST 139TH STREET		NEW YORK	NY	UST
10030	1003396251	2-206547	ROW PLAZA	272 WEST 139TH ST		NEW YORK	NY	UST
10030	1001961534	NYR000063212	ABAX INC	W 139TH ST APT 2W		NEW YORK	NY	RCRIS/SQG, FINDS
10030	1003395831	2-600986	CITY OF N.Y. DEPARTMENT OF H.P.D	222 W 140 ST		NEW YORK	NY	AST
10030	1003395830	2-600955	CITY OF N.Y. DEPARTMENT OF H.P.D	229 W 140 ST		NEW YORK	NY	AST
10030	1003127874	2-196525	101 WEST 140TH STREET	101 WEST 140TH STREET		NEW YORK	NY	AST, UST
10030	1003652072	2-603998	DREW HAMILTON (P.S. 139 CONVERSION	120 WEST 140TH STREET		NEW YORK	NY	UST
10030	1001833300	2-606719	133 WEST 140 STREET	133 WEST 140TH STREET		NEW YORK	NY	AST
10030	1003392248	2-271519	142 N 140TH ST	142 W 140TH ST		NEW YORK	NY	AST
10030	1001829233	2-205117	MAXWELL REALTY	143 WEST 140TH STREET		NEW YORK	NY	AST
10030	1003397189	2-603463	STRIVER 140 LLC	143 WEST 140TH STREET		NEW YORK	NY	AST
10030	1003395097	2-471674	161-169 WEST 140TH STREET	161-169 WEST 140TH STREET		NEW YORK	NY	AST
10030	1000137795	NYD981562317	RAYS CLEANERS	200 W 140TH ST		NEW YORK	NY	FINDS, RCRIS/LOG
10030	1003394955	2-470473	206 WEST 140TH STREET	206 WEST 140TH STREET		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10030	A100183097	2-606464	208 WEST 140TH STREET	208 WEST 140TH STREET		NEW YORK	NY	AST
10030	U003394953	2-470465	211 WEST 140TH STREET	211 WEST 140TH STREET		NEW YORK	NY	AST
10030	U003394958	2-470503	214 WEST 140TH STREET	214 WEST 140TH STREET		NEW YORK	NY	AST
10030	A100175442	2-365424	UNITED STATES POSTAL SERVICE/COLLE	217 WEST 140TH ST		NEW YORK	NY	AST
10030	U004568433	NY3180000140	USPS/COLLEGE STATION	230 WEST 140TH STREET		NEW YORK	NY	FINDS
10030	U003397211	2-603503	230 WEST 140TH STREET	233 WEST 140TH STREET		NEW YORK	NY	AST
10030	A100183502	2-606936	231-235 W 140 ST	274 WEST 140TH STREET		NEW YORK	NY	AST
10030	A100183115	2-606491	ALMA PERKINS/SYLVA STUKES	301 WEST 140TH ST		NEW YORK	NY	AST
10030	U003394704	0000108004402	2-472506	274 WEST 140TH STREET		NEW YORK	NY	AST
10030	U003394397	2-353868	NYC BD OF ED - PUBLIC SCHOOL 123 MAI	NYC BD OF ED - PUBLIC SCHOOL 123 MAI		NEW YORK	NY	FINDS
10030	U003394153	2-471356	P. S. 123	604 WEST 140TH STREET		NEW YORK	NY	AST
10030	U003395047	2-471356	NYC BD OF ED - PUBLIC SCHOOL 123 MAI	W 140TH ST	**	NEW YORK	NY	RCRIS/SQQ
10030	A100175170	2-600937	108 W 141 ST	108 W 141 ST		NEW YORK	NY	AST
10030	U003107149	2-335150	G & F HOLDING COMPANY	127 WEST 141 STREET		NEW YORK	NY	AST
10030	A100183402	2-335142	G & F HOLDING CO	137 W 141 ST		NEW YORK	NY	AST
10030	A100175178	2-600953	152 WEST 141 STREET	152 WEST 141 ST		NEW YORK	NY	AST
10030	U003386749	2-246859	GAP REALTY ASSOCIATES	166 W 141 ST		NEW YORK	NY	AST
10030	A100183560	2-606999	GALIL REALTY LLC	162 WEST 141 ST		NEW YORK	NY	AST
10030	U004188195	000009153836	ABAX INC	164 W 141 ST		NEW YORK	NY	AST
10030	U003394622	2-116246	109 WEST 141ST STREET	108-18 W 141ST ST APT 67		NEW YORK	NY	FINDS
10030	U003394856	2-472832	111-115 WEST 141ST STREET	109 WEST 141ST STREET		NEW YORK	NY	AST
10030	U003835906	2-470155	154-158 WEST 141ST STREET	111-115 WEST 141ST STREET		NEW YORK	NY	AST
10030	A100182982	2-600952	PRESTIGE REALTY ASSOCIATES LLC	154-158 WEST 141ST STREET		NEW YORK	NY	AST
10030	U003800445	2-600691	CHURCH OF ST. CHARLES BORRONEO	208 WEST 141ST STREET		NEW YORK	NY	AST
10030	A100182966	2-470414	PRESTIGE REALTY ASSOCIATES LLC	211 WEST 141ST STREET		NEW YORK	NY	AST
10030	U003395011	2-470996	230 WEST 141ST STREET	212 WEST 141ST STREET		NEW YORK	NY	AST
10030	U001961538	NYR000083253	ABAX INC	230 WEST 141ST STREET		NEW YORK	NY	AST
10030	A100175177	2-600951	131 W 142 ST	W 141ST ST APT 67		NEW YORK	NY	AST
10030	A100182881	2-600950	135 WEST 142 STREET	131 W 142 ST		NEW YORK	NY	AST
10030	U003396954	2-602800	148 WEST 142ND REALTY ASSOCIATES	135 WEST 142ND STREET		NEW YORK	NY	AST
10030	U003800446	NYD980284314	NYCHA-DREW HAMILTON	148 WEST 142ND STREET		NEW YORK	NY	AST
10030	A100183351	2-606692	ST. CHARLES BORRONEO SCHOOL	210 WEST 142ND ST		NEW YORK	NY	FINDS
10030	A100183204	2-606772	300 WEST 142 ST	214 WEST 142ND STREET		NEW YORK	NY	AST
10030	U003395855	2-600697	CITY OF N.Y DEPARTMENT OF H.P.D	300 WEST 142ND STREET		NEW YORK	NY	AST
10030	U001839077	2-337056	661-667 LENOX (AKA) 101 W 143RD	318 WEST 142ND STREET		NEW YORK	NY	AST
10030	U000401309	2-474851	DREW HAMILTON	115 W 143 ST		NEW YORK	NY	AST
10030	U003396905	2-257281	HARLM INTERFAITH HOUSES	101 W 143RD ST		NEW YORK	NY	AST
10030	U003386310	2-602920	532-536 WEST 143RD STREET REALTY CC	200 WEST 143RD STREET		NEW YORK	NY	AST
10030	U003384741	2-206896	141 W 144 REALTY CORP	310 W 143RD ST		NEW YORK	NY	AST
10030	U001837505	2-401935	JOHANNA J APTS	536 WEST 143RD STREET		NEW YORK	NY	AST
10030	A100183324	2-606745	211 WEST 144 STREET	141 W 144 ST		NEW YORK	NY	AST
10030	U003394197	2-354163	211 WEST 144TH ST AKA 2480 7TH AV	106 WEST 144TH ST		NEW YORK	NY	AST
10030	A100154034	2-604225	561 WEST 144TH STREET	211 WEST 144TH STREET		NEW YORK	NY	AST
10030	U004893226	NYR000074062	MTA NYCT - 145TH STREET STA LENOX L	244 W 144TH ST		NEW YORK	NY	AST
10030	U000872735	NYD987039534	NYC DOT - 145TH STREET BRIDGE	561 WEST 144TH STREET		NEW YORK	NY	FINDS, RCRIS/LQG
10030	A100183274	2-606686	500 WEST 148 STREET	145TH ST BRG OVER HARLEM RIVER		NEW YORK	NY	FINDS, RCRIS/LQG
10030	U004322554	000010785348	HI TECH CONST MGMT SERVICES INC	500 WEST 148 ST		NEW YORK	NY	FINDS
10030	U004761709	NYR000089623	HI TECH CONST & MGMT SERVICES INC	177 W 151 ST		NEW YORK	NY	FINDS, RCRIS/SQQ
10030	U004322553	000010785338	HI TECH CONST & MGMT SERVICES INC	W 151 ST		NEW YORK	NY	FINDS
10030	U004761708	NYR000089615	HI TECH CONST & MGMT SERVICES INC	W 151ST		NEW YORK	NY	FINDS, RCRIS/SQQ
10030	U004322435	000010784102	HI TECH CONST MGMT SVCS	173 W 151ST		NEW YORK	NY	FINDS
10030	U004322436	000010784112	HI TECH CONST MGMT SVCS	210 W 152ND ST		NEW YORK	NY	FINDS
10030	U004761711	000010785368	HI TECH CONST MGMT SVCS	225 W 152ND ST		NEW YORK	NY	FINDS
10030	U004761850	NYR000089649	HI TECH CONST & MGMT SERVICES INC	229 W 152ND ST		NEW YORK	NY	FINDS
10030	U004761851	NYR000091033	HI TECH CONST & MGMT SVCS	W 152ND ST		NEW YORK	NY	FINDS
10030	U004322555	000010785358	HI TECH CONST & MGMT SVCS	W 152ND ST		NEW YORK	NY	FINDS
10030	U004761710	NYR000089663	HI TECH CONST & MGMT SERVICES INC	W 152ND ST		NEW YORK	NY	FINDS
10030	U003391133	2-334146	165 ISKAY ASSOCIATES L.P.	210P W 153RD ST BLDG 2		NEW YORK	NY	FINDS
10030	U004571383	NYD986920437	TOMIO YAMAWAKI	W 153RD ST BLDG 2		NEW YORK	NY	FINDS
10030	U00427901	NYD011936184	INDUSSA-DIV OF AFRICAN METALS	540 W 165TH ST		NEW YORK CITY	NY	FINDS
10030	U000145668	NYD981162140	BROADWAY EXCLUSIVE CLEANERS	2302 ADAM CLAYTON P		NEW YORK	NY	TSCA
10030	U000141492	000010793288	2446 7TH AVENUE CLEANERS INC	1212 AVE OF THE AMERICAS		NEW YORK	NY	FINDS, RCRIS/LQG
10030	U004325318	NYD981131964	ABAX INC - NYC HPD	2446 7TH AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10030	U004260548	000010135538	THOMAS FRENCH CLEANERS	2472 7TH AVE APT 4N		NEW YORK	NY	FINDS
10030	U004760646	NYR0000054205	ABAX INC - NYC HPD	2709 8TH AVE		NEW YORK	NY	FINDS
10030				7TH AVE APT 4N		NEW YORK	NY	RCRIS/SQQ

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10030	1001224121	NYR000053371	NYCHA - DREW HAMILTON HOUSES	8TH AVE	**	NEW YORK	NY	RCRIS/SQG, FINDS
10030	1004762899	NYR000101592	NYCHA - DREW HAMILTON HOUSES	8TH AVE	**	NEW YORK	NY	RCRIS/SQG
10030	U003398068	2-284998	2340-46 7TH AVENUE CORPORATION	2340 7TH AVENUE		NEW YORK CITY	NY	AST
10030	A100183210	2-608606	PROGRESSIVE REALTY ASSOCIATES LP	2400 7TH AVENUE		NEW YORK	NY	AST
10030	U003398048	2-471384	2496 EIGHTH AVENUE	2496 8TH AVENUE		NEW YORK	NY	AST
10030	U003394937	2-470366	2653 EIGHTH AVENUE	2653 8TH AVENUE		NEW YORK	NY	AST
10030	U003095646	2-112011	LONGACRE BUILDING	1472 BROADWAY		NEW YORK	NY	FINDS
10030	U004222559	000009713766	INTERMEDIATE SCH 136	6 EDGEComb AVENUE	**	NEW YORK	NY	AST
10030	A100139048	2-603972	I.S. 136-M	6 EDGEComb AVENUE		NEW YORK	NY	AST
10030	A100175141	2-472999	CITY OF N.Y. DEPT OF H.P.D.	145-155 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U003395930	2-601055	CITY OF N.Y. DEPT OF H.P.D.	169 EDGEComb AVE		NEW YORK	NY	AST
10030	U003395849	2-600974	219 EDGEComb AVENUE	211 EDGEComb AVE		MANHATTAN	NY	AST
10030	U003394949	2-470430	371 EDGEComb AVENUE	191 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U003395031	2-471224	409 EDGEComb AVENUE	371 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U003394963	2-470171	80 EDGEComb AVENUE	409 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U003697797	2-604178	80 EDGEComb AVENUE	80 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U003697796	2-604177	80 EDGEComb AVENUE	80 EDGEComb AVENUE		NEW YORK	NY	AST
10030	U0087040417	NYD987040417	NYC DOT - MADISON AVENUE BRIDGE #22	80 EDGEComb AVENUE	**	NEW YORK	NY	RCRIS/SQG, FINDS
10030	U004022228	000009332506	AMAGANSETT ELEMENTARY SCHOOL	MAIN STREET	**	AMAGANSETT	NY	FINDS, FTTS
10030	U003127726	2-201103	ST PHILLIP ON THE PARK	480 ST NICHOLAS AVE		NEW YORK	NY	AST
10030	U003393628	2-340286	580 ST NICHOLAS AVE	580 ST NICHOLAS AVE		NEW YORK	NY	AST
10030	U001835572	2-257044	634 ST NICHOLAS AVE	634 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10030	A100182980	2-600945	654 ST NICHOLAS AVENUE	654 ST NICHOLAS AVENUE		NEW YORK	NY	AST
10030	A100139062	2-604004	666 ST NICHOLAS AVE	666 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10030	A100182985	2-600971	660 ST NICHOLAS AVENUE	666 ST NICHOLAS AVENUE		NEW YORK	NY	AST
10030	U003396829	2-602789	668 ST NICHOLAS AVENUE	668 ST NICHOLAS AVENUE	**	NEW YORK	NY	AST
10030	U003387917	2-314587	KINGSLEY HEIGHTS ASSOCIATES, LP	672 ST NICHOLAS AVE		NEW YORK	NY	AST
10030	U003760842	2-605911	ABYSSINIAN BAPTIST CHURCH	132 ODELL CLARK PLACE (FORMALLY-131)	**	NEW YORK	NY	AST
10030	U003395384	2-339874	DES HOUS DEV FUND CORP-R BOILER 67	676 SAINT NICHOLAS AVE		NEW YORK	NY	AST
10030	U003395046	2-471348	2301 7TH AVENUE	2301 SEVENTH AVENUE		NEW YORK	NY	AST
10030	S103517647	2-472875	2394 SEVENTH AVENUE	2394 SEVENTH AVENUE		NEW YORK	NY	AST, LTANKS
10030	U003394960	2-470163	2400 SEVENTH AVENUE	2400 SEVENTH AVENUE		NEW YORK	NY	AST
10030	A1001833008	2-606728	2456 7 AVENUE	2456 SEVENTH AVENUE	**	NEW YORK	NY	AST
10030	A100175201	2-601005	2472 SEVENTH AVE	2472 SEVENTH AVENUE	**	NYC	NY	AST
10030	A100182994	2-601006	2488 7 AVE	2488 SEVENTH AVENUE	**	NEW YORK	NY	AST
10030	A100129135	2-603816	330 WEST 141 STREET	330 141ST STREET		NEW YORK	NY	AST
10030	U003388142	2-257869	TERRACE ASSOCIATES	320 WADSWORTH AVENUE	**	NEW YORK	NY	AST
10030	U003395815	2-600940	COUNED V 3306	545 W 114 ST		NEW YORK	NY	FINDS
10030	U00385921	2-600961	CITY OF N.Y. DEPARTMENT OF H.P.D.	541 WEST 133 ST	**	NEW YORK	NY	AST
10030	U003397018	2-600961	505 W 134 ST	505 W 134 ST		NEW YORK	NY	AST
10030	U003836920	2-600960	DIONISIA VASQUEZ	513 WEST 134 STREET		NEW YORK	NY	AST
10030	A100175651	2-600390	527 W 134 ST	527 W 134 ST		NEW YORK	NY	AST
10030	U003396896	2-602905	501 WEST 134 ST.	501 WEST 134TH STREET		NEW YORK	NY	AST
10030	U003394972	2-470252	DIONISIA VASQUEZ	516 W. 134TH ST		NEW YORK	NY	AST
10030	A100183251	2-606655	518 WEST 134TH STREET	518 WEST 134TH STREET		MANHATTAN	NY	AST
10030	U003387329	2-470279	HUNTER 5 COMPANY INC.	520 WEST 134TH STREET		NEW YORK	NY	AST
10030	U003393585	2-250848	524 WEST 134TH ST	522 WEST 134TH STREET		NEW YORK	NY	AST
10030	U003398271	2-333948	ALLEGRO BROADWAY CORP.	524 WEST 134TH ST		NEW YORK	NY	AST
10030	A100175770	2-279471	601 WEST 135TH STREET LLC.	535 W 135 ST		NY	NY	AST
10030	U00439809	2-605536	CITY COLLEGE OF NEW YORK	625 WEST 135 STREET		NEW YORK	NY	AST
10030	U000457743	NYD981487226	NEW YORK WATER POLLUTION CONTROL	135TH ST		NEW YORK	NY	FINDS, RCRIS/LOG
10030	U000693766	NYD986930055	NYCDEP BWS WWC SHAF 10	135TH ST ST NICHOLAS AVE		NEW YORK	NY	FINDS, RCRIS/LOG
10030	A100178415	2-606233	A. PHILIP RANDOLPH H.S. (M540)	433 WEST 135TH STREET		NEW YORK	NY	AST
10030	U003394993	2-470740	504 WEST 135TH STREET	504 WEST 135TH STREET		NEW YORK	NY	AST
10030	A100183076	2-606436	508 WEST 135TH STREET	508 WEST 135TH STREET		NEW YORK	NY	AST
10030	U003391765	2-215090	512 W 135TH ST ASSOC	512 W 135TH ST		NEW YORK	NY	AST
10030	A100183045	2-606393	DOROTHY LOPES SMITH	523 WEST 135TH STREET		NEW YORK	NY	AST
10030	U003394981	2-470627	529 WEST 135TH STREET	523 WEST 135TH STREET		NEW YORK	NY	AST
10030	A100183139	2-606525	4150 CORPORATION	529 WEST 135TH STREET		NEW YORK	NY	AST
10030	A100175756	2-605515	DEENA REALTY CORP.	531 WEST 135TH STREET		NEW YORK	NY	AST
10030	A100159738	2-206655	629 WEST 135TH ST REALTY LLC	621 W. 135TH STREET		NEW YORK	NY	AST
10030	A100154031	2-604222	630 W. 135TH ST. REALTY, LLC.	629 WEST 135TH ST		NEW YORK	NY	AST
10030	U003395130	2-476420	C D E AIR CONDITIONING CO	630 W. 135TH ST.		NEW YORK	NY	AST
10030	U000869852	NY0000149930	NORTH RIVER W.P.C.P.	634 WEST 135TH STREET		NEW YORK	NY	AST
10030	U001840289	2-456454	WP-164 N RIVER POLL CONTR PROJ	725 W 135TH ST 12TH AVE		NEW YORK	NY	FINDS, RCRIS/LOG
10030	U001833603	2-043974	510 WEST 136 ST.	WEST 135TH ST / 12TH AVENUE		NEW YORK	NY	AST
10030	A100175772	2-605538	DIONISIA VASQUEZ	510 WEST 136 STREET		NEW YORK	NY	AST
10030	U003397019	2-603150	522 W 136 ST	518 WEST 136 STREET		NEW YORK	NY	AST
10030	U003389899	2-243108	522 W 136 ST	522 W 136 ST		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10031	A100162972	2-471798	614 W 136 ST HDFC	614 W 136 ST # 32		NEW YORK	NY	AST
10031	U003389438	2-318558	APT BUILDING	502 W 136TH ST		NEW YORK	NY	AST
10031	A100194135	2-607090	512-514 REALTY LLC	512 W 136TH STREET		NEW YORK	NY	AST
10031	A100168895	2-325430	516 WEST 136TH REALTY CORP.	516 WEST 136TH STREET		NEW YORK	NY	AST
10031	U003393922	2-347590	530 WEST 136TH ST	530 WEST 136TH STREET		NEW YORK	NY	AST
10031	A100182983	2-609959	536 WEST 136 STREET	536 WEST 136TH STREET		NEW YORK	NY	AST
10031	U003383593	2-095989	600 WEST 136TH STREET	600 WEST 136TH STREET		NEW YORK	NY	AST
10031	U003395029	2-471216	601 WEST 136TH STREET	601 WEST 136TH STREET		NEW YORK	NY	AST
10031	A100183329	2-606750	607-609 WEST 136TH STREET HDFC	607-609 WEST 136TH STREET		NEW YORK	NY	AST
10031	U003391762	2-215066	E SIDERENAISSANCE ASSOC	610 WEST 136TH STREET		NEW YORK	NY	AST
10031	A100166530	2-316326	623 WEST 136TH STREET	623 WEST 136TH STREET		NEW YORK	NY	AST
10031	A100162988	2-600983	626 WEST 136TH STREET	626 WEST 136TH STREET		NEW YORK	NY	AST
10031	A100166474	2-198595	627 WEST 136TH STREET	627 WEST 136TH STREET		NEW YORK	NY	AST
10031	U003386742	2-246689	636 ASSETS INC	636 WEST 136TH ST		NEW YORK	NY	AST
10031	U003387995	2-316296	608 WEST 137 TH STREET L.L.C.	608 WEST 137 STREET		NEW YORK	NY	AST
10031	U003385833	2-149853	MEIT ASSOC	612 WEST 137 ST		NEW YORK	NY	AST
10031	1000134220	NY0982738791	NYCTA 137TH ST RELAY RM	137TH ST BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U003380168	2-203238	CROMWELL ASSOCIATES	601 WEST 137TH STREET		NEW YORK	NY	AST
10031	U001839681	2-347732	3371 REALTY LLC	602 WEST 137TH STREET		NEW YORK	NY	AST
10031	U003390165	2-203173	CROMWELL ASSOCIATES	605 WEST 137TH STREET		NEW YORK	NY	AST
10031	U003390166	2-203181	CROMWELL ASSOCIATES	607 WEST 137TH ST		NEW YORK	NY	AST
10031	U001836441	2-203203	CROMWELL ASSOCIATES	609 WEST 137TH ST		NEW YORK	NY	AST
10031	U003390167	2-203211	CROMWELL ASSOC	611 WEST 137TH ST		NEW YORK	NY	AST
10031	U003395066	2-471801	616 WEST 137TH STREET	616 WEST 137TH STREET		NEW YORK	NY	AST
10031	A100173423	2-339288	PRANA INCOME FUND FIVE	620-622 WEST 137TH STREET		NEW YORK	NY	AST
10031	U003389244	2-303874	HAMILTON GRANGE REALTY CORP	636 W 136 ST BASEMENT		NEW YORK	NY	AST
10031	U000990540	NYR000004984	CCNY - HARRIS BUILDING	138TH ST & AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	1004222502	00009716972	PS 192	500 W 138TH ST		NEW YORK	NY	FINDS
10031	U001839680	2-354155	P.S. 192	500 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003395067	2-471628	1560 AMSTERDAM AVENUE A/K/A	500 WEST 138TH STREET		NEW YORK	NY	AST
10031	A100163447	2-608875	507 WEST 138 STREET	507 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003395068	2-471836	511 WEST 138TH STREET	511 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003395070	2-471852	515 WEST 138TH STREET	515 WEST 138TH STREET		NEW YORK	NY	AST
10031	A100183381	2-606804	519 WEST 138 STREET	519 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003392849	2-265349	523 WEST 138TH ST	523 WEST 138TH STREET		NEW YORK	NY	AST
10031	A100177779	2-270946	600 WEST 138 STREET	600 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003074789	2-367529	FDNY ENGINE CO 80 / LADDER CO 23	603 W 139 STREET		NEW YORK	NY	AST
10031	A100193987	2-401676	508 WEST 139 STREET HOUSING DEVLOP	508 WEST 139 ST		NEW YORK	NY	AST
10031	U003385029	2-111430	139 TH STREET REALTY CORP	601 W 139 ST		NEW YORK	NY	AST
10031	U003389163	2-294357	603 W 139TH REALTY CORP	607 WEST 139 ST		NEW YORK	NY	AST
10031	U003392717	2-238899	RIVER VIEW APTS INC	624-26 WEST 139 STREET		NEW YORK CITY	NY	AST
10031	U003392616	2-207365	618 RIVERSIDE DRIVE OWNERS, INC.	640 W 139 ST		NEW YORK	NY	AST
10031	U003385831	2-149802	LAMARCHE & ASSOC REALTY CORPORA	501 W 139TH ST		NEW YORK	NY	AST
10031	U003389243	2-303866	CARMEL ENTERPRISES INC.	502 WEST 139TH STREET		NEW YORK	NY	AST
10031	U003386930	2-195928	GFT MANAGEMENT INC.	502 WEST 139TH STREET		NEW YORK	NY	AST
10031	A100129098	2-603765	504 WEST 139TH STREET HDFC	504-506 WEST 139TH STREET		NEW YORK	NY	AST
10031	U003395073	2-471887	385 RENA REALTY CORP	515 W 139TH ST		NEW YORK	NY	AST
10031	A100183395	2-606821	G T G ENTERPRISES CORP	519 WEST 139TH ST		NEW YORK	NY	AST
10031	U003384854	2-095931	526 WEST REALTY CORP	526 WEST 139TH STREET		NEW YORK	NY	AST
10031	A100183496	2-606930	139 OWNERS CORP	565 W 139TH ST		NEW YORK	NY	AST
10031	U003391974	2-404845	RESIDENTIAL APARTMENT BUILDING	571 WEST 139TH STREET		NEW YORK	NY	AST
10031	U003396122	2-601306	600 WEST 139TH STREET	600 WEST 139TH STREET		NEW YORK	NY	AST
10031	A100173370	2-288276	608-610 REALTY CORP	602 W 139 ST		NEW YORK	NY	AST
10031	U003397948	2-607097	501 W 140 ST	608-610 W 139TH ST		NEW YORK	NY	AST
10031	U003393598	2-404403	501 W 140 ST	501 W 140 ST		NEW YORK	NY	AST
10031	A100175179	2-218251	561 WEST 140TH ST	503 W 140 ST		NEW YORK	NY	AST
10031	U003385666	2-600954	508-12 W 140TH STREET	361 WEST 140TH ST		NEW YORK	NY	AST
10031	U003385733	2-472573	509 WEST 140TH STREET	501 WEST 140TH STREET		NEW YORK	NY	AST
10031	U003395098	2-155594	RESIDENTIAL APT BLDG	508-12 W 140TH ST		NEW YORK	NY	AST
10031	U003395079	2-471682	557 WEST 140TH STREET	509 WEST 140TH STREET		NEW YORK	NY	AST
10031	U003395055	2-202266	559 APARTMENTS LLC	557 WEST 140TH STREET		NEW YORK	NY	AST
10031	A100182939	2-275654	3505 BROADWAY REALTY CORP	559 WEST 140TH STREET		NEW YORK	NY	AST
10031	U003386309	2-206988	602 WEST 140TH STREET	600 WEST 140TH ST		NEW YORK	NY	AST
10031	A100183365	2-606789	GEALIZADEH & F MOTAZEDI	602 WEST 140TH STREET		NEW YORK	NY	AST
10031	U003386377	2-275220	619 W. 140TH L.P.	603 WEST 140TH ST		NEW YORK	NY	AST
10031	U0033988872	2-282405	CCNY - COMPTON BUILDING	608 W 140TH ST		NEW YORK	NY	AST
10031	U003398693	2-602900		613-619 WEST 140TH STREET		NEW YORK	NY	AST
10031	1000990541	NYR0000005009		W 140TH ST		NEW YORK	NY	RCRIS/SQG, FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10031	106990542	NYR000005017	CCNY - GOETHALS BUILDING	W 140TH ST	NEW YORK	NY	RCRIS/SQG, FINDS
10031	A100194209	2-607180	EVANELL PARTNERSHIP	347 WEST 141 STREET	NEW YORK	NY	AST
10031	A100183291	2-606708	WEST 141 STREET TENANTS HDFC	552 W 141 STREET	NEW YORK	NY	AST
10031	U003395414	2-208740	H.S.C. MANAGEMENT CORP.	556 W 141 ST	NY	NY	AST
10031	A100147123	2-604130	BIRDIE 141 BROADWAY ASSOC., LLC.	561 WEST 141 STREET	NEW YORK	NY	AST
10031	A100157475	2-117536	3465 BROADWAY LLC	601 WEST 141 STREET	NEW YORK	NY	AST
10031	1004075151	000007631256	WIMBLETON PROPERTIES CORP	610 WEST 141 STREET	NEW YORK	NY	FINDS
10031	U003387524	2-295272	WIMBLETON PROPERTIES CORP	622 WEST 141 ST	NEW YORK	NY	AST
10031	A100194255	2-607237	100-106 W. 141ST STREET HDFC	100-106 W. 141ST STREET	NEW YORK	NY	AST
10031	1000134221	NYD982738809	NYCTA - 141ST ST RELAY RM	141ST ST LENOX AVE	NEW YORK	NY	FINDS, RCRIS/LOG
10031	U003385681	2-154628	CRESCENT FOURTEEN ASSOCIATES	476 WEST 141ST ST	NEW YORK	NY	AST
10031	U003395056	2-471704	503-505 WEST 141ST STREET	503-505 WEST 141ST STREET	NEW YORK	NY	AST
10031	A100183126	2-606510	572 W. 141 STREET	572 WEST 141ST STREET	NEW YORK	NY	AST
10031	U003393921	2-347582	SHARON PROPERTIES	605 WEST 141ST STREET	NEW YORK	NY	AST
10031	U003384808	2-095109	WIMBLETON PROPERTIES CORP	610 WEST 141ST STREET	NEW YORK	NY	AST
10031	U003387893	2-286482	JEFFERSON ASSOCIATES L.P.	617 WEST 141ST STREET	NEW YORK	NY	AST
10031	U003384807	2-096095	BLACK JACK REALTY CORP	620 WEST 141ST ST	NEW YORK	NY	AST
10031	U003386174	2-238201	OUR LADY OF LOURDES CONVENT	463 WEST 142 ST	NEW YORK	NY	AST
10031	U003386175	2-238228	OUR LADY OF LOURDES CHURCH	467 WEST 142 ST	NEW YORK	NY	AST
10031	A100182987	2-600981	545 WEST 142 STREET	545 W 142 ST	NEW YORK	NY	AST
10031	U003127727	2-201464	3480-86 BROADWAY ASSOCIATES LLC.	547 WEST 142 ST	NEW YORK	NY	UST
10031	U003392204	2-219401	142 BROADWAY ASSOC. LLC	600 WEST 142 ST	NEW YORK	NY	AST
10031	A100194136	2-607091	477 WEST 142 ST HDFC	477 WEST 142ND STREET	NEW YORK	NY	AST
10031	U003395057	2-471712	509 WEST 142ND STREET	509 WEST 142ND STREET	NEW YORK	NY	AST
10031	U003395314	2-482617	522 WEST 142ND STREET	522 WEST 142ND STREET	NEW YORK	NY	AST
10031	A100183264	2-606672	PERLIN REALTY CORP.	541 W. 142ND STREET	NEW YORK	NY	AST
10031	U003385550	2-117366	605 W 142ND ST	605 W 142ND ST	NEW YORK	NY	AST
10031	U003391946	2-250765	618 EQUITIES	610 W 142ND ST	NEW YORK	NY	AST
10031	U003387207	2-404373	HAMILTON ASSOCIATES	618 W 142ND ST	NEW YORK	NY	AST
10031	A100194246	2-201200	615 WEST 143 STREET	500 W 143 ST	NEW YORK	NY	AST
10031	U003395202	2-607223	619 WEST 143 ST	615 WEST 143 STREET	NEW YORK	NY	AST
10031	U003395203	2-479438	MTA NYCT - 143RD STREET SUBSTATION	619 WEST 143 ST	NYC	NY	AST
10031	1001223846	NYR0000050625	134-142 HAMILTON PLACE A/K/A	143RD ST & BROADWAY	NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003386700	2-469998	504 WEST 143 ASSOCIATES LLC.	501 WEST 143RD STREET	NEW YORK	NY	AST
10031	A100194126	2-244945	505 WEST 143RD STREET H.D.F. CO.	504 W 143RD ST	NEW YORK	NY	AST
10031	A100070373	2-607080	511 WEST 143RD ST REALTY CORP.(J.HIL	505 WEST 143RD STREET	NEW YORK	NY	AST
10031	U003395058	2-471720	515 WEST 143RD STREET H.D.F.C.	511 WEST 143RD STREET	NEW YORK	NY	AST
10031	U003393335	2-405736	516-518 WEST 143RD STREET	515 WEST 143RD STREET	NEW YORK	NY	AST
10031	A100147102	2-604100	WEST 143RD STREET REALTY CORP.	516-518 WEST 143RD STREET	NEW YORK	NY	AST
10031	U003128194	2-476895	SPARROW L LLC	519 WEST 143RD STREET	NEW YORK	NY	AST
10031	1000912047	NY00003984826	532 WEST 143RD STREET - FRIEDMAN MK	529-31 WEST 143RD STREET	NEW YORK	NY	UST
10031	U003397296	2-603612	WEST 143RD STREET REALTY L.L.C.	532 W 143RD ST APT 51	NEW YORK	NY	RCRIS/SQG, FINDS
10031	U001834645	2-160121	CRESCENT FOURTEEN ASSOC	610 WEST 143RD STREET	NEW YORK	NY	AST
10031	U003384902	2-098368	3511 BROADWAY, L.L.C.	540 W 144 ST	NEW YORK	NY	UST
10031	A100175191	2-600979	605 W 144 ST	600 WEST 144 STREET	NEW YORK	NY	AST
10031	A100182917	2-154601	530 WEST 144 STREET	605 W 144 ST	NEW YORK	NY	AST
10031	A100173262	2-061689	545 WEST 144 STREET	530 WEST 144TH STREET	NEW YORK	NY	AST
10031	A100183485	2-606917	550 WEST 144TH STREET	545 WEST 144TH ST	NEW YORK	NY	AST
10031	U003395776	2-600858	MAROSU REALTY CO.	550 WEST 144TH STREET	NEW YORK	NY	AST
10031	U000404816	2-392260	HALMONI REALTY CORP	560 WEST 144TH STREET	NEW YORK	NY	AST
10031	U003390429	2-290980	3520 BROADWAY MANAGEMENT	562 WEST 144TH ST	NEW YORK	NY	UST
10031	U003389301	2-305413	EMINENT ASSOC	565 W 144TH STREET	NEW YORK	NY	AST
10031	U003392435	2-400084	612 WEST 144TH STREET	601 W 144TH ST	MANHATTAN	NY	AST
10031	A100173431	2-348384	615-619 WEST 144TH STREET	612 WEST 144TH STREET	NEW YORK	NY	AST
10031	U003835926	2-600977	407 W 145 ST	407 W 145 ST	NEW YORK	NY	UST
10031	U003395159	2-477980	DELTA HOTEL	409 W 145 ST	NY	NY	AST
10031	U003392700	2-238651	541 L.L.C.	541-548 WEST 145 ST	NEW YORK	NY	AST
10031	1000789894	NYD987013604	BALSAM CORP - RIVERBANK STATE PAR	145TH RIVERSIDE DR	NEW YORK	NY	RCRIS/SQG, FINDS
10031	1000981363	NY00000973727	NYCTA - 145TH STREET STATION	145TH ST. ST NICHOLAS AVE	NEW YORK	NY	RCRIS/SQG, FINDS
10031	1000137427	NYD981131113	KIM YAE INC. PERMAC CLEANERS	341 W 145TH ST	NEW YORK	NY	FINDS, RCRIS/LOG
10031	U000398911	2-201111	HILLVIEW OWNERS CORPORATION	345 WEST 145TH STREET	NEW YORK	NY	UST
10031	U001835356	2-278807	MT ZION LUTHERAN CHURCH	421 W 145TH ST	NEW YORK	NY	UST
10031	A100194118	2-607072	506 WEST 145TH HDF CORP	506 WEST 145TH STREET	NEW YORK	NY	AST
10031	U003395059	2-471739	513 WEST 145TH STREET	513 WEST 145TH STREET	NEW YORK	NY	AST
10031	A100169068	2-604686	HUDSON VIEW II ASSOCIATES	528 WEST 145TH STREET	NEW YORK	NY	AST
10031	U003395060	2-471747	533 WEST 145TH STREET	533 WEST 145TH STREET	NEW YORK	NY	AST
10031	U003390897	2-332461	610 W 145TH ST	610 W 145TH ST	NEW YORK	NY	AST
10031	1004202660	000009340064	CON ED - V 1376	W 145TH ST RIVERSIDE DR	NEW YORK	NY	FINDS
10031	U0033835925	2-600976	518 W 146 ST	518 W 146 ST	NEW YORK	NY	UST
10031	A100183228	2-606627	540 W. 146 ST. HDFC	540 W 146 ST	NEW YORK	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10031	A100166559	2-346136	543-5 WEST 146TH STREET	543-5 W 146 ST	NEW YORK	NY	AST
10031	U003386167	2-314455	602 WEST 146TH STREET ASSOCIATES	602 WEST 146 ST	NEW YORK	NY	AST
10031	A100183209	2-606605	470 W 146 ST TENANTS ASSC.	470 WEST 146TH STREET	NEW YORK	NY	AST
10031	A100129107	2-603780	M & D. MANAGEMENT, INC.	546-552 WEST 146TH STREET	NEW YORK	NY	AST
10031	U003395106	2-472913	550-552 WEST 146TH STREET	550-552 WEST 146TH STREET	NEW YORK	NY	AST
10031	A100157526	2-251100	PAUL REVERE APT CORP	450 WEST 147 STREET	NEW YORK	NY	AST
10031	U003384416	2-100110	471 WEST 147 STR	471 WEST 147 ST	NEW YORK	NY	AST
10031	A100183358	2-606779	503 WEST 147 STREET	503 WEST 147 STREET	NEW YORK	NY	AST
10031	U000408764	2-346144	561 WEST 147 ST	561 WEST 147 ST	NEW YORK	NY	AST
10031	U003387790	2-234605	283 WEST 147TH ST	283 WEST 147TH ST	NEW YORK	NY	AST
10031	U003386938	2-196002	460 WEST 147TH ST	460 WEST 147TH ST	NEW YORK	NY	AST
10031	A100172987	2-605586	507-509 W. 147TH ST. REALTY LLC	507 W. 147TH STREET	NEW YORK	NY	AST
10031	A100129044	2-601753	511 WEST 147TH STREET, LLC	511 WEST 147TH ST.	NEW YORK	NY	AST
10031	U003391783	2-215074	534 W 147TH ST ASSOC	534 W 147TH ST	NEW YORK	NY	AST
10031	A100168838	2-205346	534 WEST 147TH STREET	534 WEST 147TH ST	NEW YORK	NY	AST
10031	U003387851	2-236527	546 WEST 147TH ST	546 WEST 147TH ST	NEW YORK	NY	AST
10031	U003395062	2-471763	547 WEST 147TH STREET H.D.F.C	547 WEST 147TH STREET	NEW YORK	NY	AST
10031	U0033835934	2-601070	502 W 148 ST	502 W 148 ST	NEW YORK	NY	AST
10031	U0033835942	2-601101	505 W 148 ST	505 W 148 ST	NYC	NY	UST
10031	U003395898	2-601023	CITY OF NY DEPARTMENT OF H.P.D	518 W 148 ST	MANHATTAN	NY	AST
10031	A100168793	2-099422	WEST SIDE REALTY CORP.	611 WEST 148 STREET	NEW YORK	NY	AST
10031	U003390058	2-267228	40212 WEST 148TH ST	402 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100139066	2-604009	456-68 W. 148TH ST	456-68 W. 148TH ST.	NEW YORK	NY	AST
10031	U003384427	2-100382	461 WEST 148TH STREET	461 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100194193	2-607189	W. 148TH STREET APTS INC.	465 W. 148TH STREET	NEW YORK	NY	AST
10031	U003127998	2-400831	JANNARONE	503 WEST 148TH STREET	NEW YORK	NY	AST
10031	U003172998	2-400831	506 WEST 148TH STREET	503 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100129140	2-603821	AREMYE REALTY CORP.	510 W 148TH ST.	NEW YORK	NY	AST
10031	A100183537	2-606973	514 WEST 148 STREET	510 W 148TH ST.	NEW YORK	NY	AST
10031	U00183306	2-606725	514 WEST 148TH STREET	514 WEST 148TH STREET	NEW YORK	NY	AST
10031	U003384610	2-116017	545 WEST 148TH STREET	545 WEST 148TH STREET	NEW YORK	NY	AST
10031	U003395313	2-482609	553 WEST 148TH STREET	553 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100157666	2-604293	PRANA INVESTMENTS INC.	554 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100183367	2-606788	558 WEST 148 STREET	558 WEST 148TH STREET	NEW YORK	NY	AST
10031	A100166515	2-286524	562 WEST 148TH STREET	562 W 148TH ST	NEW YORK	NY	AST
10031	U003393594	2-341169	WILLIAM J. HODGES INC	551 W 149 ST	NEW YORK	NY	AST
10031	U003393837	2-064017	RESIDENTIAL APARTMENT BUILDING	405 WEST 149TH STREET	NEW YORK	NY	AST
10031	A100173537	2-236619	450 W 149TH ST AIK/A 438 CONVENT AVE	405 WEST 149TH STREET	NEW YORK	NY	AST
10031	U003385982	2-154636	149TH PARTNERS, LP	460 WEST 149TH STREET	NEW YORK	NY	AST
10031	U003393718	2-342173	501 WEST 149TH ST CORP	460 WEST 149TH ST	NEW YORK	NY	AST
10031	U001833354	2-606775	500 WEST 149 STREET	500 WEST 149TH ST	NEW YORK	NY	AST
10031	A1001834348	2-201456	537 WEST 149TH ST CORP	500 WEST 149TH STREET	NEW YORK	NY	AST
10031	U003395100	2-602395	557-561 WEST 149TH STREET	537 WEST 149TH ST	NEW YORK	NY	AST
10031	U003391924	2-403032	BROADWAY HEIGHTS ASSOC., LLC	557-561 WEST 149TH STREET	NEW YORK	NY	AST
10031	A100193899	2-196509	568 WEST 149TH ST	567 WEST 149TH STREET	NEW YORK	NY	AST
10031	U00159724	2-064868	601 WEST 149TH ST INC	568 WEST 149TH ST	NEW YORK	NY	AST
10031	A100175228	2-601066	620 WEST 149TH STREET	601 WEST 149TH ST	NEW YORK	NY	AST
10031	U003393201	2-478411	408 W 150 ST	620 WEST 149TH STREET	NEW YORK	NY	AST
10031	A100183317	2-606737	563 WEST 150 ST	408 W 150 ST	NYC	NY	AST
10031	U003384426	2-100374	L & F REALTY CO	363 WEST 150 STREET	NEW YORK	NY	AST
10031	U003385972	2-606754	401 WEST 150 STREET	285 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003393915	2-0552	GLASGALL ROOFING SHEET METAL	400 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003395367	2-509345	466-470 WEST 150TH STREET	401 WEST 150TH STREET	NEW YORK	NY	UST
10031	U003395366	2-509329	506-510 WEST 150TH STREET	415 WEST 150TH ST	NEW YORK	NY	AST
10031	U003836026	2-607236	535 WEST 150TH STREET	466-470 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003395082	2-607235	545 WEST 150TH STREET (BASEMENT)	506-510 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003393004	2-360872	557 WEST 150TH STREET	535 WEST 150TH STREET	NEW YORK	NY	UST
10031	U003389181	2-294721	MULTIPLE DWELLING	545 WEST 150TH STREET (BASEMENT)	NEW YORK	NY	UST
10031	A100157565	2-321346	150 BROADWAY ASSOC., LLC.	557 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003391964	2-404659	610 WEST 150TH ST	569 W 150TH ST	NEW YORK	NY	AST
10031	A100182965	2-469947	CITY OF NY DEPARTMENT OF H.P.D	600 W 150TH ST	NEW YORK	NY	AST
10031	U003395940	2-601065	516-18 WEST 151TH STREET	608/610 WEST 150TH STREET	NEW YORK	NY	AST
10031	U003392159	2-216235	CITY OF NY DEPARTMENT OF H.P.D	615 WEST 150TH STREET	MANHATTAN	NY	AST
10031	U003395939	2-601064	CITY OF NY DEPARTMENT OF H.P.D	518 WEST 151 ST	MANHATTAN	NY	AST
10031	U003395938	2-601063	CITY OF NY DEPARTMENT OF H.P.D	520 W 151 ST	MANHATTAN	NY	AST
10031	U003395937	2-601062	CITY OF NY DEPARTMENT OF H.P.D	523 W 151 ST	MANHATTAN	NY	AST
10031	U003390016	2-259721	GREEN & BROWN REALTY CORP	527 W 151 ST	MANHATTAN	NY	AST
10031	U003394983	2-470643	400 WEST 151ST STREET	558 W 151 ST	NY	NY	AST
10031	A100169071	2-604691	WEST BRIDGE ASSOCIATES, L.P.	400 WEST 151ST STREET	NEW YORK	NY	AST
10031	U003398464	2-472700	512 WEST 151ST STREET	512 WEST 151ST STREET	NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10031	S103517643	2-472530	518 WEST 151ST STREET	518 WEST 151ST STREET		NEW YORK	NY	AST, LTANKS
10031	U003392004	2-405396	ROLAND A HILL & CHRISTOBEL	529 W 151ST ST		NEW YORK	NY	AST
10031	U003387937	2-315176	531	551 W 151ST ST		NEW YORK	NY	AST
10031	A100173464	2-469971	WEST BRIDGE ASSOCIATES, LP	535 WEST 151ST STREET		NEW YORK	NY	AST
10031	A100194165	2-607126	DONALD WEISS	555 WEST 151ST STREET		NEW YORK	NY	AST
10031	U003384068	2-081493	560 WEST 151ST ST	601 WEST 151ST STREET		NEW YORK	NY	AST
10031	U003697770	2-202126	601 WEST 151ST STREET, LLC.	605 WEST 151ST STREET		NEW YORK	NY	AST
10031	U003395099	2-472840	PAN AM PROPERTIES LLC	618-28 W 151ST ST		NEW YORK	NY	AST
10031	A100157560	2-328502	CITY OF NY DEPARTMENT OF H.P.D	400 W 152 ST		MANHATTAN	NY	AST
10031	U003393978	2-346942	401 WEST 152 ST HDPC	522 W 152 ST		MANHATTAN	NY	AST
10031	U003395974	2-601099	CITY OF NY DEPARTMENT OF H.P.D	584 W 152 ST		MANHATTAN	NY	AST
10031	U003393673	2-341258	PROPERTY SALVAGE CORP	453 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100173349	2-257249	CPR MANAGEMENT V & VI CORP.	484 W 152ND ST		NEW YORK	NY	AST
10031	U003388998	2-257087	464 WEST 152ND ST	465 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100173526	2-604739	CPR MANAGEMENT V & VI CORP.	466 WEST 152ND STREET		NEW YORK	NY	AST
10031	U003390345	2-213497	DANCE THEATRE OF HARLEM	510 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100173486	2-601059	WEST BRIDGE ASSOCIATES LP	518-20 WEST 152ND ST		NEW YORK	NY	AST
10031	A100173481	2-600014	518-20 WEST 152ND STREET	519 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100168961	2-470260	WEST BRIDGE ASSOCIATES, L.P.	523-525 WEST 152ND STREET		NEW YORK	NY	AST
10031	U003394916	2-469955	523-525 WEST 152ND STREET H.D.F.C.	524 W 152 ST. HDPC		NEW YORK	NY	AST
10031	A100183531	2-606967	524 W 152 ST. HDPC	528 WEST 152ND STREET		NEW YORK	NY	AST
10031	U000397673	2-207926	528 WEST 152ND STREET	528 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100183248	2-471488	528 WEST 152ND STREET HDPC (T.A)	529 WEST 152ND STREET		NEW YORK	NY	AST
10031	U003395083	2-606652	528 WEST 152ND STREET	532 WEST 152ND STREET		NEW YORK	NY	AST
10031	U003395085	2-471496	534-536 WEST 152ND STREET	534-536 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100193998	2-104811	611 WEST 152ND ST LLC	61 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100166637	2-604483	610 WEST 152ND ST	610 WEST 152ND ST		NEW YORK	NY	AST
10031	U003389786	2-285188	WEST 152ND ASSOCIATES, LP	614 WEST 152ND STREET		NEW YORK	NY	AST
10031	U003396412	2-602021	WEST 152ND ASSOCIATES, LP	625 WEST 152ND STREET		NEW YORK	NY	AST
10031	A100178270	2-606044	402 W 153 STREET COOP CORP	402 W 153 ST.		NEW YORK	NY	AST
10031	A100193996	2-328782	153 STREET APTS.LLCC	445 W 153 ST		NEW YORK	NY	AST
10031	U004188196	000009153846	ABAX INC	444 W 153RD ST APT 51		NYC	NY	FINDS
10031	U003390958	2-369956	449 WEST 153RD ST	449 WEST 153RD ST		NEW YORK	NY	AST
10031	U001841187	2-051056	ST CATHERINE OF GENOVA CHURCH	506 WEST 153RD STREET		NEW YORK	NY	AST, UST
10031	U003395086	2-471518	550 WEST 153RD STREET	550 WEST 153RD STREET		NEW YORK	NY	AST
10031	U00791568	NYD987030814	NEW YORK TELEPHONE CO	620 W 153RD ST		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003074749	2-344702	BELL ATLANTIC	620 WEST 153RD ST		NEW YORK	NY	AST, UST
10031	U002257632	2-273756	MEMADET REALTY CORP	640 WEST 153RD STREET		NEW YORK	NY	UST
10031	U01961539	NYF0000093261	ABAX INC	W 153RD ST APT 51		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003395088	2-471526	SMH REALTY CORP.	512 WEST 166TH STREET		NEW YORK	NY	AST
10031	U003387382	2-251928	RESIDENT	611 WEST 163 STREET		NEW YORK	NY	AST
10031	U003391138	2-334197	161 ISKAY ASSOCIATES, L.P.	545 W 164TH ST		NEW YORK	NY	AST
10031	U003386928	2-286257	SUNLIL PROPERTIES C/O MILBROOK PRC	507 W 179TH ST		NEW YORK	NY	AST
10031	U003386928	2-297062	332 EAST 18TH STREET	332 EAST 18TH STREET		NEW YORK	NY	AST
10031	U001029197	NY70000302638	INVESTMENT DEV CO WEST NINTH CO BI	W 45TH ST		NEW YORK	NY	FINDS, RCRIS/LQG
10031	A100159788	2-604426	AMBIANCE REALTY	2419 - 8 WEST 141ST STREET		NEW YORK	NY	AST
10031	A100194157	2-607117	FOUR H DEVELOPMENT CORP.	AKA 1520 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	A100173350	2-265055	501 WEST 135TH STREET	AKA 641 WEST 138TH STREET		NEW YORK	NY	AST
10031	U003388660	2-278319	610 RIVERSIDE DRIVE	1467 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U003395262	2-481335	1467 AMSTERDAM AVENUE	1467 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U003395268	2-481432	4 W 4TH STREET COMPANY	1480 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U004178530	000009038104	J J CLEANERS	1480 AMSTERDAM AVE		NEW YORK	NY	FINDS
10031	U00120350	NYD981489180	J J CLEANERS	1480 AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003392044	2-406988	1484 AMSTERDAM AVENUE	1484 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U003835915	2-471003	1508 AMSTERDAM AVENUE	1508 AMSTERDAM AVENUE		NEW YORK	NY	UST
10031	U003394999	2-470999	1580 AMSTERDAM AVENUE	1580 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	A100183511	2-606946	1608-10 AMSTERDAM AVENUE H.D.F.C.	1608-10 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	A100182950	2-331287	1719 LEXINGTON AVE REALTY CORP AKA	1619-25 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U003395192	2-479314	1649 AMSTERDAM AV	1649 AMSTERDAM AV		NYC	NY	AST
10031	U00105725	NYD981559388	A C CLEANERS	1681 AMSTERDAM AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U00183910	NYD981562770	CLAD RITE CLEANERS	1695 AMSTERDAM AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U003758123	2-604871	HUDSON VIEW III APARTMENTS	1704 AMSTERDAM AVENUE		NEW YORK	NY	UST
10031	U000912751	NY70000910679	HOWELLS FRENCH DRY CLEANER	1710 AMSTERDAM AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003800469	2-607028	VINTAGE REALTY LLC	1743 AMSTERDAM AVENUE		NEW YORK	NY	UST
10031	U003394203	2-354082	P.S. 153	1750 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	A100183432	2-606660	1753 AMSTERDAM AVENUE	1753 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U00140525	NYD982538175	S B LEE CORP	1760 AMSTERDAM AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U00442249	NYD981077290	GG L CLEANERS	1788 AMSTERDAM AVE		NEW YORK	NY	AST
10031	U003386033	2-270598	DAYS/SPRING BAPTIST CHURCH	1789 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U003395013	2-471011	1789 AMSTERDAM AVENUE			NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10031	1000104721	NY0981562325	BEST STAR DRY CLEANERS THE	1790 AMSTERDAM AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10031	A100184148	2-607106	1792 AMSTERDAM AVE	1792 AMSTERDAM AVE		NEW YORK	NY	AST
10031	A100183224	2-606623	NEW COVENANT TEMPLE	1801 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U001393846	2-340529	1820 AMSTERDAM EQUITIES	1820 AMSTERDAM AVENUE		NEW YORK	NY	AST
10031	U001839336	2-341363	HAMILTON HEIGHTS APT	AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U000990424	NYR000003880	NYC BD OF ED - PUBLIC SCHOOL 153 MAI	AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG
10031	U000994334	NYD981875214	PINE TREE FRENCH CLEANERS	AMSTERDAM AVE		NEW YORK	NY	FINDS
10031	U004283785	000010387692	NYCDEP - SHAFT 33	AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG
10031	U004762023	NYR000092767	NYCDEP - SHAFT 33	AMSTERDAM AVE		NEW YORK	NY	RCRIS/SQG
10031	U001493602	NYR000074688	NYCPR - REGIONAL MGMT & CONSULTIN	AMSTERDAM AVE & W 135TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U003333084	NY0002194157	BROOKFIELD AVENUE LANDFILL	ARTHUR KILL ROAD		STATEN ISLAND	NY	SHWS
10031	U004567838	2-399035	RIVERSIDE MGMT CORP	3333 BROADWAY		NEW YORK	NY	FINDS
10031	U001839198	NYD986847786	RIVERSIDE PARK COMM APTS STAGE	3333 BROADWAY		NEW YORK	NY	SPILLS, UST
10031	U000592379	2-606759	J. L. QUALITY CLEANERS	3345 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	A100163538	2-249890	3401 BROADWAY	3401 BROADWAY		NEW YORK	NY	AST
10031	A100173344	NYD981132046	3409-15 BROADWAY	3409-15 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U003385667	2-154431	P. A DRY CLEANERS	3411 BROADWAY		NEW YORK	NY	AST
10031	U004260869	000010138848	3440 BROADWAY	3440 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U000145677	NYD982796492	BROADWAY BEST CLEANER	3458 BROADWAY		NYC	NY	FINDS
10031	U000357846	NYD981137441	BROADWAY FRENCH CLEANERS LTD	3458 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U003395001	2-470902	EVERGREEN FRENCH CLEANERS	3471 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U003397074	2-603259	3485 BROADWAY	3485 BROADWAY		NEW YORK	NY	AST
10031	U000409862	2-454400	3489 REALTY CORPORATION	3489 BROADWAY		NYC	NY	UST
10031	U003388134	2-257745	3489 BROADWAY ASSOC	3489 BROADWAY		NEW YORK	NY	UST
10031	U001564619	NYD981098349	3505 BROADWAY REALTY CORP	3505 BROADWAY		NEW YORK	NY	AST
10031	U003386490	2-065915	MONARCH CLEANERS	3507 BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U004329530	000010795454	G T T G BROADWAY CORP	3507 BROADWAY		NEW YORK	NY	AST
10031	A100179562	2-605367	WOOLWORTH	3544 BROADWAY		NEW YORK	NY	FINDS
10031	U00231420	NYD981087448	HAMILTON PALACE	3550 BROADWAY		NEW YORK	NY	AST
10031	U003388951	2-284114	SUNG PULLY INC	3560 BROADWAY		NEW YORK	NY	RCRIS/SQG, FINDS
10031	U004178548	000009038320	3569 ASSOCIATES, L.L.C.	3569 BROADWAY		NEW YORK	NY	AST
10031	U001840545	2-469769	CLEAN ACTION DRY CLEANERS LAUNDF	3570 BROADWAY		NEW YORK	NY	FINDS
10031	U003835970	2-606748	3603 BROADWAY	3603 BROADWAY		NEW YORK	NY	UST
10031	U003393636	2-340391	3605 BROADWAY	3605 BROADWAY		NEW YORK	NY	UST
10031	A100147039	2-472735	3609 BRADWAY ASSOCIATES	3609 BROADWAY		NEW YORK	NY	AST
10031	A100166498	2-250651	BNS BUILDINGS INC	3609 BROADWAY		NEW YORK	NY	AST
10031	U004420210	000011980180	3610 & 3604 BROADWAY	3610 BROADWAY		NEW YORK	NY	AST
10031	U004178532	000009038124	B B CLEANERS	3621 BROADWAY		NEW YORK	NY	FINDS
10031	U003393668	2-341185	CREST CLEANERS	3621 BROADWAY		NEW YORK	NY	FINDS
10031	U004324642	000010806952	3647 BROADWAY	3647 BROADWAY		NEW YORK	NY	FINDS
10031	U003389936	2-3411207	MICHELLE CLEANERS	3657 BROADWAY		NEW YORK	NY	AST
10031	U003390692	2-321176	3660 BROADWAY	3660 BROADWAY		NEW YORK	NY	AST
10031	U003394895	2-469785	3681 BROADWAY A/K/A 555 WEST 151ST :	3681 BROADWAY		NEW YORK	NY	AST
10031	U000400493	2-275816	3692 BROADWAY	3682 BROADWAY		NEW YORK	NY	AST
10031	U00230555	NYD981132301	3692 BROADWAY BLOCK 2084 LOT 153	3682 BROADWAY		NEW YORK	NY	AST
10031	U00137102	NYD981559453	A Z FRENCH CLEANERS	BROADWAY		NEW YORK	NY	FINDS, RCRIS/LQG
10031	U004758971	NYD987034212	A & Z DRY CLEANERS	BROADWAY		NEW YORK	NY	RCRIS/LQG
10031	U004758711	NYD981482292	MICHELLE CLEANERS INC	BROADWAY		NEW YORK	NY	RCRIS/SQG
10031	U004760366	NYR000042168	EVERGREEN CLEANERS	BROADWAY		NEW YORK	NY	RCRIS/SQG
10031	U004758976	NYR000034220	WOOLWORTH	BROADWAY		NEW YORK	NY	RCRIS/SQG
10031	S102840684	2-000319	MICHELLE CLEANERS	BROADWAY		NEW YORK	NY	CBS AST
10031	U003396182	2-601455	NYC DEPT ENVIRONMENTAL PROTECTIO	BUREAU OF CLEAN WATER		NEW YORK	NY	AST
10031	U001841933	2-601454	CITY COLLEGE OF NY	160 CONVENT AVE (NAC BOILER N.)		NEW YORK	NY	UST
10031	U001841932	2-601453	CITY COLLEGE OF NY	160 CONVENT AVE (NAC BOILER S.)		NEW YORK	NY	UST
10031	U003391143	2-334243	CITY COLLEGE OF NY	181-211 CONVENT AVE (SCIENCE)		NEW YORK	NY	UST
10031	U003396958	2-603022	260 PARTNERS, L.P. % BEACH LANE MAN	270 CONVENT AVENUE		NEW YORK	NY	AST
10031	U003387058	2-270857	270 CONVENT AVENUE HDFC	270 CONVENT AVENUE		NEW YORK	NY	AST
10031	U003387523	2-295264	289 & 305 ASSOC LP	289 CONVENT AVENUE		NEW YORK	NY	AST
10031	A100183211	2-606607	295 CONVENT AVENUE L.L.C	295 CONVENT AVENUE		NEW YORK	NY	AST
10031	U003387057	2-270849	302 CONVENT AVENUE, HDFC	302 CONVENT AVENUE		NEW YORK	NY	AST
10031	U003386028	2-257505	289 & 305 ASSOC L.P.	302 CONVENT AVENUE		NEW YORK	NY	AST
10031	U004322292	000010782652	310 CONVENT AVE	310 CONVENT AVENUE		NEW YORK	NY	AST
10031	U003389214	2-297186	WOODS WILLY	310 CONVENT AVENUE		NEW YORK	NY	FINDS
10031	U004222541	000009713550	373 CONVENT AVE CORP	339 CONVENT AVE		NEW YORK	NY	AST
10031	A1001939929	2-344842	BELL ATLANTIC WORK SITE)	360 CONVENT AVE		NEW YORK	NY	FINDS
10031	U003393925	2-347639	VERIZON	380 CONVENT AVE		NEW YORK	NY	AST
10031	U003389333	2-306010	400 CONVENT AVE	400 CONVENT AVENUE		NEW YORK	NY	AST
10031	A100182997	2-601017	GARRISON APTS INCORPORATED	435 CONVENT AVENUE		NEW YORK	NY	AST
10031	A100182999	2-601021	470 CONVENT AVENUE	470 CONVENT AVENUE		NEW YORK	NY	AST
10031	A1001841931	2-601451	484 CONVENT AVENUE	484 CONVENT AVENUE		NEW YORK	NY	AST
10031	U001841931	2-601451	CITY COLLEGE OF NEW YORK	91 CONVENT AVE (PK GYM)		NEW YORK	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10031	100990546	NYR000005068	CCNY - BASKERVILLE BUILDING	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	100990548	NYR000005074	CCNY - PARK GYMNASIUM	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	100990549	NYR000005074	CCNY - AARON DAVIS BUILDING	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	100990544	NYR000005041	CCNY - WINGATE BUILDING	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	100990545	NYR000005025	CCNY - DAY CARE CENTER	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	100990547	NYR000005066	CCNY - SHEPARD HALL	CONVENT AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	1004759936	NYR0000083369	WOODS WILLY NYNEX	CONVENT AVE	**	NEW YORK	NY	RCRIS/SQG
10031	U001330141	2-601452	CITY COLLEGE OF NY	CONVENT AVE / W 135TH STREET (EISNE		NY	NY	UST, UST
10031	U003074303	2-601456	THE CITY COLLEGE	CONVENT AVE / W 140TH ST (139TH)		NEW YORK	NY	UST, UST
10031	U001841935	2-085227	CITY COLLEGE OF NEW YORK - CUNY	267 EDGEcombe AVENUE		NEW YORK	NY	UST
10031	U003384203	2-256927	267 EDGEcombe AVENUE	281 EDGEcombe AVENUE		NEW YORK	NY	UST
10031	U003388990	2-253340	281 EDGEcombe AVENUE	291 EDGEcombe AVENUE		NEW YORK	NY	UST
10031	U001835282	2-316180	EDGEcombe ASSOC	319-321 EDGEcombe AV		MANHATTAN	NY	UST
10031	U003387688	2-600947	22 HOLDING CORP.	323 EDGEcombe AVENUE		NEW YORK	NY	UST
10031	U003385922	2-189639	CITY OF N.Y DEPT OF H.P.D	335-37 EDGEcombe AVE		NEW YORK	NY	UST
10031	U003385444	2-480061	GIBBONS REALTY CO	345 EDGEcombe AVENUE		NEW YORK	NY	UST
10031	U001840967	2-314560	EDGEcomb HOTEL	379-81 EDGEcombe AVENUE		MANHATTAN	NY	AST, LTANKS
10031	U003387915	2-284130	357 EDGEcombe AVE	385 EDGEcombe AVE		NEW YORK	NY	AST
10031	U003388953	2-283908	CHAMA HOLDING CORP	385 EDGEcombe AVE		NEW YORK	NY	AST
10031	U003388942	2-283908	CHAMA HOLDING CORP	385 EDGEcombe AVE		NEW YORK	NY	AST
10031	U003389072	2-285072	CHAMA HOLDING CORP	385 EDGEcombe AVE		NEW YORK	NY	AST
10031	U003396827	2-602782	631 EDGEcombe AVENUE	631 EDGEcombe AVENUE		MANHATTAN	NY	AST
10031	1000990684	NY0141713479	NATIONAL PARK SERVICE - GENERAL GR	GENERAL GRANT NM, RIVERSIDE		NEW YORK	NY	RCRIS/SQG, FINDS
10031	A100129147	2-305429	13-19 HAMILTON TERRACE	13-19 HAMILTON TERRACE	**	NEW YORK	NY	AST
10031	A100177792	2-305472	35 HAMILTON REALTY, LLC	13-19 HAMILTON TERRACE		NEW YORK	NY	AST
10031	U003383692	2-341673	ST HAMILTON PL	51 HAMILTON PL		NEW YORK	NY	AST
10031	U003389503	2-186762	61 HAMILTON PL	61 HAMILTON PL		NEW YORK	NY	AST
10031	A100168797	2-108963	53-63 PARTNERS, L.P.	63 HAMILTON TERRACE		NEW YORK	NY	AST
10031	U003395003	2-470910	79 HAMILTON PLACE	79 HAMILTON TERRACE		NEW YORK	NY	AST
10031	U003418568	2-195014	EAGLE HAMILTON ASSOCIATES, LLC	87 HAMILTON PLACE		NEW YORK	NY	AST
10031	U003396186	2-601462	MR. WILLIAM CROWDER	94 HAMILTON PLACE		NEW YORK	NY	AST
10031	U003391800	2-215948	HAVEN UPTOWN ASSOCIATES, LLC	105 HAVEN AVENUE		NEW YORK	NY	AST
10031	U003398185	2-289942	N. Y. BOYD CORP.	350 MANHATTAN AVE		NEW YORK	NY	AST
10031	S102672363	2-331058	18-20 ST NICHOLAS PL	18-20 ST NICHOLAS PLACE		NEW YORK	NY	AST, LTANKS
10031	U003391674	2-464055	N.K.P. REALTY CORP.	26 ST NICHOLAS PL		NEW YORK	NY	AST
10031	A100193928	2-251089	40 ST NICHOLAS LLC	40 ST NICHOLAS PLACE	**	NEW YORK CITY	NY	AST
10031	A100194247	2-607224	ST. NICHOLAS SCHOOL OF THE ARTS	32-54 ST. NICHOLAS PLACE		NEW YORK	NY	AST
10031	U003948447	2-063216	THE HARLEM PLACE LLC	645 ST. NICHOLAS AVE.		NEW YORK	NY	AST
10031	U000994852	2-100390	695 NICHOLAS REALTY CORP.	695 ST NICHOLAS AVENUE		NEW YORK	NY	AST
10031	A100175754	2-359637	723 ST NICHOLAS REALTY LLC.	723 ST NICHOLAS AVENUE		NEW YORK	NY	AST
10031	A100168795	2-107182	742 ST NICHOLAS AVENUE	742 ST NICHOLAS AVE	**	NEW YORK	NY	AST
10031	U003389047	2-284688	746 ST NICHOLAS AVE	746 ST NICHOLAS AVE		NEW YORK	NY	AST
10031	U003390931	2-332755	772 ST NICHOLAS AVE	772 ST NICHOLAS AVE		NEW YORK	NY	AST
10031	U003394706	2-472522	795 ST NICHOLAS AVENUE	795 ST NICHOLAS AVENUE		NEW YORK	NY	AST
10031	U000414037	2-600647	ST. NICHOLAS AMANA	800 ST NICHOLAS AVE		NEW YORK	NY	AST
10031	1004188198	000009153866	ABAX INC	801 ST NICHOLAS AVE APT 44	**	NYC	NY	FINDS
10031	U003388118	2-256579	M.D.	813 ST NICHOLAS AVE		NEW YORK CITY	NY	FINDS
10031	U003326291	000010924596	BLOCKERS CLEANERS	849 ST. NICHOLAS AVENUE	**	NEW YORK	NY	FINDS
10031	U003385976	2-606764	849 ST NICHOLAS AVENUE	853 ST. NICHOLAS AVENUE		NEW YORK	NY	FINDS
10031	U003395957	2-560147	JAYDEE ENTERPRISES INC	ST NICHOLAS AVE	**	NEW YORK	NY	FINDS
10031	U00872222	NYD987034311	BLOCKERS CLEANERS	ST NICHOLAS AVE	**	NEW YORK	NY	RCRIS/SQG, FINDS
10031	1004756540	NYD137908570	MTA NYCT - ST NICHOLAS	ST NICHOLAS AVE	**	NEW YORK	NY	FINDS
10031	1004373949	000011340952	NYCDEP - SHAFT 9	ST NICHOLAS AVE	**	NEW YORK	NY	FINDS
10031	1004283805	NYR0000051896	MTA NYCT - SHAFT 9	ST NICHOLAS AVE W 149TH ST	**	NEW YORK	NY	FINDS
10031	1004760611	NYR0000051896	MTA NYCT - ST NICHOLAS AVE C & D LINE	ST NICHOLAS AVE & W 149TH ST	**	NEW YORK	NY	RCRIS/SQG
10031	1004761987	NYR0000092403	NYCDEP - SHAFT 9	ST NICHOLAS AVE APT 44	**	NEW YORK	NY	RCRIS/SQG
10031	1001961541	NYR0000083287	ABAX INC	156-08 RIVERSIDE DR	**	NEW YORK	NY	RCRIS/SQG, FINDS
10031	U001840329	2-359203	156-08 RIVERSIDE DRIVE	575 RIVERSIDE DR		NEW YORK	NY	AST, UST
10031	U003388069	2-359248	575 RIVERSIDE DR	575 RIVERSIDE DRIVE		NEW YORK CITY	NY	AST
10031	U000396693	2-148113	583 & 587 RIVERSIDE DRIVE	583 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A1001477116	2-604121	583 RIVERSIDE DRIVE	587 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	U003939961	2-348252	610 RIVERSIDE ASSOCIATES	610 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100173533	2-604750	610 RIVERSIDE DRIVE	610 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	1004567839	NY00002194165	RIVERVIEW TOWERS	626 RIVERSIDE DR		NEW YORK CITY	NY	FINDS
10031	U001831663	2-061719	RIVERVIEW TOWERS	626 RIVERSIDE DRIVE		NEW YORK	NY	AST, UST
10031	U003393410	2-206068	635 RIVERSIDE DR APT HOUSE	635 RIVERSIDE DRIVE AKA 630 WEST 141	**	NEW YORK	NY	AST, UST
10031	U001840798	2-476315	660 RIVERSIDE DRIVE ALDO ASSOCIATES	660 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100166707	2-604577	660 RIVERSIDE DRIVE	660-666 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	U003391933	2-403172	668 RIVERSIDE DRIVE	668 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100173453	2-403180	670 RIVER REALTY CORP	670 RIVERSIDE DRIVE		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10031	U003388159	2-258172	676 RIVERSIDE DRIVE	676 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	1004322285	000010782584	NYS RIVERBANK STATE PARK	679 RIVERSIDE DR		NEW YORK	NY	FINDS
10031	S102641503	2-000257	RIVERBANK STATE PARK	690 RIVERSIDE DRIVE		NEW YORK	NY	CBS UST
10031	A100166424	2-091383	690 RIVERSIDE DRIVE	699 RIVERSIDE DR		NEW YORK	NY	AST
10031	A100166470	2-196371	700 RIVERSIDE DRIVE	700 RIVERSIDE DR		NEW YORK	NY	AST
10031	A100175143	2-476358	706 RIVERSIDE DRIVE	706 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100175144	2-476366	725 RIVERSIDE DRIVE	725 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	U0033388200	2-260290	THE BEAUMOUNT	730 RIVERSIDE DR		NEW YORK	NY	AST
10031	A100157685	2-604323	HUDSON OVERLOOK LLC	736 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100157646	2-304484	HVLIN HOUSES	740 RIVERSIDE DR		NEW YORK	NY	AST
10031	U001640799	2-476331	750 RIVERSIDE DRIVE	750 RIVERSIDE DRIVE		NEW YORK	NY	UST
10031	U003386533	2-239461	LUDOR PROPERTIES L.P.	760-762 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	U000410081	2-359173	801 RIVERSIDE DRIVE	775 RIVERSIDE DR		NEW YORK	NY	AST_UST
10031	U000410923	2-476307	801 RIVERSIDE DRIVE	801 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100175142	2-476595	812 RIVERSIDE DRIVE	812 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	A100175314	2-603776	827-835 RIVERSIDE DR.	827-835 RIVERSIDE DRIVE		NEW YORK	NY	AST
10031	U004762096	NYR000093492	NYS RIVERBANK STATE PARK	RIVERSIDE DR	**	NEW YORK	NY	RCRIS/SQG
10031	U001836674	2-148099	2-4 ST NICHOLAS PL	2-4 ST NICHOLAS PL		NEW YORK	NY	UST
10031	U000417183	2-254177	EDGEcombe ASSOC	48 SAINT NICHOLAS PL		NEW YORK CITY	NY	UST
10031	U004178525	00009038046	KLEENER KING	754B SAINT NICHOLAS AVENUE		NEW YORK CITY	NY	FINDS
10031	U003835907	2-470317	824 SAINT NICHOLAS AVENUE	824 SAINT NICHOLAS AV		NEW YORK	NY	UST
10031	U001840547	2-470325	715 ST NICHOLAS AVE	715 ST NICHOLAS AVENUE		NEW YORK CITY	NY	FINDS
10031	U04567078	NY0001492610	AMOCO 6030	800 STREET NICHOLAS AVENUE	**	NEW YORK	NY	ERNS
10031	2000672370		TON PLACE	TON PLACE	**	MANHATTAN	NY	FINDS
10031	1004202772	000009341024	CON ED-MH 2177	S/S W 135 ST 64 W/O LENOX AVE	**	NEW YORK	NY	ERNS
10035	95317305					NEW YORK	NY	AST
10035	U00169036	2-604645	124 EAST 117TH STREET	124 E. 117 ST.		NEW YORK	NY	AST
10035	U003644411	2-070963	P T M GARAGE CORP	228 EAST 117 STREET		NEW YORK	NY	UST
10035	1004222554	00009713698	RESIDENTIAL BUILDING	306 E 117 ST		NEW YORK	NY	FINDS
10035	U003392148	2-218065	316 EAST 117 STREET	316 EAST 117 STREET		NEW YORK	NY	AST
10035	A100166484	2-218057	M DEAN REALTY CORP.	322 EAST 117 STREET		NEW YORK	NY	AST
10035	A100175212	2-601028	61 EAST 117 STREET	61 EAST 117 STREET		NYC	NY	AST
10035	U003399437	2-092177	B.H.V. REALTY CORP	203 EAST 117TH ST		NEW YORK	NY	UST
10035	U003644395	2-001090	P T M GARAGE CORP	228 EAST 117TH STREET		NEW YORK	NY	UST
10035	A100169010	2-604607	231 EAST 117TH STREET	231 E. 117TH ST		NEW YORK	NY	AST
10035	A100169038	2-604648	244 EAST 117TH STREET	244 EAST 117TH STREET		NEW YORK	NY	AST
10035	U004066128	000007510740	NYC BD OF ED - PUBLIC SCHOOL 155	319 E 117TH ST		NEW YORK	NY	FINDS
10035	U003394205	2-354104	P.S. 155	319 E 117TH ST		NEW YORK	NY	AST
10035	U003387520	2-295205	PLEASANT EAST	428 EAST 117TH ST		NEW YORK	NY	AST
10035	U003387518	2-295183	PLEASANT EAST	446 EAST 117TH ST		NEW YORK	NY	AST
10035	1001229341	NYR000059014	NYC BD OF ED - PUBLIC SCHOOL 155	E 117TH ST		NEW YORK	NY	RCRIS/SQG, FINDS
10035	U003390171	2-203580	MET-PACA II ASSOCIATES	149 E 118 ST		NEW YORK CITY	NY	FINDS
10035	U004570926	NYD986875078	WASHBURN WIRE COMPANY	545 E 118 ST		NEW YORK	NY	AST
10035	A100183484	2-608916	ST. PAUL SCHOOL	114 EAST 118TH STREET		NEW YORK	NY	AST
10035	U003393645	2-6040510	166 ASSOCIATES, INC.	166 EAST 118TH ST		NEW YORK	NY	AST
10035	U003398927	2-602960	411 EAST 118TH STREET	411 EAST 118TH STREET		NEW YORK	NY	UST
10035	U003749732	2-604708	EAST RIVER PLAZA	545 EAST 118TH STREET		NEW YORK	NY	UST
10035	U003241915	2-605322	EAST RIVER PLAZA	545 EAST 118TH STREET		NEW YORK	NY	UST
10035	1001223610	NYR000050360	BLUMENFELD DEVELOPMENT GROUP	E 118TH ST		NEW YORK	NY	FINDS, RCRIS/LOG
10035	U003074603	2-217506	25 PCT	120 E 119 ST		NEW YORK	NY	UST
10035	U000417428	2-203599	MET-PACA II ASSOCIATES	168 E 119 ST		NEW YORK	NY	AST
10035	U003385209	2-114545	MET-PACA II ASSOCIATES	168 EAST 119 ST		NEW YORK	NY	AST
10035	U003385208	2-114537	MET-PACA II ASSOCIATES	212 EAST 119 ST		NEW YORK	NY	AST
10035	U003390027	2-266493	VALLETTA WOODWORKING CORP	520 EAST 119 ST		NEW YORK	NY	AST
10035	U003387519	2-295191	PLEASANT EAST ASSOCIATES	222-234 E 119TH ST		NEW YORK	NY	AST
10035	U003395053	2-471410	302 EAST 119TH STREET	302 EAST 119TH ST		NEW YORK	NY	AST
10035	A100183389	2-606812	348 EAST 119 STREET	348 EAST 119TH STREET		NEW YORK	NY	AST
10035	U003395078	2-471445	PROVIDENCE BAPTIST CHURCH	50 EAST 119TH STREET		NEW YORK	NY	AST
10035	A100183215	2-606613	ALE REALTY CORP.	524 EAST 119TH STREET		NEW YORK	NY	AST
10035	U003394184	2-353809	I.S. 112	535 EAST 119TH STREET		NEW YORK	NY	AST
10035	U003394191	2-353973	P.S. 7	160 EAST 120TH STREET		NEW YORK	NY	AST
10035	U003900464	2-606975	BETHEL GOSPEL ASSEMBLY, INC	2-26 EAST 120TH STREET		NEW YORK	NY	UST
10035	A100159820	2-604478	EAST HARLEM MULT-SERVICE CENTER	413 E 120TH STREET		NEW YORK	NY	AST
10035	U002259608	2-602440	WAGNER HOUSES	438 EAST 120TH STREET		NEW YORK	NY	UST
10035	1004324321	000010803618	NYC BD OF ED - PUBLIC SCHOOL 79 MAN	55 E 120TH ST		NEW YORK	NY	FINDS
10035	U003394171	2-353949	P.S. 79	55 EAST 120TH STREET		NEW YORK	NY	AST
10035	1001080018	NYR000017251	MENDEZ SARAH	E 120TH ST	**	NEW YORK	NY	RCRIS/SQG, FINDS
10035	1004759402	NYR000008987	NYC BD OF ED - PUBLIC SCHOOL 79 MAN	E 120TH ST		NEW YORK	NY	RCRIS/SQG
10035	U000411094	2-476504	PS 96	EAST 120TH ST		NEW YORK	NY	UST
10035	1000889949	NY0000201152	ORV'SSEY HOUSE OF NEW YORK	219 E 121ST ST		NEW YORK	NY	FINDS, RCRIS/LOG
10035	U003391860	2-2171731	HARLEM COURT BUILDING	EAST 121ST ST/ SYLVAN PL		NEW YORK	NY	AST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10035	1064325758	000010818646	BEST FRIEND CLEANERS	2327 SECOND AVE	**	NEW YORK	NY	FINDS
10035	A100175199	2-601000	2353 SECOND AVE	2353 SECOND AVE	**	NYC	NY	AST
10035	A100168986	2-601674	2371 SECOND AVENUE	2371 SECOND AVENUE	**	NEW YORK	NY	FINDS
10035	1004567081	NY0001492685	AMCOO CARMIE ELMORE	2449 SECOND AVE 12	**	NEW YORK	NY	AST, UST
10035	1004757321	NYD9866928257	126TH STREET BUS DEPOT	2460 SECOND AVENUE	**	NEW YORK	NY	RCRIS/SQG
10035	A100173677	2-604932	BEST FRIEND CLEANERS	250-252 SHERMAN AVENUE	**	NEW YORK	NY	AST
10035	A100177926	2-605611	COTELLO STRIANO	2212 THIRD AVENUE	**	NEW YORK	NY	AST
10035	1004649634		GENEST BUILDING	2341 THIRD AVE	**	NEW YORK	NY	FTTS
10035	1004649635		THE KINGS ACADEMY	2341 THIRD AVE	**	NEW YORK	NY	FTTS
10035	1000994392	NYD982796401	TBTA - HENRY HUDSON BRIDGE	TRIBOROUGH STATION	**	NEW YORK	NY	FINDS, RCRIS/LOG
10035	99638885	000010818802	TRIBOROUGH BRIDGE MANHATTAN PLAZ	TRIBOROUGH BRIDGE MANHATTAN PLAZ	**	NEW YORK	NY	ERNS
10035	1004325772	000010818802	NYCDOC - WARDS ISLAND FACILITY	1 WARDS ISLAND	**	NEW YORK	NY	FINDS
10035	1004418347	0000119589480	SLATTERY WARDS ISLAND WPP	7 WARDS ISLAND	**	NEW YORK	NY	FINDS
10035	1000239976	NYD980784607	MANHATTAN PSYCHIATRIC CENTER	WARDS ISLAND	**	NEW YORK	NY	FINDS, RCRIS/LOG
10035	92298617		WARDS ISLAND	WARDS ISLAND	**	NEW YORK	NY	ERNS
10035	1001968870	NYR000080499	SLATTERY WARDS ISLAND WPP	WARDS ISLAND	**	NEW YORK	NY	FINDS, RCRIS/LOG
10035	1000411747	2-511862	KIRBY FORENSIC PSY CENTER	WARDS ISLAND	**	NEW YORK	NY	ERNS
10035	1004757286	NYD986914125	NYCDOC - WARDS ISLAND FACILITY	WARDS ISLAND	**	NEW YORK	NY	AST, UST
10035	1000192421	NYD980779805	WARDS ISLAND WATER POLLUTION CON	WARDS ISLAND	**	NEW YORK	NY	RCRIS/SQG
10035	1000400867	NYD981141377	CENTER FOR NEUROCHEMISTRY	WARDS ISLAND	**	NEW YORK	NY	RCRIS/LOG
10035	A100193997	2-456446	WARDS ISLAND W.P.C.P.	WARDS ISLAND (WATER POLLUTION CTL	**	NEW YORK	NY	AST
10035	U003074892	2-456446	WARDS ISLAND W.P.C.P.	WARDS ISLAND (WATER POLLUTION CTL	**	NEW YORK	NY	UST
10035	S102640043	2-000260	THE CITY OF NEW YORK/NYCDEP	WARDS ISLAND WTR POL CNT	**	WARDS ISLAND	NY	CBS AST
10035	1000136885	NYD981871718	NEW YORK CITY DEP	WARDS ISLAND WTR POL CNT	**	NEW YORK	NY	RCRIS/SQG, FINDS
10035	U003394515	2-455725	SANITATION TRAINING CENTER	WARDS ISLAND/RANDALL ISLAND	**	NEW YORK	NY	AST
10035	1000980164	NY0000262477	NYCDOC BIN 224005	WILLIS AVE BRIDGE RAMP	**	NEW YORK	NY	RCRIS/SQG, FINDS
10037	1000140983	NYD981483431	NYC DEPT OF SANITATION	M-10 110 E 131ST ST	**	NEW YORK	NY	RCRIS/SQG, FINDS
10037	1004323410	000010794238	NYC BD OF ED - PUBLIC SCHOOL 180	370 W 120TH ST	**	NEW YORK	NY	FINDS
10037	1004760542	NYR0000048389	ORANGE BRICK GARAGE CORP./FANE OF	W 120TH ST	**	NEW YORK	NY	RCRIS/SQG
10037	A100154007	2-604191	NYC DOS MANHATTAN 10 GARAGE	68 EAST 131 STREET	**	NEW YORK	NY	AST
10037	U003074865	2-455849	NYC DOS MANHATTAN 10 GARAGE	110 EAST 131ST STREET	**	NEW YORK	NY	UST
10037	A100183158	2-455849	NYC DOS MANHATTAN 10 GARAGE	110 EAST 131ST STREET	**	NEW YORK	NY	UST
10037	U003386907	2-195480	WILLIE N HEARY	32 WEST 131ST STREET	**	NEW YORK	NY	AST
10037	U003397212	2-603504	WILLIE N HEARY	63 WEST 131ST ST	**	NEW YORK	NY	AST
10037	A100175183	2-609987	9 EAST 131ST STREET	9 EAST 131ST STREET	**	NEW YORK	NY	AST
10037	U001836276	2-200182	30 WEST 132 ST	30 WEST 132 ST	**	NEW YORK	NY	AST
10037	U003398929	2-246285	LENOX TERRACE DEVELOPMENT ASSOC	25 WEST 132ND STREET	**	NEW YORK	NY	AST, UST
10037	U003764757	2-267529	CARMEL ENTERPRISES INC.	28 W 132ND ST	**	NEW YORK	NY	AST
10037	1004188188	NY00009153768	LENOX TERRACE DEVELOPMENT ASSOC	45 WEST 132ND STREET	**	NEW YORK	NY	AST, UST
10037	1001961631	NYR0000083188	ABAX INC	8 W 132ND ST APT 9F	**	NEW YORK	NY	FINDS
10037	U004026215	2-317993	LT JESEPH P KENNEDY JR	W 132ND ST APT 9F	**	NEW YORK	NY	RCRIS/SQG, FINDS
10037	U003764779	2-604974	HANSBORO RECREATION CENTER	34 WEST 134TH ST	**	NEW YORK	NY	UST
10037	U001838273	2-200115	LENOX TERRACE DEVELOPMENT ASSOC	35 WEST 134TH STREET	**	NEW YORK	NY	UST
10037	U004283782	000010387662	NYCDEP - SHAFT 10B	10 WEST 135TH STREET	**	NEW YORK	NY	AST, UST
10037	1004782020	NYR000092734	NYCDEP - SHAFT 10B	135TH ST E OF AMSTERDAM AVE	**	NEW YORK	NY	FINDS
10037	U001853463	2-273120	LENOX TERRACE DEVELOPMENT ASSOC	135TH ST E OF AMSTERDAM AVE	**	NEW YORK	NY	RCRIS/SQG
10037	1004322403	000010763770	NYCHA - LINCOLN HOUSES	40 WEST 135TH STREET	**	NEW YORK	NY	FINDS
10037	U004761697	NYR000091504	NYCHA - LINCOLN HOUSES	60 E 135TH ST	**	NEW YORK	NY	RCRIS/SQG
10037	A100183326	2-066747	536 WEST 136 STREET	E 135TH ST	**	NEW YORK	NY	FINDS
10037	U003394944	2-470406	17 WEST 137TH STREET	536 WEST 136TH STREET	**	NEW YORK	NY	AST
10037	A100183314	2-606734	21 WEST 137TH STREET	17 WEST 137TH STREET	**	NEW YORK	NY	AST
10037	A100183197	2-606589	GREATHER HARLEM NURSING HOME	30 WEST 138TH STREET	**	NEW YORK	NY	AST
10037	A100183321	2-606742	42 WEST 138 STREET	30 WEST 138TH STREET	**	NEW YORK	NY	AST
10037	U003396876	2-089449	48 W 138TH ST L P	48-54 WEST 138TH ST	**	NEW YORK	NY	AST
10037	U003384907	2-089449	ST MARK THE EVANGELIST SCHOOL	55 WEST 138TH STREET	**	NEW YORK	NY	AST
10037	U003384911	2-089449	ST MARK THE EVANGELIST CHURCH	65 WEST 138TH STREET	**	NEW YORK	NY	AST
10037	U003153190	2-089759	DELANO VILLAGE	15 WEST 139TH ST	**	NEW YORK	NY	AST
10037	U003153193	2-089724	DELANO VILLAGE	45 WEST 139TH STREET	**	NEW YORK	NY	AST, UST
10037	U003153191	2-089732	DELANO VILLAGE	30 WEST 141 ST	**	NEW YORK	NY	AST, UST
10037	U0000065787	NYR0000065787	MTA NYCTA - FAN PLANT	60 WEST 142ND STREET	**	NEW YORK	NY	AST, UST
10037	1000292828	NYD980779524	SHULTZ CO INC THE	143RD ST & LENOX AVE	**	NEW YORK	NY	FINDS, RCRIS/LOG
10037	U001831330	2-040525	THE SHULTZ COMPANY INC	44 W 143RD ST	**	NEW YORK	NY	UST
10037	U003241881	2-603205	143RD STREET ASSOCIATES	44-56 WEST 143RD ST	**	NEW YORK	NY	UST
10037	1004070283	000007567064	E H COLLISION INC	607 WEST 47TH STREET	**	NEW YORK	NY	UST
10037	U003836020	2-607214	LOWER WASHINGTON HEIGHTS	1721 AMSTERDAM AVENUE	**	NEW YORK	NY	FINDS
10037	U000409342	2-353558	P S 197	2230 5 AV	**	NY C	NY	UST
10037	1004324300	000010803384	NYC BD OF ED - PUBLIC SCHOOL 133 MAI	2121 5TH AVE	**	NEW YORK	NY	FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10037	1000136762	NYD980772287	Y FRENCH CLEANERS	2162 5TH AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10037	U003127489	2-083763	RIVERBEND HOUSING CO INC	2289 5TH AVE		NEW YORK	NY	UST
10037	1000412116	2-392085	NYS ARMOY	2366 5TH AVE	**	NEW YORK	NY	FINDS
10037	10004326798	000010830192	NYS DIV MILITARY NAVAL AFFAIRS	5TH AVE - JAMAICA ARMOY		NEW YORK	NY	RCRIS/SQG
10037	1004759425	NYR000010520	NYC BD OF ED - PUBLIC SCHOOL 133 MAI	5TH AVE W 125TH ST		NEW YORK	NY	FINDS
10037	1004373912	000011340570	NYCPR - REGIONAL MANAGEMENT CON	5TH AVE & W 125TH ST	**	NEW YORK	NY	RCRIS/SQG
10037	1004761016	NYR000070128	NYCPR - REGIONAL MANAGEMENT & COI	5TH AVE - JAMAICA ARMOY		NEW YORK	NY	RCRIS/SQG
10037	1004055825	NYR0000452985	NYS DIV MILITARY NAVAL AFFAIRS	2230 5TH AVENUE		NEW YORK	NY	RCRIS/SQG
10037	A100178411	2-608228	PUBLIC SCHOOL 197	2230 5TH AVENUE		NEW YORK CITY	NY	AST
10037	1004567843	NY0002194215	RIVERBEND HOUSING COMPANY INCORP	2289 5 AVENUE		NEW YORK	NY	FINDS
10037	U003153189	2-602860	DELANO VILLAGE ASSOC. L.L.C.	2330 5TH AVENUE		NEW YORK	NY	UST
10037	U000405941	2-219010	NYC DEPARTMENT OF HEALTH	CENTRAL HARLEM DISTRICT HEALTH CEI		NEW YORK	NY	UST
10037	U003394164	2-363698	P. S. 133	2121 FIFTH AVENUE		NEW YORK	NY	AST
10037	U000406434	2-200107	LENOX TERRACE DEVELOPMENT ASSOC.	2186 FIFTH AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10037	1000912707	NY0000902577	NYC BD OF ED - PUBLIC SCHOOL 197 MAI	2230 FIFTH AVE		NEW YORK	NY	UST
10037	U001836162	2-365378	LINCOLN TOWN STATION	2266 FIFTH AVENUE		NEW YORK	NY	AST
10037	U003394930	2-099767	DELANO VILLAGE	2300 FIFTH AVENUE		NEW YORK	NY	SHWS, FINDS, RCRIS/LQG
10037	1000108749	NYD071026173	BUDGE-WOOD LAUNDRY SERVICE INC	2350 FIFTH AVENUE		NEW YORK CITY	NY	UST
10037	U000413895	2-600447	NYC PR (AKA, PS 14)	2350 FIFTH AVENUE		NEW YORK	NY	RCRIS/SQG
10037	1004760345	NYR000041236	NYSDOT CONTRACT D266981	GRACE EL SOL STAGING AREA NB	**	NEW YORK	NY	FINDS
10037	1004373981	000011341276	NYSDOT CONTRACT D266981	GRACE EL SOL STAGING AREA NB	**	NEW YORK	NY	FINDS
10037	U003394942	2-470392	408 LENOX AVENUE	408 LENOX AVENUE		NEW YORK	NY	AST
10037	U003387565	2-296503	410 LENOX AVE	410 LENOX AVE		NEW YORK	NY	AST
10037	A100175198	2-600999	412 LENOX AVE	412 LENOX AVE		NEW YORK	NY	AST
10037	1004432385	000012107762	NEIGHBORHOOD DRY CLEANERS	434 LENOX AVE		NEW YORK	NY	FINDS
10037	U00293073	NYD981564710	NEIGHBORHOOD FRENCH CLEANERS	434 LENOX AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10037	U000416844	2-2737112	LENOX TERRACE DEVELOPMENT ASSOC	470 LENOX AVE		NEW YORK	NY	UST
10037	U001841244	2-511646	CLAYTON APTS INC	470 LENOX AVE		NEW YORK	NY	UST
10037	1004260958	000010135436	LENOX CLEANERS CORP	485 LENOX AVE		NEW YORK	NY	FINDS
10037	1000122164	NYD089467295	494 LENOX CLEANERS	494 LENOX AVE		NEW YORK	NY	RCRIS/SQG, FINDS
10037	1000548041	NYD184112241	HARLEM HOSPITAL CENTER	494 LENOX AVE		MANHATTAN	NY	AST, FINDS, RCRIS/LQG
10037	U003074894	2-457086	SCHOMBURG BRANCH	515 LENOX AVENUE		NEW YORK	NY	AST, UST
10037	1000141122	NYD981481484	K L P INC	588 LENOX AVE		NEW YORK	NY	FINDS, RCRIS/LQG
10037	1004260565	000010135514	PETER S CLEANERS	588 LENOX AVE		NEW YORK	NY	FINDS
10037	U003153194	2-099716	DELANO VILLAGE	620 LENOX AVENUE		NEW YORK	NY	AST, UST
10037	A100175175	2-600946	629 LENOX AVENUE	629 LENOX AVENUE		NEW YORK	NY	AST, UST
10037	U003153195	2-099708	DELANO VILLAGE	630 LENOX AVENUE		NEW YORK	NY	AST, UST
10037	U000398988	2-315689	BETHUNE TOWER	650 LENOX AVENUE		NEW YORK	NY	UST
10037	U004188197	000009153856	ABAX INC	653 LENOX AVE APT 17	**	NEW YORK	NY	FINDS
10037	A100183370	2-606792	653 LENOX AVENUE	653 LENOX AVE		NEW YORK	NY	FINDS
10037	U001961540	NYR000083279	ABAX INC	LENOX AVE APT 17	**	NEW YORK	NY	RCRIS/SQG, FINDS
10037	S102147990	2-270803	2170 LEXINGTON AVE	2170 LEXINGTON AVE		NEW YORK	NY	SPILLS, AST
10037	1004322367	000010783416	NYCHA - LINCOLN HOUSES	2110 MADISON AVE		NEW YORK	NY	FINDS
10037	U000410777	2-474908	LINCOLN	2130 MADISON AVENUE		NEW YORK	NY	FINDS
10037	1004570178	NYD980234637	NYCHA LINCOLN HOUSES	2142 MADISON AVENUE		NEW YORK CITY	NY	FINDS
10037	U001837026	2-333107	RIVERTON ASSOC	2156 MADISON AVE	**	NEW YORK	NY	UST
10037	1004761932	NYR000091850	NYCHA - LINCOLN HOUSES	MADISON AVE	**	NEW YORK	NY	RCRIS/SQG
10037	1004762898	NYR000101584	NYCHA - LINCOLN HOUSES	MADISON AVE	**	NEW YORK	NY	RCRIS/SQG
10037	1000833552	NYD987032851	AMTRAK HELLGATE BRIDGE	OVER 138TH ST	**	NEW YORK	NY	RCRIS/SQG, FINDS
10037	U003396612	2-602219	1916 PARK AVENUE	1916 PARK AVENUE		NEW YORK	NY	RCRIS/SQG, FINDS
10037	U001736595	2-601679	ROOSEVELT INCOME MAINTENANCE CEI	1951 PARK AVENUE	**	MANHATTAN	NY	UST
10037	1004202787	000009341172	CON ED - MH 39273	SWC E 131 ST LEXINGTON AVE		NEW YORK	NY	FINDS
10451	1004188719	000009160374	CAL MICHAEL WOODWORKING INC	225 EAST 134 STREET	**	BRONX	NY	FINDS
10451	U003383315	2-034576	225 EAST 134TH STREET	225 EAST 134TH STREET		BRONX	NY	FINDS
10451	U000401944	2-318825	GOTHAM PLASTICS CO INC	220 E 138 ST	**	BRONX	NY	UST
10451	S103592335	03V45	STERICYCLE RMM TS	890 EAST 138 STREET		BRONX	NY	SWFLF
10451	1001171441	2-191361	DEEGAN	115 EAST 138TH STREET		BRONX	NY	UST
10451	1001223843	NYR000050591	MTA NYCT - 138TH STREET STATION	138TH ST & 3RD AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	1001223845	NYR000050617	MTA NYCT - 138TH GRAND CONCOURSE	138TH ST & GRAND CONCOURSE		BRONX	NY	RCRIS/SQG, FINDS
10451	U003397259	2-603371	GRAPA INC	236 EAST 138TH STREET		BRONX	NY	AST, UST
10451	U004667091	NYV0001492859	CITY GAS 242 EAST 138TH STREET	242 EAST 138TH STREET		BRONX	NY	FINDS
10451	U003069066	2-600201	242 EAST 138TH STREET, INC.	242 EAST 138TH STREET		BRONX	NY	UST, LTANKS
10451	U001833196	2-153660	GETTY 00111	361 EAST 138TH ST		BRONX	NY	UST
10451	U003395312	2-482595	361 EAST 138TH ST	627 E 141 ST		NEW YORK	NY	UST
10451	U000398668	2-236357	627 E 141 ST	E 141 ST CANAL PL		BRONX	NY	FINDS
10451	1004202878	000009342122	CON ED - V 2380	250 EAST 143RD ST		BRONX	NY	FINDS
10451	U003365246	2-393959	CARNATION PLASTIC MFG CO INC	301 EAST 143RD STREET		BRONX	NY	FINDS
10451	1004070280	000007567034	NYCHA-PATTERSON HOUSES	314 EAST 143RD STREET		BRONX	NY	UST, LTANKS
10451	U001840647	2-473219	PATTERSON	120 E 144TH ST		BRONX	NY	UST
10451	U000403087	2-209775	PANORAMIC INDUSTRIES INC	125 EAST 144TH STREET		BRONX	NY	UST
10451	U001838312	2-207209	ROCKET JEWELRY BOX INC			BRONX	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10451	U003080359	2-452861	BRUCKNER OPERATIONS CENTER	1560 BRUCKNER BLVD.		BRONX,	NY	AST, UST
10451	1000111668	NYD982738569	CON EDISON - BRUCKNER SERVICE	BRUCKNER BLVD		BRONX,	NY	FINDS, RCRIS/LQG
10451	1000474247	2-198528	UNITED PARCEL SERVICE	180 CANAL ST WEST		BRONX	NY	AST, UST
10451	1004188725	0000009160530	PREMIER WOODWORKING	322 CANAL PLACE		BRONX	NY	FINDS
10451	A100175460	2-605165	376 CANAL PLACE	376 CANAL PLACE		BRONX	NY	AST
10451	1000299569	NYD0001630383	PREMIER METAL PRODUCTS	381 CANAL PLACE		BRONX	NY	FINDS, RCRIS/LQG, UST, LTANKS
10451	U003396155	2-601383	DENCO DISTRIBUTORS INC.	388 CANAL PLACE		BRONX	NY	AST
10451	000322281	NYD982738569	GLENTIES LEASING CO	75 CANAL ST W		BRONX	NY	RCRIS/SQG, FINDS
10451	0001842088	2-601752	DOVER GARAGE CORP.	75 CANAL STREET WEST		BRONX	NY	UST
10451	1001119736	NYR000030262	AJAX AUTOMOTIVE	CANAL PL		BRONX	NY	RCRIS/SQG, FINDS
10451	1004568291	NYR090009926	CE HARLEM RIVER CHAN	CHANNEL IMPROVEMENT	**	BRONX	NY	RCRIS/SQG, FINDS
10451	1004566546	NY4900009822	CE-BRONX RIVER CHAN	CHANNEL IMPROVEMENT	**	BRONX	NY	FINDS
10451	A100169067	2-604885	ST. RITA'S CHURCH (SCHOOL)	452 COLLEGE AVENUE		BRONX	NY	AST
10451	0003395176	2-478997	MOTT HAVEN YARD	156 ST. CONCORDE VILLAGE EAST		BRONX	NY	AST
10451	1000546938	2-342599	CONCOURSE VILLAGE INC	775 CONCOURSE VILLAGE EAST		BRONX	NY	AST
10451	1004260737	000010137466	CONCOURSE VILLAGE CLEANERS	843 CONCOURSE VILLAGE WEST		BRONX	NY	FINDS
10451	1004762752	NYR000100115	NYC DOT BRIDGE BIN 2241590	CONCOURSE VILLAGE E OVER		BRONX	NY	RCRIS/SQG, FINDS
10451	1000180607	NYD981133754	CONCOURSE VILLAGE CLEANERS	CONCOURSE W		BRONX	NY	RCRIS/SQG, FINDS
10451	1004416621	000011941354	NYR000098426	COR OF RIVER AVE E 161ST ST		BRONX	NY	FINDS
10451	1004762584	NYD986946044	NYCT - JOSEPH J YANCEY	SE COR 138TH ST RYDER AVE		BRONX	NY	RCRIS/SQG
10451	1000552209	000010791336	EMPIRE CITY SUBWAY CO	67A COURTLAND AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	1004323132	000010713336	TONIS CLEANERS	785 COURTLAND AVE		BRONX	NY	FINDS
10451	1004566025	NYV0000186205	NEW YORK CITY HOUSING AUTHORITY	965 COURTLAND AVE		BRONX	NY	FINDS
10451	1004566027	NYR0000682943	NEW YORK CITY HOUSING AUTHORITY	COURTLAND AVE		BRONX	NY	FINDS
10451	1004760856	2-242101	TONIS CLEANERS	COURTLAND AVE		BRONX	NY	RCRIS/SQG
10451	10001833824	NYV0001492917	ST PIUS V HIGH SCHOOL	500 COURTLANDT AVENUE		BRONX	NY	UST
10451	1004567095	2-453382	COURTLANDT CLEANERS	606 COURTLANDT AVENUE		BRONX	NY	FINDS
10451	0003394487	2-453382	666 COURTLANDT AVENUE	666 COURTLANDT AVENUE		BRONX	NY	FINDS
10451	U003384274	2-080050	730 COURTLANDT AVE	730 COURTLANDT AVENUE		BRONX, NY	NY	AST
10451	1004567141	2-3511741	P S 29	COURTLANDT AVENUE		BRONX	NY	AST
10451	1004567096	NYV0001492925	J.L.CLEANERS	758 COURTLANDT AVENUE		BRONX	NY	AST
10451	1000140951	NYD980234546	NYCHA	792 COURTLANDT AVENUE		BRONX	NY	FINDS
10451	1000555408	NYD986979417	UNIVERSAL BRASS TURNING CO INC	799 COURTLANDT AVE MGR		BRONX	NY	FINDS, RCRIS/LQG
10451	U003764887	2-605533	BRONX TERMINAL MARKET BLDG S-1	912 COURTLANDT AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	1004570185	NYD9869234801	NYCHA-MURPHY	601-649 CROMWELL AVENUE		BRONX	NY	UST
10451	U003393406	2-204811	1765-1767 DAVIDSON AVENUE	1805 CROTONA AVENUE		BRONX	NY	FINDS
10451	1004202292	000099333604	CON ED-MH 22409	1765-1767 DAVIDSON AVENUE		BRONX	NY	AST
10451	1004202770	000099341004	CON ED - MH 25828	SIS E 135 ST 59 W/O 3RD AVE		BRONX	NY	FINDS
10451	0004567092	NYV00014928883	DEEGAN	SIS E 135TH ST 450 EEC PARK A1		BRONX	NY	FINDS
10451	1004161092	000008793948	SLATTERY SKANSKA INC	115 E.138TH ST.		BRONX	NY	FINDS
10451	1001489184	NYR000072280	SLATTERY SKANSKA INC	90 EINSTEIN LOOP		BRONX	NY	FINDS
10451	U003128022	2-364207	GEORGE PERCIVAL	830-32 ELTON AVENUE		BRONX	NY	RCRIS/SQG, FINDS
10451	1000235176	NYD161125372	LUJIGI RENAVALDO AUTO CENTER	325 EXTERIOR ST		BRONX	NY	UST
10451	1000313559	NYD982271272	BELL ATLANTIC	325 EXTERIOR STREET		BRONX	NY	AST, FINDS, RCRIS/LQG, UST
10451	U000411469	2-508875	METRO AFFILIATES	399 EXTERIOR STREET		BRONX	NY	AST, UST
10451	1000119433	NYD981494818	PGI INDUSTRIAL INC LOC 1834	441 EXTERIOR ST		BRONX	NY	RCRIS/SQG, FINDS
10451	U000411220	2-479877	UNIVERSAL DEMOLITION & RCYCLING	475 EXTERIOR ST		BRONX	NY	UST
10451	1000547811	NYD099511974	COPAKE VALLEY FARM LLC	EXTERIOR ST		BRONX	NY	RCRIS/SQG, FINDS
10451	1000554446	NYD986969103	NYSDOT CONTRACT D500792	EXTERIOR ST 135TH ST		BRONX	NY	RCRIS/SQG, FINDS
10451	A100157589	2-400319	385 GERARD AVE	385 GERARD AVE		BRONX	NY	AST
10451	1000130658	NYD052801990	S S INDUSTRIES INC	385 GERARD AVE -5TH 6TH FL		BRONX	NY	FINDS, RCRIS/LQG
10451	1000871755	NYV0000095927	BARKLEY BUILDING	385 GERARD AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	1003111747	2-605476	STONE SERVICES INC	445 GERARD AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	U000418103	2-333212	A.C. AUTO WRECKING CO INC	475 GERARD AVE		BRONX	NY	AST
10451	U001840776	2-476021	VEHICLE MAINTENANCE FACILITY	560 GERARD AVENUE		BRONX	NY	UST
10451	U003363955	2-070394	FOUR STAR LIGHTING INC	580 GERARD AVENUE		BRONX	NY	UST
10451	A100173307	2-198188	690 GERARD AVENUE	690 GERARD AVENUE		BRONX	NY	AST
10451	U003389603	2-202622	330 HULL REALTY CORP	691 GERARD AVE		BRONX	NY	AST
10451	U003389428	2-318988	330 HULL REALTY CORP	705 GERARD AVENUE		BRONX	NY	AST
10451	U003384607	2-114472	710 GERARD AVE	710 GERARD AVE		BRONX	NY	AST
10451	A100129004	2-113867	731 GERARD AVENUE, LLC	731 GERARD AVE		BRONX	NY	AST
10451	U003390912	2-332771	GERARD PLAZA INC	815 GERARD AVE		BRONX	NY	AST
10451	U003385350	2-145513	VED PRAKASH	825 GERARD AVENUE		BRONX	NY	AST
10451	U003393167	2-319376	VARMA CO-OPER HOMES INC.	825 GERARD AVE		BRONX	NY	AST
10451	U003387665	2-198390	831 GERARD	831 GERARD AVE		BRONX	NY	AST
10451	U003385223	2-130591	GRODIA REALTY CO	845 GERARD AVENUE		BRONX	NY	AST
10451	1000348040	NYD982727885	US POSTAL SERVICE - VMF	GERARD AVE		BRONX	NY	RCRIS/SQG
10451	10003996024	NYD982273757	WEDTECH CORP	GERARD AVE		BRONX	NY	FINDS, RCRIS/LQG

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10451	1000348048	NV180010451	US POSTAL SERVICE - VMF	GERARD AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	1000446217	NYD986905537	SPORT SCREEN INC	GERARD AVE		BRONX	NY	RCRIS/LQG
10451	1000462766	NYR000100295	AUTORAMA ENTERPRISES OF BRONX	GERARD AVE	**	BRONX	NY	RCRIS/SQG
10451	10009842790	NYD987011434	SPORT SCREEN INC	GERARD AVE		BRONX	NY	RCRIS/SQG
10451	10003390999	2-327115	EXECUTIVE TOWERS OWNERS CORP	1020-32 GRAND CONCOURSE		BRONX	NY	AST
10451	10003065841	2-402877	315 GRAND CONCOURSE	315 GRAND CONCOURSE		BRONX	NY	UST
10451	10003107160	2-600110	BP AMOCO SERVICE STATION #17782	350 GRAND CONCOURSE		BRONX	NY	UST
10451	1000553884	NYD986983189	A.C.A.MOCO 594	370 GRAND CONCOURSE BLVD		BRONX	NY	RCRIS/SQG, FINDS
10451	1001839205	2-297437	MERIT GRAND CONCOURSE	388-390 GRAND CONCOURSE		BRONX	NY	UST
10451	1001175287	2-601186	388-390 GRAND CONCOURSE	424 GRAND CONCOURSE		BRONX	NY	AST
10451	10003393136	2-304294	A.J. GRIFFEN CORP	424-430 GRAND CONCOURSE		BRONX	NY	AST
10451	10003394703	2-272492	424-430 GRAND CONCOURSE	424-430 GRAND CONCOURSE		BRONX	NY	AST
10451	10000418063	2-351855	P.S. 31	425 GRAND CONCOURSE		BRONX	NY	UST
10451	1008452335	2-082856	HOSTOS COMMUNITY COLLEGE	475 GRAND CONCOURSE		BRONX	NY	FINDS, RCRIS/LQG
10451	1000872397	NYD987036100	HOSTOS COMMUNITY COLLEGE	475 GRAND CONCOURSE		BRONX	NY	UST
10451	10003996728	2-153583	HOSTOS COMMUNITY COLLEGE	475 GRAND CONCOURSE		BRONX	NY	UST
10451	10000418104	2-452319	POWER TEST00129	500 GRAND CONCOURSE		BRONX	NY	UST
10451	10003644430	2-207608	HOSTOS COMMUNITY COLLEGE	500 GRAND CONCOURSE		BRONX	NY	UST
10451	1000705470	NYD9869855656	JOSE PEREZ	557 GRAND CONCOURSE		BRONX	NY	UST
10451	1001444736	2-156299	GRAND MOBIL CORP KTA	611 GRAND CONCOURSE		BRONX	NY	FINDS, RCRIS/LQG
10451	1004328275	000010824408	EXXONMOBIL S/S #17-KTA	611 GRAND CONCOURSE	(150TH STREET	BRONX	NY	UST
10451	1000548710	2-057576	CARDINAL HAYES HIGH SCHOOL	650 GRAND CONCOURSE		BRONX	NY	FINDS
10451	10003396195	2-601491	CARDINAL HAYES HIGH SCHOOL	650 GRAND CONCOURSE		BRONX	NY	UST
10451	10003383937	2-070093	CUTLASS ENTERPRISES, INC.	676 GRAND CONCOURSE		BRONX	NY	AST
10451	10003393984	2-350419	SUN GOLD ASSOCIATES	700 GRAND CONCOURSE		BRONX	NY	AST
10451	10003393993	2-350400	730 G.C. REALTY CORPORATION	700 GRAND CONCOURSE	(707 CONC VIL	BRONX	NY	AST
10451	10042398632	000009898720	SEVENS G.C. CORPORATION	730 GRAND CONCOURSE		BRONX	NY	AST
10451	1003127723	2-236241	VED PARKASH	750 GRAND CONCOURSE		BRONX	NY	FINDS
10451	10003294278	2-406465	750 GRAND CONCOURSE BUILDING	750 GRAND CONCOURSE		BRONX	NY	AST
10451	1000140609	NYD981087430	B.N. ONE HOUR CLEANERS	760 GRAND CONCOURSE		BRONX	NY	AST
10451	1003127157	2-045934	RELIABLE AUTO SERVICE INC	782 GRAND CONCOURSE		BRONX	NY	FINDS, RCRIS/LQG
10451	10001837401	2-398675	800 GRAND CONCOURSE OWNERS CORP	800 GRAND CONCOURSE		BRONX	NY	UST
10451	10003385359	2-187011	THOMAS GARDENS	840 GRAND CONCOURSE		BRONX	NY	AST, UST
10451	10004053344	2-169117	BRONX COURT COURT	851 GRAND CONCOURSE		BRONX	NY	AST
10451	10003391736	2-362379	860 OWNERS CORP	860 GRAND CONCOURSE		BRONX	NY	UST
10451	10003387812	2-235156	888 OWNERS CORP	888 GRAND CONCOURSE		BRONX	NY	AST
10451	10003127653	2-297763	CONCOURSE PLAZA	900 GRAND CONCOURSE		BRONX	NY	AST
10451	100033868755	2-280127	DILLERWOOD APTS INC	910 GRAND CONCOURSE		BRONX	NY	AST
10451	10003386063	2-271233	JOEL GENDELS AS RECEIVER	940 GRAND CONCOURSE		BRONX	NY	AST
10451	10003387253	2-244058	960 INC	960 GRAND CONCOURSE		BRONX	NY	AST
10451	1001090484	NYU005000450	557 GRAND CONCOURSE	GRAND CONCOURSE		BRONX	NY	RCRIS/SQG, FINDS
10451	1001080199	NY8180000137	US POSTAL SERVICE - FACILITY	GRAND CONCOURSE		BRONX	NY	RCRIS/SQG, FINDS
10451	1004756572	NYD980770887	CARDINAL HAYES HIGH SCHOOL	GRAND CONCOURSE		BRONX	NY	RCRIS/SQG
10451	1001171440	NYU0001492875	AMOCO SERVICE STATION	GRAND CONCOURSE		BRONX	NY	RCRIS/SQG, FINDS
10451	1001489342	NYU005001326	GRAND OPERATING CORP	GRAND CONCOURSE		BRONX	NY	RCRIS/SQG, FINDS
10451	1000263797	NYD982185928	MERIT OIL CORP	GRAND CONCOURSE AVE		BRONX	NY	FINDS, RCRIS/LQG
10451	1004762755	NYR000100149	NYCDOT BRIDGE BIN 2241409	GRAND CONCOURSE OVER		BRONX	NY	RCRIS/SQG
10451	1001755581	2-605307	DARBY CONSTRUCTION CORP.	1045 GRANT AVENUE		BRONX	NY	AST
10451	1003393483	2-219843	1001 JEROME ASSOCIATES	1045 GRANT AVENUE		BRONX	NY	AST
10451	1004203231	000009348720	BELL ATLANTIC NY	JOHNSON AVENUE AND KAPPOCK STREI		BRONX	NY	FINDS
10451	1000694477	NYD987008059	SHELL OIL CO	1263 E L GRANT HWY		BRONX	NY	FINDS, RCRIS/LQG
10451	1004570599	NYD986866127	AMER BANK NOTE	1201 LAFAYETTE AVE.		BRONX	NY	FINDS
10451	1004568716	NY7690308062	USCG-LIGHT	LAWRENCE POINT LEDGE		BRONX	NY	FINDS
10451	1001119584	NYR000028712	NYCDOT BRIDGE BIN 1240090	MACOMBS DAM BRIDGE OVER		BRONX	NY	FINDS, RCRIS/LQG
10451	10003391654	2-061444	METROPOLITAN ROOFING SUPPS CO	355 MAJOR DEEGAN BLVD		BRONX	NY	UST
10451	10001831654	2-600567	ENGINE COMPANY 71	720 MELROSE AVENUE		BRONX	NY	UST
10451	100194047	2-600567	ENGINE COMPANY 71	720 MELROSE AVENUE		BRONX	NY	UST
10451	1000555970	2-600808	ENGINE COMPANY 71	720 MELROSE AVENUE		BRONX	NY	UST
10451	1004571986	NYD986985190	AMOCO	871 MELROSE AVE		BRONX	NY	FINDS
10451	1001837917	2-152900	GETTY 257	896 MELROSE AVENUE		BRONX	NY	UST
10451	1000339595	2-601176	896 MELROSE AVE.	896 MELROSE AVENUE		BRONX	NY	UST
10451	10003944653	NYD987007812	GRAND SILVER CO	289 MORRIS AVE		BRONX	NY	UST
10451	1000418073	2-352489	I S 183	339 MORRIS AV		BRONX	NY	UST
10451	1000394099	2-352403	P.S. 18	502 MORRIS AVE		BRONX	NY	FINDS
10451	1004567028	2-109711	P.S. 18	502 MORRIS AVE		BRONX	NY	UST
10451	1004567028	2-109711	524 MORRIS AVENUE	626 MORRIS AVE		BRONX	NY	FINDS
10451	1004323257	000010792620	PEREZ DRY CLEANERS	626 MORRIS AVE		BRONX	NY	UST
10451	1003764851	0003074851	MARIA LOPEZ PLAZA	635 MORRIS AVENUE		BRONX	NY	UST
10451	1003074851	2-089761	SANDERS SERVICE STATION	699 MORRIS AVE		BRONX	NY	UST
10451	1004569651	NYD049619877	CONCOURSE VILLAGE	775 MORRIS AVE CONC. VILL E.)		BRONX	NY	FINDS
10451	1004567098	NYD0001492941	SAM S CLEANERS	904 MORRIS AVENUE		BRONX	NY	FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10451	U000410028	2-457051	MELROSE BRANCH	910 MORRIS AVENUE		BRONX	NY	UST
10451	U004760724	NYR0000058420	PEREZ DRY CLEANERS	MOUNT HOPE AND JEROME AVENUE		BRONX	NY	RCRIS/SQG
10451	U004203239	000009345808	BELL ATLANTIC NY	137-34 NORTHERN BOULEVARD		FLUSHING	NY	FINDS
10451	U003074725	2-3440895	BELL ATLANTIC	2500 PARK AVE		BRONX	NY	AST, UST
10451	U004599459	NYD0008964256	J H MONTEATH	3050 PARK AVE		BRONX	NY	FINDS
10451	U004571884	NYD986977890	NEW YORK CITY HOUSING AUTHORITY	3080 PARK AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	U000136866	NYD981080344	MORRISANIA AIR RIGHTS	3125 PARK AVENUE		BRONX	NY	UST, LTANKS, SPILLS
10451	U000410660	2-473324	MORRISANIA AIR RIGHTS	3134 PARK AVE		BRONX	NY	AST
10451	A100194044	2-600564	EMERGENCY MEDICAL STATION; BATTAL	3134 PARK AVE		BRONX	NY	UST
10451	U003395676	2-600564	EMERGENCY MEDICAL STATION; BATTAL	3145 PARK AVE		BRONX	NY	FINDS
10451	U004039942	000006917516	NYCHA - MORRISANIA AIR RIGHTS HOUSE	3160 PARK AVE		BRONX	NY	FINDS
10451	U003385464	000007879826	YANKEE STORAGE	3201-13 PARK AV		BRONX	NY	FINDS
10451	U004763032	2-191930	3201-13 PARK REALTY L.L.C.	PARK AVE		BRONX	NY	AST
10451	U001482366	NYR0000069187	YANKEE STORAGE	PARK AVE		BRONX	NY	RCRIS/SQG
10451	U001224487	NYR0000057042	NYCHA - MORRISANIA AIR RIGHTS HOUSE	PARK AVE		BRONX	NY	FINDS, RCRIS/LOG
10451	A100169632	2-602380	CANAL-RIDER REALTY LLC	321 RIDER AVENUE		BRONX	NY	RCRIS/SQG, FINDS
10451	U001171443	2-000026	POWER CHEM. CO. INC.	375 RIDER AVE.		BRONX	NY	AST
10451	U004567094	NY0001492909	POWER CHEMICAL COMPANY	375 RIDER AVENUE		BRONX	NY	CBS, AST
10451	U000111766	NYD001289545	RAB ELECTRIC MANUFACTURING CO INC	RIDER AVE		BRONX	NY	FINDS
10451	U000210033	NYD001549633	POWER CHEMICAL CO INC	RIDER AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	U001832892	2-187801	BRONX HOUSE OF DET FOR MEN	653 RIVER AVE		BRONX	NY	UST
10451	U004072710	000007599832	NYS EMERGENCY ELECTRICAL PLANT	653 RIVER AVE		BRONX	NY	FINDS
10451	U001405122	NYR0000656688	NYC YANKEE STADIUM	RIVER AVE		BRONX	NY	FINDS, RCRIS/LOG
10451	U004039965	000006917782	NYCHA - SOUNDVIEW HOUSES	615 ROSEDALE AVE		BRONX	NY	FINDS
10451	U004040013	000006918712	NYCHA - JAMES MONROE HOUSES	670 ROSEDALE AVE		BRONX	NY	FINDS
10451	U001224389	NYR0000056089	NYCHA - JAMES MONROE HOUSES	ROSEDALE AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	U001224397	NYR0000056143	NYCHA - SOUNDVIEW HOUSES	ROSEDALE AVE		BRONX	NY	UST, LTANKS
10451	U001833147	2-148121	YANKEE STADIUM	800 RUPPERT PLACE		BRONX	NY	AST
10451	U003393218	2-325449	909 REALTY CO	909 SHERIDAN AVE		BRONX	NY	AST
10451	U003387021	2-248444	DERWOOD REALTY CORP	910 SHERIDAN AVE		NEW YORK	NY	AST
10451	U003386578	2-240427	917 MANAGEMENT CORP	917 SHERIDAN AVE		BRONX	NY	AST
10451	U003395325	2-130168	SHERIDAN ONE CO	930 SHERIDAN AVE		BRONX	NY	AST
10451	U000303539	NYD050401272	984 SHERIDAN AVENUE	984 SHERIDAN AVE		BRONX	NY	UST, LTANKS
10451	A100077742	2-3595661	COMMUNITY CLEANERS	SHERIDAN AVE		BRONX	NY	AST
10451	U001841552	2-609626	NE TWENTY REALTY INC.	963 SHERMAN AVE		BRONX	NY	AST
10451	A100178059	2-605781	AMOCO SERVICE STATION	963 SHERMAN AVE		BRONX	NY	FINDS, RCRIS/LOG
10451	U004048735	000007195186	943-45-47 TELLER AVE HDFC	99-113 149TH STREET		BRONX	NY	AST, UST
10451	U003925532	2-189745	GASOLINE STATION	943-45-47 TELLER AVENUE		BRONX	NY	FINDS
10451	U004567093	NY00000492891	MADHATTER REALTY CORP.	250 E. 138 TH ST.		BRONX	NY	AST
10451	U001841635	2-600832	GASETERIA OIL CORPORATION	2417 THIRD AVENUE		NEW YORK	NY	AST
10451	U00194194	2-6007160	GASOLINERIA OIL CORPORATION	2477 THIRD AVENUE		BRONX	NY	FINDS
10451	U001838557	2-329398	THE H. W. WILSON COMPANY	2525 THIRD AVENUE		BRONX	NY	UST
10451	U003384859	2-096067	BROOK HOUSE FURNITURE CORP	2604 THIRD AVENUE		BRONX	NY	AST
10451	U00328842	00000707182	NORTH SIDE SAVINGS BANK	3144 THIRD AVENUE		BRONX	NY	AST
10451	U004203223	0000093455642	GASOLINERIA OIL CORP AMOCO	3230 THIRD AVENUE		BRONX	NY	AST
10451	U001224364	NYR0000055814	BELL ATLANTIC NY	THIRD AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	U003750765	2-605683	NYCHA - FOREST HOUSES	TOWNSEND AVENUE AND 172ND STREET		BRONX	NY	FINDS
10451	U004327054	000010633024	287 WALTON AVE.	TRINITY AVE		BRONX	NY	UST
10451	U003790763	2-605572	B M LINEN CORP	287 WALTON AVENUE		BRONX	NY	FINDS
10451	U000871628	NY00000079277	U-HAUL	310 WALTON AVENUE		BRONX	NY	UST
10451	U000416592	2-084042	U-HAUL	310 WALTON AVENUE		BRONX	NY	RCRIS/SQG, FINDS
10451	U000406825	2-247626	675 WALTON AVE	350 WALTON AVENUE		BRONX	NY	UST
10451	U003391207	2-3353112	PRIME RESIDENTIAL	368 WALTON AVENUE		BRONX	NY	UST
10451	A100157721	2-604369	PRIME RESIDENTIAL BRONX R&R III,LLC	711 WALTON AVENUE		NY	NY	AST
10451	A100157722	2-604370	PRIME RESIDENTIAL BRONX R&R IV,LLC	721 WALTON AVENUE		BRONX	NY	AST
10451	U003389516	2-196840	835 WALTON AVE ASSOC. C/O LEVITES R	735 WALTON AVENUE		BRONX	NY	AST
10451	U001838016	2-218820	STADIUM ARMS APT HOUSE	835 WALTON AVENUE		BRONX	NY	AST
10451	U003393992	2-373761	865 WALTON APT HOUSE	853 WALTON AVE		BRONX	NY	AST
10451	U004759456	NY0000002733	B & M LINEN CORP	865 WALTON AVENUE		NEW YORK	NY	UST
10451	U004762754	NYR000100131	NYC BOT BRIDGE BUN 2241410	WALTON AVE		BRONX	NY	RCRIS/SQG
10451	U004570343	NYD981080278	WEDTECH CORPORATION	1049 WASHINGTON AVE		BRONX	NY	RCRIS/SQG
10451	U004000014	000006918722	NYCHA - MORRIS HOUSES	1373 WASHINGTON AVE		BRONX	NY	FINDS
10451	A100082117	2-601729	2115 WASHINGTON REALTY, LLC	2115 WASHINGTON AVENUE		BRONX	NY	AST
10451	U001224390	NYR0000056077	NYCHA - MORRIS HOUSES	WASHINGTON AVE		BRONX	NY	RCRIS/SQG, FINDS
10451	U000405472	2-402761	ARDHIN ENTERPRISES, INC	1805 WEBSTER AVE		BRONX	NY	UST
10451	U001736507	2-601578	EXXON SIS	1811 WEBSTER AVENUE		BRONX	NY	UST
10451	U001841818	2-601205	164/176 WILLIS AVE	164 WILLIS AVE		BRONX	NY	UST
10454	U000402537	2-308036	220 EAST REALTY INC.	511-517 EAST 132 STREET		BRONX	NY	UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10454	U003031023	2-602499	NEW YORK CITY STREET SWEEPING GAF	765 EAST 132 STREET		BRONX	NY	UST
10454	U003074378	2-000282	WALNUT BUS DEPOT	900 EAST 132 STREET		BRONX	NY	CBS AST, SPILLS, AST,
10454	S103276243	03T32	WASTE SERVICES	920 EAST 132 STREET		BRONX	NY	SWF/LF
10454	U003861510	NY0001007855	NYCDOIT - 132ND STREET GRIT CHAMBER	132ND ST - GRIT CHAMBER		BRONX	NY	RCRIS/SQG, FINDS
10454	U004326581	000010827830	US POSTAL SERVICE - BRONX VEHICLE	500 EAST 132ND STREET	**	BRONX	NY	FINDS
10454	U000410883	2-476048	EASTSIDE PARCEL POST ANNEX	517 EAST 132ND STREET		BRONX	NY	UST
10454	U003790920	2-605935	220 EAST REALTY LLC	620 E 132ND ST		BRONX	NY	UST
10454	U004634780	NY0002044469	HIRD BLAKER INC	620 E 132ND ST	**	BRONX	NY	FITS
10454	U004567743	1004567743	HIRD BLAKER INC	621 EAST 132ND STREET		BRONX	NY	FINDS
10454	A1001736339	2-604882	ALBEE SPECIALTIES, INC.	621 EAST 132ND STREET		BRONX	NY	FINDS
10454	U003074853	2-455644	N.Y.C. D.S.N.Y. BRONX 1 GARAGE	680 EAST 132ND STREET		BRONX	NY	AST, UST
10454	U003384133	2-083313	695 EAST 132ND STREET	695 EAST 132ND STREET		BRONX	NY	AST, UST
10454	U003074847	2-455547	BRONX WEST FOUR	720 EAST 132ND STREET		BRONX	NY	AST, UST
10454	U003389112	2-283202	EVERLAST SANITATION FACILITY	750 EAST 132ND ST		BRONX	NY	AST, UST
10454	U001410115	NYD986898964	NYC DEPT OF SANITATION - J SCHIAVONI	780 E 132ND ST BX-W-1		BRONX	NY	FINDS, RCRIS/LQG
10454	U004084968	00007895018	AZTEC SERVICE GROUP THE	791 E 132ND ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U00140971	2-603111	NYCTA	900 E 132ND ST		BRONX	NY	AST, UST
10454	U003644542	2-603737	WASTE SERVICES OF NEW YORK	920 EAST 132ND STREET		BRONX	NY	AST, UST
10454	U003644558	NYD058281304	WASTE MANAGEMENT OF NEW YORK	920 EAST 132ND STREET		BRONX	NY	AST, UST
10454	U00231690	NYD058281304	BERG CHEMICAL CO INC	E 132ND ST		BRONX	NY	AST, UST
10454	U004756119	NY2180010454	US POSTAL SERVICE - BRONX VEHICLE	E 132ND ST	**	BRONX	NY	RCRIS/SQG, FINDS
10454	U004761802	NYR0000809555	HIRD BLAKER INC	E 132ND ST	**	BRONX	NY	RCRIS/SQG, FINDS
10454	U001485588	NYR000069922	AZTEC SERVICE GROUP THE	E 132ND ST	**	BRONX	NY	RCRIS/SQG, FINDS
10454	U004416429	000011939258	NY POWER AUTH - STREET UTILITY CONI	E 132ND ST 200 FT N LOCUST AVE		BRONX	NY	RCRIS/SQG, FINDS
10454	U004762360	NYR000096149	NY POWER AUTH - STREET UTILITY CONI	E 132ND ST 200 FT N LOCUST AVE		BRONX	NY	RCRIS/SQG, FINDS
10454	U004828376	00010387426	NY POWER AUTH - HARLEM RIVER YARD	E 132ND ST BETW TRIBOROUGH		BRONX	NY	RCRIS/SQG, FINDS
10454	U004762124	NYR000093373	NY POWER AUTH - HARLEM RIVER YARD	E 132ND STREET AND PC/RR		BRONX	NY	RCRIS/SQG, FINDS
10454	U004432379	00012107702	HARLEM RIVER YARDS PLANT	EAST 132ND STREET		BRONX	NY	FINDS
10454	S103039866	2-000344	PRINCETON LAUNDRY INC.	781 EAST 133 STREET		BRONX	NY	FINDS
10454	U003200563	2-401096	S & J SHEET METAL SUPPLY, INC.	608 EAST 133RD STREET		BRONX	NY	CBS AST
10454	A100175133	2-401501	ARTISTIC DESK PAD & NOVELTY CO.	721 E 133RD STREET		BRONX	NY	AST
10454	U001197302	NYR000037937	PRINCETON LAUNDRY	E 133RD ST		BRONX	NY	RCRIS/SQG, FINDS
10454	U003387284	2-245291	700 EAST 134 ST	700 EAST 134 ST		BRONX	NY	AST
10454	U001841108	2-508756	BOULEVARD & INGENIERI TRUCKING	715 E 134 STREET		BRONX	NY	UST
10454	U004566772	NY0001415256	GABRIEL BLAU	840 EAST 134 STREET		BRONX	NY	FINDS
10454	U004567518	NY0001956317	MURRAY PERISS IMPORT CORP	840 EAST 134 STREET		BRONX	NY	FINDS
10454	U003388549	2-253456	ALEXANDER'S INC BROOK AVE	500 EAST 134TH ST		BRONX	NY	AST
10454	U004066202	00007497166	EMPIRE SAFE COMPANY	740 EAST 134TH STREET		BRONX	NY	FINDS
10454	U00439105	NYD938647772	FLEX-O-TEX VALET	755 E 134TH ST		BRONX	NY	FINDS
10454	U00383472	2-045500	COMMERCIAL BUILDING	780 EAST 134TH STREET		BRONX	NY	RCRIS/SQG, FINDS
10454	U004324013	000108000442	CON EDISON - HELLGATE NORTH SS	880 E 134TH ST		BRONX	NY	AST
10454	S104950522	2-000375	HELLGATE SUBSTATION	910 EAST 134TH ST		BRONX	NY	FINDS
10454	U001489005	NYD001496777	MAJESTIC DRUG CO	E 134TH ST		BRONX	NY	CBS AST
10454	U000111652	NYD137976247	CON EDISON - HELLGATE SERVICE	E 134TH ST		BRONX	NY	RCRIS/SQG, FINDS
10454	U004759776	NYR000020661	CON EDISON - HELLGATE NORTH SS	E 134TH ST	**	BRONX	NY	FINDS, RCRIS/LQG
10454	U004567712	NY0002022218	T.J. RONAN	749 E 135 ST		BRONX	NY	FINDS
10454	U001837315	2-330663	S&S SOAP CO INC	815 E 135 ST		BRONX	NY	UST
10454	U004222635	000009714638	NYCDOS - WEST 135TH ST MARINE TRAN	135TH ST HUDSON RIVER		BRONX	NY	UST
10454	U003394041	2-351679	P.S. 154	333 EAST 135TH STREET		BRONX	NY	FINDS
10454	U004222804	000099717020	NYC BD OF ED. PS. 154	333 EAST 135TH STREET		BRONX	NY	AST
10454	S103592346	03T31	INWOOD SANITATION	688 E 135TH ST		BRONX	NY	FINDS
10454	U00129702	NYD012093654	KEY REGULATOR REBUILDERS INC	725 E 135TH ST		BRONX	NY	SWF/LF
10454	U003866124	104541JRN74	T.J. RONAN PAINT CORP.	749 E 135TH ST		BRONX	NY	RCRIS/SQG, FINDS
10454	U004649948	2-605181	T.J. RONAN PAINT CORP	749 EAST 135TH ST		BRONX	NY	TRIS
10454	A100175474	2-161144	T.J. RONAN PAINT CORP	749 EAST 135TH ST		BRONX	NY	FITS
10454	U000993008	NYR0000002675	WILLOW MEN'S SHELTER	780 EAST 135TH STREET		BRONX	NY	AST
10454	U003393323	2-003697	BRONX MOLDING CO	E 135TH ST		BRONX	NY	AST
10454	U003388952	NYD986903334	ACE PLATING WKS INC	800 E 136 STREET		BRONX	NY	RCRIS/SQG, FINDS
10454	U003396198	2-601517	NOESTING INC	728 E 136TH ST		BRONX	NY	AST
10454	U004621110	2-000174	728 EAST 136TH STREET	728 EAST 136TH STREET		BRONX	NY	RCRIS/SQG, FINDS
10454	S102659374	2-247863	ACE PLATING WORKS INC.	800 E 136TH ST		BRONX	NY	FITS
10454	U003386770	2-247863	ACE PLATING WORKS, INC.	800 E 136TH ST		BRONX	NY	AST
10454	U003387574	2-316938	LADOL REALTY CORP	462 E 137 ST		BRONX	NY	CBS AST
10454	A100183378	2-608801	673 EAST 137 STREET	597-601 E 137 ST		BRONX	NY	AST
10454	U000410662	2-473332	MITCHELL HOUSES	416 EAST 137TH STREET		BRONX	NY	AST
10454	U001840649	2-473235	MITCHELL HOUSES	453 EAST 137TH STREET		BRONX	NY	UST, LTANKS
10454	U004200523	000009311482	MICKEL CO INC	601 EAST 137TH STREET		BRONX	NY	UST
10454	U003074955	2-600629	H LIEBLICH & CO INC	687 EAST 137TH STREET		BRONX	NY	FINDS

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	Map/Dir/Dist	City	State	Databases
10454	A100175402	2-605095	699 VENTURE CORP	699 703 EAST 137TH STREET		BRONX	NY	AST
10454	U003080367	2-602616	SEBS HOLDING CORPORATION	782 EAST 137TH STREET		BRONX	NY	AST, UST
10454	U001841669	2-600669	M. MELNICK & CO INC	767 EAST 137TH STREET		BRONX	NY	UST
10454	U003397158	2-192961	522 EAST 138 ST	522 E 138 ST		NEW YORK	NY	AST
10454	A100175236	2-601075	608 E 138 ST	605 E 138 ST		BRONX	NY	AST
10454	U001840008	2-357146	FDNY - ENGINE 83	618 EAST 138 STREET		BRONX	NY	AST, UST
10454	S102872726	2-000339	MOUNT SINAI OFF-SITE OPERATIONS CEI	850 EAST 138 STREET		BRONX	NY	CBS, AST
10454	U00052480	03T12	USA WASTE (VFB PROCESSING)	900 EAST 138 STREET		BRONX	NY	SWFLF
10454	1004567104	NYD986948792	NYS DOT	138TH ST CYPRUS ST	**	BRONX	NY	RCRIS/SQG, FINDS
10454	A100175483	2-605192	VIP CLEANERS	430 EAST 138TH STREET		BRONX	NY	FINDS
10454	A100166548	2-336014	KI HA REALTY INC	497 EAST 138TH STREET		BRONX	NY	AST
10454	A100166455	2-188220	502 EAST 138TH STREET	502 E 138TH ST		BRONX	NY	AST
10454	A100175438	2-605140	513 EAST 138TH STREET	513 EAST 138TH STREET		BRONX	NY	AST
10454	A100166456	2-188239	KENAN REALTY CORP.	514 EAST 138TH STREET		BRONX	NY	AST
10454	A100175437	2-605139	525 EAST 138TH ST	525 EAST 138TH ST		BRONX	NY	AST
10454	U000406561	2-210307	KENAN REALTY CORP.	530 EAST 138TH STREET		BRONX	NY	AST
10454	U004260754	000010137642	ST LUKES R C CHURCH	623 EAST 138TH ST		BRONX	NY	UST
10454	U001838452	2-247480	C W CLEANERS LAUNDROMAT INC	679 EAST 138TH STREET		BRONX	NY	FINDS
10454	U004323561	000010795994	SINRAM MARNIS OIL CO INC	804 E 138TH ST		BORN	NY	UST
10454	U000724456	2-600727	LUIGI RENALDO AUTO CENTER	845 E 138TH ST		BRONX	NY	FINDS
10454	U000446220	NYD9869090562	OFF-SITE OPERATION CENTER	850 EAST 138TH ST		NEW YORK	NY	UST
10454	U003386431	2-241377	STOTTER	865 E 138TH ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U003153158	2-600057	G.A.P. AUTO	865 EAST 138TH STREET		BRONX	NY	AST
10454	U000790298	NYD987017829	BRADFORD SWEET	885 EAST 138TH STREET		BRONX	NY	AST, UST
10454	U000421134	NYD987019163	ENVIRONMENTAL CONTROL CO	910 E 138TH ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U001751698	2-1100	939 E 138TH ST	939 E 138TH ST		BRONX	NY	ERNS
10454	U004567438	NYD001765122	PITTSFORD PETROLEUM INC	939 EAST 138TH STREET		BRONX	NY	FINDS, RCRIS/LQG
10454	U000550033	NYD986975282	CASTLE PORT MORRIS TERMINALS, INC.	939 EAST 138TH STREET		BRONX	NY	FINDS, RCRIS/LQG
10454	U001405162	NYR000066241	CASTLE PT MORRIS TERMINALS	939 EAST 138TH STREET		BRONX	NY	FINDS, RCRIS/LQG
10454	U001125040	NYR000034504	ENVIRONMENTAL CONTROL CO INC	E 138TH ST		BRONX	NY	FINDS
10454	U001028683	NYR000009159	C W CLEANERS	E 138TH ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U000368098	NYD083997718	SWETT BRADFORD	E 138TH ST		BRONX	NY	RCRIS/SQG, FINDS
10454	U004760314	NYR000039891	R A ENVIRONMENTAL CORP	E 138TH ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U001233310	NYR000064988	3 BROTHERS CLEANERS	E 138TH ST		BRONX	NY	RCRIS/SQG, FINDS
10454	U003394055	2-351822	LUIGI RENALDO AUTO CENTER	E 138TH ST	**	BRONX	NY	FINDS, RCRIS/LQG, LTANKS
10454	A100175235	2-601074	MTA NYCT - BROOKE AVENUE STATION	E 138TH ST & BROOKE AVE		BRONX	NY	RCRIS/SQG
10454	U04568244	NY0180000150	P.S. 49	383 E 139 ST		EX	NY	FINDS, RCRIS/LQG
10454	A100175210	2-468125	440 E 139 ST	440 E 139 ST		BRONX	NY	AST
10454	U00182962	2-468304	UPS/MOTT HAVEN STA	517 E 139 ST		BRONX	NY	FINDS
10454	U003391249	2-336068	518 E 139 ST	518 E 139 ST		BRONX	NY	AST
10454	U003395122	2-476153	342 EAST 139TH STREET	342 EAST 139TH STREET		BRONX	NY	AST
10454	A100175436	2-605029	PW-2200 BOILER	352 EAST 139TH STREET		BRONX	NY	AST
10454	U003391018	2-328286	R. S. STRAUSS	440 E 139TH ST		BRONX	NY	FINDS, RCRIS/LQG
10454	U00364034	2-605138	MOTT HAVEN	517 EAST 139TH STREET		BRONX	NY	AST
10454	U003311301	NYD986901437	KENAN REALTY CORP.	533 EAST 139TH STREET		BRONX	NY	AST, UST
10454	U003391018	2-605029	139TH REALTY CORPORATION	587-597 EAST 139TH STREET		BRONX	NY	AST
10454	U003391018	2-328286	CHARLES F WILSON INC	587-597 EAST 139TH STREET		BRONX	NY	CBS, UST, FINDS, RCRIS/LQG
10454	U003391018	2-605029	UNIVERSAL STUDIOS	602 EAST 139TH STREET		BRONX	NY	RCRIS/SQG, FINDS
10454	U003391018	2-605029	FURNITURE CONSULTANTS SERVICES	776 E 139TH ST		BRONX	NY	FINDS, RCRIS/LQG, LTANKS
10454	U003391018	2-605029	ACE SUEDES	784 E 139TH ST		BRONX	NY	UST
10454	U003391018	2-605029	MODERN TECH CLEANERS	805 E 139TH ST		BRONX	NY	AST
10454	U003391018	2-605029	MODERN-TECH CLEANERS	808 EAST 139TH ST		BRONX	NY	AST
10454	U003391018	2-605029	CITY OF NY DEPARTMENT OF H.P.D	E 139TH ST		BRONX	NY	UST
10454	U003391018	2-351792	P.S. 40	461 E 140 ST		BRONX	NY	UST
10454	A100194258	2-607241	711 AUTO REPAIR	468 E 140 ST		BRONX	NY	AST
10454	U000408774	2-346268	PAPER ENTERPRISES INC	724 EAST 140 STREET		BRONX	NY	AST, UST
10454	U003382301	2-085200	LUFTMENSCHEN, INC.	850 E 140 ST		BRONX	NY	UST
10454	U000406507	2-218561	475 EAST 140TH STREET	305 EAST 140TH STREET		BRONX	NY	AST
10454	U003396943	2-602891	ROO REALTY CORP.	441 EAST 140TH STREET		BRONX	NY	AST
10454	U003387647	2-236055	626 E 140TH ST REALTY CORP	507 EAST 140TH STREET		BRONX	NY	AST
10454	U003397031	2-603178	MILLBROOK EXTENSION	626 EAST 140TH STREET		BRONX	NY	AST
10454	U000410678	2-473251	735 EAST 140TH STREET	700 EAST 140TH STREET		BRONX	NY	AST
10454	U003758136	2-604833	BYRNE COMPRESSED AIR EQUIP CO	735 EAST 140TH STREET		BRONX	NY	UST
10454	U00311293	NYD011942240	LEUNER BUILDING	796 E 140TH ST		BRONX	NY	UST
10454	U004643775	2-605239	POLYTEX ENVIRONMENTAL INKS, LTD	802-810 EAST 140TH STREET		BRONX	NY	RCRIS/SQG, FINDS
10454	U003758096	2-604744	POLYTEX COLOR AND CHEMICAL CORP	820 EAST 140TH ST		BRONX	NY	FITS
10454	U003758096	2-604744		820 EAST 140TH STREET		BRONX	NY	AST, UST

EDR ZIP Code Scan Report

ZIP	EDR-ID	Facility ID	Name	Address	City	State	Databases
10454	10040665219	000007497420	POLYTEX ENVIRONMENTAL INKS LIMITEC	820 EAST 140TH STREET	BRONX	NY	FINDS, RCRIS/LQG
10454	1000553610	NVD986960359	D W HABER SONS INC	825 E 140TH ST	BRONX	NY	FINDS, RCRIS/SQG, FINDS
10454	1001119408	NVR000026955	NYC DGS - MOTT HAVEN BRANCH LIBRAF	E 140TH ST	BRONX	NY	RCRIS/SQG, FINDS
10454	U003835935	2-601072	404 E 141 ST		BRONX	NY	UST
10454	U003394049	2-351768	P.S.30	510 E 141 ST	BRONX	NY	AST
10454	U004188735	000009160638	PROFESSIONAL AUTO BODY	730 EAST 141 STREET	BRONX	NY	FINDS
10454	U003391325	2-330698	DI GOLD, INC.	352 E 141ST ST	BRONX	NY	AST
10454	U04322230	00010782024	NYCHA - MOTT HAVEN HOUSES	353 E 141ST ST	BRONX	NY	FINDS
10454	U04370184	NVD9860234793	NYCHA - MOTT HAVEN HOUSES	373 EAST 141ST ST	BRONX	NY	FINDS
10454	U04322231	000010782034	NYCHA - MOTT HAVEN HOUSES	383 E 141ST ST	BRONX	NY	FINDS
10454	U004325927	000010820526	NYC BD OF ED - PUBLIC SCH 65 BRONX	677 EAST 141ST ST	BRONX	NY	FINDS
10454	A100194219	2-607191	PUBLIC SCHOOL 65	677 EAST 141ST STREET	BRONX	NY	FINDS
10454	U004075153	000007631276	SPECIALIST AUTO BODY	704 EAST 141ST STREET	BRONX	NY	AST
10454	U00228506	NVD9862272288	PROFESSIONAL AUTO BODY	720 E 141ST ST	BRONX	NY	FINDS, RCRIS/LQG
10454	A100175414	2-605110	NATIONAL EQUIPMENT CORPORATION	E 141ST ST	BRONX	NY	AST
10454	U04762186	NVR000094391	NYCHA - MOTT HAVEN HOUSES	825 EAST 141ST STREEG	BRONX	NY	RCRIS/SQG
10454	U04757071	NVD986882470	NYC BD OF ED - PUBLIC SCH 65 BRONX	E 141ST ST	BRONX	NY	RCRIS/SQG
10454	U04762185	NVR000094383	NYCHA - MOTT HAVEN HOUSES	E 141ST ST	BRONX	NY	RCRIS/SQG
10454	A100129017	2-292184	CHUMAN HEMRAJ	522 EAST 142 STREET	BRONX	NY	AST
10454	U001836067	2-237051	797 EAST 142 STREET CORP	797 EAST 142 STREET	BRONX	NY	UST
10454	U001215471	NVR000045773	MIA NYCT - 142ND STREET PUMP ROOM	142ND ST & WALES AVE	BRONX	NY	RCRIS/SQG, FINDS
10454	A100175450	2-605153	H&O HANDLING CORP.	528 EAST 142ND STREET	BRONX	NY	AST
10454	U000405329	2-216712	ENGINE COMPANY 60	781 EAST 142ND STREET	BRONX	NY	UST
10454	A100194038	2-600953	NYCHA - MOTT HAVEN HOUSES	341 EAST 143RD STREET	BRONX	NY	AST
10454	U004039960	000006917722	THE CONGREGATIONAL CHURCH OF NOI	350 E 143RD ST	BRONX	NY	FINDS
10454	A100183043	2-606931	NYCHA - MOTT HAVEN HOUSES	E 143RD ST	BRONX	NY	AST
10454	U001224391	NVR000056085	NYCHA - MOTT HAVEN HOUSES	789 EAST 144TH ST	BRONX	NY	RCRIS/SQG, FINDS
10454	U04566103	NVD000231472	SAFEGUARD CHEMICAL CORPORATION	806 EAST 144TH ST	BRONX	NY	FINDS, FITS
10454	U04569267	NVD001541697	707 COMPANY	828 E 144TH ST	BRONX	NY	FINDS
10454	U04322347	000010783210	LUCKY POLY MFG CO INC	E 144TH ST	BRONX	NY	FINDS
10454	U04761960	NVR000092130	LUCKY POLY MFG CO INC	360 EAST 145TH STREET	BRONX	NY	RCRIS/SQG
10454	U003394083	2-352284	I.S. 149	512 EAST 145TH STREET	BRONX	NY	AST
10454	U001838006	2-218588	OUB HOUSES HOUSING CO INC	977 E 148 ST	BRONX	NY	UST
10454	A100175233	2-601071	COCA COLA BOTTLING CO OF NEW YORK	EAST 169TH ST & JEROME	BRONX	NY	RCRIS/SQG, FINDS
10454	U008566111	NVD986993905	MULLAY RECREATION CENTER	F O 845-65 E 138 ST	BRONX	NY	FINDS
10454	A100175327	2-605004	CON ED-V 983	205 ALEXANDER AVENUE	BRONX	NY	UST
10454	U004203371	000009347172	MITCHELL	230 ALEXANDER AVENUE	BRONX	NY	UST
10454	U000410676	2-473243	SAINT JEROMES CHURCH	257 ALEXANDER AVENUE	BRONX	NY	AST, UST
10454	U000402078	2-197637	40TH PCT	270 ALEXANDER AVENUE	BRONX	NY	AST
10454	U003074684	2-342807	270 ALEXANDER AVENUE	340 ALEXANDER AVENUE	BRONX	NY	SPILLS, AST, UST
10454	U003392168	2-18421	MOTT HAVEN	132 ST AND LOCUST AVE	BRONX	NY	FINDS
10454	U003074899	0105437	CON EDISON COMPANY OF NY	219 ST ANNS AVENUE	BRONX	NY	AST
10454	U04222454	000009712314	PROPERTY FOR PEOPLE INC.	221 ST ANNS AVE	BRONX	NY	RCRIS/SQG, FINDS
10454	A100177924	2-605609	NAPYS CLEANERS	443-5 ST ANNS AVE	BRONX	NY	AST
10454	U003504009	NVD986888857	E BATANCOURT	276 ST ANNS AVE	BRONX	NY	RCRIS/SQG, FINDS
10454	U003387904	2-288659	MINI PLAZA HOUSING COMPANY	ST ANNS AVE	BRONX	NY	UST
10454	U000408285	2-218383	NYCHA - MILLBROOK HOUSES	2652 3RD AVE	BRONX	NY	FINDS, RCRIS/LQG
10454	U001224486	NVR000057034	CHRISTINA CLEANERS INC	221 BROOK AVE	BRONX	NY	RCRIS/SQG, FINDS
10454	U00263367	NVD103092880	TOP CLEANERS	230 BROOK AVE	BRONX	NY	AST
10454	U000332480	NVD981875495	510 E 138TH ST REALTY CORP	345 BROOK AVE	BRONX	NY	AST
10454	U003384160	2-084239	I.S. 139	370 BROOK AVE	BRONX	NY	FINDS
10454	U003394076	2-352209	OUB HOUSES HOUSING CO INC	370 BROOK AVENUE	BRONX	NY	RCRIS/SQG, FINDS
10454	U004205424	000009373704	OUB HOUSES HOUSING CO INC	BROOK AVE	BRONX	NY	FINDS
10454	U00405909	2-218596	OUB HOUSES HOUSING CO INC	165 BROWN PL	BRONX	NY	UST
10454	U001968859	NVR000080358	P.S.43	165 BROWN PL	BRONX	NY	RCRIS/SQG, FINDS
10454	U003394054	2-351814	NYC BD OF ED - PUBLIC SCHOOL 43 BRO	190 BROWN PL	BRONX	NY	FINDS
10454	U04326699	000010829104	NYC BD OF ED - PUBLIC SCHOOL 43 BRO	BROWN PL	BRONX	NY	RCRIS/SQG
10454	A100183411	2-606639	APPLE MUFFLER SHOPS, INC	102 BRUCKNER BLVD	BRONX	NY	UST
10454	U004759969	NV00000903484	SERVICE STATION	105 BRUCKNER BLVD	BRONX	NY	FINDS, RCRIS/LQG
10454	U003127992	2-399000	AUTO MAXX GOOD YEAR	102 BRUCKNER BLVD	BRONX	NY	AST
10454	U00432444	NVD000698597	112 BRUCKNER ASSOCIATES LP	112 BRUCKNER BLVD	BRONX	NY	AST, UST
10454	U003397003	2-603127	D/B/A - SPECTRUM MINI STORAGE	112 BRUCKNER BLVD	BRONX	NY	UST
10454	U003074648	2-017477	ALBAMA AUTO CTR INC	115 BRUCKNER BLVD	BRONX	NY	AST, UST
10454	U001841433	2-600400	BARAK SPEEDY LUBE	119 BRUCKNER BLVD	BRONX	NY	AST, UST
10454	U000396403	2-190802	MOBIL S/S 17-634 BRUCKNER S/S	119 BRUCKNER BLVD	BRONX	NY	UST
10454	U003200565	2-603099	AMOCO SERVICE STATION	119 BRUCKNER BLVD	BRONX	NY	FINDS
10454	U00408093	2-156523	JOHN B FLAHERTY CO INC	120 BRUCKNER BLVD	BRONX	NY	AST
10454	U04567103	NV0001493022	HESS 32506	126-128 BRUCKNER BOULEVARD	BRONX	NY	FINDS, RCRIS/LQG, UST
10454	U003697775	2-509043					
10454	U003368249	2-268372					
10454	1000263767	NVD982185605					

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/29/02

Date Made Active at EDR: 02/25/02

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/04/02

Elapsed ASTM days: 21

Date of Last EDR Contact: 05/06/02

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 3
Telephone 215-814-5418

EPA Region 4
Telephone 404-562-8033

EPA Region 6
Telephone: 214-655-6659

EPA Region 8
Telephone: 303-312-6774

Proposed NPL: Proposed National Priority List Sites

Source: EPA

Telephone: N/A

Date of Government Version: 01/17/02

Date Made Active at EDR: 02/25/02

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/04/02

Elapsed ASTM days: 21

Date of Last EDR Contact: 05/06/02

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/21/01

Date Made Active at EDR: 02/04/02

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/26/01

Elapsed ASTM days: 40

Date of Last EDR Contact: 03/25/02

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/21/01
Date Made Active at EDR: 02/04/02
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/26/01
Elapsed ASTM days: 40
Date of Last EDR Contact: 03/25/02

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 11/14/01
Date Made Active at EDR: 01/14/02
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 11/14/01
Elapsed ASTM days: 61
Date of Last EDR Contact: 03/11/02

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 12/01/01
Date Made Active at EDR: 04/08/02
Database Release Frequency: Varies

Date of Data Arrival at EDR: 02/04/02
Elapsed ASTM days: 63
Date of Last EDR Contact: 03/04/02

ERNS: Emergency Response Notification System

Source: EPA/NTIS

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 08/08/00
Date Made Active at EDR: 09/06/00
Database Release Frequency: Varies

Date of Data Arrival at EDR: 08/11/00
Elapsed ASTM days: 26
Date of Last EDR Contact: 04/29/02

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/99
Database Release Frequency: Biennially

Date of Last EDR Contact: 03/18/02
Date of Next Scheduled EDR Contact: 06/17/02

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

ROD: Records Of Decision

Source: EPA

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/30/00
Database Release Frequency: Annually

Date of Last EDR Contact: 04/09/02
Date of Next Scheduled EDR Contact: 07/08/02

DELISTED NPL: National Priority List Deletions

Source: EPA
Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/29/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 05/06/02
Date of Next Scheduled EDR Contact: 08/05/02

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA
Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/29/01
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/08/02
Date of Next Scheduled EDR Contact: 07/08/02

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4555

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/30/01
Database Release Frequency: Annually

Date of Last EDR Contact: 04/22/02
Date of Next Scheduled EDR Contact: 07/22/02

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 02/14/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/08/02
Date of Next Scheduled EDR Contact: 07/08/02

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959

Date of Government Version: 12/14/01
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 04/01/02
Date of Next Scheduled EDR Contact: 07/01/02

NPL LIENS: Federal Superfund Liens

Source: EPA
Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 05/28/02
Date of Next Scheduled EDR Contact: 08/26/02

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-260-3936

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/01/01
Database Release Frequency: Annually

Date of Last EDR Contact: 05/14/02
Date of Next Scheduled EDR Contact: 08/12/02

RAATS: RCRA Administrative Action Tracking System

Source: EPA
Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 03/11/02
Date of Next Scheduled EDR Contact: 06/10/02

TRIS: Toxic Chemical Release Inventory System

Source: EPA
Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/99
Database Release Frequency: Annually

Date of Last EDR Contact: 03/25/02
Date of Next Scheduled EDR Contact: 06/24/02

TSCA: Toxic Substances Control Act

Source: EPA
Telephone: 202-260-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/98
Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 03/11/02
Date of Next Scheduled EDR Contact: 06/10/02

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-564-2501

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 01/11/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/25/02
Date of Next Scheduled EDR Contact: 06/24/02

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Source: EPA
Telephone: 202-564-2501

Date of Government Version: 01/14/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/25/02
Date of Next Scheduled EDR Contact: 06/24/02

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE OF NEW YORK ASTM STANDARD RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation

Telephone: 518-402-9553

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/01/01

Date Made Active at EDR: 10/31/01

Database Release Frequency: Annually

Date of Data Arrival at EDR: 10/11/01

Elapsed ASTM days: 20

Date of Last EDR Contact: 02/25/02

SWF/LF: Facility Register

Source: Department of Environmental Conservation

Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/01

Date Made Active at EDR: 04/18/02

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 03/28/02

Elapsed ASTM days: 21

Date of Last EDR Contact: 05/06/02

LTANKS: Spills Information Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/29/02

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/29/02

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/02

Date Made Active at EDR: 03/22/02

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 02/20/02

Elapsed ASTM days: 30

Date of Last EDR Contact: 04/29/02

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC

Telephone: 518-402-9549

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

ERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CKING

Date of Government Version: 01/01/02
Date Made Active at EDR: 03/22/02
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 02/20/02
Elapsed ASTM days: 30
Date of Last EDR Contact: 04/29/02

RE: Registered Waste Tire Storage & Facility List
Source: Department of Environmental Conservation
Telephone: 518-402-8694

Date of Data Arrival at EDR: 11/19/01
Elapsed ASTM days: 11
Date of Last EDR Contact: 05/22/02

ict: N/A

Date of Government Version: 09/01/01
Date Made Active at EDR: 11/30/01
Database Release Frequency: Annually

CP: Voluntary Cleanup Agreements
Source: Department of Environmental Conservation
Telephone: 518-402-9711
The voluntary remedial program uses private monies to get contaminated sites r emediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

Date of Data Arrival at EDR: 03/28/02
Elapsed ASTM days: 39
Date of Last EDR Contact: 03/19/02

08/12/02

Date of Government Version: 03/26/02
Date Made Active at EDR: 05/06/02
Database Release Frequency: Semi-Annually

SWRCY: Registered Recycling Facility List
Source: Department of Environmental Conservation
Telephone: 518-402-8705
A listing of recycling facilities.

Date of Data Arrival at EDR: 08/24/00
Elapsed ASTM days: 20
Date of Last EDR Contact: 05/23/02

08/02

Date of Government Version: 07/17/00
Date Made Active at EDR: 09/13/00
Database Release Frequency: Semi-Annually

STATE OF NEW YORK ASTM SUPPLEMENTAL RECORDS

02

HSWDS: Hazardous Substance Waste Disposal Site Inventory
Source: Department of Environmental Conservation
Telephone: 518-402-9564
The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

Date of Last EDR Contact: 03/04/02
Date of Next Scheduled EDR Contact: 06/03/02

AST: Petroleum Bulk Storage
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Registered Aboveground Storage Tanks.
Date of Government Version: 01/01/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/29/02
Date of Next Scheduled EDR Contact: 07/29/02

CBS AST: Chemical Bulk Storage Database
Source: NYSDEC
Telephone: 518-402-9549
Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.
Date of Government Version: 01/01/02
Database Release Frequency: Quarterly

Date of Last EDR Contact: 04/29/02
Date of Next Scheduled EDR Contact: 07/29/02

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CKING

Date of Government Version: 06/19/98
Database Release Frequency: Varies

Date of Last EDR Contact: 03/05/02
Date of Next Scheduled EDR Contact: 06/03/02

EDR PROPRIETARY HISTORICAL DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 1999 from the U.S. Fish and Wildlife Service.

4/2
2 C
act: 07/29/02

3/0
07/29/02

12

13/6

APPENDIX D

125th St and Lenox Ave


291 Lenox Ave

New York, NY 10027

Inquiry Number: 2822816.2s

July 21, 2010

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	864
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	A-29

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

291 LENOX AVE
NEW YORK, NY 10027

COORDINATES

Latitude (North): 40.807700 - 40° 48' 27.7"
Longitude (West): 73.946200 - 73° 56' 46.3"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 588886.4
UTM Y (Meters): 4517733.0
Elevation: 26 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-G8 CENTRAL PARK, NY
Most Recent Revision: 1995

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2006, 2008
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 7 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
LOT 33,TAXBLOCK 1909 291 LENOX AVENUE MANHATTAN, NY 10027	E DESIGNATION	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

CBS UST..... Chemical Bulk Storage Database
MOSF UST..... Major Oil Storage Facilities Database
MOSF AST..... Major Oil Storage Facilities Database
MOSF..... Major Oil Storage Facility Site Listing
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Registry of Engineering Controls
INST CONTROL..... Registry of Institutional Controls

EXECUTIVE SUMMARY

RES DECL..... Restrictive Declarations Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Cleanup Agreements

State and tribal Brownfields sites

ERP..... Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
SWTIRE..... Registered Waste Tire Storage & Facility List
SWRCY..... Registered Recycling Facility List
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
DEL SHWS..... Delisted Registry Sites
US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

HIST AST..... Historical Petroleum Bulk Storage Database

Local Land Records

LIENS 2..... CERCLA Lien Information
LUCIS..... Land Use Control Information System

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System

EXECUTIVE SUMMARY

TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
FINDS.....	Facility Index System/Facility Registry System
RAATS.....	RCRA Administrative Action Tracking System
HSWDS.....	Hazardous Substance Waste Disposal Site Inventory
NPDES.....	State Pollutant Discharge Elimination System
AIRS.....	Air Emissions Data
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
COAL ASH DOE.....	Sleam-Electric Plan Operation Data
PCB TRANSFORMER.....	PCB Transformer Registration Database
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
COAL ASH.....	Coal Ash Disposal Site Listing
FINANCIAL ASSURANCE.....	Financial Assurance Information Listing

EDR PROPRIETARY RECORDS

EDR Proprietary Records

EDR Historical Auto Stations.. EDR Proprietary Historic Gas Stations

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA CORRACTS facilities list

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/25/2010 has revealed that there is 1

EXECUTIVE SUMMARY

CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
OLIN WATER SERVICES	609 W 131ST ST	NW 1/2 - 1 (0.883 mi.)	AS261	845

Federal RCRA generators list

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 4 RCRA-CESQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NYS ADAM CLAYTON POWELL JR SOB	163 WEST 125TH STREET	NNW 0 - 1/8 (0.057 mi.)	E52	195
CON EDISON	116 W 121ST ST	SSW 1/8 - 1/4 (0.151 mi.)	L116	420
NYC DEPT OF ED - PUBLIC SCHOOL	220 W 121ST ST	WSW 1/8 - 1/4 (0.223 mi.)	U171	553
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON	16 W 122ND ST	SSE 1/8 - 1/4 (0.134 mi.)	O104	384

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 05/24/2010 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
2350 FIFTH AVENUE CORP	2350 5TH AVE	NE 1/2 - 1 (0.841 mi.)	260	824

Class Code: Significant threat to the public health or environment - action required.

VAPOR REOPENED: "Vapor intrusion" refers to the process by which volatile chemicals move from a subsurface source into the indoor air of overlying or adjacent buildings. The subsurface source can either be contaminated groundwater or contaminated soil which releases vapors into the pore spaces in the soil. Improvements in analytical techniques and knowledge gained from site investigations in New York and other states has led to an increased awareness of soil vapor as a medium of concern and of the potential for exposures from the soil vapor intrusion pathway. Based on this additional information, New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at

EXECUTIVE SUMMARY

sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

A review of the VAPOR REOPENED list, as provided by EDR, and dated 02/02/2010 has revealed that there is 1 VAPOR REOPENED site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
2350 FIFTH AVENUE CORP	2350 5TH AVE	NE 1/2 - 1 (0.841 mi.)	260	824

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 05/24/2010 has revealed that there are 69 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
COMMERCIAL BUILDING Date Closed: 1/18/2007	132 WEST 125TH STREET	WNW 0 - 1/8 (0.012 mi.)	A33	148
COMMERCIAL BUILDING Date Closed: 11/18/2005	310 LENOX AVE	NE 0 - 1/8 (0.034 mi.)	C42	169
152 WEST 124TH STREET	152 WEST 124TH STREET	WNW 0 - 1/8 (0.036 mi.)	B43	171
129 WEST 122ND STREET Date Closed: 2/25/1994	129 WEST 122ND STREET	SSW 0 - 1/8 (0.101 mi.)	J84	323
129 WEST 122ND Date Closed: 1/22/1993	129 WEST 122ND	SSW 0 - 1/8 (0.101 mi.)	J85	326
APT BUILDING Date Closed: 12/21/2005	137 WEST 128TH ST	NNE 1/8 - 1/4 (0.152 mi.)	Q119	426
231 WEST 125 STREET Date Closed: 3/31/1995	231 WEST 125 STREET	NW 1/8 - 1/4 (0.175 mi.)	135	463
2002 5TH AVENUE Date Closed: 2/3/1994	2002 5TH AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	T143	494
MORRIS PARK SENIOR CITIZEN (J Date Closed: 9/20/1996	17 EAST 124TH STREET	ESE 1/8 - 1/4 (0.235 mi.)	W190	609
271 WEST 125TH ST Date Closed: 1/20/2006	271 WEST 125TH ST	NW 1/8 - 1/4 (0.239 mi.)	194	631
127 WEST 119TH ST Date Closed: 1/31/1992	127 WEST 119TH ST	SSW 1/4 - 1/2 (0.250 mi.)	206	661
2 WEST 120TH STREET Date Closed: 2/13/1997	2 WEST 120TH STREET	SSE 1/4 - 1/2 (0.280 mi.)	211	676
28TH PRECINCT NYPD -DDC Date Closed: 6/17/2005	2271-89 EIGHTH AVE	W 1/4 - 1/2 (0.303 mi.)	AJ213	686
SHELL SERVICE STATION Date Closed: 10/15/2003	235 ST NICHOLAS AVE	W 1/4 - 1/2 (0.325 mi.)	AJ216	693
Not reported Date Closed: 2/19/2002	310 W 127TH ST	NW 1/4 - 1/2 (0.327 mi.)	217	698

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
302 WEST 128TH STREET Date Closed: 11/20/1992	302 WEST 128TH STREET	NW 1/4 - 1/2 (0.333 mi.)	AK218	699
302 WEST 128TH ST/MANH Date Closed: 8/5/1991	302 WEST 128TH STREET	NW 1/4 - 1/2 (0.333 mi.)	AK219	704
235 ST. NICHOLAS AVENUE Date Closed: 10/15/2003	235 ST / NICHOLAS AVENUE	W 1/4 - 1/2 (0.342 mi.)	AJ220	707
DUNLEVY MILBANK CHILDREN Date Closed: 6/16/2004	14-32 WEST 118TH STREET	S 1/4 - 1/2 (0.346 mi.)	221	709
302 W 120TH ST Date Closed: 4/29/1992 Date Closed: 5/26/1993 <i>*Additional key fields are available in the Map Findings section</i>	302 W 120TH ST	W 1/4 - 1/2 (0.353 mi.)	223	713
CHURCH AT	262 W 118TH ST	WSW 1/4 - 1/2 (0.363 mi.)	AL225	723
ST THOMAS THE APOSTLE Date Closed: 3/19/1999	262 W 118TH ST	WSW 1/4 - 1/2 (0.363 mi.)	AL226	726
Not reported Date Closed: 10/10/2003	262 W. 118TH ST	WSW 1/4 - 1/2 (0.363 mi.)	AL227	730
344 WEST 122ND STREET Date Closed: 1/21/1998	344 WEST 122ND STREET	WNW 1/4 - 1/2 (0.391 mi.)	233	742
TAFT Date Closed: 10/10/2008 Date Closed: 4/27/1995	131 ST. NICHOLAS AVENUE	SW 1/4 - 1/2 (0.393 mi.)	AN234	745
TAFT Date Closed: 4/27/1995	131 ST NICHOLAS	SW 1/4 - 1/2 (0.396 mi.)	AN238	759
YOUNG RESIDENCE Date Closed: 9/29/2006	355 W. 123RD ST.	WNW 1/4 - 1/2 (0.398 mi.)	239	763
ARDEN MANAGEMENT Date Closed: 12/28/1999	151 WEST 133RD STREET	NNE 1/4 - 1/2 (0.399 mi.)	AO240	765
273 W. 132 ST. Date Closed: 12/18/1992	273 W. 132 ST.	N 1/4 - 1/2 (0.429 mi.)	246	780
215 W 116TH ST Date Closed: 8/14/1996	215 W 116TH ST	SW 1/4 - 1/2 (0.431 mi.)	AN247	783
APT BUILDING Date Closed: 2/13/1997	222 WEST 116TH ST	SW 1/4 - 1/2 (0.436 mi.)	AN248	785
RES: SINGER Date Closed: 10/10/2001	25-35 ST NICHOLAS TERR	NW 1/4 - 1/2 (0.447 mi.)	AR253	797
PS 175 Date Closed: 12/5/2008	175 WEST 134TH STREET	NNE 1/4 - 1/2 (0.453 mi.)	254	800
MT. WILSON PARTNERS APTS. Date Closed: 7/10/1994	412 W. 129TH STREET	NW 1/4 - 1/2 (0.487 mi.)	257	816
301 WEST 116TH ST/MANHATT	301 WEST 116TH STREET	WSW 1/4 - 1/2 (0.494 mi.)	259	821
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
275 LENOX AVE Date Closed: 9/8/2005	275 LENOX AVE	SSW 0 - 1/8 (0.005 mi.)	A27	132
Not reported Date Closed: 12/27/1999	75 W. 126TH ST	ENE 0 - 1/8 (0.077 mi.)	H62	242

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Date Closed: 11/3/2003	242 LENOX AV	SSW 0 - 1/8 (0.095 mi.)	D75	291
52 PAYTON CORP - MAN Date Closed: 1/24/1990	52 W 126 ST	E 0 - 1/8 (0.113 mi.)	H96	363
PELHAM FRITZ RECREATION C 91-53 121ST ST/QUNS/LIRR Date Closed: 2/4/1998	18 MOUNT MORRIS PARK WESSE 91-53 121ST STREET	1/8 - 1/4 (0.148 mi.) SSW 1/8 - 1/4 (0.150 mi.)	O109 L115	396 413
24 WEST 121 STREET Date Closed: 10/17/2005	24 W 121ST STREET	S 1/8 - 1/4 (0.171 mi.)	O133	457
42 WEST 120TH ST/CIBRO Date Closed: 11/6/2001	42 WEST 120TH STREET	S 1/8 - 1/4 (0.228 mi.)	S180	582
42 WEST 120TH STREET Date Closed: 12/5/1994	42 WEST 120TH STREET	S 1/8 - 1/4 (0.228 mi.)	S181	585
APART Date Closed: 12/22/2009	86 WEST 119TH STREET	SSW 1/4 - 1/2 (0.252 mi.)	Z207	666
Not reported APARTMENT HOUSE Date Closed: 2/19/2003	63W 119TH ST 50 WEST 119TH ST	S 1/4 - 1/2 (0.263 mi.) S 1/4 - 1/2 (0.270 mi.)	AH208 AH209	667 670
49 WEST 119TH ST/MANH Date Closed: 1/12/2004	49 WEST 119TH STREET	S 1/4 - 1/2 (0.270 mi.)	AH210	673
X Date Closed: 1/9/2006	1944 MADISON AVE	ESE 1/4 - 1/2 (0.295 mi.)	AI212	685
1944 MADISON/125TH ST Date Closed: 3/8/2004	1944 MADISON AVE/125TH	ESE 1/4 - 1/2 (0.309 mi.)	AI214	688
33 W 131 STREET Date Closed: 3/16/1990	43 W 131 STREET	NE 1/4 - 1/2 (0.321 mi.)	215	690
APARTMENT HOUSE Date Closed: 10/17/2005	135 132ND ST	NNE 1/4 - 1/2 (0.349 mi.)	222	711
78-80 E 127TH ST/NYCHPD Date Closed: 9/13/1991	78-80 E 127TH ST	ESE 1/4 - 1/2 (0.361 mi.)	224	721
APARTMENT BLDG Date Closed: 2/17/1998	45 WEST 132ND ST	NE 1/4 - 1/2 (0.367 mi.)	AM228	731
APARTMENT HOUSE Date Closed: 2/8/2000	45 W 132ND ST	NE 1/4 - 1/2 (0.367 mi.)	AM229	734
Not reported Date Closed: 12/6/2002	25 W 132ND ST	NE 1/4 - 1/2 (0.381 mi.)	AM231	738
SIDE WALK OUTSIDE Date Closed: 9/21/2004	25 WEST 132ND ST.	NE 1/4 - 1/2 (0.381 mi.)	AM232	739
NYC HOUSING Date Closed: 9/21/2005	123 WEST 133RD ST	NNE 1/4 - 1/2 (0.395 mi.)	AO236	753
59 ENGINE / 30 TRUCK Date Closed: 5/8/2002	111 WEST 133RD ST	NNE 1/4 - 1/2 (0.396 mi.)	AO237	756
1824 PARK AVE/SUNOCO Date Closed: 10/13/2006	1824 PARK AVE/SUNOCO	ESE 1/4 - 1/2 (0.401 mi.)	241	768
RESIDENCE Date Closed: 7/18/2005	4 E. 132ND ST.	ENE 1/4 - 1/2 (0.405 mi.)	242	771
Not reported Date Closed: 12/4/2002	60 E 130TH ST	E 1/4 - 1/2 (0.409 mi.)	AP243	772

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PRIVATE RESIDENCE Date Closed: 9/22/2005	60 EAST 130TH ST	E 1/4 - 1/2 (0.409 mi.)	AP244	774
470 LENNOX AVE Date Closed: 2/25/2003	470 LENNOX AVE	NNE 1/4 - 1/2 (0.418 mi.)	AO245	778
105 LENOX AVE/HARLEM HOSP Date Closed: 1/17/1991	105 LENOX AVENUE	SSW 1/4 - 1/2 (0.440 mi.)	249	788
STORE FRONT Date Closed: 8/3/2006	124 EAST 124TH ST.	ESE 1/4 - 1/2 (0.444 mi.)	250	791
Not reported Date Closed: 9/27/2004	1908-1914 PARK AVE	E 1/4 - 1/2 (0.446 mi.)	AQ251	793
ROBINSON HOUSES - JACKIE ROBIN Date Closed: 5/20/1999	110 EAST 129TH STREET	E 1/4 - 1/2 (0.456 mi.)	AQ255	802
2021 LEXINGTON AVENUE Date Closed: 12/30/2003	2021 LEXINGTON AVENUE	SE 1/4 - 1/2 (0.491 mi.)	258	818

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 52 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
152 WEST 124TH STREET Date Closed: / /	152 WEST 124TH STREET	WNW 0 - 1/8 (0.036 mi.)	B43	171
129 WEST 122ND STREET Date Closed: 02/25/94	129 WEST 122ND STREET	SSW 0 - 1/8 (0.101 mi.)	J84	323
129 WEST 122ND Date Closed: 01/22/93	129 WEST 122ND	SSW 0 - 1/8 (0.101 mi.)	J85	326
APT BUILDING Date Closed: / /	137 WEST 128TH ST	NNE 1/8 - 1/4 (0.152 mi.)	Q119	426
231 WEST 125 STREET Date Closed: 03/31/95	231 WEST 125 STREET	NW 1/8 - 1/4 (0.175 mi.)	135	463
2002 5TH AVENUE Date Closed: 02/03/94	2002 5TH AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	T143	494
MORRIS PARK SENIOR CITIZEN (J Date Closed: 09/20/96 Date Closed: / /	17 EAST 124TH STREET	ESE 1/8 - 1/4 (0.235 mi.)	W190	609
127 WEST 119TH ST Date Closed: 01/31/92	127 WEST 119TH ST	SSW 1/4 - 1/2 (0.250 mi.)	206	661
2 WEST 120TH STREET Date Closed: 02/13/97	2 WEST 120TH STREET	SSE 1/4 - 1/2 (0.280 mi.)	211	676
SHELL SERVICE STATION Date Closed: / /	235 ST NICHOLAS AVE	W 1/4 - 1/2 (0.325 mi.)	AJ216	693
302 WEST 128TH STREET Date Closed: 11/20/92	302 WEST 128TH STREET	NW 1/4 - 1/2 (0.333 mi.)	AK218	699

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
302 WEST 128TH ST/MANH Date Closed: 08/05/91	302 WEST 128TH STREET	NW 1/4 - 1/2 (0.333 mi.)	AK219	704
235 ST. NICHOLAS AVENUE Date Closed: / /	235 ST / NICHOLAS AVENU	W 1/4 - 1/2 (0.342 mi.)	AJ220	707
302 W 120TH ST Date Closed: 11/04/91 Date Closed: 04/29/92 <i>*Additional key fields are available in the Map Findings section</i>	302 W 120TH ST	W 1/4 - 1/2 (0.353 mi.)	223	713
CHURCH AT Date Closed: / /	262 W 118TH ST	WSW 1/4 - 1/2 (0.363 mi.)	AL225	723
ST THOMAS THE APOSTLE Date Closed: 03/19/99	262 W 118TH ST	WSW 1/4 - 1/2 (0.363 mi.)	AL226	726
344 WEST 122ND STREET Date Closed: 01/21/98	344 WEST 122ND STREET	WNW 1/4 - 1/2 (0.391 mi.)	233	742
TAFT Date Closed: 04/27/95 Date Closed: / /	131 ST. NICHOLAS AVENUE	SW 1/4 - 1/2 (0.393 mi.)	AN234	745
TAFT HOUSES Date Closed: / /	131 SAINT NICHOLAS AVE	SW 1/4 - 1/2 (0.393 mi.)	AN235	752
TAFT Date Closed: 04/27/95	131 ST NICHOLAS	SW 1/4 - 1/2 (0.396 mi.)	AN238	759
ARDEN MANAGEMENT Date Closed: 12/28/99	151 WEST 133RD STREET	NNE 1/4 - 1/2 (0.399 mi.)	AO240	765
273 W. 132 ST. Date Closed: 12/18/92	273 W. 132 ST.	N 1/4 - 1/2 (0.429 mi.)	246	780
215 W 116TH ST Date Closed: 08/14/96	215 W 116TH ST	SW 1/4 - 1/2 (0.431 mi.)	AN247	783
APT BUILDING Date Closed: 02/13/97	222 WEST 116TH ST	SW 1/4 - 1/2 (0.436 mi.)	AN248	785
RESI: SINGER Date Closed: 10/10/01	25-35 ST NICHOLAS TERR	NW 1/4 - 1/2 (0.447 mi.)	AR253	797
Not reported Date Closed: / /	411 W 128TH ST	NW 1/4 - 1/2 (0.459 mi.)	AR256	812
MT. WILSON PARTNERS APTS. Date Closed: 07/10/94	412 W. 129TH STREET	NW 1/4 - 1/2 (0.487 mi.)	257	816
301 WEST 116TH ST/MANHATT Date Closed: / /	301 WEST 116TH STREET	WSW 1/4 - 1/2 (0.494 mi.)	259	821
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Date Closed: 12/27/99	75 W. 126TH ST	ENE 0 - 1/8 (0.077 mi.)	H62	242
Not reported Date Closed: / /	242 LENOX AV	SSW 0 - 1/8 (0.095 mi.)	D75	291
52 PAYTON CORP - MAN Date Closed: 01/24/90	52 W 126 ST	E 0 - 1/8 (0.113 mi.)	H96	363
91-53 121ST ST/QUNS/LIRR Date Closed: 02/04/98	91-53 121ST STREET	SSW 1/8 - 1/4 (0.150 mi.)	L115	413

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
24 WEST 121 STREET Date Closed: / /	24 W 121ST STREET	S 1/8 - 1/4 (0.171 mi.)	O133	457
42 W. 120TH ST Date Closed: / /	42 W. 120TH ST	S 1/8 - 1/4 (0.228 mi.)	S179	580
42 WEST 120TH ST/CIBRO Date Closed: 11/06/01	42 WEST 120TH STREET	S 1/8 - 1/4 (0.228 mi.)	S180	582
42 WEST 120TH STREET Date Closed: 12/05/94	42 WEST 120TH STREET	S 1/8 - 1/4 (0.228 mi.)	S181	585
Not reported Date Closed: / /	63W 119TH ST	S 1/4 - 1/2 (0.263 mi.)	AH208	667
APARTMENT HOUSE Date Closed: / /	50 WEST 119TH ST	S 1/4 - 1/2 (0.270 mi.)	AH209	670
49 WEST 119TH ST/MANH Date Closed: / /	49 WEST 119TH STREET	S 1/4 - 1/2 (0.270 mi.)	AH210	673
33 W 131 STREET Date Closed: 03/16/90	43 W 131 STREET	NE 1/4 - 1/2 (0.321 mi.)	215	690
APARTMENT HOUSE Date Closed: / /	135 132ND ST	NNE 1/4 - 1/2 (0.349 mi.)	222	711
78-80 E 127TH ST/NYCHPD Date Closed: 09/13/91	78-80 E 127TH ST	ESE 1/4 - 1/2 (0.361 mi.)	224	721
APARTMENT BLDG Date Closed: 02/17/98	45 WEST 132ND ST	NE 1/4 - 1/2 (0.367 mi.)	AM228	731
APARTMENT HOUSE Date Closed: 02/08/00	45 W 132ND ST	NE 1/4 - 1/2 (0.367 mi.)	AM229	734
NYC HOUSING Date Closed: / /	123 WEST 133RD ST	NNE 1/4 - 1/2 (0.395 mi.)	AO236	753
59 ENGINE / 30 TRUCK Date Closed: / /	111 WEST 133RD ST	NNE 1/4 - 1/2 (0.396 mi.)	AO237	756
1824 PARK AVE/SUNOCO Date Closed: / /	1824 PARK AVE/SUNOCO	ESE 1/4 - 1/2 (0.401 mi.)	241	768
470 LENNOX AVE Date Closed: / /	470 LENNOX AVE	NNE 1/4 - 1/2 (0.418 mi.)	AO245	778
105 LENOX AVE/HARLEM HOSP Date Closed: 01/17/91	105 LENOX AVENUE	SSW 1/4 - 1/2 (0.440 mi.)	249	788
126 WEST 134TH ST Date Closed: / /	126 WEST 134TH ST	NNE 1/4 - 1/2 (0.447 mi.)	252	794
ROBINSON HOUSES - JACKIE ROBIN Date Closed: 05/20/99	110 EAST 129TH STREET	E 1/4 - 1/2 (0.456 mi.)	AQ255	802
2021 LEXINGTON AVENUE Date Closed: / /	2021 LEXINGTON AVENUE	SE 1/4 - 1/2 (0.491 mi.)	258	818

EXECUTIVE SUMMARY

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 04/06/2010 has revealed that there are 15 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARLEM CENTER	105 W. 125TH STREET	NNE 0 - 1/8 (0.001 mi.)	A22	115
132 WEST 125TH STREET CO.	132 WEST 125TH STREET	WNW 0 - 1/8 (0.012 mi.)	A32	146
ADAM CLAYTON POWELL JR. STATE	163 WEST 125 STREET	NNW 0 - 1/8 (0.057 mi.)	E51	193
137 W 128 ST	137 WEST 128TH STREET	NNE 1/8 - 1/4 (0.153 mi.)	Q123	433
2000-2002 FIFTH AVENUE	2000-2002 FIFTH AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	T145	499
MORRIS PARK SENIOR CITIZEN (J	17 EAST 124TH STREET	ESE 1/8 - 1/4 (0.235 mi.)	W190	609
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
EPHESUS SEVENTH-DAY ADVENTIST	101 W 123RD STREET	SSW 0 - 1/8 (0.049 mi.)	D44	177
55 WEST 125TH ST	55 WEST 125TH ST	ESE 0 - 1/8 (0.096 mi.)	G79	304
PELHAM FRITZ RECREATION CENTER	18 MOUNT MORRIS PARK WESSE 1/8 - 1/4 (0.148 mi.)	ESE 1/8 - 1/4 (0.177 mi.)	O110	399
PIGRIM CATHEDRAL OF HARLEM	15 WEST 126 STREET	ESE 1/8 - 1/4 (0.177 mi.)	R136	466
PARKSIDE CORRECTIONAL FACILITY	10 MOUNT MORRIS PARK WE	S 1/8 - 1/4 (0.183 mi.)	S139	472
1 WEST 126 ST	1 WEST 126TH ST	ESE 1/8 - 1/4 (0.201 mi.)	R155	516
ST. ANDREW'S EPISCOPAL CHURCH	2067 FIFTH AVENUE	E 1/8 - 1/4 (0.233 mi.)	AD185	597
95 WEST 119 STREET - (TAFT REH	95 WEST 119TH STREET	SSW 1/8 - 1/4 (0.248 mi.)	AG202	649
2 EAST 128 STREET	2 EAST 128TH STREET	E 1/8 - 1/4 (0.250 mi.)	AA205	657

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 04/06/2010 has revealed that there are 67 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
132 WEST 125TH STREET	132 WEST 125TH STREET	WNW 0 - 1/8 (0.012 mi.)	A34	149
146 WEST 124TH STREET	146 WEST 124TH STREET	WNW 0 - 1/8 (0.027 mi.)	B36	156
148 W 124TH STREET	148 WEST 124TH STREET	WNW 0 - 1/8 (0.030 mi.)	B38	162
310 LENOX AVENUE	310 LENOX AVENUE	NE 0 - 1/8 (0.034 mi.)	C40	166
152 WEST 124TH STREET	152 WEST 124TH STREET	WNW 0 - 1/8 (0.036 mi.)	B43	171
151 WEST 123 STREET	151 W 123RD STREET	WSW 0 - 1/8 (0.061 mi.)	B55	211
157 WEST 123RD STREET, HDFC	157 WEST 123RD STREET	WSW 0 - 1/8 (0.066 mi.)	58	223
P.S. 144	134 WEST 122ND STREET	SSW 0 - 1/8 (0.103 mi.)	J86	329
OBERIA DEMPSEY MULTI-SERVICE C	127 WEST 127TH STREET	NNE 0 - 1/8 (0.103 mi.)	87	332
2090 7TH AVE	2090 SEVENTH AVE	WNW 0 - 1/8 (0.121 mi.)	99	374
348 MALCLOM REALTY CORP	350 LENOX AVENUE	NNE 1/8 - 1/4 (0.129 mi.)	N103	383
349-59 LENOX LLC	359 LENOX AVENUE	NNE 1/8 - 1/4 (0.150 mi.)	N113	408
CHURCH OF LATTER-DAY SAINTS	360-368 LENOX AVENUE	NNE 1/8 - 1/4 (0.152 mi.)	N117	421
125 REALTY LLC C/O NOAM CORP.	2018 FIFTH AVENUE	ESE 1/8 - 1/4 (0.198 mi.)	T144	497
103 WEST 120 STREET	103 W 120TH STREET	SSW 1/8 - 1/4 (0.198 mi.)	V146	501
102 WEST 129 STREET	102 WEST 129 STREET	NNE 1/8 - 1/4 (0.199 mi.)	X151	509
133 WEST 129 STREET	133 WEST 129TH STREET	NNE 1/8 - 1/4 (0.202 mi.)	Q156	518
148 WEST 129 ST	148 WEST 129TH STREET	NNE 1/8 - 1/4 (0.203 mi.)	Y157	520
166 WEST 129 ST CORP	166 WEST 129 ST	N 1/8 - 1/4 (0.210 mi.)	Y163	533

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
P.S. 76	220 WEST 121ST STREET	WSW 1/8 - 1/4 (0.223 mi.)	U172	559
13 EAST 124TH STREET	13 EAST 124TH STREET	ESE 1/8 - 1/4 (0.227 mi.)	W176	568
GRAHAM COURT OWNERS CORP	1925 SEVENTH AVENUE	WSW 1/8 - 1/4 (0.228 mi.)	U177	571
GARMAR REALTY CORP	265 W 123 ST	WNW 1/8 - 1/4 (0.234 mi.)	AE188	604
229 WEST 121 STREET	229 WEST 121ST STREET	WSW 1/8 - 1/4 (0.234 mi.)	189	607
P.S. 154	250 WEST 127TH STREET	NW 1/8 - 1/4 (0.237 mi.)	AC192	625
PAUL ROBESON HOUSES ASSO	1995 A C POWELL BLVD	SW 1/8 - 1/4 (0.241 mi.)	AF196	636
270 WEST 123RD STREET	270 WEST 123RD STREET	WNW 1/8 - 1/4 (0.243 mi.)	AE197	639
206 WEST 120 STREET	206 WEST 120TH STREET	WSW 1/8 - 1/4 (0.245 mi.)	AF199	644
APARTMENT HOUSE STORAGE TANK	23-27 E 124TH ST	ESE 1/8 - 1/4 (0.248 mi.)	W201	647
102 WEST 119 STREET	102 WEST 119TH STREET	SSW 1/8 - 1/4 (0.249 mi.)	AG204	656
Lower Elevation	Address	Direction / Distance	Map ID	Page
JUNEGLORY INC.	293 LENOX AVE	0 - 1/8 (0.001 mi.)	A19	100
SHEBA REALTY CORP	282 LENOX AVE	ESE 0 - 1/8 (0.011 mi.)	A29	135
120 WEST 123RD STREET	120 WEST 123RD STREET	SSW 0 - 1/8 (0.053 mi.)	D50	190
RICE HIGH SCHOOL	74 WEST 124TH STREET	ESE 0 - 1/8 (0.063 mi.)	F56	214
BETHELITE COMMUNITY CHURCH	36-38 WEST 123RD STREET	SSE 0 - 1/8 (0.086 mi.)	I69	270
ARTHUR RANSOM HOUSES, L.P.	62 WEST 124TH STREET	ESE 0 - 1/8 (0.091 mi.)	F73	283
55 WEST 125TH ST	55 WEST 125TH ST	ESE 0 - 1/8 (0.096 mi.)	G78	299
ONE ONE MORRIS PARK ASSOCIATES	11-15 WEST 123 STREET	SSE 0 - 1/8 (0.104 mi.)	I88	334
35 MT MORRIS PARK WEST	35 MT MORRIS PARK WEST	SE 0 - 1/8 (0.106 mi.)	F90	343
GREATER CALVARY BAPTIST CHURCH	43-55 WEST 124TH STREET	ESE 0 - 1/8 (0.111 mi.)	F93	354
24 MOUNT MORRIS PARK WEST	24 MOUNT MORRIS PARK WE	SSE 1/8 - 1/4 (0.128 mi.)	I101	379
GEMA HALL	31-33 WEST 124TH STREET	ESE 1/8 - 1/4 (0.135 mi.)	P106	388
PALM TREES CONDOMINIUM	3-5 W 122ND ST	SSE 1/8 - 1/4 (0.140 mi.)	O107	390
220 LENOX AVENUE	220 LENOX AVENUE	SSW 1/8 - 1/4 (0.148 mi.)	L111	403
HPD	100 WEST 121ST STREET	SSW 1/8 - 1/4 (0.150 mi.)	L114	409
BEXIN REALTY CORP.	24 WEST 125TH STREET	ESE 1/8 - 1/4 (0.153 mi.)	K120	428
WEST 125TH STREET REALTY CORP	17-27 WEST 125TH ST	ESE 1/8 - 1/4 (0.164 mi.)	K128	440
17 W. 125 ST.	17 WEST 125TH STREET	ESE 1/8 - 1/4 (0.164 mi.)	K129	443
64 WEST 128TH STREET	64 WEST 128TH STREET	NE 1/8 - 1/4 (0.169 mi.)	M132	456
CITY OF N.Y DEPARTMENT OF H.P.	60 WEST 128 STREET	ENE 1/8 - 1/4 (0.173 mi.)	M134	460
ONE WEST 125TH ST INC	1 WEST 125TH STREET	ESE 1/8 - 1/4 (0.193 mi.)	T141	477
14-16 WEST 127TH STREET	14-16 WEST 127TH STREET	E 1/8 - 1/4 (0.199 mi.)	R147	502
2041 5TH AVENUE NYC	2041 FIFTH AVENUE	ESE 1/8 - 1/4 (0.207 mi.)	R162	532
2049 5 AVENUE	2049 FIFTH AVE	E 1/8 - 1/4 (0.214 mi.)	R164	537
370 LENOX LLC	60 WEST 129TH STREET	NE 1/8 - 1/4 (0.217 mi.)	AB167	543
1 WEST 127TH ST.	1 WEST 127TH ST.	E 1/8 - 1/4 (0.219 mi.)	AD169	548
2 EAST 127TH STREET	2 EAST 127TH STREET	E 1/8 - 1/4 (0.225 mi.)	AD174	564
46-50 WEST 129TH ST	46-50 WEST 129TH ST	ENE 1/8 - 1/4 (0.228 mi.)	AB178	575
47 WEST 129TH STREET	47 WEST 129TH STREET	ENE 1/8 - 1/4 (0.229 mi.)	AB182	588
44 WEST 129TH STREET	44 WEST 129TH STREET	ENE 1/8 - 1/4 (0.230 mi.)	AB183	592
43-45 WEST 129TH STREET H.D.F.	43-45 WEST 129TH STREET	ENE 1/8 - 1/4 (0.232 mi.)	AB184	594
31-33 WEST 129TH STREET H.D.F.	31-33 WEST 129TH STREET	ENE 1/8 - 1/4 (0.234 mi.)	AB186	599
51-53 WEST 129TH STREET HDFC	51-53 WEST 129TH STREET	ENE 1/8 - 1/4 (0.234 mi.)	AB187	602
PADESKO REALTY CORP	39 WEST 129 STREET	ENE 1/8 - 1/4 (0.236 mi.)	AB191	622
2071 FIFTH AVENUE	2071 FIFTH AVE.	E 1/8 - 1/4 (0.238 mi.)	AD193	629
CITY OF N.Y DEPARTMENT OF H.P.	35 WEST 129 STREET	ENE 1/8 - 1/4 (0.240 mi.)	AB195	632
26 EAST 125ST STREET CORP.	26 E. 125TH ST.	ESE 1/8 - 1/4 (0.247 mi.)	200	645

EXECUTIVE SUMMARY

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>MARCUS GARVEY</i>	<i>124TH STREET / FIFTH</i>	<i>ESE 1/8 - 1/4 (0.199 mi.)</i>	<i>W148</i>	<i>504</i>

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the CBS list, as provided by EDR, and dated 04/06/2010 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>MARCUS GARVEY</i>	<i>124TH STREET / FIFTH</i>	<i>ESE 1/8 - 1/4 (0.199 mi.)</i>	<i>W148</i>	<i>504</i>

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List

A review of the BROWNFIELDS list, as provided by EDR, and dated 05/24/2010 has revealed that there is 1 BROWNFIELDS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARLEM PARK	1800-1808 PARK AVE 71 E	ESE 1/4 - 1/2 (0.380 mi.)	230	737

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 13 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>HARLEM CENTER</i>	<i>105 W. 125TH STREET</i>	<i>NNE 0 - 1/8 (0.001 mi.)</i>	<i>A22</i>	<i>115</i>
<i>132 WEST 125TH STREET</i>	<i>132 WEST 125TH STREET</i>	<i>WNW 0 - 1/8 (0.012 mi.)</i>	<i>A34</i>	<i>149</i>
ADAM CLAYTON POWELL JR. STATE	163 WEST 125 STREET	NNW 0 - 1/8 (0.057 mi.)	E53	209
137 W 128 ST	137 W 128 ST	NNE 1/8 - 1/4 (0.153 mi.)	Q122	432
148 WEST 129 ST	148 WEST 129 ST	NNE 1/8 - 1/4 (0.203 mi.)	Y158	521
<i>MORRIS PARK SENIOR CITIZEN (J</i>	<i>17 EAST 124TH STREET</i>	<i>ESE 1/8 - 1/4 (0.235 mi.)</i>	<i>W190</i>	<i>609</i>

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
55 WEST 125TH ST	55 WEST 125TH ST	ESE 0 - 1/8 (0.096 mi.)	G78	299
PELHAM FRITZ RECREATION CENTER	18 MOUNT MORRIS PARK WESSE	1/8 - 1/4 (0.148 mi.)	O110	399
PARKSIDE CORRECTIONAL FACILITY	10 MT MORRIS PARK W	S 1/8 - 1/4 (0.183 mi.)	S140	474
2049 5 AVENUE	2049 FIFTH AVE	E 1/8 - 1/4 (0.214 mi.)	R164	537
1 WEST 127TH ST.	1 WEST 127TH ST.	E 1/8 - 1/4 (0.219 mi.)	AD170	550
TAFT HOUSES	95 WEST 119TH STREET	SSW 1/8 - 1/4 (0.249 mi.)	AG203	651
2 EAST 128 STREET	2 EAST 128TH STREET	E 1/8 - 1/4 (0.250 mi.)	AA205	657

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 05/24/2010 has revealed that there are 23 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARLEM CENTER Date Closed: 5/6/2002	105 WEST 125TH ST	0 - 1/8 (0.000 mi.)	A4	22
VAULT TM2884 Date Closed: 9/9/2004	104 WEST 125TH ST	0 - 1/8 (0.000 mi.)	A6	31
Not reported Date Closed: 8/5/2002	125TH ST/LENOX AVE	ESE 0 - 1/8 (0.002 mi.)	A24	126
Not reported Date Closed: 7/29/2002	LENOX AVE / 125TH ST	ESE 0 - 1/8 (0.002 mi.)	A25	128
Not reported Date Closed: 9/22/2004	123 WEST 124TH STREET	SSW 0 - 1/8 (0.002 mi.)	A26	130
132 WEST 125TH ST. Date Closed: 9/3/2008	132 WEST 125TH ST.	WNW 0 - 1/8 (0.010 mi.)	A28	134
VS 4031 Date Closed: 7/29/2003	141 WEST 124TH ST	WNW 0 - 1/8 (0.016 mi.)	A35	153
PRIVATE RESIDENCE Date Closed: 7/24/2007	115 W 126TH ST	NNE 0 - 1/8 (0.053 mi.)	C48	187
VAULT #6644 Date Closed: 6/6/2005	100 W 126TH ST	NNE 0 - 1/8 (0.053 mi.)	C49	188
127 W 122ND ST Date Closed: 11/22/1994	127 W 122ND ST	SSW 0 - 1/8 (0.101 mi.)	J82	318
RESIDENCE Date Closed: 5/1/1998	129 WEST 122ND ST	SSW 0 - 1/8 (0.101 mi.)	J83	321

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROAD Date Closed: 3/17/2004	W 124TH ST/LENOX AV	0 - 1/8 (0.000 mi.)	A11	56
Not reported Date Closed: 9/8/2003	104 WEST 123RD ST	SSW 0 - 1/8 (0.050 mi.)	D45	179
Not reported Date Closed: 4/29/2005	75 WEST 126TH STREET	ENE 0 - 1/8 (0.077 mi.)	H63	244

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
248 LENOX AVE/MANH Date Closed: 10/16/1997	248 LENOX AVENUE	SSW 0 - 1/8 (0.077 mi.)	D64	247
Not reported Date Closed: 4/23/2007	71 W. 126TH ST	E 0 - 1/8 (0.083 mi.)	H67	262
Not reported Date Closed: 12/15/1998	36-38 WEST 123RD ST	SSE 0 - 1/8 (0.087 mi.)	F70	272
Not reported Date Closed: 12/15/1998	32 WEST 123RD STREET	SSE 0 - 1/8 (0.090 mi.)	I72	281
NEW MARC REALITY Date Closed: 2/7/1996	55 W. 125TH ST	ESE 0 - 1/8 (0.095 mi.)	G76	294
NYS DEPT OF HUMAN RIGHTS Date Closed: 5/6/1998	55 WEST 125TH ST	ESE 0 - 1/8 (0.095 mi.)	G77	297
11-13 WEST 123RD STREET Date Closed: 12/17/1992	11-13 WEST 123RD STREET	SSE 0 - 1/8 (0.108 mi.)	I91	345
X Date Closed: 12/16/2005	52 WEST 126TH STREET	E 0 - 1/8 (0.113 mi.)	H95	362
230 LENOX AVE Date Closed: 2/2/1995	230 LENOX AVE	SSW 0 - 1/8 (0.122 mi.)	L100	377

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 16 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HARLEM CENTER	105 WEST 125TH ST	0 - 1/8 (0.000 mi.)	A4	22
VAULT TM2884	104 WEST 125TH ST	0 - 1/8 (0.000 mi.)	A6	31
Not reported	LENOX AVE / 125TH ST	ESE 0 - 1/8 (0.002 mi.)	A25	128
VS 4031	141 WEST 124TH ST	WNW 0 - 1/8 (0.016 mi.)	A35	153
127 W 122ND ST	127 W 122ND ST	SSW 0 - 1/8 (0.101 mi.)	J82	318
RESIDENCE	129 WEST 122ND ST	SSW 0 - 1/8 (0.101 mi.)	J83	321
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	104 WEST 123RD ST	SSW 0 - 1/8 (0.050 mi.)	D45	179
Not reported	75 WEST 126TH STREET	ENE 0 - 1/8 (0.077 mi.)	H63	244
248 LENOX AVE/MANH	248 LENOX AVENUE	SSW 0 - 1/8 (0.077 mi.)	D64	247
Not reported	71 W. 126TH ST	E 0 - 1/8 (0.083 mi.)	H67	262
Not reported	36-38 WEST 123RD ST	SSE 0 - 1/8 (0.087 mi.)	F70	272
Not reported	32 WEST 123RD STREET	SSE 0 - 1/8 (0.090 mi.)	I72	281
NEW MARC REALITY	55 W. 125TH ST	ESE 0 - 1/8 (0.095 mi.)	G76	294
NYS DEPT OF HUMAN RIGHTS	55 WEST 125TH ST	ESE 0 - 1/8 (0.095 mi.)	G77	297
11-13 WEST 123RD STREET	11-13 WEST 123RD STREET	SSE 0 - 1/8 (0.108 mi.)	I91	345
230 LENOX AVE	230 LENOX AVE	SSW 0 - 1/8 (0.122 mi.)	L100	377

EXECUTIVE SUMMARY

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 02/17/2010 has revealed that there are 12 RCRA-NonGen sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HOME COURT DEVELOPMENT CORP	310 LENOX AVE	NE 0 - 1/8 (0.034 mi.)	C41	168
CON EDISION - RV #5970	360 LENOX AVE 360 LENOX	NNE 1/8 - 1/4 (0.153 mi.)	N121	430
NY PUBLIC LIBRARY HARLEM THE	9 W 124TH ST	ESE 1/8 - 1/4 (0.180 mi.)	P138	469
PARIS CLEANERS	2020 7TH AVE	WSW 1/8 - 1/4 (0.196 mi.)	U142	480
ABAX INC	116 W 129TH ST APT 5E	NNE 1/8 - 1/4 (0.199 mi.)	X152	511
ABAX INC	120 W 129TH ST APT 2W	NNE 1/8 - 1/4 (0.200 mi.)	X153	513
NYCHA - SAINT NICHOLAS	237 W 127TH ST	NNW 1/8 - 1/4 (0.218 mi.)	AC168	546
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROBERTS JUNE - RESIDENCE	104 W 123RD ST	SSW 0 - 1/8 (0.052 mi.)	D47	184
CON EDISION - MH20600	45-61 W 125TH ST. 45-61	ESE 0 - 1/8 (0.114 mi.)	G97	366
GORDENS CLEANERS	213 LENOX AVE	SSW 1/8 - 1/4 (0.166 mi.)	L130	446
PARKSIDE CORRECTIONAL FACILITY	10 MT MORRIS PARK W	S 1/8 - 1/4 (0.183 mi.)	S140	474
NYCPR - REGIONAL MANAGEMENT &	5TH AVE & W 125TH ST	ESE 1/8 - 1/4 (0.199 mi.)	T150	507

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 04/30/2010 has revealed that there are 31 MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HOME COURT DEVELOPMENT CORP	310 LENOX AVE	NE 0 - 1/8 (0.034 mi.)	C39	165
NYS ADAM CLAYTON POWELL JR SOB	163 WEST 125TH STREET	NNW 0 - 1/8 (0.057 mi.)	E52	195
ADAM CLAYTON POWELL OFFICE BLD	163 W 125TH ST	NNW 0 - 1/8 (0.057 mi.)	E54	210
CONSOLIDATED EDISON	177 124TH ST	WNW 0 - 1/8 (0.075 mi.)	B61	239
CONSOLIDATED EDISON	OPP 122 W 121ST ST	SSW 1/8 - 1/4 (0.152 mi.)	118	423
CON EDISION - RV #5970	360 LENOX AVE 360 LENOX	NNE 1/8 - 1/4 (0.153 mi.)	N121	430
CONSOLIDATED EDISON	202 W 122	W 1/8 - 1/4 (0.162 mi.)	125	437
CONSOLIDATED EDISON	171 WEST 121ST STREET	SW 1/8 - 1/4 (0.164 mi.)	127	439
NY PUBLIC LIBRARY HARLEM THE	9 W 124TH ST	ESE 1/8 - 1/4 (0.180 mi.)	P138	469
PARIS CLEANERS	2020 7TH AVE	WSW 1/8 - 1/4 (0.196 mi.)	U142	480
CONSOLIDATED EDISON	FRONT OF 106 WEST 120 S	SSW 1/8 - 1/4 (0.200 mi.)	V154	514
NYCHA - SAINT NICHOLAS	237 W 127TH ST	NNW 1/8 - 1/4 (0.218 mi.)	AC168	546
NYC DEPT OF ED - PUBLIC SCHOOL	220 W 121ST ST	WSW 1/8 - 1/4 (0.223 mi.)	U171	553
CONED	OPP 206 W 120TH ST	WSW 1/8 - 1/4 (0.245 mi.)	AF198	642
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROBERTS JUNE - RESIDENCE	104 W 123RD ST	SSW 0 - 1/8 (0.052 mi.)	D47	184
CON EDISION - MH20600	45-61 W 125TH ST. 45-61	ESE 0 - 1/8 (0.114 mi.)	G97	366
CONSOLIDATED EDISON	63 WEST 127TH ST	ENE 1/8 - 1/4 (0.129 mi.)	M102	381

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONSOLIDATED EDISON	14 W 122 ST	SSE 1/8 - 1/4 (0.135 mi.)	O105	385
CONSOLIDATED EDISON	6 WEST 122ND ST	SSE 1/8 - 1/4 (0.140 mi.)	O108	393
CONSOLIDATED EDISON	103 W 121ST ST	SSW 1/8 - 1/4 (0.149 mi.)	L112	405
CONSOLIDATED EDISON	14 MOUNT MORRIS PARK	S 1/8 - 1/4 (0.163 mi.)	O126	437
GORDENS CLEANERS	213 LENOX AVE	SSW 1/8 - 1/4 (0.166 mi.)	L130	446
CONED	3 W 121ST ST	S 1/8 - 1/4 (0.179 mi.)	O137	468
NYCPR - REGIONAL MANAGEMENT &	5TH AVE & W 125TH ST	ESE 1/8 - 1/4 (0.199 mi.)	T150	507
CONSOLIDATED EDISON	80 W 120TH ST	SSW 1/8 - 1/4 (0.205 mi.)	Z159	523
CONSOLIDATED EDISON	W 126 ST / 5 AVE OPPO	ESE 1/8 - 1/4 (0.206 mi.)	R160	526
CONSOLIDATED EDISON	76 WEST 120 ST	SSW 1/8 - 1/4 (0.206 mi.)	Z161	529
CONSOLIDATED EDISON	SB21083-214-26 E 128TH	ENE 1/8 - 1/4 (0.214 mi.)	AA165	540
CONSOLIDATED EDISON	58 W 120TH ST	S 1/8 - 1/4 (0.216 mi.)	Z166	541
CONSOLIDATED EDISON	EXCV-9 W 120TH ST	S 1/8 - 1/4 (0.224 mi.)	S173	563
CONED	44 W 120TH ST	S 1/8 - 1/4 (0.226 mi.)	S175	567

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 03/23/2010 has revealed that there is 1 DRYCLEANERS site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GORDEN CLEANERS	213 LENOX AVE.	SSW 1/8 - 1/4 (0.166 mi.)	L131	455

E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the E DESIGNATION list, as provided by EDR, and dated 02/04/2010 has revealed that there are 35 E DESIGNATION sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 46,TAXBLOCK 1909	124 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A2	10
LOT 42,TAXBLOCK 1909	116 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A3	16
LOT 40,TAXBLOCK 1909	112 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A5	25
LOT 38,TAXBLOCK 1909	108 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A9	44
LOT 39,TAXBLOCK 1909	110 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A10	50
LOT 41,TAXBLOCK 1909	114 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A12	58
LOT 44,TAXBLOCK 1909	120 WEST 125 STREET	0 - 1/8 (0.000 mi.)	A13	64
LOT 32,TAXBLOCK 1909	289 LENOX AVENUE	0 - 1/8 (0.000 mi.)	A17	88
LOT 24,TAXBLOCK 1909	117 WEST 124 STREET	0 - 1/8 (0.001 mi.)	A21	109
LOT 7501,TAXBLOCK 1910	125 WEST 125 STREET	NNE 0 - 1/8 (0.001 mi.)	A23	120
LOT 4,TAXBLOCK 1723	308 LENOX AVENUE	NE 0 - 1/8 (0.028 mi.)	C37	159
LOT 59,TAXBLOCK 1909	158 WEST 125 STREET	NNW 0 - 1/8 (0.051 mi.)	E46	181

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 129,TAXBLOCK 1909	283 LENOX AVENUE	0 - 1/8 (0.000 mi.)	A7	34
LOT 29,TAXBLOCK 1909	281 LENOX AVENUE	0 - 1/8 (0.000 mi.)	A8	40
LOT 30,TAXBLOCK 1909	285 LENOX AVENUE	0 - 1/8 (0.000 mi.)	A14	70
LOT 31,TAXBLOCK 1909	287 LENOX AVENUE	0 - 1/8 (0.000 mi.)	A15	76
LOT 28,TAXBLOCK 1909	107 WEST 124 STREET	0 - 1/8 (0.000 mi.)	A16	82
LOT 27,TAXBLOCK 1909	109 WEST 124 STREET	0 - 1/8 (0.000 mi.)	A18	94
LOT 26,TAXBLOCK 1909	111 WEST 124 STREET	0 - 1/8 (0.001 mi.)	A20	103

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 69,TAXBLOCK 1722	290 LENOX AVENUE	ESE 0 - 1/8 (0.011 mi.)	A30	137
LOT 1,TAXBLOCK 1723	300 LENOX AVENUE	ESE 0 - 1/8 (0.011 mi.)	A31	143
LOT 67,TAXBLOCK 1722	72 WEST 125 STREET	ESE 0 - 1/8 (0.064 mi.)	G57	217
LOT 66,TAXBLOCK 1722	70 WEST 125 STREET	ESE 0 - 1/8 (0.068 mi.)	G59	227
LOT 65,TAXBLOCK 1722	68 WEST 125 STREET	ESE 0 - 1/8 (0.071 mi.)	G60	233
LOT 63,TAXBLOCK 1722	64 WEST 125 STREET	ESE 0 - 1/8 (0.079 mi.)	G65	249
LOT 62,TAXBLOCK 1722	62 WEST 125 STREET	ESE 0 - 1/8 (0.083 mi.)	G66	255
LOT 61,TAXBLOCK 1722	60 WEST 125 STREET	ESE 0 - 1/8 (0.086 mi.)	G68	264
LOT 60,TAXBLOCK 1722	58 WEST 125 STREET	ESE 0 - 1/8 (0.090 mi.)	G71	275
LOT 59,TAXBLOCK 1722	56 WEST 125 STREET	ESE 0 - 1/8 (0.094 mi.)	G74	285
LOT 58,TAXBLOCK 1722	54 WEST 125 STREET	ESE 0 - 1/8 (0.097 mi.)	G80	306
LOT 57,TAXBLOCK 1722	52 WEST 125 STREET	ESE 0 - 1/8 (0.101 mi.)	G81	312
LOT 156,TAXBLOCK 1722	50 WEST 125 STREET	ESE 0 - 1/8 (0.105 mi.)	G89	337
LOT 56,TAXBLOCK 1722	48 WEST 125 STREET	ESE 0 - 1/8 (0.108 mi.)	G92	348
LOT 155,TAXBLOCK 1722	46 WEST 125 STREET	ESE 0 - 1/8 (0.112 mi.)	G94	356
LOT 55,TAXBLOCK 1722	44 WEST 125 STREET	ESE 0 - 1/8 (0.116 mi.)	K98	367

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - WEST 132ND ST. ST	12TH AVE. BETWEEN W. 13	NW 1/2 - 1 (0.907 mi.)	AS262	863

EDR Historical Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

A review of the EDR Historical Cleaners list, as provided by EDR, has revealed that there is 1 EDR Historical Cleaners site within approximately 0.25 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TEMPLE HALL HAND LAUNDRY	215 LENOX AV	SSW 1/8 - 1/4 (0.160 mi.)	L124	436

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
SHELL OIL COMPANY	FINDS,MANIFEST,RCRA-NLR
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
NYNEX	MANIFEST
NYNEX	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CITY OF NEW YORK PARKS AND RECREAT	RCRA-CESQG,MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
NYCDOT	FINDS,MANIFEST,RCRA-NLR
LOT 3,TAXBLOCK 1998	E DESIGNATION
LOT 61,TAXBLOCK 1997	E DESIGNATION
59TH GENERATION STATION	SPILLS
566 ROUTE 579	VCP

OVERVIEW MAP - 2822816.2s




-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Dept. Defense Sites
-  Indian Reservations BIA
-  County Boundary
-  Power transmission lines
-  Oil & Gas pipelines
-  100-year flood zone
-  500-year flood zone
-  National Wetland Inventory
-  State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 125th St and Lenox Ave
 ADDRESS: 291 Lenox Ave
 New York NY 10027
 LAT/LONG: 40.8077 / 73.9462

CLIENT: Langan Engineering, Inc.
 CONTACT: Jen Armstrong
 INQUIRY #: 2822816.2s
 DATE: July 21, 2010 1:10 pm

DETAIL MAP - 2822816.2s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Oil & Gas pipelines
-  100-year flood zone
-  500-year flood zone



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: 125th St and Lenox Ave ADDRESS: 291 Lenox Ave New York NY 10027 LAT/LONG: 40.8077 / 73.9462</p>	<p>CLIENT: Langan Engineering, Inc. CONTACT: Jen Armstrong INQUIRY #: 2822816.2s DATE: July 21, 2010 1:10 pm</p>
---	---

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS		0.500	0	0	0	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP		0.500	0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS		1.000	0	0	0	1	NR	1
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG		0.250	0	0	NR	NR	NR	0
RCRA-SQG		0.250	0	0	NR	NR	NR	0
RCRA-CESQG		0.250	1	3	NR	NR	NR	4
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS		TP	NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS		1.000	0	0	0	1	NR	1
VAPOR REOPENED		1.000	0	0	0	1	NR	1
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF		0.500	0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LTANKS		0.500	9	10	50	NR	NR	69
HIST LTANKS		0.500	6	9	37	NR	NR	52
INDIAN LUST		0.500	0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST		0.250	5	10	NR	NR	NR	15

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
AST		0.250	20	47	NR	NR	NR	67
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF AST		0.500	0	0	0	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
CBS		0.250	0	1	NR	NR	NR	1
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
RES DECL		0.125	0	NR	NR	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
INDIAN VCP		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
ERP		0.500	0	0	0	NR	NR	0
BROWNFIELDS		0.500	0	0	1	NR	NR	1
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US CDL	TP		NR	NR	NR	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
HIST UST		0.250	4	9	NR	NR	NR	13
HIST AST	TP		NR	NR	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Records of Emergency Release Reports								
HMIRS		TP	NR	NR	NR	NR	NR	0
NY Spills		0.125	23	NR	NR	NR	NR	23
NY Hist Spills		0.125	16	NR	NR	NR	NR	16
Other Ascertainable Records								
RCRA-NonGen		0.250	3	9	NR	NR	NR	12
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
HSWDS		0.500	0	0	0	NR	NR	0
MANIFEST		0.250	6	26	NR	NR	NR	32
DRYCLEANERS		0.250	0	1	NR	NR	NR	1
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
E DESIGNATION	X	0.125	35	NR	NR	NR	NR	35
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
COAL ASH		0.500	0	0	0	NR	NR	0
FINANCIAL ASSURANCE		TP	NR	NR	NR	NR	NR	0
EDR PROPRIETARY RECORDS								
EDR Proprietary Records								
Manufactured Gas Plants		1.000	0	0	0	1	NR	1
EDR Historical Auto Stations		0.250	0	0	NR	NR	NR	0
EDR Historical Cleaners		0.250	0	1	NR	NR	NR	1

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 33,TAXBLOCK 1909 (Continued)

S109527833

Basement Type Grade: 5
Land Assessed Value: 00000299250
Total Assessed Value: 00000517500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.37
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090033
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999179
Y Coordinate: 0233531
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 33
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 33,TAXBLOCK 1909 (Continued)

S109527833

All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000010092
Total Building Floor Area: 00000034013
Commercial Floor Area: 00000008500
Office Floor Area: 00000000000
Retail Floor Area: 00000008500
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 004.00
Residential Units: 00033
Non and Residential Units: 00040
Lot Frontage: 0100.92
Lot Depth: 0100.00
Building Frontage: 0100.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000299250
Total Assessed Value: 00000517500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.37
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090033
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999179
Y Coordinate: 0233531
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 33,TAXBLOCK 1909 (Continued)

S109527833

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A2

**LOT 46,TAXBLOCK 1909
 124 WEST 125 STREET
 MANHATTAN, NY 10027**

E DESIGNATION

**S109155439
 N/A**

**< 1/8
 1 ft.**

Site 2 of 35 in cluster A

**Relative:
 Higher**

E DESIGNATION:

**Actual:
 26 ft.**

Tax Lot(s): 46
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Exhaust stack location limitations
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: CMF COHEN REALTY CORP
 Lot Area: 000020183
 Total Building Floor Area: 00000017950
 Commercial Floor Area: 00000017950
 Office Floor Area: 00000000000
 Retail Floor Area: 00000017950
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0100.00
 Lot Depth: 0201.83

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Building Frontage: 0100.00
Building Depth: 0202.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 4
Basement Type Grade: 5
Land Assessed Value: 00000756000
Total Assessed Value: 00001278000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1965
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.89
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090046
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998884
Y Coordinate: 0233620
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 46
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CMF COHEN REALTY CORP
Lot Area: 000020183
Total Building Floor Area: 00000017950
Commercial Floor Area: 00000017950
Office Floor Area: 00000000000
Retail Floor Area: 00000017950
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0100.00
Lot Depth: 0201.83
Building Frontage: 0100.00
Building Depth: 0202.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 4
Basement Type Grade: 5
Land Assessed Value: 00000756000
Total Assessed Value: 00001278000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1965
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.89
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090046
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998884
Y Coordinate: 0233620
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 46
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CMF COHEN REALTY CORP
Lot Area: 000020183
Total Building Floor Area: 00000017950
Commercial Floor Area: 00000017950
Office Floor Area: 00000000000
Retail Floor Area: 00000017950
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0100.00
Lot Depth: 0201.83
Building Frontage: 0100.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Building Depth: 0202.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 4
Basement Type Grade: 5
Land Assessed Value: 00000756000
Total Assessed Value: 00001278000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1965
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.89
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090046
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998884
Y Coordinate: 0233620
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 46
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CMF COHEN REALTY CORP
Lot Area: 000020183
Total Building Floor Area: 00000017950
Commercial Floor Area: 00000017950
Office Floor Area: 00000000000
Retail Floor Area: 00000017950
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0100.00
Lot Depth: 0201.83
Building Frontage: 0100.00
Building Depth: 0202.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 4
Basement Type Grade: 5
Land Assessed Value: 00000756000
Total Assessed Value: 00001278000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1965
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.89
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090046
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998884
Y Coordinate: 0233620
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 46,TAXBLOCK 1909 (Continued)

S109155439

Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A3

< 1/8
1 ft.

LOT 42,TAXBLOCK 1909
116 WEST 125 STREET
MANHATTAN, NY 10027

E DESIGNATION

S109155432
N/A

Site 3 of 35 in cluster A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 42
 E-No: E-201
Actual: Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - Natural Gas Heat & Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: MPL 112 LLC
 Lot Area: 000005046
 Total Building Floor Area: 00000004944
 Commercial Floor Area: 00000004944
 Office Floor Area: 00000000000
 Retail Floor Area: 00000004944
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000324450
Total Assessed Value: 00000630000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1973
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090042
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999026
Y Coordinate: 0233617
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 42
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000005046
Total Building Floor Area: 00000004944
Commercial Floor Area: 00000004944
Office Floor Area: 00000000000
Retail Floor Area: 00000004944
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000324450
Total Assessed Value: 00000630000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1973
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090042
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999026
Y Coordinate: 0233617
Zoning Map: 06A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 42
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000005046
Total Building Floor Area: 00000004944
Commercial Floor Area: 00000004944
Office Floor Area: 00000000000
Retail Floor Area: 00000004944
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Non and Residential Units: 00002
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000324450
Total Assessed Value: 00000630000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1973
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090042
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999026
Y Coordinate: 0233617
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 42
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000005046
Total Building Floor Area: 00000004944
Commercial Floor Area: 00000004944
Office Floor Area: 00000000000
Retail Floor Area: 00000004944
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000324450
Total Assessed Value: 00000630000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1973
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090042
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999026
Y Coordinate: 0233617
Zoning Map: 06A
Sanborn Map: 107N087

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 42,TAXBLOCK 1909 (Continued)

S109155432

Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A4

**HARLEM CENTER
 105 WEST 125TH ST
 HARLEM, NY**

**NY Spills S106699832
 NY Hist Spills N/A**

**< 1/8
 1 ft.**

Site 4 of 35 in cluster A

**Relative:
 Higher**

NY Spills:

**Actual:
 26 ft.**

Site ID: 236011
 Facility Addr2: Not reported
 Facility ID: 0105232
 Spill Number: 0105232
 Facility Type: ER
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Spill Date: 8/14/2001
 Reported to Dept: 8/14/2001
 CID: 15
 Spill Cause: Other
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 5/6/2002
 Remediation Phase: 0
 Date Entered In Computer: 8/14/2001
 Spill Record Last Update: 6/10/2003
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller Company: 001
 Contact Name: MIKE CROWE
 Contact Phone: (516) 448-5411
 DEC Region: 2
 DER Facility ID: 194422
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" 10/25/01 ROBERT CROSSEN/FILE. REVIEWED AKRF INC, 9/24/01, A 3K AND TWO 1K USTS WERE REMOVED ALONG WITH 118 TONS OF IMPACTED SOIL. END POINT SAMPLE SHOWED NO EXCEEDANCES IN VOILITILES.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

S106699832

SEMI-VOL BY DIRECT METHOD, WHICH BY RULE DEC COMPARES TO TAGM4046, SHOWS SIGNIFIGANT EXCEEDANCES. FURTHER ASSESSMENT AND REMEDIATION REQUIRED, LEFT MESSAGE FOR MIMI SOTIROU AKRF, 212-340-9779 ADVISING THE SAME. FOLLOW UP LETTER, RESPONSE DUE 11/30/01 11/8/2001 Sangesland spoke to Andy Rudko and Mimi Sotiriou from AKRF. The contamination found was in a construction site. The area of major contamination was removed and manifested. The remainder of the site was over excavated for construction and the entire area has been removed. AKRF will follow up with photos and a write up to confirm this statement. 5/6/2002 Sangesland reviewed a report from AKRF dated 4/17/2002. This report outlines the additional excavation work done on the site during November and December 2001 (1,782.45 tons removed during this period). The endpoint samples came back clean again for VOC, but still had some exceedences for SVOC's (some of the PAH's). Since these endpoints are well below groundlevel under the subbasement floor of a new major construcion project, they will not come in human contact. In addition, the report outlines that these PAH levels are similar to the PAH levels found in typical fill (old coal ash) from around the city. Report shows photos of the excavation along with manifests for the soil removed. Based on this information, this spill is closed.

Remarks: DURING EXCAVATION AT ABOVE LOCATION ABANDONED TANK WAS STRUCK. AKRF ENVIORNMENTAL IS RESPONDING FOR CLEANUP AND HAS CONTRACTED BROOKSIDE ENVIORNMENTAL.

Material:

Site ID: 236011
Operable Unit ID: 843616
Operable Unit: 01
Material ID: 533711
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0105232
Investigator: DEMEO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

S106699832

Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/14/2001 12:50
Reported to Dept Date/Time: 08/14/01 13:05
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Contact: MIKE CROWE
Spiller Phone: (516) 448-5411
Spiller Address: Not reported
Spiller City,St,Zip: -
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/14/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/08/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HARLEM CENTER (Continued)

S106699832

CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: 10/25/01 ROBERT CROSSEN/FILE. REVIEWED AKRF INC, 9/24/01, A 3K AND TWO 1K USTS WERE REMOVED ALONG WITH 118 TONS OF IMPACTED SOIL. END POINT SAMPLE SHOWED NO EXCEEDANCES IN VOILTILES. SEMI-VOL BY DIRECT METHOD, WHICH BY RULE DEC COMPARES TO TAGM4046, SHOWS SIGNIFIGANT EXCEEDANCES. FURTHER ASSESSMENT AND REMEDIATION REQUIRED, LEFT MESSAGE FOR MIMI SOTIROU AKRF, 2-12-340-9779 ADVISING THE SAME. FOLLOW UP LETTER, RESPONSE DUE 11/30/01 11/8/2001 Sangesland spoke to Andy Rudko and Mimi Sotiriou from AKRF. The contamination found was in a construction site. The area of major contamination was removed and manifested. The remainder of the site was over excavated for construction and the entire area has been removed. AKRF will follow upwith photos and a write up to confirm this statement.
 Remark: DURING EXCAVATION AT ABOVE LOCATION ABANDONED TANK WAS STRUCK. AKRF ENVIORNMENTAL IS RESPONDING FOR CLEANUP AND HAS CONTRACTED BROOKSIDE ENVIORNMENTAL.

A5

**LOT 40,TAXBLOCK 1909
 112 WEST 125 STREET
 MANHATTAN, NY 10027**

**E DESIGNATION S109155426
 N/A**

**< 1/8
 1 ft.**

Site 5 of 35 in cluster A

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 40
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - Natural Gas Heat & Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: MPL 112 LLC
 Lot Area: 000002330
 Total Building Floor Area: 00000002018
 Commercial Floor Area: 00000002018

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Office Floor Area: 00000000000
Retail Floor Area: 00000002018
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0020.00
Lot Depth: 0101.00
Building Frontage: 0020.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104850
Total Assessed Value: 00000126000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.87
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090040
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999081
Y Coordinate: 0233584
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 40
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MPL 112 LLC
Lot Area: 000002330
Total Building Floor Area: 00000002018
Commercial Floor Area: 00000002018
Office Floor Area: 00000000000
Retail Floor Area: 00000002018
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0020.00
Lot Depth: 0101.00
Building Frontage: 0020.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104850
Total Assessed Value: 00000126000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Built Floor Area Ratio-Far: 0000.87
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090040
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999081
Y Coordinate: 0233584
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 40
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MPL 112 LLC
Lot Area: 000002330
Total Building Floor Area: 00000002018
Commercial Floor Area: 00000002018
Office Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Retail Floor Area: 00000002018
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0020.00
Lot Depth: 0101.00
Building Frontage: 0020.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104850
Total Assessed Value: 00000126000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.87
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090040
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999081
Y Coordinate: 0233584
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 40
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MPL 112 LLC
Lot Area: 000002330
Total Building Floor Area: 00000002018
Commercial Floor Area: 00000002018
Office Floor Area: 00000000000
Retail Floor Area: 00000002018
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0020.00
Lot Depth: 0101.00
Building Frontage: 0020.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104850
Total Assessed Value: 00000126000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.87

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 40,TAXBLOCK 1909 (Continued)

S109155426

Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090040
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999081
 Y Coordinate: 0233584
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A6

< 1/8
1 ft.

VAULT TM2884
104 WEST 125TH ST
MANHATTEN, NY

NY Spills S105057100
NY Hist Spills N/A

Site 6 of 35 in cluster A

Relative:
Higher

Actual:
26 ft.

NY Spills:
 Site ID: 160808
 Facility Addr2: Not reported
 Facility ID: 0101324
 Spill Number: 0101324
 Facility Type: ER
 SWIS: 3101
 Investigator: KMFOLEY
 Referred To: Not reported
 Spill Date: 5/3/2001
 Reported to Dept: 5/3/2001
 CID: 15
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/9/2004
 Remediation Phase: 0
 Date Entered In Computer: 5/3/2001
 Spill Record Last Update: 9/14/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT TM2884 (Continued)

S105057100

Spiller Company: 001
Contact Name: ANTHONY NATALE
Contact Phone: (212) 580-6763
DEC Region: 2
DER Facility ID: 135774
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "FOLEY" e2mis no. 136838: 20:00 he reported to a call from the fire dept. at Opp. 104 W. 125 st . structure # TM-2884, there he found that the transformer had blown internally & aproxamatly 1 Qt. of dielectric fluid had sprayed out all over the stucture also some spraying upward onto the street side of the grateing & around the rim. Lab Seq.#01-05404-001 PCB <1 ppm. clean up was completed on tm2884. double wash with slix and flush. A new transformer was installed 6/7/2001.
Remarks: transformer smoking - transformer holds 300 to 400 gal of fluid unk how much leaked at this time - pcb count is 1 part per million con ed spill number not avaiable at this time - unk if any water ways effected at this time

Material:
Site ID: 160808
Operable Unit ID: 840006
Operable Unit: 01
Material ID: 537026
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 0101324
Investigator: FOLEY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT TM2884 (Continued)

S105057100

Spill Date/Time: 05/03/2001 19:09
Reported to Dept Date/Time: 05/03/01 20:31
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: ANTHONY NATALE
Spiller Phone: (212) 580-6763
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/03/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/04/01
Is Updated: False
Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926
DEC Remarks: Not reported
Remark: transformer smoking - transformer holds 300 to 400 gal of fluid unk how much
leaked at this time - pcb count is 1 part per million con ed spill number not
available at this time - unk if any water ways effected at this time

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A7 **LOT 129,TAXBLOCK 1909**
283 LENOX AVENUE
< 1/8 **MANHATTAN, NY 10027**
1 ft.

E DESIGNATION **S109155357**
 N/A

Site 7 of 35 in cluster A

Relative:
Lower

E DESIGNATION:

Actual:
25 ft.

Tax Lot(s):	129
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code:	MN
Community District:	110
Census Tract:	222
Census Block:	1003
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	S3
Land Use Category:	04
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	125TH & LENOX LLC
Lot Area:	000001400
Total Building Floor Area:	00000004140
Commercial Floor Area:	00000001000
Office Floor Area:	00000000000
Retail Floor Area:	00000001000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	004.00
Residential Units:	00003
Non and Residential Units:	00004
Lot Frontage:	0018.67
Lot Depth:	0075.00
Building Frontage:	0019.00
Building Depth:	0072.00
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

Basement Type Grade: 5
Land Assessed Value: 00000007528
Total Assessed Value: 00000017739
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090129
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999157
Y Coordinate: 0233418
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 129
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0072.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000007528
Total Assessed Value: 00000017739
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090129
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999157
Y Coordinate: 0233418
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 129
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0072.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

Land Assessed Value: 00000007528
Total Assessed Value: 00000017739
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090129
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999157
Y Coordinate: 0233418
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 129
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0072.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000007528
Total Assessed Value: 00000017739
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090129
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999157
Y Coordinate: 0233418
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 129,TAXBLOCK 1909 (Continued)

S109155357

Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A8

**LOT 29,TAXBLOCK 1909
 281 LENOX AVENUE
 MANHATTAN, NY 10027**

E DESIGNATION

**S109155402
 N/A**

**< 1/8
 1 ft.**

Site 8 of 35 in cluster A

**Relative:
 Lower**

E DESIGNATION:

**Actual:
 25 ft.**

Tax Lot(s):	29
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	110
Census Tract:	222
Census Block:	1003
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	S3
Land Use Category:	04
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	125TH & LENOX LLC
Lot Area:	000001400
Total Building Floor Area:	00000004140
Commercial Floor Area:	00000001000
Office Floor Area:	00000000000
Retail Floor Area:	00000001000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	004.00
Residential Units:	00003
Non and Residential Units:	00004
Lot Frontage:	0018.67
Lot Depth:	0075.00
Building Frontage:	0019.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 29,TAXBLOCK 1909 (Continued)

S109155402

Building Depth: 0057.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000007906
Total Assessed Value: 00000023060
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090029
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999128
Y Coordinate: 0233413
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 29
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 29,TAXBLOCK 1909 (Continued)

S109155402

Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000007906
Total Assessed Value: 00000023060
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090029
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999128
Y Coordinate: 0233413
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 29,TAXBLOCK 1909 (Continued)

S109155402

Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 29
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 29,TAXBLOCK 1909 (Continued)

S109155402

Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 0000007906
Total Assessed Value: 0000023060
Land Exempt Value: 0000000000
Total Exempt Value: 0000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090029
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999128
Y Coordinate: 0233413
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

A9 **LOT 38,TAXBLOCK 1909**
108 WEST 125 STREET
< 1/8 **MANHATTAN, NY 10027**
1 ft.

E DESIGNATION **S109155421**
N/A

Site 9 of 35 in cluster A

Relative:
Higher

E DESIGNATION:
Tax Lot(s): 38
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0080.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090038
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999124
Y Coordinate: 0233561
Zoning Map: 06A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 38
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0080.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090038
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999124
Y Coordinate: 0233561
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 38
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 0000007220
Commercial Floor Area: 0000007220
Office Floor Area: 0000000000
Retail Floor Area: 0000001800
Garage Floor Area: 0000000000
Storage Floor Area: 0000005420
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0080.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090038
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999124
Y Coordinate: 0233561
Zoning Map: 06A
Sanborn Map: 107N087

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 38
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 38,TAXBLOCK 1909 (Continued)

S109155421

Lot Frontage: 0025.00
 Lot Depth: 0100.92
 Building Frontage: 0025.00
 Building Depth: 0080.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000053100
 Total Assessed Value: 00000103950
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.86
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090038
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999124
 Y Coordinate: 0233561
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A10

**LOT 39,TAXBLOCK 1909
 110 WEST 125 STREET
 MANHATTAN, NY 10027**

E DESIGNATION

S109155423

**< 1/8
 1 ft.**

N/A

Site 10 of 35 in cluster A

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 39
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090039
Condominium Number: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

Census Tract 2: 0222
X Coordinate: 0999118
Y Coordinate: 0233605
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 39
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 0000007220
Commercial Floor Area: 0000007220
Office Floor Area: 0000000000
Retail Floor Area: 0000001800
Garage Floor Area: 0000000000
Storage Floor Area: 0000005420
Factory Floor Area: 0000000000
Other Floor Area: 0000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090039
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999118
Y Coordinate: 0233605
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 39
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000053100
Total Assessed Value: 00000103950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.86
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090039
Condominium Number: 00000
Census Tract 2: 0222

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

X Coordinate: 0999118
Y Coordinate: 0233605
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 39
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000007220
Commercial Floor Area: 00000007220
Office Floor Area: 00000000000
Retail Floor Area: 00000001800
Garage Floor Area: 00000000000
Storage Floor Area: 00000005420
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 39,TAXBLOCK 1909 (Continued)

S109155423

Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0025.00
 Lot Depth: 0100.92
 Building Frontage: 0025.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000053100
 Total Assessed Value: 00000103950
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.86
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090039
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999118
 Y Coordinate: 0233605
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A11
 < 1/8
 1 ft.

**ROAD
 W 124TH ST/LENOX AV
 MANHATTAN, NY**

**NY Spills S106383250
 N/A**

Site 11 of 35 in cluster A

**Relative:
 Lower**

NY Spills:
 Site ID: 189138
 Facility Addr2: Not reported
 Facility ID: 0313130
 Spill Number: 0313130
 Facility Type: ER
 SWIS: 3101
 Investigator: TJDEMEO

**Actual:
 25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROAD (Continued)

S106383250

Referred To: Not reported
Spill Date: 2/28/2004
Reported to Dept: 2/28/2004
CID: 72
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/17/2004
Remediation Phase: 0
Date Entered In Computer: 2/28/2004
Spill Record Last Update: 3/17/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 157917
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 3/17/04 Roadway spill. Sanatation sanded. No further action required. Spill closed.
Remarks: Private citizen called in (left no name or phone #) a spill of 5 gallons of unkn type oil, spilled onto road.

Material:

Site ID: 189138
Operable Unit ID: 880299
Operable Unit: 01
Material ID: 498288
Material Code: 0015
Material Name: Motor Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROAD (Continued)

S106383250

Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

A12

**LOT 41,TAXBLOCK 1909
 114 WEST 125 STREET
 MANHATTAN, NY 10027**

E DESIGNATION

**S109155428
 N/A**

**< 1/8
 1 ft.**

Site 12 of 35 in cluster A

**Relative:
 Higher**

E DESIGNATION:

**Actual:
 26 ft.**

Tax Lot(s): 41
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - Natural Gas Heat & Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K2
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: MPL 112 LLC
 Lot Area: 000003028
 Total Building Floor Area: 00000003752
 Commercial Floor Area: 00000003752
 Office Floor Area: 00000000000
 Retail Floor Area: 00000003752
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 002.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0030.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Lot Depth: 0100.92
Building Frontage: 0030.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000149850
Total Assessed Value: 00000310500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.24
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090041
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999076
Y Coordinate: 0233628
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 41
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000003028
Total Building Floor Area: 00000003752
Commercial Floor Area: 00000003752
Office Floor Area: 00000000000
Retail Floor Area: 00000003752
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0030.00
Lot Depth: 0100.92
Building Frontage: 0030.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000149850
Total Assessed Value: 00000310500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.24
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090041
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999076
Y Coordinate: 0233628
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 41
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000003028
Total Building Floor Area: 00000003752
Commercial Floor Area: 00000003752
Office Floor Area: 00000000000
Retail Floor Area: 00000003752
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0030.00
Lot Depth: 0100.92

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Building Frontage: 0030.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000149850
Total Assessed Value: 00000310500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.24
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090041
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999076
Y Coordinate: 0233628
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 41
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000003028
Total Building Floor Area: 00000003752
Commercial Floor Area: 00000003752
Office Floor Area: 00000000000
Retail Floor Area: 00000003752
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0030.00
Lot Depth: 0100.92
Building Frontage: 0030.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000149850
Total Assessed Value: 00000310500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.24
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090041
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999076
Y Coordinate: 0233628
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 41,TAXBLOCK 1909 (Continued)

S109155428

Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A13

**LOT 44,TAXBLOCK 1909
 120 WEST 125 STREET
 MANHATTAN, NY 10027**

E DESIGNATION

S109155436

**< 1/8
 1 ft.**

Site 13 of 35 in cluster A

N/A

**Relative:
 Higher**

E DESIGNATION:

**Actual:
 26 ft.**

Tax Lot(s): 44
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K2
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: MKK PROPERTIES INC
 Lot Area: 000005046
 Total Building Floor Area: 00000010000
 Commercial Floor Area: 00000010000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000010000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000233550
Total Assessed Value: 00000513000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090044
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998981
Y Coordinate: 0233636
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 44
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MKK PROPERTIES INC
Lot Area: 000005046
Total Building Floor Area: 00000010000
Commercial Floor Area: 00000010000
Office Floor Area: 00000000000
Retail Floor Area: 00000010000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000233550
Total Assessed Value: 00000513000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090044
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998981
Y Coordinate: 0233636

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 44
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MKK PROPERTIES INC
Lot Area: 000005046
Total Building Floor Area: 00000010000
Commercial Floor Area: 00000010000
Office Floor Area: 00000000000
Retail Floor Area: 00000010000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000233550
Total Assessed Value: 00000513000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090044
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998981
Y Coordinate: 0233636
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 44
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MKK PROPERTIES INC
Lot Area: 000005046
Total Building Floor Area: 00000010000
Commercial Floor Area: 00000010000
Office Floor Area: 00000000000
Retail Floor Area: 00000010000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0100.92
Building Frontage: 0050.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000233550
Total Assessed Value: 00000513000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.98
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090044
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998981
Y Coordinate: 0233636
Zoning Map: 06A

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 44,TAXBLOCK 1909 (Continued)

S109155436

Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A14

**LOT 30,TAXBLOCK 1909
 285 LENOX AVENUE
 MANHATTAN, NY 10027**

E DESIGNATION

**S109155406
 N/A**

**< 1/8
 1 ft.**

Site 14 of 35 in cluster A

**Relative:
 Lower**

E DESIGNATION:

Tax Lot(s): 30
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: S3
 Land Use Category: 04
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 125TH & LENOX LLC
 Lot Area: 000001400
 Total Building Floor Area: 00000004140
 Commercial Floor Area: 00000001000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000001000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000

**Actual:
 25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000007602
Total Assessed Value: 00000022174
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090030
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999144
Y Coordinate: 0233444
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 30
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000007602
Total Assessed Value: 00000022174
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090030

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999144
Y Coordinate: 0233444
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 30
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000007602
Total Assessed Value: 00000022174
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090030
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999144
Y Coordinate: 0233444
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 30
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S3
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001400
Total Building Floor Area: 00000004140
Commercial Floor Area: 00000001000
Office Floor Area: 00000000000
Retail Floor Area: 00000001000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00004
Lot Frontage: 0018.67
Lot Depth: 0075.00
Building Frontage: 0019.00
Building Depth: 0057.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000007602
Total Assessed Value: 00000022174
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090030
Condominium Number: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 30,TAXBLOCK 1909 (Continued)

S109155406

Census Tract 2: 0222
X Coordinate: 0999144
Y Coordinate: 0233444
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

A15
< 1/8
1 ft.

LOT 31,TAXBLOCK 1909
287 LENOX AVENUE
MANHATTAN, NY 10027

E DESIGNATION

S109155409
N/A

Site 15 of 35 in cluster A

Relative:
Lower
Actual:
25 ft.

E DESIGNATION:
Tax Lot(s): 31
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 125TH & LENOX LLC
Lot Area: 000001475
Total Building Floor Area: 00000001416
Commercial Floor Area: 00000001416

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Office Floor Area: 00000000000
Retail Floor Area: 00000001416
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0019.67
Lot Depth: 0075.00
Building Frontage: 0020.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000015480
Total Assessed Value: 00000023985
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090031
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999176
Y Coordinate: 0233449
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 31
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 125TH & LENOX LLC
Lot Area: 000001475
Total Building Floor Area: 00000001416
Commercial Floor Area: 00000001416
Office Floor Area: 00000000000
Retail Floor Area: 00000001416
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0019.67
Lot Depth: 0075.00
Building Frontage: 0020.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000015480
Total Assessed Value: 00000023985
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Built Floor Area Ratio-Far: 0000.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090031
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999176
Y Coordinate: 0233449
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 31
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 125TH & LENOX LLC
Lot Area: 000001475
Total Building Floor Area: 00000001416
Commercial Floor Area: 00000001416
Office Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Retail Floor Area: 00000001416
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0019.67
Lot Depth: 0075.00
Building Frontage: 0020.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000015480
Total Assessed Value: 00000023985
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090031
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999176
Y Coordinate: 0233449
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 31
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 125TH & LENOX LLC
Lot Area: 000001475
Total Building Floor Area: 00000001416
Commercial Floor Area: 00000001416
Office Floor Area: 00000000000
Retail Floor Area: 00000001416
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0019.67
Lot Depth: 0075.00
Building Frontage: 0020.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000015480
Total Assessed Value: 00000023985
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.96

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 31,TAXBLOCK 1909 (Continued)

S109155409

Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090031
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999176
 Y Coordinate: 0233449
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A16

**LOT 28,TAXBLOCK 1909
 107 WEST 124 STREET
 MANHATTAN, NY 10027**

E DESIGNATION

**S109155399
 N/A**

**< 1/8
 1 ft.**

Site 16 of 35 in cluster A

**Relative:
 Lower**

E DESIGNATION:
 Tax Lot(s): 28
 E-No: E-201
Actual: Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: V1
 Land Use Category: 11
 Number of Easements: 0
 Owner, Type of Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code#
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000024030
Total Assessed Value: 00000024030
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090028
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999085
Y Coordinate: 0233439
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 28
E-No: E-201

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000024030
Total Assessed Value: 00000024030
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090028
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999085
Y Coordinate: 0233439
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 28
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code#
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000024030
Total Assessed Value: 00000024030
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090028
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999085
Y Coordinate: 0233439
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 28
E-No: E-201
Effective Date: 4/30/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code#
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000024030
Total Assessed Value: 00000024030
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 28,TAXBLOCK 1909 (Continued)

S109155399

Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090028
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999085
 Y Coordinate: 0233439
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A17
 < 1/8
 1 ft.

**LOT 32,TAXBLOCK 1909
 289 LENOX AVENUE
 MANHATTAN, NY 10027**

**E DESIGNATION S109155410
 N/A**

Site 17 of 35 in cluster A

**Relative:
 Higher
 Actual:
 26 ft.**

E DESIGNATION:
 Tax Lot(s): 32
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001894
Total Building Floor Area: 00000001875
Commercial Floor Area: 00000001875
Office Floor Area: 00000000000
Retail Floor Area: 00000001875
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.25
Lot Depth: 0075.00
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000018000
Total Assessed Value: 00000029700
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.99
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090032
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999161
Y Coordinate: 0233476
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Pluto-Base Map Indicator: 1

Tax Lot(s): 32
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001894
Total Building Floor Area: 00000001875
Commercial Floor Area: 00000001875
Office Floor Area: 00000000000
Retail Floor Area: 00000001875
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.25
Lot Depth: 0075.00
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000018000
Total Assessed Value: 00000029700

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.99
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090032
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999161
Y Coordinate: 0233476
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 32
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001894
Total Building Floor Area: 00000001875
Commercial Floor Area: 00000001875
Office Floor Area: 00000000000
Retail Floor Area: 00000001875
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.25
Lot Depth: 0075.00
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000018000
Total Assessed Value: 00000029700
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.99
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090032
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999161
Y Coordinate: 0233476
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Tax Lot(s): 32
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000001894
Total Building Floor Area: 00000001875
Commercial Floor Area: 00000001875
Office Floor Area: 00000000000
Retail Floor Area: 00000001875
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.25
Lot Depth: 0075.00
Building Frontage: 0025.00
Building Depth: 0075.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000018000
Total Assessed Value: 00000029700
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 32,TAXBLOCK 1909 (Continued)

S109155410

Year Built: 1910
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.99
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090032
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999161
 Y Coordinate: 0233476
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A18
 < 1/8
 0.000 mi.
 2 ft.

LOT 27,TAXBLOCK 1909
109 WEST 124 STREET
MANHATTAN, NY 10027
Site 18 of 35 in cluster A

E DESIGNATION S109155395
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 27
 E-No: E-201
Actual: Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090027
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999079
Y Coordinate: 0233481
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 27
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 0000000000
Commercial Floor Area: 0000000000
Office Floor Area: 0000000000
Retail Floor Area: 0000000000
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090027
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999079
Y Coordinate: 0233481
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 27
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code#
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090027
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999079
Y Coordinate: 0233481
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 27
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 0000000000
Commercial Floor Area: 0000000000
Office Floor Area: 0000000000
Retail Floor Area: 0000000000
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 27,TAXBLOCK 1909 (Continued)

S109155395

Land Assessed Value: 00000025920
 Total Assessed Value: 00000025920
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090027
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999079
 Y Coordinate: 0233481
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A19
 < 1/8
 0.001 mi.
 3 ft.

JUNEGLORY INC.
293 LENOX AVE
NEW YORK, NY 10027
 Site 19 of 35 in cluster A

AST A100294631
N/A

Relative:
Lower

Actual:
25 ft.

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-607337
 Program Type: PBS
 UTM X: 588903.97447000002
 UTM Y: 4517905.33609000003
 Expiration Date: 2007/01/23

 Tank Number: 001
 Tank Id: 62756
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JUNEGLORY INC. (Continued)

A100294631

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 29190
Affiliation Type: Mail Contact
Company Name: 2318 FISH AVE
Contact Type: Not reported
Contact Name: JUNEGLORY INC.
Address1: Not reported
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10469
Country Code: 001
Phone: (718) 654-0974
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29190
Affiliation Type: Emergency Contact
Company Name: CONSTANTION DILORENZO
Contact Type: Not reported
Contact Name: CONSTANTINO DILORENZO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 654-0974
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29190
Affiliation Type: On-Site Operator
Company Name: JUNEGLORY INC.
Contact Type: Not reported
Contact Name: CONSTANTINO DILORENZO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 654-0974
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JUNEGLORY INC. (Continued)

A100294631

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29190
Affiliation Type: Owner
Company Name: CONSTANTION DILORENZO
Contact Type: Not reported
Contact Name: Not reported
Address1: 2318 FISH AVE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10469
Country Code: 001
Phone: (718) 654-0974
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

Site Id: 29190
Tank Id Number: 62756
Tank Number: 001
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Site Id: 29190
Tank Id Number: 62756
Tank Number: 001
Equipment: I05
Code Name: Vent Whistle
Type: Overfill

Site Id: 29190
Tank Id Number: 62756
Tank Number: 001
Equipment: G00
Code Name: None
Type: Tank Secondary Containment

Site Id: 29190
Tank Id Number: 62756
Tank Number: 001
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 29190
Tank Id Number: 62756
Tank Number: 001
Equipment: F00
Code Name: None

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JUNEGLORY INC. (Continued)

A100294631

Type:	Pipe External Protection
Site Id:	29190
Tank Id Number:	62756
Tank Number:	001
Equipment:	B00
Code Name:	None
Type:	Tank External Protection
Site Id:	29190
Tank Id Number:	62756
Tank Number:	001
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Site Id:	29190
Tank Id Number:	62756
Tank Number:	001
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Site Id:	29190
Tank Id Number:	62756
Tank Number:	001
Equipment:	L09
Code Name:	Exempt Suction Piping
Type:	Piping Leak Detection
Site Id:	29190
Tank Id Number:	62756
Tank Number:	001
Equipment:	J02
Code Name:	Suction
Type:	Dispenser

A20
 < 1/8
 0.001 mi.
 3 ft.

**LOT 26,TAXBLOCK 1909
 111 WEST 124 STREET
 MANHATTAN, NY 10027**
Site 20 of 35 in cluster A

**E DESIGNATION S109155393
 N/A**

**Relative:
 Lower**

E DESIGNATION:	
Tax Lot(s):	26
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	110
Census Tract:	222
Census Block:	1003
School District:	05
City Council District:	09

**Actual:
 25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090026
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999040
Y Coordinate: 0233461

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 26
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 0000000000
Commercial Floor Area: 0000000000
Office Floor Area: 0000000000
Retail Floor Area: 0000000000
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090026
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999040
Y Coordinate: 0233461
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 26
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code#
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000025920
Total Assessed Value: 00000025920
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090026
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0999040
Y Coordinate: 0233461
Zoning Map: 06A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 26
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: V1
Land Use Category: 11
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 125TH & LENOX LLC
Lot Area: 000002523
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code4
Number of Buildings: 00000
Number of Floors: 000.00
Residential Units: 00000

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 26,TAXBLOCK 1909 (Continued)

S109155393

Non and Residential Units: 00000
 Lot Frontage: 0025.00
 Lot Depth: 0100.92
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000025920
 Total Assessed Value: 00000025920
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1019090026
 Condominium Number: 00000
 Census Tract 2: 0222
 X Coordinate: 0999040
 Y Coordinate: 0233461
 Zoning Map: 06A
 Sanborn Map: 107N087
 Tax Map: 10704
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A21
 < 1/8
 0.001 mi.
 5 ft.

LOT 24,TAXBLOCK 1909
117 WEST 124 STREET
MANHATTAN, NY 10027
 Site 21 of 35 in cluster A

E DESIGNATION S109155389
N/A

Relative:
Higher

Actual:
26 ft.

E DESIGNATION:
 Tax Lot(s): 24
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: G7
Land Use Category: 10
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000002523
Total Building Floor Area: 00000000225
Commercial Floor Area: 00000000225
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000225
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0015.00
Building Depth: 0015.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000022500
Total Assessed Value: 00000024750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.09
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090024

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998996
Y Coordinate: 0233489
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 24
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: G7
Land Use Category: 10
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000002523
Total Building Floor Area: 00000000225
Commercial Floor Area: 00000000225
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000225
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0015.00
Building Depth: 0015.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000022500
Total Assessed Value: 00000024750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.09
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090024
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998996
Y Coordinate: 0233489
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 24
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: G7
Land Use Category: 10
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000002523
Total Building Floor Area: 00000000225
Commercial Floor Area: 00000000225
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000225
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0015.00
Building Depth: 0015.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000022500
Total Assessed Value: 00000024750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.09
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090024
Condominium Number: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Census Tract 2: 0222
X Coordinate: 0998996
Y Coordinate: 0233489
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 24
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: G7
Land Use Category: 10
Number of Easements: 0
Owner, Type of Code: P
Owner Name: MPL 112 LLC
Lot Area: 000002523
Total Building Floor Area: 00000000225
Commercial Floor Area: 00000000225
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000225
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 24,TAXBLOCK 1909 (Continued)

S109155389

Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.00
Lot Depth: 0100.92
Building Frontage: 0015.00
Building Depth: 0015.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000022500
Total Assessed Value: 00000024750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.09
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090024
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998996
Y Coordinate: 0233489
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

A22
NNE
< 1/8
0.001 mi.
6 ft.

HARLEM CENTER
105 W. 125TH STREET
NEW YORK, NY 10027
Site 22 of 35 in cluster A

UST U003836029
HIST UST N/A

Relative:
Higher

UST:
Facility Id: 2-607248
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

U003836029

UTM X: 588926.30880999996
UTM Y: 4517970.2209900003
Site ID: 29101

Tank Number: 1
Tank ID: 62607
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/2001
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Tank Number: 2
Tank ID: 62608
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/2001
Capacity Gallons: 1000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Tank Number: 3
Tank ID: 62609
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/2001
Capacity Gallons: 1000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

U003836029

Affiliation Records:

Site Id: 29101
Affiliation Type: On-Site Operator
Company Name: HARLEM CENTER
Contact Type: Not reported
Contact Name: ALEX CROWDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 923-8558
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29101
Affiliation Type: Mail Contact
Company Name: FOREST CITY RATNER COMPANIES
Contact Type: Not reported
Contact Name: ALEX CROWDER
Address1: ONE METRO TECH CENTER NORTH
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11201
Country Code: 001
Phone: (718) 923-8558
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29101
Affiliation Type: Emergency Contact
Company Name: FC HARLEM CENTER LLC
Contact Type: Not reported
Contact Name: ALEX CROWDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 923-8558
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29101
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

U003836029

Company Name: FC HARLEM CENTER LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: ONE METROTECH CENTER NORTH
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11201
Country Code: 001
Phone: (718) 923-8558
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-607248
SPDES Number: Not reported
Emergency Contact: ALEX CROWDER
Emergency Telephone: (718) 923-8558
Operator: ALEX CROWDER
Operator Telephone: (718) 923-8558
Owner Name: FC HARLEM CENTER LLC
Owner Address: ONE METROTECH CENTER NORTH
Owner City,St,Zip: BROOKLYN, NY 11201
Owner Telephone: (718) 923-8558
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: FOREST CITY RATNER COMPANIES
Mailing Address: ONE METRO TECH CENTER NORTH
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11201
Mailing Contact: ALEX CROWDER
Mailing Telephone: (718) 923-8558
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: Not reported
Expiration Date: 12/11/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

U003836029

CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 20010801
Capacity (gals): 3000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 20010801
Capacity (gals): 1000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARLEM CENTER (Continued)

U003836029

Lat/long: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 20010801
Capacity (gals): 1000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

A23
NNE
< 1/8
0.001 mi.
7 ft.

LOT 7501, TAXBLOCK 1910
125 WEST 125 STREET
MANHATTAN, NY 10027
Site 23 of 35 in cluster A

E DESIGNATION **S109155489**
N/A

Relative:
Higher

E DESIGNATION:
Tax Lot(s): 7501
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L030
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: R5
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: X
Owner Name: Not reported
Lot Area: 000000000
Total Building Floor Area: 00000284579
Commercial Floor Area: 00000284579
Office Floor Area: 00000141759
Retail Floor Area: 00000142820
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 010.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0000.00
Lot Depth: 0000.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 0
Basement Type Grade: 5
Land Assessed Value: 00001714050
Total Assessed Value: 00020202300
Land Exempt Value: 00001714050
Total Exempt Value: 00020202300
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1019107501
Condominium Number: 01272
Census Tract 2: 0222
X Coordinate: 0999260
Y Coordinate: 0233755
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 7501
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L030
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: R5
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: X
Owner Name: Not reported
Lot Area: 000000000
Total Building Floor Area: 00000284579
Commercial Floor Area: 00000284579
Office Floor Area: 00000141759
Retail Floor Area: 00000142820
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7

Number of Buildings: 00003
Number of Floors: 010.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0000.00
Lot Depth: 0000.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

Lot Type: 0
Basement Type Grade: 5
Land Assessed Value: 00001714050
Total Assessed Value: 00020202300
Land Exempt Value: 00001714050
Total Exempt Value: 00020202300
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1019107501
Condominium Number: 01272
Census Tract 2: 0222
X Coordinate: 0999260
Y Coordinate: 0233755
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 7501
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L030
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: R5
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: X
Owner Name: Not reported
Lot Area: 000000000
Total Building Floor Area: 00000284579
Commercial Floor Area: 00000284579
Office Floor Area: 00000141759
Retail Floor Area: 00000142820
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 010.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0000.00
Lot Depth: 0000.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 0
Basement Type Grade: 5
Land Assessed Value: 00001714050
Total Assessed Value: 00020202300
Land Exempt Value: 00001714050
Total Exempt Value: 00020202300
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1019107501
Condominium Number: 01272
Census Tract 2: 0222
X Coordinate: 0999260
Y Coordinate: 0233755
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 7501
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L030
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: R5
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: X
Owner Name: Not reported
Lot Area: 000000000
Total Building Floor Area: 00000284579
Commercial Floor Area: 00000284579
Office Floor Area: 00000141759
Retail Floor Area: 00000142820
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 010.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0000.00
Lot Depth: 0000.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7501,TAXBLOCK 1910 (Continued)

S109155489

Basement Type Grade: 5
Land Assessed Value: 00001714050
Total Assessed Value: 00020202300
Land Exempt Value: 00001714050
Total Exempt Value: 00020202300
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1019107501
Condominium Number: 01272
Census Tract 2: 0222
X Coordinate: 0999260
Y Coordinate: 0233755
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**A24
ESE
< 1/8
0.002 mi.
9 ft.**

**125TH ST/LENOX AVE
MANHATTAN, NY
Site 24 of 35 in cluster A**

**NY Spills S106005392
N/A**

**Relative:
Higher**

NY Spills:
Site ID: 267845
Facility Addr2: Not reported
Facility ID: 0203703
Spill Number: 0203703
Facility Type: ER
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 7/8/2002
Reported to Dept: 7/8/2002
CID: 281
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

**Actual:
26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106005392

Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/5/2002
Remediation Phase: 0
Date Entered In Computer: 7/8/2002
Spill Record Last Update: 12/26/2002
Spiller Name: CALLER
Spiller Company: NYC TRANSIT
Spiller Address: 370 JAY ST
Spiller City,St,Zip: BROOKLYN, NY 11201-001
Spiller Company: 001
Contact Name: JOSPHINE BROWN
Contact Phone: (917) 848-8734
DEC Region: 2
DER Facility ID: 218200
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CONTAINED AND CLEANED BY NYCT AND NYC DOS.
Remarks: RUPUTRED LINE ON BUS AT ABOVE LOCATION. ALL MATERIAL IS EXPECTED TO BE RECOVERED.

Material:

Site ID: 267845
Operable Unit ID: 854706
Operable Unit: 01
Material ID: 521523
Material Code: 1511A
Material Name: POWER STEERING FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: 5
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

A25
ESE
< 1/8
0.002 mi.
9 ft.

LENOX AVE / 125TH ST
MANHATTAN, NY

Site 25 of 35 in cluster A

NY Spills S105234831
NY Hist Spills N/A

Relative:
Higher

NY Spills:

Actual:
26 ft.

Site ID: 329257
 Facility Addr2: Not reported
 Facility ID: 0107725
 Spill Number: 0107725
 Facility Type: ER
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Spill Date: 10/29/2001
 Reported to Dept: 10/29/2001
 CID: 205
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial Vehicle
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/29/2002
 Remediation Phase: 0
 Date Entered In Computer: 10/29/2001
 Spill Record Last Update: 7/29/2002
 Spiller Name: CALLER
 Spiller Company: NYC TRANSIT
 Spiller Address: 370 JAY ST
 Spiller City,St,Zip: BROOKLYN, NY 11201-001
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 264970
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CONTAINED AND CLEANED BY NYCT.
 Remarks: LINE BREAK. CLEANUP ON SCENE.

Material:

Site ID: 329257
 Operable Unit ID: 845775
 Operable Unit: 01
 Material ID: 528988
 Material Code: 0021
 Material Name: Transmission Fluid
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 8
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105234831

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 0107725
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/29/2001 12:09
Reported to Dept Date/Time: 10/29/01 12:37
SWIS: 62
Spiller Name: NYC TRANSIT
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Address: 370 JAY ST
Spiller City,St,Zip: BROOKLYN, NY 11201-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/29/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/01/01
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105234831

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 8
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSMISSION FLUID
Class Type: TRANSMISSION FLUID
Times Material Entry In File: 295
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: LINE BREAK. CLEANUP ON SCENE.

A26
SSW
< 1/8
0.002 mi.
10 ft.

123 WEST 124TH STREET
MANHATTAN, NY

Site 26 of 35 in cluster A

NY Spills S106005355
N/A

Relative:
Higher

NY Spills:

Site ID: 244496
Facility Addr2: Not reported
Facility ID: 0203663
Spill Number: 0203663
Facility Type: ER
SWIS: 3101
Investigator: AERODRIG
Referred To: Not reported
Spill Date: 7/7/2002
Reported to Dept: 7/7/2002
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/22/2004
Remediation Phase: 0
Date Entered In Computer: 7/7/2002
Spill Record Last Update: 9/22/2004
Spiller Name: Not reported
Spiller Company: BURGER KING

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106005355

Spiller Address: 141 WEST 124TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 200831
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "RODRIGUEZ" E2MIS NOTES 143826 On 07/07/02 at approx. 07:38 r. jack #17064 reported that during a phase check in vault he found approx four gallons of oil and twenty five gallons of standing water mixed. This vault is located in front of a burger king. The source and cause of spill are unknown. Samples taken for oil id and PCB. Lab Sequence Number: 02-06249-001 PCB <1 ppm Lab Sequence Number: 02-06250-001 analysis indicates the presence of a substance similar to a cooking oil/grease Update: 9/30/02 Bob Biliski, I&A Operating Supervisor, reported at 15:00 hrs. on 9/25/02 that the vault was cleaned by Clean Harbors. He stated that a total of 3 drums of waste was generated and removed. He also reported that they used citrus cleaner to clean the walls & floor and that the environmental spill tag was removed. The cleanup was completed at 15:00 hrs. on 9/25/02.

Remarks: MANHOLE 4031. 4 GALLONS OF OIL ON 25 GALLONS OF WATER. CONTAINED WITHIN MANHOLE. SAMPLES WERE TAKEN. TEST RESULTS INDICATE THAT IT'S SOME SORT OF COOKING GREASE. THE BURGER KING THERE IS THE SUSPECTED SPILLER. A SIMILAR SPILL WAS REPORTED LAST JULY. TO BE CLEANED UP IN THE MORNING. CON EDISON REFERENCE NUMBER 143826.

Material:
Site ID: 244496
Operable Unit ID: 854674
Operable Unit: 01
Material ID: 521483
Material Code: 0820A
Material Name: COOKING OIL
Case No.: Not reported
Material FA: Other
Quantity: 4
Units: Gallons
Recovered: 4
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

EDR ID Number
 EPA ID Number

	Site	Database(s)	EPA ID Number
A27 SSW < 1/8 0.005 mi. 29 ft.	275 LENOX AVE 275 LENOX AVE MANHATTAN, NY Site 27 of 35 in cluster A	LTANKS	S106868649 N/A

Relative:
Lower

LTANKS:

Site ID: 337082
 Spill No: 0411801
 Spill Date: 11/25/2004
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Actual:
25 ft.

Spill Closed Dt: 9/8/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 2/4/2005
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/4/2005
 Spill Record Last Update: 9/8/2005
 Spiller Name: MR. WALTER EDWARDS
 Spiller Company: APARTMENT BUILDING
 Spiller Address: 275 LENOX AVE
 Spiller City,St,Zip: MANHATTAN, NY 10027
 Spiller County: 001
 Spiller Contact: CAROL PAYNE
 Spiller Phone: (212) 662-4840
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 272424
 DEC Memo: 03/23/05 transferred from T. DeMeo to J. Krimgold who was daytime
 duty officer when inquiring phone call came in. CS. 03/31/05.
 J.Krimgold spoke to Carol Payne (Pine Funeral Home) @ 212-662-4840
 located 273 Lenox Ave.- affected party. She stated that about
 December 2004 a strong oil odor was observed in the basement. Also,
 oil seepage was observed coming from a wall adjacent to 275 Lenox
 Ave. Oil odor substantially diminished over last few months, but the
 oil seepage (stain) is still there. J.Krimgold called South Carolina
 Heating (SCH) and spoke with Natasha Danzler @ 212-234-5900. She
 informed that they have been called by Funeral Home and informed
 about incident in about 2 weeks after it happened. No notification
 was made to the Department at that time. They sent a crew to check
 out and found that one of two 257 Gal #2 oil tanks was tipped on the
 side and released an unknown amount of oil to the basement's concrete
 floor and on the wall of the adjacent (273 Lenox Ave.) building. No
 paddles of oil were observed at that time. SCH was in contact with
 Funeral Home's insurance, but as of today they have not come to the
 agreement. J.Krimgold called RP, Mr. Walter Edwards (landlord? of 275

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 LENOX AVE (Continued)

S106868649

Lenox Ave) and left a message with his assistant Ms. Santa M Johns (212-864-7410x208). 3/31/05. CSL has been sent to: Mr. W. Edwards Walter J Edwards Enterprises Inc 275 Lenox Avenue New York, NY 10027-5541 YK. 5/2/05. Talked to Mr. Edwards. He claimed that his office lost CSL letter and his consultant Ethan Elton, Inc. also lost a fax copy of this letter. Nothing has been done since. Mr. Edwards was out from country and just came back. He will come and pick up a copy of CSL tomorrow. YK. 5/2/05. Mr. Poul Franky called and asked for a copy of CSL. He is with ICS Claims, an adjuster for West Port Insurance (claim # 185540 filed by Pine Funeral Home). They can cover a part of the cleanup expenses. His phone # 914-907-5788, fax 845-778-0658. YK. 5/27/05. Aimee Petkus from Ethan C. Eldon Associates, Inc. called to discuss her letter to the Department dated May 25, 2005. Generally, the letter states that 40 gal of #2 oil was spilled and 40 gal was recovered. It is unclear then how adjacent property got oil in their basement if all oil was removed. Phone conversation revealed that the consultant was not aware about oil spillage at adjacent (273 Lenox Ave) property. Agreed that they will take soil samples from under tanks in the tank room and from the basement at 273 Lenox. If results warrant a soil excavation will be performed at both sites. YK. 6/1/05. J.Krimgold reviewed a work plan submitted by the Ethan C. Eldon Associates, Inc. dated May 27, 2005. At least 4 soil borings to be advanced in the tank room and at 273 Lenox. The work should begin on June 8, 2005. 9/8/05. J.Krimgold reviewed the Phase II Environmental investigation report prepared by Ethan C. Eldon Assoc, Inc. and submitted on June 22, 2005. Afer initial cleanup four soil borings were advanced in the spill area. The lab results show no contaminants level above TAGM in all borings. NFA letter.

Remarks: THE TANK FELL OVER WHEN A DELIVERY WAS BEING MADE: THE LEGS WERE WEAK:
Not reported

Material:

Site ID: 337082
Operable Unit ID: 1099065
Operable Unit: 01
Material ID: 579394
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

275 LENOX AVE (Continued)

S106868649

Last Modified: Not reported
 Test Method: Not reported

A28
WNW
 < 1/8
 0.010 mi.
 55 ft.

132 WEST 125TH ST.
132 WEST 125TH ST.
MANHATTAN, NY
Site 28 of 35 in cluster A

NY Spills S109207672
N/A

Relative:
Higher

NY Spills:

Site ID: 403476
 Facility Addr2: Not reported
 Facility ID: 0806211
 Spill Number: 0806211
 Facility Type: ER
 SWIS: 3101
 Investigator: hrpatel
 Referred To: Not reported
 Spill Date: 9/3/2008
 Reported to Dept: 9/3/2008
 CID: 15
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
27 ft.

Spill Closed Dt: 9/3/2008
 Remediation Phase: 0
 Date Entered In Computer: 9/3/2008
 Spill Record Last Update: 9/3/2008
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: GOTFRIED
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 352704
 DEC Memo: Petroleum Tank Cleaners on site doing cleanup. 09/03/08-Hiralkumar Patel. spoke with Joe at PTC. he mentioned that about 30 gal #6 oil leaked from burner strainer pipe and oil spilled into concrete pit around boiler. PTC cleaned pit and power washed it. all cleaned up. no odor complaints. spoke with Gotfried (212-222-2344), building super. he confirmed cleanup. case closed.

Remarks: A gasket failure on a burner strainer pipe caused above oil to leak into a concrete pit. Callers company is enroute to clean the spill.

Material:

Site ID: 403476
 Operable Unit ID: 1160177

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH ST. (Continued)

S109207672

Operable Unit: 01
Material ID: 2151323
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

A29
ESE
< 1/8
0.011 mi.
56 ft.

SHEBA REALTY CORP
282 LENOX AVE
NEW YORK, NY 10033
Site 29 of 35 in cluster A

AST A100317690
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Unregistered
Facility Id: 2-610709
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: N/A

Actual:
25 ft.

Tank Number: 001
Tank Id: 220426
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Unregistered
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 11/16/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHEBA REALTY CORP (Continued)

A100317690

Affiliation Records:

Site Id: 389924
Affiliation Type: Emergency Contact
Company Name: SHEBA REALTY CORP
Contact Type: Not reported
Contact Name: PAUL SOHAYEGH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 923-4840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/16/2007

Site Id: 389924
Affiliation Type: On-Site Operator
Company Name: SHEBA REALTY CORP
Contact Type: Not reported
Contact Name: JUAN PAULINO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 286-4440
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/16/2007

Site Id: 389924
Affiliation Type: Mail Contact
Company Name: SHEBA REALTY CORP
Contact Type: MANAGING AGENT
Contact Name: PAUL SOHAYEGH
Address1: 507 WEST 186TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10033
Country Code: 001
Phone: (212) 923-4840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/16/2007

Site Id: 389924
Affiliation Type: Owner

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SHEBA REALTY CORP (Continued)

A100317690

Company Name: SHEBA REALTY CORP
 Contact Type: MANAGING AGENT
 Contact Name: PAUL SOHAYEGH
 Address1: 507 WEST 186TH ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10033
 Country Code: 001
 Phone: (212) 923-4840
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 11/16/2007

A30
ESE
< 1/8
0.011 mi.
57 ft.

LOT 69,TAXBLOCK 1722
290 LENOX AVENUE
MANHATTAN, NY 10027
Site 30 of 35 in cluster A

E DESIGNATION **S109155483**
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 69
 E-No: E-201
Actual: Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: ROJO ASSOCIATES INC
 Lot Area: 000008578
 Total Building Floor Area: 00000025326
 Commercial Floor Area: 00000025326
 Office Floor Area: 00000008442

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Retail Floor Area: 0000016884
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0100.92
Lot Depth: 0085.00
Building Frontage: 0100.00
Building Depth: 0085.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000688500
Total Assessed Value: 00001732500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.95
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220069
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999386
Y Coordinate: 0233426
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 69
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: ROJO ASSOCIATES INC
Lot Area: 000008578
Total Building Floor Area: 0000025326
Commercial Floor Area: 0000025326
Office Floor Area: 0000008442
Retail Floor Area: 0000016884
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0100.92
Lot Depth: 0085.00
Building Frontage: 0100.00
Building Depth: 0085.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000688500
Total Assessed Value: 00001732500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220069
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999386
Y Coordinate: 0233426
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 69
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: ROJO ASSOCIATES INC
Lot Area: 000008578
Total Building Floor Area: 00000025326
Commercial Floor Area: 00000025326
Office Floor Area: 00000008442
Retail Floor Area: 00000016884

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0100.92
Lot Depth: 0085.00
Building Frontage: 0100.00
Building Depth: 0085.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000688500
Total Assessed Value: 00001732500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.95
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220069
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999386
Y Coordinate: 0233426
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 69
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: ROJO ASSOCIATES INC
Lot Area: 000008578
Total Building Floor Area: 0000025326
Commercial Floor Area: 0000025326
Office Floor Area: 0000008442
Retail Floor Area: 0000016884
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0100.92
Lot Depth: 0085.00
Building Frontage: 0100.00
Building Depth: 0085.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000688500
Total Assessed Value: 00001732500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.95
Maximum Allowable Far: 3.44

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 1722 (Continued)

S109155483

Borough Code: 1
Borough Tax Block And Lot: 1017220069
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999386
Y Coordinate: 0233426
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

A31
ESE
< 1/8
0.011 mi.
59 ft.

LOT 1,TAXBLOCK 1723
300 LENOX AVENUE
MANHATTAN, NY 10027
Site 31 of 35 in cluster A

E DESIGNATION **S109155349**
N/A

Relative:
Lower

E DESIGNATION:
Tax Lot(s): 1
E-No: E-201
Actual: Effective Date: 4/30/2008
25 ft. Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: FATA REALTY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 1723 (Continued)

S109155349

Lot Area: 000006993
Total Building Floor Area: 00000018629
Commercial Floor Area: 00000018629
Office Floor Area: 00000013929
Retail Floor Area: 00000004700
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0074.92
Lot Depth: 0085.00
Building Frontage: 0075.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000495000
Total Assessed Value: 00001534500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1900
Year Built Code: Not reported
Year Altered1: 1988
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.66
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1017230001
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233600
Zoning Map: 06A
Sanborn Map: 107N090
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 1
E-No: E-201
Effective Date: 4/30/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 1723 (Continued)

S109155349

Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: FATA REALTY
Lot Area: 000006993
Total Building Floor Area: 00000018629
Commercial Floor Area: 00000018629
Office Floor Area: 00000013929
Retail Floor Area: 00000004700
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00009
Lot Frontage: 0074.92
Lot Depth: 0085.00
Building Frontage: 0075.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000495000
Total Assessed Value: 00001534500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1900
Year Built Code: Not reported
Year Altered1: 1988

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1, TAXBLOCK 1723 (Continued)

S109155349

Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.66
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1017230001
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233600
Zoning Map: 06A
Sanborn Map: 107N090
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**A32
WNW
< 1/8
0.012 mi.
65 ft.**

**132 WEST 125TH STREET CO.
132 WEST 125TH STREET
NEW YORK, NY 10027
Site 32 of 35 in cluster A**

**UST U004078029
N/A**

**Relative:
Higher**

UST:
Facility Id: 2-600333
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/09/11
UTM X: 588900.24988000002
UTM Y: 4518003.9702899996
Site ID: 22316

**Actual:
27 ft.**

Tank Number: 001
Tank ID: 42213
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1970
Capacity Gallons: 2300
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH STREET CO. (Continued)

U004078029

Affiliation Records:

Site Id: 22316
Affiliation Type: Mail Contact
Company Name: 132 W. 125TH ST. CO.
Contact Type: Not reported
Contact Name: EUGENE H. WEBB
Address1: % WEBB & BROOKER, INC.
Address2: 2534 SEVENTH AVE.A.C. POWELL JR. BLVD.
City: NEW YORK
State: NY
Zip Code: 10039
Country Code: 001
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

Site Id: 22316
Affiliation Type: Owner
Company Name: 132 WEST 125TH STREET CO. % WEBB & BROOKER INC.
Contact Type: MANAGING AGENT
Contact Name: EUGENE H. WEBB
Address1: 2534 ADAM C. POWELL JR. BLVD.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10039
Country Code: 001
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

Site Id: 22316
Affiliation Type: On-Site Operator
Company Name: 132 WEST 125TH STREET CO.
Contact Type: Not reported
Contact Name: GODFRIED OPPONG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 222-2344
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

Site Id: 22316
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH STREET CO. (Continued)

U004078029

Company Name: 132 WEST 125TH STREET CO. % WEBB & BROOKER INC.
Contact Type: Not reported
Contact Name: EUGENE H. WEBB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

A33
WNW
< 1/8
0.012 mi.
65 ft.

COMMERCIAL BUILDING
132 WEST 125TH STREET
NEW YORK, NY 10027
Site 33 of 35 in cluster A

LTANKS S108059252
N/A

Relative:
Higher

LTANKS:

Actual:
27 ft.

Site ID: 365107
Spill No: 0602595
Spill Date: 6/7/2006
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/18/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 6/7/2006
CID: 15
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/7/2006
Spill Record Last Update: 1/18/2007
Spiller Name: MARLON JOESPH
Spiller Company: COMMERCIAL BUILDING
Spiller Address: 149 WEST 124TH ST
Spiller City,St,Zip: MANHATTAN, NY 001
Spiller Contact: MARLON JOESPH
Spiller Phone: (718) 772-7949
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 22245
DEC Memo: 06/08/06 Sharif Rahman- 2500 gallons tank, not vaulted but wrapped

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S108059252

with concrete, leaking at the bottom, tiny puddle by the tank.No PBS record found.A letter was sent asking to clean up , investigation and registration of the tank to Eugene Webb 2534 Adam Clayton Powell Blvd New York, NY 10039 12/18/06 Rahman- I spoke with Mr. Webb today.He indicated that the old tank has been replaced and a new tank is in place.As of now, no PBS application has been submitted to the department.He will make sure with the contractor, who is working on it to send DEC all necessary documents. 01/18/07 Rahman- Report by PTC.The old 2500 gallon tank was removed, the floor was cleaned using oil absorbent.PTC claimed the concrete floor under the tank was found to be free of any contamination.The floor area was found to be over eighteen inches thick and free of cracks or faults.Therefore, soil samples were not obtainable.PBS application has been filed for new tank.

Remarks: CLEAN UP IS NOT IN PROCESS. TOMORROW THEY WILL CLEAN IT UP.

Material:

Site ID: 365107
Operable Unit ID: 1123120
Operable Unit: 01
Material ID: 2112593
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

A34
WNW
< 1/8
0.012 mi.
65 ft.

132 WEST 125TH STREET
132 WEST 125TH STREET
NEW YORK, NY 10027
Site 34 of 35 in cluster A

HIST UST U000412049
AST N/A

Relative:
Higher

HIST UST:
PBS Number: 2-600333
SPDES Number: Not reported
Emergency Contact: EUGENE WEBB
Emergency Telephone: (212) 926-7100
Operator: NICK RODERICO
Operator Telephone: (212) 222-2344

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH STREET (Continued)

U000412049

Owner Name: 132 WEST 125TH STREET CO., INC.
Owner Address: 2534 SEVENTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10039
Owner Telephone: (212) 926-7100
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: WEBB & BROOKER, INC.
Mailing Address: 2534 SEVENTH AVE/ADAM CLAYTON POWELL BLV
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10039
Mailing Contact: EUGENE WEBB (AGENT)
Mailing Telephone: (212) 926-7100
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 132 WEST 125TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 07/20/2001
Expiration Date: 09/11/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19700101
Capacity (gals): 2300
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH STREET (Continued)

U000412049

Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19700101
Capacity (gals): 2300
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600333
Program Type: PBS
UTM X: 588900.24988000002
UTM Y: 4518003.9702899996
Expiration Date: 2011/09/11

Tank Number: 002
Tank Id: 42214
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1970
Capacity Gallons: 2500
Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

132 WEST 125TH STREET (Continued)

U000412049

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 9/10/2006
Register: True
Modified By: NRLOMBAR
Last Modified: 10/3/2006

Affiliation Records:

Site Id: 22316
Affiliation Type: Mail Contact
Company Name: 132 W. 125TH ST. CO.
Contact Type: Not reported
Contact Name: EUGENE H. WEBB
Address1: % WEBB & BROOKER, INC.
Address2: 2534 SEVENTH AVE.A.C. POWELL JR. BLVD.
City: NEW YORK
State: NY
Zip Code: 10039
Country Code: 001
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

Site Id: 22316
Affiliation Type: Owner
Company Name: 132 WEST 125TH STREET CO. % WEBB & BROOKER INC.
Contact Type: MANAGING AGENT
Contact Name: EUGENE H. WEBB
Address1: 2534 ADAM C. POWELL JR. BLVD.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10039
Country Code: 001
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/3/2006

Site Id: 22316
Affiliation Type: On-Site Operator
Company Name: 132 WEST 125TH STREET CO.
Contact Type: Not reported
Contact Name: GODFRIED OPPONG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 222-2344
Phone Ext: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

132 WEST 125TH STREET (Continued)

U000412049

Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/3/2006

Site Id: 22316
 Affiliation Type: Emergency Contact
 Company Name: 132 WEST 125TH STREET CO. % WEBB & BROOKER INC.
 Contact Type: Not reported
 Contact Name: EUGENE H. WEBB
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 926-7100
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/3/2006

**A35
 WNW
 < 1/8
 0.016 mi.
 83 ft.**

**VS 4031
 141 WEST 124TH ST
 MAHNATTAN, NY
 Site 35 of 35 in cluster A**

**NY Spills S105058907
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:
 Site ID: 138603
 Facility Addr2: Not reported
 Facility ID: 0103946
 Spill Number: 0103946
 Facility Type: ER
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 7/13/2001
 Reported to Dept: 7/13/2001
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/29/2003
 Remediation Phase: 0
 Date Entered In Computer: 7/13/2001
 Spill Record Last Update: 7/29/2003
 Spiller Name: Not reported
 Spiller Company: BURGER KING

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4031 (Continued)

S105058907

Spiller Address: 141 WEST 124TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 001
Contact Name: STEVE ROMERO
Contact Phone: (212) 580-6763
DEC Region: 2
DER Facility ID: 118508
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" Con Ed e2mis #138200: 13-July-2001 10:19 hrs. Splicer/Mechanic T.Fitzgibbon #12737 was on location to perform maintenance work in VS4031 located in f/o 141 W124th St. When he attempted to enter the structure he discovered a large amount of a substance that appeared to look like grease & cooking oil mixed together. The splicer states that the approximate amount appears to be (50) gallons of grease & oil mixed with approximately (5) gallons of water. He also states that this VS4031 is located in the drive-thru entrance of Burger King & he suspects that they have been dumping their oil & grease into this structure. The spill is on the concrete in the structure & the housing of the transformer. This appears to be a substance owned by a 3rd party. An environmental tag #10714 was hung in the structure & (2) samples were taken, (1) for ID & (1) for PCB. The spill is on the concrete in the structure & the housing of the transformer. This appears to be a substance owned by a 3rd party. An environmental tag #10714 was hung in the structure & (2) samples were taken, (1) for ID & (1) for PCB. UPDATE @ 18:07 HRS. Bob Boliski, I&A Supervisor, reported at 13:45 hrs. that NYC DEP rep. Elie Saint- Jean arrived on location at approx. 13:15 hrs.. He believes that the unknown substance in the vault belongs to Con Edison. Mr. Biliski explained that the transformer is not leaking and the oil level indicates that the unit is full. Mr. Biliski also pointed out that the substance looks and smells like cooking oil and grease. An adjacent restaurant has been dumping their waste in our vault. The DEP rep. wants this vault cleaned up immediately. UPDATE @ 20:00 hrs. Bob Biliski, I&A Supervisor, reported at 20:00 hrs. that the DEP rep., Elie Saint-Jean issued a Commissioner's order to clean this vault immediately. Cleanup must be completed by 7/15/01 at 14:00 hrs. He also reported that a partial cleanup was completed as of 20:00 hrs. The tanker pumped out 100 gallons of water from flushing the vault. The vault was flushed with the Vactor truck and pumped out with the tanker. UPDATE @ 21:22 hrs. The Environmental Desk arranged for Clean Harbors to complete the cleanup starting at 08:00 hrs. on Saturday, 7/14/01. Clean Harbors will bring a tanker, vactor truck, crew and steam jenny to clean this vault. Arrangements were made with Tom Columbia & Jeb Cook of Clean Harbors. An I&A crew will be location to assist. Lab Sequence #01-07321-001, PCBs <1ppm Lab Sequence #01-07322-001, Oil ID'd as dielectric fluid Update 7-14-01 @ 13:57. J Cumberbatch reports cleanup is complete @ 12:50. Double washed with slix and flushed. Clean Harbors assisted on this cleanup. Not reported

Remarks: spill contained in vs...looks like it may be coming from burger king...samples taken...Ref # 138200.

Material:
Site ID: 138603
Operable Unit ID: 840558
Operable Unit: 01
Material ID: 532456
Material Code: 0046A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4031 (Continued)

S105058907

Material Name: COOKING GREASE
Case No.: Not reported
Material FA: Other
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0103946
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/13/2001 09:42
Reported to Dept Date/Time: 07/13/01 11:04
SWIS: 62
Spiller Name: BURGER KING
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: STEVE ROMERO
Spiller Phone: (212) 580-6763
Spiller Address: 141 WEST 124TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4031 (Continued)

S105058907

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/13/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/13/01
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Hazardous Material
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: COOKING GREASE
Class Type: COOKING GREASE
Times Material Entry In File: 59
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: Not reported
Remark: spill contained in vs...looks like it may be coming from burger king...samples taken...Ref 138200.

B36
WNW
< 1/8
0.027 mi.
141 ft.

146 WEST 124TH STREET
146 WEST 124TH STREET
NEW YORK, NY 10027
Site 1 of 5 in cluster B

AST **U003395015**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-471046
Program Type: PBS
UTM X: 588826.98479000002
UTM Y: 4517944.0254800003
Expiration Date: 1994/03/28

Tank Number: 001
Tank Id: 37374
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146 WEST 124TH STREET (Continued)

U003395015

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20653
Affiliation Type: On-Site Operator
Company Name: 146 WEST 124TH STREET
Contact Type: Not reported
Contact Name: PIJUSH LODH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8091
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20653
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20653
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: MILTON MASTER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8213

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146 WEST 124TH STREET (Continued)

U003395015

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20653
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

HIST AST:

PBS Number: 2-471046
SWIS Code: 6201
Operator: PIJUSH LODH
Facility Phone: (212) 806-8091
Facility Addr2: 146 WEST 124TH STREET
Facility Type: Not reported
Emergency: MILTON MASTER
Emergency Tel: (212) 806-8213
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8091
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8091
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/28/1989
Expiration: 03/28/1994

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

146 WEST 124TH STREET (Continued)

U003395015

Renew Flag:	False
Renew Date:	Not reported
Total Capacity:	2000
FAMT:	True
Facility Screen:	Minor Data Missing
Owner Screen:	Minor Data Missing
Tank Screen:	Minor Data Missing
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	62
Town or City Code:	01
Region:	2
Tank ID:	001
Tank Location:	ABOVEGROUND
Tank Status:	In Service
Install Date:	Not reported
Capacity (Gal):	2000
Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	STEEL/IRON
Pipe Internal:	Not reported
Pipe External:	Not reported
Tank Containment:	Diking
Leak Detection:	0
Overfill Protection:	4
Dispenser Method:	Suction
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	False
SPDES Number:	Not reported
Lat/Long:	Not reported

**C37
 NE
 < 1/8
 0.028 mi.
 149 ft.**

**LOT 4,TAXBLOCK 1723
 308 LENOX AVENUE
 MANHATTAN, NY 10027
 Site 1 of 7 in cluster C**

**E DESIGNATION S109318181
 N/A**

**Relative:
 Higher**

E DESIGNATION:	
Tax Lot(s):	4
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	110

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4,TAXBLOCK 1723 (Continued)

S109318181

Census Tract: 200
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: S.J.C. 308 LENOX AVEN
Lot Area: 000001500
Total Building Floor Area: 00000006000
Commercial Floor Area: 00000006000
Office Floor Area: 00000000000
Retail Floor Area: 00000006000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0060.00
Building Frontage: 0025.00
Building Depth: 0060.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000059850
Total Assessed Value: 00000263250
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0004.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1017230004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4, TAXBLOCK 1723 (Continued)

S109318181

Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999481
Y Coordinate: 0233650
Zoning Map: 06A
Sanborn Map: 107N090
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 4
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1000
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-7
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-7
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: S.J.C. 308 LENOX AVEN
Lot Area: 000001500
Total Building Floor Area: 00000006000
Commercial Floor Area: 00000006000
Office Floor Area: 00000000000
Retail Floor Area: 00000006000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4, TAXBLOCK 1723 (Continued)

S109318181

Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0060.00
Building Frontage: 0025.00
Building Depth: 0060.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000059850
Total Assessed Value: 00000263250
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0004.00
Maximum Allowable Far: 10.00
Borough Code: 1
Borough Tax Block And Lot: 1017230004
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999481
Y Coordinate: 0233650
Zoning Map: 06A
Sanborn Map: 107N090
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

B38 148 W 124TH STREET
WNW 148 WEST 124TH STREET
< 1/8 NEW YORK, NY 10027
0.030 mi.
157 ft. Site 2 of 5 in cluster B

AST A100291496
N/A

Relative: AST:
Higher Region: STATE
DEC Region: 2
Actual: Site Status: Active
26 ft. Facility Id: 2-608524
Program Type: PBS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 124TH STREET (Continued)

A100291496

UTM X: 588783.89937
UTM Y: 4517935.9794199998
Expiration Date: 2008/03/10

Tank Number: 001
Tank Id: 65279
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 30376
Affiliation Type: Emergency Contact
Company Name: 148 W 124TH STREET REALTY CORP.
Contact Type: Not reported
Contact Name: MAYWOOD MGMT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NJ
Zip Code: Not reported
Country Code: 001
Phone: (201) 843-0049
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30376
Affiliation Type: Owner
Company Name: 148 W 124TH STREET REALTY CORP.
Contact Type: Not reported
Contact Name: Not reported
Address1: 80 ROUTE 4 EAST, SUITE 215
Address2: Not reported
City: PAAMUS
State: NJ
Zip Code: 07652
Country Code: 001
Phone: (201) 843-0049
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 124TH STREET (Continued)

A100291496

Site Id: 30376
Affiliation Type: On-Site Operator
Company Name: 148 W 124TH STREET
Contact Type: Not reported
Contact Name: MAYWOOD MGMT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (201) 843-0049
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30376
Affiliation Type: Mail Contact
Company Name: MAYWOOD MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: JACKIE R. ROTHCHILD
Address1: 80 ROUTE 4 EAST
Address2: SUITE 215
City: PARAMUS
State: NJ
Zip Code: 07652
Country Code: 001
Phone: (201) 843-0049
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

Site Id: 30376
Tank Id Number: 65279
Tank Number: 001
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Site Id: 30376
Tank Id Number: 65279
Tank Number: 001
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 30376
Tank Id Number: 65279
Tank Number: 001
Equipment: B01
Code Name: Painted/Asphalt Coating
Type: Tank External Protection

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

148 W 124TH STREET (Continued)

A100291496

Site Id: 30376
 Tank Id Number: 65279
 Tank Number: 001
 Equipment: F01
 Code Name: Painted/Asphalt Coating
 Type: Pipe External Protection

Site Id: 30376
 Tank Id Number: 65279
 Tank Number: 001
 Equipment: I01
 Code Name: Float Vent Valve
 Type: Overfill

Site Id: 30376
 Tank Id Number: 65279
 Tank Number: 001
 Equipment: G03
 Code Name: Vault (w/o access)
 Type: Tank Secondary Containment

Site Id: 30376
 Tank Id Number: 65279
 Tank Number: 001
 Equipment: A00
 Code Name: None
 Type: Tank Internal Protection

Site Id: 30376
 Tank Id Number: 65279
 Tank Number: 001
 Equipment: D01
 Code Name: Steel/Carbon Steel/Iron
 Type: Pipe Type

C39
NE
< 1/8
0.034 mi.
179 ft.

HOME COURT DEVELOPMENT CORP
310 LENOX AVE
NEW YORK, NY 10027
Site 2 of 7 in cluster C

FINDS 1007213652
MANIFEST N/A

Relative:
Higher

FINDS:

Registry ID: 110016717445

Actual:
26 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000121889
 Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOME COURT DEVELOPMENT CORP (Continued)

1007213652

Mailing Name: HOME COURT DEVELOPMENT CORP
Mailing Contact: HOME COURT DEVELOPMENT CORP
Mailing Address: 310 LENOX AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-926-7100

NY MANIFEST:

No Manifest Records Available

C40
NE
< 1/8
0.034 mi.
179 ft.

310 LENOX AVENUE
310 LENOX AVENUE
NEW YORK, NY 10027

AST U004045388
N/A

Site 3 of 7 in cluster C

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-602684
Program Type: PBS
UTM X: 589010.78509999998
UTM Y: 4518009.1862199996
Expiration Date: N/A

Actual:
26 ft.

Tank Number: 1
Tank Id: 51131
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1966
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/8/2004
Register: True
Modified By: NRLOMBAR
Last Modified: 11/15/2004

Tank Number: 2
Tank Id: 51132
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1966
Capacity Gallons: 1500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 LENOX AVENUE (Continued)

U004045388

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/8/2004
Register: True
Modified By: NRLOMBAR
Last Modified: 11/15/2004

Affiliation Records:

Site Id: 24640
Affiliation Type: Mail Contact
Company Name: HOME COURT DEVELOPMENT
Contact Type: Not reported
Contact Name: MR. WILLIAM HUNTER
Address1: 2 PENN PLAZA
Address2: SUITE 2430
City: NEW YORK
State: NY
Zip Code: 10121
Country Code: 001
Phone: (212) 655-0880
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/15/2004

Site Id: 24640
Affiliation Type: On-Site Operator
Company Name: 310 LENOX AVENUE
Contact Type: Not reported
Contact Name: JEFFREY BROOKER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 926-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24640
Affiliation Type: Owner
Company Name: HOME COURT DEVELOPMENT CORP.
Contact Type: Not reported
Contact Name: Not reported
Address1: TWO PENN PLAZA
Address2: SUITE 2430
City: NEW YORK
State: NY
Zip Code: 10121
Country Code: 001
Phone: (212) 655-0880

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 LENOX AVENUE (Continued)

U004045388

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24640
Affiliation Type: Emergency Contact
Company Name: HOME COURT DEVELOPMENT CORP.
Contact Type: Not reported
Contact Name: JOSEPH DIMARTINO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 696-7135
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

**C41
NE
< 1/8
0.034 mi.
179 ft.**

**HOME COURT DEVELOPMENT CORP
310 LENOX AVE
NEW YORK, NY 10027**

**RCRA-NonGen 1007208652
NYR000121889**

Site 4 of 7 in cluster C

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: HOME COURT DEVELOPMENT CORP
Facility address: 310 LENOX AVE
NEW YORK, NY 10027
EPA ID: NYR000121889
Mailing address: ADAM CLAYTON POWELL BLVD
NEW YORK, NY 10039
Contact: JEFF BROOKER
Contact address: ADAM CLAYTON POWELL BLVD
NEW YORK, NY 10039
Contact country: US
Contact telephone: (212) 926-7160
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
26 ft.**

Owner/Operator Summary:

Owner/operator name: HOME COURT DEVELOPMENT CORP
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/31/1979

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOME COURT DEVELOPMENT CORP (Continued)

1007208652

Owner/Op end date: Not reported
Owner/operator name: JEFF BROOKER
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: HOME COURT DEVELOPMENT CORP
Classification: Not a generator, verified

Date form received by agency: 01/13/2004
Facility name: HOME COURT DEVELOPMENT CORP
Classification: Small Quantity Generator

Violation Status: No violations found

**C42
NE
< 1/8
0.034 mi.
179 ft.**

**COMMERCIAL BUILDING
310 LENOX AVE
NEW YORK, NY**

**LTANKS S106971582
N/A**

Site 5 of 7 in cluster C

**Relative:
Higher**

LTANKS:
Site ID: 333720
Spill No: 0409042
Spill Date: 11/9/2004
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/18/2005

**Actual:
26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S106971582

Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 11/9/2004
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/17/2004
Spill Record Last Update: 11/18/2005
Spiller Name: PHIL RUTHERFORD
Spiller Company: APARTMENT BUILDING
Spiller Address: 310 LENNOX ONE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: PHIL RUTHERFORD
Spiller Phone: (212) 685-9680
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 268974
DEC Memo:

4/20/2005 Spill case transferred from DeMeo to Rahman: Sangesland spoke to project manager working for building owner. He said the problem tank was cleaned, cut up and removed from the vault. Vault was located under the sidewalk in front of the building. Vault was cleaned and there were no cracks in the floor, therefore no oil leaked out of the vault area. Sangesland asked the project manager to send into the DEC: 1) Letter stating that the tank was removed 2) Statement that the vault area was totally cleaned and no cracks found. 3) Detailed photos of the vault floor showing it is clean and has no cracks. 4) Request closure of open spill number. 06/14/05-SR// Received photographs, invoice and left a message for them. 10.21.05 Sharif- Reviewed the waste disposal manifest and photographs after the tank has been removed. Aparently, there is no cracks or leak on the floor. But the tank room wall looks wet with black stain at different places. Spoke with Phil Rutherford, 212-685-9680 who said they took pictures after it was power washed again since my last conversation with him. He would send me the all new photographs and check with the company whether they filed any deregistration application with DEC. 11.18.05 Sharif// Recev'd new photograph that looks pretty much clean. NFA required.

Remarks: CONTAINED IN VAULT TANKS HAVE BEEN PUMPED OUT TANK SIZE ABOUT 1500 GALLONS:

Material:
Site ID: Not reported
Operable Unit ID: Not reported
Operable Unit: Not reported
Material ID: Not reported
Material Code: Not reported
Material Name: Not reported
Case No.: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

COMMERCIAL BUILDING (Continued)

S106971582

Material FA: Not reported
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: Not reported

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**B43
 WNW
 < 1/8
 0.036 mi.
 189 ft.**

**152 WEST 124TH STREET
 152 WEST 124TH STREET
 MANHATTAN, NY**

Site 3 of 5 in cluster B

**LTANKS
 HIST LTANKS
 AST
 HIST AST**

**S103517646
 N/A**

**Relative:
 Higher**

LTANKS:

Site ID: 61618
 Spill No: 9800366
 Spill Date: 4/7/1998
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

**Actual:
 26 ft.**

Spill Closed Dt: Not reported
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 4/8/1998
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 4/8/1998
 Spill Record Last Update: 11/6/2006
 Spiller Name: ROYAL ENVIRONMENTAL
 Spiller Company: UNK
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: ROYAL ENVIRONMENTAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

Spiller Phone: (914) 934-5992
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 20544
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "M TIBBE" Jacob- Property owner is NYC H.P.D. Made five to nine calls to the NYC housing department. 4/26/06- Jacob- Sending file back to region 2
Remarks: CALLER TESTED THE TANK WHICH FAILED.

Material:

Site ID: 61618
Operable Unit ID: 1057713
Operable Unit: 01
Material ID: 322342
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 61618
Spill Tank Test: 1545756
Tank Number: 1
Tank Size: 2000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9800366
Spill Date: 04/07/1998
Spill Time: 11:00
Spill Cause: Tank Test Failure
Resource Affected: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/08/98
Reported to Department Time: 19:10
SWIS: 62
Spiller Contact: ROYAL ENVIRONMENTAL
Spiller Phone: (914) 934-5992
Spiller Extension: Not reported
Spiller Name: UNK
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: ROYAL ENVIRONMENTAL
Facility Phone: (914) 934-5992
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/08/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/13/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 2000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CALLER TESTED THE TANK WHICH FAILED.

AST:

Region: STATE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

DEC Region: 2
Site Status: Active
Facility Id: 2-470287
Program Type: PBS
UTM X: 588813.48383000004
UTM Y: 4517951.3017899999
Expiration Date: 1994/03/28

Tank Number: 001
Tank Id: 37333
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20585
Affiliation Type: Owner
Company Name: CITY OF NEW YORK H.P.D.
Contact Type: Not reported
Contact Name: Not reported
Address1: 75 MAIDEN LANE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20585
Affiliation Type: Emergency Contact
Company Name: CITY OF NEW YORK H.P.D.
Contact Type: Not reported
Contact Name: MILTON MASTER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8213
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20585
Affiliation Type: Mail Contact
Company Name: CITY OF NEW YORK H.P.D.
Contact Type: Not reported
Contact Name: Not reported
Address1: 75 MAIDEN LANE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20585
Affiliation Type: On-Site Operator
Company Name: 152 WEST 124TH STREET
Contact Type: Not reported
Contact Name: P. LODH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8091
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-470287
SWIS Code: 6201
Operator: P. LODH
Facility Phone: (212) 806-8091
Facility Addr2: 152 WEST 124TH STREET
Facility Type: Not reported
Emergency: MILTON MASTER
Emergency Tel: (212) 806-8213
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NEW YORK H.P.D.
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 124TH STREET (Continued)

S103517646

Federal ID: Not reported
Owner Tel: (212) 806-8091
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: CITY OF NEW YORK H.P.D.
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City, St, Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8091
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/28/1989
Expiration: 03/28/1994
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

D44
SSW
 < 1/8
 0.049 mi.
 261 ft.

EPHESUS SEVENTH-DAY ADVENTIST CHURCH
101 W 123RD STREET
NEW YORK, NY 10027
 Site 1 of 6 in cluster D

UST **U004046665**
 N/A

Relative:
Lower

UST:

Facility Id: 2-338419
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2008/02/03
 UTM X: 588895.2712499999
 UTM Y: 4517828.6055399999
 Site ID: 16262

Actual:
 25 ft.

Tank Number: 001
 Tank ID: 32171
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: 00
 Next Test Date: 12/27/1987
 Date Tank Closed: Not reported
 Tank Location: 5
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: cgfreedm
 Last Modified: 4/22/2004

Affiliation Records:

Site Id: 16262
 Affiliation Type: Owner
 Company Name: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
 Contact Type: CHURCH TREASURER
 Contact Name: MERVETTA LISTER
 Address1: 101 W 123RD ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10027
 Country Code: 001
 Phone: (212) 662-5536
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: cgfreedm
 Date Last Modified: 4/22/2004

Site Id: 16262
 Affiliation Type: Mail Contact
 Company Name: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
 Contact Type: Not reported
 Contact Name: DEACON PAUL HENDERSON
 Address1: 101 WEST 123RD STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EPHESUS SEVENTH-DAY ADVENTIST CHURCH (Continued)

U004046665

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027-5511
Country Code: 001
Phone: (212) 662-5536
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 4/22/2004

Site Id: 16262
Affiliation Type: Emergency Contact
Company Name: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
Contact Type: Not reported
Contact Name: PAUL HENDERSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (201) 833-0803
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 4/22/2004

Site Id: 16262
Affiliation Type: On-Site Operator
Company Name: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
Contact Type: Not reported
Contact Name: EPHESUS SEVENTH-DAY ADVENTIST CHURCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 662-5536
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 4/22/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

D45
SSW
< 1/8
0.050 mi.
265 ft.

104 WEST 123RD ST
MANHATTAN, NY

Site 2 of 6 in cluster D

NY Spills S105140254
NY Hist Spills N/A

Relative:
Lower

NY Spills:

Actual:
25 ft.

Site ID: 232199
 Facility Addr2: Not reported
 Facility ID: 0104362
 Spill Number: 0104362
 Facility Type: ER
 SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Spill Date: 7/1/2001
 Reported to Dept: 7/24/2001
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Police Department
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/8/2003
 Remediation Phase: 0
 Date Entered In Computer: 7/24/2001
 Spill Record Last Update: 9/8/2003
 Spiller Name: UNKNOWN
 Spiller Company: Not reported
 Spiller Address: 104 WEST 123RD ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: UNKNOWN
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 191359
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 07/25/01 SITE VISIT REVEALED SOME STAINING ON SIDEWALK, CARS HAD BEEN REPAIRED IN MOSTLY PAVED LOT. 9/8/03 tipple updating//nfa
 Remarks: CALLER STATES THAT APPROX 1 MONTH HE HAS SEEN AN OILY TYPE SUBSTANCE LEAKING OUT FROM UNDER THE GARAGE AT ABOVE RESIDENCE. REQ CALLBACK.

Material:

Site ID: 232199
 Operable Unit ID: 840996
 Operable Unit: 01
 Material ID: 532859
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105140254

Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0104362
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/01/2001 00:00
Reported to Dept Date/Time: 07/24/01 12:28
SWIS: 62
Spiller Name: Not reported
Spiller Contact: UNKNOWN
Spiller Phone: Not reported
Spiller Contact: UNKNOWN
Spiller Phone: () -
Spiller Address: 104 WEST 123RD ST
Spiller City,St,Zip: MANHATTAN, NY
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Police Department
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/24/01

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S105140254

Date Spill Entered In Computer Data File: Not reported
 Update Date: 08/02/01
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929

DEC Remarks: 07/25/01 SITE VISIT REVEALED SOME STAINING ON SIDEWALK, CARS HAD BEEN REPAIRED IN MOSTLY PAVED LOT.

Remark: CALLER STATES THAT APPROCX 1 MONTH HE HAS SEEN AN OILY TYPE SUBSTANCE LEAKING OUT FROM UNDER THE GARAGE AT ABOVE RESIDENCE. REQ CALLBACK.

**E46
 NNW
 < 1/8
 0.051 mi.
 270 ft.**

**LOT 59,TAXBLOCK 1909
 158 WEST 125 STREET
 MANHATTAN, NY 10027
 Site 1 of 5 in cluster E**

**E DESIGNATION S109155461
 N/A**

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 59
 E-No: E-201
Actual: Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 110
 Census Tract: 222
 Census Block: 1003
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1909 (Continued)

S109155461

All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 158 WEST 125TH STREE
Lot Area: 000010091
Total Building Floor Area: 00000015091
Commercial Floor Area: 00000015091
Office Floor Area: 00000000000
Retail Floor Area: 00000015091
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00004
Lot Frontage: 0100.00
Lot Depth: 0100.92
Building Frontage: 0100.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000459000
Total Assessed Value: 00001251000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1972
Year Altered2: 1986
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.50
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090059
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998630
Y Coordinate: 0233832
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1909 (Continued)

S109155461

Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 59
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 222
Census Block: 1003
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 158 WEST 125TH STREE
Lot Area: 000010091
Total Building Floor Area: 00000015091
Commercial Floor Area: 00000015091
Office Floor Area: 00000000000
Retail Floor Area: 00000015091
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00004
Lot Frontage: 0100.00
Lot Depth: 0100.92
Building Frontage: 0100.00
Building Depth: 0101.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1909 (Continued)

S109155461

Basement Type Grade: 5
Land Assessed Value: 00000459000
Total Assessed Value: 00001251000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1972
Year Altered2: 1986
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.50
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1019090059
Condominium Number: 00000
Census Tract 2: 0222
X Coordinate: 0998630
Y Coordinate: 0233832
Zoning Map: 06A
Sanborn Map: 107N087
Tax Map: 10704
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

D47
SSW
< 1/8
0.052 mi.
272 ft.

ROBERTS JUNE - RESIDENCE
104 W 123RD ST
NEW YORK, NY 10027
Site 3 of 6 in cluster D

RCRA-NonGen **1001489205**
FINDS **NYR000072579**
MANIFEST

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: ROBERTS JUNE - RESIDENCE
Facility address: 104 W 123RD ST
NEW YORK, NY 10027
EPA ID: NYR000072579
Mailing address: W 123RD ST
NEW YORK, NY 10027
Contact: JUNE ROBERTS
Contact address: W 123RD ST
NEW YORK, NY 10027
Contact country: US
Contact telephone: (212) 410-6533
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERTS JUNE - RESIDENCE (Continued)

1001489205

Owner/Operator Summary:

Owner/operator name: JUNE ROBERTS
Owner/operator address: 268 LENOX AVE
NEW YORK, NY 10027
Owner/operator country: US
Owner/operator telephone: (212) 410-6533
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: JUNE ROBERTS
Owner/operator address: 268 LENOX AVE
NEW YORK, NY 10027
Owner/operator country: US
Owner/operator telephone: (212) 410-6533
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ROBERTS JUNE - RESIDENCE
Classification: Not a generator, verified

Date form received by agency: 06/23/1999
Facility name: ROBERTS JUNE - RESIDENCE
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004553830

Environmental Interest/Information System

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBERTS JUNE - RESIDENCE (Continued)

1001489205

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000072579
Country: USA
Mailing Name: JUNE ROBERTS
Mailing Contact: STEPHEN BONAPARTE
Mailing Address: 104 W 123RD ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-274-3339

Document ID: NYG1011294
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 06/29/1999
Trans1 Recv Date: 06/29/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/30/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000072579
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: NYPP5193
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

C48 PRIVATE RESIDENCE
NNE 115 W 126TH ST
< 1/8 MANHATTAN, NY
0.053 mi.
278 ft. Site 6 of 7 in cluster C

NY Spills S108762926
 N/A

Relative:
Higher

NY Spills:

Actual:
27 ft.

Site ID: 384750
 Facility Addr2: Not reported
 Facility ID: 0704573
 Spill Number: 0704573
 Facility Type: ER
 SWIS: 3101
 Investigator: jbvought
 Referred To: Not reported
 Spill Date: 7/23/2007
 Reported to Dept: 7/23/2007
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Fire Department
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Not reported
 Spill Closed Dt: 7/24/2007
 Remediation Phase: 0
 Date Entered In Computer: 7/24/2007
 Spill Record Last Update: 7/24/2007
 Spiller Name: Not reported
 Spiller Company: PRIVATE RESIDENCE
 Spiller Address: 115 W 126TH ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: LENIEUX,COD
 Contact Phone: (347) 203-6886
 DEC Region: 2
 DER Facility ID: 334149
 DEC Memo: 07/23/07-Vought-Off hours responder. Called FF Lemieux (Hazmat 1) and left message to return call with owners info (Phone number). No listing in PBS records. Vought spoke to FF Lemieux and site is abandoned building and spill was caused by relocation of oil burner and spil coming out of supply return lines. As per Lemieux spill was actually on concrete with minor cracks and pathways to subsurface. As per Lemieux, no further action is warranted by the Department. Oil was overpacked into drum and cleaned with absorbent material. No sewers or drains affected. Spill closed by Vought due to minor spill to subsurface combined with abandoned building and cleanup by FDNY. fire dept on scene cleaning up basement. confined to dirt floor. attempting to locate owner. no call back needed

Remarks:

Material:

Site ID: 384750
 Operable Unit ID: 1142042
 Operable Unit: 01
 Material ID: 2132261
 Material Code: 0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S108762926

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

C49
NNE
< 1/8
0.053 mi.
278 ft.

VAULT #6644
100 W 126TH ST
MANHATTAN, NY
Site 7 of 7 in cluster C

NY Spills S106736970
N/A

Relative:
Higher

Actual:
27 ft.

NY Spills:
Site ID: 336585
Facility Addr2: Not reported
Facility ID: 0411400
Spill Number: 0411400
Facility Type: ER
SWIS: 3101
Investigator: JHOCONNE
Referred To: Not reported
Spill Date: 1/21/2005
Reported to Dept: 1/21/2005
CID: 15
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/6/2005
Remediation Phase: 0
Date Entered In Computer: 1/21/2005
Spill Record Last Update: 9/6/2006
Spiller Name: ERT
Spiller Company: CON ED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT #6644 (Continued)

S106736970

Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: ERT DESK
Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 271909
DEC Memo: e2mis no. 156933: 01/21/05 04:25 M.Lyons#88777, I&A Supervisor, notified the control center that while draining the transformer in V6644 approx. 2 gallons of transformer oil spilled from the hose on to the concrete floor of the vault. No sewers or waterways were affected. A yellow environmental tag numbered #16955 was hung in V6644. There is no water in V6644. There was one sample taken from V6644, it was a solid grap sample, due to the fact M.Lyons#88777 placed speed dry on the spill. The sample was marked priority E. M.Lyons#88777 said a partial cleanup will be performed. The final cleanup is pending lab results and transformer removal. @ 06:30 A partial clean-up was completed. Absorbent pads were placed down in the structure. Environmental tag remains in place. See clean-up crew on people screen. They also will verify if oil leaked into the structure, service box 26145. Lab Sequence Number: 05-00566-001 QC ID: 01-200501201354 TEST DESCRIPTION RESULT UNIT METHOD

----- PCB Analysis by EPA 608/8082

----- Aroclor 1242 < 1.0 ppm EPA 608/8082 Aroclor 1254 < 1.0 ppm EPA 608/8082 Aroclor 1248 < 1.0 ppm EPA 608/8082 Aroclor 1260 5.8 ppm EPA 608/8082

----- Update 1-21-05 @ 21:45 C Pearson # 50613 reports that the cleanup is complete as of 20:55. Double washed with slix and flushed. No solids removed. All liquid removed by vactor truck. Tag # 16955 removed. Transformer was removed and replaced with a new one. Cleanup persons are listed in the event involved person screen.
Remarks: CON ED WAS DRAINING OIL FROM TRANSFORMER WHEN 2 GALLONS SPILLED ON VAULT FLOOR. OIL IS CONTAINED TO VAULT. NO SMOKE, FIRE OR WATERWAYS AFFECTED. CLEAN UP PENDING REMOVAL OF TRANSFORMER.
Material:
Site ID: 336585
Operable Unit ID: 1098606
Operable Unit: 01
Material ID: 578775
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT #6644 (Continued)

S106736970

Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

D50
SSW
< 1/8
0.053 mi.
279 ft.

120 WEST 123RD STREET
120 WEST 123RD STREET
NEW YORK, NY 10027
Site 4 of 6 in cluster D

AST U003394936
HIST AST N/A

Relative:
Lower

AST:

Actual:
25 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-470341
Program Type: PBS
UTM X: 588846.1004399995
UTM Y: 4517841.5592099996
Expiration Date: 2009/03/28

Tank Number: 001
Tank Id: 37294
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20591
Affiliation Type: Mail Contact
Company Name: NYC HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

120 WEST 123RD STREET (Continued)

U003394936

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20591
Affiliation Type: On-Site Operator
Company Name: 118-122 WEST 123 ST
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/ DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20591
Affiliation Type: Emergency Contact
Company Name: NYC HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20591
Affiliation Type: Owner
Company Name: NYC HPD/DAMP
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

120 WEST 123RD STREET (Continued)

U003394936

HIST AST:
PBS Number: 2-470341
SWIS Code: 6201
Operator: A. ANGRISANI
Facility Phone: (212) 360-5851
Facility Addr2: 120 WEST 123RD STREET
Facility Type: Not reported
Emergency: W. ROBERTS
Emergency Tel: (212) 360-7947
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8091
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: IVAN SCHWARTZ
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: 4TH FLOOR - ROOM 427
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8037
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/17/1994
Expiration: 03/28/1999
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND 10% OR MORE BELOW GROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

120 WEST 123RD STREET (Continued)

U003394936

Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

**E51
NNW
< 1/8
0.057 mi.
303 ft.**

**ADAM CLAYTON POWELL JR. STATE OFFICE BLDG
163 WEST 125 STREET
NEW YORK, NY 10027
Site 2 of 5 in cluster E**

**UST U004077752
N/A**

**Relative:
Higher**

UST:

Facility Id: 2-398985
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/10/06
UTM X: 588837.24601
UTM Y: 4518051.9518400002
Site ID: 18980

**Actual:
26 ft.**

Tank Number: 001
Tank ID: 21555
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1970
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 18980
Affiliation Type: On-Site Operator
Company Name: ADAM CLAYTON POWELL JR. STATE OFFICE BLDG
Contact Type: Not reported
Contact Name: NYS OFFICE OF GENERAL SERVICE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ADAM CLAYTON POWELL JR. STATE OFFICE BLDG (Continued)

U004077752

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 961-4390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18980
Affiliation Type: Emergency Contact
Company Name: NEW YORK STATE OFFICE OF GENERAL SERVICE
Contact Type: Not reported
Contact Name: WILLIE WALKER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 961-4390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/24/2007

Site Id: 18980
Affiliation Type: Owner
Company Name: NEW YORK STATE OFFICE OF GENERAL SERVICE
Contact Type: ASSISTANT BUILDING MANAGER
Contact Name: ERIC C. MELLER
Address1: EMPIRE STATE PLAZA, CORNING TOWER, 39 FL
Address2: Not reported
City: ALBANY
State: NY
Zip Code: 12242
Country Code: 001
Phone: (518) 474-6057
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/24/2007

Site Id: 18980
Affiliation Type: Mail Contact
Company Name: ADAM CLAYTON POWELL JR. STATE OFFICE BUILDING
Contact Type: Not reported
Contact Name: WILLIE WALKER
Address1: 163 WEST 125 STREET
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ADAM CLAYTON POWELL JR. STATE OFFICE BLDG (Continued)

U004077752

State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 961-4390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/24/2007

E52
NNW
< 1/8
0.057 mi.
303 ft.

NYS ADAM CLAYTON POWELL JR SOB
163 WEST 125TH STREET
NEW YORK, NY 10027
Site 3 of 5 in cluster E

RCRA-CESQG 1000551524
FINDS NYD986938660
MANIFEST

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 01/01/2007
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Facility address: 163 W 125TH ST
NEW YORK, NY 10027
EPA ID: NYD986938660
Mailing address: W 125TH ST
NEW YORK, NY 10027
Contact: KEITH HERCULES
Contact address: W 125TH ST
NEW YORK, NY 10027
Contact country: US
Contact telephone: (914) 961-4390
Contact email: Not reported
EPA Region: 02

Actual:
26 ft.

Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: NYS OGS
Owner/operator address: CORNING TOWER ESP
ALBANY, NY 12242
Owner/operator country: US
Owner/operator telephone: (518) 474-1546
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Owner/Op end date: Not reported

Owner/operator name: NYS OGS
Owner/operator address: CORNING TOWER ESP
ALBANY, NY 12242

Owner/operator country: US
Owner/operator telephone: (518) 474-1546
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 09/21/1998
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Site name: ADAM CLAYTON POWELL SOB
Classification: Large Quantity Generator

Date form received by agency: 10/28/1996
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Site name: NYS OFFICE OF GENERAL SERVICES
Classification: Large Quantity Generator

Date form received by agency: 08/04/1995
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Classification: Not a generator, verified

Date form received by agency: 12/07/1994
Facility name: NYS ADAM CLAYTON POWELL JR SOB
Classification: Not a generator, verified

Facility Has Received Notices of Violations:

Regulation violated: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Area of violation: Generators - Records/Reporting
Date violation determined: 07/19/2000
Date achieved compliance: 10/16/2000
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/19/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 08/13/1998
Date achieved compliance: 09/23/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/13/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 10/07/1996
Date achieved compliance: 11/05/1996
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/07/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/01/2000
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 10/16/2000
Evaluation lead agency: State

Evaluation date: 03/01/1998
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 09/23/1998
Evaluation lead agency: State

Evaluation date: 01/01/1996
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Date achieved compliance: 11/05/1996
Evaluation lead agency: State

FINDS:

Registry ID: 110004459844

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986938660
Country: USA
Mailing Name: ADAM CLAYTON POWELL JR STATE OFF BLDG
Mailing Contact: EDWARD KOLDERMAN
Mailing Address: 163 WEST 125TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-961-4390

Document ID: NYG0769329
Manifest Status: Not reported
Trans1 State ID: OHD077772895
Trans2 State ID: Not reported
Generator Ship Date: 07/08/2003
Trans1 Recv Date: 07/08/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/08/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: OHD001926740
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG1732572
Manifest Status: Not reported
Trans1 State ID: AZD983473539
Trans2 State ID: Not reported
Generator Ship Date: 10/13/1999
Trans1 Recv Date: 10/13/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/18/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: AZ0000337360
Trans2 EPA ID: Not reported
TSD ID: AZ002
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 05000
Units: P - Pounds
Number of Containers: 050
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG1732806
Manifest Status: Not reported
Trans1 State ID: AZD983473539
Trans2 State ID: Not reported
Generator Ship Date: 10/28/1999
Trans1 Recv Date: 10/28/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/03/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Trans1 EPA ID: AZ0000337360
Trans2 EPA ID: Not reported
TSDf ID: AZ002
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 02500
Units: P - Pounds
Number of Containers: 025
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: CT5000001495
Trans2 State ID: Not reported
Generator Ship Date: 2010-02-09
Trans1 Recv Date: 2010-02-09
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-02-09
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDf ID: CT5000001495
Waste Code: Not reported
Quantity: 1898.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 10
Manifest Tracking Num: 006572548JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: Y
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H010

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: CT5000001495
Trans2 State ID: Not reported
Generator Ship Date: 2009-02-27
Trans1 Recv Date: 2009-02-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-02-28
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CT5000001495
Waste Code: Not reported
Quantity: 1401.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 100016196CTN
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H010

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: CT5000001495
Trans2 State ID: Not reported
Generator Ship Date: 2009-02-27
Trans1 Recv Date: 2009-02-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-02-28
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CT5000001495
Waste Code: Not reported
Quantity: 1401.0
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 100016196CTN
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H010

Document ID: NYB8562258
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NYJA334
Trans2 State ID: Not reported
Generator Ship Date: 970320
Trans1 Recv Date: 970320
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970325
Part A Recv Date: Not reported
Part B Recv Date: 970502
Generator EPA ID: NYD986938660
Trans1 EPA ID: NJD986607380
Trans2 EPA ID: Not reported
TSDf ID: NYD077444263
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00005
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3284499
Manifest Status: Not reported
Trans1 State ID: NJR000011528
Trans2 State ID: Not reported
Generator Ship Date: 12/17/2002
Trans1 Recv Date: 12/17/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/17/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: 50161
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00001
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00015
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00050
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3284499
Manifest Status: Not reported
Trans1 State ID: NJR000011528
Trans2 State ID: Not reported
Generator Ship Date: 12/17/2002
Trans1 Recv Date: 12/17/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/17/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: 50161
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00150
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: CT5000001495
Trans2 State ID: Not reported
Generator Ship Date: 2009-02-27
Trans1 Recv Date: 2009-02-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-02-28
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CT5000001495
Waste Code: Not reported
Quantity: 1401.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 100016196CTN
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H010

Document ID: VTA0067630
Manifest Status: Completed copy
Trans1 State ID: NYPM1040
Trans2 State ID: Not reported
Generator Ship Date: 951027
Trans1 Recv Date: 951027
Trans2 Recv Date: Not reported
TSD Site Recv Date: 951030
Part A Recv Date: Not reported
Part B Recv Date: 951113
Generator EPA ID: NYD986938660
Trans1 EPA ID: NY0000092627
Trans2 EPA ID: Not reported
TSDF ID: VTD982766537
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01830

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 067
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYB8562267
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NYJA334
Trans2 State ID: Not reported
Generator Ship Date: 970320
Trans1 Recv Date: 970320
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970325
Part A Recv Date: Not reported
Part B Recv Date: 970502
Generator EPA ID: NYD986938660
Trans1 EPA ID: NJD986607380
Trans2 EPA ID: Not reported
TSDf ID: NYD077444263
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0769266
Manifest Status: Not reported
Trans1 State ID: NJR000011528
Trans2 State ID: Not reported
Generator Ship Date: 12/17/2002
Trans1 Recv Date: 12/17/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/23/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: OHD001926740
Trans2 EPA ID: Not reported
TSD ID: 50161NJDE
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00150
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Manifest Status: Not reported
Trans1 State ID: CT5000001495
Trans2 State ID: Not reported
Generator Ship Date: 2009-02-27
Trans1 Recv Date: 2009-02-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-02-28
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CT5000001495
Waste Code: Not reported
Quantity: 1401.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 100016196CTN
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H010

Document ID: NYG0689265
Manifest Status: Not reported
Trans1 State ID: WID988566543
Trans2 State ID: Not reported
Generator Ship Date: 06/15/2000
Trans1 Recv Date: 06/15/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/20/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986938660
Trans1 EPA ID: AZ0000337360
Trans2 EPA ID: Not reported
TSD ID: AZ002
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00150
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS ADAM CLAYTON POWELL JR SOB (Continued)

1000551524

Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

**E53
NNW
< 1/8
0.057 mi.
303 ft.**

**ADAM CLAYTON POWELL JR. STATE OFFICE BLD
163 WEST 125 STREET
NEW YORK, NY 10027**

**HIST UST U003065835
N/A**

Site 4 of 5 in cluster E

**Relative:
Higher**

HIST UST:

**Actual:
26 ft.**

PBS Number: 2-398985
SPDES Number: Not reported
Emergency Contact: WILL BROWN
Emergency Telephone: (212) 961-4390
Operator: NYS OFFICE OF GENERAL SERVICE
Operator Telephone: (212) 961-4390
Owner Name: NEW YORK STATE OFFICE OF GENERAL SERVICE
Owner Address: EMPIRE STATE PLAZA, CORNING TOWER, 39 FL
Owner City,St,Zip: ALBANY, NY 12242
Owner Telephone: (518) 474-6057
Owner Type: State Government
Owner Subtype: NYS Office of General Services
Mailing Name: ADAM CLAYTON POWELL JR. STATE OFFICE BUILDING
Mailing Address: 163 WEST 125 STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Contact: MR. WILL BROWN
Mailing Telephone: (212) 961-4390
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 163 WEST 125 ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 05/15/2000
Expiration Date: 10/06/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ADAM CLAYTON POWELL JR. STATE OFFICE BLD (Continued)

U003065835

Owner Screen:	No Missing Data
Tank Screen:	Minor Data Missing
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	62
Town or City:	01
Region:	2
Tank Id:	001
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS
Tank Status:	In Service
Install Date:	19700901
Capacity (gals):	3000
Product Stored:	DIESEL
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	STEEL/IRON
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Product Level Gauge
Dispenser:	Submersible
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	True
Lat/long:	Not reported

**E54
 NNW
 < 1/8
 0.057 mi.
 303 ft.**

**ADAM CLAYTON POWELL OFFICE BLDG
 163 W 125TH ST
 NEW YORK, NY
 Site 5 of 5 in cluster E**

**MANIFEST 1009244493
 N/A**

**Relative:
 Higher**

NY MANIFEST:	
EPA ID:	NYR986938660
Country:	USA
Mailing Name:	ADAM CLAYTON POWELL OFFICE BLDG
Mailing Contact:	LINDA DELLA DONNA
Mailing Address:	123 MAIN ST
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	N/S

**Actual:
 26 ft.**

Document ID:	NYG0689319
Manifest Status:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ADAM CLAYTON POWELL OFFICE BLDG (Continued)

1009244493

Trans1 State ID: AZD983473539
 Trans2 State ID: Not reported
 Generator Ship Date: 02/09/2000
 Trans1 Recv Date: 02/09/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/17/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR986938660
 Trans1 EPA ID: AZ0000337360
 Trans2 EPA ID: Not reported
 TSDF ID: AZ002
 Waste Code: D009 - MERCURY 0.2 MG/L TCLP
 Quantity: 03300
 Units: P - Pounds
 Number of Containers: 030
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 01.00
 Year: 00
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

B55
WSW
< 1/8
0.061 mi.
323 ft.

151 WEST 123 STREET
151 W 123RD STREET
NEW YORK, NY 10027
Site 4 of 5 in cluster B

AST A100183336
N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-606757
 Program Type: PBS
 UTM X: 588745.7829399995
 UTM Y: 4517878.5662500001
 Expiration Date: 2006/08/21

Actual:
26 ft.

Tank Number: 1
 Tank Id: 61850
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 123 STREET (Continued)

A100183336

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 28614
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 8/19/2004

Site Id: 28614
Affiliation Type: Owner
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST #6Z1
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28614
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: 100 GOLD ST # 6Z1
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7087

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 123 STREET (Continued)

A100183336

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28614
Affiliation Type: On-Site Operator
Company Name: 151 WEST 123 STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

Site Id: 28614
Tank Id Number: 61850
Tank Number: 1
Equipment: B01
Code Name: Painted/Asphalt Coating
Type: Tank External Protection

Site Id: 28614
Tank Id Number: 61850
Tank Number: 1
Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 28614
Tank Id Number: 61850
Tank Number: 1
Equipment: L09
Code Name: Exempt Suction Piping
Type: Piping Leak Detection

Site Id: 28614
Tank Id Number: 61850
Tank Number: 1
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Site Id: 28614
Tank Id Number: 61850
Tank Number: 1
Equipment: J02

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

151 WEST 123 STREET (Continued)

A100183336

Code Name: Suction
 Type: Dispenser

 Site Id: 28614
 Tank Id Number: 61850
 Tank Number: 1
 Equipment: G00
 Code Name: None
 Type: Tank Secondary Containment

Site Id: 28614
 Tank Id Number: 61850
 Tank Number: 1
 Equipment: I05
 Code Name: Vent Whistle
 Type: Overfill

Site Id: 28614
 Tank Id Number: 61850
 Tank Number: 1
 Equipment: C03
 Code Name: Aboveground/Underground Combination
 Type: Pipe Location

Site Id: 28614
 Tank Id Number: 61850
 Tank Number: 1
 Equipment: H00
 Code Name: None
 Type: Tank Leak Detection

Site Id: 28614
 Tank Id Number: 61850
 Tank Number: 1
 Equipment: F00
 Code Name: None
 Type: Pipe External Protection

F56
ESE
< 1/8
0.063 mi.
331 ft.

RICE HIGH SCHOOL
74 WEST 124TH STREET
NEW YORK, NY 10027

AST A100153909
N/A

Site 1 of 5 in cluster F

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-256625
 Program Type: PBS
 UTM X: 589014.73447999998
 UTM Y: 4517842.2555299997
 Expiration Date: 2013/02/03

Actual:
24 ft.

Tank Number: 001
 Tank Id: 13194
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RICE HIGH SCHOOL (Continued)

A100153909

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1940
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 2/15/2008

Affiliation Records:

Site Id: 10543
Affiliation Type: Emergency Contact
Company Name: CONGREGATION OF CHRISTIAN BROS
Contact Type: Not reported
Contact Name: MATTHEW MAISTRE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 369-1400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/15/2008

Site Id: 10543
Affiliation Type: Owner
Company Name: CONGREGATION OF CHRISTIAN BROS
Contact Type: DIR OF FACILITIES
Contact Name: MATTHEW MAISTRE
Address1: 74 W. 124TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 369-4100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/15/2008

Site Id: 10543
Affiliation Type: Mail Contact
Company Name: EMPIRE STATE FUEL OIL
Contact Type: Not reported
Contact Name: KENNETH REED
Address1: 1640 MCDONALD AVENUE
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RICE HIGH SCHOOL (Continued)

A100153909

City: BROOKLYN
State: NY
Zip Code: 11230
Country Code: 001
Phone: (718) 627-5100
Phone Ext: Not reported
Email: MMAISTRE@RICEHIGHSCHOOL.COM
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/15/2008

Site Id: 10543
Affiliation Type: On-Site Operator
Company Name: RICE HIGH SCHOOL
Contact Type: Not reported
Contact Name: CARLOS GARCIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 369-1400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/15/2008

Equipment Records:

Site Id: 10543
Tank Id Number: 13194
Tank Number: 001
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Site Id: 10543
Tank Id Number: 13194
Tank Number: 001
Equipment: J01
Code Name: Submersible
Type: Dispenser

Site Id: 10543
Tank Id Number: 13194
Tank Number: 001
Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 10543
Tank Id Number: 13194
Tank Number: 001
Equipment: F00
Code Name: None
Type: Pipe External Protection

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RICE HIGH SCHOOL (Continued)

A100153909

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: G03
 Code Name: Vault (w/o access)
 Type: Tank Secondary Containment

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: H00
 Code Name: None
 Type: Tank Leak Detection

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: I05
 Code Name: Vent Whistle
 Type: Overfill

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: C01
 Code Name: Aboveground
 Type: Pipe Location

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: I04
 Code Name: Product Level Gauge (A/G)
 Type: Overfill

Site Id: 10543
 Tank Id Number: 13194
 Tank Number: 001
 Equipment: B01
 Code Name: Painted/Asphalt Coating
 Type: Tank External Protection

G57
ESE
< 1/8
0.064 mi.
338 ft.

LOT 67, TAXBLOCK 1722
72 WEST 125 STREET
MANHATTAN, NY 10027

E DESIGNATION S109155478
N/A

Site 1 of 18 in cluster G

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 67
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
 Borough Code: MN

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Community District:	110
Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	K1
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	FATA EQUITIES,
Lot Area:	000005634
Total Building Floor Area:	00000008700
Commercial Floor Area:	00000008700
Office Floor Area:	00000000000
Retail Floor Area:	00000006200
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000002500
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00002
Lot Frontage:	0055.83
Lot Depth:	0100.92
Building Frontage:	0055.83
Building Depth:	0090.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000279000
Total Assessed Value:	00000823500
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	2000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.54
Maximum Allowable Far:	3.44
Borough Code:	1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Borough Tax Block And Lot: 1017220067
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999482
Y Coordinate: 0233415
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 67
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: FATA EQUITIES,
Lot Area: 000005634
Total Building Floor Area: 00000008700
Commercial Floor Area: 00000008700
Office Floor Area: 00000000000
Retail Floor Area: 00000006200
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Factory Floor Area: 00000000000
Other Floor Area: 00000002500
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0055.83
Lot Depth: 0100.92
Building Frontage: 0055.83
Building Depth: 0090.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000279000
Total Assessed Value: 00000823500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 2000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.54
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220067
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999482
Y Coordinate: 0233415
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 67
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: FATA EQUITIES,
Lot Area: 000005634
Total Building Floor Area: 00000008700
Commercial Floor Area: 00000008700
Office Floor Area: 00000000000
Retail Floor Area: 00000006200
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000002500
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0055.83
Lot Depth: 0100.92
Building Frontage: 0055.83
Building Depth: 0090.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000279000
Total Assessed Value: 00000823500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 2000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.54
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220067

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999482
Y Coordinate: 0233415
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 67
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: FATA EQUITIES,
Lot Area: 000005634
Total Building Floor Area: 00000008700
Commercial Floor Area: 00000008700
Office Floor Area: 00000000000
Retail Floor Area: 00000006200
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 67,TAXBLOCK 1722 (Continued)

S109155478

Other Floor Area: 00000002500
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0055.83
 Lot Depth: 0100.92
 Building Frontage: 0055.83
 Building Depth: 0090.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000279000
 Total Assessed Value: 00000823500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 2000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.54
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1017220067
 Condominium Number: 00000
 Census Tract 2: 0200
 X Coordinate: 0999482
 Y Coordinate: 0233415
 Zoning Map: 06A
 Sanborn Map: 107N089
 Tax Map: 10607
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

58
 WSW
 < 1/8
 0.066 mi.
 351 ft.

157 WEST 123RD STREET, HDFC
 157 WEST 123RD STREET
 NEW YORK, NY 10027

AST U003394940
 HIST AST N/A

Relative:
 Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-470090
 Program Type: PBS

Actual:
 26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

157 WEST 123RD STREET, HDFC (Continued)

U003394940

UTM X: 588770.52644000005
UTM Y: 4517896.4957299996
Expiration Date: 2008/04/28

Tank Number: 001
Tank Id: 37298
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 9/29/2004

Affiliation Records:

Site Id: 20569
Affiliation Type: Mail Contact
Company Name: 157 W. 123 ST HDFC
Contact Type: Not reported
Contact Name: CHARLIA HALL GREEN
Address1: 157 WEST 123RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 932-0281
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/29/2004

Site Id: 20569
Affiliation Type: On-Site Operator
Company Name: 157 WEST 123RD STREET, HDFC
Contact Type: Not reported
Contact Name: CHARLIA HALL GREEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 932-0281
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

157 WEST 123RD STREET, HDFC (Continued)

U003394940

Site Id: 20569
Affiliation Type: Emergency Contact
Company Name: 157 WEST 123RD STREET HDFC
Contact Type: Not reported
Contact Name: AGNES ARTERS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 864-8108
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/29/2004

Site Id: 20569
Affiliation Type: Owner
Company Name: 157 WEST 123RD STREET HDFC
Contact Type: Not reported
Contact Name: CHARLIA HALL GREEN
Address1: 157 WEST 123RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 932-0281
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/29/2004

HIST AST:

PBS Number: 2-470090
SWIS Code: 6201
Operator: CHARLIA HALL GREEN
Facility Phone: (212) 932-0281
Facility Addr2: 157 WEST 123RD STREET
Facility Type: Not reported
Emergency: AGNES ARTERG
Emergency Tel: (212) 864-8108
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 157 WEST 123RD STREET HDFC
Owner Address: 157 WEST 123RD STREET
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 932-0281
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUPER FACILITY MANAGER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

157 WEST 123RD STREET, HDFC (Continued)

U003394940

Mailing Name: 157 WEST 123RD STREET
Mailing Address: 157 WEST 123RD STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Telephone: (212) 932-0281
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/07/1998
Expiration: 04/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G59
ESE
< 1/8
0.068 mi.
357 ft.

LOT 66,TAXBLOCK 1722
70 WEST 125 STREET
MANHATTAN, NY 10027

E DESIGNATION **S109155476**
N/A

Site 2 of 18 in cluster G

Relative:
Lower

E DESIGNATION:

Tax Lot(s): 66
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001935
Total Building Floor Area: 00000003783
Commercial Floor Area: 00000003783
Office Floor Area: 00000001261
Retail Floor Area: 00000002522
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0019.17
Lot Depth: 0100.92
Building Frontage: 0019.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000221400
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1987
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220066
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233374
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 66
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001935
Total Building Floor Area: 00000003783
Commercial Floor Area: 00000003783
Office Floor Area: 00000001261
Retail Floor Area: 00000002522
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0019.17
Lot Depth: 0100.92
Building Frontage: 0019.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000221400
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1987
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220066
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233374
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 66
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001935
Total Building Floor Area: 00000003783
Commercial Floor Area: 00000003783
Office Floor Area: 00000001261
Retail Floor Area: 00000002522
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0019.17
Lot Depth: 0100.92
Building Frontage: 0019.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

Land Assessed Value: 00000049500
Total Assessed Value: 00000221400
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1987
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220066
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233374
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 66
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001935
Total Building Floor Area: 00000003783
Commercial Floor Area: 00000003783
Office Floor Area: 00000001261
Retail Floor Area: 00000002522
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0019.17
Lot Depth: 0100.92
Building Frontage: 0019.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000221400
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1987
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.96
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220066
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999480
Y Coordinate: 0233374
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 66,TAXBLOCK 1722 (Continued)

S109155476

Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**G60
 ESE
 < 1/8
 0.071 mi.
 377 ft.**

**LOT 65,TAXBLOCK 1722
 68 WEST 125 STREET
 MANHATTAN, NY 10027**

**E DESIGNATION S109155474
 N/A**

Site 3 of 18 in cluster G

**Relative:
 Lower**

E DESIGNATION:

**Actual:
 24 ft.**

Tax Lot(s): 65
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: JOSEPH J CULLEN
 Lot Area: 000002422
 Total Building Floor Area: 0000002422
 Commercial Floor Area: 0000002000
 Office Floor Area: 0000000000
 Retail Floor Area: 0000002000
 Garage Floor Area: 0000000000
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0024.00
 Lot Depth: 0100.92
 Building Frontage: 0024.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000192150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1960
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220065
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999515
Y Coordinate: 0233397
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 65
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: JOSEPH J CULLEN
Lot Area: 000002422
Total Building Floor Area: 0000002422
Commercial Floor Area: 0000002000
Office Floor Area: 0000000000
Retail Floor Area: 0000002000
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0024.00
Lot Depth: 0100.92
Building Frontage: 0024.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000192150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1960
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220065
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999515
Y Coordinate: 0233397
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 65
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: JOSEPH J CULLEN
Lot Area: 000002422
Total Building Floor Area: 00000002422
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0024.00
Lot Depth: 0100.92
Building Frontage: 0024.00
Building Depth: 0100.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000192150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1960
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220065
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999515
Y Coordinate: 0233397
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 65
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: JOSEPH J CULLEN
Lot Area: 000002422
Total Building Floor Area: 00000002422
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0024.00
Lot Depth: 0100.92
Building Frontage: 0024.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000192150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1960
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220065
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999515
Y Coordinate: 0233397
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 65,TAXBLOCK 1722 (Continued)

S109155474

Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**B61
WNW
< 1/8
0.075 mi.
394 ft.**

**CONSOLIDATED EDISON
177 124TH ST
NEW YORK, NY
Site 5 of 5 in cluster B**

**MANIFEST S109583999
N/A**

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYP004166492
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

**Actual:
26 ft.**

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-08
Trans1 Recv Date: 2009-04-08
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-08
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166492
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 3000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028313JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583999

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-08
Trans1 Recv Date: 2009-04-08
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-08
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166492
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 3000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028313JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-08
Trans1 Recv Date: 2009-04-08
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-08
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166492
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583999

Quantity: 3000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028313JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-08
Trans1 Recv Date: 2009-04-08
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-08
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166492
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 3000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028313JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

H62
ENE
< 1/8
0.077 mi.
407 ft.

75 W. 126TH ST
MANHATTEN, NY

Site 1 of 5 in cluster H

LTANKS S104620743
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
25 ft.

Site ID: 176347
Spill No: 9911165
Spill Date: 12/21/1999
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 12/27/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 12/21/1999
CID: 15
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/21/1999
Spill Record Last Update: 12/27/1999
Spiller Name: LORRAINE HORSFORD
Spiller Company: Not reported
Spiller Address: 75 W. 126TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: LORRAINE HORSFORD
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 148219
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" REFER TO 9911163.
Remarks: IN BASEMENT SOME DID GET INTO DRAIN - SOME IS BEING BEING PUMPED OUT - RED CROSS IS BEING NOTIFIED 13 PEOPLE LIVE IN BUILDING NO LANDLORD LISTED

Material:

Site ID: 176347
Operable Unit ID: 1085864
Operable Unit: 01
Material ID: 296634
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620743

Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9911165
Spill Date: 12/21/1999
Spill Time: 13:27
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 12/27/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/21/99
Reported to Department Time: 14:16
SWIS: 61
Spiller Contact: LORRAINE HORSFORD
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 75 W. 126TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spiller Cleanup Date: / /
Facility Contact: LORRAINE HORSFORD
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620743

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/21/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/27/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: REFER TO 9911163.
Spill Cause: IN BASEMENT SOME DID GET INTO DRAIN - SOME IS BEING BEING PUMPED OUT - RED CROSS IS BEING NOTIFIED 13 PEOPLE LIVE IN BUILDING NO LANDLORD LISTED

H63
ENE
< 1/8
0.077 mi.
407 ft.

75 WEST 126TH STREET
MANHATTAN, NY
Site 2 of 5 in cluster H

NY Spills S105140211
NY Hist Spills N/A

Relative:
Lower

NY Spills:
Site ID: 109706
Facility Addr2: Not reported
Facility ID: 0104097
Spill Number: 0104097
Facility Type: ER
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Spill Date: 7/17/2001
Reported to Dept: 7/17/2001
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Fire Department
Cleanup Ceased: Not reported
Cleanup Meets Std: False

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105140211

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/29/2005
Remediation Phase: 0
Date Entered In Computer: 7/17/2001
Spill Record Last Update: 4/29/2005
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 96246
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 7/17/01. J. Krimgold@ site. Spoke to FF J. Hack (Haz.Mat.). Homeowner cannot be found at this time. Basement floated with 2' of water. About 2" of oil is floating on the top of water. There are 2x275 gal tanks in the basement. Oil delivery of 150 gal was made today by Price Oil (718)824-6023, ticket # 18111, truck # 644. Probable spill cause is the tank overflow. FDNY requested to pump out water and oil from basement. J. Krimgold opened a PIN job and call Milro. 7/18/01. J. Krimgold spoke to the homeowner Ms. Lorraine Gobern (718) 231-1141, 1451 Stickney Pl, Bronx, NY 10469. She told me that she asked for the delivery of 150 gal of oil without checking the gauge. Her insurance co. Cambridge & Leach (718-756-4200, 660 Nostrand Ave, Brooklyn, NY), policy # cf3003298 denied her claim. 7/23/01. J.Krimgold spoke to Ray Gordon (Milro) via phone. Milro completed the cleanup, but basement flooded again due to a broken sewer pipes.
Remarks: FIRE DEPARTMENT ON SCENE. ABOUT TWO FEET OF OIL AND WATER IN THE BASEMENT OF A MULTIPLE OCCUPANCY DWELLING. UNKNOWN CAUSE. UNABLE TO CONTACT BUILDING OWNER. CALLER IS REQUESTING A CALL BACK FROM DEC REPRESENTATIVE.
Material:
Site ID: 109706
Operable Unit ID: 842605
Operable Unit: 01
Material ID: 532601
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105140211

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0104097
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/17/2001 18:21
Reported to Dept Date/Time: 07/17/01 18:50
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: Not reported
Spiller City,St,Zip: -
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Fire Department
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/17/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/18/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S105140211

Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207

DEC Remarks: Not reported

Remark: FIRE DEPARTMENT ON SCENE. ABOUT TWO FEET OF OIL AND WATER IN THE BASEMENT OF A MULTIPLE OCCUPANCY DWELLING. UNKNOWN CAUSE. UNABLE TO CONTACT BUILDING OWNER. CALLER IS REQUESTING A CALL BACK FROM DEC REPRESENTATIVE.

D64
SSW
 < 1/8
 0.077 mi.
 408 ft.

248 LENOX AVE/MANH
248 LENOX AVENUE
NEW YORK CITY, NY
Site 5 of 6 in cluster D

NY Spills S102141789
NY Hist Spills N/A

Relative:
Lower

NY Spills:

Site ID: 148547
 Facility Addr2: Not reported
 Facility ID: 9010506
 Spill Number: 9010506
 Facility Type: ER
 SWIS: 3101
 Investigator: JAMES
 Referred To: Not reported
 Spill Date: 12/29/1990
 Reported to Dept: 12/31/1990
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
25 ft.

Spill Closed Dt: 10/16/1997
 Remediation Phase: 0
 Date Entered In Computer: 4/2/1991
 Spill Record Last Update: 10/16/1997
 Spiller Name: Not reported
 Spiller Company: CHAS MITCHELL
 Spiller Address: 248 LENOX AVENUE
 Spiller City,St,Zip: NEW YORK, NY
 Spiller Company: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

248 LENOX AVE/MANH (Continued)

S102141789

Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 126406
DEC Memo: Not reported
Remarks: Not reported

Material:

Site ID: 148547
Operable Unit ID: 950820
Operable Unit: 01
Material ID: 559247
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9010506
Investigator: JAMES
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/29/1990 18:00
Reported to Dept Date/Time: 12/31/90 10:59
SWIS: 62
Spiller Name: CHAS MITCHELL
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: 248 LENOX AVENUE
Spiller City,St,Zip: NEW YORK, N.Y.
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

248 LENOX AVE/MANH (Continued)

S102141789

Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/16/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/02/91
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/16/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: Not reported

G65
ESE
< 1/8
0.079 mi.
416 ft.

LOT 63,TAXBLOCK 1722
64 WEST 125 STREET
MANHATTAN, NY 10027

E DESIGNATION S109155470
N/A

Site 4 of 18 in cluster G

Relative:
Lower

E DESIGNATION:

Tax Lot(s): 63
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - #2 Fuel Oil or Natural Gas Heat and Hot Water
Borough Code: MN

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Community District:	110
Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	K1
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	CULLEN JOSEPH TRUST
Lot Area:	000005147
Total Building Floor Area:	00000005147
Commercial Floor Area:	00000005147
Office Floor Area:	00000000000
Retail Floor Area:	00000005147
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00002
Lot Frontage:	0051.00
Lot Depth:	0100.92
Building Frontage:	0051.00
Building Depth:	0100.00
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000104400
Total Assessed Value:	00000442350
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1962
Year Built Code:	E
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	3.44
Borough Code:	1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Borough Tax Block And Lot: 1017220063
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999531
Y Coordinate: 0233345
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 63
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CULLEN JOSEPH TRUST
Lot Area: 000005147
Total Building Floor Area: 00000005147
Commercial Floor Area: 00000005147
Office Floor Area: 00000000000
Retail Floor Area: 00000005147
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0051.00
Lot Depth: 0100.92
Building Frontage: 0051.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104400
Total Assessed Value: 00000442350
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1962
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220063
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999531
Y Coordinate: 0233345
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 63
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	K1
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	CULLEN JOSEPH TRUST
Lot Area:	000005147
Total Building Floor Area:	00000005147
Commercial Floor Area:	00000005147
Office Floor Area:	00000000000
Retail Floor Area:	00000005147
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00002
Lot Frontage:	0051.00
Lot Depth:	0100.92
Building Frontage:	0051.00
Building Depth:	0100.00
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000104400
Total Assessed Value:	00000442350
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1962
Year Built Code:	E
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	3.44
Borough Code:	1
Borough Tax Block And Lot:	1017220063

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999531
Y Coordinate: 0233345
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 63
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K1
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CULLEN JOSEPH TRUST
Lot Area: 000005147
Total Building Floor Area: 00000005147
Commercial Floor Area: 00000005147
Office Floor Area: 00000000000
Retail Floor Area: 00000005147
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 63,TAXBLOCK 1722 (Continued)

S109155470

Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0051.00
Lot Depth: 0100.92
Building Frontage: 0051.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000104400
Total Assessed Value: 00000442350
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1962
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220063
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999531
Y Coordinate: 0233345
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

G66
ESE
< 1/8
0.083 mi.
436 ft.

LOT 62,TAXBLOCK 1722
62 WEST 125 STREET
MANHATTAN, NY 10027
Site 5 of 18 in cluster G

E DESIGNATION **S109155469**
N/A

Relative:
Lower

E DESIGNATION:
Tax Lot(s): 62
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000009180
Office Floor Area: 00000000000
Retail Floor Area: 00000002445
Garage Floor Area: 00000000000
Storage Floor Area: 00000006735
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0029.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000056250
Total Assessed Value: 00000139950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1986
Year Altered2: 0000
Historic District Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220062
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999583
Y Coordinate: 0233356
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 62
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000009180

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Office Floor Area: 00000000000
Retail Floor Area: 00000002445
Garage Floor Area: 00000000000
Storage Floor Area: 00000006735
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0029.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000056250
Total Assessed Value: 00000139950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1986
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220062
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999583
Y Coordinate: 0233356
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 62
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000009180
Office Floor Area: 00000000000
Retail Floor Area: 00000002445
Garage Floor Area: 00000000000
Storage Floor Area: 00000006735
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0029.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000056250
Total Assessed Value: 00000139950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1986
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220062
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999583
Y Coordinate: 0233356
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 62
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000009180
Office Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 62,TAXBLOCK 1722 (Continued)

S109155469

Retail Floor Area: 00000002445
Garage Floor Area: 00000000000
Storage Floor Area: 00000006735
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0029.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000056250
Total Assessed Value: 00000139950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1986
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220062
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999583
Y Coordinate: 0233356
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

H67
East
< 1/8
0.083 mi.
437 ft.

71 W. 126TH ST
MANHATTAN, NY

Site 3 of 5 in cluster H

NY Spills **S104650062**
NY Hist Spills **N/A**

Relative:
Lower

NY Spills:

Actual:
25 ft.

Site ID: 196463
 Facility Addr2: Not reported
 Facility ID: 9911163
 Spill Number: 9911163
 Facility Type: ER
 SWIS: 3101
 Investigator: jbvought
 Referred To: Not reported
 Spill Date: 12/21/1999
 Reported to Dept: 12/21/1999
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)
 Spill Closed Dt: 4/23/2007
 Remediation Phase: 0
 Date Entered In Computer: 12/21/1999
 Spill Record Last Update: 4/24/2007
 Spiller Name: Not reported
 Spiller Company: LORRAINE GOBERN
 Spiller Address: 1451 STICKNEY PLACE
 Spiller City,St,Zip: BRONX, NY 10469
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 163526
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" see also 9911165. 01/26/04 REassigned fromRommel to Austin 02/17/04: Reassigned from AUSTIN to KRIMGOLD. 04/23/07-Vought-Reassigned from Krimgold to Vought. DEC Austin received email from Lasdin that she has received word from AG's office that the case was closed on 12/18/06. Request for further information. Vought called AG's office (Bechard) to confirm case status. Vought reviwed file and DEC's contractor removed oil contaminated speedi dry from basement and excavated impacted soil and sealed and washed floor. Cause of spill was collapsed leg on 275-gallon AST resulting in separated fill line. Letter of Inital Demand from AG Donna Ross to owner (Lorraine Gobern) dated 12/30/21. 4/23/07-Vought-Called AG Ross to confirm status of spill and AG settled case with owner who paid outstanding costs. Spill closed by Vought as no further action required for soil and groundwater and costs have been recovered. Final ISR submitted to DEC Austin for review.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650062

Remarks: callers states oil is running into the sewer - caller did not have any information about spill

Material:

Site ID: 196463
Operable Unit ID: 1089873
Operable Unit: 01
Material ID: 296632
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9911163
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/21/1999 14:00
Reported to Dept Date/Time: 12/21/99 14:12
SWIS: 62
Spiller Name: UNK
Spiller Contact: UNK
Spiller Phone: (000) 000-0000
Spiller Address: UNK
Spiller City,St,Zip: NY
Spill Cause: Unknown
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650062

Last Inspection: //
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: //
Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 12/21/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/17/00
Is Updated: False
Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: REFER TO 9911165.
Remark: callers states oil is running into the sewer - caller did not have any information about spill

G68
ESE
< 1/8
0.086 mi.
455 ft.

LOT 61,TAXBLOCK 1722
60 WEST 125 STREET
MANHATTAN, NY 10027
Site 6 of 18 in cluster G

E DESIGNATION S109155465
N/A

Relative:
Lower

E DESIGNATION:
Tax Lot(s): 61
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000005192
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000003192
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000138600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220061
Condominium Number: 00000
Census Tract 2: 0200

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

X Coordinate: 0999587
Y Coordinate: 0233313
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 61
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000005192
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000003192
Floor Area,Total Bld Source Code7

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000138600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220061
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999587
Y Coordinate: 0233313
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 61
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000005192
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000003192
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000138600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220061
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999587

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

Y Coordinate: 0233313
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 61
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000005192
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000003192
Floor Area,Total Bld Source Code7
Number of Buildings: 00001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 61,TAXBLOCK 1722 (Continued)

S109155465

Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00002
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000049500
Total Assessed Value: 00000138600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220061
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999587
Y Coordinate: 0233313
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

I69
SSE
< 1/8
0.086 mi.
456 ft.

BETHELITE COMMUNITY CHURCH
36-38 WEST 123RD STREET
NEW YORK, NY 10027

AST A100293247
N/A

Site 1 of 5 in cluster I

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608564
Program Type: PBS
UTM X: 588955.42073000001
UTM Y: 4517752.1857700003
Expiration Date: 2008/03/13

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETHELITE COMMUNITY CHURCH (Continued)

A100293247

Tank Number: 001
Tank Id: 65331
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 30416
Affiliation Type: Emergency Contact
Company Name: BETHELITE COMMUNITY CHURCH
Contact Type: Not reported
Contact Name: R. BOWMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-2839
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30416
Affiliation Type: On-Site Operator
Company Name: BETHELITE COMMUNITY CHURCH
Contact Type: Not reported
Contact Name: R. BOWMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-2839
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30416
Affiliation Type: Owner
Company Name: BETHELITE COMMUNITY CHURCH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BETHELITE COMMUNITY CHURCH (Continued)

A100293247

Contact Type: Not reported
Contact Name: Not reported
Address1: 36-38 W 123 ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 427-2839
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30416
Affiliation Type: Mail Contact
Company Name: BETHELITE COMMUNITY CHURCH
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-38 WEST 123RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 427-2839
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

F70
SSE
< 1/8
0.087 mi.
459 ft.

36-38 WEST 123RD ST
MANHATTAN, NY
Site 2 of 5 in cluster F

NY Spills S104648284
NY Hist Spills N/A

Relative:
Lower

NY Spills:
Site ID: 119873
Facility Addr2: Not reported
Facility ID: 9811290
Spill Number: 9811290
Facility Type: ER
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 12/8/1998
Reported to Dept: 12/8/1998
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648284

Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 12/15/1998
Remediation Phase: 0
Date Entered In Computer: 12/8/1998
Spill Record Last Update: 10/25/1999
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: GEORGE HAMILTON
Contact Phone: (718) 353-7000
DEC Region: 2
DER Facility ID: 104108
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" MISS DELIVERY CROSS REF WITH 9811292 CLEAN UP COMPLETE CLOSED

Remarks: CALLER WAS NOTIFIED OF AN OIL SPILL BY THE CUSTOMER - CALLER WILL SEND A REP FROM HIS COMPANY TO INVESTIGATE - ADDITIONAL INFO IS UNKNOWN

Material:

Site ID: 119873
Operable Unit ID: 1072160
Operable Unit: 01
Material ID: 315132
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9811290
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648284

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/08/1998 07:00
Reported to Dept Date/Time: 12/08/98 13:57
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Contact: GEORGE HAMILTON
Spiller Phone: (718) 353-7000
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 12/15/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/08/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/25/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104648284

DEC Remarks: MISS DELIVERY CROSS REF WITH 9811292 CLEAN UP COMPLETE CLOSED
 Remark: CALLER WAS NOTIFIED OF AN OIL SPILL BY THE CUSTOMER - CALLER WILL SEND A REP FROM HIS COMPANY TO INVESTIGATE - ADDITIONAL INFO IS UNKNOWN

G71
ESE
< 1/8
0.090 mi.
475 ft.

LOT 60,TAXBLOCK 1722
58 WEST 125 STREET
MANHATTAN, NY 10027
Site 7 of 18 in cluster G

E DESIGNATION **S109155464**
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 60
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - Natural Gas Heat & Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: S9
 Land Use Category: 04
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: DAVID J. PLATZER PROP
 Lot Area: 000002826
 Total Building Floor Area: 00000009012
 Commercial Floor Area: 00000002000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000002000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00006
 Non and Residential Units: 00008
 Lot Frontage: 0028.00
 Lot Depth: 0100.92

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000014019
Total Assessed Value: 00000105557
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220060
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999626
Y Coordinate: 0233332
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 60
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002826
Total Building Floor Area: 0000009012
Commercial Floor Area: 0000002000
Office Floor Area: 0000000000
Retail Floor Area: 0000002000
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.00
Lot Depth: 0100.92
Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000014019
Total Assessed Value: 00000105557
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220060
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999626
Y Coordinate: 0233332
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 60
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002826
Total Building Floor Area: 00000009012
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.00
Lot Depth: 0100.92
Building Frontage: 0028.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000014019
Total Assessed Value: 00000105557
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220060
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999626
Y Coordinate: 0233332
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 60
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002826
Total Building Floor Area: 00000009012
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.00
Lot Depth: 0100.92
Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000014019
Total Assessed Value: 00000105557
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220060
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999626
Y Coordinate: 0233332
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 1722 (Continued)

S109155464

Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

I72
SSE
< 1/8
0.090 mi.
476 ft.

32 WEST 123RD STREET
MANHATTAN, NY

NY Spills S104648285
NY Hist Spills N/A

Site 2 of 5 in cluster I

Relative:
Lower

NY Spills:

Actual:
24 ft.

Site ID: 156024
Facility Addr2: Not reported
Facility ID: 9811292
Spill Number: 9811292
Facility Type: ER
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 12/8/1998
Reported to Dept: 12/8/1998
CID: 15
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/15/1998
Remediation Phase: 0
Date Entered In Computer: 12/8/1998
Spill Record Last Update: 10/25/1999
Spiller Name: GEORGE HAMILTON
Spiller Company: SKAGGS WALSH OIL COMPANY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 132061
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" CROSS REF WITH 9811290 MISS DELIVERY - SPILL FOUND AND SKAGGS & WALSH CLEANED IT UP
Remarks: DRIVER WAS MAKING A DELIVERY TO EITHER 36 OR 38 WEST 123RD STREET. DRIVER REPORTED THAT HE DELIVERED TO THE WRONG ADDRESS, BUT HE DOESN'T KNOW IF HE DELIVERED TO 32 OR 40 WEST 123RD STREET. HE ALSO DOESN'T KNOW IF THE DELIVERY WENT INTO A TANK OR INTO SOMEONE'S BASEMENT. NEW YORK CITY FIRE DEPARTMENT ENROUTE.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648285

Material:

Site ID: 156024
Operable Unit ID: 1072164
Operable Unit: 01
Material ID: 315134
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 500
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9811292
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/08/1998 12:00
Reported to Dept Date/Time: 12/08/98 14:02
SWIS: 62
Spiller Name: SKAGGS WALSH OIL COMPANY
Spiller Contact: GEORGE HAMILTON
Spiller Phone: (718) 353-7000
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 08
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648285

Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/15/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/08/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/25/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 500
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: CROSS REF WITH 9811290 MISS DELIVERY - SPILL FOUND AND SKAGGS WALSH CLEANED
IT UP
Remark: DRIVER WAS MAKING A DELIVERY TO EITHER 36 OR 38 WEST 123RD STREET. DRIVER
REPORTED THAT HE DELIVERED TO THE WRONG ADDRESS, BUT HE DOESN T KNOW IF HE
DELIVERED TO 32 OR 40 WEST 123RD STREET. HE ALSO DOESN T KNOW IF THE DELIVERY
WENT INTO A TANK OR INTO SOMEONE S BASEMENT. NEW YORK CITY FIRE DEPARTMENT
ENROUTE.

F73
ESE
< 1/8
0.091 mi.
479 ft.

ARTHUR RANSOM HOUSES, L.P.
62 WEST 124TH STREET
NEW YORK, NY 10027
Site 3 of 5 in cluster F

AST A100183330
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-606751
Program Type: PBS
UTM X: 589016.72559000005
UTM Y: 4517810.4342799997
Expiration Date: N/A

Actual:
24 ft.

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARTHUR RANSOM HOUSES, L.P. (Continued)

A100183330

Tank Id: 61843
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 4/13/2007
Register: True
Modified By: dxliving
Last Modified: 10/9/2007

Affiliation Records:

Site Id: 28608
Affiliation Type: On-Site Operator
Company Name: ARTHUR RANSOM HOUSES, L.P.
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 368-4471
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/9/2007

Site Id: 28608
Affiliation Type: Emergency Contact
Company Name: ARTHUR RANSOM HOUSES, L.P.
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 368-4471
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/9/2007

Site Id: 28608
Affiliation Type: Mail Contact
Company Name: ARTHUR RANSOM HOUSES, L.P.
Contact Type: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ARTHUR RANSOM HOUSES, L.P. (Continued)

A100183330

Contact Name:	Not reported
Address1:	4 W. 125TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10027
Country Code:	001
Phone:	(212) 368-4471
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	10/9/2007
Site Id:	28608
Affiliation Type:	Owner
Company Name:	ARTHUR RANSOM HOUSES, L.P.
Contact Type:	J P REAL ESTATE
Contact Name:	JAMES HOWARD
Address1:	4 W. 125TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10027
Country Code:	001
Phone:	(212) 368-4471
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	10/9/2007

G74
ESE
< 1/8
0.094 mi.
494 ft.

LOT 59,TAXBLOCK 1722
56 WEST 125 STREET
MANHATTAN, NY 10027
Site 8 of 18 in cluster G

E DESIGNATION **S109155460**
N/A

Relative:
Lower

Actual:
24 ft.

E DESIGNATION:	
Tax Lot(s):	59
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	110
Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000011940
Total Assessed Value: 00000076050
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220059
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999629
Y Coordinate: 0233290
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 59
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Building Depth:	0064.00
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000011940
Total Assessed Value:	00000076050
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1910
Year Built Code:	E
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0002.57
Maximum Allowable Far:	3.44
Borough Code:	1
Borough Tax Block And Lot:	1017220059
Condominium Number:	00000
Census Tract 2:	0200
X Coordinate:	0999629
Y Coordinate:	0233290
Zoning Map:	06A
Sanborn Map:	107N089
Tax Map:	10607
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	59
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	110
Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000011940
Total Assessed Value: 00000076050
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220059
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999629
Y Coordinate: 0233290
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 59
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002018
Total Building Floor Area: 00000005192
Commercial Floor Area: 00000002000
Office Floor Area: 00000000000
Retail Floor Area: 00000002000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0020.00
Lot Depth: 0100.92
Building Frontage: 0020.00
Building Depth: 0064.00

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 59,TAXBLOCK 1722 (Continued)

S109155460

Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000011940
 Total Assessed Value: 00000076050
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.57
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1017220059
 Condominium Number: 00000
 Census Tract 2: 0200
 X Coordinate: 0999629
 Y Coordinate: 0233290
 Zoning Map: 06A
 Sanborn Map: 107N089
 Tax Map: 10607
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

D75
SSW
< 1/8
0.095 mi.
501 ft.

242 LENOX AV
MANHATTAN, NY

Site 6 of 6 in cluster D

LTANKS S104620016
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 254798
 Spill No: 9814473
 Spill Date: 3/3/1999
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/3/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: RWAUSTIN
 Referred To: Not reported
 Reported to Dept: 3/3/1999

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620016

CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/3/1999
Spill Record Last Update: 11/3/2003
Spiller Name: Not reported
Spiller Company: CASTLE OIL - SUBCONTRCT
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: JAMES KELLY
Spiller Phone: (212) 338-3255
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 208699
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "AUSTIN" 3/3/99 mmm:RESPONDED TO SPILL AND FOUND 15-20 GALLONS OF FRESH #2 ON FLOOR OF BASEMENT. FDNY PUT DOWN SPEEDI DRY. OIL DELIVERY EARLIER IN DAY, SPILL APPEARS TO BE FROM OVERFILL. SLIGHT DRIP COMING FROM SUCTION LINE AT BASE OF TANK. 3/4/99 mmm:CALLED CASTLE OIL - CONFIRMED DELIVERY BUT THEY WERE NOT NOTIFIED OF SPILL. WILL INVESTIGATE AND CLEAN UP IF NEEDED. 11/3/03 - AUSTIN - SURF. SPILL IN BASEMENT - CLOSED - ORIG. ASSIGNED TO MULQUEEN - END
Remarks: CON ED CALLED FOR A GAS LEAK AT THE ABOVE LOCATION AND FOUND BASEMENT FULL OF FUEL OIL - UNKNOWN IF THERE ACTUALLY IS A GAS LEAK - FD ON SCENE - DEP ALSO NOTIFIED - CON ED ML99003397

Material:
Site ID: 254798
Operable Unit ID: 1075521
Operable Unit: 01
Material ID: 311161
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620016

Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9814473
Spill Date: 03/03/1999
Spill Time: 19:17
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/03/99
Reported to Department Time: 20:26
SWIS: 62
Spiller Contact: JAMES KELLY
Spiller Phone: (212) 338-3255
Spiller Extention: Not reported
Spiller Name: CASTLE OIL - SUBCONTRCT
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/03/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/04/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104620016

Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207

DEC Remarks: 3/3/99 mmm:RESPONDED TO SPILL AND FOUND 15-20 GALLONS OF FRESH 2 ON FLOOR OF BASEMENT. FDNY PUT DOWN SPEEDI DRY. OIL DELIVERY EARLIER IN DAY, SPILL APPEARS TO BE FROM OVERFILL. SLIGHT DRIP COMING FROM SUCTION LINE AT BASE OF TANK.
 3/4/99 mmm:CALLED CASTLE OIL - CONFIRMED DELIVERY BUT THEY WERE NOT NOTIFIED OF SPILL. WILL INVESTIGATE AND CLEAN UP IF NEEDED.

Spill Cause: CON ED CALLED FOR A GAS LEAK AT THE ABOVE LOCATION AND FOUND BASEMENT FULL OF FUEL OIL - UNKNOWN IF THERE ACTUALLY IS A GAS LEAK - FD ON SCENE - DEP ALSO NOTIFIED - CON ED ML99003397

G76
 ESE
 < 1/8
 0.095 mi.
 502 ft.

NEW MARC REALITY
55 W. 125TH ST
MANHATTEN, NY
Site 9 of 18 in cluster G

NY Spills S102239013
NY Hist Spills N/A

Relative:
Lower

NY Spills:

Site ID: 134161
 Facility Addr2: Not reported
 Facility ID: 9514177
 Spill Number: 9514177
 Facility Type: ER
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Spill Date: 2/6/1996
 Reported to Dept: 2/7/1996
 CID: 15
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/7/1996
 Remediation Phase: 0
 Date Entered In Computer: 2/7/1996

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW MARC REALITY (Continued)

S102239013

Spill Record Last Update: 2/26/1996
Spiller Name: BRIDGETT VANNEWHOFFER
Spiller Company: NEW MARC REALITY
Spiller Address: 55 W. 125TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spiller Company: 001
Contact Name: BRIDGETT VANNEWHOFFER
Contact Phone: (212) 966-0800
DEC Region: 2
DER Facility ID: 115277
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" CLEANED UP BY PETROL TANK CLEANERS
Remarks: broken return line caller hired to do cleanup

Material:

Site ID: 134161
Operable Unit ID: 1028705
Operable Unit: 01
Material ID: 354314
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9514177
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/06/1996 12:00
Reported to Dept Date/Time: 02/07/96 11:44
SWIS: 62
Spiller Name: NEW MARC REALITY
Spiller Contact: BRIDGETT VANNEWHOFFER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW MARC REALITY (Continued)

S102239013

Spiller Phone: (212) 966-0800
Spiller Contact: BRIDGETT VANNEWHOFFER
Spiller Phone: (212) 966-0800
Spiller Address: 55 W. 125TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/07/96
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/07/96
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/26/96
Is Updated: False
Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 10
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: CLEANED UP BY PETROL TANK CLEANERS
Remark: broken return line caller hired to do cleanup

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

G77
ESE
< 1/8
0.095 mi.
502 ft.

NYS DEPT OF HUMAN RIGHTS
55 WEST 125TH ST
MANHATTAN, NY

Site 10 of 18 in cluster G

NY Spills **S102238996**
NY Hist Spills **N/A**

Relative:
Lower

NY Spills:

Site ID: 274103
 Facility Addr2: Not reported
 Facility ID: 9514120
 Spill Number: 9514120
 Facility Type: ER
 SWIS: 3101
 Investigator: O'DOWD
 Referred To: Not reported
 Spill Date: 2/5/1996
 Reported to Dept: 2/6/1996
 CID: 15
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Health Department
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 5/6/1998
 Remediation Phase: 0
 Date Entered In Computer: 2/6/1996
 Spill Record Last Update: 5/6/1998
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: CHRIS NELSON
 Contact Phone: (212) 961-8566
 DEC Region: 2
 DER Facility ID: 222942
 DEC Memo: Not reported
 Remarks: CALLER RECEIVED CALL FROM SOMEONE IN ALBANY REGARDING SPILL IN NYC APPARENTLY SPILL IS ON 14TH FLOOR OF THE BLDG - ATTEMPTING TO CLEAN UP WITH PAPER TOWELS

Material:

Site ID: 274103
 Operable Unit ID: 1024953
 Operable Unit: 01
 Material ID: 354260
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYS DEPT OF HUMAN RIGHTS (Continued)

S102238996

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9514120
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/05/1996 09:44
Reported to Dept Date/Time: 02/06/96 09:42
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: CHRIS NELSON
Spiller Phone: (212) 961-8566
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Health Department
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/06/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/06/96
Date Spill Entered In Computer Data File: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NYS DEPT OF HUMAN RIGHTS (Continued)

S102238996

Update Date: 05/06/98
 Is Updated: False

Tank:
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: Petroleum
 Quantity Spilled: 50
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: POKE TO JOHN BIRE - DHR ON 13TH FLOOR - OIL COMING FROM CEILING. POSSIBLE THAT HEALTHY SYSTEM IS ON 14TH FLOOR - MAY HAVE BEEN LEAKING SINCE 4:30AM - 02/05/96 ODOR IN VENTILATION SYSTEM - NEED RESPONSE CALL BACK JOHN BIRE, NELSON IS CONTACT ON SITE.SEE K.O DOWD FILE.
 Remark: CALLER RECEIVED CALL FROM SOMEONE IN ALBANY REGARDING SPILL IN NYC APPARENTLY SPILL IS ON 14TH FLOOR OF THE BLDG - ATTEMPTING TO CLEAN UP WITH PAPER TOWELS

G78
ESE
 < 1/8
 0.096 mi.
 505 ft.

55 WEST 125TH ST
55 WEST 125TH ST
NEW YORK, NY 10027
Site 11 of 18 in cluster G

HIST UST **U003697790**
AST **N/A**
HIST AST

Relative:
Lower

HIST UST:
 PBS Number: 2-604161
 SPDES Number: Not reported
 Emergency Contact: IGWE N. HARVEY
 Emergency Telephone: (212) 987-2315
 Operator: ROBERT GUARCO
 Operator Telephone: (212) 369-2188
 Owner Name: COGSWELL REALTY GROUP
 Owner Address: 1330 AVE. OF THE AMERICAS
 Owner City,St,Zip: NEW YORK, NY 10019
 Owner Telephone: (212) 582-6688
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: COGSWELL REALTY GROUP
 Mailing Address: 1330 AVE. OF THE AMERICAS
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10019
 Mailing Contact: Not reported
 Mailing Telephone: (212) 582-6688
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U003697790

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 07/30/1999
Expiration Date: 07/20/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5275
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: OBL
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Float Vent Valve
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: OSL
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U003697790

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Float Vent Valve
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604161
Program Type: PBS
UTM X: 589107.1842600001
UTM Y: 4517906.3192199999
Expiration Date: 2014/07/02

Tank Number: 014
Tank Id: 56843
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1972
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 7/2/2009

Affiliation Records:

Site Id: 26042
Affiliation Type: Owner
Company Name: 55 FEE LLC
Contact Type: PROP MGR
Contact Name: WAYNE GORDAN
Address1: 55 W 125TH ST
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U003697790

City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 987-2712
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/2/2009

Site Id: 26042
Affiliation Type: Mail Contact
Company Name: 55 FEE LLC
Contact Type: Not reported
Contact Name: PROPERTY MANAGER
Address1: C/O CRG MANAGEMENT LLC
Address2: 55 WEST 125TH STREET
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-2712
Phone Ext: Not reported
Email: WAYNE@COGSWELLRG.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/17/2009

Site Id: 26042
Affiliation Type: On-Site Operator
Company Name: 55 WEST 125TH ST
Contact Type: Not reported
Contact Name: WAYNE GORDAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-2712
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/2/2009

Site Id: 26042
Affiliation Type: Emergency Contact
Company Name: 55 FEE LLC
Contact Type: Not reported
Contact Name: WAYNE GORDAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U003697790

Country Code: 999
Phone: (212) 987-2315
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/2/2009

HIST AST:

PBS Number: 2-604161
SWIS Code: 6201
Operator: ROBERT GUARCO
Facility Phone: (212) 369-2188
Facility Addr2: Not reported
Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
Emergency: IGWE N. HARVEY
Emergency Tel: (212) 987-2315
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: COGSWELL REALTY GROUP
Owner Address: 1330 AVE. OF THE AMERICAS
Owner City,St,Zip: NEW YORK, NY 10019
Federal ID: Not reported
Owner Tel: (212) 582-6688
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: COGSWELL REALTY GROUP
Mailing Address: 1330 AVE. OF THE AMERICAS
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10019
Mailing Telephone: (212) 582-6688
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/30/1999
Expiration: 07/20/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5275
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 014
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U003697790

Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 275
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00
Tank Containment: Double-Walled
Leak Detection: 00
Overfill Protection: 01
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

G79
ESE
< 1/8
0.096 mi.
505 ft.

55 WEST 125TH ST
55 WEST 125TH ST
NEW YORK, NY 10027
Site 12 of 18 in cluster G

UST U004138356
N/A

Relative:
Lower

UST:

Facility Id: 2-604161
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2014/07/02
UTM X: 589107.18426000001
UTM Y: 4517906.3192199999
Site ID: 26042

Actual:
24 ft.

Tank Number: OBL
Tank ID: 56841
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1972
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 7/17/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

55 WEST 125TH ST (Continued)

U004138356

Tank Number: OSL
Tank ID: 56842
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1972
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 7/17/2009

Affiliation Records:

Site Id: 26042
Affiliation Type: Owner
Company Name: 55 FEE LLC
Contact Type: PROP MGR
Contact Name: WAYNE GORDAN
Address1: 55 W 125TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 987-2712
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/2/2009

Site Id: 26042
Affiliation Type: Mail Contact
Company Name: 55 FEE LLC
Contact Type: Not reported
Contact Name: PROPERTY MANAGER
Address1: C/O CRG MANAGEMENT LLC
Address2: 55 WEST 125TH STREET
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-2712
Phone Ext: Not reported
Email: WAYNE@COGSWELLRG.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/17/2009

Site Id: 26042
Affiliation Type: On-Site Operator
Company Name: 55 WEST 125TH ST

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

55 WEST 125TH ST (Continued)

U004138356

Contact Type: Not reported
 Contact Name: WAYNE GORDAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 987-2712
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/2/2009

Site Id: 26042
 Affiliation Type: Emergency Contact
 Company Name: 55 FEE LLC
 Contact Type: Not reported
 Contact Name: WAYNE GORDAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 987-2315
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/2/2009

G80
ESE
< 1/8
0.097 mi.
514 ft.

LOT 58, TAXBLOCK 1722
54 WEST 125 STREET
MANHATTAN, NY 10027
Site 13 of 18 in cluster G

E DESIGNATION S109155458
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 58
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000004000
Office Floor Area: 00000000000
Retail Floor Area: 00000004000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000013647
Total Assessed Value: 00000106444
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220058
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999667
Y Coordinate: 0233310
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 58
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000004000
Office Floor Area: 00000000000
Retail Floor Area: 00000004000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.50
Lot Depth: 0100.92

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000013647
Total Assessed Value: 00000106444
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220058
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999667
Y Coordinate: 0233310
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 58
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000004000
Office Floor Area: 00000000000
Retail Floor Area: 00000004000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0028.00
Building Depth: 0084.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000013647
Total Assessed Value: 00000106444
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.19
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220058
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999667
Y Coordinate: 0233310
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 58
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DAVID J. PLATZER PROP
Lot Area: 000002876
Total Building Floor Area: 00000009180
Commercial Floor Area: 00000004000
Office Floor Area: 00000000000
Retail Floor Area: 00000004000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00008
Lot Frontage: 0028.50
Lot Depth: 0100.92
Building Frontage: 0028.00

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 58,TAXBLOCK 1722 (Continued)

S109155458

Building Depth: 0084.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000013647
 Total Assessed Value: 00000106444
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.19
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1017220058
 Condominium Number: 00000
 Census Tract 2: 0200
 X Coordinate: 0999667
 Y Coordinate: 0233310
 Zoning Map: 06A
 Sanborn Map: 107N089
 Tax Map: 10607
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

G81
ESE
< 1/8
0.101 mi.
533 ft.

LOT 57,TAXBLOCK 1722
52 WEST 125 STREET
MANHATTAN, NY 10027
Site 14 of 18 in cluster G

E DESIGNATION **S109155456**
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 57
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Air Quality - Natural Gas Heat & Hot Water
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001576
Total Building Floor Area: 00000005568
Commercial Floor Area: 00000002784
Office Floor Area: 00000000000
Retail Floor Area: 00000002784
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0087.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000019169
Total Assessed Value: 00000058500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1988
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.53
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220057
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999669
Y Coordinate: 0233268

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 57
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001576
Total Building Floor Area: 00000005568
Commercial Floor Area: 00000002784
Office Floor Area: 00000000000
Retail Floor Area: 00000002784
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Residential Units: 00003
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0087.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000019169
Total Assessed Value: 00000058500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1988
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.53
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220057
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999669
Y Coordinate: 0233268
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 57
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001576
Total Building Floor Area: 00000005568
Commercial Floor Area: 00000002784
Office Floor Area: 00000000000
Retail Floor Area: 00000002784
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0087.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000019169
Total Assessed Value: 00000058500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 1988
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.53
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220057
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999669
Y Coordinate: 0233268
Zoning Map: 06A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 57
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: SOLOMON CROMWELL
Lot Area: 000001576
Total Building Floor Area: 00000005568
Commercial Floor Area: 00000002784
Office Floor Area: 00000000000
Retail Floor Area: 00000002784
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 57,TAXBLOCK 1722 (Continued)

S109155456

Non and Residential Units: 00005
 Lot Frontage: 0015.58
 Lot Depth: 0100.92
 Building Frontage: 0016.00
 Building Depth: 0087.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000019169
 Total Assessed Value: 00000058500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: E
 Year Altered1: 1988
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.53
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1017220057
 Condominium Number: 00000
 Census Tract 2: 0200
 X Coordinate: 0999669
 Y Coordinate: 0233268
 Zoning Map: 06A
 Sanborn Map: 107N089
 Tax Map: 10607
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

J82
SSW
< 1/8
0.101 mi.
535 ft.

127 W 122ND ST
127 W 122ND ST
MANHATTAN, NY
Site 1 of 5 in cluster J

NY Spills S102142649
NY Hist Spills N/A

Relative:
Higher

NY Spills:
 Site ID: 134585
 Facility Addr2: Not reported
 Facility ID: 9112299
 Spill Number: 9112299
 Facility Type: ER
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Spill Date: 3/3/1992
 Reported to Dept: 3/3/1992

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 W 122ND ST (Continued)

S102142649

CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Citizen
Cleanup Ceased: 11/22/1994
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/22/1994
Remediation Phase: 0
Date Entered In Computer: 3/11/1992
Spill Record Last Update: 11/22/1994
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 115643
DEC Memo: Not reported
Remarks: ~50 GAL LEAK FROM VENT PIPE TO STREET AND STORM DRAIN DURING EVERY DELIVERY. REFERED TO LAW ENF.

Material:

Site ID: 134585
Operable Unit ID: 962613
Operable Unit: 01
Material ID: 417281
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 W 122ND ST (Continued)

S102142649

NY Hist Spills:

Region of Spill: 2
Spill Number: 9112299
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/03/1992 07:20
Reported to Dept Date/Time: 03/03/92 07:26
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: Surface Water
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 11/22/94
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/22/94
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/11/92
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/22/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 W 122ND ST (Continued)

S102142649

Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: 50 GAL LEAK FROM VENT PIPE TO STREET AND STORM DRAIN DURING EVERY DELIVERY.
REFERRED TO LAW ENF.

J83
SSW
< 1/8
0.101 mi.
535 ft.

RESIDENCE
129 WEST 122ND ST
MANHATTAN, NY
Site 2 of 5 in cluster J

NY Spills S104504459
NY Hist Spills N/A

Relative:
Higher

Actual:
26 ft.

NY Spills:
Site ID: 154815
Facility Addr2: Not reported
Facility ID: 9800242
Spill Number: 9800242
Facility Type: ER
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 4/6/1998
Reported to Dept: 4/6/1998
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/1/1998
Remediation Phase: 0
Date Entered In Computer: 4/6/1998
Spill Record Last Update: 5/22/1998
Spiller Name: LINDA
Spiller Company: RESIDENCE
Spiller Address: 129 WEST 122ND ST
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller Company: 001
Contact Name: LINDA
Contact Phone: (201) 843-0049
DEC Region: 2
DER Facility ID: 131228
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"TIBBE" CLEANED BY RP.
Remarks: STORAGE TANK OVERFILL-TOP OF TANK WAS OPEN-SPILL CREW ENROUTE FOR
CLENUP.

Material:
Site ID: 154815

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S104504459

Operable Unit ID: 1057606
Operable Unit: 01
Material ID: 325785
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 40
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9800242
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/06/1998 16:45
Reported to Dept Date/Time: 04/06/98 17:13
SWIS: 62
Spiller Name: RESIDENCE
Spiller Contact: LINDA
Spiller Phone: (201) 843-0049
Spiller Contact: LINDA
Spiller Phone: (201) 843-0049
Spiller Address: 129 WEST 122ND ST
Spiller City,St,Zip: MANHATTAN
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S104504459

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/01/98
Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 04/06/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/22/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 40
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: CLEANED BY RP.
Remark: STORAGE TANK OVERFILL-TOP OF TANK WAS OPEN-SPILL CREW ENROUTE FOR CLENUP.

J84
SSW
< 1/8
0.101 mi.
535 ft.

129 WEST 122ND STREET
129 WEST 122ND STREET
MANHATTAN, NY

LTANKS **S102672412**
HIST LTANKS **N/A**

Site 3 of 5 in cluster J

Relative:
Higher

LTANKS:

Site ID: 329710
Spill No: 9313921
Spill Date: 2/25/1994
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/25/1994
Facility Addr2: Not reported
Cleanup Ceased: 2/25/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 2/25/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

129 WEST 122ND STREET (Continued)

S102672412

CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/28/1994
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: COASTAL OIL
Spiller Address: 31-70 COLLEGE POINT BLVD.
Spiller City,St,Zip: FLUSHING, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 265269
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: CONTAINED IN BOILER ROOM - SPEEDY DRY USED TO CLEAN UP - CALLED MR MACARDLE, CONFIRMED CLEAN UP.

Material:

Site ID: 329710
Operable Unit ID: 995964
Operable Unit: 01
Material ID: 389275
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9313921
Spill Date: 02/25/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

129 WEST 122ND STREET (Continued)

S102672412

Spill Time: 13:38
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/25/94
Cleanup Ceased: 02/25/94
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/25/94
Reported to Department Time: 13:38
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: COASTAL OIL
Spiller Address: 31-70 COLLEGE POINT BLVD.
Spiller City,St,Zip: FLUSHING, QUEENS
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/28/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 15

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

129 WEST 122ND STREET (Continued)

S102672412

Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: Not reported
 Spill Cause: CONTAINED IN BOILER ROOM - SPEEDY DRY USED TO CLEAN UP - CALLED MR MACARDLE, CONFIRMED CLEAN UP.

J85
SSW
< 1/8
0.101 mi.
535 ft.

129 WEST 122ND
129 WEST 122ND
MANHATTAN, NY

LTANKS **S102672083**
HIST LTANKS **N/A**

Site 4 of 5 in cluster J

Relative:
Higher

LTANKS:

Actual:
26 ft.

Site ID: 142887
 Spill No: 9212076
 Spill Date: 1/22/1993
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 1/22/1993
 Facility Addr2: Not reported
 Cleanup Ceased: 1/22/1993
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 1/22/1993
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/29/1993
 Spill Record Last Update: 8/12/2005
 Spiller Name: Not reported
 Spiller Company: COASTAL OIL CO.
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 121902
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
 Remarks: CLERICAL ERROR RESULTED IN DUPLICATE DELIVERY-TANK OVERFLOW OCCURED-OIL ON CONCRETE FLOOR IN TANK-SPILL TEAM ON SITE TO CLEAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

129 WEST 122ND (Continued)

S102672083

WITH SPEEDI-DRI AND WILL P/U AND DISPOSE

Material:

Site ID: 142887
Operable Unit ID: 976629
Operable Unit: 01
Material ID: 405454
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9212076
Spill Date: 01/22/1993
Spill Time: 12:01
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/22/93
Cleanup Ceased: 01/22/93
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/22/93
Reported to Department Time: 13:38
SWIS: 62

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

129 WEST 122ND (Continued)

S102672083

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: COASTAL OIL CO.
Spiller Address: Not reported
Spiller City,St,Zip: CALLER
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/29/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CLERICAL ERROR RESULTED IN DUPLICATE DELIVERY-TANK OVERFLOW OCCURED-OIL ON CONCRETE FLOOR IN TANK-SPILL TEAM ON SITE TO CLEAN WITH SPEEDI-DRI AND WILL P/U AND DISPOSE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

J86
SSW
< 1/8
0.103 mi.
544 ft.

P.S. 144
134 WEST 122ND STREET
NEW YORK, NY 10027

Site 5 of 5 in cluster J

AST U003394173
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-353736
Program Type: PBS
UTM X: 588778.07015000004
UTM Y: 4517788.1171800001
Expiration Date: 2013/06/28

Actual:
26 ft.

Tank Number: 001
Tank Id: 34396
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/24/1959
Capacity Gallons: 12000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/22/2008

Affiliation Records:

Site Id: 17560
Affiliation Type: On-Site Operator
Company Name: PUBLIC SCHOOL 144 - MANHATTAN
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 17560
Affiliation Type: Owner
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: MANAGER, FUEL DIVISION
Contact Name: JAMES A. MERLO
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 144 (Continued)

U003394173

City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/2/2008

Site Id: 17560
Affiliation Type: Mail Contact
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: JAMES A. MERLO
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: JMERLO@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/2/2008

Site Id: 17560
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/23/2010

HIST AST:

PBS Number: 2-353736
SWIS Code: 6201
Operator: PLANT OPERATION
Facility Phone: (718) 391-6000
Facility Addr2: 134 WEST 122ND STREET
Facility Type: SCHOOL
Emergency: SCHOOL SAFETY
Emergency Tel: (212) 979-3300
Old PBSNO: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 144 (Continued)

U003394173

Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION
Owner Address: 28-11 QUEENS PLAZA NORTH
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Federal ID: Not reported
Owner Tel: (718) 391-6832
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: FRANK CARDELLO NTROL
Mailing Name: BOARD OF EDUCATION
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: 5 FLOOR
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Telephone: (718) 391-6832
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/29/1998
Expiration: 06/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 12000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 12000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 144 (Continued)

U003394173

Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

87
NNE
< 1/8
0.103 mi.
544 ft.

OBERIA DEMPSEY MULTI-SERVICE CENTER
127 WEST 127TH STREET
NEW YORK, NY 10027

AST A100159821
N/A

Relative:
Higher

AST:

Actual:
29 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604479
Program Type: PBS
UTM X: 588995.89138000004
UTM Y: 4518153.2255100003
Expiration Date: 2010/03/31

Tank Number: 001
Tank Id: 57948
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 2/16/2005

Tank Number: 002
Tank Id: 57949
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 2/16/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OBERIA DEMPSEY MULTI-SERVICE CENTER (Continued)

A100159821

Affiliation Records:

Site Id: 26351
Affiliation Type: Owner
Company Name: CITY OF NEW YORK HUMAN R ESOURCES ADMIN
Contact Type: CHIEF OPERATING OFFICER
Contact Name: JUNE P. ANDREWS
Address1: 260 11TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 630-9030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/16/2005

Site Id: 26351
Affiliation Type: Mail Contact
Company Name: MULTI-SERVICE CENTER
Contact Type: Not reported
Contact Name: OBERIA D. DEMPSEY
Address1: 127 WEST 127TH STREET
Address2: ROOM 101
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 749-0353
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/18/2008

Site Id: 26351
Affiliation Type: On-Site Operator
Company Name: OBERIA EMPSEY MULTI-SERVICE
Contact Type: Not reported
Contact Name: JUNE ANDREWS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 749-0353
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26351
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OBERIA DEMPSEY MULTI-SERVICE CENTER (Continued)

A100159821

Company Name: CITY OF NEW YORK HUMAN R ESOURCES ADMIN
Contact Type: Not reported
Contact Name: JUNE ANDREWS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 749-0353
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

I88
SSE
< 1/8
0.104 mi.
550 ft.

ONE ONE MORRIS PARK ASSOCIATES, LLC.
11-15 WEST 123 STREET
NEW YORK, NY 10027
Site 3 of 5 in cluster I

AST A100147128
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604140
Program Type: PBS
UTM X: 588986.66940000001
UTM Y: 4517749.1164899999
Expiration Date: 2014/06/02

Actual:
24 ft.

Tank Number: 01
Tank Id: 56797
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/20/1997
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/3/2009

Affiliation Records:
Site Id: 26021
Affiliation Type: Mail Contact
Company Name: STELLAR MANAGEMENT
Contact Type: Not reported
Contact Name: KATINA V. VAZQUEZ
Address1: 156 WILLIAM STREET - 10TH FLOOR
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE ONE MORRIS PARK ASSOCIATES, LLC. (Continued)

A100147128

City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 843-3763
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/3/2009

Site Id: 26021
Affiliation Type: On-Site Operator
Company Name: ONE ONE MORRIS PARK ASSOCIATES, LLC.
Contact Type: Not reported
Contact Name: HECTOR FABIAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 712-1244
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/3/2009

Site Id: 26021
Affiliation Type: Owner
Company Name: ONE ONE MORRIS PARK ASSOCIATES, LLC.
Contact Type: DIRECTOR OF OPERATIONS
Contact Name: FRANCINE SCHIFF
Address1: 156 WILLIAM STREET - 10TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 406-0030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/3/2009

Site Id: 26021
Affiliation Type: Emergency Contact
Company Name: ONE ONE MORRIS PARK ASSOCIATES, LLC.
Contact Type: Not reported
Contact Name: LUCIO PEDRAZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE ONE MORRIS PARK ASSOCIATES, LLC. (Continued)

A100147128

Country Code: 999
Phone: (646) 299-4593
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/3/2009

Equipment Records:

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: F00
Code Name: None
Type: Pipe External Protection

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: E00
Code Name: None
Type: Piping Secondary Containment

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 26021
Tank Id Number: 56797
Tank Number: 01
Equipment: J00
Code Name: None
Type: Dispenser

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ONE ONE MORRIS PARK ASSOCIATES, LLC. (Continued)

A100147128

Site Id:	26021
Tank Id Number:	56797
Tank Number:	01
Equipment:	I00
Code Name:	None
Type:	Overfill
Site Id:	26021
Tank Id Number:	56797
Tank Number:	01
Equipment:	G00
Code Name:	None
Type:	Tank Secondary Containment
Site Id:	26021
Tank Id Number:	56797
Tank Number:	01
Equipment:	L00
Code Name:	None
Type:	Piping Leak Detection
Site Id:	26021
Tank Id Number:	56797
Tank Number:	01
Equipment:	K00
Code Name:	None
Type:	Spill Prevention
Site Id:	26021
Tank Id Number:	56797
Tank Number:	01
Equipment:	B00
Code Name:	None
Type:	Tank External Protection

G89
ESE
 < 1/8
 0.105 mi.
 553 ft.

LOT 156,TAXBLOCK 1722
50 WEST 125 STREET
MANHATTAN, NY 10027
Site 15 of 18 in cluster G

E DESIGNATION **S109155363**
 N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 156
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Exhaust stack location limitations
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11

Actual:
 24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 50 WEST EUNSOOK C.K.,
Lot Area: 000001576
Total Building Floor Area: 0000005888
Commercial Floor Area: 0000002944
Office Floor Area: 0000000000
Retail Floor Area: 0000002944
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00005
Non and Residential Units: 00007
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0092.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000023999
Total Assessed Value: 00000056687
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.74
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220156
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999703
Y Coordinate: 0233291
Zoning Map: 06A
Sanborn Map: 107N089

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 156
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 50 WEST EUNSOOK C.K.,
Lot Area: 000001576
Total Building Floor Area: 00000005888
Commercial Floor Area: 00000002944
Office Floor Area: 00000000000
Retail Floor Area: 00000002944
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00005
Non and Residential Units: 00007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0092.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000023999
Total Assessed Value: 00000056687
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.74
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220156
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999703
Y Coordinate: 0233291
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 156
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 50 WEST EUNSOOK C.K.,
Lot Area: 000001576
Total Building Floor Area: 0000005888
Commercial Floor Area: 0000002944
Office Floor Area: 0000000000
Retail Floor Area: 0000002944
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00005
Non and Residential Units: 00007
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0016.00
Building Depth: 0092.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000023999
Total Assessed Value: 00000056687
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.74
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220156
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999703
Y Coordinate: 0233291
Zoning Map: 06A
Sanborn Map: 107N089
Tax Map: 10607

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 156
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 50 WEST EUNSOOK C.K.,
Lot Area: 000001576
Total Building Floor Area: 0000005888
Commercial Floor Area: 00000002944
Office Floor Area: 00000000000
Retail Floor Area: 00000002944
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00005
Non and Residential Units: 00007
Lot Frontage: 0015.58

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 156,TAXBLOCK 1722 (Continued)

S109155363

Lot Depth: 0100.92
 Building Frontage: 0016.00
 Building Depth: 0092.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000023999
 Total Assessed Value: 00000056687
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.74
 Maximum Allowable Far: 3.44
 Borough Code: 1
 Borough Tax Block And Lot: 1017220156
 Condominium Number: 00000
 Census Tract 2: 0200
 X Coordinate: 0999703
 Y Coordinate: 0233291
 Zoning Map: 06A
 Sanborn Map: 107N089
 Tax Map: 10607
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**F90
 SE
 < 1/8
 0.106 mi.
 559 ft.**

**35 MT MORRIS PARK WEST
 35 MT MORRIS PARK WEST
 NEW YORK, NY 10027
 Site 4 of 5 in cluster F**

**AST A100292202
 N/A**

**Relative:
 Lower**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-609305
 Program Type: PBS
 UTM X: 588941.55088999995
 UTM Y: 4517621.7871099999
 Expiration Date: 2013/10/21
 Tank Number: 1
 Tank Id: 67070
 Tank Location: 1

**Actual:
 24 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

35 MT MORRIS PARK WEST (Continued)

A100292202

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/15/1985
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 31149
Affiliation Type: Owner
Company Name: 35 MT MORRIS PARK WEST HDFC
Contact Type: MGR
Contact Name: TEVOR PAYNE
Address1: 270 W 123 ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/3/2009

Site Id: 31149
Affiliation Type: Mail Contact
Company Name: 35 MT MORRIS PARK WEST HDFC
Contact Type: MGR
Contact Name: TEVOR PAYNE
Address1: 270 W 123 ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/3/2009

Site Id: 31149
Affiliation Type: Emergency Contact
Company Name: 35 MT MORRIS PARK WEST HDFC
Contact Type: Not reported
Contact Name: TREVOR PAYNE
Address1: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

35 MT MORRIS PARK WEST (Continued)

A100292202

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 987-8358
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	9/3/2009
Site Id:	31149
Affiliation Type:	On-Site Operator
Company Name:	35 MT MORRIS PARK WEST
Contact Type:	Not reported
Contact Name:	GODFREY DRAKES
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 642-9275
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	9/3/2009

I91
SSE
 < 1/8
 0.108 mi.
 568 ft.

11-13 WEST 123RD STREET
11-13 WEST 123RD STREET
MANHATTAN, NY

NY Spills S104495410
NY Hist Spills N/A

Site 4 of 5 in cluster I

Relative:
Lower

NY Spills:

Actual:
24 ft.

Site ID:	72949
Facility Addr2:	Not reported
Facility ID:	9210775
Spill Number:	9210775
Facility Type:	ER
SWIS:	3101
Investigator:	KSTANG
Referred To:	Not reported
Spill Date:	12/16/1992
Reported to Dept:	12/17/1992
CID:	15
Spill Cause:	Equipment Failure
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	12/17/1992
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	Penalty Not Recommended
UST Trust:	False
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

11-13 WEST 123RD STREET (Continued)

S104495410

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/17/1992
Remediation Phase: 0
Date Entered In Computer: 12/17/1992
Spill Record Last Update: 3/21/1994
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 68736
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: DEFECTIVE GAGE SPILL ON SIDEWALK-STREET AND IN TANK ROOM M.B. PERSONNEL AND EASTMUND DOING CLEANUP

Material:
Site ID: 72949
Operable Unit ID: 975000
Operable Unit: 01
Material ID: 404216
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 40
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9210775
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

11-13 WEST 123RD STREET (Continued)

S104495410

Spill Date/Time: 12/16/1992 18:30
Reported to Dept Date/Time: 12/17/92 09:58
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 12/17/92
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/17/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/17/92
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/21/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 40
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: DEFECTIVE GAGE SPILL ON SIDEWALK-STREET AND IN TANK ROOM M.B. PERSONNEL AND EASTMUND DOING CLEANUP

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

G92 **LOT 56,TAXBLOCK 1722**
ESE **48 WEST 125 STREET**
< 1/8 **MANHATTAN, NY 10027**
0.108 mi.
572 ft. **Site 16 of 18 in cluster G**

E DESIGNATION **S109155453**
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 56
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM
 Zoning Map No: 5c,6a,6b
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 110
 Census Tract: 200
 Census Block: 1001
 School District: 05
 City Council District: 09
 Fire Company: L014
 Health Area: 11
 Police Precinct: 028
 Zone District 1: C4-4
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C4-4
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: C4
 Land Use Category: 02
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: EVRO MGMT CORP
 Lot Area: 000001576
 Total Building Floor Area: 00000004113
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00006
 Non and Residential Units: 00006
 Lot Frontage: 0015.58
 Lot Depth: 0100.92
 Building Frontage: 0015.58
 Building Depth: 0054.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

Basement Type Grade: 5
Land Assessed Value: 00000009401
Total Assessed Value: 00000041990
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.61
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220056
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999697
Y Coordinate: 0233253
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 56
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

All Components2: Not reported
Split Boundary Indicator: N
Building Class: C4
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000004113
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00006
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000009401
Total Assessed Value: 00000041990
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.61
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220056
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999697
Y Coordinate: 0233253
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 56
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: C4
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000004113
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00006
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

Land Assessed Value: 00000009401
Total Assessed Value: 00000041990
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.61
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220056
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999697
Y Coordinate: 0233253
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 56
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

Split Boundary Indicator: N
Building Class: C4
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000004113
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00006
Non and Residential Units: 00006
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000009401
Total Assessed Value: 00000041990
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.61
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220056
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999697
Y Coordinate: 0233253
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 56,TAXBLOCK 1722 (Continued)

S109155453

Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**F93
ESE
< 1/8
0.111 mi.
588 ft.**

**GREATER CALVARY BAPTIST CHURCH
43-55 WEST 124TH STREET
NEW YORK, NY 10027**

**AST A100294258
N/A**

Site 5 of 5 in cluster F

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609174
Program Type: PBS
UTM X: 589082.52700999996
UTM Y: 4517789.46590000002
Expiration Date: 2008/08/04

**Actual:
24 ft.**

Tank Number: 001
Tank Id: 66657
Tank Location: 3
Tank Type: Concrete
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 31019
Affiliation Type: Emergency Contact
Company Name: GREATER CALVARY BAPTIST CHURCH
Contact Type: Not reported
Contact Name: HELEN G. BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 348-6132
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31019
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

GREATER CALVARY BAPTIST CHURCH (Continued)

A100294258

Company Name: GREATER CALVARY BAPTIST CHURCH
Contact Type: Not reported
Contact Name: HELEN G. BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 348-6132
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31019
Affiliation Type: Owner
Company Name: GREATER CALVARY BAPTIST CHURCH
Contact Type: Not reported
Contact Name: Not reported
Address1: 43-55 WEST 124TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 348-6132
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31019
Affiliation Type: Mail Contact
Company Name: HELEN G. BOWLING
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 651
Address2: LINCOLNTON STATION
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 348-6132
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

G94 **LOT 155,TAXBLOCK 1722**
ESE **46 WEST 125 STREET**
< 1/8 **MANHATTAN, NY 10027**
0.112 mi.
592 ft. **Site 17 of 18 in cluster G**

E DESIGNATION **S109155362**
N/A

Relative:
Lower

E DESIGNATION:

Actual:
24 ft.

Tax Lot(s):	155
E-No:	E-201
Effective Date:	4/30/2008
Satisfaction Date:	Not reported
Ceqr Number:	07DCP030M
Ulurp Number:	080099ZMM
Zoning Map No:	5c,6a,6b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	110
Census Tract:	200
Census Block:	1001
School District:	05
City Council District:	09
Fire Company:	L014
Health Area:	11
Police Precinct:	028
Zone District 1:	C4-4
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C4-4
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	S4
Land Use Category:	04
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	EVRO MGMT CORP
Lot Area:	000001576
Total Building Floor Area:	00000003809
Commercial Floor Area:	00000000400
Office Floor Area:	00000000000
Retail Floor Area:	00000000400
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	004.00
Residential Units:	00004
Non and Residential Units:	00005
Lot Frontage:	0015.58
Lot Depth:	0100.92
Building Frontage:	0015.58
Building Depth:	0054.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

Basement Type Grade: 5
Land Assessed Value: 00000023700
Total Assessed Value: 00000035100
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.42
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220155
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999731
Y Coordinate: 0233276
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 155
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

All Components2: Not reported
Split Boundary Indicator: N
Building Class: S4
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000003809
Commercial Floor Area: 00000000400
Office Floor Area: 00000000000
Retail Floor Area: 00000000400
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00004
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000023700
Total Assessed Value: 00000035100
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.42
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220155
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999731
Y Coordinate: 0233276
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 155
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S4
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000003809
Commercial Floor Area: 00000000400
Office Floor Area: 00000000000
Retail Floor Area: 00000000400
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00004
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

Land Assessed Value: 00000023700
Total Assessed Value: 00000035100
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.42
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220155
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999731
Y Coordinate: 0233276
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 155
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

Split Boundary Indicator: N
Building Class: S4
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: EVRO MGMT CORP
Lot Area: 000001576
Total Building Floor Area: 00000003809
Commercial Floor Area: 00000000400
Office Floor Area: 00000000000
Retail Floor Area: 00000000400
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00004
Non and Residential Units: 00005
Lot Frontage: 0015.58
Lot Depth: 0100.92
Building Frontage: 0015.58
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000023700
Total Assessed Value: 00000035100
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.42
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220155
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999731
Y Coordinate: 0233276
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 155,TAXBLOCK 1722 (Continued)

S109155362

Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**H95
 East
 < 1/8
 0.113 mi.
 597 ft.**

**X
 52 WEST 126TH STREET
 NEW YORK, NY**

**NY Spills S106382993
 N/A**

Site 4 of 5 in cluster H

**Relative:
 Lower**

NY Spills:

**Actual:
 25 ft.**

Site ID: 96252
 Facility Addr2: Not reported
 Facility ID: 0312854
 Spill Number: 0312854
 Facility Type: ER
 SWIS: 3101
 Investigator: rmpiper
 Referred To: Not reported
 Spill Date: 2/19/2004
 Reported to Dept: 2/20/2004
 CID: 15
 Spill Cause: Other
 Water Affected: Not reported
 Spill Source: Tank Truck
 Spill Notifier: Citizen
 Cleanup Ceased: Not reported
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/16/2005
 Remediation Phase: 0

Date Entered In Computer: 2/20/2004
 Spill Record Last Update: 12/16/2005
 Spiller Name: Not reported
 Spiller Company: UNKOWN TRUCK CO.
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller Company: 001
 Contact Name: KEITH TAYLOR
 Contact Phone: (212) 876-6091
 DEC Region: 2
 DER Facility ID: 86049
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
 "SAWYER" 4/12/04 - Sawyer - Called Mr. Taylor and left a message.
 12/16/05- DEC Piper, small spill to road surface.

Remarks: OIL TRUCK SPILLED OIL ON STREET IN FRONT OF APRTMENT BUILD. SMELL IS VERY STRONG. SOME SPEEDI DRI WAS PLACED DOWN, BUT NOTHING ELES HAS BEEN DONE: CALLED DEP #769459; CALLER HAS TWO ASMATIC CHILDREN AND THEY ARE ALL COMPLAINING OF HEADACHES:

Material:

Site ID: 96252
 Operable Unit ID: 880102
 Operable Unit: 01
 Material ID: 568428

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X (Continued)

S106382993

Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

H96 52 PAYTON CORP - MAN
East 52 W 126 ST
< 1/8 MANHATTAN, NY
0.113 mi.
599 ft. Site 5 of 5 in cluster H

LTANKS S102671478
HIST LTANKS N/A

Relative:
Lower

LTANKS:
Site ID: 122925
Spill No: 8910155
Spill Date: 1/23/1990
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 1/24/1990
Facility Addr2: Not reported
Cleanup Ceased: 1/24/1990
Cleanup Meets Standard: True
SWIS: 3101
Investigator: TAYLOR
Referred To: Not reported
Reported to Dept: 1/23/1990
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/24/1990
Spill Record Last Update: 11/14/2003
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: ZZ

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

52 PAYTON CORP - MAN (Continued)

S102671478

Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 106554
DEC Memo: Not reported
Remarks: ROUTINE DELIVERY - LAST DELIVERY ON 1/6/90 - TANK WAS STILL FULL -
BAERENKLAU SENDS SPILL TEAM TO RESPOND.

Material:

Site ID: 122925
Operable Unit ID: 935244
Operable Unit: 01
Material ID: 443276
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 7
Units: Gallons
Recovered: 7
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8910155
Spill Date: 01/23/1990
Spill Time: 15:00
Spill Cause: Tank Overfill
Resource Affected: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 01/24/90
Cleanup Ceased: 01/24/90
Cleanup Meets Standard: True
Investigator: TAYLOR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

52 PAYTON CORP - MAN (Continued)

S102671478

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/23/90
Reported to Department Time: 16:01
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 684-4527
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/24/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 7
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 7
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: ROUTINE DELIVERY - LAST DELIVERY ON 1/6/90 - TANK WAS STILL FULL - BAERENKLAU SENDS SPILL TEAM TO RESPOND.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G97
ESE
< 1/8
0.114 mi.
600 ft.

CON EDISION - MH20600
45-61 W 125TH ST. 45-61 W 125T
NEW YORK, NY 10003

RCRA-NonGen 1007207979
MANIFEST NYP004079711

Site 18 of 18 in cluster G

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 06/02/2002

Facility name: CON EDISION - MH20600

Facility address: 45-61 W 125TH ST. 45-61 W 125T

NEW YORK, NY 10003

EPA ID: NYP004079711

Mailing address: IRVING PLACE

NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: IRVING PLACE

NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: Unknown

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: No

Underground injection activity: Unknown

On-site burner exemption: Unknown

Furnace exemption: Unknown

Used oil fuel burner: Unknown

Used oil processor: Unknown

User oil refiner: Unknown

Used oil fuel marketer to burner: Unknown

Used oil Specification marketer: Unknown

Used oil transfer facility: Unknown

Used oil transporter: Unknown

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 06/01/2002

Facility name: CON EDISION - MH20600

Classification: Not a generator, verified

Date form received by agency: 05/31/2002

Facility name: CON EDISION - MH20600

Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004079711

Country: USA

Mailing Name: CONSOLIDATED EDISON

Mailing Contact: FRANKLIN MURRAY

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CON EDISION - MH20600 (Continued)

1007207979

Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0759834
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 04/13/2001
 Trans1 Recv Date: 04/13/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/13/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004079711
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSDF ID: 31877AJ
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 01018
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 01
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

K98
ESE
< 1/8
0.116 mi.
611 ft.

LOT 55,TAXBLOCK 1722
44 WEST 125 STREET
MANHATTAN, NY 10027
Site 1 of 4 in cluster K

E DESIGNATION S109155451
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 55
 E-No: E-201
 Effective Date: 4/30/2008
 Satisfaction Date: Not reported
 Ceqr Number: 07DCP030M
 Ulurp Number: 080099ZMM

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Zoning Map No: 5c,6a,6b
Description: Air Quality - Natural Gas Heat & Hot Water
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 44 W. 125TH STREET,
Lot Area: 000002102
Total Building Floor Area: 00000005400
Commercial Floor Area: 00000005400
Office Floor Area: 00000002160
Retail Floor Area: 00000002160
Garage Floor Area: 00000000000
Storage Floor Area: 00000001080
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0020.83
Lot Depth: 0100.92
Building Frontage: 0020.83
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000051750
Total Assessed Value: 00000162900
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220055
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999726
Y Coordinate: 0233237
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 55
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Exhaust stack location limitations
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 44 W. 125TH STREET,
Lot Area: 000002102
Total Building Floor Area: 00000005400
Commercial Floor Area: 00000005400
Office Floor Area: 00000002160

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Retail Floor Area: 00000002160
Garage Floor Area: 00000000000
Storage Floor Area: 00000001080
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0020.83
Lot Depth: 0100.92
Building Frontage: 0020.83
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000051750
Total Assessed Value: 00000162900
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220055
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999726
Y Coordinate: 0233237
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 55
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 44 W. 125TH STREET,
Lot Area: 000002102
Total Building Floor Area: 0000005400
Commercial Floor Area: 0000005400
Office Floor Area: 0000002160
Retail Floor Area: 0000002160
Garage Floor Area: 0000000000
Storage Floor Area: 0000001080
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0020.83
Lot Depth: 0100.92
Building Frontage: 0020.83
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 0000051750
Total Assessed Value: 00000162900
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220055
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999726
Y Coordinate: 0233237
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 55
E-No: E-201
Effective Date: 4/30/2008
Satisfaction Date: Not reported
Ceqr Number: 07DCP030M
Ulurp Number: 080099ZMM
Zoning Map No: 5c,6a,6b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 110
Census Tract: 200
Census Block: 1001
School District: 05
City Council District: 09
Fire Company: L014
Health Area: 11
Police Precinct: 028
Zone District 1: C4-4
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C4-4
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 44 W. 125TH STREET,
Lot Area: 000002102
Total Building Floor Area: 00000005400
Commercial Floor Area: 00000005400
Office Floor Area: 00000002160
Retail Floor Area: 00000002160

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 55,TAXBLOCK 1722 (Continued)

S109155451

Garage Floor Area: 00000000000
Storage Floor Area: 00000001080
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0020.83
Lot Depth: 0100.92
Building Frontage: 0020.83
Building Depth: 0054.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000051750
Total Assessed Value: 00000162900
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.57
Maximum Allowable Far: 3.44
Borough Code: 1
Borough Tax Block And Lot: 1017220055
Condominium Number: 00000
Census Tract 2: 0200
X Coordinate: 0999726
Y Coordinate: 0233237
Zoning Map: Not reported
Sanborn Map: Not reported
Tax Map: Not reported
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

99 2090 7TH AVE
WNW 2090 SEVENTH AVE
< 1/8 NEW YORK, NY 10027
0.121 mi.
640 ft.

AST U003390252
HIST AST N/A

Relative:
Higher

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-210536
Program Type: PBS
UTM X: 588720.82564000005
UTM Y: 4518066.2078400003
Expiration Date: 2007/08/24

Tank Number: 001
Tank Id: 18687
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 7622
Affiliation Type: On-Site Operator
Company Name: 2090 7TH AVE
Contact Type: Not reported
Contact Name: CEDRICK WILSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 866-0494
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 7622
Affiliation Type: Emergency Contact
Company Name: P J M X INC
Contact Type: Not reported
Contact Name: DAVID GOLDMAN
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2090 7TH AVE (Continued)

U003390252

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 866-0494
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 7622
Affiliation Type: Mail Contact
Company Name: P J M X INC
Contact Type: Not reported
Contact Name: DAVID GOLDMAN
Address1: 185 MONTAGUE ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11201
Country Code: 001
Phone: (212) 852-4185
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 7622
Affiliation Type: Owner
Company Name: P J M X INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 185 MONTAGUE ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11201
Country Code: 001
Phone: (212) 852-4185
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-210536
SWIS Code: 6201
Operator: CEDRICK WILSON
Facility Phone: (212) 866-0494
Facility Addr2: 2090 7TH AVE
Facility Type: OTHER
Emergency: DAVID GOLDMAN
Emergency Tel: (212) 866-0494
Old PBSNO: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2090 7TH AVE (Continued)

U003390252

Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: P J M X INC
Owner Address: 185 MONTAGUE ST
Owner City,St,Zip: BKLYN, NY 11201
Federal ID: Not reported
Owner Tel: (212) 852-4185
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: DAVID GOLDMAN
Mailing Name: P J M X INC
Mailing Address: 185 MONTAGUE ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BKLYN, NY 11201
Mailing Telephone: (212) 852-4185
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/25/1997
Expiration: 08/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 10000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 10000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

2090 7TH AVE (Continued)

U003390252

Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

L100
SSW
 < 1/8
 0.122 mi.
 644 ft.

230 LENOX AVE
230 LENOX AVE
MANHATTAN, NY

NY Spills S102149494
NY Hist Spills N/A

Site 1 of 9 in cluster L

Relative:
Lower

NY Spills:

Actual:
25 ft.

Site ID: 202164
 Facility Addr2: Not reported
 Facility ID: 9414505
 Spill Number: 9414505
 Facility Type: ER
 SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Spill Date: 2/2/1995
 Reported to Dept: 2/2/1995
 CID: 15
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Other
 Cleanup Ceased: 2/2/1995
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/2/1995
 Remediation Phase: 0
 Date Entered In Computer: 4/10/1995
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: SAME
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 168170
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
 Remarks: OIL LEAK FROM FILL LINE DURING SPILL CONTAINED - CLEAN UP CREW ENROUTE

Material:

Site ID: 202164
 Operable Unit ID: 1012078
 Operable Unit: 01
 Material ID: 373239

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 LENOX AVE (Continued)

S102149494

Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9414505
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/02/1995 15:30
Reported to Dept Date/Time: 02/02/95 16:03
SWIS: 62
Spiller Name: SAME
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 02/02/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

230 LENOX AVE (Continued)

S102149494

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/02/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/10/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: OIL LEAK FROM FILL LINE DURING SPILL CONTAINED - CLEAN UP CREW ENROUTE

I101
SSE
1/8-1/4
0.128 mi.
678 ft.

24 MOUNT MORRIS PARK WEST
24 MOUNT MORRIS PARK WEST
NEW YORK, NY 10027
Site 5 of 5 in cluster I

AST A100178324
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606111
Program Type: PBS
UTM X: 588933.52404000005
UTM Y: 4517580.7225099998
Expiration Date: 2012/12/19

Actual:
23 ft.

Tank Number: 01
Tank Id: 60971
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1915
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24 MOUNT MORRIS PARK WEST (Continued)

A100178324

Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 9/6/2007

Affiliation Records:

Site Id: 27976
Affiliation Type: Mail Contact
Company Name: THE WAVECREST MANAGEMENT
Contact Type: Not reported
Contact Name: PAUL MARTINEZ
Address1: 87-14 116TH STREET
Address2: Not reported
City: RICHMOND HILL
State: NY
Zip Code: 11418
Country Code: 001
Phone: (718) 463-1200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/7/2008

Site Id: 27976
Affiliation Type: Emergency Contact
Company Name: SHUHAB HOUSING DEVELOPMENT FUND CORPORATION
Contact Type: Not reported
Contact Name: PAUL MARTINEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 463-1200
Phone Ext: 3750
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/6/2007

Site Id: 27976
Affiliation Type: Owner
Company Name: SHUHAB HOUSING DEVELOPMENT FUND CORPORATION
Contact Type: OFFICER
Contact Name: PAUL MARTINEZ
Address1: 87-14 116TH STREET
Address2: Not reported
City: RICHMOND HILL
State: NY
Zip Code: 11418
Country Code: 001
Phone: (718) 463-1200
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24 MOUNT MORRIS PARK WEST (Continued)

A100178324

Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 3/24/2008

Site Id: 27976
Affiliation Type: On-Site Operator
Company Name: 24 MOUNT MORRIS PARK WEST
Contact Type: Not reported
Contact Name: JOEL LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 463-1200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 3/24/2008

M102
ENE
1/8-1/4
0.129 mi.
682 ft.

CONSOLIDATED EDISON
63 WEST 127TH ST
MANHATTAN, NY 10020
Site 1 of 3 in cluster M

MANIFEST S110305719
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004201802
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
25 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 2010-02-04
Trans1 Recv Date: 2010-02-04
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-02-05
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004201802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110305719

Quantity: 150.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 10
Manifest Tracking Num: 001433277FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 2010-02-04
Trans1 Recv Date: 2010-02-04
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-02-05
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004201802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: Not reported
Quantity: 30.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 10
Manifest Tracking Num: 001433276FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

N103 348 MALCLOM REALTY CORP
NNE 350 LENOX AVENUE
1/8-1/4 NEW YORK, NY 10027
0.129 mi.
683 ft. Site 1 of 4 in cluster N

AST A100292193
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607390
Program Type: PBS
UTM X: 589037.64289999998
UTM Y: 4518098.0179399997
Expiration Date: 2012/02/04

Actual:
27 ft.

Tank Number: 01
Tank Id: 62875
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/2/1980
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 1/23/2007

Affiliation Records:

Site Id: 29243
Affiliation Type: Mail Contact
Company Name: 348 MALCOLM REALTY CORP.
Contact Type: Not reported
Contact Name: RONALD WEST
Address1: PO BOX 335
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10469
Country Code: 001
Phone: (212) 410-6593
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29243
Affiliation Type: Emergency Contact
Company Name: 348 MALCLOM REALTY CORP.
Contact Type: Not reported
Contact Name: RONALD WEST
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

348 MALCLOM REALTY CORP (Continued)

A100292193

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 410-6593
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29243
Affiliation Type: Owner
Company Name: 348 MALCLOM REALTY CORP.
Contact Type: PRES.
Contact Name: RONALD WEST
Address1: PO BOX 335
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10469
Country Code: 001
Phone: (212) 410-6593
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/23/2007

Site Id: 29243
Affiliation Type: On-Site Operator
Company Name: 348 MALCLOM REALTY CORP
Contact Type: Not reported
Contact Name: RONALD WEST
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 410-6593
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

O104 **CON EDISON**
SSE **16 W 122ND ST**
1/8-1/4 **NEW YORK, NY 10027**
0.134 mi.
705 ft. **Site 1 of 9 in cluster O**

RCRA-CESQG **1012185652**
NYP004164851

Relative: RCRA-CESQG:
Lower Date form received by agency: 03/27/2009
Facility name: CON EDISON
Actual: Facility address: 16 W 122ND ST
23 ft. NEW YORK, NY 10027

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CON EDISON (Continued)

1012185652

EPA ID: NYP004164851
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: ANTHONY BUDA
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (917) 440-1809
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: Unknown
 Transporter of hazardous waste: Unknown
 Treater, storer or disposer of HW: Unknown
 Underground injection activity: Unknown
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: Unknown
 Used oil processor: Unknown
 User oil refiner: Unknown
 Used oil fuel marketer to burner: Unknown
 Used oil Specification marketer: Unknown
 Used oil transfer facility: Unknown
 Used oil transporter: Unknown
 Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

O105
 SSE
 1/8-1/4
 0.135 mi.
 712 ft.

CONSOLIDATED EDISON
14 W 122 ST
NEW YORK, NY 10020
Site 2 of 9 in cluster O

MANIFEST S109583962
N/A

Relative:
 Lower

NY MANIFEST:
 EPA ID: NYP004164851
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828

Actual:
 23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583962

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-27
Trans1 Recv Date: 2009-03-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164851
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 75.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028036JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-27
Trans1 Recv Date: 2009-03-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164851
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583962

Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: Not reported
Quantity: 75.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028036JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-27
Trans1 Recv Date: 2009-03-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164851
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: Not reported
Quantity: 75.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028036JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583962

Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-27
Trans1 Recv Date: 2009-03-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164851
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 75.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028036JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

P106 GEMA HALL
ESE 31-33 WEST 124TH STREET
1/8-1/4 NEW YORK, NY 10027

AST A100183125
N/A

0.135 mi.
714 ft. Site 1 of 2 in cluster P

Relative: AST:
Lower Region: STATE
DEC Region: 2
Actual: Site Status: Active
25 ft. Facility Id: 2-606509
Program Type: PBS
UTM X: 589108.68186999997
UTM Y: 4517775.23680999997
Expiration Date: 2011/07/25

Tank Number: 001
Tank Id: 61524
Tank Location: 3
Tank Type: Stainless Steel Alloy

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GEMA HALL (Continued)

A100183125

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 28368
Affiliation Type: Owner
Company Name: GEMA HALL HDFC
Contact Type: PRESIDENT
Contact Name: ALICE M. BIEGEN
Address1: 31-33 WEST 124TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 410-2510
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/6/2006

Site Id: 28368
Affiliation Type: Emergency Contact
Company Name: GEMA HALL HDFC
Contact Type: Not reported
Contact Name: DWAYNE WILSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 410-2510
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/6/2006

Site Id: 28368
Affiliation Type: Mail Contact
Company Name: GEMA HALL HDFC
Contact Type: Not reported
Contact Name: LINELL ALVAREZ
Address1: 31-33 WEST 124TH STREET
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GEMA HALL (Continued)

A100183125

City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 426-6317
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/7/2006

Site Id: 28368
Affiliation Type: On-Site Operator
Company Name: GEMA HALL
Contact Type: Not reported
Contact Name: DWAYNE WILSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 410-2510
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/6/2006

O107
SSE
1/8-1/4
0.140 mi.
738 ft.

PALM TREES CONDOMINIUM
3-5 W 122ND ST
NEW YORK, NY 10027
Site 3 of 9 in cluster O

AST U003385904
HIST AST N/A

Relative:
Lower

Actual:
23 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-150932
Program Type: PBS
UTM X: 588955.36932000006
UTM Y: 4517706.7593700001
Expiration Date: 2012/06/18

Tank Number: 001
Tank Id: 8755
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/2/1983
Capacity Gallons: 2800
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PALM TREES CONDOMINIUM (Continued)

U003385904

Register: True
Modified By: DXLIVING
Last Modified: 6/20/2007

Affiliation Records:

Site Id: 4639
Affiliation Type: Mail Contact
Company Name: COOPER SQUARE REALTY, INC.
Contact Type: Not reported
Contact Name: BENJAMIN HAWKINS
Address1: 6 EAST 43RD STREET
Address2: 14TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 634-8900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2010

Site Id: 4639
Affiliation Type: Owner
Company Name: PALM TREES CONDOMINIUM
Contact Type: MANAGING AGENT
Contact Name: ANGEL A. LAVERGNE
Address1: 3-5 WEST 122ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 831-2110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/20/2007

Site Id: 4639
Affiliation Type: Emergency Contact
Company Name: PALM TREES CONDOMINIUM
Contact Type: Not reported
Contact Name: BENJAMIN HAWKINS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 634-8900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PALM TREES CONDOMINIUM (Continued)

U003385904

Date Last Modified: 7/16/2009

Site Id: 4639
Affiliation Type: On-Site Operator
Company Name: PALM TREES CONDOMINIUM
Contact Type: Not reported
Contact Name: IMANI MANAGEMENT INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 543-0448
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/16/2009

HIST AST:

PBS Number: 2-150932
SWIS Code: 6201
Operator: UPTOWN GAMBIT INC
Facility Phone: (212) 831-2110
Facility Addr2: 3 W 122ND ST
Facility Type: APARTMENT BUILDING
Emergency: M T JOHNSON
Emergency Tel: (212) 831-2110
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: PALM TREES CONDOMINIUM
Owner Address: 3-5 WEST 122ND STREET
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 831-2110
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MICHAEL T. JOHNSON
Mailing Name: ESQUIRE MANAGEMENT CORPORATION
Mailing Address: 875 AVENUE OF THE AMERICAS SUITE 500
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 594-6500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/06/1997
Expiration: 06/18/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2800
FAMT: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PALM TREES CONDOMINIUM (Continued)

U003385904

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2800
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

O108 **CONSOLIDATED EDISON**
SSE **6 WEST 122ND ST**
1/8-1/4 **NEW YORK, NY 10009**
0.140 mi.
738 ft. **Site 4 of 9 in cluster O**

MANIFEST **S109584177**
N/A

Relative: NY MANIFEST:
Lower EPA ID: NYP004166245
 Country: USA
Actual: Mailing Name: CONSOLIDATED EDISON
23 ft. Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584177

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-07
Trans1 Recv Date: 2009-04-07
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166245
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 250.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028264JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-07
Trans1 Recv Date: 2009-04-07
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166245
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 250.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584177

Year: 09
Manifest Tracking Num: 001028264JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-07
Trans1 Recv Date: 2009-04-07
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166245
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 250.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

Year: 09
Manifest Tracking Num: 001028264JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-07
Trans1 Recv Date: 2009-04-07

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584177

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-04-07
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004166245
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 250.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001028264JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

O109
SSE
 1/8-1/4
 0.148 mi.
 780 ft.

PELHAM FRITZ RECREATION C
18 MOUNT MORRIS PARK WEST
MANHATTAN, NY
 Site 5 of 9 in cluster O

LTANKS **S108059289**
NY Spills **N/A**

Relative:
Lower

LTANKS:
 Site ID: 365375
 Spill No: 0602813
 Spill Date: 6/13/2006
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Not reported
 Spill Closed Dt: Not reported
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported
 Reported to Dept: 6/13/2006
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 6/13/2006

Actual:
22 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION C (Continued)

S108059289

Spill Record Last Update: 6/19/2006
Spiller Name: MR. WELLINGTON GREEN
Spiller Company: PELHAM FRITZ RECREATION C
Spiller Address: 18 MOUNT MORRIS PARK WEST
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: MR. WELLINGTON GREEN
Spiller Phone: (212) 410-8969
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 315518
DEC Memo: 6/13/06 - Raphael Ketani. I talked to Thomas Leddy of Protest (631) 321-4670. He said that they did a normal plug off test. He said it is a UST for heating oil for their buildings in the park. The contact person is: Wellington Green or Gabe Ramos (boss) NYC Parks Department Randalls Island, NY, 10035 (212) 410-8969 06/19/06-Hiralkumar Patel. Spoke to Tom. he is not sure but that was dry leak probably. haven't heard from parks department yet. PBS #: 2-604978 TTF sent out to Gabe Ramos at: Gabe Ramos City of NY Parks & Recreation 5 Boro Operations Randalls Island, NY 10035 Ph. (212) 410-8916 FAX (212) 410-8319 letter faxed to Mr. Ramos.
Remarks: IT MAY BE THE DIRECT FILL SITCK LINE.

Material:
Site ID: 365375
Operable Unit ID: 1123396
Operable Unit: 01
Material ID: 2112854
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 365375
Spill Tank Test: 1550051
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 6/13/2006
Test Method: Horner EZ Check I or II

NY Spills:
Site ID: 411177
Facility Addr2: Not reported
Facility ID: 0813485
Spill Number: 0813485

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION C (Continued)

S108059289

Facility Type: ER
SWIS: 3101
Investigator: RMPIPER
Referred To: Not reported
Spill Date: 3/13/2009
Reported to Dept: 3/13/2009
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/18/2009
Remediation Phase: 0
Date Entered In Computer: 3/13/2009
Spill Record Last Update: 3/18/2009
Spiller Name: NONE
Spiller Company: CITY OF NEW YORK
Spiller Address: 18 MOUNT MORRIS PARK WEST
Spiller City,St,Zip: MANHATTAN, NY
999
Contact Name: NONE
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 315518
DEC Memo: x236 need CSL to be sent LiRo documented the removal of one 5,000-gallon heating oil (#2 diesel) underground storage tank (UST) at the Pelham Fritz Recreation Center. The removal was conducted by Gemstar Construction Corp. of Staten Island, NY. The Pelham Fritz Recreation Center is located within the western portion of the Marcus Garvey Park at 18 Mount Morris Park West in Manhattan, New York. The tank was being replaced as part of an ongoing New York City Department of Design and Construction UST management and upgrade program. No problems had been previously reported for the heating oil tank. A 5,000-gallon heating oil single-wall steel UST and associated piping were removed from the site. During the excavation of the tank, the top of the tank was encountered at approximately 3.5 feet below ground surface and a concrete bottom slab was encountered at approximately 10.5 feet below ground surface. Upon inspection, the exterior of the tank had surficial rust. However, the interior and exterior of the UST were free of any visual damage such as holes, pitting or degradation. No staining or discoloration was noted within the excavation. The bottom slab was removed and six excavation bottom samples were collected at a depth of 12 feet bgs along the centerline of the excavation (see attached figure). The laboratory results (also attached) showed relatively low VOC concentrations. SVOC concentration for several PAHs exceeded TAGM 4046 criteria and therefore I called in a spill report. No water was observed in the excavation. Based on surrounding locale (there are bedrock outcrops in the Park) we expect that the depth to rock and groundwater is 25 feet or less. LiRo is preparing a UST Closure report that will be

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION C (Continued)

S108059289

Remarks: submitted to NYSDEC.
Caller states they found trace elements of petroleum compounds in soil results.

Material:
Site ID: 411177
Operable Unit ID: 1167641
Operable Unit: 01
Material ID: 2159225
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**O110
SSE
1/8-1/4
0.148 mi.
781 ft.**

**PELHAM FRITZ RECREATION CENTER
18 MOUNT MORRIS PARK WEST
NEW YORK, NY 10027**

**UST U003764783
HIST UST N/A**

Site 6 of 9 in cluster O

**Relative:
Lower**

UST:
Facility Id: 2-604978
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/01/08
UTM X: 588995.79061000003
UTM Y: 4517670.8304000003
Site ID: 26847

**Actual:
22 ft.**

Tank Number: 001
Tank ID: 59273
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: 21
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION CENTER (Continued)

U003764783

Date Tank Closed: 2/25/2009
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/5/2001
Register: True
Modified By: NRLOMBAR
Last Modified: 3/11/2009

Tank Number: 002
Tank ID: 227645
Tank Status: In Service
Tank Model: 104
Pipe Model: B
Install Date: 3/6/2009
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Equivalent technology
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 3/11/2009

Affiliation Records:

Site Id: 26847
Affiliation Type: Mail Contact
Company Name: CITY OF NEW YORK PARKS & RECREATION
Contact Type: Not reported
Contact Name: KAUEM KAMBOS
Address1: 5-BORO OPERATION
Address2: RANDALLS ISLAND
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 410-8937
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/11/2009

Site Id: 26847
Affiliation Type: Emergency Contact
Company Name: CITY OF NEW YORK PARKS & RECREATION
Contact Type: Not reported
Contact Name: ROBERT WRIGHT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 860-1380

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION CENTER (Continued)

U003764783

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/11/2009

Site Id: 26847
Affiliation Type: Owner
Company Name: CITY OF NEW YORK PARKS & RECREATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 830 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 360-8221
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/11/2009

Site Id: 26847
Affiliation Type: On-Site Operator
Company Name: PELHAM FRITZ RECREATION CENTER
Contact Type: Not reported
Contact Name: ROBERT WRIGHT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 860-1380
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-604978
SPDES Number: Not reported
Emergency Contact: DORIS SMITH
Emergency Telephone: (212) 860-1380
Operator: ROBERT WRIGHT
Operator Telephone: (212) 860-1380
Owner Name: CITY OF NEW YORK, PARKS & RECREATION
Owner Address: 830 FIFTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10027
Owner Telephone: (212) 360-8221
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: CITY OF NEW YORK, PARKS & RECREATION
Mailing Address: 5-BORO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION CENTER (Continued)

U003764783

Mailing Address 2: RANDALLS ISLAND
Mailing City,St,Zip: NEW YORK, NY 10035
Mailing Contact: GABE RAMOS
Mailing Telephone: (212) 410-8916
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/12/2001
Expiration Date: 01/08/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PELHAM FRITZ RECREATION CENTER (Continued)

U003764783

Lat/long: Not reported

L111 220 LENOX AVENUE
SSW 220 LENOX AVENUE
1/8-1/4 NEW YORK, NY 10027
0.148 mi.
781 ft. Site 2 of 9 in cluster L

AST A100183439
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606867
Program Type: PBS
UTM X: 588779.78911000001
UTM Y: 4517617.8448200002
Expiration Date: 2011/08/29

Tank Number: 001
Tank Id: 61964
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/11/2006

Actual:
25 ft.

Affiliation Records:
Site Id: 28722
Affiliation Type: On-Site Operator
Company Name: 220 LENOX AVENUE
Contact Type: Not reported
Contact Name: ASST. COMM. DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/11/2006

Site Id: 28722
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

220 LENOX AVENUE (Continued)

A100183439

Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 28722
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST COMMISSIONER DAMP
Contact Name: WILLA H. PADGETT
Address1: 100 GOLD ST., #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/8/2007

Site Id: 28722
Affiliation Type: Emergency Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: 213/215 MOTT ST. H.D.F.C.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 613-0908
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2008

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

L112 **CONSOLIDATED EDISON**
SSW **103 W 121ST ST**
1/8-1/4 **MANHATTAN, NY 10003**
0.149 mi.
789 ft. **Site 3 of 9 in cluster L**

MANIFEST **S109583919**
 N/A

Relative:
Lower

NY MANIFEST:

EPA ID: NYP004165999
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: MANHATTAN
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
25 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004165999
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028141JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583919

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004165999
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028141JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004165999
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028141JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109583919

Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	2009-04-06
Trans1 Recv Date:	2009-04-06
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-04-06
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004165999
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	500.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	09
Manifest Tracking Num:	001028141JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N113 **349-59 LENOX LLC**
NNE **359 LENOX AVENUE**
1/8-1/4 **NEW YORK, NY 10027**
0.150 mi.
791 ft. **Site 2 of 4 in cluster N**

AST **A100292199**
 N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607444
Program Type: PBS
UTM X: 589035.5364800001
UTM Y: 4518146.84344
Expiration Date: 2007/02/21

Actual:
27 ft.

Tank Number: 001
Tank Id: 62976
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1999
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 29296
Affiliation Type: Mail Contact
Company Name: 349-59 LENOX LLC
Contact Type: Not reported
Contact Name: FACILITY MANAGER
Address1: C/O POKP MANAGEMENT CORP
Address2: 225 WESTCHESTER AVE
City: PORT CHESTER
State: NY
Zip Code: 10573
Country Code: 001
Phone: (877) 765-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29296
Affiliation Type: Emergency Contact
Company Name: 349-59 LENOX LLC C/O POKO MGMT
Contact Type: Not reported
Contact Name: JOHN BRAXTON
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

349-59 LENOX LLC (Continued)

A100292199

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 531-0757
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29296
Affiliation Type: On-Site Operator
Company Name: 349-59 LENOX LLC
Contact Type: Not reported
Contact Name: JOHN BRAXTON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 531-0757
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29296
Affiliation Type: Owner
Company Name: 349-59 LENOX LLC C/O POKO MGMT
Contact Type: Not reported
Contact Name: Not reported
Address1: 225 WESTCHESTER AVE
Address2: Not reported
City: PORT CHESTER
State: NY
Zip Code: 10573
Country Code: 001
Phone: (877) 765-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

L114
SSW
1/8-1/4
0.150 mi.
792 ft.

HPD
100 WEST 121ST STREET
NEW YORK, NY 10026
Site 4 of 9 in cluster L

AST U003394928
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-469734

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HPD (Continued)

U003394928

Program Type: PBS
UTM X: 588815.60332999995
UTM Y: 4517676.4351199996
Expiration Date: 2013/06/22

Tank Number: 201
Tank Id: 37284
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/2/1998
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/14/2008

Affiliation Records:

Site Id: 20536
Affiliation Type: Mail Contact
Company Name: IMANI MANAGEMENT INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: PO BOX 1242
Address2: Not reported
City: TEANECK
State: NJ
Zip Code: 07666
Country Code: 001
Phone: (212) 543-0448
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/14/2008

Site Id: 20536
Affiliation Type: Emergency Contact
Company Name: 100 W. 121 ST HDFC
Contact Type: Not reported
Contact Name: ANGEL LAVERGNE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 560-5207
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HPD (Continued)

U003394928

Date Last Modified: 4/14/2008

Site Id: 20536
Affiliation Type: Owner
Company Name: 100 W. 121 ST HDFC
Contact Type: AGENT
Contact Name: ANGEL LAVERGNE
Address1: 100 W 121 ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 543-0448
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/14/2008

Site Id: 20536
Affiliation Type: On-Site Operator
Company Name: 100 W. 121 ST HDFC
Contact Type: Not reported
Contact Name: HAROLD RIVERS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 418-3219
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/14/2008

HIST AST:

PBS Number: 2-469734
SWIS Code: 6201
Operator: NATTIE SPENCER
Facility Phone: (212) 866-0629
Facility Addr2: 100 WEST 121ST STREET
Facility Type: APARTMENT BUILDING
Emergency: NATTIE SPENCER
Emergency Tel: (212) 866-0629
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NEW YORK H.P.D.
Owner Address: 150 WILLIAM STREET
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 240-5656
Owner Type: Local Government

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HPD (Continued)

U003394928

Owner Subtype: Not reported
Mailing Contact: HATTIE SPENCER-APT 52
Mailing Name: 100 WEST 121 STREET TENANT ASSOCIATION
Mailing Address: 100 W 121 STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10026
Mailing Telephone: (212) 866-0629
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/23/1992
Expiration: 03/28/1999
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: 2
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 06
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

L115
SSW
1/8-1/4
0.150 mi.
793 ft.

91-53 121ST ST/QUNS/LIRR
91-53 121ST STREET
NEW YORK CITY, NY
Site 5 of 9 in cluster L

LTANKS **S104275625**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Relative:
Lower

LTANKS:

Site ID: 305587
Spill No: 9009530
Spill Date: 11/30/1990
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
25 ft.

Spill Closed Dt: 2/4/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 4101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 12/3/1990
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/2/1991
Spill Record Last Update: 4/30/2004
Spiller Name: Not reported
Spiller Company: LIRR
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 246850
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG" SPILL STOPPED, CLEANED UP.

Remarks: PAINT STRIPPING SOLUTION OVERFLOWED FROM UNDERGROUND TANK,ON LAND, GETTING INTO WATER.

Material:

Site ID: 305587
Operable Unit ID: 949949
Operable Unit: 01
Material ID: 429742
Material Code: 0033B
Material Name: DICHLOROMETHANE
Case No.: 00075092
Material FA: Hazardous Material
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Oxygenate: False

Tank Test:

Site ID: 305587
Spill Tank Test: 1537977
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9009530
Spill Date: 11/30/1990
Spill Time: 13:42
Spill Cause: Tank Test Failure
Resource Affectd: In Sewer
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/04/98
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/03/90
Reported to Department Time: 10:10
SWIS: 63
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: LIRR
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 217-3252
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/02/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/03/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Nonpetroleum/Nonhazardous
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DICHLOROMETHANE
Class Type: DICHLOROMETHANE
Times Material Entry In File: 0
CAS Number: 00075092
Last Date: Not reported
Material: METHYLENE CHLORIDE
Class Type: METHYLENE CHLORIDE
Times Material Entry In File: 68
CAS Number: 00075092
Last Date: Not reported
DEC Remarks: SPILL STOPPED, CLEANED UP.
Spill Cause: PAINT STRIPPING SOLUTION OVERFLOWED FROM UNDERGROUND TANK, ON LAND, GETTING INTO WATER.

NY Spills:

Site ID: 305585
Facility Addr2: Not reported
Facility ID: 8904486
Spill Number: 8904486
Facility Type: ER
SWIS: 4101
Investigator: SIGONA
Referred To: Not reported
Spill Date: 8/5/1989
Reported to Dept: 8/5/1989
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Railroad Car
Spill Notifier: Responsible Party
Cleanup Ceased: 8/6/1989
Cleanup Meets Std: True
Last Inspection: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 8/6/1989
Remediation Phase: 0
Date Entered In Computer: 8/25/1989
Spill Record Last Update: 4/30/2004
Spiller Name: Not reported
Spiller Company: LIRR
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 246850
DEC Memo: Not reported
Remarks: LOCOMOTIVE DERAILED, FUEL TANK WAS PUNCTURED, SPILL ON GROUND NEAR TRACKS.

Material:

Site ID: 305585
Operable Unit ID: 929739
Operable Unit: 01
Material ID: 448533
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2000
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 305586
Facility Addr2: Not reported
Facility ID: 9004167
Spill Number: 9004167
Facility Type: ER
SWIS: 4101
Investigator: SULLIVAN
Referred To: Not reported
Spill Date: 7/16/1990

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Reported to Dept: 7/16/1990
CID: 15
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: 7/20/1990
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 7/20/1990
Remediation Phase: 0
Date Entered In Computer: 7/18/1990
Spill Record Last Update: 4/30/2004
Spiller Name: Not reported
Spiller Company: LIRR
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 246850
DEC Memo: Not reported
Remarks: ENGINE DERAILED, HIT ANOTHER ENGINE & PUNCTURED FUEL TANK WHICH IS FULLY LOADED APPROX 3000 GALLONS, WILL PUMP FUEL INTO ANOTHER ENGINE, NYCFD USED WATER & FOAM TO DILUTE SPILL, ENTERING SEWER.

Material:

Site ID: 305586
Operable Unit ID: 941970
Operable Unit: 01
Material ID: 435271
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 500
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
Spill Number: 8904486
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/05/1989 05:25
Reported to Dept Date/Time: 08/05/89 07:28
SWIS: 63
Spiller Name: LIRR
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 11
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 08/06/89
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 08/06/89
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/25/89
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/06/89
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 2000
Unkonwn Quantity Spilled: False
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 08/06/89: EPA WAS NOTIFIED, FUEL CONTAINED IN TRAIN YARD SUMP WHICH GOES TO OIL WATER SEPARATOR.
Remark: LOCOMOTIVE DERAILED, FUEL TANK WAS PUNCTURED, SPILL ON GROUND NEAR TRACKS.

Region of Spill: 2
Spill Number: 9004167
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/16/1990 08:40
Reported to Dept Date/Time: 07/16/90 09:04
SWIS: 63
Spiller Name: LIRR
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Traffic Accident
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 07/20/90
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 07/20/90
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/18/90
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/30/90
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

91-53 121ST ST/QUNS/LIRR (Continued)

S104275625

Material:

Material Class Type: Petroleum

Quantity Spilled: 500

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: DIESEL

Class Type: DIESEL

Times Material Entry In File: 10625

CAS Number: Not reported

Last Date: 19940728

DEC Remarks: 07/20/90: DEC INVESTIGATED, ENGINE ROLLED BACK ON TRACKS INTO WATER SUMP PUNCTURED TANK, APPROXIMATELY 500 GALS LOST INTO SUMP ON GROUND, SUMP WAS PUMPED OUT PRESSURE WASHED,DIRT REMOVED.

Remark: ENGINE DERAILED, HIT ANOTHER ENGINE PUNCTURED FUEL TANK WHICH IS FULLY LOADED APPROX 3000 GALLONS, WILL PUMP FUEL INTO ANOTHER ENGINE, NYCFD USED WATER FOAM TO DILUTE SPILL, ENTERING SEWER.

L116
SSW
1/8-1/4
0.151 mi.
799 ft.

CON EDISON
116 W 121ST ST
NEW YORK, NY 10027

RCRA-CESQG 1012185766
NYP004166005

Site 6 of 9 in cluster L

Relative:
Higher

RCRA-CESQG:

Date form received by agency:04/06/2009

Facility name: CON EDISON

Facility address: 116 W 121ST ST
NEW YORK, NY 10027

EPA ID: NYP004166005

Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003

Contact: MICHAEL BETO

Contact address: Not reported

Contact address: Not reported

Contact country: Not reported

Contact telephone: (917) 337-5519

Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185766

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: Unknown
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

N117
NNE
1/8-1/4
0.152 mi.
801 ft.

CHURCH OF LATTER-DAY SAINTS
360-368 LENOX AVENUE
NEW YORK, NY 10037
Site 3 of 4 in cluster N

AST U004046367
N/A

Relative:
Higher

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-608722
Program Type: PBS
UTM X: 589057.21302000002
UTM Y: 4518133.1153899999
Expiration Date: N/A

Tank Number: 001
Tank Id: 65566
Tank Location: 1
Tank Type: Stainless Steel Alloy
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 2/1/2003
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 30574
Affiliation Type: Owner
Company Name: CHURCH OF LATTER-DAY SAINTS
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH OF LATTER-DAY SAINTS (Continued)

U004046367

Contact Name: Not reported
Address1: 360-368 LENOX AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10037
Country Code: 001
Phone: (719) 282-8040
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30574
Affiliation Type: On-Site Operator
Company Name: CHURCH OF LATTER-DAY SAINTS
Contact Type: Not reported
Contact Name: CORY KARL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (719) 282-8040
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30574
Affiliation Type: Mail Contact
Company Name: CHURCH OF LATTER-DAY SAINTS
Contact Type: Not reported
Contact Name: Not reported
Address1: 369-368 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10037
Country Code: 001
Phone: (719) 282-8040
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30574
Affiliation Type: Emergency Contact
Company Name: CHURCH OF LATTER-DAY SAINTS
Contact Type: Not reported
Contact Name: CORY KARL
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH OF LATTER-DAY SAINTS (Continued)

U004046367

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (719) 282-8040
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

118
SSW
1/8-1/4
0.152 mi.
802 ft.

CONSOLIDATED EDISON
OPP 122 W 121ST ST
NEW YORK, NY

MANIFEST S109584357
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004166021
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
26 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166021
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028143JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584357

Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166021
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028143JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166021

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584357

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028143JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-06
Trans1 Recv Date: 2009-04-06
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004166021
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028143JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584357

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Q119
NNE
1/8-1/4
0.152 mi.
805 ft.

APT BUILDING
137 WEST 128TH ST
MANHATTEN, NY
Site 1 of 4 in cluster Q

LTANKS **S105055126**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
29 ft.

Site ID: 137739
Spill No: 0103076
Spill Date: 6/20/2001
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/21/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: ADEBONG
Referred To: Not reported
Reported to Dept: 6/20/2001
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/20/2001
Spill Record Last Update: 12/21/2005
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: TED MAFFEI
Spiller Phone: (718) 361-9910
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 117787
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" Staff received a closure report from TDX construction Corporation of 24-20 jackson avenue Long Island city ny 11101. A review of the cloure report indicated that there is no need for further remedial actions on this site.

Remarks: WILL BUT IN A TEMP TANK AND REMOVE OLD ONE

Material:

Site ID: 137739
Operable Unit ID: 841762
Operable Unit: 01
Material ID: 535171
Material Code: 0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S105055126

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0103076
Spill Date: 06/20/2001
Spill Time: 09:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 06/20/01
Reported to Department Time: 10:05
SWIS: 62
Spiller Contact: TED MAFFEI
Spiller Phone: (718) 361-9910
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S105055126

Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-600990
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/20/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/20/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: WILL BUT IN A TEMP TANK AND REMOVE OLD ONE

**K120
ESE
1/8-1/4
0.153 mi.
806 ft.**

**BEXIN REALTY CORP.
24 WEST 125TH STREET
NEW YORK, NY 10027
Site 2 of 4 in cluster K**

**AST A100183505
N/A**

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606940
Program Type: PBS
UTM X: 589151.24117000005
UTM Y: 4517834.81494
Expiration Date: 2011/09/17

**Actual:
25 ft.**

Tank Number: 001
Tank Id: 62084
Tank Location: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BEXIN REALTY CORP. (Continued)

A100183505

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 28795
Affiliation Type: Mail Contact
Company Name: BEXIN REALTY CORP.
Contact Type: Not reported
Contact Name: BAHRAM BENARESH
Address1: 588 BROADWAY
Address2: STE. 709
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 966-6364
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/19/2006

Site Id: 28795
Affiliation Type: On-Site Operator
Company Name: BEXIN REALTY CORP.
Contact Type: Not reported
Contact Name: PRYCE CALBERT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 667-1749
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/17/2006

Site Id: 28795
Affiliation Type: Emergency Contact
Company Name: BEXIN REALTY CORP.
Contact Type: Not reported
Contact Name: PRYCE CALBERT
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BEXIN REALTY CORP. (Continued)

A100183505

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 667-1749
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/17/2006

Site Id: 28795
Affiliation Type: Owner
Company Name: BEXIN REALTY CORP.
Contact Type: Not reported
Contact Name: Not reported
Address1: 588 BROADWAY, ST 709
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 966-6364
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/17/2006

N121
NNE
1/8-1/4
0.153 mi.
807 ft.

CON EDISION - RV #5970
360 LENOX AVE 360 LENOX AVE
NEW YORK, NY 10003

RCRA-NonGen 1007208025
MANIFEST NYP004080586

Site 4 of 4 in cluster N

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 06/02/2002
Facility name: CON EDISION - RV #5970
Facility address: 360 LENOX AVE 360 LENOX AVE
NEW YORK, NY 10003
EPA ID: NYP004080586
Mailing address: IRVING PLACE
NEW YORK, NY 10003
Contact: ANTHONY DRUMMINGS
Contact address: IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - RV #5970 (Continued)

1007208025

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 06/01/2002
Facility name: CON EDISION - RV #5970
Classification: Not a generator, verified

Date form received by agency: 05/31/2002
Facility name: CON EDISION - RV #5970
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004080586
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0760104
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/25/2001
Trans1 Recv Date: 04/25/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/26/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004080586
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 187053
Waste Code: B005 - PCB ARTICLES WITH 500 PPM OR > PCB

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISION - RV #5970 (Continued)

1007208025

Quantity: 01000
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Q122 137 W 128 ST
NNE 137 W 128 ST
1/8-1/4 NEW YORK, NY 10027
0.153 mi.
810 ft. Site 2 of 4 in cluster Q

HIST UST U003835929
N/A

Relative:
Higher

HIST UST:

Actual:
29 ft.

PBS Number: 2-600990
SPDES Number: Not reported
Emergency Contact: ASST. COMMISSIONER/DPM
Emergency Telephone: (212) 863-7087
Operator: ASST. COMMISSIONER/DPM
Operator Telephone: (212) 863-7087
Owner Name: NYC/HPD/DPM
Owner Address: 100 GOLD ST #6Z1
Owner City,St,Zip: NEW YORK, NY 10038
Owner Telephone: (212) 863-7087
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: NYC/HPD/DPM
Mailing Address: Not reported
Mailing Address 2: 100 GOLD ST #6Z1
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Contact: ASST. COMMISSIONER/DPM
Mailing Telephone: (212) 863-7087
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 137 W 128 ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

137 W 128 ST (Continued)

U003835929

Certification Date: 03/09/2001
Expiration Date: 10/20/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Q123
NNE
1/8-1/4
0.153 mi.
810 ft.

137 W 128 ST
137 WEST 128TH STREET
NEW YORK, NY 10027

UST U004078402
N/A

Site 3 of 4 in cluster Q

Relative:
Higher

UST:
Facility Id: 2-600990
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/10/20
UTM X: 589050.22305999999
UTM Y: 4518208.94716
Site ID: 22960

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

137 W 128 ST (Continued)

U004078402

Tank Number: 1
Tank ID: 44688
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: 21
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: 7/1/2003
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 22960
Affiliation Type: Owner
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST #6Z1
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22960
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: 100 GOLD STREET
Address2: #6Z1
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/11/2006

Site Id: 22960
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DPM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

137 W 128 ST (Continued)

U004078402

Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 8/19/2004

Site Id: 22960
Affiliation Type: On-Site Operator
Company Name: 137 W 128 ST
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

Site Id: 22960
Tank Id Number: 44688
Tank Number: 1
Equipment: C03
Code Name: Aboveground/Underground Combination
Type: Pipe Location

Site Id: 22960
Tank Id Number: 44688
Tank Number: 1
Equipment: I05
Code Name: Vent Whistle
Type: Overfill

Site Id: 22960
Tank Id Number: 44688
Tank Number: 1
Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Site Id: 22960
Tank Id Number: 44688

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

137 W 128 ST (Continued)

U004078402

Tank Number:	1
Equipment:	H00
Code Name:	None
Type:	Tank Leak Detection
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	A03
Code Name:	Fiberglass Liner (FRP)
Type:	Tank Internal Protection
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	B01
Code Name:	Painted/Asphalt Coating
Type:	Tank External Protection
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	J02
Code Name:	Suction
Type:	Dispenser
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Site Id:	22960
Tank Id Number:	44688
Tank Number:	1
Equipment:	L09
Code Name:	Exempt Suction Piping
Type:	Piping Leak Detection

L124
 SSW
 1/8-1/4
 0.160 mi.
 846 ft.

TEMPLE HALL HAND LAUNDRY
215 LENOX AV
MANHATTAN, NY
 Site 7 of 9 in cluster L

EDR Historical Cleaners 1009163808
 N/A

Relative:
 Lower
 Actual:
 25 ft.

EDR Historical Cleaners:
 Name: TEMPLE HALL HAND LAUNDRY
 Year: 1923
 Type: LAUNDRIES HAND

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

125 West 1/8-1/4 0.162 mi. 857 ft.	CONSOLIDATED EDISON 202 W 122 NEW YORK, NY	MANIFEST	S109825356 N/A
---	---	-----------------	---------------------------------

Relative: Higher	NY MANIFEST: EPA ID: NYP004167199 Country: USA Mailing Name: CONSOLIDATED EDISON Mailing Contact: CONSOLIDATED EDISON Mailing Address: 4 IRVING PL RM 828 Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA Mailing Phone: 212-460-2808		
-----------------------------------	---	--	--

Actual:
27 ft.

NY MANIFEST:
No Manifest Records Available

O126 South 1/8-1/4 0.163 mi. 861 ft.	CONSOLIDATED EDISON 14 MOUNT MORRIS PARK NEW YORK, NY 10020 Site 7 of 9 in cluster O	MANIFEST	S110045655 N/A
---	---	-----------------	---------------------------------

Relative: Lower	NY MANIFEST: EPA ID: NYP004188652 Country: USA Mailing Name: CONSOLIDATED EDISON Mailing Contact: CONSOLIDATED EDISON Mailing Address: 4 IRVING PLACE RM 828 Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA Mailing Phone: 212-460-2808		
----------------------------------	--	--	--

Actual:
22 ft.

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	2009-08-07
Trans1 Recv Date:	2009-08-07
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-08-07
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004188652
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045655

Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000961596GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-07
Trans1 Recv Date: 2009-08-07
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188652
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000961596GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

127
SW
1/8-1/4
0.164 mi.
866 ft.

CONSOLIDATED EDISON
171 WEST 121ST STREET
NEW YORK, NY 10020

MANIFEST S110045689
N/A

Relative:
Higher

NY MANIFEST:

Actual:
27 ft.

EPA ID: NYP004188538
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: CONSOLIDATED EDISON
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-10
Trans1 Recv Date: 2009-08-10
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188538
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084208GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045689

Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-08-10
 Trans1 Recv Date: 2009-08-10
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-08-11
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004188538
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1500.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001084208GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

K128
ESE
1/8-1/4
0.164 mi.
868 ft.

WEST 125TH STREET REALTY CORP
17-27 WEST 125TH ST
NEW YORK, NY 10027
Site 3 of 4 in cluster K

AST U003393640
HIST AST N/A

Relative:
Lower

Actual:
25 ft.

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-340464
 Program Type: PBS
 UTM X: 589163.50427000003
 UTM Y: 4517836.51788000002
 Expiration Date: 2007/12/14

 Tank Number: 001
 Tank Id: 31602
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 125TH STREET REALTY CORP (Continued)

U003393640

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 16444
Affiliation Type: Mail Contact
Company Name: WEST 125TH STREET REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 1461 THIRD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10028
Country Code: 001
Phone: (212) 717-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 16444
Affiliation Type: Emergency Contact
Company Name: WEST 125TH STREET REALTY CORP
Contact Type: Not reported
Contact Name: ARTHUN WEIGOLD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 717-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 16444
Affiliation Type: Owner
Company Name: WEST 125TH STREET REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 1461 THIRD AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 717-6680

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 125TH STREET REALTY CORP (Continued)

U003393640

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 16444
Affiliation Type: On-Site Operator
Company Name: WEST 125TH STREET REALTY CORP
Contact Type: Not reported
Contact Name: ARTHUN WEIGOLD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 717-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-340464
SWIS Code: 6201
Operator: SAME
Facility Phone: (212) 717-6680
Facility Addr2: 17 WEST 125TH ST
Facility Type: Not reported
Emergency: ARTHUN WEIGOLD
Emergency Tel: (212) 717-6680
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: WEST 125TH STREET REALTY CORP
Owner Address: 1461 THIRD AVENUE
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 717-6680
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: WEST 125TH STREET REALTY CORP
Mailing Address: 1461 THIRD AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10028
Mailing Telephone: (212) 717-6680
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/12/1997
Expiration: 12/14/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 125TH STREET REALTY CORP (Continued)

U003393640

Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

K129
ESE
1/8-1/4
0.164 mi.
868 ft.

17 W. 125 ST.
17 WEST 125TH STREET
NEW YORK, NY 10027
Site 4 of 4 in cluster K

AST A100175650
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-605389
Program Type: PBS
UTM X: 589207.97505999997
UTM Y: 4517852.24543999997
Expiration Date: 2011/03/13

Actual:
25 ft.

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

17 W. 125 ST. (Continued)

A100175650

Tank Id: 59810
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 27257
Affiliation Type: Emergency Contact
Company Name: WEST 125 ST. REALTY CORP.
Contact Type: Not reported
Contact Name: SEAN HE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 612-8232
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/22/2006

Site Id: 27257
Affiliation Type: On-Site Operator
Company Name: 17 W. 125 ST.
Contact Type: Not reported
Contact Name: PRYCE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-4870
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/22/2006

Site Id: 27257
Affiliation Type: Mail Contact
Company Name: WEST 125 ST. REALTY CORP.
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

17 W. 125 ST. (Continued)

A100175650

Contact Name: SEAN HE
Address1: 1220 LEXINGTON AVE
Address2: SUITE 2E
City: NEW YORK
State: NY
Zip Code: 10028
Country Code: 001
Phone: (212) 717-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/22/2006

Site Id: 27257
Affiliation Type: Owner
Company Name: WEST 125 ST. REALTY CORP.
Contact Type: MANAGE AGENT
Contact Name: SEAN HE
Address1: 1461 THIRD AVE., 2ND FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10028
Country Code: 001
Phone: (212) 717-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/22/2006

Equipment Records:

Site Id: 27257
Tank Id Number: 59810
Tank Number: 001
Equipment: B01
Code Name: Painted/Asphalt Coating
Type: Tank External Protection

Site Id: 27257
Tank Id Number: 59810
Tank Number: 001
Equipment: L09
Code Name: Exempt Suction Piping
Type: Piping Leak Detection

Site Id: 27257
Tank Id Number: 59810
Tank Number: 001
Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 27257
Tank Id Number: 59810
Tank Number: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

17 W. 125 ST. (Continued)

A100175650

Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	J02
Code Name:	Suction
Type:	Dispenser
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	G03
Code Name:	Vault (w/o access)
Type:	Tank Secondary Containment
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	C01
Code Name:	Aboveground
Type:	Pipe Location
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	I05
Code Name:	Vent Whistle
Type:	Overfill
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	F01
Code Name:	Painted/Asphalt Coating
Type:	Pipe External Protection
Site Id:	27257
Tank Id Number:	59810
Tank Number:	001
Equipment:	H00
Code Name:	None
Type:	Tank Leak Detection

L130
SSW
1/8-1/4
0.166 mi.
874 ft.

GORDENS CLEANERS
213 LENOX AVE
NEW YORK, NY 10027
Site 8 of 9 in cluster L

RCRA-NonGen **1004760085**
FINDS **NYR000031658**
MANIFEST

Relative:
Lower

RCRA-NonGen:
 Date form received by agency: 01/01/2007
 Facility name: GORDENS CLEANERS
 Facility address: 213 LENOX AVE
 NEW YORK, NY 10027
 EPA ID: NYR000031658

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Mailing address: LENOX AVE
NEW YORK, NY 10027
Contact: DONALD GORDEN
Contact address: LENOX AVE
NEW YORK, NY 10027
Contact country: US
Contact telephone: (212) 666-1970
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY OF NEW YORK
Owner/operator address: 100 W 121ST ST
NEW YORK, NY 10027
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CITY OF NEW YORK
Owner/operator address: 100 W 121ST ST
NEW YORK, NY 10027
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: GORDENS CLEANERS
Classification: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Date form received by agency: 10/31/1996
Facility name: GORDENS CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001607093

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:

EPA ID: NYR000031658
Country: USA
Mailing Name: GORDENS CLEANERS
Mailing Contact: DONALD GORDEN
Mailing Address: 213 LENOX AVE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-666-1970

Document ID: NJA2683031
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970620
Trans1 Recv Date: 970620
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970620
Part A Recv Date: Not reported
Part B Recv Date: 970721
Generator EPA ID: NYR000031658
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4546326
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 971022
Trans1 Recv Date: 971022
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971028
Part A Recv Date: Not reported
Part B Recv Date: 971202
Generator EPA ID: NYR000031658
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

TSDF ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5008937
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: DER000000273
Generator Ship Date: 03/13/1998
Trans1 Recv Date: 03/13/1998
Trans2 Recv Date: 03/24/1998
TSD Site Recv Date: 03/25/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4626933
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: MOD095038998
Generator Ship Date: 06/17/1998
Trans1 Recv Date: 06/17/1998
Trans2 Recv Date: 06/25/1998
TSD Site Recv Date: 06/26/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00350
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4977810
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: Not reported
Generator Ship Date: 02/10/1998
Trans1 Recv Date: 02/10/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/16/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Trans2 EPA ID: Not reported
TSDF ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4513961
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: Not reported
Generator Ship Date: 01/20/1998
Trans1 Recv Date: 01/20/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Mgmt Method Type Code: Not reported

Document ID: NJA2580587
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970314
Trans1 Recv Date: 970314
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970314
Part A Recv Date: 980326
Part B Recv Date: 970408
Generator EPA ID: NYR000031658
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2684843
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970502
Trans1 Recv Date: 970502
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970502
Part A Recv Date: 970513
Part B Recv Date: 970519
Generator EPA ID: NYR000031658
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5304510
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: MOD095038998
Generator Ship Date: 08/07/1998
Trans1 Recv Date: 08/07/1998
Trans2 Recv Date: 08/20/1998
TSD Site Recv Date: 08/21/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5422072
Manifest Status: Not reported
Trans1 State ID: ILD984908202

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GORDENS CLEANERS (Continued)

1004760085

Trans2 State ID: MOD095038998
Generator Ship Date: 10/29/1998
Trans1 Recv Date: 10/29/1998
Trans2 Recv Date: 11/06/1998
TSD Site Recv Date: 11/07/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000031658
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

L131
SSW
1/8-1/4
0.166 mi.
874 ft.

GORDEN CLEANERS
213 LENOX AVE.
NEW YORK, NY 10027
Site 9 of 9 in cluster L

DRYCLEANERS S110246714
N/A

Relative:
Lower

DRYCLEANERS:
Facility ID: 2-6202-00632
Region: 2
Registration Effective Date: 5/5/1999 17:01:47:97
Inspection Date: 03JUL9
Drop Shop: Y
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: DROP SHOP

Actual:
25 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

M132
NE
1/8-1/4
0.169 mi.
892 ft.

64 WEST 128TH STREET
64 WEST 128TH STREET
NEW YORK, NY 10027
Site 2 of 3 in cluster M

AST **A100317695**
N/A

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-610689
 Program Type: PBS
 UTM X: 589123.58750999998
 UTM Y: 4518127.3647299996
 Expiration Date: 2011/10/30

Actual:
24 ft.

Tank Number: 1
 Tank Id: 220145
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 8/14/1983
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kaker
 Last Modified: 11/13/2007

Affiliation Records:

Site Id: 389214
 Affiliation Type: Mail Contact
 Company Name: WEST 128TH STREET LP
 Contact Type: Not reported
 Contact Name: DONNA SYNMOIE
 Address1: 347 LENOX AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10027
 Country Code: 001
 Phone: (212) 987-8088
 Phone Ext: Not reported
 Email: DSYNMOIE@NYRWINC.COM
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 1/15/2010

Site Id: 389214
 Affiliation Type: Owner
 Company Name: WEST 128TH STREET LP
 Contact Type: MANAGING PARTNER
 Contact Name: FRANCIS SYNMOIE
 Address1: 347 LENOX AVENUE
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

64 WEST 128TH STREET (Continued)

A100317695

City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 389214
Affiliation Type: On-Site Operator
Company Name: 64 WEST 128TH STREET
Contact Type: Not reported
Contact Name: VINCENT ROSADO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 538-9174
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/31/2007

Site Id: 389214
Affiliation Type: Emergency Contact
Company Name: WEST 128TH STREET LP
Contact Type: Not reported
Contact Name: BASIL MARSHALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/31/2007

O133
South
1/8-1/4
0.171 mi.
902 ft.

24 WEST 121 STREET
24 W 121ST STREET
MANHATTAN, NY
Site 8 of 9 in cluster O

LTANKS **S104278315**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:
Site ID: 157304
Spill No: 9908095
Spill Date: 10/4/1999
Spill Cause: Tank Failure

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24 WEST 121 STREET (Continued)

S104278315

Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/17/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JXPerezM
Referred To: Not reported
Reported to Dept: 10/4/1999
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/4/1999
Spill Record Last Update: 10/17/2005
Spiller Name: AJAY PATEL, DIRECTOR
Spiller Company: HPD
Spiller Address: 100 GOLD ST
Spiller City,St,Zip: NEW YORK, NY 10038-001
Spiller County: 001
Spiller Contact: AJAY PATEL
Spiller Phone: (212) 863-7764
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 133038
DEC Memo: Spill closed on 10/17/2005. According to the documentation submitted by the current property owner, Classic Townhouses LLC (CTL), this formerly vacant NYC owned property was transferred to CTL's ownership on June 30, 2003 and there was no oil tank on the premises. Currently CTL is in the process of renovating this property and converting it to a 2-family house with a gas boiler. Therefore, the alleged threat is not apparent. By J. Perez on 10/17/05.
Remarks: Caller reports tank leak to floor approximately 15 gallons.

Material:

Site ID: 157304
Operable Unit ID: 1086764
Operable Unit: 01
Material ID: 300778
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24 WEST 121 STREET (Continued)

S104278315

Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9908095
Spill Date: 10/04/1999
Spill Time: 11:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/04/99
Reported to Department Time: 11:23
SWIS: 62
Spiller Contact: AJAY PATEL
Spiller Phone: (212) 863-7764
Spiller Extention: Not reported
Spiller Name: HPD
Spiller Address: 100 GOLD ST
Spiller City,St,Zip: NEW YORK, NY 10038-
Spiller Cleanup Date: / /
Facility Contact: AJAY PATEL, DIRECTOR
Facility Phone: (212) 312-8277
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/04/99

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

24 WEST 121 STREET (Continued)

S104278315

Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 12/08/99
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207

DEC Remarks: DEC Sigona investigated on 10/4/99 at 2:25 P.M. arrived on scene no work on site. Called PTC Anthony Lara on 10/4/99, he said Issac inspected the abandoned building who said may be leaking. Called A.J. Patel, he will call back. According to PTC, the FDNY stopped them to clean the floor and wanted the tank floor. Issac said HPD may want to use a different contractor to handle a tank replacement remediation. There are 2-275 gallon ASTs which are leaking and require replacement. DEC Sigona called Ajay Patel on 10/28/99 at 11:30 A.M., left message with Secretary. Ajay Patel, Director of Bureau of Maintenance and Procurement, HPD 212)863-7764.

Spill Cause: Caller reports tank leak to floor approximately 15 gallons.

M134
ENE
1/8-1/4
0.173 mi.
911 ft.

CITY OF N.Y DEPARTMENT OF H.P.D
60 WEST 128 STREET
NEW YORK, NY 10027
Site 3 of 3 in cluster M

AST U003395840
HIST AST N/A

Relative:
Lower

Actual:
24 ft.

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-600965
 Program Type: PBS
 UTM X: 589206.03222000005
 UTM Y: 4518111.2383300001
 Expiration Date: 2011/10/30

 Tank Number: 1
 Tank Id: 44663
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395840

Install Date: 1/15/1986
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 10/1/2007

Affiliation Records:

Site Id: 22935
Affiliation Type: Owner
Company Name: WEST 128 STREET LP
Contact Type: MANAGING AGENT
Contact Name: FRANCIS SYNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/1/2007

Site Id: 22935
Affiliation Type: Mail Contact
Company Name: WEST 128 STREET LP
Contact Type: Not reported
Contact Name: DONNA SYNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: DSYNMOIE@NYRWINC.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/1/2007

Site Id: 22935
Affiliation Type: Emergency Contact
Company Name: WEST 128 STREET LP
Contact Type: Not reported
Contact Name: BASIM MARSHALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395840

Country Code: 999
Phone: (646) 294-0086
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/1/2007

Site Id: 22935
Affiliation Type: On-Site Operator
Company Name: 60 WEST 128 STREET
Contact Type: Not reported
Contact Name: VINCENT ROSADO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 538-9174
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/1/2007

HIST AST:

PBS Number: 2-600965
SWIS Code: 6201
Operator: ANTHONY ANGRISANI
Facility Phone: (212) 360-5851
Facility Addr2: 60 WEST 128 STREET
Facility Type: APARTMENT BUILDING
Emergency: WALTER ROBERTS
Emergency Tel: (212) 360-7948
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF N.Y DEPARTMENT OF H.P.D
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8306
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: IVAN SCHWARTZ
Mailing Name: CITY OF N.Y DEPARTMENT OF H.P.D
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: 4TH FL-RM 427
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8037
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395840

Certification Date: 10/23/1992
 Expiration: 10/20/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

 Tank ID: 1
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Aboveground/Underground Combination
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 01
 Tank Containment: Diking
 Leak Detection: 00
 Overfill Protection: 06
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

135
 NW
 1/8-1/4
 0.175 mi.
 925 ft.

231 WEST 125 STREET
 231 WEST 125 STREET
 NEW YORK, NY

LTANKS S102671989
 HIST LTANKS N/A

Relative:
 Higher

LTANKS:

Actual:
 28 ft.

Site ID: 137951
 Spill No: 9209622
 Spill Date: 11/15/1992
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/31/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

231 WEST 125 STREET (Continued)

S102671989

Facility Addr2: Not reported
Cleanup Ceased: 3/31/1995
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 11/18/1992
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/23/1992
Spill Record Last Update: 9/3/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 117965
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: CAME OUT VENT AFTER DELIVERY-COMBINED CLEANUP CREW ON SCENE

Material:
Site ID: 137951
Operable Unit ID: 973442
Operable Unit: 01
Material ID: 406665
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

231 WEST 125 STREET (Continued)

S102671989

HIST LTANKS:

Region of Spill: 2
Spill Number: 9209622
Spill Date: 11/15/1992
Spill Time: 13:50
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/31/95
Cleanup Ceased: 03/31/95
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/18/92
Reported to Department Time: 14:14
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/23/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/31/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

231 WEST 125 STREET (Continued)

S102671989

Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CAME OUT VENT AFTER DELIVERY-COMBINED CLEANUP CREW ON SCENE

**R136
ESE
1/8-1/4
0.177 mi.
932 ft.**

**PIGRIM CATHEDRAL OF HARLEM
15 WEST 126 STREET
NEW YORK, NY 10027**

**UST U004081961
N/A**

Site 1 of 6 in cluster R

**Relative:
Lower**

UST:
Facility Id: 2-608338
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2008/02/21
UTM X: 589217.83224000002
UTM Y: 4517909.2275099996
Site ID: 30190

**Actual:
24 ft.**

Tank Number: 001
Tank ID: 65052
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2020
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:
Site Id: 30190
Affiliation Type: Mail Contact
Company Name: PILGRIM BAPTIST CHURCH
Contact Type: Not reported
Contact Name: PASTOR: D. CROWE
Address1: 135 SCHAEFER STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PIGRIM CATHEDRAL OF HARLEM (Continued)

U004081961

Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11207
Country Code: 001
Phone: (718) 452-5180
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30190
Affiliation Type: Emergency Contact
Company Name: PILGRIM BAPTIST CHURCH
Contact Type: Not reported
Contact Name: RONALD HOPKINS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 426-2888
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30190
Affiliation Type: On-Site Operator
Company Name: PIGRIM CATHEDRAL OF HARLEM
Contact Type: Not reported
Contact Name: STEWART GREEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 426-2888
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30190
Affiliation Type: Owner
Company Name: PILGRIM BAPTIST CHURCH
Contact Type: Not reported
Contact Name: Not reported
Address1: 628 CENTRAL AVENUE
Address2: Not reported
City: BROOKLYN
State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PIGRIM CATHEDRAL OF HARLEM (Continued)

U004081961

Zip Code: 11207
Country Code: 001
Phone: (718) 452-5180
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

O137
South
1/8-1/4
0.179 mi.
944 ft.

CONED
3 W 121ST ST
NEW YORK, NY 10001
Site 9 of 9 in cluster O

MANIFEST S109825026
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004182267
Country: USA
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address: 4 IRVING ST
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Actual:
22 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-29
Trans1 Recv Date: 2009-06-29
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-29
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004182267
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 300.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084081GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONED (Continued)

S109825026

Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	2009-06-29
Trans1 Recv Date:	2009-06-29
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-06-29
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004182267
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	09
Manifest Tracking Num:	001084081GBF
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

P138
ESE
1/8-1/4
0.180 mi.
952 ft.

NY PUBLIC LIBRARY HARLEM THE
9 W 124TH ST
NEW YORK, NY 10027
Site 2 of 2 in cluster P

RCRA-NonGen 1001197531
FINDS NYR000040998
MANIFEST

Relative:
Higher

RCRA-NonGen:
 Date form received by agency: 01/01/2007
 Facility name: NY PUBLIC LIBRARY HARLEM THE
 Facility address: 9 W 124TH ST
 NEW YORK, NY 100275634
 EPA ID: NYR000040998
 Mailing address: W 40TH ST
 NEW YORK, NY 100182788
 Contact: Not reported

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NY PUBLIC LIBRARY HARLEM THE (Continued)

1001197531

Contact address: W 40TH ST
NEW YORK, NY 100182788
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: THE NEW YORK PUBLIC LIBRARY
Owner/operator address: 5TH AVE & 42ND ST
NEW YORK, NY 10018
Owner/operator country: US
Owner/operator telephone: (212) 930-0618
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: THE NEW YORK PUBLIC LIBRARY
Owner/operator address: 5TH AVE & 42ND ST
NEW YORK, NY 10018
Owner/operator country: US
Owner/operator telephone: (212) 930-0618
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NY PUBLIC LIBRARY HARLEM THE
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: NY PUBLIC LIBRARY HARLEM THE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NY PUBLIC LIBRARY HARLEM THE (Continued)

1001197531

Classification: Not a generator, verified

Date form received by agency: 06/11/1997

Facility name: NY PUBLIC LIBRARY HARLEM THE

Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004535156

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000040998
Country: USA
Mailing Name: NY PUBLIC LIBRARY HARLEM
Mailing Contact: JOSHUA POMERANTZ
Mailing Address: 11 W 40TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10018
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-930-0618

Document ID: MIA3548435
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: T3K761NJ
Trans2 State ID: Not reported
Generator Ship Date: 970708
Trans1 Recv Date: 970708
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970711
Part A Recv Date: Not reported
Part B Recv Date: 970806
Generator EPA ID: NYR000040998
Trans1 EPA ID: NJD054126164
Trans2 EPA ID: Not reported
TSDf ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NY PUBLIC LIBRARY HARLEM THE (Continued)

1001197531

Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

S139
South
1/8-1/4
0.183 mi.
964 ft.

PARKSIDE CORRECTIONAL FACILITY
10 MOUNT MORRIS PARK WEST
MANHATTAN, NY 10027

UST U004076308
N/A

Site 1 of 7 in cluster S

Relative:
Lower

UST:
Facility Id: 2-095222
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2002/05/07
UTM X: 588958.76246
UTM Y: 4517599.9963600002
Site ID: 2625

Actual:
22 ft.

Tank Number: 001
Tank ID: 4509
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1969
Capacity Gallons: 4500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:
Site Id: 2625
Affiliation Type: On-Site Operator
Company Name: PARKSIDE CORRECTIONAL FACILITY
Contact Type: Not reported
Contact Name: PARKSIDE CORRECTIONAL FACILITY
Address1: Not reported
Address2: Not reported
City: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE CORRECTIONAL FACILITY (Continued)

U004076308

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 860-6835
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2625
Affiliation Type: Owner
Company Name: NYS DEPT CORR SVC
Contact Type: Not reported
Contact Name: Not reported
Address1: STATE CAMPUS BUILDING 2
Address2: Not reported
City: ALBANY
State: NY
Zip Code: 12226
Country Code: 001
Phone: (212) 860-6835
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2625
Affiliation Type: Emergency Contact
Company Name: NYS DEPT CORR SVC
Contact Type: Not reported
Contact Name: DR. SALAMACK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 860-6836
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2625
Affiliation Type: Mail Contact
Company Name: NYS DEPT CORR SVC
Contact Type: Not reported
Contact Name: FRANK SHERIDAN
Address1: STATE CAMPUS BUILDING 2
Address2: Not reported
City: ALBANY
State: NY
Zip Code: 12226
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE CORRECTIONAL FACILITY (Continued)

U004076308

Phone: (518) 432-2454
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

S140
South
1/8-1/4
0.183 mi.
964 ft.

PARKSIDE CORRECTIONAL FACILITY
10 MT MORRIS PARK W
NEW YORK, NY 10027

RCRA-NonGen **1000551945**
FINDS **NYD986943215**
HIST UST

Site 2 of 7 in cluster S

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: PARKSIDE CORRECTIONAL FACILITY
Facility address: 10 MT MORRIS PARK W
NEW YORK, NY 10027
EPA ID: NYD986943215
Mailing address: MT MORRIS PARK W
NEW YORK, NY 10027
Contact: Not reported
Contact address: MT MORRIS PARK W
NEW YORK, NY 10027
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
22 ft.

Owner/Operator Summary:

Owner/operator name: NYS DEPT OF CORRECTIONAL SVC
Owner/operator address: EMPIRE STATE PLZ
ALBANY, NY 12242
Owner/operator country: US
Owner/operator telephone: (518) 474-0335
Legal status: State
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYS DEPT OF CORRECTIONAL SVC
Owner/operator address: EMPIRE STATE PLZ
ALBANY, NY 12242
Owner/operator country: US
Owner/operator telephone: (518) 474-0335
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE CORRECTIONAL FACILITY (Continued)

1000551945

Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PARKSIDE CORRECTIONAL FACILITY
Classification: Not a generator, verified

Date form received by agency: 12/07/1994
Facility name: PARKSIDE CORRECTIONAL FACILITY
Classification: Not a generator, verified

Date form received by agency: 03/05/1991
Facility name: PARKSIDE CORRECTIONAL FACILITY
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004461797

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HIST UST:

PBS Number: 2-095222
SPDES Number: Not reported
Emergency Contact: DR. SALAMACK
Emergency Telephone: (212) 860-6836
Operator: PARKSIDE CORRECTIONAL FACILITY
Operator Telephone: (212) 860-6835
Owner Name: NYS DEPT CORR SVC
Owner Address: STATE CAMPUS BUILDING 2
Owner City,St,Zip: ALBANY, NY 12226
Owner Telephone: (212) 860-6835
Owner Type: State Government
Owner Subtype: NYS Department of Corrective Services
Mailing Name: NYS DEPT CORR SVC
Mailing Address: STATE CAMPUS BUILDING 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKSIDE CORRECTIONAL FACILITY (Continued)

1000551945

Mailing Address 2: Not reported
Mailing City,St,Zip: ALBANY, NY 12226
Mailing Contact: FRANK SHERIDAN
Mailing Telephone: (518) 432-2454
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 10 MOUNT MORRIS PARK WEST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/23/1997
Expiration Date: 05/07/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19691201
Capacity (gals): 4500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: In-tank System
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PARKSIDE CORRECTIONAL FACILITY (Continued)

1000551945

Lat/long: Not reported

T141
ESE
1/8-1/4
0.193 mi.
1021 ft.

ONE WEST 125TH ST INC
1 WEST 125TH STREET
NEW YORK, NY 10027

Site 1 of 6 in cluster T

AST 1000960765
HIST AST N/A

Relative:
Lower

AST:

Actual:
25 ft.

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-216755
 Program Type: PBS
 UTM X: 589250.43058000004
 UTM Y: 4517829.5541000003
 Expiration Date: 2007/10/15

Tank Number: UNK
 Tank Id: 22416
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

Affiliation Records:

Site Id: 8167
 Affiliation Type: Owner
 Company Name: ONE WEST 125TH STREET, INC.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 1 WEST 125TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10027
 Country Code: 001
 Phone: (212) 369-6066
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 8167
 Affiliation Type: Mail Contact
 Company Name: ONE WEST 125TH STREET INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE WEST 125TH ST INC (Continued)

1000960765

Contact Type: Not reported
Contact Name: Not reported
Address1: 1 WEST 125TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 369-6066
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8167
Affiliation Type: Emergency Contact
Company Name: ONE WEST 125TH STREET, INC.
Contact Type: Not reported
Contact Name: CURTIS L MILLS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 369-6066
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8167
Affiliation Type: On-Site Operator
Company Name: ONE WEST 125TH ST INC
Contact Type: Not reported
Contact Name: ONE WEST 125TH ST
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 369-6066
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:
PBS Number: 2-216755
SWIS Code: 6201
Operator: ONE WEST 125TH ST INC
Facility Phone: (212) 369-6066
Facility Addr2: 1 WEST 125TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE WEST 125TH ST INC (Continued)

1000960765

Facility Type: OTHER
Emergency: CURTIS L MILLS
Emergency Tel: (212) 369-6066
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ONE WEST 125TH STREET, INC.
Owner Address: 1 WEST 125TH STREET
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 369-6066
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: ONE WEST 125TH STREET INC
Mailing Address: 1 WEST 125TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Telephone: (212) 369-6066
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 09/11/1997
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: UNK
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE WEST 125TH ST INC (Continued)

1000960765

Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

U142
WSW
1/8-1/4
0.196 mi.
1037 ft.

PARIS CLEANERS
2020 7TH AVE
NEW YORK, NY 10027
Site 1 of 4 in cluster U

RCRA-NonGen **1000261972**
FINDS **NYD981082423**
MANIFEST

Relative:
Higher

RCRA-NonGen:

Actual:
27 ft.

Date form received by agency: 01/01/2007
Facility name: PARIS CLEANERS
Facility address: 2020 7TH AVE
NEW YORK, NY 10027
EPA ID: NYD981082423
Mailing address: 7TH AVE
NEW YORK, NY 10027
Contact: Not reported
Contact address: 7TH AVE
NEW YORK, NY 10027
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported
Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PARIS CLEANERS
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: PARIS CLEANERS
Classification: Not a generator, verified

Date form received by agency: 05/06/1985
Facility name: PARIS CLEANERS
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004396485

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD981082423
Country: USA
Mailing Name: PARIS TAILORS INCORPORATED
Mailing Contact: PARIS TAILORS INCORPORATED
Mailing Address: 2020 SEVENTH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-865-8434

Document ID: NJA0182992
Manifest Status: Completed copy
Trans1 State ID: NJSWAS284
Trans2 State ID: Not reported
Generator Ship Date: 860314
Trans1 Recv Date: 860314
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860314
Part A Recv Date: 860318
Part B Recv Date: 860320
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00540
Units: P - Pounds
Number of Containers: 009
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0222969
Manifest Status: Completed copy
Trans1 State ID: NJSWAS
Trans2 State ID: Not reported
Generator Ship Date: 860806
Trans1 Recv Date: 860806
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860806
Part A Recv Date: 860812

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Part B Recv Date: 860815
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00540
Units: P - Pounds
Number of Containers: 009
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MNA5026657
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 861113
Trans1 Recv Date: 861113
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861113
Part A Recv Date: 861125
Part B Recv Date: 861201
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00330
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MNA5053763
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: Not reported
Generator Ship Date: 870415
Trans1 Recv Date: 870415
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870415
Part A Recv Date: 870427
Part B Recv Date: 870429
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0329217
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870619
Trans1 Recv Date: 870619
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870619

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Part A Recv Date: 870624
Part B Recv Date: 870709
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0364759
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 871006
Trans1 Recv Date: 871006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871006
Part A Recv Date: 871020
Part B Recv Date: 871015
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00810
Units: P - Pounds
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0254556
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870123
Trans1 Recv Date: 870123
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870123
Part A Recv Date: 870209
Part B Recv Date: 870213
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00360
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0300766
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870519
Trans1 Recv Date: 870519
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870519
Part A Recv Date: 870522
Part B Recv Date: 870617
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0339862
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870722
Trans1 Recv Date: 870722
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870722
Part A Recv Date: 870728
Part B Recv Date: 870902
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MNA5049299
Manifest Status: Completed copy
Trans1 State ID: NJDPES869
Trans2 State ID: Not reported
Generator Ship Date: 870320
Trans1 Recv Date: 870320
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870320
Part A Recv Date: 870401
Part B Recv Date: 870402
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00330
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0362409
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 871027
Trans1 Recv Date: 871027
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871027
Part A Recv Date: 871221
Part B Recv Date: 871104
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYA8704991
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880219
Trans1 Recv Date: 880219
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880219
Part A Recv Date: 880229
Part B Recv Date: 880301
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MNA5044637
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870224
Trans1 Recv Date: 870224
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870224
Part A Recv Date: 870305
Part B Recv Date: 870305
Generator EPA ID: NYD981082423
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYA8651766
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880129
Trans1 Recv Date: 880129
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880129
Part A Recv Date: 880208
Part B Recv Date: 880208
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD051060408

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00320
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0433750
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880412
Trans1 Recv Date: 880412
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880412
Part A Recv Date: 880418
Part B Recv Date: 880422
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0435264
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880504
Trans1 Recv Date: 880504
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880504
Part A Recv Date: 880510
Part B Recv Date: 880513
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Mgmt Method Type Code: Not reported

Document ID: NJA0443761
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880624
Trans1 Recv Date: 880624
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880624
Part A Recv Date: 880706
Part B Recv Date: 880708
Generator EPA ID: NYD981082423
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0434292
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880729
Trans1 Recv Date: 880729
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880729
Part A Recv Date: 880802
Part B Recv Date: 880809
Generator EPA ID: NYD981082423

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARIS CLEANERS (Continued)

1000261972

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

T143
ESE
1/8-1/4
0.198 mi.
1046 ft.

2002 5TH AVENUE
2002 5TH AVENUE
NEW YORK, NY
Site 2 of 6 in cluster T

LTANKS **S102672359**
HIST LTANKS **N/A**

Relative:
Higher

Actual:
26 ft.

LTANKS:
Site ID: 120713
Spill No: 9312897
Spill Date: 2/1/1994
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/3/1994
Facility Addr2: Not reported
Cleanup Ceased: 2/3/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: ADZHITOM
Referred To: Not reported
Reported to Dept: 2/1/1994
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2002 5TH AVENUE (Continued)

S102672359

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/30/1994
Spill Record Last Update: 3/30/1994
Spiller Name: Not reported
Spiller Company: BARENKLAU OIL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 104796
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ALEX ZHITOMISKY"
Remarks: FUEL CAME OUT OF THE CAGE. BAERENKLAU CLEANED WITH A SPEEDY DRY.

Material:

Site ID: 120713
Operable Unit ID: 991431
Operable Unit: 01
Material ID: 388304
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9312897
Spill Date: 02/01/1994
Spill Time: 15:40
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2002 5TH AVENUE (Continued)

S102672359

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/03/94
Cleanup Ceased: 02/03/94
Cleanup Meets Standard: True
Investigator: ALEX ZHITOMISKY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/01/94
Reported to Department Time: 15:52
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: BARENKLAU OIL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/30/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/30/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2002 5TH AVENUE (Continued)

S102672359

Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: FUEL CAME OUT OF THE CAGE. BAERENKLAU CLEANED WITH A SPEEDY DRY.

**T144
ESE
1/8-1/4
0.198 mi.
1046 ft.**

**125 REALTY LLC C/O NOAM CORP.
2018 FIFTH AVENUE
NEW YORK, NY 10035**

**AST A100183202
N/A**

Site 3 of 6 in cluster T

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606594
Program Type: PBS
UTM X: 589206.29166999995
UTM Y: 4517795.95407999996
Expiration Date: 2012/01/08

**Actual:
26 ft.**

Tank Number: 001
Tank Id: 61642
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1949
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/8/2007

Affiliation Records:

Site Id: 28453
Affiliation Type: Emergency Contact
Company Name: 125 REALTY LLC
Contact Type: Not reported
Contact Name: GUSTAVO ACOSTA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 409-0479
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/8/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

125 REALTY LLC C/O NOAM CORP. (Continued)

A100183202

Site Id: 28453
Affiliation Type: On-Site Operator
Company Name: 125 REALTY LLC C/O NOAM CORP.
Contact Type: Not reported
Contact Name: GUSTAVO ACOSTA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 409-0479
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/8/2007

Site Id: 28453
Affiliation Type: Mail Contact
Company Name: NOAM CORP.
Contact Type: Not reported
Contact Name: SAUL MOSKOWITZ
Address1: 5210 16TH AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11204
Country Code: 001
Phone: (718) 435-5360
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/8/2007

Site Id: 28453
Affiliation Type: Owner
Company Name: 125 REALTY LLC
Contact Type: Not reported
Contact Name: SOLOMON GOTTLIEB
Address1: 5210 16TH AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11204
Country Code: 001
Phone: (718) 435-5360
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/8/2007

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

T145
ESE
1/8-1/4
0.198 mi.
1046 ft.

2000-2002 FIFTH AVENUE
2000-2002 FIFTH AVENUE
NEW YORK, NY 10035

UST **U004045158**
 N/A

Site 4 of 6 in cluster T

Relative:
Higher

UST:

Actual:
26 ft.

Facility Id: 2-609727
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Program Type: PBS
 Expiration Date: N/A
 UTM X: 589204.06379000004
 UTM Y: 4517791.81929
 Site ID: 332095

Tank Number: 1
 Tank ID: 180377
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 1500
 Tightness Test Method: 00
 Next Test Date: Not reported
 Date Tank Closed: 8/31/2004
 Tank Location: 5
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 10/8/2004

Affiliation Records:

Site Id: 332095
 Affiliation Type: Owner
 Company Name: 2002 FIFTH AVENUE, LLC
 Contact Type: PRESIDENT, GCI, INC.
 Contact Name: TOM P. SMYTH
 Address1: 104 EAST 126TH ST, SUITE 2A
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10035
 Country Code: 001
 Phone: (212) 427-8861
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 10/8/2004

Site Id: 332095
 Affiliation Type: Emergency Contact
 Company Name: 2002 FIFTH AVENUE, LLC
 Contact Type: Not reported
 Contact Name: MIKE VOGEL
 Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2000-2002 FIFTH AVENUE (Continued)

U004045158

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-8861
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/8/2004

Site Id: 332095
Affiliation Type: Mail Contact
Company Name: 2002 FIFTH AVENUE, LLC
Contact Type: Not reported
Contact Name: MICHAEL VOGEL
Address1: 104 EAST 126TH STREET
Address2: SUITE 2A
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 427-8861
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/8/2004

Site Id: 332095
Affiliation Type: On-Site Operator
Company Name: 2000-2002 FIFTH AVENUE
Contact Type: Not reported
Contact Name: NONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-8861
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/8/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

V146 103 WEST 120 STREET
SSW 103 W 120TH STREET
1/8-1/4 NEW YORK, NY 10027
0.198 mi.
1047 ft. Site 1 of 2 in cluster V

AST A100183397
N/A

Relative:
Higher

AST:

Actual:
26 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606825
Program Type: PBS
UTM X: 588737.50337000005
UTM Y: 4517612.4521899996
Expiration Date: 2006/08/27

Tank Number: 01
Tank Id: 61922
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 28680
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST # 7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28680
Affiliation Type: Emergency Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: 213/215 MOTT ST. H.D.F.C.
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

103 WEST 120 STREET (Continued)

A100183397

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 613-0908
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2008

Site Id: 28680
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET # 7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/3/2009

Site Id: 28680
Affiliation Type: On-Site Operator
Company Name: 103 WEST 120 STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

R147
East
1/8-1/4
0.199 mi.
1049 ft.

14-16 WEST 127TH STREET
14-16 WEST 127TH STREET
NEW YORK, NY 10027
Site 2 of 6 in cluster R

AST A100317687
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610690

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

14-16 WEST 127TH STREET (Continued)

A100317687

Program Type: PBS
UTM X: 589222.66908000002
UTM Y: 4517983.7834700001
Expiration Date: 2011/10/30

Tank Number: 1
Tank Id: 220149
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/22/1982
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kakyar
Last Modified: 11/13/2007

Affiliation Records:

Site Id: 389216
Affiliation Type: Owner
Company Name: WEST 128TH STREET LP
Contact Type: MANAGING PARTNER
Contact Name: FRANCIS SYNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 389216
Affiliation Type: On-Site Operator
Company Name: 14-16 WEST 127TH STREET
Contact Type: Not reported
Contact Name: VINCENT ROSADO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 538-9174
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

14-16 WEST 127TH STREET (Continued)

A100317687

Date Last Modified: 10/31/2007

Site Id: 389216
Affiliation Type: Emergency Contact
Company Name: WEST 128TH STREET LP
Contact Type: Not reported
Contact Name: BASIL MARSHALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/31/2007

Site Id: 389216
Affiliation Type: Mail Contact
Company Name: WEST 128TH STREET LP
Contact Type: Not reported
Contact Name: DONNA SYNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: DSYNMOIE@NYRWINC.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

W148 **MARCUS GARVEY**
ESE **124TH STREET / FIFTH AVE.**
1/8-1/4 **MANHATTAN, NY 10035**

CBS AST **S102639150**
CBS **N/A**

0.199 mi.
1051 ft.

Site 1 of 4 in cluster W

Relative:
Higher

CBS AST:
CBS Number: 2-000148
Region: STATE
Actual:
ICS Number: 2-700519
27 ft. PBS Number: Not reported
MOSF Number: Not reported
Telephone: (212) 410-2818
Facility Town: NEW YORK CITY
Operator: MELVIN BEVERHOUDT
Emrgncy Contact: JON MAZZA
Emrgncy Phone: (718) 383-6363
Expiration Date: 12/08/2001
Owner Name: N.Y.C. DEPT. OF PARKS & RECREATION
Owner Address: 16 W 61 ST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MARCUS GARVEY (Continued)

S102639150

Owner City,St,Zip: MANHATTAN, NY 10023
Owner Telephone: (212) 397-3100
Owner type: Local Government
Facility Type: TRUCKING/TRANSPORTATION
Mail Name: N.Y.C. DEPT. OF PARKS & RECREATION
Mail Contact Addr: 16 W 61 ST.
Mail Contact Addr2: Not reported
Mail Contact Contact: MAN.BORO OFFICE-JON MAZZA
Mail Contact City,St,Zip: MANHATTAN, NY 10023
Mail Phone: (212) 397-3100
SPDES Number: Not reported
Facility Status: ACTIVE FACILITY
Owner Sub Type: Not reported

Tank Id: 001
Date Entered: 07/19/1989
Capacity (Gal): 550
Chemical: Chlorine
Tank Closed: Not reported
Tank Status: In Service
Tank Type: Fiberglass reinforced plastic [FRP]
Install Date: 00/00
Certified Date: 11/05/1999
CAS Number: 7782505
Substance: Single Hazardous Substance on DEC List
Tank Location: ABOVEGROUND
Intrnl Protection: None
Extrnl Protection: None,Other
Pipe Location: Aboveground
Pipe Type: PLASTIC
Pipe Internal: Other
Pipe External: 09
Pipe Containment: None,None
Tank Containment: None,None
Leak Detection: None,Impressed Current
Overfill Protection: Float Vent Valve,Jacketed
Haz Percent: 15
Total Tanks: 1
Tank Secret: False
Last Test: Not reported
Due Date: Not reported
Tank Error Status: No Missing Data
SWIS Code: 6201
Lat/Long: Not reported
Pipe Flag: False
Federal ID: Not reported
Is Updated: F
Renew Date: 09/01/93
Is it There: F
Deliquent: F
Date Expired: 12/08/93
Owner Mark: 1
Certificate Needs to be Printed: False
Fiscal Amt for Registration Fee Correct: True
Renewal Has Been Printed for Facility: True
Pre-Printed Renewal App Last Printed: 09/06/2001
Total Capacity of All Active Tanks(gal): 550

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MARCUS GARVEY (Continued)

S102639150

CBS:

CBS Number: 2-000148
Program Type: CBS
Dec Region: 2
Expiration Date: N/A
Facility Status: Unregulated
UTMX: 589111.38656000
UTMY: 4517613.27733

**T149
ESE
1/8-1/4
0.199 mi.
1051 ft.**

**CON EDISON OF NYC INC MH#34174
W. 125TH ST. / 5TH AVE.
MANHATTAN, NY**

**MANIFEST S109786821
N/A**

Site 5 of 6 in cluster T

**Relative:
Lower**

CT MANIFEST:

Manifest No: CTF0810721
Waste Occurrence: 1
UNNA: 3077
Hazard Class: 9
US Dot Description: ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers: 001
Container Type: DT
Quantity: 2
Weight/Volume: Y
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG
Manifest No: CTF0810721
Waste Occurrence: 1
EPA Waste Code: D008
Recycled Waste?: F
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG
Year: 2000
Manifest ID: CTF0810721
TSDf EPA ID: CTD000604488
TSDf Name: CLEAN HARBORS OF CONNECTICUT, INC.
TSDf Address: 51 BRODERICK RD
TSDf City,St,Zip: BRISTOL, CT 06010
TSDf Country: USA
TSDf Telephone: Not reported
Transport Date: 12/6/2000
Transporter EPA ID: MAD039322250
Transporter Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: 12/6/2000
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYP004068508
Generator Phone: 2123384488

**Actual:
25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON OF NYC INC MH#34174 (Continued)

S109786821

Generator Mailing Addr: W. 125TH ST. & 5TH AVE. MANHATTAN
Generator Mailing Town: Not reported
Generator Mailing State: NY
Generator Mailing Zip: Not reported
Generator Mailing Country: USA
Special Handling: Not reported
Discrepancies: No
Date Shipped: 12/6/2000
Date Received: 12/6/2000
Last modified date: 4/27/2004
Last modified by: IG
Comments: Not reported

T150
ESE
1/8-1/4
0.199 mi.
1051 ft.

NYCPR - REGIONAL MANAGEMENT & CONSULTING
5TH AVE & W 125TH ST
NEW YORK, NY 10037

RCRA-NonGen **1004761016**
FINDS **NYR000070128**
MANIFEST

Site 6 of 6 in cluster T

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: NYCPR - REGIONAL MANAGEMENT & CONSULTING
Facility address: 5TH AVE & W 125TH ST
MARCUS GARVEY PARK
NEW YORK, NY 10037
EPA ID: NYR000070128
Mailing address: BRIDGEWATER ST
BROOKLYN, NY 11222
Contact: BOGDAN SZCZUREK
Contact address: BRIDGEWATER ST
BROOKLYN, NY 11222
Contact country: US
Contact telephone: (718) 599-3718
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
25 ft.

Owner/Operator Summary:

Owner/operator name: NEW YORK CITY PARKS & RECREATION
Owner/operator address: OLMSTED CENTER CORONA PARK
FLUSHING, NY 11368
Owner/operator country: US
Owner/operator telephone: (718) 760-6761
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CITY PARKS & RECREATION
Owner/operator address: OLMSTED CENTER CORONA PARK
FLUSHING, NY 11368

Owner/operator country: US
Owner/operator telephone: (718) 760-6761
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCPR - REGIONAL MANAGEMENT & CONSULTING (Continued)

1004761016

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYCPR - REGIONAL MANAGEMENT & CONSULTING
Classification: Not a generator, verified

Date form received by agency: 04/16/1999
Facility name: NYCPR - REGIONAL MANAGEMENT & CONSULTING
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008107832

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000070128
Country: USA
Mailing Name: MARCUS GRAVEY PARK
Mailing Contact: N/S
Mailing Address: 79 BRIDGEWATER ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11222
Mailing Zip4: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NYCPR - REGIONAL MANAGEMENT & CONSULTING (Continued)

1004761016

Mailing Country: USA
 Mailing Phone: 718-599-3718

Document ID: NYB6716484
 Manifest Status: Not reported
 Trans1 State ID: NY0000148163
 Trans2 State ID: Not reported
 Generator Ship Date: 06/10/1999
 Trans1 Recv Date: 06/10/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/09/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000070128
 Trans1 EPA ID: NYD049178296
 Trans2 EPA ID: Not reported
 TSDF ID: Not reported
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00300
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 99
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

X151 102 WEST 129 STREET
NNE 102 WEST 129 STREET
1/8-1/4 NEW YORK, NY 10027
0.199 mi.
1053 ft. Site 1 of 3 in cluster X

AST A100348959
N/A

**Relative:
 Higher**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-600989
 Program Type: PBS
 UTM X: 589118.00231000001
 UTM Y: 4518247.7338399999
 Expiration Date: N/A

**Actual:
 26 ft.**

Tank Number: 1
 Tank Id: 44687
 Tank Location: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

102 WEST 129 STREET (Continued)

A100348959

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 1/1/2000
Register: True
Modified By: CGFREEDM
Last Modified: 1/15/2010

Affiliation Records:

Site Id: 22959
Affiliation Type: On-Site Operator
Company Name: 102 WEST 129 STREET
Contact Type: Not reported
Contact Name: SKENDER REKA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 22959
Affiliation Type: Owner
Company Name: WEST 128TH STREET LP
Contact Type: MANAGING PARTNER
Contact Name: FRANCIS SYNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 22959
Affiliation Type: Mail Contact
Company Name: WEST 128TH STREET LP
Contact Type: Not reported
Contact Name: DONNA SYNMOIE
Address1: 347 LENOX AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

102 WEST 129 STREET (Continued)

A100348959

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: DSYNMOIE@NYRWINC.COM
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 22959
Affiliation Type: Emergency Contact
Company Name: WEST 128TH STREET LP
Contact Type: Not reported
Contact Name: BASIL MARSHALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 987-8358
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

X152
NNE
1/8-1/4
0.199 mi.
1053 ft.

ABAX INC
116 W 129TH ST APT 5E
NEW YORK, NY 10027

RCRA-NonGen 1001961533
FINDS NYR000083204

Site 2 of 3 in cluster X

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: ABAX INC
Facility address: 116 W 129TH ST APT 5E
NEW YORK, NY 100272154
EPA ID: NYR000083204
Mailing address: 2ND ST
LONG ISLAND CITY, NY 11101
Contact: SWAVEK NASIADKA
Contact address: 2ND ST
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: (718) 784-2229
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
27 ft.

Owner/Operator Summary:
Owner/operator name: NYCHPD - HOUSING PRESERVATION & DEV
Owner/operator address: 100 GOLD ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ABAX INC (Continued)

1001961533

NEW YORK, NY 10038
Owner/operator country: US
Owner/operator telephone: (212) 863-7764
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYCHPD - HOUSING PRESERVATION & DEV
Owner/operator address: 100 GOLD ST
NEW YORK, NY 10038

Owner/operator country: US
Owner/operator telephone: (212) 863-7764
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ABAX INC
Classification: Not a generator, verified

Date form received by agency: 09/20/1999
Facility name: ABAX INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004560314

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ABAX INC (Continued)

1001961533

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

X153
NNE
1/8-1/4
0.200 mi.
1054 ft.

ABAX INC
120 W 129TH ST APT 2W
NEW YORK, NY 10027
Site 3 of 3 in cluster X

RCRA-NonGen **1001961535**
FINDS **NYR000083220**

Relative:
Higher

RCRA-NonGen:

Actual:
27 ft.

Date form received by agency: 01/01/2007
Facility name: ABAX INC
Facility address: 120 W 129TH ST APT 2W
NEW YORK, NY 100272101
EPA ID: NYR000083220
Mailing address: 2ND ST
LONG ISLAND CITY, NY 11101
Contact: SWAVEK NASIADKA
Contact address: 2ND ST
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: (718) 784-2229
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NYCHPD - HOUSING PRESERVATION & DEV
Owner/operator address: 100 GOLD ST
NEW YORK, NY 10038
Owner/operator country: US
Owner/operator telephone: (212) 863-7764
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYCHPD - HOUSING PRESERVATION & DEV
Owner/operator address: 100 GOLD ST
NEW YORK, NY 10038
Owner/operator country: US
Owner/operator telephone: (212) 863-7764
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ABAX INC (Continued)

1001961535

On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ABAX INC
Classification: Not a generator, verified

Date form received by agency: 09/20/1999
Facility name: ABAX INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004560332

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

V154
SSW
1/8-1/4
0.200 mi.
1058 ft.

**CONSOLIDATED EDISON
FRONT OF 106 WEST 120 ST
NEW YORK, NY 10020**

**MANIFEST S110046301
N/A**

Site 2 of 2 in cluster V

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004194098
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
26 ft.

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046301

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-09-11
Trans1 Recv Date: 2009-09-11
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-09-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004194098
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 2000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001085707GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-09-11
Trans1 Recv Date: 2009-09-11
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-09-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004194098
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 2000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001085707GBF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046301

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

R155 1 WEST 126 ST
ESE 1 WEST 126TH ST
1/8-1/4 NEW YORK, NY 10027
0.201 mi.
1061 ft. Site 3 of 6 in cluster R

UST U004076658
N/A

Relative:
Lower

UST:

Facility Id: 2-201383
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/07/07
UTM X: 589290.11910999997
UTM Y: 4517903.30846
Site ID: 6838

Actual:
23 ft.

Tank Number: 001
Tank ID: 11458
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/4/1938
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/2/2007

Affiliation Records:

Site Id: 6838
Affiliation Type: Owner
Company Name: 1 WEST 126 ST HDFC C/O HSC MGMT CORP
Contact Type: PROPERTY MANAGER
Contact Name: Not reported
Address1: 850 BRONX RVIVER ROAD
Address2: Not reported
City: YONKERS
State: NY
Zip Code: 10708

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1 WEST 126 ST (Continued)

U004076658

Country Code: 001
Phone: (914) 237-1600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/2/2007

Site Id: 6838
Affiliation Type: Mail Contact
Company Name: C/O HSC MGT CORP.
Contact Type: Not reported
Contact Name: 1 WEST 126TH ST HOFC
Address1: 850 BRONX RIVER ROAD
Address2: Not reported
City: YONKERS
State: NY
Zip Code: 10708
Country Code: 001
Phone: (914) 237-1600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6838
Affiliation Type: Emergency Contact
Company Name: 1 WEST 126 ST HDFC C/O HSC MGMT CORP
Contact Type: Not reported
Contact Name: ALAN R BUSH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 795-1555
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6838
Affiliation Type: On-Site Operator
Company Name: 1 WEST 126 ST
Contact Type: Not reported
Contact Name: ROBERT SMITH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 348-1110
Phone Ext: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

1 WEST 126 ST (Continued)

U004076658

Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Q156
NNE
1/8-1/4
0.202 mi.
1066 ft.

133 WEST 129 STREET
133 WEST 129TH STREET
NEW YORK, NY 10027

AST A100182969
N/A

Site 4 of 4 in cluster Q

Relative:
Higher

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-471070
 Program Type: PBS
 UTM X: 589054.23987000005
 UTM Y: 4518295.7044000002
 Expiration Date: 2014/03/28

Actual:
28 ft.

Tank Number: 1
 Tank Id: 37377
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1960
 Capacity Gallons: 3000
 Tightness Test Method: 21
 Date Test: 4/6/2001
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 2/2/2009

Affiliation Records:

Site Id: 20656
 Affiliation Type: Mail Contact
 Company Name: NYC/HPD/DPM
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DPM
 Address1: 100 GOLD STREET
 Address2: # 6Z1
 City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 863-7087
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: cgfreedm
 Date Last Modified: 5/13/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 WEST 129 STREET (Continued)

A100182969

Site Id: 20656
Affiliation Type: Owner
Company Name: NYC/HPD/DPM
Contact Type: ASST. COMMISSIONER/DAMP
Contact Name: ANNE-MARIE HENDRICKSON
Address1: 100 GOLD ST # 6Z1
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/2/2009

Site Id: 20656
Affiliation Type: On-Site Operator
Company Name: 133 WEST 129 STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20656
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DPM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 8/19/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

Y157 **148 WEST 129 ST**
NNE **148 WEST 129TH STREET**
1/8-1/4 **NEW YORK, NY 10027**
0.203 mi.
1072 ft. **Site 1 of 3 in cluster Y**

AST **A100300189**
 N/A

Relative:
Higher

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-600988
 Program Type: PBS
 UTM X: 589013.14214000001
 UTM Y: 4518303.9801700003
 Expiration Date: 2012/10/20

Actual:
28 ft.

Tank Number: 1
 Tank Id: 44686
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 10/8/1992
 Capacity Gallons: 2000
 Tightness Test Method: 21
 Date Test: 7/2/2001
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 12/12/2006

Affiliation Records:

Site Id: 22958
 Affiliation Type: Mail Contact
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DAMP
 Address1: 100 GOLD STREET, #7-L2
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 863-7305
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 12/12/2006

Site Id: 22958
 Affiliation Type: Emergency Contact
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DAMP
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 WEST 129 ST (Continued)

A100300189

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/28/2009

Site Id: 22958
Affiliation Type: On-Site Operator
Company Name: 148 WEST 129 ST
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 12/12/2006

Site Id: 22958
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST. COMMISSIONER
Contact Name: WILLA PADGETT
Address1: 100 GOLD STREET, #7-L2
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 12/12/2006

Y158 148 WEST 129 ST
NNE 148 WEST 129 ST
1/8-1/4 NEW YORK, NY 10027
0.203 mi.
1072 ft. Site 2 of 3 in cluster Y

HIST UST U003835928
N/A

Relative: HIST UST:
Higher PBS Number: 2-600988
SPDES Number: Not reported
Actual: Emergency Contact: ASST. COMMISSIONER/DPM
28 ft. Emergency Telephone: (212) 863-7087

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 WEST 129 ST (Continued)

U003835928

Operator: ASST. COMMISSIONER/DPM
Operator Telephone: (212) 863-7087
Owner Name: NYC/HPD/DPM
Owner Address: 100 GOLD ST #6Z1
Owner City,St,Zip: NEW YORK, NY 10038
Owner Telephone: (212) 863-7087
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: NYC/HPD/DPM
Mailing Address: Not reported
Mailing Address 2: 100 GOLD ST #6Z1
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Contact: ASST. COMMISSIONER/DPM
Mailing Telephone: (212) 863-7087
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 148 WEST 129 ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 03/09/2001
Expiration Date: 10/20/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 WEST 129 ST (Continued)

U003835928

Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Z159
SSW
1/8-1/4
0.205 mi.
1080 ft.

CONSOLIDATED EDISON
80 W 120TH ST
NEW YORK, NY

MANIFEST S109584203
N/A

Site 1 of 4 in cluster Z

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004167912
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
24 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167912
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028385JJK
Import Ind: N
Export Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584203

Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167912
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028385JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584203

Generator EPA ID: NYP004167912
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028385JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167912
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028385JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584203

Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

R160
ESE
1/8-1/4
0.206 mi.
1086 ft.

CONSOLIDATED EDISON
W 126 ST / 5 AVE OPPOSITE 15
NEW YORK, NY 10020
Site 4 of 6 in cluster R

MANIFEST S110046717
N/A

Relative:
Lower

NY MANIFEST:
 EPA ID: NYP004188793
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: CONSOLIDATED EDISON
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
24 ft.

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-07-31
 Trans1 Recv Date: 2009-07-31
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-08-03
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004188793
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 150.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001433372FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046717

Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-30
Trans1 Recv Date: 2009-07-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188793
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084028GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-30
Trans1 Recv Date: 2009-07-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188793
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500.0
Units: P - Pounds
Number of Containers: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046717

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084028GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-31
Trans1 Recv Date: 2009-07-31
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-03
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004188793
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 150.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001433372FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

Z161
SSW
1/8-1/4
0.206 mi.
1088 ft.

CONSOLIDATED EDISON
76 WEST 120 ST
NEW YORK, NY 10001
Site 2 of 4 in cluster Z

MANIFEST S109584197
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004167904
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
24 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167904
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 750.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028390JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584197

Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167904
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 750.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028390JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167904
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 750.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028390JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584197

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-04-21
Trans1 Recv Date: 2009-04-21
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-04-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004167904
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 750.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028390JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

R162 **2041 5TH AVENUE NYC**
ESE **2041 FIFTH AVENUE**
1/8-1/4 **NEW YORK, NY 10035**
0.207 mi.
1094 ft. **Site 5 of 6 in cluster R**

AST **A100318916**
 N/A

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-601001
 Program Type: PBS
 UTM X: 589305.80697000003
 UTM Y: 4517903.6089899996
 Expiration Date: N/A

Actual:
24 ft.

Tank Number: 001
 Tank Id: 44699
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1921
 Capacity Gallons: 5000
 Tightness Test Method: 00
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 2/1/2008
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 3/18/2008

Affiliation Records:

Site Id: 22971
 Affiliation Type: Owner
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 100 GOLD ST. #725
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 863-7305
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 3/18/2008

Site Id: 22971
 Affiliation Type: Mail Contact
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DAMP
 Address1: 100 GOLD STREET
 Address2: #725

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

2041 5TH AVENUE NYC (Continued)

A100318916

City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 863-7625
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 3/18/2008

Site Id: 22971
 Affiliation Type: On-Site Operator
 Company Name: 2041 5TH AVENUE NYC
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DAMP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 863-7305
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 3/18/2008

Site Id: 22971
 Affiliation Type: Emergency Contact
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: ASST. COMM. DAMP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 863-7305
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 3/18/2008

Y163 **166 WEST 129 ST CORP**
North **166 WEST 129 ST**
1/8-1/4 **NEW YORK, NY 10025**
0.210 mi.
1109 ft. **Site 3 of 3 in cluster Y**

AST **U003387515**
HIST AST **N/A**

Relative: **AST:**
Higher Region: STATE
 DEC Region: 2
Actual: Site Status: Active
29 ft. Facility Id: 2-295159

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166 WEST 129 ST CORP (Continued)

U003387515

Program Type: PBS
UTM X: 588972.04760000005
UTM Y: 4518326.0230400003
Expiration Date: 2012/07/07

Tank Number: 001
Tank Id: 12065
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1979
Capacity Gallons: 2700
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kakyar
Last Modified: 3/19/2008

Affiliation Records:

Site Id: 13536
Affiliation Type: Mail Contact
Company Name: 166 WEST 129 ST CORP
Contact Type: Not reported
Contact Name: CHARLES PLUMMER
Address1: P O BOX 809
Address2: BOULEVARD STATION
City: BRONX
State: NY
Zip Code: 10459
Country Code: 001
Phone: (212) 666-5921
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13536
Affiliation Type: Emergency Contact
Company Name: 166 WEST 129 ST CORP
Contact Type: Not reported
Contact Name: CHARLES PLUMMER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (914) 699-9674
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166 WEST 129 ST CORP (Continued)

U003387515

Date Last Modified: 3/4/2004

Site Id: 13536
Affiliation Type: Owner
Company Name: 166 WEST 129 ST CORP
Contact Type: PRESIDENT
Contact Name: CHALRES PLUMMER
Address1: P O BOX 809 BOULEVARD STATION
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10459
Country Code: 001
Phone: (212) 666-5921
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 3/19/2008

Site Id: 13536
Affiliation Type: On-Site Operator
Company Name: 166 WEST 129 ST CORP
Contact Type: Not reported
Contact Name: LEE MCCORMICK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 666-5921
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-295159
SWIS Code: 6201
Operator: CHARLES PLUMMER
Facility Phone: (212) 666-5921
Facility Addr2: 166 WEST 129 ST
Facility Type: APARTMENT BUILDING
Emergency: NATHAN H PLUMMER
Emergency Tel: (914) 699-9674
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 166 WEST 129 ST CORP
Owner Address: P O BOX 809 BOULEVARD STATION
Owner City,St,Zip: BRONX, NY 10459
Federal ID: Not reported
Owner Tel: (212) 666-5921
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166 WEST 129 ST CORP (Continued)

U003387515

Owner Subtype: Not reported
Mailing Contact: NATHAN H. PLUMMER
Mailing Name: 166 WEST 129 ST CORP
Mailing Address: P O BOX 809 BOULEVARD STATION
Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10459
Mailing Telephone: (212) 666-5921
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/28/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2700
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2700
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

R164 **2049 5 AVENUE**
East **2049 FIFTH AVE**
1/8-1/4 **NEW YORK, NY 10035**
0.214 mi.
1128 ft. **Site 6 of 6 in cluster R**

HIST UST **U003835931**
AST **N/A**

Relative:
Lower

HIST UST:

Actual:
23 ft.

PBS Number: 2-601002
SPDES Number: Not reported
Emergency Contact: ASST. COMMISSIONER/DAMP
Emergency Telephone: (212) 863-7301
Operator: ASST. COMMISSIONER/DAMP
Operator Telephone: (212) 863-7301
Owner Name: NYC/HPD/DAMP
Owner Address: 100 GOLD ST # 7Z5
Owner City,St,Zip: NEW YORK, NY 10038
Owner Telephone: (212) 863-7301
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: NYC/HPD/DAMP
Mailing Address: 100 GOLD ST # 7Z5
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Contact: ASST. COMMISSIONER/DAMP
Mailing Telephone: (212) 863-7301
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 2049 5TH AVENUE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/24/2001
Expiration Date: 10/20/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2049 5 AVENUE (Continued)

U003835931

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Not reported
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601002
Program Type: PBS
UTM X: 589317.49384000001
UTM Y: 4517927.8421499999
Expiration Date: 2012/10/20

Tank Number: 1
Tank Id: 44700
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1921
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kakyer
Last Modified: 10/9/2007

Affiliation Records:

Site Id: 22972
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2049 5 AVENUE (Continued)

U003835931

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/9/2007

Site Id: 22972
Affiliation Type: On-Site Operator
Company Name: 2049 5 AVENUE
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/9/2007

Site Id: 22972
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST COMMISSIONER
Contact Name: WILLA PADGETT
Address1: 100 GOLD ST # 7L2
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/9/2007

Site Id: 22972
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7L2
City: NEW YORK
State: NY
Zip Code: 10038

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2049 5 AVENUE (Continued)

U003835931

Country Code: 001
Phone: (212) 863-7305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/9/2007

AA165
ENE
1/8-1/4
0.214 mi.
1128 ft.

CONSOLIDATED EDISON
SB21083-214-26 E 128TH ST
NEW YORK, NY 10027

MANIFEST 1009238032
N/A

Site 1 of 2 in cluster AA

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004039053
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
22 ft.

Document ID: NYE0233302
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/22/1999
Trans1 Recv Date: 06/22/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/22/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004039053
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: SM1708
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00827
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009238032

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE0415998
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/22/1999
Trans1 Recv Date: 06/22/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004039053
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 80680AE
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00056
Units: K - Kilograms (2.2 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Z166
South
1/8-1/4
0.216 mi.
1140 ft.

CONSOLIDATED EDISON
58 W 120TH ST
NEW YORK, NY 10027
Site 3 of 4 in cluster Z

MANIFEST 1009240075
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004069084
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009240075

Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0665451
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/06/2000
Trans1 Recv Date: 12/06/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/07/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004069084
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 60913AX
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00151
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE0686412
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/06/2000
Trans1 Recv Date: 12/06/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/07/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004069084
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: SM1563
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00264

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009240075

Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AB167 370 LENOX LLC
NE 60 WEST 129TH STREET
1/8-1/4 NEW YORK, NY 10027
0.217 mi.
1144 ft. Site 1 of 9 in cluster AB

AST A100292263
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609307
Program Type: PBS
UTM X: 589208.86867999996
UTM Y: 4518169.6944399998
Expiration Date: 2013/10/21

Actual:
23 ft.

Tank Number: 1
Tank Id: 67088
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1950
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 7/22/2008

Affiliation Records:
Site Id: 31151
Affiliation Type: On-Site Operator
Company Name: 370 LENOX LLC
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 LENOX LLC (Continued)

A100292263

Contact Name: NUMA CELESTINE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 672-3798
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31151
Affiliation Type: Mail Contact
Company Name: 370 LENOX LLC
Contact Type: Not reported
Contact Name: MIKE SCHULTZ
Address1: RENAISSANCE REALTY GROUP LLC
Address2: 1950 CONEY ISLAND AVENUE
City: BROOKLYN
State: NY
Zip Code: 11223
Country Code: 001
Phone: (718) 376-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/22/2008

Site Id: 31151
Affiliation Type: Owner
Company Name: 370 LENOX LLC
Contact Type: MEMBER
Contact Name: Not reported
Address1: 1950 CONEY ISLAND AVE.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11223
Country Code: 001
Phone: (718) 376-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/22/2008

Site Id: 31151
Affiliation Type: Emergency Contact
Company Name: 370 LENOX LLC
Contact Type: Not reported
Contact Name: MIKE SCHULTZ
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 LENOX LLC (Continued)

A100292263

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 219-0195
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: B05
Code Name: Jacketed
Type: Tank External Protection

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: I04
Code Name: Product Level Gauge (A/G)
Type: Overfill

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: F04
Code Name: Fiberglass
Type: Pipe External Protection

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: G00
Code Name: None
Type: Tank Secondary Containment

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 LENOX LLC (Continued)

A100292263

Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 31151
Tank Id Number: 67088
Tank Number: 1
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

**AC168
NNW
1/8-1/4
0.218 mi.
1150 ft.**

**NYCHA - SAINT NICHOLAS
237 W 127TH ST
NEW YORK, NY 10027**

**RCRA-NonGen 1001224110
FINDS NYR000053264
MANIFEST**

Site 1 of 2 in cluster AC

**Relative:
Higher**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: NYCHA - SAINT NICHOLAS
Facility address: 237 W 127TH ST
NEW YORK, NY 10027
EPA ID: NYR000053264
Mailing address: BROADWAY
NEW YORK, NY 10007
Contact: FRANK OCELLO
Contact address: BROADWAY
NEW YORK, NY 10007
Contact country: US
Contact telephone: (212) 306-3229
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
28 ft.**

Owner/Operator Summary:

Owner/operator name: NYCHA
Owner/operator address: 250 BROADWAY 16TH FLOOR
NEW YORK, NY 10007
Owner/operator country: US
Owner/operator telephone: (212) 306-3229
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYCHA
Owner/operator address: 250 BROADWAY 16TH FLOOR
NEW YORK, NY 10007
Owner/operator country: US
Owner/operator telephone: (212) 306-3229
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCHA - SAINT NICHOLAS (Continued)

1001224110

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYCHA - SAINT NICHOLAS
Classification: Not a generator, verified

Date form received by agency: 04/02/1998
Facility name: NYCHA - SAINT NICHOLAS
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004542120

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000053264
Country: USA
Mailing Name: NYC HOUSING AUTHORITY - ST NICHOLAS
Mailing Contact: P VALEZ
Mailing Address: 250 BROADWAY
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10007
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-306-3142

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCHA - SAINT NICHOLAS (Continued)

1001224110

Document ID: NJA2784414
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 06/04/1998
Trans1 Recv Date: 06/04/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/04/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000053264
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S5811NY10
Waste Code: U240 - 2,4 D,SALTS + ESTERS
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AD169 1 WEST 127TH ST.
East 1 WEST 127TH ST.
1/8-1/4 NEW YORK, NY 10027
0.219 mi.
1158 ft. Site 1 of 5 in cluster AD

AST A100291199
N/A

Relative: AST:
Lower Region: STATE
DEC Region: 2
Actual: Site Status: Active
22 ft. Facility Id: 2-601916
Program Type: PBS
UTM X: 589323.12453000003
UTM Y: 4517971.5421799999
Expiration Date: 2014/07/08

Tank Number: 001
Tank Id: 48292
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1 WEST 127TH ST. (Continued)

A100291199

Install Date: 8/12/1966
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 5/11/2009

Affiliation Records:

Site Id: 23878
Affiliation Type: On-Site Operator
Company Name: 1 WEST 127TH ST.
Contact Type: Not reported
Contact Name: ALIC O'GARRO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-2254
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23878
Affiliation Type: Emergency Contact
Company Name: 127TH STREET APARTMENTS. LLC
Contact Type: Not reported
Contact Name: KENNETH G. FRIEDMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-0888
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23878
Affiliation Type: Owner
Company Name: 127TH STREET APARTMENTS. LLC
Contact Type: MANAGING AGENT
Contact Name: FRIEDMAN MANAGEMENT CORP.
Address1: 225 WEST 34TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10122

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

1 WEST 127TH ST. (Continued)

A100291199

Country Code: 001
 Phone: (212) 736-6888
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 8/25/2004

Site Id: 23878
 Affiliation Type: Mail Contact
 Company Name: FRIEDMAN MANAGEMENT CORP.
 Contact Type: Not reported
 Contact Name: KENNETH G. FRIEDMAN
 Address1: 225 WEST 34TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10122
 Country Code: 001
 Phone: (212) 736-6888
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

AD170
East
1/8-1/4
0.219 mi.
1158 ft.

1 WEST 127TH ST.
1 WEST 127TH ST.
NY, NY 10027

HIST UST U001834346
HIST AST N/A

Site 2 of 5 in cluster AD

Relative:
Lower

HIST UST:
 PBS Number: 2-201383
 SPDES Number: Not reported
 Emergency Contact: ALAN R BUSH
 Emergency Telephone: (212) 795-1555
 Operator: ROBERT SMITH
 Operator Telephone: (212) 348-1110
 Owner Name: 1 WEST 126 ST HDFC C/O BUSH
 Owner Address: 2460 LEMOINE AVENUE 3RD FLOOR
 Owner City,St,Zip: NEW YORK, NY 10033
 Owner Telephone: (212) 410-7194
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: ALAN R. BUSH INC.
 Mailing Address: 2460 LEMOINE AVE. 3RD FL.
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FORT LEE, NJ 07024
 Mailing Contact: ERNEST GRANT
 Mailing Telephone: (212) 795-1555
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 1 WEST 126TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported

Actual:
22 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1 WEST 127TH ST. (Continued)

U001834346

Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/12/2000
Expiration Date: 07/07/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

HIST AST:

PBS Number: 2-601916
SWIS Code: 6201
Operator: ALIC O'GARRO
Facility Phone: (212) 987-2254
Facility Addr2: Not reported
Facility Type: APARTMENT BUILDING
Emergency: KENNETH G. FRIEDMAN
Emergency Tel: (212) 736-0888

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1 WEST 127TH ST. (Continued)

U001834346

Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 127TH STREET APARTMENTS. LLC
Owner Address: 225 WEST 34TH STREET
Owner City,St,Zip: NEW YORK, NY 10122
Federal ID: Not reported
Owner Tel: (212) 736-6888
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: KENNETH G. FRIEDMAN
Mailing Name: FRIEDMAN MANAGEMENT CORP.
Mailing Address: 225 WEST 34TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10122
Mailing Telephone: (212) 736-6888
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/19/1998
Expiration: 07/08/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 1
Tank External: 00
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00
Tank Containment: None
Leak Detection: 00
Overfill Protection: 01
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1 WEST 127TH ST. (Continued)

U001834346

Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

U171 **NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN**
WSW **220 W 121ST ST**
1/8-1/4 **NEW YORK, NY 10027**
0.223 mi.
1180 ft. **Site 2 of 4 in cluster U**

RCRA-CESQG **1004759389**
MANIFEST **NYR000009431**

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 01/22/2010

Facility name: NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN

Facility address: 220 W 121ST ST
NEW YORK, NY 10027

EPA ID: NYR000009431

Mailing address: THOMSON AVE
LONG ISLAND CITY, NY 11101

Contact: ALEXANDER LEMPERS

Contact address: THOMSON AVE
LONG ISLAND CITY, NY 11101

Contact country: US

Contact telephone: (718) 752-8501

Contact email: ALEMPERT@NYCSCA.ORG

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: NYC DEPARTMENT OF SCHOOL FACILITIES

Owner/operator address: Not reported

Owner/operator country: Not reported

Owner/operator telephone: Not reported

Legal status: Municipal

Owner/Operator Type: Operator

Owner/Op start date: 02/19/1970

Owner/Op end date: Not reported

Owner/operator name: NYC BD OF ED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 349-5600
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC DEPT OF EDUCATION
Owner/operator address: THOMSON AVE
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 752-8501
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 02/19/1970
Owner/Op end date: Not reported

Owner/operator name: NYC BD OF ED
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 349-5600
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Consumer Electronics
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Oil-Based Finishes
Accumulated waste on-site: No
Generated waste on-site: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Waste type: Any Universal Waste
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007
Facility name: NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN
Site name: NYC BD OF ED - PUBLIC SCHOOL 76 MAN
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Facility name: NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN
Site name: NYC BD OF ED - PUBLIC SCHOOL 76 MAN
Classification: Not a generator, verified

Date form received by agency: 07/27/1995
Facility name: NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN
Site name: NYC BD OF ED - PUBLIC SCHOOL 76 MAN
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: B007
Waste name: B007

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYR000009431
Country: USA
Mailing Name: NYC BOARD OF EDUCATION
Mailing Contact: JACK BRUCCULERI
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-349-5660

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-19
Trans1 Recv Date: 2009-08-19
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-20
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000009431
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 165.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004717807JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 2010-03-01
Trans1 Recv Date: 2010-03-01
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-03-02
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000009431
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 18.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Year: 10
Manifest Tracking Num: 002857148FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-19
Trans1 Recv Date: 2009-08-19
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-20
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000009431
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 165.0
Units: K - Kilograms (2.2 pounds)
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004717807JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: NJA4087874
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 03/13/2002
Trans1 Recv Date: 03/13/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/13/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000009431
Trans1 EPA ID: NJD991291105
Trans2 EPA ID: Not reported
TSD ID: S8424
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2116704
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: 50082
Trans2 State ID: S6993
Generator Ship Date: 950809
Trans1 Recv Date: 950809
Trans2 Recv Date: 951012
TSD Site Recv Date: 951012
Part A Recv Date: Not reported
Part B Recv Date: 951025
Generator EPA ID: NYR000009431
Trans1 EPA ID: NY0000551218
Trans2 EPA ID: NJD980772768
TSD ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DEPT OF ED - PUBLIC SCHOOL 76 MAN (Continued)

1004759389

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

U172 P.S. 76
WSW 220 WEST 121ST STREET
1/8-1/4 NEW YORK, NY 10027
0.223 mi.
1180 ft. Site 3 of 4 in cluster U

AST U003394170
HIST AST N/A

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-353930
Program Type: PBS
UTM X: 588521.14321999997
UTM Y: 4517833.66414
Expiration Date: N/A

**Actual:
28 ft.**

Tank Number: 001
Tank Id: 34387
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/15/1965
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/12/2009
Register: True
Modified By: NRLOMBAR
Last Modified: 3/23/2010

Tank Number: 002
Tank Id: 34388
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/15/1965
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/12/2009
Register: True
Modified By: NRLOMBAR
Last Modified: 3/23/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 76 (Continued)

U003394170

Affiliation Records:

Site Id: 17579
Affiliation Type: Mail Contact
Company Name: NEW YORK CITY DEPT OF EDUCATION
Contact Type: Not reported
Contact Name: RAYMOND CORREA
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (646) 584-9183
Phone Ext: Not reported
Email: RCORREA5@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/23/2010

Site Id: 17579
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/23/2010

Site Id: 17579
Affiliation Type: Owner
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/17/2010

Site Id: 17579
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 76 (Continued)

U003394170

Company Name: PUBLIC SCHOOL 76 - MANHATTAN
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/22/2008

HIST AST:

PBS Number: 2-353930
SWIS Code: 6201
Operator: PLANT OPERATION
Facility Phone: (718) 391-6000
Facility Addr2: 220 WEST 121ST STREET
Facility Type: SCHOOL
Emergency: SCHOOL SAFETY
Emergency Tel: (212) 979-3300
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION
Owner Address: 28-11 QUEENS PLAZA NORTH
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Federal ID: Not reported
Owner Tel: (718) 391-6832
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: FRANK CARDELLO NTROL
Mailing Name: BOARD OF EDUCATION
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: 5 FLOOR
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Telephone: (718) 391-6832
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 10/29/1998
Expiration: 06/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 14000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 76 (Continued)

U003394170

CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: 002
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P.S. 76 (Continued)

U003394170

Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

S173
South
1/8-1/4
0.224 mi.
1183 ft.

CONSOLIDATED EDISON
EXCV-9 W 120TH ST
NEW YORK, NY
Site 3 of 7 in cluster S

MANIFEST 1009241267
N/A

Relative:
Lower

NY MANIFEST:
 EPA ID: NYP004096681
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
23 ft.

Document ID: NYE0254103
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 03/14/2002
 Trans1 Recv Date: 03/14/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/15/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004096681
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSDF ID: 17741AV
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00163
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 02
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241267

Mgmt Method Type Code: Not reported

AD174
East
1/8-1/4
0.225 mi.
1189 ft.

2 EAST 127TH STREET
2 EAST 127TH STREET
NEW YORK, NY 10035

AST **U003395054**
HIST AST **N/A**

Site 3 of 5 in cluster AD

Relative:
Lower

AST:

Actual:
22 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-471429
Program Type: PBS
UTM X: 589330.93724
UTM Y: 4517953.3178099999
Expiration Date: 2014/03/28

Tank Number: 001
Tank Id: 37413
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1939
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 2/2/2009

Affiliation Records:

Site Id: 20689
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 20689
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DAMP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 127TH STREET (Continued)

U003395054

Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/3/2009

Site Id: 20689
Affiliation Type: On-Site Operator
Company Name: 2 EAST 127TH STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20689
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASSOC. COMMISSIONER/MAD
Contact Name: ANNE-MARIE HENDRICKSON
Address1: 100 GOLD ST #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 5/22/2009

HIST AST:
PBS Number: 2-471429
SWIS Code: 6201
Operator: ASST. COMMISSIONER/DAMP
Facility Phone: (212) 863-7301
Facility Addr2: 2 EAST 127TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 127TH STREET (Continued)

U003395054

Facility Type: APARTMENT BUILDING
Emergency: ASST. COMMISSIONER/DAMP
Emergency Tel: (212) 863-7301
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC/HPD/DAMP
Owner Address: 100 GOLD ST #7Z5
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 863-7301
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: ASST. COMMISSIONER/DAMP
Mailing Name: NYC/HPD/DAMP
Mailing Address: Not reported
Mailing Address 2: 100 GOLD ST #7Z5
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 863-7301
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/09/2001
Expiration: 03/28/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 127TH STREET (Continued)

U003395054

Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

S175
South
1/8-1/4
0.226 mi.
1194 ft.

CONED
44 W 120TH ST
NEW YORK, NY 10001
Site 4 of 7 in cluster S

MANIFEST S109825064
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004182069
Country: USA
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address: 4 IRVING PLACE
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
24 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-29
Trans1 Recv Date: 2009-06-29
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-29
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004182069
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 800.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001083806GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109825064

Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-29
Trans1 Recv Date: 2009-06-29
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-29
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004182069
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 800.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001083806GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

W176
ESE
1/8-1/4
0.227 mi.
1198 ft.

13 EAST 124TH STREET
13 EAST 124TH STREET
NEW YORK, NY 10035
Site 2 of 4 in cluster W

AST A100157663
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604289
Program Type: PBS
UTM X: 589251.9882800005

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13 EAST 124TH STREET (Continued)

A100157663

UTM Y: 4517728.431099997
Expiration Date: 2015/01/04

Tank Number: 001
Tank Id: 57301
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/8/1949
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: EJCALIFA
Last Modified: 11/12/2009

Affiliation Records:

Site Id: 26168
Affiliation Type: Mail Contact
Company Name: 13 EAST 124TH STREET LLC
Contact Type: Not reported
Contact Name: SELWYN ROBERTS
Address1: P O BOX 232
Address2: Not reported
City: SUFFERN
State: NY
Zip Code: 10901
Country Code: 001
Phone: (212) 860-4881
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/4/2005

Site Id: 26168
Affiliation Type: Emergency Contact
Company Name: 13 EAST 124TH STREET LLC
Contact Type: Not reported
Contact Name: SELWYN ROBERTS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 860-4881
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/4/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13 EAST 124TH STREET (Continued)

A100157663

Site Id: 26168
Affiliation Type: On-Site Operator
Company Name: 13 EAST 124TH STREET
Contact Type: Not reported
Contact Name: SELWYN ROBERTS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 860-4881
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/4/2005

Site Id: 26168
Affiliation Type: Owner
Company Name: 13 EAST 124TH STREET LLC
Contact Type: VP
Contact Name: VERNELLE SMITH
Address1: P O BOX 232
Address2: Not reported
City: SUFFERN
State: NY
Zip Code: 10901
Country Code: 001
Phone: (212) 860-4881
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EJCALIFA
Date Last Modified: 11/12/2009

Equipment Records:

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: B00
Code Name: None
Type: Tank External Protection

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

13 EAST 124TH STREET (Continued)

A100157663

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: I00
Code Name: None
Type: Overfill

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: G00
Code Name: None
Type: Tank Secondary Containment

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: F00
Code Name: None
Type: Pipe External Protection

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: J00
Code Name: None
Type: Dispenser

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: D00
Code Name: No Piping
Type: Pipe Type

Site Id: 26168
Tank Id Number: 57301
Tank Number: 001
Equipment: C00
Code Name: No Piping
Type: Pipe Location

U177
WSW
1/8-1/4
0.228 mi.
1204 ft.

GRAHAM COURT OWNERS CORP
1925 SEVENTH AVENUE
NEW YORK, NY 10027

Site 4 of 4 in cluster U

AST U003394566
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-457523
Program Type: PBS
UTM X: 588405.49838
UTM Y: 4517472.2344199996
Expiration Date: 2014/01/18

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAHAM COURT OWNERS CORP (Continued)

U003394566

Tank Number: 001
Tank Id: 36820
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/14/2003
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 1/21/2009

Affiliation Records:

Site Id: 20221
Affiliation Type: On-Site Operator
Company Name: GRAHAM COURT OWNERS CORP
Contact Type: Not reported
Contact Name: FLORES ROSENDO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 663-4347
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20221
Affiliation Type: Emergency Contact
Company Name: RESIDENTIAL MANAGEMENT
Contact Type: Not reported
Contact Name: FLORES ROSENDO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 663-4347
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20221
Affiliation Type: Owner
Company Name: RESIDENTIAL MANAGEMENT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAHAM COURT OWNERS CORP (Continued)

U003394566

Contact Type: AGENT
Contact Name: JOSH FRANKEL
Address1: 1651 CONEY ISLAND AVE.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11230
Country Code: 001
Phone: (718) 627-0600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/21/2009

Site Id: 20221
Affiliation Type: Mail Contact
Company Name: GRAHAM COURT OWNERS CORP.
Contact Type: Not reported
Contact Name: RESIDENTIAL MANAGEMENT
Address1: 1651 CONEY ISLAND AVE.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11230
Country Code: 001
Phone: (718) 627-0600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/21/2009

HIST AST:

PBS Number: 2-457523
SWIS Code: 6201
Operator: FLORES ROSENDO
Facility Phone: (212) 663-4347
Facility Addr2: 1925 7TH AVENUE
Facility Type: Not reported
Emergency: FLORES ROSENDO
Emergency Tel: (212) 663-4347
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: RESIDENTIAL MANAGEMENT
Owner Address: 40 EXCHANGE PLACE
Owner City,St,Zip: NEW YORK, NY 10005
Federal ID: Not reported
Owner Tel: (212) 480-2270
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: RESIDENTIAL MANAGEMENT
Mailing Name: GRAHAM COURT OWNERS CORP
Mailing Address: 40 EXCHANGE PLACE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GRAHAM COURT OWNERS CORP (Continued)

U003394566

Mailing City,St,Zip: NEW YORK, NY 10005
Mailing Telephone: (212) 480-2270
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/30/1999
Expiration: 01/18/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 10000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 10000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AB178 **46-50 WEST 129TH ST**
ENE **46-50 WEST 129TH ST**
1/8-1/4 **NEW YORK, NY 10027**
0.228 mi.
1205 ft. **Site 2 of 9 in cluster AB**

AST **A100317681**
 N/A

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-606752
 Program Type: PBS
 UTM X: 589245.80669
 UTM Y: 4518149.6006300002
 Expiration Date: 2011/10/30

Actual:
22 ft.

Tank Number: 1
 Tank Id: 61844
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1970
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 6/15/2005
 Register: True
 Modified By: msbaptis
 Last Modified: 10/11/2007

Tank Number: 2
 Tank Id: 219814
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 9/22/2005
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: msbaptis
 Last Modified: 10/11/2007

Affiliation Records:

Site Id: 28609
 Affiliation Type: On-Site Operator
 Company Name: 46-50 WEST 129TH ST
 Contact Type: Not reported
 Contact Name: FRANCIS SUNMOIE
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

46-50 WEST 129TH ST (Continued)

A100317681

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/11/2007

Site Id: 28609
Affiliation Type: Owner
Company Name: WEST 128TH ST. L.P.
Contact Type: GP
Contact Name: FRANCIS SUNMOIE
Address1: 347 LENOX AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/12/2007

Site Id: 28609
Affiliation Type: Mail Contact
Company Name: WEST 128TH ST. L.P.
Contact Type: Not reported
Contact Name: FRANCIS SUNMOIE
Address1: 347 LENOX AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088
Phone Ext: 103
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/16/2007

Site Id: 28609
Affiliation Type: Emergency Contact
Company Name: WEST 128TH ST. L.P.
Contact Type: Not reported
Contact Name: FRANCIS SUNMOIE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

46-50 WEST 129TH ST (Continued)

A100317681

Country Code: 999
Phone: (212) 987-8358
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/11/2007

Equipment Records:

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: B01
Code Name: Painted/Asphalt Coating
Type: Tank External Protection

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: I01
Code Name: Float Vent Valve
Type: Overfill

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: E00
Code Name: None
Type: Piping Secondary Containment

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: F01
Code Name: Painted/Asphalt Coating
Type: Pipe External Protection

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

46-50 WEST 129TH ST (Continued)

A100317681

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: J02
Code Name: Suction
Type: Dispenser

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: G02
Code Name: Vault (w/access)
Type: Tank Secondary Containment

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: K00
Code Name: None
Type: Spill Prevention

Site Id: 28609
Tank Id Number: 219814
Tank Number: 2
Equipment: L00
Code Name: None
Type: Piping Leak Detection

Site Id: 28609
Tank Id Number: 61844
Tank Number: 1
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 28609
Tank Id Number: 61844
Tank Number: 1
Equipment: C03
Code Name: Aboveground/Underground Combination
Type: Pipe Location

Site Id: 28609
Tank Id Number: 61844
Tank Number: 1
Equipment: L09
Code Name: Exempt Suction Piping
Type: Piping Leak Detection

Site Id: 28609

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

46-50 WEST 129TH ST (Continued)

A100317681

Tank Id Number:	61844
Tank Number:	1
Equipment:	I05
Code Name:	Vent Whistle
Type:	Overfill
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	J02
Code Name:	Suction
Type:	Dispenser
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	G00
Code Name:	None
Type:	Tank Secondary Containment
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	B01
Code Name:	Painted/Asphalt Coating
Type:	Tank External Protection
Site Id:	28609
Tank Id Number:	61844
Tank Number:	1
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

S179
South
1/8-1/4
0.228 mi.
1206 ft.

42 W. 120TH ST
42 W. 120TH ST
MANHATTAN, NY
Site 5 of 7 in cluster S

HIST LTANKS **S101341199**
NY Spills **N/A**

Relative:
Lower

HIST LTANKS:

Actual:
24 ft.

Region of Spill: 2
 Spill Number: 9411587
 Spill Date: 11/30/1994
 Spill Time: 09:00
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Non Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Investigator: SIGONA
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Reported to Department Date: 11/30/94
 Reported to Department Time: 09:59
 SWIS: 62
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: NYCHA
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spiller Cleanup Date: / /
 Facility Contact: Not reported
 Facility Phone: Not reported
 Facility Extention: Not reported
 Spill Notifier: Other
 PBS Number: Not reported
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 01/06/95
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 01/25/95
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 W. 120TH ST (Continued)

S101341199

Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: SPEEDY DRY USED-WILL PUT INTO DRUMS ETC.

NY Spills:

Site ID: 295950
Facility Addr2: Not reported
Facility ID: 9411587
Spill Number: 9411587
Facility Type: ER
SWIS: 3101
Investigator: HRAHMED
Referred To: Not reported
Spill Date: 11/30/1994
Reported to Dept: 11/30/1994
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not Closed
Remediation Phase: 1
Date Entered In Computer: 1/6/1995
Spill Record Last Update: 8/19/2008
Spiller Name: BOB DECK
Spiller Company: APARTMENT BUILDING
Spiller Address: 42 WEST 120 STREET
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 239495
DEC Memo: Information request letter sent to Tahl-Propp Equities 11/04/05.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

42 W. 120TH ST (Continued)

S101341199

Heitzman Spill transferred back to R-2 3/7/08 - Austin - Assigned to Ketani for further investigation - end 7/15/08 - Raphael Ketani. The spill happened on 11/30/94. About 100 gal. of #4 oil was spilled. The oil was cleaned up and the spent absorbent was put into drums. There is just one letter in the paper file. It is dated November 4, 2005 and is the same letter that I found in the E-docs. There were no other documents available. There is no PBS record. The site is block and lot 1718 and 53. Alternate addresses are 42-44 W. 120 Street. The owner of record is 40-44 West 120 Street Associates, LLC, c/o Tahl-Propp Equities, 405 Park Avenue, Ste 1103, NY, 10022-9410. I tried the alternate address and still couldn't find a PBS record. I sent a CSL. 8/18/08 - Raphael Ketani. The case is being prepared for transfer due to a case realignment within the unit. The case manager should find out whether a site investigation is taking place or whether an investigation plan has been written. The owners need to submit a PBS registration for the tanks.

Remarks: SPEEDY DRY USED-WILL PUT INTO DRUMS ETC.

Material:

Site ID: 295950
 Operable Unit ID: 1005325
 Operable Unit: 01
 Material ID: 373931
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 100
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

S180 42 WEST 120TH ST/CIBRO
South 42 WEST 120TH STREET
1/8-1/4 NEW YORK CITY, NY
0.228 mi.
1206 ft. Site 6 of 7 in cluster S

LTANKS S104275517
HIST LTANKS N/A

Relative:
Lower

LTANKS:
 Site ID: 285603
 Spill No: 8803777
 Spill Date: 7/29/1988
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 WEST 120TH ST/CIBRO (Continued)

S104275517

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/6/2001
Facility Addr2: Not reported
Cleanup Ceased: 11/6/2001
Cleanup Meets Standard: True
SWIS: 3101
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 7/29/1988
CID: 15
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/2/1988
Spill Record Last Update: 8/19/2004
Spiller Name: Not reported
Spiller Company: CIBRO
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 231596
DEC Memo: Not reported
Remarks: FUEL TANK, SPILL IN BASEMENT, FOAMED SPILL, OWNER & SUPERINTENDANT
NOTAVAILABLE.

Material:

Site ID: 285603
Operable Unit ID: 920951
Operable Unit: 01
Material ID: 459310
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 300
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 WEST 120TH ST/CIBRO (Continued)

S104275517

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8803777
Spill Date: 07/29/1988
Spill Time: 14:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/06/01
Cleanup Ceased: 11/06/01
Cleanup Meets Standard: True
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/29/88
Reported to Department Time: 15:57
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: CIBRO
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/02/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/06/01
Is Updated: False

Tank:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

42 WEST 120TH ST/CIBRO (Continued)

S104275517

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 300
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207

DEC Remarks: 11/06/01: MF-R9 ANOTHER SPILL AT THIS SITE 9313894, CLOSED, ANOTHER SPILL 9411587 OPEN. NO FURTHER INFO ON THIS SPILL, 8803777, NOTHING IN FILE. DEAD ISSUE. NO FURTHER ACTION POSSIBLE. *****COMPUTER FILE*****

Spill Cause: FUEL TANK, SPILL IN BASEMENT, FOAMED SPILL, OWNER SUPERINTENDANT NOTAVAILABLE.

S181
South
1/8-1/4
0.228 mi.
1206 ft.

42 WEST 120TH STREET
42 WEST 120TH STREET
MANHATTAN, NY
Site 7 of 7 in cluster S

LTANKS S100879309
HIST LTANKS N/A

Relative:
Lower

Actual:
24 ft.

LTANKS:
 Site ID: 285604
 Spill No: 9313894
 Spill Date: 2/22/1994
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/5/1994
 Facility Addr2: Not reported
 Cleanup Ceased: 12/5/1994
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: O'DOWD
 Referred To: Not reported
 Reported to Dept: 2/25/1994
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/25/1994
 Spill Record Last Update: 12/5/1994
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 WEST 120TH STREET (Continued)

S100879309

Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 282048
DEC Memo: Not reported
Remarks: CRACKED OIL TANK? BUR. OF RENTAVATION & REPAIR WILL BID THIS OUT FOR CLEAN UP - TANK IS ABOVEGROUND, MR JOE TORRES HAS INSPECTED THE SPILL, AND DETERMINED THAT IS DUE TO OVERFILL FRON VENT PIPE.

Material:

Site ID: 285604
Operable Unit ID: 992352
Operable Unit: 01
Material ID: 389251
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 450
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9313894
Spill Date: 02/22/1994
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/05/94
Cleanup Ceased: 12/05/94
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 WEST 120TH STREET (Continued)

S100879309

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/25/94
Reported to Department Time: 09:43
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/25/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/05/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 450
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 12/05/94: WENT TO SITE SHOULD BE CLEANED UP BY END OF WEEK VANDALISM.
Spill Cause: CRACKED OIL TANK? BUR. OF RENTAVATION REPAIR WILL BID THIS OUT FOR CLEAN UP -
TANK IS ABOVEGROUND, MR JOE TORRES HAS INSPECTED THE SPILL, AND DETERMINED THAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

42 WEST 120TH STREET (Continued)

S100879309

IS DUE TO OVERFILL FROM VENT PIPE.

AB182
ENE
1/8-1/4
0.229 mi.
1208 ft.

47 WEST 129TH STREET
47 WEST 129TH STREET
NEW YORK, NY 10027
Site 3 of 9 in cluster AB

AST U003395028
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-471208
Program Type: PBS
UTM X: 589283.22213000001
UTM Y: 4518174.1210399996
Expiration Date: 2009/02/25

Actual:
22 ft.

Tank Number: 001
Tank Id: 37387
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20668
Affiliation Type: Mail Contact
Company Name: 129TH STREET CLUSTER, LP
Contact Type: Not reported
Contact Name: GREGORY PASCAL
Address1: 172 WEST 130TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 860-3361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20668
Affiliation Type: Emergency Contact
Company Name: 129TH STREET CLUSTER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

47 WEST 129TH STREET (Continued)

U003395028

Contact Type: Not reported
Contact Name: GREGORY PASCAL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 219-0305
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20668
Affiliation Type: Owner
Company Name: 129TH STREET CLUSTER
Contact Type: Not reported
Contact Name: Not reported
Address1: 172 W 130 ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 860-3361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20668
Affiliation Type: On-Site Operator
Company Name: 47 W 129 ST
Contact Type: Not reported
Contact Name: SANTOS FERRERAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 860-3361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:
Site Id: 20668
Tank Id Number: 37387
Tank Number: 001
Equipment: G03
Code Name: Vault (w/o access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

47 WEST 129TH STREET (Continued)

U003395028

Type:	Tank Secondary Containment
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	C03
Code Name:	Aboveground/Underground Combination
Type:	Pipe Location
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	H00
Code Name:	None
Type:	Tank Leak Detection
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	B01
Code Name:	Painted/Asphalt Coating
Type:	Tank External Protection
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	L09
Code Name:	Exempt Suction Piping
Type:	Piping Leak Detection
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	I05
Code Name:	Vent Whistle
Type:	Overfill
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Site Id:	20668
Tank Id Number:	37387
Tank Number:	001
Equipment:	J02
Code Name:	Suction
Type:	Dispenser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

47 WEST 129TH STREET (Continued)

U003395028

Site Id: 20668
Tank Id Number: 37387
Tank Number: 001
Equipment: F00
Code Name: None
Type: Pipe External Protection

HIST AST:

PBS Number: 2-471208
SWIS Code: 6201
Operator: ASST. COMMISSIONER/DAMP
Facility Phone: (212) 863-7301
Facility Addr2: 47 WEST 129TH STREET
Facility Type: APARTMENT BUILDING
Emergency: ASST. COMMISSIONER/DAMP
Emergency Tel: (212) 863-7301
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC/HPD/DAMP
Owner Address: 100 GOLD ST #7Z5
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 863-7301
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: ASST. COMMISSIONER/DAMP
Mailing Name: NYC/HPD/DAMP
Mailing Address: Not reported
Mailing Address 2: 100 GOLD ST #7Z5
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 863-7301
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/09/2001
Expiration: 03/28/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

47 WEST 129TH STREET (Continued)

U003395028

Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 6
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AB183
ENE
1/8-1/4
0.230 mi.
1214 ft.**

**44 WEST 129TH STREET
44 WEST 129TH STREET
NEW YORK, NY 10027
Site 4 of 9 in cluster AB**

**AST A100349514
N/A**

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-611262
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: 2011/02/08

**Actual:
22 ft.**

Tank Number: 001
Tank Id: 233129
Tank Location: 3
Tank Type: ZZ
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1998
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 2/24/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

44 WEST 129TH STREET (Continued)

A100349514

Affiliation Records:

Site Id: 425167
Affiliation Type: On-Site Operator
Company Name: 44 WEST 129TH STREET
Contact Type: Not reported
Contact Name: SANTOS FERRERAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 538-9164
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/24/2010

Site Id: 425167
Affiliation Type: Emergency Contact
Company Name: 129TH STREET CLUSTER ASSOC, LP
Contact Type: Not reported
Contact Name: TREVOR PAYNE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 436-2892
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/24/2010

Site Id: 425167
Affiliation Type: Mail Contact
Company Name: COVINGTON REALTY SERVICES
Contact Type: Not reported
Contact Name: TREVOR PAYNE
Address1: 270 WEST 123RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 665-2955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/24/2010

Site Id: 425167
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

44 WEST 129TH STREET (Continued)

A100349514

Company Name: 129TH STREET CLUSTER ASSOC, LP
Contact Type: MGR
Contact Name: TREVOR PAYNE
Address1: 270 WEST 123RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 665-2955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/24/2010

AB184 43-45 WEST 129TH STREET H.D.F.C
ENE 43-45 WEST 129TH STREET
1/8-1/4 NEW YORK, NY 10027
0.232 mi.
1227 ft. Site 5 of 9 in cluster AB

AST U003394992
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-470732
Program Type: PBS
UTM X: 589250.49650000001
UTM Y: 4518156.9928099997
Expiration Date: 2008/04/13

Actual:
22 ft.

Tank Number: 001
Tank Id: 37350
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1930
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 8/14/2009

Affiliation Records:
Site Id: 20625
Affiliation Type: Emergency Contact
Company Name: 43-45 WEST 129TH STREET H.D.F.C. C/O DEV.OUTR.INC.
Contact Type: Not reported
Contact Name: MS. EDLEENA ALEXANDER
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

43-45 WEST 129TH STREET H.D.F.C (Continued)

U003394992

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 831-8913
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20625
Affiliation Type: Owner
Company Name: 43-45 WEST 129TH STREET H.D.F.C. C/O DEV.OUTR.INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 15 WEST 125TH STREET, 2ND FLR.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20625
Affiliation Type: On-Site Operator
Company Name: 43-45 WEST 129TH STREET H.D.F.C
Contact Type: Not reported
Contact Name: DEVELOPMENT OUTREACH, INC.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20625
Affiliation Type: Mail Contact
Company Name: 43-45 W. 129TH ST. HDFC %
Contact Type: Not reported
Contact Name: SUPER FACILITY MANAGER
Address1: DEV. OUTREACH, INC.
Address2: 15 WEST 125TH STREET, SUITE 300
City: NEW YORK
State: NY
Zip Code: 10027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

43-45 WEST 129TH STREET H.D.F.C (Continued)

U003394992

Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-470732
SWIS Code: 6201
Operator: DEVELOPMENT OUTREACH, INC.
Facility Phone: (212) 427-0320
Facility Addr2: 43 WEST 129TH STREET
Facility Type: Not reported
Emergency: MS. EDLEENA ALEXANDER
Emergency Tel: (212) 831-8913
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 43-45 WEST 129TH STREET H.D.F.C. C/O DEV.OUTR.INC.
Owner Address: 55 WEST 125TH STREET, SUITE #300
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 427-0320
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUPER FACILITY MANAGER
Mailing Name: 43-45 W. 129TH ST. H.D.F.C.C/O DEV.OUTREACH, INC.
Mailing Address: 55 WEST 125TH STREET, SUITE #300
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Telephone: (212) 427-0320
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 04/21/1998
Expiration: 04/13/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

43-45 WEST 129TH STREET H.D.F.C (Continued)

U003394992

Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AD185
East
1/8-1/4
0.233 mi.
1229 ft.

ST. ANDREW'S EPISCOPAL CHURCH
2067 FIFTH AVENUE
NEW YORK, NY 10035
Site 4 of 5 in cluster AD

UST U004048348
N/A

Relative:
Lower

UST:

Facility Id: 2-608323
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2013/02/20
UTM X: 589320.71944000002
UTM Y: 4517981.7475800002
Site ID: 30175

Actual:
22 ft.

Tank Number: 001
Tank ID: 65036
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1940
Capacity Gallons: 2500
Tightness Test Method: 21
Next Test Date: 11/21/2012
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 11/21/2007
Register: True
Modified By: bkfalvey
Last Modified: 2/28/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST. ANDREW'S EPISCOPAL CHURCH (Continued)

U004048348

Affiliation Records:

Site Id: 30175
Affiliation Type: Emergency Contact
Company Name: ST. ANDREWS EPISCOPAL CHURCH
Contact Type: Not reported
Contact Name: SHIRLEY DANIELS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 283-1498
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 1/17/2008

Site Id: 30175
Affiliation Type: Owner
Company Name: ST. ANDREWS EPISCOPAL CHURCH
Contact Type: WARDEN
Contact Name: SHIRLEY DANIELS
Address1: 2067 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 534-0896
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 1/17/2008

Site Id: 30175
Affiliation Type: On-Site Operator
Company Name: ST. ANDREWS EPISCOPAL CHURCH
Contact Type: Not reported
Contact Name: TONY HOWELL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 534-0896
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30175
Affiliation Type: Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST. ANDREW'S EPISCOPAL CHURCH (Continued)

U004048348

Company Name: ST. ANDREWS EPISCOPAL CHURCH
Contact Type: Not reported
Contact Name: SHIRLEY E. DANIELS
Address1: 2067 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 283-1498
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 1/17/2008

AB186
ENE
1/8-1/4
0.234 mi.
1234 ft.

31-33 WEST 129TH STREET H.D.F.C.
31-33 WEST 129TH STREET
NEW YORK, NY 10027
Site 6 of 9 in cluster AB

AST A100183288
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606705
Program Type: PBS
UTM X: 589289.03182999999
UTM Y: 4518139.7972200001
Expiration Date: 2011/08/17

Actual:
22 ft.

Tank Number: 001
Tank Id: 61793
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:
Site Id: 28563
Affiliation Type: Mail Contact
Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: Not reported
Contact Name: RASHID AHMAD
Address1: 63 WEST 124TH STREET
Address2: SUITE #100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

31-33 WEST 129TH STREET H.D.F.C. (Continued)

A100183288

City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28563
Affiliation Type: Emergency Contact
Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: Not reported
Contact Name: RONALD K, WHITE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 312-2247
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28563
Affiliation Type: On-Site Operator
Company Name: 31-33 WEST 129TH STREET H.D.F.C.
Contact Type: Not reported
Contact Name: PASQUALE MORILLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 244-1988
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28563
Affiliation Type: Owner
Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: SECRETARY
Contact Name: RASHID AHMAD
Address1: 63 W 124TH ST, SUITE #100
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

31-33 WEST 129TH STREET H.D.F.C. (Continued)

A100183288

Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Equipment Records:

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: B00
Code Name: None
Type: Tank External Protection

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: I05
Code Name: Vent Whistle
Type: Overfill

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: H00
Code Name: None
Type: Tank Leak Detection

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: L09
Code Name: Exempt Suction Piping
Type: Piping Leak Detection

Site Id: 28563
Tank Id Number: 61793
Tank Number: 001
Equipment: A00
Code Name: None
Type: Tank Internal Protection

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

31-33 WEST 129TH STREET H.D.F.C. (Continued)

A100183288

Site Id:	28563
Tank Id Number:	61793
Tank Number:	001
Equipment:	J02
Code Name:	Suction
Type:	Dispenser
Site Id:	28563
Tank Id Number:	61793
Tank Number:	001
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Site Id:	28563
Tank Id Number:	61793
Tank Number:	001
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection

AB187
ENE
1/8-1/4
0.234 mi.
1234 ft.

51-53 WEST 129TH STREET HDFC
51-53 WEST 129TH STREET
NEW YORK, NY 10027
Site 7 of 9 in cluster AB

AST A100183287
N/A

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-606704
 Program Type: PBS
 UTM X: 589237.31842999998
 UTM Y: 4518167.9282900002
 Expiration Date: 2011/08/16

Actual:
22 ft.

Tank Number:	001
Tank Id:	61792
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Tank Model:	Not reported
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	3/4/2004

Affiliation Records:
 Site Id: 28562
 Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

51-53 WEST 129TH STREET HDFC (Continued)

A100183287

Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: SECRETARY
Contact Name: RASHID AHMAD
Address1: 63 WEST 124TH ST, SUITE #100
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027-4512
Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28562
Affiliation Type: On-Site Operator
Company Name: 51-53 WEST 129TH STREET HDFC
Contact Type: Not reported
Contact Name: PASQUALE MORILLO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 244-1988
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28562
Affiliation Type: Emergency Contact
Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: Not reported
Contact Name: RONALD K. WHITE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 312-2247
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

Site Id: 28562
Affiliation Type: Mail Contact
Company Name: DEVELOPMENT OUTREACH, INC.
Contact Type: SECRETARY
Contact Name: RASHID AHMAD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

51-53 WEST 129TH STREET HDFC (Continued)

A100183287

Address1: 63 WEST 124TH ST, SUITE #100
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027-4512
Country Code: 001
Phone: (212) 427-0320
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/22/2006

AE188 GARMAR REALTY CORP
WNW 265 W 123 ST
1/8-1/4 NEW YORK, NY 10027
0.234 mi.
1234 ft. Site 1 of 2 in cluster AE

AST U003393543
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-218243
Program Type: PBS
UTM X: 588503.90035999997
UTM Y: 4518040.8478300003
Expiration Date: 2002/10/29

Actual:
27 ft.

Tank Number: 001
Tank Id: 30577
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:
Site Id: 8302
Affiliation Type: Owner
Company Name: GARMAR REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 2290 8TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARMAR REALTY CORP (Continued)

U003393543

Country Code: 001
Phone: (212) 678-9676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8302
Affiliation Type: On-Site Operator
Company Name: GARMAR REALTY CORP
Contact Type: Not reported
Contact Name: MITCHELL WOOD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 678-9676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8302
Affiliation Type: Mail Contact
Company Name: GARMAR REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 2290 8TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 678-9676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8302
Affiliation Type: Emergency Contact
Company Name: GARMAR REALTY CORP
Contact Type: Not reported
Contact Name: MITCHELL WOOD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 678-9676
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARMAR REALTY CORP (Continued)

U003393543

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-218243
SWIS Code: 6201
Operator: MITCHELL WOOD
Facility Phone: (212) 678-9676
Facility Addr2: 265 W 123 ST
Facility Type: Not reported
Emergency: MITCHELL WOOD
Emergency Tel: (212) 864-5511
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: GARMAR REALTY CORP
Owner Address: 2290 8TH AVE
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 678-9676
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: GARMAR REALTY CORP
Mailing Address: 2290 8TH AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Telephone: (212) 678-9676
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/19/1998
Expiration: 10/29/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARMAR REALTY CORP (Continued)

U003393543

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 00
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

189
WSW
1/8-1/4
0.234 mi.
1234 ft.

229 WEST 121 STREET
229 WEST 121ST STREET
NEW YORK, NY 10027

AST A100183417
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606845
Program Type: PBS
UTM X: 588472.09120999998
UTM Y: 4517845.5318799997
Expiration Date: 2011/08/28

Actual:
28 ft.

Tank Number: 001
Tank Id: 61942
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/10/2006

Affiliation Records:

Site Id: 28700

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

229 WEST 121 STREET (Continued)

A100183417

Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 28700
Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/3/2009

Site Id: 28700
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST COMMISSIONER DAMP
Contact Name: WILLA H. PADGETT
Address1: 100 GOLD ST., #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/8/2007

Site Id: 28700
Affiliation Type: On-Site Operator
Company Name: 229 WEST 121 STREET
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

229 WEST 121 STREET (Continued)

A100183417

Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/10/2006

**W190
ESE
1/8-1/4
0.235 mi.
1243 ft.**

**MORRIS PARK SENIOR CITIZEN (J.ROBINSON)
17 EAST 124TH STREET
NEW YORK, NY 10035
Site 3 of 4 in cluster W**

**LTANKS U001840732
HIST LTANKS N/A
UST
HIST UST
NY Spills
NY Hist Spills**

**Relative:
Higher**

LTANKS:

**Actual:
27 ft.**

Site ID: 149655
Spill No: 9513238
Spill Date: 1/20/1996
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1/22/1996
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 1/22/1996
Spill Record Last Update: 3/23/2006
Spiller Name: FRANK OCELLO
Spiller Company: NYC HOUSING
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: SUPER
Spiller Phone: (212) 722-7880
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 127273
DEC Memo: 12/16/05: This spill transferred from J.Kolleeny to S.Kraszewski.
03/23/06: This spill transferred to K.Tang - SK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Remarks: GROUND SEAPAGE

Material:

Site ID: 149655
Operable Unit ID: 1024222
Operable Unit: 01
Material ID: 356963
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: 15
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 316072
Spill No: 9004771
Spill Date: 7/30/1990
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/20/1996
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 7/30/1990
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/2/1990
Spill Record Last Update: 9/20/1996
Spiller Name: JOHN COLLINS
Spiller Company: NYCHA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: JOHN COLLINS
Spiller Phone: (212) 306-3129
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 275475
DEC Memo: Not reported
Remarks: TANK FAILED HORNER EZY CHECK WITH A VISUAL GROSS LEAK, WILL EXCAVATE,
ISOLATE & RETEST.

Material:

Site ID: 316072
Operable Unit ID: 942500
Operable Unit: 01
Material ID: 435847
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 316072
Spill Tank Test: 1537371
Tank Number: 001
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9513238
Spill Date: 01/20/1996
Spill Time: 13:27
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/22/96
Reported to Department Time: 13:24
SWIS: 62
Spiller Contact: SUPER
Spiller Phone: (212) 722-7880
Spiller Extension: Not reported
Spiller Name: NYC HOUSING
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: FRANK OCELLO
Facility Phone: (212) 306-3229
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/22/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/02/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 15
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 1/25/96 - Heavy rains in the last week caused seepage of oil and groundwater into boilir room of this project. Oil got into sump pit also. Sump pumps were shut down. Winston Contracting power washed the floor and sump but oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

continues to seep in. Tank is encased in concrete and has failed an air test. Tank has been taken out of service and repalced with four 275 gallon tanks temporarily project runs gas for hot water and oil for heat only). Tank is to be ultrasonically and internally inspected.

Spill Cause: GROUND SEAPAGE

Region of Spill: 2
Spill Number: 9004771
Spill Date: 07/30/1990
Spill Time: 14:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/96
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/30/90
Reported to Department Time: 16:49
SWIS: 62
Spiller Contact: JOHN COLLINS
Spiller Phone: (212) 306-3129
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: JOHN COLLINS
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-475165
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/02/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/20/96
Is Updated: False

Tank:
PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Tank Number: 001
Tank Size: 5000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: RECEIVED COPY OF TANK TEST REPORT. THE REPORT INDICATES THAT THE TANK TEST FAILED BECAUSE THE TANK WAS MISSING BOLTS ON MANWAY. SUBSEQUENT TANK TEST IN 1/92 PASSED TIGHTNESS TEST.
Spill Cause: TANK FAILED HORNER EZY CHECK WITH A VISUAL GROSS LEAK, WILL EXCAVATE, ISOLATE RETEST.

UST:

Facility Id: 2-475165
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 589261.84149999998
UTM Y: 4517722.8879000004
Site ID: 20978

Tank Number: 001
Tank ID: 37755
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1977
Capacity Gallons: 5000
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 8/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 1/1/1992
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20978
Affiliation Type: Owner
Company Name: NYC HOUSING AUTHORITY
Contact Type: FUEL OIL REMEDIATION COORDINATOR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Contact Name: FUEL OIL REMEDIATION COORD.
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 9/30/2005

Site Id: 20978
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: EMERGENCY SERVICE DEPT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 9/21/2005

Site Id: 20978
Affiliation Type: Mail Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: LUIS PONCE
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20978
Affiliation Type: On-Site Operator
Company Name: MORRIS PARK SENIOR CITIZEN (J.ROBINSON)
Contact Type: Not reported
Contact Name: LUIS PONCE
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-475165
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (718) 289-3940
Operator: LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Facility Addr2: 2120 LEXINGTON AVENUE (MGMT OFFICE)
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: Not reported
Expiration Date: 05/30/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19770401
Capacity (gals): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Wrapped (Piping)
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: 01/01/1992
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 08/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

NY Spills:

Site ID: 316075
Facility Addr2: Not reported
Facility ID: 9611020
Spill Number: 9611020
Facility Type: ER
SWIS: 3101
Investigator: HEALY
Referred To: Not reported
Spill Date: 12/6/1996
Reported to Dept: 12/6/1996
CID: 15
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/13/1996
Remediation Phase: 0
Date Entered In Computer: 12/6/1996
Spill Record Last Update: 12/13/1996
Spiller Name: DAVE FORTE
Spiller Company: NYC HOUSING
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY 10007-

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Spiller Company: 001
Contact Name: DAVE FORTE
Contact Phone: (212) 306-3226
DEC Region: 2
DER Facility ID: 254811
DEC Memo: Not reported
Remarks: OVERFILL FROM DELIVERY.

Material:

Site ID: 316075
Operable Unit ID: 1042397
Operable Unit: 01
Material ID: 343231
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 60
Units: Gallons
Recovered: 60
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 316073
Facility Addr2: Not reported
Facility ID: 9309711
Spill Number: 9309711
Facility Type: ER
SWIS: 3101
Investigator: HEALY
Referred To: Not reported
Spill Date: 11/10/1993
Reported to Dept: 11/10/1993
CID: 15
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 12/28/1993
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/28/1993
Remediation Phase: 0
Date Entered In Computer: 11/12/1993
Spill Record Last Update: 5/6/1994
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 254811
DEC Memo: Not reported
Remarks: GASKET ON BOILER DID NOT HOLD. HAZMAT NOTIFIED. WINSTON ON SCENE
CLEANING UP SPILL. APPROX. 40 GALLONS ENTERED SUMP PIT.

Material:

Site ID: 316073
Operable Unit ID: 988809
Operable Unit: 01
Material ID: 392364
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 316073
Spill Tank Test: 1542194
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
Spill Number: 9611020
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/06/1996 11:15
Reported to Dept Date/Time: 12/06/96 12:37
SWIS: 62
Spiller Name: NYC HOUSING
Spiller Contact: DAVE FORTE
Spiller Phone: Not reported
Spiller Contact: DAVE FORTE
Spiller Phone: (212) 306-3226
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY 10007-
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 08
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/13/96
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/06/96
Date Spill Data Entered In Computer Data File: Not reported
Update Date: 12/13/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 60
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 60
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: OVERFILL FROM DELIVERY.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Region of Spill: 2
Spill Number: 9309711
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/10/1993 15:00
Reported to Dept Date/Time: 11/10/93 12:25
SWIS: 62
Spiller Name: NYCHA
Spiller Contact: Not reported
Spiller Phone: (212) 722-7880
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: 2-475165
Cleanup Ceased: 12/28/93
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/28/93
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/12/93
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/06/94
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORRIS PARK SENIOR CITIZEN (J.ROBINSON) (Continued)

U001840732

Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Remark: GASKET ON BOILER DID NOT HOLD. HAZMAT NOTIFIED. WINSTON ON SCENE CLEANING UP SPILL. APPROX. 40 GALLONS ENTERED SUMP PIT.

AB191 PADESKO REALTY CORP
ENE 39 WEST 129 STREET
1/8-1/4 NEW YORK, NY 10027
0.236 mi.
1246 ft. Site 8 of 9 in cluster AB

AST U003392825
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-247669
Program Type: PBS
UTM X: 589305.12719999999
UTM Y: 4518162.5061999997
Expiration Date: 2013/02/10

Actual:
22 ft.

Tank Number: 001
Tank Id: 25484
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1969
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/10/2008

Affiliation Records:
Site Id: 9747
Affiliation Type: Mail Contact
Company Name: PADESKO REALTY CORP
Contact Type: Not reported
Contact Name: CHRIS RAJKUMAR
Address1: 119-22 130TH STREET
Address2: Not reported
City: SOUTH OZONE PARK
State: NY
Zip Code: 11420
Country Code: 001
Phone: (718) 322-5853
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADESKO REALTY CORP (Continued)

U003392825

Date Last Modified: 2/29/2008

Site Id: 9747
Affiliation Type: Emergency Contact
Company Name: PADESKO REALTY CORP
Contact Type: Not reported
Contact Name: F. WISEMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 517-5469
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/10/2008

Site Id: 9747
Affiliation Type: On-Site Operator
Company Name: PADESKO REALTY CORP
Contact Type: Not reported
Contact Name: F. WISEMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 517-5469
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/10/2008

Site Id: 9747
Affiliation Type: Owner
Company Name: PADESKO REALTY CORP
Contact Type: PRESIDENT
Contact Name: C. RAJKUMAR
Address1: 340A LENOX AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (718) 322-2970
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/10/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADESKO REALTY CORP (Continued)

U003392825

HIST AST:
PBS Number: 2-247669
SWIS Code: 6201
Operator: K.YOUNG
Facility Phone: (212) 722-6506
Facility Addr2: 39 WEST 129 STREET
Facility Type: APARTMENT BUILDING
Emergency: K.YOUNG
Emergency Tel: (212) 996-7467
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: PADESKO REALTY CORP
Owner Address: 340A LENOX AVE
Owner City,St,Zip: NEW YORK, NY 10027
Federal ID: Not reported
Owner Tel: (212) 996-7467
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: CHRIS RAJKUMAR
Mailing Name: PADESKO REALTY CORP
Mailing Address: 340 LENOX AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10027
Mailing Telephone: (212) 722-6506
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/10/1993
Expiration: 02/10/1998
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 1
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PADESKO REALTY CORP (Continued)

U003392825

Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

**AC192
NW
1/8-1/4
0.237 mi.
1249 ft.**

**P.S. 154
250 WEST 127TH STREET
NEW YORK, NY 10027
Site 2 of 2 in cluster AC**

**AST U003394204
HIST AST N/A**

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-354090
Program Type: PBS
UTM X: 588687.70629
UTM Y: 4518302.5107699996
Expiration Date: 2013/06/28

**Actual:
29 ft.**

Tank Number: 001
Tank Id: 34456
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/2/1964
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/22/2008

Tank Number: 002
Tank Id: 34457
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 154 (Continued)

U003394204

Install Date: 6/2/1964
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/22/2008

Affiliation Records:

Site Id: 17593
Affiliation Type: Owner
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: MANAGER, FUEL DIVISION
Contact Name: JAMES A. MERLO
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/2/2008

Site Id: 17593
Affiliation Type: Mail Contact
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: JAMES A. MERLO
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: JMERLO@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/2/2008

Site Id: 17593
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 154 (Continued)

U003394204

Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/23/2010

Site Id: 17593
Affiliation Type: On-Site Operator
Company Name: PUBLIC SCHOOL 154 - MANHATTAN
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-354090
SWIS Code: 6201
Operator: PLANT OPERATION
Facility Phone: (718) 391-6000
Facility Addr2: 250 WEST 127TH STREET
Facility Type: SCHOOL
Emergency: SCHOOL SAFETY
Emergency Tel: (212) 979-3300
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION
Owner Address: 28-11 QUEENS PLAZA NORTH
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Federal ID: Not reported
Owner Tel: (718) 391-6832
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: FRANK CARDELLO NTROL
Mailing Name: BOARD OF EDUCATION
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: 5 FLOOR
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Telephone: (718) 391-6832
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 154 (Continued)

U003394204

Certification Date: 08/26/1998
Expiration: 06/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: 002
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P.S. 154 (Continued)

U003394204

Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AD193
East
1/8-1/4
0.238 mi.
1256 ft.

2071 FIFTH AVENUE
2071 FIFTH AVE.
NEW YORK, NY 10035

AST A100182993
N/A

Site 5 of 5 in cluster AD

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601003
Program Type: PBS
UTM X: 589358.76887999999
UTM Y: 4518009.8317799997
Expiration Date: 2011/09/28

Actual:
22 ft.

Tank Number: 01
Tank Id: 44701
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1996
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:
Site Id: 22973
Affiliation Type: On-Site Operator
Company Name: 2071 FIFTH AVENUE
Contact Type: Not reported
Contact Name: BRIAN SYNMOIE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2071 FIFTH AVENUE (Continued)

A100182993

Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 7/11/2006

Site Id: 22973
Affiliation Type: Owner
Company Name: 127TH ST. CLUSTER L.P.
Contact Type: MANAGING AGENT
Contact Name: FRANCIS SYNMOIE
Address1: 347 LENOX AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 12/8/2006

Site Id: 22973
Affiliation Type: Emergency Contact
Company Name: 127TH ST. CLUSTER L.P.
Contact Type: Not reported
Contact Name: FRANCIS SYNMOIE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 987-8088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22973
Affiliation Type: Mail Contact
Company Name: 127TH STREET CLUSTER L.P.
Contact Type: Not reported
Contact Name: FRANCIS SYNMOIE
Address1: C/O NY RESIDENTIAL WORKS, INC.
Address2: 347 LENOX AVE.
City: NEW YORK
State: NY
Zip Code: 10027
Country Code: 001
Phone: (212) 987-8088

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2071 FIFTH AVENUE (Continued)

A100182993

Phone Ext: 103
Email: DSYNMOIE@NYRWINC.COM
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 12/8/2006

**194
NW
1/8-1/4
0.239 mi.
1264 ft.**

**271 WEST 125TH ST
271 WEST 125TH ST
NEW YORK CITY, NY**

**LTANKS S105998440
N/A**

**Relative:
Higher**

LTANKS:

**Actual:
28 ft.**

Site ID: 293784
Spill No: 0212531
Spill Date: 3/19/2003
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/20/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SXAHMED
Referred To: Not reported
Reported to Dept: 3/19/2003
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/19/2003
Spill Record Last Update: 1/25/2006
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: FRANK MONTEANO
Spiller Phone: (212) 582-6688
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 237763
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" 10/12/2005: Talked to Mr Frank Monteano (212 483 8890). He informed that there was a environmental clean up after that spill. His assistant will be back on next Monday and requested to call back than. (Sadique) 10/21/2005: Called that no. and left message to call me back. (Sadique) 11/07/2005: Tried to contact with the Hillman Environmental (718 726 3336), the no. was not in service. Searched property shark for owner and sent a certified mail to the owner. (Sadique) 12/05/2005: Letter returned on 11/25/2005 due to wrong zip code. Checked the address and send another today.(Sadique) 12/15/2005: Second letter returned on 12/15/2005. (Sadique)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

271 WEST 125TH ST (Continued)

S105998440

12/22/2005: Site visit may help to close the spill. (Sadique)
 01/20/2006: John Grathwol and I visited the spill location on
 01/18/2006 at 1:25pm. Met with building superintendent Mr. Francis
 Rivera. They changed to gas heating last summer. The old tank removed
 from the building. No spill visible. Nothing on the floor. Moldy
 smell but no petroleum smell noticed. Inspected out side, fill pipe
 removed. No sign of oil spill found. Took photos of inside and out
 side locations. Spill can be closed. (Sadique) 01/20/2006: Spill
 closed. (Sadique)
 Remarks: OIL TANK IN OFFICE BUILDING APPEARS TO HAVE BEEN OVERFILLED. SIGNS OF
 OIL IN VAULT WHERE FILL PIPE IS LOCATED. CALLER STATES IT IS A SMALL
 AMOUNT. HE DOES NOT KNOW NAME OF OIL COMPANY THAT FILLS TANK. CALLER
 WILL ADDRESS PROBLEM TOMORROW WITH HILLMAN ENVIRONMENTAL.

Material:
 Site ID: 293784
 Operable Unit ID: 865986
 Operable Unit: 01
 Material ID: 512265
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

AB195 CITY OF N.Y DEPARTMENT OF H.P.D
ENE 35 WEST 129 STREET
1/8-1/4 NEW YORK, NY 10027
0.240 mi.
1267 ft. Site 9 of 9 in cluster AB

AST U003395839
HIST AST N/A

Relative: AST:
Lower Region: STATE
 DEC Region: 2
Actual: Site Status: Active
22 ft. Facility Id: 2-600964
 Program Type: PBS
 UTM X: 589316.0790999997
 UTM Y: 4518156.7543099998
 Expiration Date: 1997/10/20

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395839

Tank Number: 1
Tank Id: 44662
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 22934
Affiliation Type: Owner
Company Name: CITY OF N.Y DEPARTMENT OF H.P.D
Contact Type: Not reported
Contact Name: Not reported
Address1: 75 MAIDEN LANE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8306
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 1/15/2010

Site Id: 22934
Affiliation Type: Mail Contact
Company Name: CITY OF N.Y DEPARTMENT OF H.P.D
Contact Type: Not reported
Contact Name: IVAN SCHWARTZ
Address1: 75 MAIDEN LANE
Address2: 4TH FL- RM 427
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8037
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22934
Affiliation Type: On-Site Operator
Company Name: CITY OF N.Y DEPARTMENT OF H.P.D

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395839

Contact Type: Not reported
Contact Name: TONY ROMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 360-7996
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22934
Affiliation Type: Emergency Contact
Company Name: CITY OF N.Y DEPARTMENT OF H.P.D
Contact Type: Not reported
Contact Name: ANGELO GUZMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 360-7905
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-600964
SWIS Code: 6201
Operator: TONY ROMAN
Facility Phone: (212) 360-7996
Facility Addr2: 35 WEST 129 STREET
Facility Type: APARTMENT BUILDING
Emergency: ANGELO GUZMAN
Emergency Tel: (212) 360-7905
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF N.Y DEPARTMENT OF H.P.D
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK', NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8306
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: IVAN SCHWARTZ
Mailing Name: CITY OF N.Y DEPARTMENT OF H.P.D
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: 4TH FL- RM 427

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF N.Y DEPARTMENT OF H.P.D (Continued)

U003395839

Mailing City,St,Zip: NEW YORK', NY 10038
Mailing Telephone: (212) 806-8037
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/23/1992
Expiration: 10/20/1997
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 1
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: Diking
Leak Detection: 00
Overfill Protection: 06
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AF196 PAUL ROBESON HOUSES ASSO
SW 1995 A C POWELL BLVD
1/8-1/4 NEW YORK, NY 10459
0.241 mi.
1273 ft. Site 1 of 3 in cluster AF

AST U003393540
HIST AST N/A

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-152730
Program Type: PBS
UTM X: 588538.54659000004
UTM Y: 4517718.8531900002
Expiration Date: 2013/02/03

Tank Number: 001
Tank Id: 30534
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1982
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 12/28/2007

Affiliation Records:

Site Id: 4796
Affiliation Type: Mail Contact
Company Name: P R C MANAGEMENT CO. LLC.
Contact Type: GENERAL MANAGER
Contact Name: FRANK DIDIO
Address1: 955 E 163RD ST
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10459
Country Code: 001
Phone: (718) 928-6099
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/28/2007

Site Id: 4796
Affiliation Type: Emergency Contact
Company Name: P R C MANAGEMENT CO. LLC.
Contact Type: Not reported
Contact Name: FRANK DIDIO
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PAUL ROBESON HOUSES ASSO (Continued)

U003393540

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 328-6099
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/28/2007

Site Id: 4796
Affiliation Type: Owner
Company Name: P R C MANAGEMENT CO. LLC.
Contact Type: GENERAL MANAGER
Contact Name: FRANK DIDIO
Address1: 955 E 163RD ST
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10459
Country Code: 001
Phone: (718) 928-6099
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/28/2007

Site Id: 4796
Affiliation Type: On-Site Operator
Company Name: PAUL ROBESON HOUSES ASSO
Contact Type: Not reported
Contact Name: LICONA RAMON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 328-6099
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/25/2005

HIST AST:

PBS Number: 2-152730
SWIS Code: 6201
Operator: AUDLEY BENT
Facility Phone: (212) 328-6099
Facility Addr2: 1995 A C POWELL BLVD
Facility Type: APARTMENT BUILDING
Emergency: AUDLEY BENT
Emergency Tel: (212) 378-3490
Old PBSNO: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PAUL ROBESON HOUSES ASSO (Continued)

U003393540

Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: PAUL ROBESON HOUSES ASSO
Owner Address: 955 E 163 ST
Owner City,St,Zip: BRONX, NY 10459
Federal ID: Not reported
Owner Tel: (212) 528-6099
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: PAUL ROBESON HOUSES ASSO
Mailing Address: 955 E 163 ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10459
Mailing Telephone: (212) 528-6099
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/01/1998
Expiration: 02/03/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PAUL ROBESON HOUSES ASSO (Continued)

U003393540

Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AE197 270 WEST 123RD STREET
WNW 270 WEST 123RD STREET
1/8-1/4 NEW YORK, NY 10027
0.243 mi.
1285 ft. Site 2 of 2 in cluster AE

AST U003394984
HIST AST N/A

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-470651
Program Type: PBS
UTM X: 588485.72617000004
UTM Y: 4518036.8554999996
Expiration Date: 1999/03/28

Tank Number: 001
Tank Id: 37342
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20618
Affiliation Type: Emergency Contact
Company Name: CITY OF NY HOUS. PRES. & DEV.
Contact Type: Not reported
Contact Name: W. ROBERTS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 360-7947
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 WEST 123RD STREET (Continued)

U003394984

Date Last Modified: 3/4/2004

Site Id: 20618
Affiliation Type: Owner
Company Name: CITY OF NY HOUS. PRES. & DEV.
Contact Type: Not reported
Contact Name: Not reported
Address1: 75 MAIDEN LANE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/23/2008

Site Id: 20618
Affiliation Type: Mail Contact
Company Name: CITY OF NY HOUS. PRES. & DEV.
Contact Type: Not reported
Contact Name: IVAN SCHWARTZ
Address1: 75 MAIDEN LANE
Address2: 4TH FLOOR - ROOM 427
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8037
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20618
Affiliation Type: On-Site Operator
Company Name: 270 WEST 123RD STREET
Contact Type: Not reported
Contact Name: A. ANGRISANI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 360-5851
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 WEST 123RD STREET (Continued)

U003394984

HIST AST:
PBS Number: 2-470651
SWIS Code: 6201
Operator: A. ANGRISANI
Facility Phone: (212) 360-5851
Facility Addr2: 270 WEST 123RD STREET
Facility Type: Not reported
Emergency: W. ROBERTS
Emergency Tel: (212) 360-7947
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CITY OF NY HOUS. PRES. & DEV.
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8091
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: IVAN SCHWARTZ
Mailing Name: CITY OF NY HOUS. PRES. & DEV.
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: 4TH FLOOR - ROOM 427
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8037
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/17/1994
Expiration: 03/28/1999
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

270 WEST 123RD STREET (Continued)

U003394984

Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AF198
WSW
1/8-1/4
0.245 mi.
1291 ft.

CONED
OPP 206 W 120TH ST
NEW YORK, NY 10001
Site 2 of 3 in cluster AF

MANIFEST S109825145
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004177978
Country: USA
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address: 4 IRVING ST
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Actual:
28 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-30
Trans1 Recv Date: 2009-06-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004177978
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 2000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109825145

Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084072GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-30
Trans1 Recv Date: 2009-06-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004177978
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 2000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001084072GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AF199
WSW
1/8-1/4
0.245 mi.
1291 ft.

206 WEST 120 STREET
206 WEST 120TH STREET
NEW YORK, NY 10027
Site 3 of 3 in cluster AF

AST A100183353
N/A

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606774
Program Type: PBS
UTM X: 588480.97904000001
UTM Y: 4517737.2784099998
Expiration Date: 2011/08/22

Tank Number: 001
Tank Id: 61866
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/11/2006

Affiliation Records:

Site Id: 28631
Affiliation Type: On-Site Operator
Company Name: 206 WEST 120 STREET
Contact Type: Not reported
Contact Name: ASST. COMM. DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/11/2006

Site Id: 28631
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

206 WEST 120 STREET (Continued)

A100183353

City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 28631
Affiliation Type: Emergency Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: 213/215 MOTT ST. H.D.F.C.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 613-0908
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2008

Site Id: 28631
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST COMMISSIONER DAMP
Contact Name: WILLA H. PADGETT
Address1: 100 GOLD ST., #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/8/2007

**200
ESE
1/8-1/4
0.247 mi.
1303 ft.**

**26 EAST 125ST STREET CORP.
26 E. 125TH ST.
NEW YORK, NY 10035**

**AST A100183513
N/A**

**Relative:
Lower**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606948

**Actual:
25 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

26 EAST 125ST STREET CORP. (Continued)

A100183513

Program Type: PBS
UTM X: 589283.9765599998
UTM Y: 4517762.0299300002
Expiration Date: 2011/09/19

Tank Number: C144-041
Tank Id: 62093
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/10/1959
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 28803
Affiliation Type: Mail Contact
Company Name: M.W. ALPHA GRAND LODGE
Contact Type: Not reported
Contact Name: JAMES T. ROBINSON, JR.
Address1: 26 EAST 125TH STREET
Address2: P.O. BOX 208
City: FLORAL PARK
State: NY
Zip Code: 11001
Country Code: 001
Phone: (718) 781-8623
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/5/2006

Site Id: 28803
Affiliation Type: On-Site Operator
Company Name: 26 EAST 125ST STREET CORP.
Contact Type: Not reported
Contact Name: JOE MORRIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 534-9761
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

26 EAST 125ST STREET CORP. (Continued)

A100183513

Date Last Modified: 7/5/2006

Site Id: 28803
Affiliation Type: Emergency Contact
Company Name: M. W. ALPHA GRAND LODGE
Contact Type: Not reported
Contact Name: JAMES T. ROBINSON, JR.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 781-8623
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/5/2006

Site Id: 28803
Affiliation Type: Owner
Company Name: M. W. ALPHA GRAND LODGE
Contact Type: DEPUTY GRAND MASTER
Contact Name: JAMES T. ROBINSON, JR.
Address1: 26 E. 125TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10035
Country Code: 001
Phone: (212) 534-9761
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/5/2006

W201 APARTMENT HOUSE STORAGE TANK
ESE 23-27 E 124TH ST
1/8-1/4 NEW YORK, NY 10035
0.248 mi.
1310 ft. Site 4 of 4 in cluster W

AST U004046002
N/A

Relative: AST:
Higher Region: STATE
DEC Region: 2
Actual: Site Status: Administratively Closed
27 ft. Facility Id: 2-279129
Program Type: PBS
UTM X: 589244.95245999994
UTM Y: 4517697.5359199997
Expiration Date: N/A

Tank Number: 001
Tank Id: 14469
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE STORAGE TANK (Continued)

U004046002

Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1936
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/24/2002
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 12134
Affiliation Type: Owner
Company Name: MT MORRIS APTS, INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 200 E 26TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 532-6874
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12134
Affiliation Type: Mail Contact
Company Name: MT MORRIS APTS, INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 200 E 26TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 532-6874
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12134
Affiliation Type: Emergency Contact
Company Name: MT MORRIS APTS, INC
Contact Type: Not reported
Contact Name: SINRAM-MARNIS OIL CO
Address1: Not reported
Address2: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

APARTMENT HOUSE STORAGE TANK (Continued)

U004046002

City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 993-7656
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	12134
Affiliation Type:	On-Site Operator
Company Name:	APARTMENT HOUSE STORAGE TANK
Contact Type:	Not reported
Contact Name:	MR IVORY JOHNSON (SUPT)
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 996-4777
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

AG202 **95 WEST 119 STREET - (TAFT REHAB)**
SSW **95 WEST 119TH STREET**
1/8-1/4 **NEW YORK, NY 10029**
0.248 mi.
1312 ft. **Site 1 of 3 in cluster AG**

UST **U004078544**
N/A

Relative:	UST:	
Lower	Facility Id:	2-603632
	Region:	STATE
Actual:	DEC Region:	2
25 ft.	Site Status:	Active
	Program Type:	PBS
	Expiration Date:	2013/08/26
	UTM X:	588769.19665000006
	UTM Y:	4517536.3223400004
	Site ID:	25542
	Tank Number:	1
	Tank ID:	56270
	Tank Status:	In Service
	Tank Model:	201
	Pipe Model:	Not reported
	Install Date:	8/1/1998
	Capacity Gallons:	2129
	Tightness Test Method:	NN
	Next Test Date:	Not reported
	Date Tank Closed:	Not reported
	Tank Location:	6
	Tank Type:	Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

95 WEST 119 STREET - (TAFT REHAB) (Continued)

U004078544

Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 6/23/2008

Tank Number: OLD TK#1
Tank ID: 55001
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/1964
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1998
Tank Location: 5
Tank Type: Z
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 25542
Affiliation Type: Mail Contact
Company Name: NEW YORK CITY HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION COORDINATOR
Address1: 23-02 49TH AVENUE
Address2: TECHNICAL SERVS DEPT - 5TH FLOOR
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 6/9/2008

Site Id: 25542
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: EMERGENCY SERVICES DEPARTMENT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 707-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

95 WEST 119 STREET - (TAFT REHAB) (Continued)

U004078544

Modified By: bkfalvey
Date Last Modified: 1/14/2009

Site Id: 25542
Affiliation Type: Owner
Company Name: NEW YORK CITY HOUSING AUTHORITY
Contact Type: COORDINATOR, FUEL OIL REMEDIATION
Contact Name: RALPH TROCCHIO
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: bkfalvey
Date Last Modified: 6/1/2009

Site Id: 25542
Affiliation Type: On-Site Operator
Company Name: 95 WEST 119 STREET - (TAFT REHAB)
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION UNIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 6/9/2008

AG203
SSW
1/8-1/4
0.249 mi.
1316 ft.

TAFT HOUSES
95 WEST 119TH STREET
MANHATTAN, NY

Site 2 of 3 in cluster AG

HIST UST **U003652024**
NY Spills **N/A**
NY Hist Spills

Relative:
Lower

HIST UST:
PBS Number: 2-603632
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (718) 289-3940
Operator: LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NEW YORK CITY HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

U003652024

Mailing Name: NEW YORK CITY HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City, St, Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 1740 MADISON AVENUE (MANAGEMENT OFFICE)
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 08/26/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2129
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: NEW TK#1
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19980801
Capacity (gals): 2129
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Excavation/Tranch Liner
Leak Detection: In-tank System
Overfill Prot: High Level Alarm, Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

U003652024

Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: OLD TK#1
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19641001
Capacity (gals): 4000
Product Stored: Not reported
Tank Type: Not reported
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Major Data Missing (which is on the certificate)
Date Closed: 04/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

NY Spills:

Site ID: 279235
Facility Addr2: Not reported
Facility ID: 9506363
Spill Number: 9506363
Facility Type: ER
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Spill Date: 8/23/1995
Reported to Dept: 8/23/1995
CID: 15
Spill Cause: Housekeeping
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/16/2002
Remediation Phase: 0
Date Entered In Computer: 8/23/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

U003652024

Spill Record Last Update: 1/6/2005
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 226735
DEC Memo: Not reported
Remarks: CONTRACTOR REPLACING BOILER ROOM FLOOR FOUND LAYER OF OIL BETWEEN OLD FLOOR AND NEW FLOOR - ATTRIBUTED TO PAST HOUSEKEEPING BY NYCHA EMPLOYEES.

Material:

Site ID: 279235
Operable Unit ID: 1017198
Operable Unit: 01
Material ID: 566983
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9506363
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/23/1995 10:00
Reported to Dept Date/Time: 08/23/95 13:03
SWIS: 62
Spiller Name: NYC HOUSING AUTHORITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

U003652024

Spiller Contact: Not reported
Spiller Phone: (212) 306-3142
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Housekeeping
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/23/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Remark: CONTRACTOR REPLACING BOILER ROOM FLOOR FOUND LAYER OF OIL BETWEEN OLD FLOOR AND
NEW FLOOR - ATTRIBUTED TO PAST HOUSEKEEPING BY NYCHA EMPLOYEES

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

AG204 **102 WEST 119 STREET**
SSW **102 WEST 119TH STREET**
1/8-1/4 **NEW YORK, NY 10026**
0.249 mi.
1317 ft. **Site 3 of 3 in cluster AG**

AST **A100183352**
 N/A

Relative:
Higher

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-606773
 Program Type: PBS
 UTM X: 588695.04769000004
 UTM Y: 4517529.7847499996
 Expiration Date: 2011/08/22

Actual:
26 ft.

Tank Number: 991
 Tank Id: 61865
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 7/11/2006

Affiliation Records:

Site Id: 28630
 Affiliation Type: Emergency Contact
 Company Name: NYC/HPD/DAMP
 Contact Type: Not reported
 Contact Name: ASST. COMMISSIONER/DAMP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 863-7301
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 2/3/2009

Site Id: 28630
 Affiliation Type: Owner
 Company Name: NYC/HPD/DAMP
 Contact Type: ASST COMMISSIONER DAMP
 Contact Name: WILLA H. PADGETT
 Address1: 100 GOLD ST., #7Z5
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

102 WEST 119 STREET (Continued)

A100183352

City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/8/2007

Site Id: 28630
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 28630
Affiliation Type: On-Site Operator
Company Name: 102 WEST 119 STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/11/2006

AA205 2 EAST 128 STREET
East 2 EAST 128TH STREET
1/8-1/4 NEW YORK, NY 10035
0.250 mi.
1318 ft. Site 2 of 2 in cluster AA

UST U003835991
HIST UST N/A

Relative: UST:
Lower Facility Id: 2-606861
Region: STATE
Actual: DEC Region: 2
22 ft. Site Status: Active

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 128 STREET (Continued)

U003835991

Program Type: PBS
Expiration Date: 2006/08/29
UTM X: 589338.84542999999
UTM Y: 4518010.6109699998
Site ID: 28716

Tank Number: 001
Tank ID: 61958
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: 00
Next Test Date: 12/27/1987
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: JMKRIMGO
Last Modified: 5/19/2009

Affiliation Records:

Site Id: 28716
Affiliation Type: Emergency Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: 213/215 MOTT ST. H.D.F.C.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 613-0908
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2008

Site Id: 28716
Affiliation Type: On-Site Operator
Company Name: 2 EAST 128 STREET
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 128 STREET (Continued)

U003835991

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28716
Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST., #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 2/2/2009

Site Id: 28716
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

HIST UST:

PBS Number: 2-606861
SPDES Number: Not reported
Emergency Contact: ASST. COMMISSIONER/DAMP
Emergency Telephone: (212) 863-7301
Operator: ASST. COMMISSIONER/DAMP
Operator Telephone: (212) 863-7301
Owner Name: NYC/HPD/DAMP
Owner Address: 100 GOLD ST., #7Z5
Owner City,St,Zip: NEW YORK, NY 10038
Owner Telephone: (212) 863-7301
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: NYC/HPD/DAMP
Mailing Address: 100 GOLD STREET
Mailing Address 2: #7Z5
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Contact: ASST. COMMISSIONER/DAMP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 EAST 128 STREET (Continued)

U003835991

Mailing Telephone: (212) 863-7301
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2001
Expiration Date: 08/29/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 1500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Not reported
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

206
SSW
1/4-1/2
0.250 mi.
1321 ft.

127 WEST 119TH ST
127 WEST 119TH ST
MANHATTAN, NY

LTANKS S100177828
HIST LTANKS N/A
NY Spills
NY Hist Spills

Relative:
Higher

LTANKS:

Actual:
26 ft.

Site ID: 183065
Spill No: 9111198
Spill Date: 1/29/1992
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Not reported
Spill Closed Dt: 1/31/1992
Facility Addr2: Not reported
Cleanup Ceased: 1/31/1992
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1/29/1992
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/7/1992
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 283607
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: SORBENT APPLIED. CLEANUP CONFIRMED.

Material:

Site ID: 183065
Operable Unit ID: 961319
Operable Unit: 01
Material ID: 416250
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 119TH ST (Continued)

S100177828

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9111198
Spill Date: 01/29/1992
Spill Time: 16:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Not reported
Spill Closed Dt: 01/31/92
Cleanup Ceased: 01/31/92
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/29/92
Reported to Department Time: 09:27
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 119TH ST (Continued)

S100177828

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/07/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: SORBENT APPLIED. CLEANUP CONFIRMED.

NY Spills:

Site ID: 114703
Facility Addr2: Not reported
Facility ID: 9710463
Spill Number: 9710463
Facility Type: ER
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Spill Date: 12/11/1997
Reported to Dept: 12/12/1997
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/1997
Remediation Phase: 0
Date Entered In Computer: 12/12/1997
Spill Record Last Update: 2/4/1998
Spiller Name: A. J. PATEL;

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 119TH ST (Continued)

S100177828

Spiller Company: Not reported
Spiller Address: 127 WEST 119TH ST
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller Company: 001
Contact Name: A. J. PATEL;
Contact Phone: (212) 863-7764
DEC Region: 2
DER Facility ID: 100029
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN"

Remarks: cross over line leak-has been cleaned as of now-

Material:

Site ID: 114703
Operable Unit ID: 1056840
Operable Unit: 01
Material ID: 328755
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: 20
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9710463
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/11/1997 17:00
Reported to Dept Date/Time: 12/12/97 09:47
SWIS: 62
Spiller Name: Not reported
Spiller Contact: A. J. PATEL;
Spiller Phone: (212) 863-7764
Spiller Contact: A. J. PATEL;

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 119TH ST (Continued)

S100177828

Spiller Phone: (212) 863-7764
Spiller Address: 127 WEST 119TH ST
Spiller City,St,Zip: MANHATTAN
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/12/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/04/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 20
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: cross over line leak-has been cleaned as of now-

MAP FINDINGS

Map ID Direction Distance Elevation Site Database(s) EDR ID Number EPA ID Number

Z207 **APART** **LTANKS** **S109208794**
SSW **86 WEST 119TH STREET** **N/A**
1/4-1/2 **NEW YORK, NY**
0.252 mi.
1331 ft. **Site 4 of 4 in cluster Z**

Relative: **LTANKS:**
Lower Site ID: 402208
 Spill No: 0805163
Actual: Spill Date: 8/4/2008
24 ft. Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/22/2009
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MXAJOKU
 Referred To: Not reported
 Reported to Dept: 8/4/2008
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 8/4/2008
 Spill Record Last Update: 1/20/2010
 Spiller Name: PAUL MARTINEZ
 Spiller Company: APART
 Spiller Address: 86 WEST 119TH STREET
 Spiller City,St,Zip: NEW YORK, NY
 Spiller County: 001
 Spiller Contact: PAUL MARTINEZ
 Spiller Phone: (917) 217-3639
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 351412
 DEC Memo: Case started out as a Tank Test Failure. Tank is 3,000 gal and no PBS was found. Tank will "probably" be replaced. Property Manager: Paul Martinez with Wavecrest Management 718-463-1200 Wavecrest compliance person looked up the records and confirmed the tank had never been registered. Building has an alternate address of 170 thru 178 Lenox Ave, Manhattan. Building is being sold through city HPD to be a tenant owned Co-op - Contact for this transfer is: Alan Blitz 212-479-3308 -Shuhab Housing Development Fund Corp 1780 Broadway Fl 6, New York NY 10019-1414 TTF letter sent to Mr. Blitz at Shuhab. 03/02/09: I left a voice message for both Paul Martinez and Alan Blitz with respect to failure of the 3000 gallon tank, and non-compliance status because the facility is not registered under PBS. (MA) 12/17/09: DEC is in receipt of report document dated 10/22/09 prepared and submitted on behalf of Shuhab Housing Development Fund Corp by VTEQE LTD. The report documents investigation in connection with TTF, and PBS registration for the new AST. Based on this report document, spill number associated with the TTF is hereby closed. See eDocs for detail. (MA)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APART (Continued)

S109208794

Remarks: DRY LEAK

Material:
Site ID: 402208
Operable Unit ID: 1158976
Operable Unit: 01
Material ID: 2150084
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 402208
Spill Tank Test: 2486605
Tank Number: Not reported
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 8/4/2008
Test Method: Horner EZ Check I or II
Site ID: 402208
Spill Tank Test: 2486606
Tank Number: Not reported
Tank Size: 0
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 8/4/2008
Test Method: Horner EZ Check I or II

AH208
South
1/4-1/2
0.263 mi.
1387 ft.

63W 119TH ST
MANHATTEN, NY
Site 1 of 3 in cluster AH

LTANKS S106702950
HIST LTANKS N/A

Relative:
Lower

LTANKS:
Site ID: 263902
Spill No: 0107880
Spill Date: 11/1/2001
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106702950

Cleanup Meets Standard: False
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 11/1/2001
CID: 15
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 11/1/2001
Spill Record Last Update: 1/19/2006
Spiller Name: Not reported
Spiller Company: UNK
Spiller Address: UNK
Spiller City,St,Zip: UNK, ZZ
Spiller County: 001
Spiller Contact: NYC HOUSING OP # 171
Spiller Phone: (212) 824-4328
Spiller Extention: 0
DEC Region: 2
DER Facility ID: 215107
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 11/02/2001 DEMEO REFERRED THE FOLLOWUP TO TIPPLE. VERNON ROBERTS PRIOR SUPER 718-861-2480 DAUGHTER AND FORMER OWNER CHERYL ROBERTS 212-926-6274 THE PROPERTY WAS TAKEN BACK BY HPD FOR NON-PAYMENT OF TAXES AS PER CONVERSATIONS WITH BOTH VERNON AND CHERYL. THEY BOTH EITHER HAVE NO KNOWLEDGE OF OR REFUSE TO REVEAL THE NAME OF THE OIL COMPANY THAT OVERFILLED THE TANK. JIM GALLAGHER 212-863-8638 EMERGENCY REPAIR BUREAU OF HPD WAS CALLED IN AN ATTEMPT TO FIND THE OIL COMPANY. 2/6/03 - AUSTIN, DDO - CALL FROM LORETTA METRO FUEL(718-383-1400) - SHE WANTS TO CLOSE OUT THE SPILL FOR A CLIENT - I TOLD HER TO FOIL RECORDS, PROVIDE AN UPDATE TO US FOR CLOSURE 10/10 03 TIPPLE SENT REQUEST FOR DOCUMENTATION

Remarks: delivery of fuel today mayterila is located in basement unk at this point if any contamination left the basement fd on scene now pumping some of the material out waiting for nyc housing to respond nyc housing comp # 1519000

Material:
Site ID: 263902
Operable Unit ID: 845921
Operable Unit: 01
Material ID: 529136
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106702950

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0107880
Spill Date: 11/01/2001
Spill Time: 17:12
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/01/01
Reported to Department Time: 17:52
SWIS: 62
Spiller Contact: NYC HOUSING OP # 171
Spiller Phone: (212) 824-4328
Spiller Extention: 0
Spiller Name: UNK
Spiller Address: UNK
Spiller City,St,Zip: UNK
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (000) 000-0000
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106702950

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/01/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/02/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 11/02/2001 DEMEO REFERRED THE FOLLOWUP TO TIPPLE. VERNON ROBERTS PRIOR SUPER 718-861-2480 DAUGHTER AND FORMER OWNER CHERYL ROBERTS 212-926-6274 THE PROPERTY WAS TAKEN BACK BY HPD FOR NON-PAYMENT OF TAXES AS PER CONVERSATIONS WITH BOTH VERNON AND CHERYL. THEY BOTH EITHER HAVE NO KNOWLEDGE OF OR REFUSE TO REVEAL THE NAME OF THE OIL COMPANY THAT OVERFILLED THE TANK. JIM GALLAGHER 212-863-8638 EMERGENCY REPAIR BUREAU OF HPD WAS CALLED IN AN ATTEMPT TO FIND THE OIL COMPANY.
Spill Cause: delivery of fuel today mayterila is located in basement unk at this point if any contamination left the basement fd on scene now pumping some of the material out waiting for nyc housing to respond nyc housing comp 1519000

AH209
South
1/4-1/2
0.270 mi.
1426 ft.

APARTMENT HOUSE
50 WEST 119TH ST
NEW YORK, NY

Site 2 of 3 in cluster AH

LTANKS S104621393
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 182429
Spill No: 0000405
Spill Date: 4/10/2000
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/19/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: TOMASELLO

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104621393

Referred To: Not reported
Reported to Dept: 4/10/2000
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/10/2000
Spill Record Last Update: 2/19/2003
Spiller Name: Not reported
Spiller Company: INTERBORO
Spiller Address: UNK
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: WALTER MILLER
Spiller Phone: (212) 369-4079
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 152865
DEC Memo: Not reported
Remarks: CALLER STATES EVERY MONTH OIL IS DELIVERED ATLEAST 1 GALLON GETS SPILLED DUE TO TANK OVERFILL-ON GOING PROBLEM AND ALSO HAS SEEN OIL SPRAYED ON WALL IN BASEMENT.

Material:
Site ID: 182429
Operable Unit ID: 822166
Operable Unit: 01
Material ID: 288655
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104621393

Spill Number: 0000405
Spill Date: 04/10/2000
Spill Time: 12:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/10/00
Reported to Department Time: 15:15
SWIS: 62
Spiller Contact: WALTER MILLER
Spiller Phone: (212) 369-4079
Spiller Extention: Not reported
Spiller Name: INTERBORO
Spiller Address: UNK
Spiller City,St,Zip: NEW YORK, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (000) 000-0000
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/10/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/11/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104621393

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CALLER STATES EVERY MONTH OIL IS DELIVERED ATLEAST 1 GALLON GETS SPILLED DUE TO TANK OVERFILL-ON GOING PROBLEM AND ALSO HAS SEEN OIL SPRAYED ON WALL IN BASEMENT.

AH210 49 WEST 119TH ST/MANH
South 49 WEST 119TH STREET
1/4-1/2 NEW YORK CITY, NY
0.270 mi.
1426 ft. Site 3 of 3 in cluster AH

LTANKS S104275554
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
24 ft.

Site ID: 85877
Spill No: 8907609
Spill Date: 10/30/1989
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/12/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 10/31/1989
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/1/1989
Spill Record Last Update: 1/12/2004
Spiller Name: Not reported
Spiller Company: ALMAR FUEL OIL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 78835
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

49 WEST 119TH ST/MANH (Continued)

S104275554

Remarks: "AUSTIN" 1/12/04 - AUSTIN - SURF. SPILL FROM 14 YRS. AGO - CLOSED - ORIG. ASSIGNED TO FINGER - END FUEL COMPANY DELIVERED OIL TO THE WRONG BLDG, SPILL CONTAINED IN BASEMENT, SPEEDY DRY APPLIED.

Material:

Site ID: 85877
Operable Unit ID: 935229
Operable Unit: 01
Material ID: 444395
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 250
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8907609
Spill Date: 10/30/1989
Spill Time: 11:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: FINGER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

49 WEST 119TH ST/MANH (Continued)

S104275554

Reported to Department Date: 10/31/89
Reported to Department Time: 14:10
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: ALMAR FUEL OIL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 438-6676
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/01/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 250
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: FUEL COMPANY DELIVERED OIL TO THE WRONG BLDG, SPILL CONTAINED IN BASEMENT, SPEEDY DRY APPLIED.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

211
SSE
1/4-1/2
0.280 mi.
1476 ft.

2 WEST 120TH STREET
2 WEST 120TH STREET
MANHATTAN, NY

LTANKS
HIST LTANKS
AST
HIST AST
NY Spills
NY Hist Spills

S102143394
N/A

Relative:
Higher

LTANKS:

Actual:
27 ft.

Site ID: 226768
Spill No: 9612461
Spill Date: 1/18/1997
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/13/1997
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 1/18/1997
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/18/1997
Spill Record Last Update: 2/13/1997
Spiller Name: CHARLIE
Spiller Company: MYSTIC OIL
Spiller Address: 19-01 STEINWAY ST
Spiller City,St,Zip: ASTORIA, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 187171
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN"
Remarks: TANK OVERFILLED - CLEANUP IN PROGRESS

Material:

Site ID: 226768
Operable Unit ID: 1043978
Operable Unit: 01
Material ID: 341104
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9612461
Spill Date: 01/18/1997
Spill Time: 12:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/13/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/18/97
Reported to Department Time: 12:34
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MYSTIC OIL
Spiller Address: 19-01 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NT
Spiller Cleanup Date: / /
Facility Contact: CHARLIE
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Investigation Complete: //
UST Involvement: False
Date Region Sent Summary to Central Office: //
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 01/18/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/13/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: TANK OVERFILLED - CLEANUP IN PROGRESS

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-346152
Program Type: PBS
UTM X: 589054.4380599996
UTM Y: 4517459.4832100002
Expiration Date: 2010/09/11

Tank Number: 001
Tank Id: 32866
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/11/1936
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Last Modified: 6/12/2007

Affiliation Records:

Site Id: 16913
Affiliation Type: Owner
Company Name: 2 WEST 120TH REALTY CO. LLC
Contact Type: OFFICER
Contact Name: MEIR BOUSKILA
Address1: PO BOX 1920
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10116
Country Code: 001
Phone: (212) 564-2111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/12/2007

Site Id: 16913
Affiliation Type: Mail Contact
Company Name: 2 WEST 120TH REALTY CO. LLC
Contact Type: OFFICER
Contact Name: MEIR BOUSKILA
Address1: PO BOX 1920
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10116
Country Code: 001
Phone: (212) 564-2111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/12/2007

Site Id: 16913
Affiliation Type: Emergency Contact
Company Name: 2 WEST 120TH REALTY CO. LLC
Contact Type: Not reported
Contact Name: RASIM TOSKIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 261-3612
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/12/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Site Id: 16913
Affiliation Type: On-Site Operator
Company Name: 2 WEST 120TH STREET
Contact Type: Not reported
Contact Name: BRIAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 529-3653
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/12/2007

HIST AST:

PBS Number: 2-346152
SWIS Code: 6201
Operator: BRYAN
Facility Phone: (917) 919-9368
Facility Addr2: 2 WEST 120TH ST
Facility Type: APARTMENT BUILDING
Emergency: BRYAN
Emergency Tel: (917) 919-9368
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 2 WEST 120TH REALTY CO. LLC
Owner Address: ONE PENN PLAZA - SUITE 4000
Owner City,St,Zip: NEW YORK, NY 10119
Federal ID: Not reported
Owner Tel: (212) 564-2111
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: HARRY HIRSH
Mailing Name: WIENER REALTORS
Mailing Address: ONE PENN PLAZA
Mailing Address 2: SUITE 4000
Mailing City,St,Zip: NEW YORK, NY 10119
Mailing Telephone: (212) 564-2111
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 09/15/2000
Expiration: 09/11/2005
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Double-Walled
Leak Detection: Not reported
Overfill Protection: 46
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

NY Spills:

Site ID: 226767
Facility Addr2: Not reported
Facility ID: 0200862
Spill Number: 0200862
Facility Type: ER
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Spill Date: 4/22/2002
Reported to Dept: 4/23/2002
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/2003
Remediation Phase: 0
Date Entered In Computer: 4/23/2002
Spill Record Last Update: 12/12/2003
Spiller Name: Not reported
Spiller Company: SUMMIT TRANSPORT
Spiller Address: 39-57 JEFFERSON STREET
Spiller City,St,Zip: PASSAIC, NJ 07055-001
Spiller Company: 001
Contact Name: CALLER
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 187171
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 12/12/03 mt// contained and cleaned using absorbent//nfa required
Remarks: SPILL TO GROUND. CLEANUP COMPLETED.

Material:
Site ID: 226767
Operable Unit ID: 854310
Operable Unit: 01
Material ID: 522291
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 215507
Facility Addr2: Not reported
Facility ID: 9208787
Spill Number: 9208787
Facility Type: ER
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Spill Date: 10/28/1992
Reported to Dept: 10/29/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Local Agency
Cleanup Ceased: 3/31/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/31/1995
Remediation Phase: 0
Date Entered In Computer: 10/30/1992
Spill Record Last Update: 3/31/1995
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 178495
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"

Remarks: FD WENT OVER AND FOAMED BASEMENT YESTERDAY.HAZ MAT SPECIALIST ON ROUTE1 FT DEEP IN FUEL -KOON WAS ALREADY ON ROUTE WHEN I CALLED ,CALL BACK, RESPONDED W/ DEP HAZMAT, OIL IN BSMT CLEANED UP.

Material:
Site ID: 215507
Operable Unit ID: 972321
Operable Unit: 01
Material ID: 405868
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1500
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
Spill Number: 9208787
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/28/1992 15:00
Reported to Dept Date/Time: 10/29/92 17:36
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: 03/31/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/31/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/30/92
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/31/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1500
Unkonwn Quantity Spilled: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2 WEST 120TH STREET (Continued)

S102143394

Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Remark: FD WENT OVER AND FOAMED BASEMENT YESTERDAY.HAZ MAT SPECIALIST ON ROUTE1 FT DEEP IN FUEL -KOOON WAS ALREADY ON ROUTE WHEN I CALLED ,CALL BACK, RESPONDED W/ DEP HAZMAT, OIL IN BSMT CLEANED UP.

**AI212
ESE
1/4-1/2
0.295 mi.
1559 ft.**

**X
1944 MADISON AVE
MANHATTAN, NY
Site 1 of 2 in cluster AI**

**LTANKS S106471978
N/A**

**Relative:
Lower**

LTANKS:

**Actual:
24 ft.**

Site ID: 189661
Spill No: 0403282
Spill Date: 6/25/2004
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/9/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 6/25/2004
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/25/2004
Spill Record Last Update: 1/9/2006
Spiller Name: MARK SMEAR
Spiller Company: Not reported
Spiller Address: 1944 MADISON AVE
Spiller City,St,Zip: MANHAATAN, NY
Spiller County: 001
Spiller Contact: MARK SMEAR
Spiller Phone: (212) 967-2200
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 158281
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 12/9/05- DEC Piper spoke w/ USA Environmental. According to USA E, they had sent a proposal to the current owner though it was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X (Continued)

S106471978

not accepted. Mailed ttf Letter to current management agent. Ben Nehmadi Republic Investment Corp.630 1st Ave, NY, NY 10016. PBS Reg. expired 5/7/92. 12/30/05- DEC Piper received letter form managing agent regarding site. Letter states that old tank was removed and new tank installed. However, PBS was not notified. 1/3/06- DEC Piper- had contacted American Pipe and Tank Lining Co- Steven Silver, 212.736.6618. to obtain info. Left message requesting call back. 1/6/06- DEC Piper spoke w/ Steven Silver of American Pipe. As per conversation, no contamination exists. Mr. Silver had offered his services to register the old and new tank., though owners declined. 1/9/05- Violations Exist. Spill closed and referred to Legal. tank test failed.

Remarks:

Material:

Site ID: 189661
Operable Unit ID: 885534
Operable Unit: 01
Material ID: 490874
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 189661
Spill Tank Test: 1529381
Tank Number: 1
Tank Size: 2500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

AJ213
West
1/4-1/2
0.303 mi.
1601 ft.

28TH PRECINCT NYPD -DDC
2271-89 EIGHTH AVE
NEW YORK, NY
Site 1 of 3 in cluster AJ

LTANKS S106972053
N/A

Relative:
Higher

LTANKS:

Site ID: 347845
Spill No: 0550474
Spill Date: 1/1/1996
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 6/17/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28TH PRECINCT NYPD -DDC (Continued)

S106972053

Cleanup Meets Standard: False
SWIS: 3101
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 6/17/2005
CID: 15
Water Affected: Not reported
Spill Notifier: DEC
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 6/17/2005
Spill Record Last Update: 6/17/2005
Spiller Name: Not reported
Spiller Company: NYPD
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: TANVIR AHMAD
Spiller Phone: (718) 391-1003
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 294184
DEC Memo: Limited site investigation performed by Promatec/TRC, found very minor impact to soil, but not all locations were sampled, and wells installed appear not to have been downgradient from the tank. However, after meeting at site with consultants, it became apparent that additional investigation would be impossible due to space constraints and the nearby presence of subsurface utilities and a subway line. In light of this and minor nature of contamination identified, DEC agreed to No Further Action status for site in letter issued 9/5/97. - J. Kolley
Remarks: 2,500-gal gasoline tank removed in mid-1990s, dispenser suspected to have leaked. Spill was not reported at the time.

Material:
Site ID: 347845
Operable Unit ID: 1105524
Operable Unit: 01
Material ID: 1521339
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28TH PRECINCT NYPD -DDC (Continued)

S106972053

Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AI214
ESE
1/4-1/2
0.309 mi.
1629 ft.

1944 MADISON/125TH ST
1944 MADISON AVE/125TH ST
MANHATTAN, NY

LTANKS S102150762
NY Hist Spills N/A

Site 2 of 2 in cluster AI

Relative:
Lower

LTANKS:

Actual:
23 ft.

Site ID: 162820
Spill No: 9507018
Spill Date: 9/8/1995
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/8/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 9/8/1995
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/3/1995
Spill Record Last Update: 3/8/2004
Spiller Name: Not reported
Spiller Company: COASTAL OIL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 137344
DEC Memo: Not reported
Remarks: OIL COMPANY FILLED THE WRONG TANK. OIL SPILLED AT THE BUILDING AND DAMAGED ALL THE RUGS. APPLIED DRY SORB, AND CLEANED IT UP

Material:

Site ID: 162820
Operable Unit ID: 1017876
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1944 MADISON/125TH ST (Continued)

S102150762

Material ID: 361448
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 350
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9507018
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 09/08/1995 10:00
Reported to Dept Date/Time: 09/08/95 14:12
SWIS: 62
Spiller Name: COASTAL OIL
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1944 MADISON/125TH ST (Continued)

S102150762

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/03/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 350
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: OIL COMPANY FILLED THE WRONG TANK OIL THE BUILDING DAMAGED ALL THE RUGS.
APPLIED DRY SORB, AND CLEAN IT UP

215
NE
1/4-1/2
0.321 mi.
1695 ft.

33 W 131 STREET
43 W 131 STREET
MANHATTAN, NY

LTANKS S102671505
HIST LTANKS N/A

Relative:
Lower
Actual:
21 ft.

LTANKS:
Site ID: 272102
Spill No: 8911311
Spill Date: 2/28/1990
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 3/16/1990
Facility Addr2: Not reported
Cleanup Ceased: 3/16/1990
Cleanup Meets Standard: True
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 2/28/1990
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

33 W 131 STREET (Continued)

S102671505

Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/5/1990
Spill Record Last Update: 11/19/2003
Spiller Name: Not reported
Spiller Company: PUBLIC FUEL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 221465
DEC Memo: Not reported
Remarks: VENT SPRAY DUE TO OVERFILL - PAVEMENT SPILL TEAM TO CLEAN UP.

Material:

Site ID: 272102
Operable Unit ID: 936986
Operable Unit: 01
Material ID: 440835
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8911311
Spill Date: 02/28/1990
Spill Time: 15:15
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

33 W 131 STREET (Continued)

S102671505

Spill Closed Dt: 03/16/90
Cleanup Ceased: 03/16/90
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/28/90
Reported to Department Time: 16:01
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PUBLIC FUEL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/05/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/27/91
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

33 W 131 STREET (Continued)

S102671505

CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: VENT SPRAY DUE TO OVERFILL - PAVEMENT SPILL TEAM TO CLEAN UP.

AJ216
West
1/4-1/2
0.325 mi.
1715 ft.

SHELL SERVICE STATION
235 ST NICHOLAS AVE
NEW YORK, NY 10027
Site 2 of 3 in cluster AJ

RCRA-NonGen **1000981334**
FINDS **NY0000968586**
LTANKS
HIST LTANKS
MANIFEST

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: SHELL SERVICE STATION
Facility address: 235 ST NICHOLAS AVE
NEW YORK, NY 10027
EPA ID: NY0000968586
Mailing address: JERICO PLZ SUITE 500 W
JERICO, NY 11753
Contact: BROOKS PERLEE
Contact address: JERICO PLZ SUITE 500 W
JERICO, NY 11753
Contact country: US
Contact telephone: (516) 365-2489
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
28 ft.

Owner/Operator Summary:

Owner/operator name: SHELL OIL PRODUCTS CO
Owner/operator address: 30 JERICO PLZ SUITE 500 W
JERICO, NY 11753
Owner/operator country: US
Owner/operator telephone: (516) 365-2489
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SHELL OIL PRODUCTS CO
Owner/operator address: 30 JERICO PLZ SUITE 500 W
JERICO, NY 11753
Owner/operator country: US
Owner/operator telephone: (516) 365-2489
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SHELL SERVICE STATION
Classification: Not a generator, verified

Date form received by agency: 07/02/1997
Facility name: SHELL SERVICE STATION
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009462786

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:

Site ID: 273400
Spill No: 8900371
Spill Date: 4/12/1989
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/15/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Facility Addr2: Not reported
Cleanup Ceased: 4/19/1989
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 4/13/1989
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 4/13/1989
Spill Record Last Update: 10/16/2003
Spiller Name: ROBERT SANFORD
Spiller Company: SHELL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 222417
DEC Memo: Not reported
Remarks: TWO 4K TANKS FAILED PETRO. LR'S = -1.076GPH & -0.735GPH, WAS DETERMINED TANKS FAILED BECAUSE OF TRAPPED AIR, TANKS WERE RETESTED & PASSED.

Material:

Site ID: 273400
Operable Unit ID: 926671
Operable Unit: 01
Material ID: 451711
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 273400
Spill Tank Test: 1535335
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8900371
Spill Date: 04/12/1989
Spill Time: 18:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: 04/19/89
Cleanup Meets Standard: True
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/13/89
Reported to Department Time: 09:24
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SHELL
Spiller Address: Not reported
Spiller City,St,Zip: ROBERT SANFORD
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (516) 937-3020
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-190810
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/13/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/07/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Not reported
Spill Cause: TWO 4K TANKS FAILED PETRO. LR S = -1.076GPH -0.735GPH, WAS DETERMINED TANKS FAILED BECAUSE OF TRAPPED AIR, TANKS WERE RETESTED PASSED.

NY MANIFEST:

EPA ID: NY0000968586
Country: USA
Mailing Name: SHELL OIL CO
Mailing Contact: BROOKS PERLEE
Mailing Address: 3000 MARCUS AVENUE SUITE 1W11
Mailing Address 2: Not reported
Mailing City: LAKE SUCCESS
Mailing State: NY
Mailing Zip: 11042
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 516-737-3190

Document ID: ARA9138340
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 0902H205
Trans2 State ID: Not reported
Generator Ship Date: 970805
Trans1 Recv Date: 970805
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970816
Part A Recv Date: Not reported
Part B Recv Date: 970911
Generator EPA ID: NY0000968586
Trans1 EPA ID: OHD009865825
Trans2 EPA ID: Not reported
TSDf ID: ARD069748192
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00471
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL SERVICE STATION (Continued)

1000981334

Quantity: 01413
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

217
NW
1/4-1/2
0.327 mi.
1728 ft.

310 W 127TH ST
MANHATTAN, NY

LTANKS S105995200
N/A

Relative:
Higher

LTANKS:

Actual:
33 ft.

Site ID: 120441
Spill No: 0110957
Spill Date: 2/16/2002
Spill Cause: Tank Overfill
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/19/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 2/16/2002
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/16/2002
Spill Record Last Update: 2/19/2002
Spiller Name: Not reported
Spiller Company: INTERBORO PET. TRANSPORT
Spiller Address: 1045 1045 ATLANTIC AVE
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: CARMIN DESANTO
Spiller Phone: (718) 488-0073

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105995200

Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 104573
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 02/16/02. Temp. tank overfill. All cleaned up by the Interboro Petrol. Transport.
Remarks: temp. truck there and was full and caller was sent to deliver

Material:
Site ID: 120441
Operable Unit ID: 849441
Operable Unit: 01
Material ID: 528560
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: 3
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AK218
NW
1/4-1/2
0.333 mi.
1756 ft.

302 WEST 128TH STREET
302 WEST 128TH STREET
MANHATTAN, NY
Site 1 of 2 in cluster AK

LTANKS
HIST LTANKS
NY Spills
NY Hist Spills

S100494355
N/A

Relative:
Higher

LTANKS:
Site ID: 179497
Spill No: 9209732
Spill Date: 11/20/1992
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/20/1992
Facility Addr2: Not reported
Cleanup Ceased: 11/20/1992
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Reported to Dept: 11/20/1992
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/23/1992
Spill Record Last Update: 11/23/1992
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 150636
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: TRAPPED VENT-CONTAINED ON SIDEWALK

Material:

Site ID: 179497
Operable Unit ID: 976327
Operable Unit: 01
Material ID: 406774
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9209732
Spill Date: 11/20/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Spill Time: 12:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/20/92
Cleanup Ceased: 11/20/92
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/20/92
Reported to Department Time: 13:22
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/23/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/23/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TRAPPED VENT-CONTAINED ON SIDEWALK

NY Spills:

Site ID: 179498
Facility Addr2: Not reported
Facility ID: 9500164
Spill Number: 9500164
Facility Type: ER
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Spill Date: 4/5/1995
Reported to Dept: 4/5/1995
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 4/5/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/5/1995
Remediation Phase: 0
Date Entered In Computer: 5/9/1995
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: MARK RYAN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 150636
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"MARTINKAT"
Remarks: SMALL SPRAY OF FUEL REPORTED CAUSED BY TRAPPED AIR

Material:

Site ID: 179498
Operable Unit ID: 1014285
Operable Unit: 01
Material ID: 368777

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9500164
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/05/1995 11:15
Reported to Dept Date/Time: 04/05/95 11:31
SWIS: 62
Spiller Name: MARK RYAN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 04/05/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH STREET (Continued)

S100494355

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/05/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/09/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: SMALL SPRAY OF FUEL REPORTED CAUSED BY TRAPPED AIR

AK219
NW
1/4-1/2
0.333 mi.
1756 ft.

302 WEST 128TH ST/MANH
302 WEST 128TH STREET
NEW YORK CITY, NY
Site 2 of 2 in cluster AK

LTANKS S104275666
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
33 ft.

Site ID: 179496
Spill No: 9104865
Spill Date: 8/5/1991
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 8/5/1991
Facility Addr2: Not reported
Cleanup Ceased: 8/5/1991
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 8/5/1991
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH ST/MANH (Continued)

S104275666

Remediation Phase: 0
Date Entered In Computer: 8/7/1991
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: WHALECO OIL CO
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 279817
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: TANK OVERFILL DUE TO HUMAN ERROR,SPILL ON CONCRETE, NO DRAIN AFFECTED,SPEEDY DRY APPLIED, WHALECO OIL WILL PICK UP & DISPOSE.

Material:
Site ID: 179496
Operable Unit ID: 958918
Operable Unit: 01
Material ID: 423921
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 4
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9104865
Spill Date: 08/05/1991
Spill Time: 14:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH ST/MANH (Continued)

S104275666

Spill Closed Dt: 08/05/91
Cleanup Ceased: 08/05/91
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/05/91
Reported to Department Time: 14:56
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WHALECO OIL CO
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 852-7000
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/07/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 4
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 WEST 128TH ST/MANH (Continued)

S104275666

CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK OVERFILL DUE TO HUMAN ERROR, SPILL ON CONCRETE, NO DRAIN AFFECTED, SPEEDY DRY APPLIED, WHALECO OIL WILL PICK UP DISPOSE.

AJ220
West
1/4-1/2
0.342 mi.
1804 ft.

235 ST. NICHOLAS AVENUE
235 ST / NICHOLAS AVENUE
MANHATTAN, NY

LTANKS **S100879167**
HIST LTANKS **N/A**

Site 3 of 3 in cluster AJ

Relative:
Higher

LTANKS:

Site ID: 149164
Spill No: 9312945
Spill Date: 2/2/1994
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
29 ft.

Spill Closed Dt: 10/15/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SJMILLER
Referred To: Not reported
Reported to Dept: 2/2/1994
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 2/3/1994
Spill Record Last Update: 10/16/2003
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City, St, Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 126907
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MILLER" 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.

Remarks: EIR - 2/3/94 TEST INCONCLUSIVE -

Material:

Site ID: 149164
Operable Unit ID: 991452
Operable Unit: 01
Material ID: 388349

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

235 ST. NICHOLAS AVENUE (Continued)

S100879167

Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 149164
Spill Tank Test: 1542404
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9312945
Spill Date: 02/02/1994
Spill Time: 14:10
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MILLER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/02/94
Reported to Department Time: 14:15
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

235 ST. NICHOLAS AVENUE (Continued)

S100879167

Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/03/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/16/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.
Spill Cause: EIR - 2/3/94 TEST INCONCLUSIVE -

221
South
1/4-1/2
0.346 mi.
1825 ft.

DUNLEVY MILBANK CHILDREN
14-32 WEST 118TH STREET
NEW YORK CITY, NY 10026

LTANKS S105997747
N/A

Relative:
Higher

LTANKS:

Site ID: 236688
Spill No: 0209842
Spill Date: 12/27/2002
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/16/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUNLEVY MILBANK CHILDREN (Continued)

S105997747

Cleanup Meets Standard: False
SWIS: 3101
Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 12/27/2002
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/27/2002
Spill Record Last Update: 6/16/2004
Spiller Name: GARY
Spiller Company: DUN LEVY MILBANK CHILDREN
Spiller Address: 14-32 WEST 118TH STREET
Spiller City,St,Zip: NEW YORK CITY, NY 10026-
Spiller County: 001
Spiller Contact: DAVE FAZIN
Spiller Phone: (516) 939-2959
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 194987
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 12/30/2002-Vought-Dave Fazin called and not at work. Called Gary Dawyot at site and left message to call duty desk and that letter was in mail. Tightness test letter sent 12/30/2002. 1/7/04-Vought-Spill transferred from Vought to Austin. 1/27/04 - Sawyer - Spill transferred from Austin to Sawyer. 6/16/04 - Swayer - Tank and system was isolated and repaired no impact to surrounding soil. Gary Dwyot forwarded information. Closed.
Remarks: TANK FAILED THE TEST.

Material:
Site ID: 236688
Operable Unit ID: 863070
Operable Unit: 01
Material ID: 513262
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 236688
Spill Tank Test: 1527877
Tank Number: 001
Tank Size: 10000
Test Method: 03
Leak Rate: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DUNLEVY MILBANK CHILDREN (Continued)

S105997747

Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

222
NNE
1/4-1/2
0.349 mi.
1842 ft.

APARTMENT HOUSE
135 132ND ST
NEW YORK, NY

LTANKS S105054595
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
25 ft.

Site ID: 118304
Spill No: 0100345
Spill Date: 4/10/2001
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/17/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 4/10/2001
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/10/2001
Spill Record Last Update: 12/22/2005
Spiller Name: WILFRED KESKINEN
Spiller Company: HPD TIL PROGRAM
Spiller Address: 100 GOLD ST, ROOM 7-S2
Spiller City,St,Zip: NEW YORK, NY 10038-
Spiller County: 001
Spiller Contact: SCOTT SWANSON
Spiller Phone: (718) 539-4515
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 102821
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 01/26/04 Transferred from Rommel to Austin 02/17/04: Reassigned from AUSTIN to KRIMGOLD. 5/26/04. J.Krimgold updated RP's address and sent TTF letter. 09/09/2005 - Changed DEC lead from Krimgold to Zalewski. (Zalewski) 10/17/50. J.Krimgold reviewed the report submitted by TDX Construction Corp. for NYC DDC. Based on the report the tank failed the test due to improperly sealed access hole on the top of the tank. No evidence of leakage was found during investigation. NFA.
Remarks: tank failed test - no product spillage

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S105054595

Material:

Site ID: 118304
Operable Unit ID: 837315
Operable Unit: 01
Material ID: 536059
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 118304
Spill Tank Test: 1526212
Tank Number: 1
Tank Size: 2500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0100345
Spill Date: 04/10/2001
Spill Time: 09:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/10/01
Reported to Department Time: 09:34
SWIS: 62
Spiller Contact: SCOTT SWANSON
Spiller Phone: (718) 539-4515

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S105054595

Spiller Extention: Not reported
Spiller Name: APARTMENT HOUSE >
Spiller Address: 135 132ND ST
Spiller City,St,Zip: NEW YORK, NY
Spiller Cleanup Date: / /
Facility Contact: SCOTT SWANSON
Facility Phone: (718) 539-4515
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/10/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/11/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 2500
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: tank failed test - no product spillage

223
West
1/4-1/2
0.353 mi.
1866 ft.

302 W 120TH ST
302 W 120TH ST
NYC, NY

LTANKS S102671752
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 183188
Spill No: 9201147
Spill Date: 4/28/1992
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/29/1992
Facility Addr2: Not reported
Cleanup Ceased: 4/29/1992
Cleanup Meets Standard: True
SWIS: 3101
Investigator: FINGER
Referred To: Not reported
Reported to Dept: 4/29/1992
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/29/1992
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 153466
DEC Memo: Not reported
Remarks: Not reported

Material:

Site ID: 183188
Operable Unit ID: 965111
Operable Unit: 01
Material ID: 412488
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Test Method: Not reported

Site ID: 183189
Spill No: 9302546
Spill Date: 5/25/1993
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/26/1993
Facility Addr2: Not reported
Cleanup Ceased: 5/26/1993
Cleanup Meets Standard: True
SWIS: 3101
Investigator: CAMMISA
Referred To: Not reported
Reported to Dept: 5/25/1993
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/27/1993
Spill Record Last Update: 7/19/1993
Spiller Name: Not reported
Spiller Company: WHALECO
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 282943
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "CAMMISA."

Remarks: OVERFILL ONTO CONCRETE - DRIVER APPLIED SPEEDI DRI - CREW EN ROUTE TO FINISH CLEAN-UP.

Material:
Site ID: 183189
Operable Unit ID: 980872
Operable Unit: 01
Material ID: 558908
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 183187
Spill No: 9108278
Spill Date: 11/1/1991
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 11/4/1991
Facility Addr2: Not reported
Cleanup Ceased: 11/4/1991
Cleanup Meets Standard: True
SWIS: 3101
Investigator: GELLER
Referred To: Not reported
Reported to Dept: 11/4/1991
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/8/1991
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 153466
DEC Memo: Not reported
Remarks: SPILLED ONTO BASEMENT FLOOR.

Material:

Site ID: 183187
Operable Unit ID: 962431
Operable Unit: 01
Material ID: 420437
Material Code: 0001
Material Name: #2 Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9108278
Spill Date: 11/01/1991
Spill Time: 15:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 11/04/91
Cleanup Ceased: 11/04/91
Cleanup Meets Standard: True
Investigator: GELLER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/04/91
Reported to Department Time: 08:20
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/08/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: SPILLED ONTO BASEMENT FLOOR.

Region of Spill: 2
Spill Number: 9302546
Spill Date: 05/25/1993
Spill Time: 13:10
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/26/93
Cleanup Ceased: 05/26/93
Cleanup Meets Standard: True
Investigator: CAMMISA.
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/25/93
Reported to Department Time: 13:23
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WHALECO
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/27/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/19/93
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: OVERFILL ONTO CONCRETE - DRIVER APPLIED SPEEDI DRI - CREW EN ROUTE TO FINISH CLEAN-UP.

Region of Spill: 2
Spill Number: 9201147
Spill Date: 04/28/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Spill Time: 12:01
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/29/92
Cleanup Ceased: 04/29/92
Cleanup Meets Standard: True
Investigator: FINGER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/29/92
Reported to Department Time: 10:28
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/29/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

302 W 120TH ST (Continued)

S102671752

Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: Not reported

224
ESE
1/4-1/2
0.361 mi.
1904 ft.

78-80 E 127TH ST/NYCHPD
78-80 E 127TH ST
NYC, NY

LTANKS S100153378
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
21 ft.

Site ID: 272201
Spill No: 9106395
Spill Date: 9/13/1991
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 9/13/1991
Facility Addr2: Not reported
Cleanup Ceased: 9/13/1991
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 9/13/1991
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/25/1991
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 221542
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG" // : WILL PICK UP & DISPOSE.
Remarks: SPILL CONTAINED IN TANK ROOM. FLOOR & TANK VACCUUMED. DRIZ-ALL APPLIED.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

78-80 E 127TH ST/NYCHPD (Continued)

S100153378

Material:

Site ID: 272201
Operable Unit ID: 960703
Operable Unit: 01
Material ID: 422103
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9106395
Spill Date: 09/13/1991
Spill Time: 12:01
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 09/13/91
Cleanup Ceased: 09/13/91
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/13/91
Reported to Department Time: 13:50
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

78-80 E 127TH ST/NYCHPD (Continued)

S100153378

Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/25/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: / / : WILL PICK UP DISPOSE.
Spill Cause: SPILL CONTAINED IN TANK ROOM. FLOOR TANK VACCUUMED. DRIZ-ALL APPLIED.

AL225
WSW
1/4-1/2
0.363 mi.
1919 ft.

CHURCH AT
262 W 118TH ST
MANHATTAN, NY
Site 1 of 3 in cluster AL

LTANKS S103479371
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 273108
Spill No: 9806629
Spill Date: 8/25/1998
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party.

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH AT (Continued)

S103479371

Corrective action taken.

Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 8/28/1998
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 8/28/1998
Spill Record Last Update: 7/23/2007
Spiller Name: FATHER GEORGE HANNER
Spiller Company: CHURCH AT
Spiller Address: 262 W 118TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: FATHER GEORGE HANNER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 222256
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ENGELHARDT" 8/25/2004 Sangesland spoke with Bob Hayman of RND Services (845-348-6355) HUD is trying to convert this building into apartments. The tank that collapsed was associated with the school, but it was never registered. RND is working out the PBS registration issues first (new PBS number for school? or 2nd tank on church PBS???) RND will do a site assessment on the tank leak problem area to determine the size of the contamination problem. 6/15/2006 Case is transferred to Remediation Group

Remarks: THEY WERE SCRAPING THE TANK TO PAINT IT & IT JUST LET GO - CALLER HAS ALREADY DONE CLEAN UP

Material:
Site ID: 273108
Operable Unit ID: 1067863
Operable Unit: 01
Material ID: 317779
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 200
Units: Gallons
Recovered: 200
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH AT (Continued)

S103479371

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9806629
Spill Date: 08/25/1998
Spill Time: 11:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/28/98
Reported to Department Time: 16:31
SWIS: 62
Spiller Contact: FATHER GEORGE HANNER
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: CHURCH AT
Spiller Address: 262 W 118TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: FATHER GEORGE HANNER
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/28/98

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH AT (Continued)

S103479371

Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/03/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 200
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 200
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: THEY WERE SCRAPING THE TANK TO PAINT IT IT JUST LET GO - CALLER HAS ALREADY DONE CLEAN UP

AL226
WSW
1/4-1/2
0.363 mi.
1919 ft.

ST THOMAS THE APOSTLE
262 W 118TH ST
MANHATTAN, NY
Site 2 of 3 in cluster AL

LTANKS **U001836421**
HIST LTANKS **N/A**
HIST UST

Relative:
Higher

LTANKS:

Actual:
31 ft.

Site ID: 273109
Spill No: 9814945
Spill Date: 3/17/1999
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/19/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 3/17/1999
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/17/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE (Continued)

U001836421

Spill Record Last Update: 3/19/1999
Spiller Name: Not reported
Spiller Company: CASTLE FUEL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: FATHER GEORGE HANNER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 222256
DEC Memo: Not reported
Remarks: CASTLE OIL DRIVER OVERFILLED TANK. SPILLED INTO THE TANK ROOM.
PETROLEUM TANK CLEANERS HAS CREWS ENROUTE TO CLEAN UP.

Material:

Site ID: 273109
Operable Unit ID: 1075961
Operable Unit: 01
Material ID: 311614
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: 100
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9814945
Spill Date: 03/17/1999
Spill Time: 09:15
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/19/99
Cleanup Ceased: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE (Continued)

U001836421

Cleanup Meets Standard: True
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/17/99
Reported to Department Time: 09:36
SWIS: 62
Spiller Contact: FATHER GEORGE HANNER
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: CASTLE FUEL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: 2-321281
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/17/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/19/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 100
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE (Continued)

U001836421

DEC Remarks: DEC Sigona) investigated on 3/19/1999 at 11:30 A.M. met with superintendent. Performed inspection of tank room. Confirmed the 2 fuel oil spill was contained in vault for aboveground tank. The tank was painted and seemed to be good physical condition resting on solid footings/craddles. The floor was visibly clean with no significant petroleum vapors. The fill pipe supplys oil to aboveground tank vaulted with access. At the exit from boiler room to street the pipe appeared to be moderately corroded. The superintended will relay the info to the manager of the church, and indicated that they will replace the fill line if necessary. Otherwise there is no further action required.DEC SIGONA RESPONDED CONFIRMED CLEANUP.CLOSED 3/18

Spill Cause: CASTLE OIL DRIVER OVERFILLED TANK. SPILLED INTO THE TANK ROOM. PETROLEUM TANK CLEANERS HAS CREWS ENROUTE TO CLEAN UP.

HIST UST:

PBS Number: 2-321281
SPDES Number: Not reported
Emergency Contact: FR. GEORGE HANNA
Emergency Telephone: (212) 662-2765
Operator: FR. GEORGE HANNA
Operator Telephone: (212) 662-2693
Owner Name: ARCHDIOCESS OF NEW YORK
Owner Address: 1011 1ST AVENUE
Owner City,St,Zip: NYC, NY 10022
Owner Telephone: (212) 371-1000
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: ST. THOMAS THE APOSTLE CHURCH
Mailing Address: 262 WEST 118TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NYC, NY 10026
Mailing Contact: FR. GEORGE HANNA
Mailing Telephone: (212) 662-2693
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 262 WEST 118TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/21/1998
Expiration Date: 08/17/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST THOMAS THE APOSTLE (Continued)

U001836421

County Code: 62
Town or City: 01
Region: 2

Tank Id: 885
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

AL227
WSW
1/4-1/2
0.363 mi.
1919 ft.

262 W. 118TH ST
MANHATTAN, NY
Site 3 of 3 in cluster AL

LTANKS S106000155
N/A

Relative:
Higher

Actual:
31 ft.

LTANKS:
Site ID: 259834
Spill No: 0307283
Spill Date: 10/10/2003
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/10/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 10/10/2003
CID: 15
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S106000155

Remediation Phase: 0
Date Entered In Computer: 10/10/2003
Spill Record Last Update: 10/10/2003
Spiller Name: Not reported
Spiller Company: BLT
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 212491
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" Minor spill to cement All cleaned
Remarks: driver overfilled tank - clena up in progress

Material:
Site ID: 259834
Operable Unit ID: 876035
Operable Unit: 01
Material ID: 552403
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AM228
NE
1/4-1/2
0.367 mi.
1937 ft.

APARTMENT BLDG
45 WEST 132ND ST
MANHATTAN, NY
Site 1 of 4 in cluster AM

LTANKS
HIST LTANKS
S103038485
N/A

Relative:
Lower

LTANKS:
Site ID: 116013
Spill No: 9712788
Spill Date: 2/17/1998
Spill Cause: Tank Overfill
Spill Source: Tank Truck

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S103038485

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/17/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 2/17/1998
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/17/1998
Spill Record Last Update: 11/3/1998
Spiller Name: NICK PASCAL
Spiller Company: HESS
Spiller Address: 238 W. FORT LEE RD
Spiller City,St,Zip: BOGOTA, NJ
Spiller County: 001
Spiller Contact: GEORGE WHITE
Spiller Phone: (212) 862-6380
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 100989
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"MARTINKAT"
Remarks: CAUSED BY DEFECTIVE GAUGE & OVERFILL - CLEANUP CREW ON WAY

Material:

Site ID: 116013
Operable Unit ID: 1059011
Operable Unit: 01
Material ID: 327376
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S103038485

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9712788
Spill Date: 02/17/1998
Spill Time: 08:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/17/98
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/17/98
Reported to Department Time: 08:47
SWIS: 62
Spiller Contact: GEORGE WHITE
Spiller Phone: (212) 862-6380
Spiller Extention: Not reported
Spiller Name: HESS
Spiller Address: 238 W. FORT LEE RD
Spiller City,St,Zip: BOGOTA, NJ
Spiller Cleanup Date: / /
Facility Contact: NICK PASCAL
Facility Phone: (201) 489-5100
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/17/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/03/98
Is Updated: False

Tank:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S103038485

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: CAUSED BY DEFECTIVE GAUGE OVERFILL - CLEANUP CREW ON WAY

**AM229
NE
1/4-1/2
0.367 mi.
1940 ft.**

**APARTMENT HOUSE
45 W 132ND ST
NEW YORK, NY**

**LTANKS S104516333
HIST LTANKS N/A**

Site 2 of 4 in cluster AM

**Relative:
Lower**

LTANKS:

Site ID: 274624
Spill No: 9912013
Spill Date: 1/18/2000
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/8/2000
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 1/18/2000
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/18/2000
Spill Record Last Update: 2/18/2000
Spiller Name: Not reported
Spiller Company: HESS OIL CO
Spiller Address: 238 W FORT LEE RD
Spiller City,St,Zip: BOGOTA, NJ 07603-001
Spiller County: 001

**Actual:
20 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104516333

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 223364
DEC Memo: Not reported
Remarks: TOLD TO FILL WRONG TANK CAUSING OVERFILL. CLEAN UP CREW CONTACTED.

Material:

Site ID: 274624
Operable Unit ID: 1086552
Operable Unit: 01
Material ID: 293901
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9912013
Spill Date: 01/18/2000
Spill Time: 10:20
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/08/00
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT HOUSE (Continued)

S104516333

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/18/00
Reported to Department Time: 10:47
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: HESS OIL CO
Spiller Address: 238 W FORT LEE RD
Spiller City,St,Zip: BOGOTA, NJ 07603-
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/18/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/18/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 1/26/2000 10:50 HRS SPOKE TO NICK/HESS HE SAID HIS GUY WAS DIRECTED TO THE WRONG TANK TO FILL. IT WAS AN OVERFILL OUT OF THE VENT PIPE ONTO DIRT. A CONTRACTOR WAS HIRED TO DO THE CLEAN UP. CALL CUSTOMER SERVICE 800-437-7872 TO FIND OUT WHICH CONTRACTOR.
Spill Cause: TOLD TO FILL WRONG TANK CAUSING OVERFILL. CLEAN UP CREW CONTACTED.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

230
ESE
1/4-1/2
0.380 mi.
2008 ft.

HARLEM PARK
1800-1808 PARK AVE 71 E. 124 ST., 66-70 E 125 ST.
NEW YORK, NY 10035

BROWNFIELDS **S108524799**
N/A

Relative:
Lower

BROWNFIELDS:

Program: BCP
 Site Code: 59177

Actual:
22 ft.

Site Description: The Site is located in an urban area of New York County (Manhattan) on the west side of Park Avenue bounded by 124th and 125th Streets. The site is primarily a paved parking lot. Surrounding uses include residential buildings with first floor retail and commercial buildings with office space to the north across 125th Street; the Metro-North Railroad tracks to the east across Park Avenue followed by residential buildings; an asphalt-paved parking lot to the south across 124th Street; and a residential building with first floor retail in addition to the New York College of Podiatric Medicine to the west. The Site had been residential and had been the location of the former Harlem Central Hotel (later the Hotel Naomi) through the 1970's. It has been a parking lot since approximately 1980. It is unknown at this time if these uses contributed to the contamination identified on-site. The intended use of the site after remedial actions have been completed consists of a mixed use building with parking on the lower, sub-grade floors and retail/commercial and residential above. The RAWP was approved with modifications on March 1, 2006. However, the volunteer/developer did not pursue the remedy immediately. On January 10, 2007 a meeting was held with the new partner in the development, during which they committed to implementing the approved remedy and subsequent development. A Stipulation List was submitted in October 2007 and this was approved by the Department in April 2008. Remedial Construction began on February 28, 2008 with the implementation of the Native Soil Sampling Plan. The subsequent Report was submitted on July 23, 2008. The department has requested cross sectional drawings to facilitate the review of this document.

Env Problem:

There have been at least four separate environmental investigations at the site which included the collection of subsurface soil and/or groundwater samples. Together, these investigations have found that: Fill is present on the site to a depth of approximately 20 feet below grade; A layer of petroleum contamination was identified at the water table across much of the site, varying in thickness up to approximately three feet; Fingerprint analysis of the petroleum layer identified it as #6 fuel oil; No VOCs were found in soil samples at levels above TAGM 4046 RSCOs; SVOCs were found at concentrations below TAGM 4046 RSCOs excepting cPAHs which were routinely found above TAGM 4046 levels; there were a couple of SVOC outliers: 22 ppm dinitrotoluene in a duplicate sample (undetected in the actual sample); and 800 ppm b2ehp in one sample; metals were also found above TAGM levels, but less frequently; (e.g. mercury to 0.47 mg/kg - about one-quarter of the samples were above TAGM; barium at 656 mg/kg in one sample (all others under TAGM); lead at 1050 mg/kg in one sample (all others substantially lower); magnesium mostly over TAGM; PCBs (1260) at 1.6 mg/kg in one shallow, composite soil sample (two other 1260 detections below 20 ug/kg in two other samples; all other samples were ND). No exceedance of groundwater standards by organics was noted. Filtered groundwater samples showed exceedances of standards for aluminum, iron and manganese. Soil samples taken from below the fuel oil and fill layers have shown no impacts. NYSDEC, in

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HARLEM PARK (Continued)

S108524799

consultation with NYSDOH, has determined that the site conditions do not pose a significant threat to human health or the environment. A Part 375 Track 1 Cleanup is proposed for the site. The Native Soil Sampling Plan was approved and started in February 2008. The report was submitted in July 2008. The department has requested the submittal of cross sectional drawings to evaluate the findings.

Health Problem: Human exposures to groundwater contamination are unlikely since the area is served by public water. Since the site is currently covered by pavement and buildings and contaminated soils are at depth, direct contact exposures are unlikely. The proposed remedy calls for most of the contaminated soil to be excavated and properly disposed of off-site. The potential for exposures associated with soil vapor intrusion will be investigated.

AM231
NE
1/4-1/2
0.381 mi.
2011 ft.

25 W 132ND ST
MANHATTAN, NY

Site 3 of 4 in cluster AM

LTANKS **S105997514**
N/A

Relative:
Lower

LTANKS:

Actual:
19 ft.

Site ID: 260802
 Spill No: 0209164
 Spill Date: 12/6/2002
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/6/2002
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: RWAUSTIN
 Referred To: Not reported
 Reported to Dept: 12/6/2002
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/6/2002
 Spill Record Last Update: 9/3/2004
 Spiller Name: TONY PERETTA
 Spiller Company: MYSTIC TRANSPORTATION
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller County: 001
 Spiller Contact: GEORGE WHITE - HAMPTON MG
 Spiller Phone: (212) 862-6380
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 212998
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "AUSTIN" 12/6/02 - AUSTIN, DDO - CONTACTED PERRETTA TO CONFIRM THAT MYSTIC SENDING CREW TO DO THE CLEAN-UP - SPILL IMPACTED FLOWERBED,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105997514

ACCORDING TO PERETTA - THEY WERE DELIVERING ON BEHALF OF STUYVESANT FUEL (718-993-5400) - MARGARET AT STUYVESANT GAVE HAMPTON MGT. (GEORGE WHITE) AS CONTACT FOR BLDG. SPOKE WITH MR. WHITE (212-862-6380) AND TOLD HIM TO CALL US TO LET US KNOW IF CLEANUP WAS DONE TO HIS SATISFACTION. 12/6, 4:30 PM - AUSTIN - SPOKE W/MR. WHITE - HE INDICATED THAT MYSTIC WAS STILL WORKING ON THE CLEANUP, AND THAT HE WAS SATISFIED SO FAR. THEYHAD REMOVED THE CONTAMINATED SOIL, AND WOULD REPLACE THE SOIL. HE ESTIMATED THE SPILL VOLUME AT 20-25 GALS. I TOLD HIM THAT WE WOULD CLOSE OUT THE SPILL, AND IF HE FELT THE CLEAN-UP WASN'T BEING FINISHED PROPERLY, HE SHOULD CONTACT US, AND WE WOULD REOPEN/INVESTIGATE THE MATTER. CASE CLOSED.

Remarks: DRIVER READ GAUGE WRONG LEADING TO OVERFILL - CLEAN UP CREW CONTACTED

Material:

Site ID: 260802
Operable Unit ID: 862333
Operable Unit: 01
Material ID: 516143
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AM232
NE
1/4-1/2
0.381 mi.
2011 ft.

SIDE WALK OUTSIDE
25 WEST 132ND ST.
MANHATTAN, NY
Site 4 of 4 in cluster AM

LTANKS S106702786
NY Spills N/A

Relative:
Lower

LTANKS:

Site ID: 270106
Spill No: 0406637
Spill Date: 9/16/2004
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/21/2004
Facility Addr2: Not reported

Actual:
19 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIDE WALK OUTSIDE (Continued)

S106702786

Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: TJDMEEO
Referred To: Not reported
Reported to Dept: 9/16/2004
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/16/2004
Spill Record Last Update: 9/21/2004
Spiller Name: MIKE PALKOWIZ
Spiller Company: HESS
Spiller Address: 238 WEST FORT LEE ROAD
Spiller City,St,Zip: BOGOTA, NJ 07601
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 219966
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEEO" Demeo responded to the site, A.L. Eastmond did cleanup. 9/20/2004 Sangesland spoke to Issac at Eastmond. He said the surface clean up was done, but two days later a nearby school said there was still a smell so more digging was required 9/21/2004 Issac at Eastmond says cleanup is done. This was the second recent major spill on this site. Cross Ref #0404538 from July 2004. Problem is there are 2 tanks. Building switched the tank numbers and Hess is pumping the oil into the wrong tank which causes the overflow and a spill. Eastmond recommends an overflow protection on tanks. Endpoints, photos and a closure report will be sent into DEC. This spill is closed - Spill 0404538 remains open until report is submitted.
Remarks: A L Eastmond is en route for clean up.

Material:

Site ID: 270106
Operable Unit ID: 889268
Operable Unit: 01
Material ID: 487829
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIDE WALK OUTSIDE (Continued)

S106702786

Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Spills:

Site ID: 270105
Facility Addr2: Not reported
Facility ID: 0404538
Spill Number: 0404538
Facility Type: ER
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 7/27/2004
Reported to Dept: 7/27/2004
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/11/2005
Remediation Phase: 0
Date Entered In Computer: 7/27/2004
Spill Record Last Update: 5/11/2005
Spiller Name: MR. WOODLY
Spiller Company: PARKING LOT
Spiller Address: 25 WEST 132ND ST.
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 001
Contact Name: MR. WOODLY
Contact Phone: (212) 862-6380
DEC Region: 2
DER Facility ID: 219966
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" Sangesland spoke to Nick Pascel of Hess. He said it was a tank overfill and 20 gal of heated #6 came out of the vent line. On to soil. Eastmond has been mobilized to clean up. - Confirm cleanup directly with Eastmond 7/28/2004 - Sangesland spoke to Rene at Eastmond. He said they pulled out 75 bags of contaminated soil. They will take endpoint samples and will take pictures. When all are done, report will be sent in for closure. 9/16/2004 Sangesland spoke to Issac at Eastmond. A second major spill happened at this site (in the hole that was dug to clean out the last spill). Apparently there are

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SIDE WALK OUTSIDE (Continued)

S106702786

2 tanks at the site and the building switched the tank numbers. When Hess delivers to "tank 1" they are filling "tank 2". Eastmond suggests installing an overflow alarm. Issac says that they already cleaned up the hole and will now take endpoint samples and photos to close this case out. The new spill number for today's spill (0406637) has been closed out and referenced back to this spill number. 9/28/2004 Sangesland spoke to DeMeo about the spill site. Photo of the site showed most of the latest spill went out into a parking lot area. there was a 2' x 10' area of garden and a small bush, right up next to the building under the vent lines that was saturated in oil. This area needs to be dug out, clean endpoints and the area "should" be cemented over because if it's location under the vent lines. 11/26/2004 Sangesland spoke to rep from Hess to request building's management company #. Need to confirm with property manager that remediation/cement work was completed.

Remarks: IN DIRT PARKING LOT, DEFECTIVE GAUGE IN THE TANK

Material:

Site ID: 270105
 Operable Unit ID: 887636
 Operable Unit: 01
 Material ID: 488523
 Material Code: 0003
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 20
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

233
 WNW
 1/4-1/2
 0.391 mi.
 2063 ft.

344 WEST 122ND STREET
 344 WEST 122ND STREET
 MANHATTAN, NY

LTANKS S102960167
 HIST LTANKS N/A

Relative:
 Higher

LTANKS:

Site ID: 178948
 Spill No: 9711778
 Spill Date: 1/21/1998
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Actual:
 29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

344 WEST 122ND STREET (Continued)

S102960167

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/21/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 1/21/1998
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/21/1998
Spill Record Last Update: 1/21/1998
Spiller Name: JAMES WILLIAMS
Spiller Company: 344 WEST 122ND STREET
Spiller Address: 344 WEST 122ND STREET
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: JAMES WILLIAMS
Spiller Phone: (212) 222-0113
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 150213
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT" GETTING SOMEONE TO PUMP OUT THE TANK AND GETTING ESTIMATES TO REPLACE IT. 2 FAMILY HOUSE. (10:15 SPOKE TO JAMES WILLIAMS OWNER)
Remarks: CALLER FILLED TANK AND FOUND LEAK AT BOTTOM OF TANK.

Material:

Site ID: 178948
Operable Unit ID: 1054535
Operable Unit: 01
Material ID: 326422
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

344 WEST 122ND STREET (Continued)

S102960167

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9711778
Spill Date: 01/21/1998
Spill Time: 09:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/21/98
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/21/98
Reported to Department Time: 09:57
SWIS: 62
Spiller Contact: JAMES WILLIAMS
Spiller Phone: (212) 222-0113
Spiller Extention: Not reported
Spiller Name: 344 WEST 122ND STREET
Spiller Address: 344 WEST 122ND STREET
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: JAMES WILLIAMS
Facility Phone: (212) 222-0113
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/21/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/21/98
Is Updated: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

344 WEST 122ND STREET (Continued)

S102960167

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 15
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: GETTING SOMEONE TO PUMP OUT THE TANK AND GETTING ESTIMATES TO REPLACE IT. 2 FAMILY HOUSE. 10:15 SPOKE TO JAMES WILLIAMS OWNER)
 Spill Cause: CALLER FILLED TANK AND FOUND LEAK AT BOTTOM OF TANK.

**AN234
 SW
 1/4-1/2
 0.393 mi.
 2075 ft.**

**TAFT
 131 ST. NICHOLAS AVENUE
 NEW YORK CITY, NY
 Site 1 of 5 in cluster AN**

**LTANKS U001840730
 HIST LTANKS N/A
 HIST UST**

**Relative:
 Higher**

LTANKS:

Site ID: 276232
 Spill No: 9302271
 Spill Date: 5/18/1993
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/10/2008
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: jkkann
 Referred To: CONSOLIDATED WITH 0107089
 Reported to Dept: 5/18/1993
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 5/20/1993
 Spill Record Last Update: 10/10/2008
 Spiller Name: Not reported
 Spiller Company: NYCHA
 Spiller Address: Not reported

**Actual:
 31 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179188
DEC Memo: 12/27/05: This spill transferred from J.Kolleeny to S.Kraszewski. A 10K tank replaced with an 8K tank in Sept 2000 with several tank failures since 1990. No site assessment performed to date. Must check if the 8K tank was placed in same location as 10K tank. - SK
03/23/06: This spill transferred to K.Tang - SK
Remarks: WILL EI&R - EXCAVATING CONTAMINATED SOIL.

Material:
Site ID: 276232
Operable Unit ID: 980708
Operable Unit: 01
Material ID: 399399
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 276232
Spill Tank Test: 1541548
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Site ID: 299077
Spill No: 9003741
Spill Date: 7/3/1990
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/27/1995
Facility Addr2: Not reported
Cleanup Ceased: 4/27/1995
Cleanup Meets Standard: True
SWIS: 3101
Investigator: HEALY
Referred To: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Reported to Dept: 7/3/1990
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/6/1990
Spill Record Last Update: 12/27/2005
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179188
DEC Memo: Not reported
Remarks: GROSS LEAK AT MANWAY GASKET, RETURN LINE LEAKING & SUCTION LINE-TO REMOVE, REPAIR & RETEST. TANK RETESTED 3/6/91-FAILED, WILL E,I & R. SEE SPILL # 9302271

Material:

Site ID: 299077
Operable Unit ID: 941563
Operable Unit: 01
Material ID: 434878
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 299077
Spill Tank Test: 1537257
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9302271

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Spill Date: 05/18/1993
Spill Time: 16:25
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/18/93
Reported to Department Time: 17:40
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-475130
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/20/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/27/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: T.T.F.
Spill Cause: WILL EI R - EXCAVATING CONTAMINATED SOIL.

Region of Spill: 2
Spill Number: 9003741
Spill Date: 07/03/1990
Spill Time: 13:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/27/95
Cleanup Ceased: 04/27/95
Cleanup Meets Standard: True
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/03/90
Reported to Department Time: 14:06
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-475130
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 07/06/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/27/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: GROSS LEAK AT MANWAY GASKET, RETURN LINE LEAKING SUCTION LINE-TO REMOVE, REPAIR RETEST. TANK RETESTED 3/6/91-FAILED, WILL E,I R. SEE SPILL 9302271

HIST UST:

PBS Number: 2-475130
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (718) 289-3940
Operator: LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 1740 MADISON AVE.(MANAGEMENT OFFICE)
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/13/2000
Expiration Date: 03/28/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: #1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 20000901
Capacity (gals): 8000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: Other
Pipe External: Other
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19650301
Capacity (gals): 10000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

U001840730

Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: 11/01/1994
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 09/01/2000
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

**AN235
SW
1/4-1/2
0.393 mi.
2075 ft.**

**TAFT HOUSES
131 SAINT NICHOLAS AVE
MANHATTAN, NY
Site 2 of 5 in cluster AN**

**HIST LTANKS S105230223
N/A**

**Relative:
Higher**

HIST LTANKS:

**Actual:
31 ft.**

Region of Spill: 2
Spill Number: 0107089
Spill Date: 10/09/2001
Spill Time: 11:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/09/01
Reported to Department Time: 12:24
SWIS: 62
Spiller Contact: NORMAN ZABUSKY
Spiller Phone: (718) 707-5719
Spiller Extention: Not reported
Spiller Name: RAD OIL COMPANY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT HOUSES (Continued)

S105230223

Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/09/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/10/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1500
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: 10/10/01 SITE VISIT REVEALED THAT THE OIL HAD FILLED THE RISER AREA ABOVE THE TANKS AND SPILLED OUT ONTO THE PAVED SURFACE OF THE PARKING LOT. UPON FURTHER INSPECTION THERE WAS FRESH 2 OIL THAT HAD IMPACTED THE SUMP WITH THE OLD OIL MOP STILL ABLE TO FUNCTION. THE OLD OIL WAS DISCOLORED, THE FRESH OIL IS RED. HOUSING AUTHORITY TO REMOVE THE SATURATED SOIL FROM THE FILL AREA AND CONTINUOUSLY RUN THE OIL MOP. FIRST ESTIMATE OF 1500 GAL. SPILL MAY BE ON THE LOW SIDE.

Spill Cause: overfilled during delivery - caused spill in fill box and manway - unknown if impacted soil. still under investigation.

AO236
NNE
1/4-1/2
0.395 mi.
2088 ft.

**NYC HOUSING
123 WEST 133RD ST
MANHATTAN, NY
Site 1 of 4 in cluster AO**

**LTANKS S105054585
HIST LTANKS N/A**

**Relative:
Lower**

LTANKS:
Site ID: 198641
Spill No: 0100281
Spill Date: 4/9/2001
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known

**Actual:
24 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC HOUSING (Continued)

S105054585

release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.

Spill Closed Dt: 9/21/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 4/9/2001
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/9/2001
Spill Record Last Update: 9/21/2005
Spiller Name: SCOTT SWANSON
Spiller Company: NYC HOUSING, PRES., DEVELOP.
Spiller Address: UNKNOWN
Spiller City,St,Zip: ZZ
Spiller County: 999
Spiller Contact: SCOTT SWANSON
Spiller Phone: (718) 539-4515
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 165317
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KOLLENY" 4/30/04 TJD As per direction of RSE, site transferred Demeo >>> Kolleyeny as spill location is at NYCHA owned facility. 8/25/05 - Austin - Reassigned from Kolleyeny to Rahman, to determine status on this case 09.21.05 SR// Sharif reviewed the submission by TDX Construction Corporation. The aboveground tank was modified with new tank lining, new piping, spill prevention system.They reported no evidence of spill or contamination during the tank test time.

Remarks: Not reported

Material:

Site ID: 198641
Operable Unit ID: 838848
Operable Unit: 01
Material ID: 539549
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 198641

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC HOUSING (Continued)

S105054585

Spill Tank Test: 1526207
Tank Number: 1
Tank Size: 2000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0100281
Spill Date: 04/09/2001
Spill Time: 09:10
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/09/01
Reported to Department Time: 10:26
SWIS: 62
Spiller Contact: SCOTT SWANSON
Spiller Phone: (718) 539-4515
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: UNKNOWN
Spiller City,St,Zip: -
Spiller Cleanup Date: / /
Facility Contact: SCOTT SWANSON
Facility Phone: (718) 539-4515
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/09/01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC HOUSING (Continued)

S105054585

Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/09/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 2000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: Not reported

AO237
NNE
1/4-1/2
0.396 mi.
2091 ft.

59 ENGINE / 30 TRUCK
111 WEST 133RD ST
MANHATTEN, NY
Site 2 of 4 in cluster AO

LTANKS S102960160
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 66144
Spill No: 9711067
Spill Date: 1/2/1998
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/8/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 1/2/1998
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1/2/1998
Spill Record Last Update: 1/7/2005

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

59 ENGINE / 30 TRUCK (Continued)

S102960160

Spiller Name: MICHAEL BYRNE
Spiller Company: NYC DDC
Spiller Address: 30-30 THOMPSON AVE - FL 5
Spiller City,St,Zip: LONG ISLAND CITY, NY 11101-001
Spiller County: 001
Spiller Contact: TONY MARINO
Spiller Phone: (718) 391-1062
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 63372
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KOLLEENY" CONTAMINATED SOIL AND GROUNDWATER FOUND DURING CLOSURE OF GASOLINE AND DIESEL USTS AND INITIAL SITE INVESTIGATION BY URS. HOWEVER, SUBSEQUENT SITE INVESTIGATIONS SHOWED SOIL CONTAM. TO BE MINOR AND GROUNDWATER CONTAM. TO BE DECREASING NATURALLY. URS PERFORMED GROUNDWATER MONITORING FOR OVER 2 YEARS, AND BY APRIL 2002 ALL WELLS HAD MET GW STANDARDS FOR AT LEAST 2 SAMPLING EVENTS. OK TO CLOSE.
Remarks: Sample results came back today - were investigating USTs for leakage - poss tanks leaking.

Material:

Site ID: 66144
Operable Unit ID: 1053940
Operable Unit: 01
Material ID: 329330
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 66144
Operable Unit ID: 1053940
Operable Unit: 01
Material ID: 329331
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

59 ENGINE / 30 TRUCK (Continued)

S102960160

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9711067
Spill Date: 01/02/1998
Spill Time: 13:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KOLLEENY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/02/98
Reported to Department Time: 14:11
SWIS: 62
Spiller Contact: TONY MARINO
Spiller Phone: (718) 391-1062
Spiller Extention: Not reported
Spiller Name: NYC DDC
Spiller Address: 30-30 THOMPSON AVE - FL 5
Spiller City,St,Zip: LONG ISLAND CITY, NT 11101-
Spiller Cleanup Date: / /
Facility Contact: MICHAEL BYRNE
Facility Phone: (716) 856-5636
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/02/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/15/98
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

59 ENGINE / 30 TRUCK (Continued)

S102960160

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: sample results came back today - were investigating ust s for leakage - poss tanks leaking

AN238
SW
1/4-1/2
0.396 mi.
2092 ft.

TAFT
131 ST NICHOLAS
MANHATTAN, NY
Site 3 of 5 in cluster AN

LTANKS S100493400
HIST LTANKS N/A
NY Spills

Relative:
Higher

LTANKS:

Site ID: 147652
Spill No: 9200615
Spill Date: 4/15/1992
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/27/1995
Facility Addr2: Not reported
Cleanup Ceased: 4/27/1995
Cleanup Meets Standard: True
SWIS: 3101
Investigator: HEALY
Referred To: Not reported
Reported to Dept: 4/15/1992
CID: 15

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

S100493400

Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/24/1992
Spill Record Last Update: 12/27/2005
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179188
DEC Memo: Not reported
Remarks: E I & R 10K. SEE SPILL # 9302271

Material:

Site ID: 147652
Operable Unit ID: 967861
Operable Unit: 01
Material ID: 415397
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 147652
Spill Tank Test: 1539873
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9200615
Spill Date: 04/15/1992
Spill Time: 12:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

S100493400

Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/27/95
Cleanup Ceased: 04/27/95
Cleanup Meets Standard: True
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/15/92
Reported to Department Time: 15:36
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-475130
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/24/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/27/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAFT (Continued)

S100493400

Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: E I R 10K. SEE SPILL 9302271

NY Spills:

Site ID: 216432
Facility Addr2: Not reported
Facility ID: 0107089
Spill Number: 0107089
Facility Type: ER
SWIS: 3101
Investigator: jkkann
Referred To: CONSOLIDATED WITH 9302271 AND 9909574
Spill Date: 10/9/2001
Reported to Dept: 10/9/2001
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not Closed
Remediation Phase: 1
Date Entered In Computer: 10/9/2001
Spill Record Last Update: 10/10/2008
Spiller Name: Not reported
Spiller Company: RAD OIL COMPANY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
001
Contact Name: NORMAN ZABUSKY
Contact Phone: (718) 707-5719
DEC Region: 2
DER Facility ID: 179188
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KOLLEENY" 10/10/01 SITE VISIT REVEALED THAT THE OIL HAD FILLED THE RISER AREA ABOVE THE TANKS AND SPILLED OUT ONTO THE PAVED SURFACE OF THE PARKING LOT. UPON FURTHER INSPECTION THERE WAS FRESH #2 OIL THAT HAD IMPACTED THE SUMP WITH THE OLD OIL MOP STILL ABLE TO FUNCTION. THE OLD OIL WAS DISCOLORED, THE FRESH OIL IS RED. HOUSING AUTHORITY TO REMOVE THE SATURATED SOIL FROM THE FILL AREA AND CONTINUOUSLY RUN THE OIL MOP. FIRST ESTIMATE OF 1500 GAL. SPILL MAY BE ON THE LOW SIDE. 4/30/2004 TRANSFERRED FROM TIPPLE TO KOLLEENY AS DIRECTED BY RSE BECAUSE IT IS A NYC FACILITY///// 11/04/05: This spill transferred from J.Kolleeny to S.Kraszewski. 12/27/05: No record of an oil mop system in place on Product Recovery System Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

TAFT (Continued)

S100493400

Remarks: Additional info on where #2 oil was discovered and recovery records from the oil mop. - SK 03/15/06: This spill reassigned to K.Tang. - SK Not reported
 overfilled during delivery - caused spill in fill box and manway - unknown if impacted soil. still under investigation.

Material:
 Site ID: 216432
 Operable Unit ID: 845290
 Operable Unit: 01
 Material ID: 531926
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1500
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

239
 WNW
 1/4-1/2
 0.398 mi.
 2103 ft.

YOUNG RESIDENCE
355 W. 123RD ST.
NEW YORK, NY

LTANKS S107416936
N/A

Relative:
Higher

LTANKS:
 Site ID: 353832
 Spill No: 0508285
 Spill Date: 10/11/2005
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.
 Spill Closed Dt: 9/29/2006
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SFRAHMAN
 Referred To: Not reported
 Reported to Dept: 10/11/2005
 CID: 15

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG RESIDENCE (Continued)

S107416936

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/11/2005
Spill Record Last Update: 9/29/2006
Spiller Name: JAMES YOUNG
Spiller Company: YOUNG RESIDENCE
Spiller Address: 355 W. 123RD ST.
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: JAMES YOUNG
Spiller Phone: (212) 828-8573
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 301165
DEC Memo: Sangesland called Petro requesting further details - Rep will call back This spill needs follow-up 10.28.05 Sharif- I called James Young who was not available at that time. Left messege for him to call back about the clean up of the spill. 03/01/06 Sharif Rahman- I spoke with Madeline Reese,(212)828-8573 and she would relay the department's concern to James Young. 03/27/06 Sharif Rahman- Clean up letter went to James Young 355 W 123rd Street, Apt#1A New York, NY 10027 05/11/06 Sharif Rahman- I called Petro ,516-686-2030 and spoke with Keanny @ ext.3324. He informed me the customer's account is not active now and the customer did not respond to fix the tank problem. So, they suspended the delivery due to unsafe condition of the tank. 08/07/06 Rahman- Tried to inspect the baement tank room, but could not get access as no body was found in the house. It looked like the house is now abandoned and no body lives there.Certified mail letter dated May 11' 06 returned undelivered.
Remarks: Tank was leaking releasing 5 gal of material onto the dirt floor. Petro will be stopping the leak. Unknown who is doing the clean up.

Material:
Site ID: 353832
Operable Unit ID: 1111282
Operable Unit: 01
Material ID: 2101322
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 353832
Spill Tank Test: 1549389
Tank Number: Not reported
Tank Size: 275

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNG RESIDENCE (Continued)

S107416936

Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 10/11/2005
Test Method: Unknown

**AO240
NNE
1/4-1/2
0.399 mi.
2108 ft.**

**ARDEN MANAGEMENT
151 WEST 133RD STREET
MANHATTAN, NY**

**LTANKS S104279138
HIST LTANKS N/A**

Site 3 of 4 in cluster AO

**Relative:
Higher**

LTANKS:

**Actual:
26 ft.**

Site ID: 217420
Spill No: 9911375
Spill Date: 12/28/1999
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/28/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 12/28/1999
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/28/1999
Spill Record Last Update: 1/18/2000
Spiller Name: DENNIS
Spiller Company: ROYAL TRUCKING
Spiller Address: Not reported
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179999
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" TANK OVERFILL. ABOUT 50 GAL SPILLED OUTSIDE THE BUILDING. CLEANED UP BY THE SPILLER.

Remarks:

CALLER RECEIVED A CALL FROM NEW YORK CITY FIRE DEPARTMENT ABOUT SPILL AT APARTMENT BUILDING. SPILLER DELIVERS OIL FOR CASTLE OIL. UNKNOWN EXACT CAUSE OF OVERFILL. SPILLED ONTO CONCRETE OUTSIDE OF BUILDING. ROYAL TRUCKING HAS CLEAN UP CREW ENROUTE. CASTLE OIL HAS A SERVICE TECHNICIAN AND TWO CLEAN UP MEN ENROUTE. FURTHER INFORMATION TO FOLLOW.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARDEN MANAGEMENT (Continued)

S104279138

Material:

Site ID: 217420
Operable Unit ID: 1085986
Operable Unit: 01
Material ID: 296836
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9911375
Spill Date: 12/28/1999
Spill Time: 22:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/28/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/28/99
Reported to Department Time: 22:22
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARDEN MANAGEMENT (Continued)

S104279138

Spiller Extention: Not reported
Spiller Name: ROYAL TRUCKING
Spiller Address: Not reported
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: DENNIS
Facility Phone: (718) 788-8080
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/28/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/18/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: TANK OVERFILL. ABOUT 50 GAL SPILLED OUTSIDE THE BUILDING. CLEANED UP BY THE SPILLER.

Spill Cause: CALLER RECEIVED A CALL FROM NEW YORK CITY FIRE DEPARTMENT ABOUT SPILL AT APARTMENT BUILDING. SPILLER DELIVERS OIL FOR CASTLE OIL. UNKNOWN EXACT CAUSE OF OVERFILL. SPILLED ONTO CONCRETE OUTSIDE OF BUILDING. ROYAL TRUCKING HAS CLEAN UP CREW ENROUTE. CASTLE OIL HAS A SERVICE TECHNICIAN AND TWO CLEAN UP MEN ENROUTE. FURTHER INFORMATION TO FOLLOW.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

241
 ESE
 1/4-1/2
 0.401 mi.
 2119 ft.

1824 PARK AVE/SUNOCO
 1824 PARK AVE/SUNOCO
 HARLEM, NY

LTANKS S106703583
 HIST LTANKS N/A

Relative:
 Lower

LTANKS:

Actual:
 21 ft.

Site ID: 279281
 Spill No: 9108459
 Spill Date: 11/7/1991
 Spill Cause: Tank Test Failure
 Spill Source: Gasoline Station
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/13/2006
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SKCARLSO
 Referred To: NFA 10/13/06
 Reported to Dept: 11/7/1991
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 11/12/1991
 Spill Record Last Update: 10/13/2006
 Spiller Name: Not reported
 Spiller Company: SUNOCO A
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 226776
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SUN" 04/12/04 TRANSFERRED FROM SULLIVAN TO SUN 1/6/06: Case reassigned to Andersen. Sent assessment required letter to Gary Spindler (listed on the PBS data sheet). Due back 3/2/06. 3/13/06: Resent assessment required letter. 7/25/06: Spoke to Gary Spindler (212-929-9404). He said that he is not the current owner, and was not the owner in 1991 at the time of the spill. The 550 gallon tanks were removed from the property prior to sale of the property, but he does not have documentation of this. He said he would call back with contact information for the new owner. 8/9/06: New owner address from PropertyShark.com: Notice Address: Verizon Mortgage Group, Inc. 1824 Park Avenue New York, NY 10035 Billing Address: City and Suburban Federal Savings Eab Plz E Tower 11Fl Uniondale, NY 11556 New owner information from Acris: Verizon Mortgage Group, Inc. 3333 Hyde Park Road, Suite 314 New Hyde Park, NY 11042 8/10/06: Sent John Quatrale of Verizon New York an email to see if Verizon New York is affiliated with Verizon Mortgage Group. 9/8/06: Sent letter requiring an assessment to Verizon Mortgage Group, 3333 Hyde Park Road and 1824

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1824 PARK AVE/SUNOCO (Continued)

S106703583

Park Avenue addresses. Assessment due back 11/10/06, 9/12/06: Letter addressed to 1824 Park Avenue returned to sender. 9/13/06: Received phone call from Steve Baranilo (516-775-5084). 9/14/06: Spoke to Steve Baranilo. He is a consultant for Verizon Mortgage. 18 tanks were removed from the site and supervised by a PE, report submitted to the city at the time. A closure report will be submitted to the Department. 9/18/06: Spoke to Ted Yen of Don Carlo Environmental Services. He is submitting a proposal to the owner to investigate the spill. fax: 718-857-2100. 10/13/06- DEC Piper received tank closure report. Piper delivered to DEC Andersen 10/13/06 - Andersen - Reviewed tank closure report submitted by Don Carlo Environmental Services, dated 10/12/06. Tanks removed on July 9, 2001. 12 550-gallon gasoline tanks (5 endpoint samples), 1 4,000-gallon gasoline tank (5 endpoint samples), 1 550-gallon fuel oil tank (1 endpoint sample) removed. Tanks were in good condition, showed no evidence of corrosion or pitting. All endpoint samples were ND. NFA letter issued.

Remarks: SIX 550'S LINKED. -.661 PETROTITE. E I & R

Material:

Site ID: 279281
Operable Unit ID: 958759
Operable Unit: 01
Material ID: 420611
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 279281
Spill Tank Test: 1539278
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9108459
Spill Date: 11/07/1991
Spill Time: 17:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1824 PARK AVE/SUNOCO (Continued)

S106703583

Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/07/91
Reported to Department Time: 17:04
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: A
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/12/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/04/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1824 PARK AVE/SUNOCO (Continued)

S106703583

Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: SIX 550 S LINKED. -.661 PETROTITE. E I R

242
ENE
1/4-1/2
0.405 mi.
2139 ft.

RESIDENCE
4 E. 132ND ST.
NEW YORK CITY, NY 10014

LTANKS S106868663
N/A

Relative:
Lower

LTANKS:

Actual:
17 ft.

Site ID: 337423
Spill No: 0412055
Spill Date: 2/11/2005
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/18/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: MDBRAND
Referred To: Not reported
Reported to Dept: 2/11/2005
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/11/2005
Spill Record Last Update: 7/18/2005
Spiller Name: YOSHI
Spiller Company: RESIDENCE
Spiller Address: 4 EAST 132 ST.
Spiller City,St,Zip: NEW YORK CITY, NY
Spiller County: 999
Spiller Contact: CHRIS GORGA
Spiller Phone: (646) 772-1404
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 272766
DEC Memo: 2/10/05 MT// Leak above product line, owner instructed not to refill tank, but he can use all of the oil currently in the tank. Owner's office 718-454-8555 contact Joe Cohen for the next 3 weeks, Yoshi is the lead person is going on vacation next week for 3 weeks. Owners plan to convert to gas, empty and remove the oil tank and conduct whatever cleanup that is needed.////TTF letter sent 07/18/2005: Called owner of the property at 4 East 132nd Street (Mr. Yoshi of 4 East 132nd Realty LLC) to determine status of cleanup. Yoshi faxed documentation of tank removal that occurred in March 2005. Contents of tank were removed, tank cleaned and purged, fill and vent lines

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S106868663

cut, oil lines disconnected and removed, and the tank was cut up and removed. Tank closure was reviewed by a licensed NYC Fire Department Underground Tank Installer and a Certificate of Affidavit was submitted to the NYC Fire Department Bureau of Fire Prevention on April 21, 2005. There was no release of product from tank into the environment. Documentation was determined to be adequate to close spill. No Further Action letter sent to owner. M. Brand DER NYSDEC Albany.

Remarks: ABOVE LIQUID LEVEL LEAK. HAS NOT BEEN CLEANED UP YET.

Material:

Site ID: 337423
Operable Unit ID: 1099378
Operable Unit: 01
Material ID: 579718
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 337423
Spill Tank Test: 1548583
Tank Number: Not reported
Tank Size: 1080
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 2/11/2005
Test Method: Horner EZ Check I or II

AP243
East
1/4-1/2
0.409 mi.
2157 ft.

60 E 130TH ST
MANHATTAN, NY
Site 1 of 2 in cluster AP

LTANKS S105997483
N/A

Relative:
Lower

LTANKS:

Site ID: 252661
Spill No: 0209093
Spill Date: 12/3/2002
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/4/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101

Actual:
17 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105997483

Investigator: JBVOUGHT
Referred To: Not reported
Reported to Dept: 12/4/2002
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/4/2002
Spill Record Last Update: 11/6/2003
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: DAVID LIGAMMARI
Spiller Phone: (716) 848-3772
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 206972
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "VOUGHT" 12/4/2002-Vought-See spill #0209020 at same location. This spill closed by Vought.
Remarks: caller is hired to clean up - delivery was made without the building knowing it

Material:
Site ID: 252661
Operable Unit ID: 862274
Operable Unit: 01
Material ID: 516076
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 60
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AP244 PRIVATE RESIDENCE
East 60 EAST 130TH ST
1/4-1/2 MANHATTAN, NY
0.409 mi.
2157 ft. Site 2 of 2 in cluster AP

LTANKS S105997459
NY Spills N/A

Relative:
Lower

LTANKS:

Actual:
17 ft.

Site ID: 84487
 Spill No: 0209020
 Spill Date: 12/2/2002
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/22/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMPELTON
 Referred To: Not reported
 Reported to Dept: 12/2/2002
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/2/2002
 Spill Record Last Update: 9/22/2005
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: FF FELRICE
 Spiller Phone: (917) 769-0483
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 77699
 DEC Memo: 7/22/05 - As part of the Spills Reduction Initiative, spill was transferred to Jason Pelton. Jason contacted David Ligamari at M&T Mortgage Corp. to discuss the history of the spill and subsequent cleanup activities. David reported that an oil company overfilled the tank and approximately 50 gallons of fuel oil was spilled in the basement. Petroleum Tank Cleaners was hired and the fuel oil spill was cleaned up on December 6, 2002. The cleanup involved the use of a sorbent material to contain the fuel oil. Two drums of the sorbent material and one drum of petroleum contaminated soil was subsequently removed from the basement by Petroleum Tank Cleaners. David indicated that the basement tank is an above ground storage tank and not an underground storage tank. David also indicated that the tank did not fail, but the spill resulted from an overfill. 9/20/2005 - Jason Pelton contacted Petroleum Tank Cleaners and spoke with Helen Parker about spill cleanup documentation. Helen reviewed the project files and faxed Jason a Non-Hazardous Waste Manifest documenting the removal and disposal of 2 drums of Oil Soaked Debris and 1 drum of Petroleum Contaminated Soil. The waste was transported to General

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S105997459

Environmental Management in Cleveland, Ohio for disposal. The disposal date on the manifest is: 1/3/03. 9/22/05 - Based on communication with M&T Mortgage and the remediation contractor and documentation that the fuel oil spill was cleaned up, Spill Number 0209020 was Closed on September 22, 2005 by Jason Pelton. Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 12/02/2002 Rommel - Duty officer See also spill # 0209046 reported by 1st floor tenant. Overfill into basement. Unclear who ordered oil or what oil company made the delivery. Vought spoke to Mulqueen (FDNY) who responded to the scene. FDNY collected speedy dry and oil into 55 gallon drums which were left on site outside. Spoke to Tommie Collins and Tina Spenson - tenants in building. They indicated that there has not been heat for three weeks. They provided Spoke to Hector at J&N Managing Company 212-721-0424 21 West 86th Street, NY, NY 10024 He provided Mark Landis' phone number 212-724-8300 and cell 917-334-9321. Mr. Landis is the court appointed receiver for this property during the pendency of foreclosure. He is responsible for any necessary cleanup. Mark indicated that he will have to obtain funds from M&T Bank - who foreclosed on building, who will then have to go through HUD - who insured the mortgage. HUD Contact - Cardell Johnson - Housing Specialist - 8004408647 ext. 3467. Spill responder Vought on site 3:00pm. 12/3/2002-Vought-Site visit by vought. According to resident delivery made on 12/2/2002 at approximately 8pm by a green and white truck (previous trucks were green and red). No delivery receipt was left and driver who caused spill put down speedy dry at vent and fill. This was first delivery of oil season. Site inspection revealed FDNY 55 gallon drum, a boiler room covered with impacted adsorbent and impacts to an adjacent kitchen. J&M Realty (Victor Berrios and Mark Landis 212-721-0424) agreed to hire contractor and fix heat (heat had not worked all season). 12/4/2002-Spoke with Isaac Mungra (PTC 718-624-4842) who called in spill #0209093 at same location (spill closed by Vought). PTC arrived on-site and cleaned speedy dry. Cracked concrete by vent needs to be excavated and removed. Tank needs to be tightness test and vault inspected. Boiler room concrete is intact according to PTC. 12/11/2002-Vought-Spoke with Isaac. Speedy dry has been swept and disposed of. Three drums were also removed and impacted concrete and soil by vent has been excavated and sampled. Lab analysis not received yet. Tank still needs tightness testing and/or vault inspected. Called David Legamari (M&T Mortgage Co. 716-848-3772) for vault inspection/tightness testing and left message to call NYSDEC. 1/7/04-Vought-Spill transferred from Vought to Austin. 01/27/04 - Sawyer - Spill transferred from Austin to Sawyer. 7/22/05 - As part of the Spills Reduction Initiative, spill was transferred to Jason Pelton. Jason contacted David Ligammari at M&T Mortgage Corp. to discuss the history of the spill and subsequent cleanup activities. David reported that an oil company overfilled the tank and approximately 50 gallons of fuel oil was spilled in the basement. Petroleum Tank Cleaners was hired and the fuel oil spill was cleaned up on December 6, 2005. The cleanup involved the use of a sorbent material to contain the fuel oil. Two drums of the sorbent material and one drum of petroleum contaminated soil was subsequently removed from the basement by Petroleum Tank Cleaners. David indicated that the basement tank is an above ground storage tank and not an underground storage tank. David also indicated that the tank did not fail, but the spill resulted from an overfill. 9/20/2005 - Jason Pelton contacted Petroleum Tank Cleaners and spoke with Helen Parker

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S105997459

Remarks: about spill cleanup documentation. Helen reviewed the project files and faxed Jason a Non-Hazardous Waste Manifest documenting the removal and disposal of 2 drums of Oil Soaked Debris and 1 drum of Petroleum Contaminated Soil. The waste was transported to General Environmental Management in Cleveland, Ohio for disposal. The disposal date on the manifest is: 1/3/03. 9/22/05 - Based on communication with M&T Mortgage and the remediation contractor and documentation that the fuel oil spill was cleaned up, Spill Number 0209020 was Closed on September 22, 2005 by Jason Pelton. caller states that approx 70 gallons spilled out of tank onto basement floor due to the tank being overfilled - caller states they are going to put it all into a drum and leave it there - all is being cleaned up at this time

Material:

Site ID: 84487
Operable Unit ID: 860445
Operable Unit: 01
Material ID: 516006
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 70
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Spills:

Site ID: 84488
Facility Addr2: Not reported
Facility ID: 0209046
Spill Number: 0209046
Facility Type: ER
SWIS: 3101
Investigator: JMROMMEL
Referred To: Not reported
Spill Date: 12/2/2002
Reported to Dept: 12/3/2002
CID: 15
Spill Cause: Missing Code in Old Data - Must be fixed
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S105997459

Spill Source: Missing Code in Old Data - Must be fixed
Spill Notifier: Missing Code in Old Data - Must be fixed
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 12/2/2002
Remediation Phase: 0
Date Entered In Computer: 12/3/2002
Spill Record Last Update: 12/3/2002
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: FF FELRICE
Contact Phone: (917) 769-0483
DEC Region: 2
DER Facility ID: 77699
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"ROMMEL" 12/02/2002 Rommel - office duty Closed and cross referenced
to Spill 0209020.
Remarks: Not reported

Material:
Site ID: 84488
Operable Unit ID: 860473
Operable Unit: 01
Material ID: 516031
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AO245
NNE
1/4-1/2
0.418 mi.
2208 ft.

470 LENNOX AVE
470 LENNOX AVE
MANHATTEN, NY
Site 4 of 4 in cluster AO

LTANKS **S106703806**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
22 ft.

Site ID: 222152
 Spill No: 9613251
 Spill Date: 2/7/1997
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/25/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 2/7/1997
 CID: 15
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/7/1997
 Spill Record Last Update: 5/26/2004
 Spiller Name: Not reported
 Spiller Company: AMERADA HESS CORP
 Spiller Address: 1 HESS PLAZA
 Spiller City,St,Zip: WOODBRIDGE, NJ 07095-001
 Spiller County:
 Spiller Contact: NICK PASCAL
 Spiller Phone: (210) 489-5100
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 183707
 DEC Memo: Not reported
 Remarks: TWO TANKS AT LOCATION - DRIVER MADE DELIVERY AND STARTED TO PUMP MATERIAL INTO TANK THAT WAS ALREADY FILLED - APPROX 20 TO 30 GALLONS SPILLED - CREW ON THE WAY TO CLEAN UP

Material:

Site ID: 222152
 Operable Unit ID: 1044731
 Operable Unit: 01
 Material ID: 338359
 Material Code: 0003
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 30
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

470 LENNOX AVE (Continued)

S106703806

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9613251
Spill Date: 02/07/1997
Spill Time: 17:10
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/07/97
Reported to Department Time: 17:42
SWIS: 62
Spiller Contact: NICK PASCAL
Spiller Phone: (210) 489-5100
Spiller Extention: Not reported
Spiller Name: AMERADA HESS CORP
Spiller Address: 1 HESS PLAZA
Spiller City,St,Zip: WOODBRIDGE, NJ 07095-
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

470 LENNOX AVE (Continued)

S106703806

Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/07/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/11/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 30
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: TWO TANKS AT LOCATION - DRIVER MADE DELIVERY AND STARTED TO PUMP MATERIAL INTO TANK THAT WAS ALREADY FILLED - APPROX 20 TO 30 GALLONS SPILLED - CREW ON THE WAY TO CLEAN UP

246
North
1/4-1/2
0.429 mi.
2265 ft.

273 W. 132 ST.
273 W. 132 ST.
MANHATTAN, NY

LTANKS S102672039
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
31 ft.

Site ID: 225753
Spill No: 9210863
Spill Date: 12/18/1992
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/18/1992
Facility Addr2: Not reported
Cleanup Ceased: 12/18/1992
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SJMILLER
Referred To: Not reported
Reported to Dept: 12/18/1992
CID: 15
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 W. 132 ST. (Continued)

S102672039

Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/18/1992
Spill Record Last Update: 12/27/2002
Spiller Name: Not reported
Spiller Company: M.B. TRUCKING
Spiller Address: 1281 VIELE AVENUE
Spiller City,St,Zip: BRONX, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 186341
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MILLER"
Remarks: NO TANK ALARM. 3/4 FULL TANK. AL EASTMAN CLEAN UP. ON CONCRETE IN BASEMENT. NO CALLBACK REQUIRED.

Material:
Site ID: 225753
Operable Unit ID: 977777
Operable Unit: 01
Material ID: 404304
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9210863
Spill Date: 12/18/1992
Spill Time: 15:30
Spill Cause: Tank Overfill

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 W. 132 ST. (Continued)

S102672039

Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/18/92
Cleanup Ceased: 12/18/92
Cleanup Meets Standard: True
Investigator: STEVE MILLER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/18/92
Reported to Department Time: 18:32
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: M.B. TRUCKING
Spiller Address: 1281 VIELE AVENUE
Spiller City,St,Zip: BRONX, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/18/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/09/93
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 30
Unkonwn Quantity Spilled: False
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 W. 132 ST. (Continued)

S102672039

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: NO TANK ALARM. 3/4 FULL TANK. AL EASTMAN CLEAN UP. ON CONCRETE IN BASEMENT.
NO CALLBACK REQUIRED.

AN247
SW
1/4-1/2
0.431 mi.
2277 ft.

215 W 116TH ST
215 W 116TH ST
MANHATTAN, NY
Site 4 of 5 in cluster AN

LTANKS S102673312
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
32 ft.

Site ID: 108358
Spill No: 9515764
Spill Date: 3/8/1996
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/14/1996
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: GUTIERREZ
Referred To: Not reported
Reported to Dept: 3/8/1996
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/8/1996
Spill Record Last Update: 8/14/1996
Spiller Name: CHARLIE
Spiller Company: LEVITES MGT.
Spiller Address: 215 WEST 116TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: CHARLIE
Spiller Phone: (212) 865-4223
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 95236
DEC Memo: Not reported
Remarks: A 10 GAL SPILL OCCURED FROM A OVERFILL. IT APPEARS CAUSED BY A FAULTY GAGE. SPILL IS IN ALLEY WAY. IN PROCESS OF CLEANING UP SPILL. CLEANED UP BY OIL CO. USING SPEEDY DRY.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

215 W 116TH ST (Continued)

S102673312

Material:

Site ID: 108358
Operable Unit ID: 1026792
Operable Unit: 01
Material ID: 355883
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9515764
Spill Date: 03/08/1996
Spill Time: 17:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/14/96
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: GUTIERREZ
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/08/96
Reported to Department Time: 17:51
SWIS: 62
Spiller Contact: CHARLIE
Spiller Phone: (212) 865-4223

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

215 W 116TH ST (Continued)

S102673312

Spiller Extention: Not reported
Spiller Name: LEVITES MGT.
Spiller Address: 215 WEST 116TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: CHARLIE
Facility Phone: (212) 865-4223
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/08/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/14/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: A 10 GAL SPILL OCCURED FROM A OVERFILL. IT APPEARS CAUSED BY A FAULTY GAGE. SPILL IS IN ALLEY WAY. IN PROCESS OF CLEANING UP SPILL. CLEANED UP BY OIL CO. USING SPEEDY DRY.

AN248
SW
1/4-1/2
0.436 mi.
2301 ft.

APT BUILDING
222 WEST 116TH ST
MANHATTAN, NY
Site 5 of 5 in cluster AN

LTANKS S102662757
HIST LTANKS N/A

Relative:
Higher

LTANKS:
Site ID: 70988
Spill No: 9610840
Spill Date: 12/2/1996
Spill Cause: Tank Overfill

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S102662757

Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/13/1997
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 12/2/1996
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/2/1996
Spill Record Last Update: 10/25/2001
Spiller Name: JOHN GOODWIN
Spiller Company: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NY 11105-
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 67279
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"MULQUEEN"
Remarks: WRONG TANK SIZE ON SLIP CLEANED W/ SPEEDY DRI ON PAVEMENT

Material:

Site ID: 70988
Operable Unit ID: 1042222
Operable Unit: 01
Material ID: 343059
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: 15
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S102662757

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9610840
Spill Date: 12/02/1996
Spill Time: 19:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/13/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/02/96
Reported to Department Time: 22:04
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NY 11105-
Spiller Cleanup Date: / /
Facility Contact: JOHN GOODWIN
Facility Phone: (800) 635-3835
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/02/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/25/01
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT BUILDING (Continued)

S102662757

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 15
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: WRONG TANK SIZE ON SLIP CLEANED W/ SPEEDY DRI ON PAVEMENT

249
SSW
1/4-1/2
0.440 mi.
2324 ft.

105 LENOX AVE/HARLEM HOSP
105 LENOX AVENUE
NEW YORK CITY, NY

LTANKS S100168183
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 77190
Spill No: 9010952
Spill Date: 1/14/1991
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 1/17/1991
Facility Addr2: Not reported
Cleanup Ceased: 1/17/1991
Cleanup Meets Standard: True
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 1/14/1991
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/28/1991
Spill Record Last Update: 1/29/1991
Spiller Name: Not reported
Spiller Company: HARLEM HOSPITAL
Spiller Address: 105 LENOX AVENUE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

105 LENOX AVE/HARLEM HOSP (Continued)

S100168183

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 72054
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O,DOWD" 01/17/91: TANK OVERFILL,ALL IN CONTAINMENT DIKE,NO AFFECT ON SEWERS,NYCDEP WAS ON SCENE TO INVESTIGATE,ABC TANK TO CLEAN UP,DEC CONFIRMED CLEAN UP & DISPOSAL OF CONTAMINATED MATERIAL.
Remarks: 20K TANK, ABC TANK CLEANERS CALLED TO PUMP OUT PIT,WHOLE TANK RUPTUREDIN BASEMENT,OIL IN CONTAINMENT PIT,TANK OVERFILL,TANKS-A-LOT TO CLEAN UP SPILL,ENGINEER TURNED OFF WRONG CHECK VALVE.

Material:

Site ID: 77190
Operable Unit ID: 951155
Operable Unit: 01
Material ID: 431055
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9010952
Spill Date: 01/14/1991
Spill Time: 16:25
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 01/17/91
Cleanup Ceased: 01/17/91
Cleanup Meets Standard: True
Investigator: O,DOWD
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

105 LENOX AVE/HARLEM HOSP (Continued)

S100168183

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/14/91
Reported to Department Time: 16:30
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: HARLEM HOSPITAL
Spiller Address: 105 LENOX AVENUE
Spiller City,St,Zip: NEW YORK, N.Y.
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 491-8707
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/29/91
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: 01/17/91: TANK OVERFILL,ALL IN CONTAINMENT DIKE,NO AFFECT ON SEWERS,NYCDEP WAS ON SCENE TO INVESTIGATE,ABC TANK TO CLEAN UP,DEC CONFIRMED CLEAN UP DISPOSAL OF CONTAMINATED MATERIAL.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

105 LENOX AVE/HARLEM HOSP (Continued)

S100168183

Spill Cause: 20K TANK, ABC TANK CLEANERS CALLED TO PUMP OUT PIT,WHOLE TANK RUPTURED IN BASEMENT,OIL IN CONTAINMENT PIT,TANK OVERFILL,TANKS-A-LOT TO CLEAN UP SPILL,ENGINEER TURNED OFF WRONG CHECK VALVE.

250
ESE
1/4-1/2
0.444 mi.
2342 ft.

STORE FRONT
124 EAST 124TH ST.
NEW YORK, NY

LTANKS S107417004
N/A

Relative:
Lower

LTANKS:

Actual:
21 ft.

Site ID: 354231
Spill No: 0508613
Spill Date: 10/18/2005
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/3/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: rvketani
Referred To: Not reported
Reported to Dept: 10/18/2005
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/18/2005
Spill Record Last Update: 8/4/2006
Spiller Name: CHRIS GORGA
Spiller Company: STORE FRONT
Spiller Address: 124 E. 124TH ST.
Spiller City,St,Zip: NEW YORK, NY 999
Spiller Contact: CHRIS GORGA
Spiller Phone: (646) 772-1404
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 301567
DEC Memo: need to send ttf letter to Property Manager: Mr. Joe Berko (212-687-0777) Berko & Associates 501 Fifth Ave - Suite 1408 New York, NY 10017 Nov. 7, 2005 A "Tank Test Failure Letter" was sent to: Joe Berko Berko & Assoc. 501 Fifth Ave- Suite 1408 New York, NY 10017 11/16/05-Vought-Spoke with Maya Betesh (212-687-0777) and she will be faxing in repair invoices. 05/17/06-Vought-Spill transferred from DEC Vought to DEC Ketani as per DEC Austin. 6/14/06 - Raphael Ketani. I called up Berko & Associates and asked to speak to the case manager for the property. I spoke to Joseph Berko. He said that all of the documentation showing that the tank was abandoned in place and that everything was taken care of was sent some time ago. I told him I don't have anything to look at. He said he will send it again. 6/15/06 - Raphael Ketani. Mr. Berko called me back. He stated that

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STORE FRONT (Continued)

S107417004

the tank was abandoned in place. I looked up the PBS case #2-610163 and it showed the tank abandoned in place. I told Mr. Berko that I needed the failed tank test results, why the tank failed, and a letter report from Brookside Environmental, the company that abandoned the tank, stating that there were no impacts to drains or the environment. He said he would get these documents for me. 7/20/06 - Raphael Ketani. I left a message for Mr. Berko asking what was presently taking place at the site. 8/2/06 - Raphael Ketani. I spoke to Mr. Berko. He said he was just the mortgage broker at the time. He said that he has the information and will get me the documentation that I need. 8/4/06 - Raphael Ketani. I received the dry fail tank and system test results and the cover letter from Eastside Floors stating there was no environmental impact or impact to the sewer system or drainage system. Also the cover letter stated that no oil was spilled as it was a dry leak, that the tank was abandoned in place, and that they have converted to electric heat. Based upon the above listed documentation, I am closing the spill case.

Remarks: Systems test failure. No product released.

Material:

Site ID: 354231
Operable Unit ID: 1111659
Operable Unit: 01
Material ID: 2101699
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 354231
Spill Tank Test: 1549413
Tank Number: Not reported
Tank Size: 15000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 10/18/2005
Test Method: Horner EZ Check I or II

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Site

Database(s)

AQ251
East
1/4-1/2
0.446 mi.
2357 ft.

1908-1914 PARK AVE
NEW YORK CITY, NY

LTANKS S106472069
N/A

Site 1 of 2 in cluster AQ

Relative:
Lower

LTANKS:

Actual:
17 ft.

Site ID: 141650
Spill No: 0403909
Spill Date: 7/12/2004
Spill Cause: Tank Failure
Spill Source: Unknown
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/27/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: TJDMEEO
Referred To: Not reported
Reported to Dept: 7/12/2004
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/12/2004
Spill Record Last Update: 9/27/2004
Spiller Name: MARK ROBINS
Spiller Company: Not reported
Spiller Address: 1908-1914 PARK AVE
Spiller City,St,Zip: NEW YORK CITY, NY
Spiller County: 001
Spiller Contact: MARK ROBINS
Spiller Phone: (631) 462-5866
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 120922
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 7/13/2004 - Sangesland - Conversation with Mark Robins of Hydro Tech showed that he knew the DEC procedures and no "Contaminated Soil Letter" was required 8/2/2004 Sangesland spoke again to Mark Robins. He said the site has been excavated. Soil is stockpiled waiting for lab results. End point samples have been taken. When all results are complete and all work is done, Hydro Tech will submit a closure report. 9/27/04 TJD Closure report submitted by Hydro-Tech. Leaking 275 gallon waste oil UST excavated. Approximately 50 tons of contaminated soils excavated and disposed of under manifest. Endpoint samples taken from sides and bottom of excavation. No VOC exceedances were identified through laboratory analysis. No further action is required. Spill closed.

Remarks:

tank had holes in it.contaminated soil encountered

Material:

Site ID: 141650
Operable Unit ID: 886478

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S106472069

Operable Unit: 01
 Material ID: 491458
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

252
NNE
1/4-1/2
0.447 mi.
2358 ft.

126 WEST 134TH ST
126 WEST 134TH ST
NEW YORK CITY, NY

HIST LTANKS **S104275703**
NY Spills **N/A**

Relative:
Lower

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9402941
 Spill Date: 05/23/1994
 Spill Time: 09:00
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Non Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Investigator: SIGONA
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Reported to Department Date: 05/31/94
 Reported to Department Time: 11:26
 SWIS: 62

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

126 WEST 134TH ST (Continued)

S104275703

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC PROPERTY DEPT OGS
Spiller Address: DIVISION OF REAL ESTATE
Spiller City,St,Zip: NEW YORK CITY, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 566-7530
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/25/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/17/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: DISCOVERED U/G TANKS TAKEN ON WATER LEAKING. KRIMGOLD WAS NOTIFIED AT 1115 HRS.

NY Spills:

Site ID: 91853
Facility Addr2: Not reported
Facility ID: 9402941
Spill Number: 9402941
Facility Type: ER
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Spill Date: 5/23/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

126 WEST 134TH ST (Continued)

S104275703

Reported to Dept: 5/31/1994
CID: 15
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/10/2010
Remediation Phase: 0
Date Entered In Computer: 7/25/1994
Spill Record Last Update: 2/10/2010
Spiller Name: Not reported
Spiller Company: NYC PROPERTY DEPT OGS
Spiller Address: DIVISION OF REAL ESTATE
Spiller City,St,Zip: NEW YORK CITY, NY
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 82523
DEC Memo: Transferred to Rutland during Spill Reduction initiative. 9/7/06 - Austin - Assigned from Albany to Region 2 staff (Rahman) for review and closure - end 05/04/07- I spoke with NYC DCAS rep Yuen Wong and relayed the message that the spill case is still open as the department is concerned about the subsurface contamination caused by the buried tanks.No investigation was done since 1994. 05/11/07 Spoke with Mr. Wong(DCAS).Per him, the building is now owned by NYC HPD.Mr. Wong will inform DEC about the contact info of HPD.(SR) 06/01/07 Sharif inspected the lot today. 126 is a vacant lot and 122, where the tanks were buried in 1994, is also a vacant lot(small park-Harlem Success Garden).I observed petroleum like substance coming out of the ground on the vacant lot at 122 W 134th Street.I took photographs of it.Sharif spoke with Vivian Louis, Assitt. Commissioner of HPD and informed her the 13 years old spill at the site.She said she would look into it and have somebody work with DEC to resolve the spill violations. 08/05/08 Letter requesting spill clean up and tank removal information was sent to Keith Kerman Chief of Operations, NYC Parks and Recreation 24 W 61st Street, 5th Floor New York, NY 10023 A picture taken recently of the site also accompanied the letter.(sr) 12/19/08 Sent an email to Gabe Ramos(Gabriel.Ramos@parks.nyc.gov)requesting status update. In his previous email on 09/08/08, he indicated that they were searching for a contractor to do the clean up.(sr) **Rec'd email response from Gabe Ramos indicating that they have a purchase order in place and he is scheduled to meet with the company "Wind Mill Oil" on site to go over the project on Dec 30th 2008.(sr)** 02/24/09 Geo probe drilling scheduled on 02/25/09 by "Wind Mill Oil".(sr) 02/25/09 Performed a site visit today, one 1080 gallon tank found filled with dirt and oil water.Wind Mill will perform a GPR survey for possible presence of other tank,tank will be removed followed by end point sampling.(sr) 06/30/09 Rec'd work plan from Windmill Oil Tank Service. Work Plan

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

126 WEST 134TH ST (Continued)

S104275703

includes: 1- Use GPR to locate & pin-point tanks 2- Excavate, cut & clean tanks prior to removal 3- Remove tanks 4- Take soil samples and have analyzed to meet NYS DEC standard. (sr) 08/27/09 Spoke with Wind Mill Oil Tank Service (Mr. Lee). Work will commence after the school opens next month, as the school has the key to the garden. (sr) 10/23/09 GPR survey was conducted. No other tank was detected on the property. Wind Mill to proceed with tank excavation. (sr) 12/04/09 Tank has been removed by Wind Mill along with contaminated soil. End point sample was taken. Results show residual contamination left minor. Report in edocs. Pictures in edocs. Case closed. (sr)

Remarks: DISCOVERED U/G TANKS TAKEN ON WATER & LEAKING. KRIMGOLD WAS NOTIFIED AT 1115 HRS.

Material:

Site ID: 91853
Operable Unit ID: 999978
Operable Unit: 01
Material ID: 383112
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AR253
NW
1/4-1/2
0.447 mi.
2359 ft.

RESI: SINGER
25-35 ST NICHOLAS TERR
MANHATTAN, NY
Site 1 of 2 in cluster AR

LTANKS S105230209
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 152556
Spill No: 0106979
Spill Date: 10/5/2001
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/10/2001
Facility Addr2: Not reported
Cleanup Ceased: Not reported

Actual:
65 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESI: SINGER (Continued)

S105230209

Cleanup Meets Standard: False
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 10/5/2001
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/5/2001
Spill Record Last Update: 10/10/2001
Spiller Name: PETER V'ARCO
Spiller Company: RESI: SINGER
Spiller Address: 25-35 ST NICHOLAS TERR
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller County: 001
Spiller Contact: PETER V'ARCO
Spiller Phone: (718) 855-6060
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 129501
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 10/10 SPILL CONTAINED ON SIDEWALK, NO DRAINS IMPACTED, CLEANUP COMPLETE
Remarks: order was confirmed and was wrong, spill contained and cleaned up.

Material:

Site ID: 152556
Operable Unit ID: 844057
Operable Unit: 01
Material ID: 531818
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: 15
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESI: SINGER (Continued)

S105230209

HIST LTANKS:

Region of Spill: 2
Spill Number: 0106979
Spill Date: 10/05/2001
Spill Time: 10:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/10/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/05/01
Reported to Department Time: 10:22
SWIS: 62
Spiller Contact: PETER V'ARCO
Spiller Phone: (718) 855-6060
Spiller Extention: Not reported
Spiller Name: RESI: SINGER
Spiller Address: 25-35 ST NICHOLAS TERR
Spiller City,St,Zip: MANHATTAN
Spiller Cleanup Date: / /
Facility Contact: PETER V'ARCO
Facility Phone: (718) 855-6060
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/05/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/10/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESI: SINGER (Continued)

S105230209

Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 15
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 10/10 SPILL CONTAINED ON SIDEWALK, NO DRAINS IMPACTED, CLEANUP COMPLETE
Spill Cause: order was confirmed and was wrong, spill contained and cleaned up.

254
NNE
1/4-1/2
0.453 mi.
2393 ft.

PS 175
175 WEST 134TH STREET
MANHATTAN, NY

LTANKS S109064291
N/A

Relative:
Higher

LTANKS:

Actual:
28 ft.

Site ID: 396854
Spill No: 0801000
Spill Date: 4/24/2008
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/5/2008
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: jbvought
Referred To: Not reported
Reported to Dept: 4/24/2008
CID: 15
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/24/2008
Spill Record Last Update: 12/5/2008
Spiller Name: RAY LARA
Spiller Company: SCHOOL
Spiller Address: 175 WEST 134TH STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: RAY LARA
Spiller Phone: (646) 772-6884
Spiller Extention: CELL
DEC Region: 2
DER Facility ID: 346324

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 175 (Continued)

S109064291

DEC Memo: 4/24/2008 PTC started opening sidewalk thinking spill was minor. Found spill is huge and now they request permission to close up sidewalk and wait until after school is out in June for major dig out. CSL needs to be sent to: Jimmy Merlo, Fuel Division, NYC Schools, 44-36 Vernon Blvd, LIC, NY 11101 04/24/08-Vought-Called PTC Lara and fill line will be replaced tomorrow and small amount of leakage observed in the school basement (stain on wall) however stain was cleaned by PTC. DEC requires: 1)delineation of soil contamination 2)collection of endpoint samples. Vought sent CSL with four month due date and cc to PTC Lara and above requirements to: James Merlo New York City Board of Education 44-36 Vernon Blvd Long Island City, NY 11101 Ph:718-349-5738 08/1/08-Vought-Received call from and spoke to James Merlo and sidewalk will be reopened as school is over and endpoint samples should be received next month and DEC will receive report by 10/1/08. 12/03/08-Vought-Received call from and spoke to Bd. Of Ed. Raymond Correa who replaced James Merlo. Correa will send in report with above requirements to DEC. 12/04/08-Vought-Reveiwed report received from Correa on 12/5/08. Report included site plan, proceed order for Petroleum Tank Cleaners, invoices showing excavation from 4/17/08-4/25/08 and from 8/5/08-8/27/08, disposal manifests and endpoint analyticals. Four endpoint soil samples analyzed and show no TAGM 4046 Required Soil Cleanup Objective exceedences other than PAHs attributable to fill material. Vought called and spoke to PTC Salamack who confirmed that minor spill inside vault was cleaned as well. Spill closed by Vought and NFA sent to Raymond Correa at above address.

Remarks: REMOVING SOIL AND IS A LEAKING FILL LINE

Material:
Site ID: 396854
Operable Unit ID: 1153821
Operable Unit: 01
Material ID: 2144594
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 40
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AQ255 **ROBINSON HOUSES - JACKIE ROBINSON HOUSES**
East **110 EAST 129TH STREET**
1/4-1/2 **NEW YORK, NY 10029**
0.456 mi.
2410 ft. **Site 2 of 2 in cluster AQ**

LTANKS **U001840718**
HIST LTANKS **N/A**
UST
HIST UST
NY Spills
NY Hist Spills

Relative:
Lower

LTANKS:

Actual:
18 ft.

Site ID: 236986
Spill No: 9812531
Spill Date: 1/11/1999
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/20/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 1/11/1999
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/11/1999
Spill Record Last Update: 2/13/2004
Spiller Name: Not reported
Spiller Company: NYS HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 195238
DEC Memo: Not reported
Remarks: WILL ISOLATE AND RETEST.

Material:

Site ID: 236986
Operable Unit ID: 1073075
Operable Unit: 01
Material ID: 312812
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Tank Test:

Site ID: 236986
Spill Tank Test: 1546736
Tank Number: 1
Tank Size: 20000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9812531
Spill Date: 01/11/1999
Spill Time: 12:45
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/20/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/11/99
Reported to Department Time: 13:02
SWIS: 62
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
Spiller Name: NYS HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: -474959
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/11/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/20/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 20000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 5/20/99 - Saccacio - Subsequent tank test failure. Previous tank test failures 9808458 on 10/8/99 closed and 9315465 on 1/16/92 open. See the latter spill for updates. Spill closed
Spill Cause: WILL ISOLATE AND RETEST.

UST:

Facility Id: 2-474959
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2014/03/28
UTM X: 589696.07631999999
UTM Y: 4517937.8661000002
Site ID: 20958

Tank Number: 1
Tank ID: 58497
Tank Status: In Service
Tank Model: 108
Pipe Model: E
Install Date: 6/1/2000
Capacity Gallons: 10000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: 0
Date Test: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Modified By: NRLOMBAR
Last Modified: 11/12/2008

Tank Number: OLD 1
Tank ID: 37710
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1973
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 6/1/2000
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Affiliation Records:

Site Id: 20958
Affiliation Type: Mail Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION COORDINATOR
Address1: 23-02 49TH AVENUE
Address2: TECH SERVS DEPT - 5TH FLOOR
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/19/2010

Site Id: 20958
Affiliation Type: On-Site Operator
Company Name: ROBINSON HOUSES - JACKIE ROBINSON HOUSES
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION UNIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/12/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Site Id: 20958
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: EMERGENCY SERVICES DEPT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 707-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: bkfalvey
Date Last Modified: 3/27/2009

Site Id: 20958
Affiliation Type: Owner
Company Name: NYC HOUSING AUTHORITY
Contact Type: \\
Contact Name: Not reported
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2010

HIST UST:

PBS Number: 2-474959
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (212) 289-3940
Operator: LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 2120 LEXINGTON AVE. (MANAGEMENT OFFICE)
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 05/25/2001
Expiration Date: 03/28/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 10000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: NEW TK #1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 20000601
Capacity (gals): 10000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: Not reported
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: Other
Pipe External: Other
Second Containment: Vault (w/access)
Leak Detection: In-tank System
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: OLD 1
Tank Location: UNDERGROUND
Tank Status: Closed-Removed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Install Date: 19730501
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Wrapped (Piping)
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 06/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

NY Spills:

Site ID: 327483
Facility Addr2: Not reported
Facility ID: 9907036
Spill Number: 9907036
Facility Type: ER
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Spill Date: 9/13/1999
Reported to Dept: 9/13/1999
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Tank Tester
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/27/2004
Remediation Phase: 0
Date Entered In Computer: 9/13/1999
Spill Record Last Update: 11/28/2005
Spiller Name: FRANK OCELLO
Spiller Company: JACKIE ROBINSON
Spiller Address: 110 E129TH ST
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller Company: 001
Contact Name: FRANK OCELLO
Contact Phone: (212) 306-3229

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

DEC Region: 2
DER Facility ID: 195238
DEC Memo: Not reported
Remarks: TANK WILL BE REPLACED SOON. See 9315465 and 9910794. Closed based on tank replacement. George Breen.

Material:

Site ID: 327483
Operable Unit ID: 1085474
Operable Unit: 01
Material ID: 299744
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 327483
Spill Tank Test: 1547614
Tank Number: 1
Tank Size: 20000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

Site ID: 269192
Facility Addr2: Not reported
Facility ID: 0001625
Spill Number: 0001625
Facility Type: ER
SWIS: 3101
Investigator: jkkann
Referred To: CONSOLIDATED WITH 9910794
Spill Date: 5/9/2000
Reported to Dept: 5/9/2000
CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/30/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Remediation Phase: 0
Date Entered In Computer: 5/9/2000
Spill Record Last Update: 12/30/2009
Spiller Name: FRANK INOA
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: 123 WILLIAM ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 001
Contact Name: FRANK INOA
Contact Phone: (212) 306-3142
DEC Region: 2
DER Facility ID: 195238
DEC Memo: 11/22/05: This spill transferred from J.Kolleeny to S.Kraszewski.
01/03/06: One 20K tank replaced with one 10K tank. Maximum mechanical stated they would perform 4 borings, one for each side of the 20K tank as part of the site assessment. No record of a site assessment recieved by DEC. No mention of boring made near the fill port. Fascimile from Maxiumu Mechanical states that the soil around the fill port is to be drummed, but no mention of samples taken from this area. Letter from Maximum Mechanical states contaminated soil to be stockpiled on sheeting. No record of the amount of soil removed, tare weights or destination of the material. No mention of end-point sample taken from the excavation. Need the site assessment report mentioned in the correspondence and info about the excavation. - SK 09/01/06: DEC Lead for this spill changed from "unassigned" to S. Kraszewski. - J. Kolleeny 02/08/07 : DEC lead changed from S. Kraszewski to J. Kann. J.Kann 12/30/09: J.Kann - spill consolidated with 9910794

Remarks: SOIL CONTAMINATION FOUND DURING TANK REMOVAL OF 20,000 GALLON TANK. CLEAN UP TAKING PLACE NOW.

Material:
Site ID: 269192
Operable Unit ID: 823479
Operable Unit: 01
Material ID: 289842
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
Spill Number: 9907036
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 09/13/1999 14:20
Reported to Dept Date/Time: 09/13/99 14:31
SWIS: 62
Spiller Name: JACKIE ROBINSON
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Address: 110 E129TH ST
Spiller City,St,Zip: MANHATTAN
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Tank Tester
PBS Number: -474959
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/13/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/09/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 20000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROBINSON HOUSES - JACKIE ROBINSON HOUSES (Continued)

U001840718

Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: TANK WILL BE REPLACED SOON.

**AR256
NW
1/4-1/2
0.459 mi.
2423 ft.**

**411 W 128TH ST
MANHATTAN, NY**

Site 2 of 2 in cluster AR

**HIST LTANKS S105055110
NY Spills N/A**

**Relative:
Higher**

HIST LTANKS:

**Actual:
65 ft.**

Region of Spill: 2
Spill Number: 0102976
Spill Date: 06/18/2001
Spill Time: 09:08
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 06/18/01
Reported to Department Time: 09:08
SWIS: 62
Spiller Contact: OPR 441
Spiller Phone: (212) 570-4300
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 411 W 128TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: OPR 441
Facility Phone: (212) 570-4300
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105055110

Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/18/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/11/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: On 6/18/01 Spill responder De Meo received a report from NYFD regarding fuel oil leaking into a HPD owned apartment building, located at 411 West 128th Street in Manhattan spill 0102976). The oil from an unknown source was coming out of drains and small open excavations in the basement of the above mentioned property. Additionally, in the courtyard behind the property oil was observed leaching through a 20 ft. high retaining wall. A canvas of the area revealed a leaking 5,000 gallon tank at 412 West 129th Street. The above tank was leaking the fuel oil into an open excavation 3 ft x 3ft x 3ft). The building owner was instructed to empty contents of tank and address the impacts to building on W128th. Eastmond Tank cleaners was retained to pump oil and perform cleanup. DLE was notified and responded to scene. Several summons were issued for existing violations. A complete subsurface investigation will be performed.

Spill Cause: fd on scene

NY Spills:

Site ID: 279949
Facility Addr2: Not reported
Facility ID: 0102976
Spill Number: 0102976
Facility Type: ER
SWIS: 3101
Investigator: RVKETANI
Referred To: Not reported
Spill Date: 6/18/2001
Reported to Dept: 6/18/2001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105055110

CID: 15
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/15/2009
Remediation Phase: 0
Date Entered In Computer: 6/18/2001
Spill Record Last Update: 12/18/2009
Spiller Name: YURI JAFFA
Spiller Company: 408-412 W 129 STREET ASSOCIATION LLC
Spiller Address: 412 W 129TH ST
Spiller City,St,Zip: MANHATTAN, NY 10026
Spiller Company: 999
Contact Name: OPR 441
Contact Phone: (212) 570-4300
DEC Region: 2
DER Facility ID: 227289
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" On 6/18/01 Spill responder De Meo received a report from NYFD regarding fuel oil leaking into a HPD owned apartment building, located at 411 West 128th Street in Manhattan (spill #0102976). The oil from an unknown source was coming out of drains and small open excavations in the basement of the above mentioned property. Additionally, in the courtyard behind the property oil was observed leaching through a 20 ft. high retaining wall. A canvas of the area revealed a leaking 5,000 gallon tank at 412 West 129th Street. The above tank was leaking the fuel oil into an open excavation (3 ft x 3ft x 3ft). The building owner was instructed to empty contents of tank and address the impacts to building on W128th. Eastmond Tank cleaners was retained to pump oil and perform cleanup. DLE was notified and responded to scene. Several summons were issued for existing violations. A complete subsurface investigation will be performed. 6/14/05 Heitzman - Requested additional information from DLA concerning responsible party, summons, violations & subsurface investigation. 10/20/05 Heitzman - No response received from DLA. Documentation requested from property owner. 4/12/06 - No response received from property owner. NEXT STEP: Perform site inspection to determine whether cleanup was complete. Obtain documentation from property owner and/or Regional DLA if available. 10/2/09 - Austin - Spill transferred from Albany staff to Ketani, for further investigation - end 10/20/09 - Raphael Ketani. As the spill originated from 412 West 129th Street, I am designating this site as the responsible party. A previous spill occurred at 412 West 129th Street on 2/20/94. The spill case is #9401941. A 5,000 gal. tank with #6 oil broke. About 100 gals. was released. The oil came through the backyard retaining wall of the building at 411 West 128th Street and entered a storm drain. A.L. Eastmond came and cleaned up the spill. There are no E-docs for this case and no database notes. The case was closed on 7/10/94 by Mark Tibbe of DEC. The subject spill occurred on

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105055110

6/18/01. Oil was coming through the backyard retaining wall for 411 West 128th Street, and coming out of drains and small excavations in the basement of 411 West 128th Street. The tank at 412 West 129th Street was found to be leaking, again. The PBS registration is number #2-602938. There is one 5,000 gal. AST in touch with the ground. There is no installation date listed. The fuel is #2 oil. The tank location is at 408 West 129th Street, but the building is designated as 408-412 West 129th Street. The operator is listed as Barbaro Delauz (917) 299-7714. The owner is 408-412 West 129th Street Association, LLC, P.O. Box 1799, NY, 10026. The management company is Jack Jaffa and Associates, 56 Willoughby Street, Brooklyn, 11201, Yuri Jaffa (718) 855-6110. There are no E-docs. A letter dated 10/20/2005 was sent by Albany DER to Than-Propp Equities, 405 Park Avenue, NY, 10022, but there was no response. This was the only document in the case file. Today, I found out that the property managers listed in the PBS registration and on the letterhead are incorrect. The latest manager is Manhattan North Management (212) 996-0200. I tried calling the manager, Anna Martinez, but could only leave a voice mail message. 12/15/09 - Raphael Ketani. I made an unannounced site visit. I met the super. of 412 West 129th Street, Michael Smith (917) 299-7714. I asked him whether he had been here in 2001 when the spill took place. He said he had. He showed me the tank room. There was a fairly new tank inside on metal saddles. There were no signs of any problems with the tank. The tank room floor was free of oil stains and there were no odors. Next, Mr. Smith took me to the outside of the tank room. He pointed to the bottom of the outside wall and said that the oil had flowed out of the tank room and under the wall (see E-docs). Then, he said, the oil flowed over the edge of the back courtyard and onto the courtyard of 411 West 128th Street. I looked the area over and there were no signs of an oil spill, neither on the wall, nor in the courtyards. I thanked him for showing me the tank and left. As the tank appeared to be in good condition, and as the spill appeared to have been cleaned up, I have determined that there is no threat to the public or the environment. Therefore, I am closing the spill case.

Remarks: fd on scene

Material:
Site ID: 279949
Operable Unit ID: 841676
Operable Unit: 01
Material ID: 535080
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105055110

Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

257
NW
1/4-1/2
0.487 mi.
2570 ft.

MT. WILSON PARTNERS APTS.
412 W. 129TH STREET
MANHATTAN, NY

LTANKS S102660094
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
83 ft.

Site ID: 298113
Spill No: 9401941
Spill Date: 2/20/1994
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/10/1994
Facility Addr2: Not reported
Cleanup Ceased: 5/14/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 2/20/1994
CID: 15
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/24/1994
Spill Record Last Update: 1/31/2003
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: SUPERINTENDENT APT. 12
Spiller Phone: (212) 663-9334
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 241197
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"TIBBE" A.L. EASTMOND HIRED TO CLEAN COURTYARD AND STORM DRAIN.
CLEANED BY SPILLER.
Remarks: SPILL ONTO COURT YARD. VIA INTO STORM DRAIN. IN PROCESS OF BEING
CLEANED UP VIA AL. EASTMOND & SONS. MARK TIBBE ON SCEENE HERNANDEZ OF
DEP ON SCENE. CLEANUP TODAY.

Material:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MT. WILSON PARTNERS APTS. (Continued)

S102660094

Site ID: 298113
Operable Unit ID: 995618
Operable Unit: 01
Material ID: 385680
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: 100
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9401941
Spill Date: 02/20/1994
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/10/94
Cleanup Ceased: 05/14/94
Cleanup Meets Standard: True
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/20/94
Reported to Department Time: 09:57
SWIS: 62
Spiller Contact: SUPERINTENDENT APT. 12
Spiller Phone: (212) 663-9334
Spiller Extention: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MT. WILSON PARTNERS APTS. (Continued)

S102660094

Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/24/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/14/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 100
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: A.L. EASTMOND HIRED TO CLEAN COURTYARD AND STORM DRAIN. CLEANED BY SPILLER.
Spill Cause: SPILL ONTO COURT YARD. VIA INTO STORM DRAIN. IN PROCESS OF BEING CLEANED UP VIA AL. EASTMOND SONS. MARK TIBBE ON SCEENE HERNANDEZ OF DEP ON SCENE. CLEANUP TODAY.

258
SE
1/4-1/2
0.491 mi.
2593 ft.

2021 LEXINGTON AVENUE
2021 LEXINGTON AVENUE
MANHATTAN, NY

LTANKS S101341130
HIST LTANKS N/A

**Relative:
Lower**

LTANKS:
Site ID: 202136
Spill No: 9410094
Spill Date: 10/27/1994
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial

**Actual:
19 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2021 LEXINGTON AVENUE (Continued)

S101341130

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/30/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SJMILLER
Referred To: Not reported
Reported to Dept: 10/28/1994
CID: 15
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/5/1994
Spill Record Last Update: 12/30/2003
Spiller Name: Not reported
Spiller Company: UNKNOWN-OWNER
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 168148
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"MILLER" 11/1/94, MILLER INSPECTED SITE, OBSERVING CONCRETE ENCASED
AST IN BASEMENT WITH SOME SPILLAGE FROM FITTINGS. INSTRUCTED SPILLER
TO CLEAN UP AND INSTALL WEEP HOLES IN CONCRETE BASE. LARGE ABANDONED
LOT FILLS BACK SIDE OF SITE. SOME UNRESOLVED DOSMESTIC ISSUES BETWEEN
CALLER AND SPILLER HAVE TO BE WORKED OUT ON THEIR OWN.B

Remarks: TANKED LEAKED IN BASEMENT

Material:

Site ID: 202136
Operable Unit ID: 1004033
Operable Unit: 01
Material ID: 375965
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2021 LEXINGTON AVENUE (Continued)

S101341130

Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9410094
Spill Date: 10/27/1994
Spill Time: 14:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MILLER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/28/94
Reported to Department Time: 10:00
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN-OWNER
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2021 LEXINGTON AVENUE (Continued)

S101341130

Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANKED LEAKED IN BASEMENT

259
WSW
1/4-1/2
0.494 mi.
2609 ft.

301 WEST 116TH ST/MANHATT
301 WEST 116TH STREET
NEW YORK CITY, NY

LTANKS S104275530
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 144555
Spill No: 8807849
Spill Date: 12/27/1988
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 12/28/1988
CID: 15
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 1
Date Entered In Computer: 12/30/1988
Spill Record Last Update: 10/5/2006
Spiller Name: Not reported
Spiller Company: Not reported

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 116TH ST/MANHATT (Continued)

S104275530

Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 123196
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" 05/18/2001 Reassigned from Sullivan to Tipple 06/13/01 CALLED VELOCITY INC. LEFT MEAASGE THAT THE PROJECT HAS BEEN REASSIGNED TO TIPPLE, REQUESTED CALLBACK 8/2/01 SPOKE WITH SANTA FROM VELOCITY INC.(212)629-0690 PROPERTY TRANSACTION PENDING 12/10/03 mt/// Transferred from Tipple to Rommel 6/8/05 - Site temporarily assigned to TLGibbons in Central office, Albany 7/13/05 - Spoke with son of owner of property in Great Neck @ 516-773-3094. Gave me his fathers name (goes by either Moshe or Mike Samouha) and cell phone (917-653-7056. Mike said he bought property 3 years ago and is currently auto parts store. He want to build on property. Says when he bought property the site was cleaned, tanks removed. He will find paperwork and send. 8/17/05 - Mr. Samouha faxed me papers, but none had to do with tanks and he has no other paperwork. The spill database shows no other spills for this address. Based on discussion with Joe Zelewski, it is recommended that this spill remain open. Recommend sending back to regional office. 8/17/05 - Mike Samouha (11) 550 GALLON TANKS FAILED AIR PRESSURE TEST, UNREADABLE LEAK RATE, SYSTEM FAILURE, WILL NOTIFY OWNER OF FAILURE.

Remarks:

Material:
Site ID: 144555
Operable Unit ID: 924385
Operable Unit: 01
Material ID: 452624
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 144555
Spill Tank Test: 1535042
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 116TH ST/MANHATT (Continued)

S104275530

HIST LTANKS:

Region of Spill: 2
Spill Number: 8807849
Spill Date: 12/27/1988
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/28/88
Reported to Department Time: 09:00
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 932-0157
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/30/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/02/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 116TH ST/MANHATT (Continued)

S104275530

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: -1

Unkonwn Quantity Spilled: False

Units: Pounds

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: GASOLINE

Class Type: GASOLINE

Times Material Entry In File: 21329

CAS Number: Not reported

Last Date: 19940929

DEC Remarks: 05/18/2001 Reassigned from Sullivan to Tipple 06/13/01 CALLED VELOCITY INC. LEFT MEAASGE THAT THE PROJECT HAS BEEN REASSIGNED TO TIPPLE, REQUESTED CALLBACK 8/2/01 SPOKE WITH SANTA FROM VELOCITY INC. 212)629-0690 PROPERTY TRANSACTION PENDING

Spill Cause: 11) 550 GALLON TANKS FAILED AIR PRESSURE TEST, UNREADABLE LEAK RATE, SYSTEM FAILURE, WILL NOTIFY OWNER OF FAILURE.

260
NE
1/2-1
0.841 mi.
4440 ft.

**2350 FIFTH AVENUE CORP
2350 5TH AVE
NEW YORK, NY 10037**

**RCRA-CESQG 1000108749
FINDS NYD071026173
SHWS
VAPOR REOPENED
MANIFEST**

**Relative:
Lower**

RCRA-CESQG:

Date form received by agency: 01/01/2007

Facility name: 2350 FIFTH AVENUE CORP

Facility address: 2350 5TH AVE
NEW YORK, NY 100371101

EPA ID: NYD071026173

Mailing address: 5TH AVE
NEW YORK, NY 10037

Contact: Not reported

Contact address: 5TH AVE
NEW YORK, NY 10037

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Owner/Operator Summary:

Owner/operator name: 2350 FIFTH AVENUE CORP
Owner/operator address: 2350 5TH AVE
NEW YORK, NY 10037
Owner/operator country: US
Owner/operator telephone: (212) 234-5000
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 2350 FIFTH AVENUE CORP
Owner/operator address: 2350 5TH AVE
NEW YORK, NY 10037
Owner/operator country: US
Owner/operator telephone: (212) 234-5000
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: 2350 FIFTH AVENUE CORP
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Facility name: 2350 FIFTH AVENUE CORP
Classification: Not a generator, verified

Date form received by agency: 04/24/1998
Facility name: 2350 FIFTH AVENUE CORP
Site name: 2350 FIFTH AVE CORP
Classification: Large Quantity Generator

Date form received by agency: 06/06/1997
Facility name: 2350 FIFTH AVENUE CORP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 08/03/1989
Date achieved compliance: 08/03/1989
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 01/05/1988
Date achieved compliance: 01/05/1988
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/05/1988
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/13/1990
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/01/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/03/1989
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 08/03/1989
Evaluation lead agency: State

Evaluation date: 01/05/1988
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 01/05/1988
Evaluation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

FINDS:

Registry ID: 110000808074

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

SHWS:

Program: HW
Site Code: 57691
Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.
Region: 2
Acres: 1.700
HW Code: 231004
Record Add: 11/18/1999 12:00:00 PM
Record Upd: 4/14/2009 1:15:00 PM
Updated By: JHOCONNE

Site Description: The site is located on the west side of Fifth Avenue between 141st Street and 142nd Street in Manhattan. The entire site is occupied by a building comprised of three connected sections. The site is at an elevation of about 10 feet or less above mean sea level. Surrounding the Site are multi-story residential buildings on the west, south and southeast; the Harlem River Drive and the Harlem River on the east; and the 369th Regiment Armory to the north. From 1970 to 1994 the Site was occupied by an industrial laundry with a dry cleaning operation utilizing tetrachloroethylene (PCE) as a cleaning solvent. A portion of the building was renovated for use as a public school, but such use was discontinued. A Soil Vapor Extraction system (SVE) was installed as part of the Interim Remedial Measures (IRM) to remove PCE. The SVE has been operated continuously since 1997, and was renovated in 2002. April 2005, the SVE was shut off to evaluate the performance of the remedy. During one of the subsequent indoor air quality monitoring events TCE concentration were found to be above the DOH guidance value. The SVE system was re-activated on December 18, 2006. As of this update, the additional remedial investigation was completed during 2008, and NYSDOH required additional vapor intrusion investigation around the site perimeter. The additional vapor intrusion investigation is underway.

Env Problem: From 1970 to 1994 the Site was occupied by an industrial laundry with a dry cleaning operation utilizing tetrachloroethylene (PCE) as a cleaning solvent. Soils beneath the site, and on-site and off-site groundwater are contaminated with PCE. Additional investigation is underway to fully delineate the contamination. There have been documented exceedances of the NYSDOH indoor air guidance values for TCE and PCE in the former basement boiler room (below Room 112).

Health Problem: During renovations to the building in 1996-1997, several rounds of indoor air testing were conducted and on one occasion the data indicated the presence of tetrachloroethene (PCE) above the NYSDOH residential indoor air guideline of 15 parts per billion (ppb).

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Interim remedial measures initiated during 1997 to address the source of the contamination included the installation and operation of a shallow soil vapor extraction system. These measures have generally resulted in reducing the levels of tetrachloroethene in indoor air to levels below the 15 ppb guideline. Indoor air sampling conducted in April 2002 only detected trace concentrations of PCE. Exposure to contaminated groundwater is unlikely as public drinking water is supplied to the entire community. Exposure to contaminated soils is unlikely as the affected areas are covered by buildings or pavement.

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 1970
Disp Term: 1994
Lat/Long: 40:49:02:0 / 73:56:07:0
Dell: False
Record Add: 11/18/1999 12:00:00 PM
Record Upd: 1/4/2008 7:58:00 AM
Updated By: yywong
Own Op: Disp. Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: INNER CITY REDEVELOPMENT CORPORATION
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: ZZ
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: INNER CITY REDEVELOPMENT CORPORATION
Owner Address: 2350 FIFTH AVE
Owner Addr2: Not reported
Owner City,St,Zip: NEW YORK, NY
Owner Country: United States of America
Own Op: Owner
Sub Type: E
Owner Name: Not reported
Owner Company: INNER CITY REDEVELOPMENT CORPORATION
Owner Address: 2350 FIFTH AVE.
Owner Addr2: Not reported
Owner City,St,Zip: NEW YORK, NY 10037
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: NNN
Owner Name: Not reported
Owner Company: Inner City Redevelopment Corporation
Owner Address: 23050 Fifth Avenue
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10037
Owner Country: United States of America
Own Op: Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: Inner City Redevelopment Corporation

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Owner Address: 2350 Fifth Avenue
Owner Addr2: Not reported
Owner City,St,Zip: New York, NY 10037
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: COUNTEE CULLEN LIBRARY
Owner Address: 104 WEST 136 STREET
Owner Addr2: Not reported
Owner City,St,Zip: NEW YORK, NY 10030
Owner Country: United States of America
Own Op: Document Repository
Sub Type: B99
Owner Name: Not reported
Owner Company: NYSDEC REGION 2 OFFICE
Owner Address: 47-40 21ST STREET
Owner Addr2: Not reported
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Country: United States of America
HW Code: 231004
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231004
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 231004
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: Not reported
Cross Ref Type Code: Not reported
Cross Ref Type: Not reported
Record Added Date: Not reported
Record Updated: Not reported
Updated By: Not reported

VAPOR REOPENED:

Site Code: 231004
Facility Status: Underway

NY MANIFEST:

EPA ID: NYD071026173
Country: USA
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP
Mailing Address: 2350 FIFTH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10037
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-862-5517

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Document ID: NJA1832810
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 931201
Trans1 Recv Date: 931201
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931201
Part A Recv Date: 931208
Part B Recv Date: 931220
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 01020
Units: P - Pounds
Number of Containers: 016
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1812702
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 931104
Trans1 Recv Date: 931104
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931104
Part A Recv Date: 931129
Part B Recv Date: 931206
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01060
Units: P - Pounds
Number of Containers: 017
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00270
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1824956
Manifest Status: Completed copy
Trans1 State ID: 51862
Trans2 State ID: Not reported
Generator Ship Date: 931207
Trans1 Recv Date: 931207
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931207
Part A Recv Date: 940208
Part B Recv Date: 931220
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00007
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1838741
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 940208
Trans1 Recv Date: 940208
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940208
Part A Recv Date: 940216
Part B Recv Date: 940228
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00735
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 01170
Units: P - Pounds
Number of Containers: 019
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MIA4894774
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S7107
Trans2 State ID: Not reported
Generator Ship Date: 970617
Trans1 Recv Date: 970617

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Trans2 Recv Date: 970629
TSD Site Recv Date: 970630
Part A Recv Date: Not reported
Part B Recv Date: 970722
Generator EPA ID: NYD071026173
Trans1 EPA ID: NJD000692061
Trans2 EPA ID: Not reported
TSD ID: MID000724831
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00030
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG3262095
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2003
Trans1 Recv Date: 04/28/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/06/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD071026173
Trans1 EPA ID: NYD049836679
Trans2 EPA ID: Not reported
TSD ID: 0440320ME
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Quantity: 00600
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0501160
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881007
Trans1 Recv Date: 881007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881007
Part A Recv Date: 881014
Part B Recv Date: 881025
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00720
Units: P - Pounds
Number of Containers: 009
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00630
Units: P - Pounds
Number of Containers: 009
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Document ID: NJA0512722
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881121
Trans1 Recv Date: 881121
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881121
Part A Recv Date: 890112
Part B Recv Date: 881213
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0510426
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881021
Trans1 Recv Date: 881021
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881021
Part A Recv Date: 881027
Part B Recv Date: 881102
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00720
Units: P - Pounds
Number of Containers: 009
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0514671
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881104
Trans1 Recv Date: 881104
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881104
Part A Recv Date: 881115
Part B Recv Date: 881129
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00720
Units: P - Pounds
Number of Containers: 004
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Waste Code: Not reported
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0435161
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880711
Trans1 Recv Date: 880711
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880711
Part A Recv Date: 880725
Part B Recv Date: 880720
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00640
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0501206
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881202
Trans1 Recv Date: 881202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881202
Part A Recv Date: 881208
Part B Recv Date: 881220
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00640
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0514011
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881215
Trans1 Recv Date: 881215
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881215
Part A Recv Date: 890214
Part B Recv Date: 890110
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0501197
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881118
Trans1 Recv Date: 881118
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881118
Part A Recv Date: 881129
Part B Recv Date: 881212
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00640
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0508608
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881011
Trans1 Recv Date: 881011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881011
Part A Recv Date: 881026
Part B Recv Date: 881025
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0496874
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 881101
Trans1 Recv Date: 881101
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881101
Part A Recv Date: 881116
Part B Recv Date: 881125
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0502458
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880908

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Trans1 Recv Date: 880908
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880908
Part A Recv Date: 880916
Part B Recv Date: 880920
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00640
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0432666
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880705
Trans1 Recv Date: 880705
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880705
Part A Recv Date: 880824
Part B Recv Date: 880720
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0567251
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 890323
Trans1 Recv Date: 890323
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890323
Part A Recv Date: 890330
Part B Recv Date: 890404
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00690
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00420
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0638929
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 890505
Trans1 Recv Date: 890505
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890505
Part A Recv Date: 890511
Part B Recv Date: 890512
Generator EPA ID: NYD071026173
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00720
Units: P - Pounds
Number of Containers: 009
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00630
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
297 additional NY_MANIFEST: record(s) in the EDR Site Report.

**AS261
NW
1/2-1
0.883 mi.
4663 ft.**

**OLIN WATER SERVICES
609 W 131ST ST
NEW YORK, NY 10027
Site 1 of 2 in cluster AS**

**CORRACTS 1000306415
RCRA-SQG NYD068212695
FINDS
MANIFEST**

**Relative:
Higher**

CORRACTS:

**Actual:
42 ft.**

EPA ID: NYD068212695
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 01/19/1994
Action: CA075LO - CA Prioritization, Facility or area was assigned a low
corrective action priority
NAICS Code(s): 42469
Other Chemical and Allied Products Merchant Wholesalers
Original schedule date: 03/31/1994
Schedule end date: Not reported

EPA ID: NYD068212695
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 07/19/1994
Action: CA070NO - RFA Determination Of Need For An RFI, RFI is Not Necessary
NAICS Code(s): 42469
Other Chemical and Allied Products Merchant Wholesalers
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD068212695
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 09/22/1992
Action: CA050 - RFA Completed
NAICS Code(s): 42469
Other Chemical and Allied Products Merchant Wholesalers
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD068212695
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 11/30/1985
Action: CA050 - RFA Completed
NAICS Code(s): 42469
Other Chemical and Allied Products Merchant Wholesalers
Original schedule date: Not reported
Schedule end date: Not reported

RCRA-SQG:

Date form received by agency: 01/08/2009
Facility name: ASHLAND INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Facility address: 609 W 131ST ST
NEW YORK, NY 10027
EPA ID: NYD068212695
Mailing address: BLAZER PKWY
EH&S DS-4
DUBLIN, OH 43017
Contact: KARA B LONG
Contact address: BLAZER PKWY EH&S DS-4
DUBLIN, OH 43017
Contact country: US
Contact telephone: (614) 790-4641
Contact email: KLONG@ASHLAND.COM
EPA Region: 02
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: ASHLAND INC
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/18/1990
Owner/Op end date: Not reported

Owner/operator name: TRUSTEES OF COLUMBIA UNIVERSITY
Owner/operator address: BROADWAY 211 LOW LIB
NEW YORK, NY 10027
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 06/20/2008
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Consumer Electronics
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Oil-Based Finishes
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Any Universal Waste
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007
Facility name: ASHLAND INC
Site name: OLIN WATER SERVICES
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Facility name: ASHLAND INC
Site name: OLIN WATER SERVICES
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: ASHLAND INC
Site name: OLIN WATER SERVICES
Classification: Not a generator, verified

Date form received by agency: 03/13/1996
Facility name: ASHLAND INC
Site name: DREW IND DIV.; DREW WATER SERVICES;
Classification: Large Quantity Generator

Date form received by agency: 07/13/1992
Facility name: ASHLAND INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Site name: OLIN WATER SERVICES
Classification: Large Quantity Generator

Date form received by agency: 05/15/1992
Facility name: ASHLAND INC
Site name: OLIN CORP/OLIN WATER SERVICES
Classification: Large Quantity Generator

Date form received by agency: 11/19/1980
Facility name: ASHLAND INC
Site name: OLIN WATER SERVICES
Classification: Not a generator, verified

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Corrective Action Summary:

Event date: 11/30/1985
Event: RFA Completed

Event date: 09/22/1992
Event: RFA Completed

Event date: 01/19/1994
Event: CA Prioritization, Facility or area was assigned a low corrective action priority.

Event date: 07/19/1994
Event: RFA Determination Of Need For An RFI, RFI is Not Necessary;

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/25/1987
Date achieved compliance: 03/25/1987
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/29/1984
Date achieved compliance: 09/11/1984
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/13/1984
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 09/13/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/25/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 03/25/1987
Evaluation lead agency: State

Evaluation date: 02/06/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/03/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/27/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/10/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 06/28/1984

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/21/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/30/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 03/29/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 09/11/1984
Evaluation lead agency: State

FINDS:

Registry ID: 110004366258

Environmental Interest/Information System

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD068212695
Country: USA
Mailing Name: ASHLAND CHEMICAL CORP
Mailing Contact: R S HENDEY
Mailing Address: 608 WEST 132ND ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10027
Mailing Zip4: 7903
Mailing Country: USA
Mailing Phone: 203-356-3037

Document ID: NYB2298258

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: RA99819
Trans2 State ID: Not reported
Generator Ship Date: 910702
Trans1 Recv Date: 910702
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910708
Part A Recv Date: 910711
Part B Recv Date: 910820
Generator EPA ID: NYD068212695
Trans1 EPA ID: NYD980762140
Trans2 EPA ID: Not reported
TSDF ID: CDD980756415
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 37081
Units: P - Pounds
Number of Containers: 087
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 130
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 5.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 960.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09

Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 8.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 5000.0
Units: P - Pounds
Number of Containers: 5.0
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 200.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 30.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 20.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 210.0
Units: P - Pounds
Number of Containers: 7.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 450.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0

Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 40.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 40.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 5.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 5.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 40.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 960.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 2.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2009-01-13
Trans1 Recv Date: 2009-01-13
Trans2 Recv Date: 2009-01-13
TSD Site Recv Date: 2009-01-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD068212695
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 5.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000208067VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

OLIN WATER SERVICES (Continued)

1000306415

Trans2 State ID: NJD080631369
 Generator Ship Date: 2009-01-13
 Trans1 Recv Date: 2009-01-13
 Trans2 Recv Date: 2009-01-13
 TSD Site Recv Date: 2009-01-13
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD068212695
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 5.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 000208067VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

[Click this hyperlink](#) while viewing on your computer to access
 49 additional NY_MANIFEST: record(s) in the EDR Site Report.

AS262
NW
1/2-1
0.907 mi.
4788 ft.

CON EDISON - WEST 132ND ST. STATION MGP
12TH AVE. BETWEEN W. 131ST - W. 133RD STS.
NEW YORK, NY 10027
Site 2 of 2 in cluster AS

Manufactured Gas Plants **1008407993**
N/A

Relative:
Higher

Actual:
49 ft.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRONX	1000694477	SHELL OIL COMPANY	1263 E L GRANT HWY		FINDS,MANIFEST,RCRA-NLR
NEW YORK	1004755815	NYCDOT	RIVERSIDE DR OVER W 125TH ST	10027	FINDS,MANIFEST,RCRA-NLR
NEW YORK	1007112552	CITY OF NEW YORK PARKS AND RECREAT	125TH STREET SAHOP	10022	RCRA-CESQG,MANIFEST
QUEENS	1007208432	CONSOLIDATED EDISON	33RD ST / 123RD ST	10003	RCRA-NLR,MANIFEST
QUEENS	1007208460	CONSOLIDATED EDISON	V3868-34TH AVE / 127TH ST		RCRA-NLR,MANIFEST
NEW YORK	1009233146	NYNEX	110TH ST / LENOX AVE	10026	MANIFEST
NEW YORK	1009233800	NYNEX	119TH ST/LENOX AVE	10027	MANIFEST
NEW YORK	1009236736	CONSOLIDATED EDISON	MH20493-545 W 125TH ST		MANIFEST
NEW YORK	1009236819	CONSOLIDATED EDISON	MH 39242-125TH ST / LEXINGTO		MANIFEST
NEW YORK	1009237481	CONSOLIDATED EDISON	V3879-41 E 123RD ST		MANIFEST
NEW YORK	1009237488	CONSOLIDATED EDISON	V9313-109TH / 125TH ST		MANIFEST
NEW YORK	1009237624	CONSOLIDATED EDISON	MH55110-2ND AVE / E 125TH ST		MANIFEST
NEW YORK	1009237748	CONSOLIDATED EDISON	MH45805-E 126TH ST / 3RD AVE	10027	MANIFEST
NEW YORK	1009237805	CONSOLIDATED EDISON	MH20170-W 123RD ST	10027	MANIFEST
NEW YORK	1009237830	CONSOLIDATED EDISON	V3105-630 BROADWAY / 125TH S		MANIFEST
NEW YORK	1009238939	CONSOLIDATED EDISON	V8921-222 E 123RD ST		MANIFEST
ALEXANDRIA TWP	S103903741	566 ROUTE 579	566 RTE 579	10020	VCP
MANHATTAN	S108984430	LOT 3,TAXBLOCK 1998	2307 JOE DIMAGGIO HIGHWAY	10027	E DESIGNATION
MANHATTAN	S108984449	LOT 61,TAXBLOCK 1997	2293 JOE DIMAGGIO HIGHWAY	10027	E DESIGNATION
NEW YORK	S109942993	59TH GENERATION STATION	59TH ST OFF THE WEST SIDE HIGH		SPILLS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 05/17/2010
Number of Days to Update: 56	Next Scheduled EDR Contact: 08/30/2010
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/29/2010	Source: EPA
Date Data Arrived at EDR: 02/09/2010	Telephone: 703-412-9810
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/12/2010
Number of Days to Update: 62	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA's Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/15/2010	Telephone: 703-603-8704
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 07/21/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009	Source: EPA
Date Data Arrived at EDR: 09/02/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 07/12/2010
Number of Days to Update: 19	Next Scheduled EDR Contact: 09/13/2010
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/25/2010
Date Data Arrived at EDR: 03/31/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 57

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 05/17/2010
Next Scheduled EDR Contact: 08/30/2010
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/20/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/20/2010	Telephone: 703-603-0695
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 82	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/20/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/20/2010	Telephone: 703-603-0695
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 82	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2009	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/22/2010	Telephone: 202-267-2180
Date Made Active in Reports: 02/11/2010	Last EDR Contact: 07/09/2010
Number of Days to Update: 20	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9622
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrusion Legacy Site List

"Vapor intrusion" refers to the process by which volatile chemicals move from a subsurface source into the indoor air of overlying or adjacent buildings. The subsurface source can either be contaminated groundwater or contaminated soil which releases vapors into the pore spaces in the soil. Improvements in analytical techniques and knowledge gained from site investigations in New York and other states has led to an increased awareness of soil vapor as a medium of concern and of the potential for exposures from the soil vapor intrusion pathway. Based on this additional information, New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/02/2010
Date Data Arrived at EDR: 02/24/2010
Date Made Active in Reports: 03/17/2010
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 518-402-9814
Last EDR Contact: 06/04/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 04/13/2010
Date Data Arrived at EDR: 04/14/2010
Date Made Active in Reports: 04/28/2010
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 05/24/2010
Date Data Arrived at EDR: 05/26/2010
Date Made Active in Reports: 06/21/2010
Number of Days to Update: 26

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 05/26/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 03/10/2010
Date Data Arrived at EDR: 03/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 27

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 05/03/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/01/2010
Date Data Arrived at EDR: 03/03/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 05/03/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/04/2010	Source: EPA Region 10
Date Data Arrived at EDR: 05/05/2010	Telephone: 206-553-2857
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009	Source: EPA Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 05/03/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/03/2010	Source: EPA Region 6
Date Data Arrived at EDR: 05/05/2010	Telephone: 214-665-6597
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009	Source: EPA Region 7
Date Data Arrived at EDR: 05/04/2010	Telephone: 913-551-7003
Date Made Active in Reports: 07/07/2010	Last EDR Contact: 05/04/2010
Number of Days to Update: 64	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/25/2010	Source: EPA Region 8
Date Data Arrived at EDR: 02/25/2010	Telephone: 303-312-6271
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Petroleum Bulk Storage (PBS) Database
Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 04/06/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 04/07/2010	Telephone: 518-402-9549
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 06/18/2010
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database
Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 10/24/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/23/2006
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 05/10/2010
Number of Days to Update: 33

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 04/28/2010
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 04/28/2010
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/03/2010	Source: EPA Region 6
Date Data Arrived at EDR: 05/05/2010	Telephone: 214-665-7591
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010	Source: EPA Region 5
Date Data Arrived at EDR: 02/11/2010	Telephone: 312-886-6136
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 60	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 03/10/2010	Source: EPA Region 4
Date Data Arrived at EDR: 03/16/2010	Telephone: 404-562-9424
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/01/2010	Source: EPA Region 9
Date Data Arrived at EDR: 03/03/2010	Telephone: 415-972-3368
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 02/25/2010	Source: EPA Region 8
Date Data Arrived at EDR: 02/25/2010	Telephone: 303-312-6137
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008	Source: EPA Region 7
Date Data Arrived at EDR: 12/30/2008	Telephone: 913-551-7003
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 05/12/2010
Number of Days to Update: 76	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/04/2010	Source: EPA Region 10
Date Data Arrived at EDR: 05/05/2010	Telephone: 206-553-2857
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009	Source: EPA, Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 05/03/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/19/2010
Number of Days to Update: 55	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9553
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9553
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992	Source: NYC Department of City Planning
Date Data Arrived at EDR: 01/31/2007	Telephone: 212-720-3401
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 06/25/2010
Number of Days to Update: 78	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9711
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 04/22/2008	Telephone: 617-918-1102
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9622
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/26/2010	Telephone: 518-402-9764
Date Made Active in Reports: 06/21/2010	Last EDR Contact: 05/26/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/06/2010
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 03/02/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/23/2010	Telephone: 202-566-2777
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 06/25/2010
Number of Days to Update: 55	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 07/09/2010
Number of Days to Update: 137	Next Scheduled EDR Contact: 09/20/2010
	Data Release Frequency: Varies

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/15/2006	Telephone: 518-402-8694
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 04/30/2010
Number of Days to Update: 15	Next Scheduled EDR Contact: 08/09/2010
	Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 04/13/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 04/14/2010	Telephone: 518-402-8705
Date Made Active in Reports: 04/28/2010	Last EDR Contact: 07/12/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998

Date Data Arrived at EDR: 12/03/2007

Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245

Last EDR Contact: 06/08/2010

Next Scheduled EDR Contact: 08/23/2010

Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/19/2009

Date Data Arrived at EDR: 12/29/2009

Date Made Active in Reports: 02/10/2010

Number of Days to Update: 43

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 03/08/2010

Next Scheduled EDR Contact: 09/20/2010

Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 03/26/2010

Date Data Arrived at EDR: 03/26/2010

Date Made Active in Reports: 04/28/2010

Number of Days to Update: 33

Source: Department of Environmental Conservation

Telephone: 518-402-9622

Last EDR Contact: 05/26/2010

Next Scheduled EDR Contact: 09/06/2010

Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007

Date Data Arrived at EDR: 11/19/2008

Date Made Active in Reports: 03/30/2009

Number of Days to Update: 131

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009

Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002

Date Data Arrived at EDR: 06/02/2006

Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007

Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/05/2010
Date Data Arrived at EDR: 02/11/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 60

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 05/03/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 05/24/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 50

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 05/24/2010
Date Data Arrived at EDR: 05/26/2010
Date Made Active in Reports: 06/21/2010
Number of Days to Update: 26

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 05/26/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/12/2010
Date Data Arrived at EDR: 02/09/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 62

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/12/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 04/21/2010
Next Scheduled EDR Contact: 08/02/2010
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 09/30/2009
Date Made Active in Reports: 12/01/2009
Number of Days to Update: 62

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 06/16/2010
Next Scheduled EDR Contact: 09/27/2010
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 04/11/2010
Date Data Arrived at EDR: 04/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 28

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 07/08/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/29/2010	Source: EPA
Date Data Arrived at EDR: 05/07/2010	Telephone: 703-416-0223
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 06/16/2010
Number of Days to Update: 20	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009	Source: Department of Energy
Date Data Arrived at EDR: 05/07/2009	Telephone: 505-845-0011
Date Made Active in Reports: 05/08/2009	Last EDR Contact: 06/01/2010
Number of Days to Update: 1	Next Scheduled EDR Contact: 09/13/2010
	Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/12/2010	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 03/10/2010	Telephone: 303-231-5959
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 06/09/2010
Number of Days to Update: 68	Next Scheduled EDR Contact: 09/20/2010
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/13/2010	Telephone: 202-566-0250
Date Made Active in Reports: 02/18/2010	Last EDR Contact: 06/04/2010
Number of Days to Update: 36	Next Scheduled EDR Contact: 09/13/2010
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/07/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 06/01/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 09/13/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 06/01/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 09/13/2010
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/06/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 05/03/2010
Number of Days to Update: 35	Next Scheduled EDR Contact: 08/16/2010
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 04/24/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/29/2010	Telephone: 202-564-5088
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 06/25/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/01/2009	Source: EPA
Date Data Arrived at EDR: 10/21/2009	Telephone: 202-566-0500
Date Made Active in Reports: 12/01/2009	Last EDR Contact: 04/22/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/02/2010
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/06/2010	Telephone: 301-415-7169
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 51	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/13/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/14/2010	Telephone: 202-343-9775
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010	Source: EPA
Date Data Arrived at EDR: 04/16/2010	Telephone: (212) 637-3000
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 07/07/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 76

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 05/25/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 04/30/2010
Date Data Arrived at EDR: 05/13/2010
Date Made Active in Reports: 06/21/2010
Number of Days to Update: 39

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/13/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 03/25/2010
Date Made Active in Reports: 05/06/2010
Number of Days to Update: 42

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 06/21/2010
Next Scheduled EDR Contact: 10/04/2010
Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 04/27/2010
Date Data Arrived at EDR: 04/28/2010
Date Made Active in Reports: 06/21/2010
Number of Days to Update: 54

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 07/19/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 09/05/2007
Date Made Active in Reports: 10/17/2007
Number of Days to Update: 42

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 05/03/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 02/04/2010	Source: New York City Department of City Planning
Date Data Arrived at EDR: 04/06/2010	Telephone: 718-595-6658
Date Made Active in Reports: 04/28/2010	Last EDR Contact: 06/24/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/21/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/02/2010
	Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 02/10/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/11/2010	Telephone: 615-532-8599
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 05/10/2010
Number of Days to Update: 60	Next Scheduled EDR Contact: 08/09/2010
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 11/09/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/18/2009	Telephone: N/A
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 54	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/21/2010
Number of Days to Update: 339	Next Scheduled EDR Contact: 08/02/2010
	Data Release Frequency: N/A

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 07/21/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 04/13/2010
Date Data Arrived at EDR: 04/14/2010
Date Made Active in Reports: 04/28/2010
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008
Date Data Arrived at EDR: 11/25/2008
Date Made Active in Reports: 12/11/2008
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 04/15/2010
Date Data Arrived at EDR: 04/16/2010
Date Made Active in Reports: 04/28/2010
Number of Days to Update: 12

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008
Date Data Arrived at EDR: 02/18/2009
Date Made Active in Reports: 05/29/2009
Number of Days to Update: 100

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 05/14/2010
Next Scheduled EDR Contact: 08/16/2010
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 04/22/2010	Telephone: 607-753-5035
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 05/10/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 08/23/2010
	Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 04/22/2010	Telephone: 607-753-5035
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 05/10/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 08/23/2010
	Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/12/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 06/23/2010	Telephone: 516-572-1000
Date Made Active in Reports: 06/28/2010	Last EDR Contact: 01/20/2010
Number of Days to Update: 5	Next Scheduled EDR Contact: 08/23/2010
	Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/12/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 06/23/2010	Telephone: 516-572-1000
Date Made Active in Reports: 06/28/2010	Last EDR Contact: 01/20/2010
Number of Days to Update: 5	Next Scheduled EDR Contact: 08/23/2010
	Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 03/31/2010	Source: Rockland County Health Department
Date Data Arrived at EDR: 04/01/2010	Telephone: 914-364-2605
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 39	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 03/31/2010	Source: Rockland County Health Department
Date Data Arrived at EDR: 04/01/2010	Telephone: 914-364-2605
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 06/14/2010
Number of Days to Update: 39	Next Scheduled EDR Contact: 09/27/2010
	Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 01/11/2007	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 05/10/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 08/23/2010
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 05/10/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 05/11/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 05/11/2010
Next Scheduled EDR Contact: 08/23/2010
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 08/26/2009
Date Made Active in Reports: 09/11/2009
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 06/04/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 01/20/2010
Date Made Active in Reports: 02/05/2010
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/23/2010
Next Scheduled EDR Contact: 08/02/2010
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 12/01/2009
Date Made Active in Reports: 12/14/2009
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 05/24/2010
Next Scheduled EDR Contact: 09/06/2010
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 11/03/2009
Date Data Arrived at EDR: 02/12/2010
Date Made Active in Reports: 02/22/2010
Number of Days to Update: 10

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/01/2010
Next Scheduled EDR Contact: 09/13/2010
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 03/29/2010
Date Data Arrived at EDR: 05/14/2010
Date Made Active in Reports: 06/22/2010
Number of Days to Update: 39

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/25/2010
Next Scheduled EDR Contact: 05/10/2010
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 07/17/2009
Date Made Active in Reports: 08/10/2009
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/21/2010
Next Scheduled EDR Contact: 10/04/2010
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

125TH ST AND LENOX AVE
291 LENOX AVE
NEW YORK, NY 10027

TARGET PROPERTY COORDINATES

Latitude (North):	40.80770 - 40° 48' 27.7"
Longitude (West):	73.9462 - 73° 56' 46.3"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	588886.4
UTM Y (Meters):	4517733.0
Elevation:	26 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	40073-G8 CENTRAL PARK, NY
Most Recent Revision:	1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> NEW YORK, NY	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	360497 - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> CENTRAL PARK	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
--	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks
Code: OC (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	USGS2114762	0 - 1/8 Mile WSW
A2	USGS2114764	0 - 1/8 Mile WSW
A3	USGS2114763	0 - 1/8 Mile WSW
4	USGS2114606	1/4 - 1/2 Mile WNW
5	USGS2114574	1/4 - 1/2 Mile West
B6	USGS2114424	1/2 - 1 Mile NW
B8	USGS2114441	1/2 - 1 Mile NW
9	USGS2114726	1/2 - 1 Mile ESE
10	USGS2114753	1/2 - 1 Mile East
C11	USGS2114470	1/2 - 1 Mile NW
C12	USGS2114471	1/2 - 1 Mile NW
13	USGS2114506	1/2 - 1 Mile NW
14	USGS2114605	1/2 - 1 Mile East
15	USGS2114761	1/2 - 1 Mile East
D16	USGS2114515	1/2 - 1 Mile NW
D17	USGS2114514	1/2 - 1 Mile NW
D18	USGS2114516	1/2 - 1 Mile NW
19	USGS2114382	1/2 - 1 Mile North
20	USGS2114644	1/2 - 1 Mile ENE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
7	NY0002726	1/2 - 1 Mile SSW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	NYOG50000000139	1/2 - 1 Mile South
A2	NYOG50000000138	1/2 - 1 Mile South
A3	NYOG50000000137	1/2 - 1 Mile South
A4	NYOG50000000136	1/2 - 1 Mile South
A5	NYOG50000000135	1/2 - 1 Mile South
A6	NYOG50000000134	1/2 - 1 Mile South
7	NYOG50000000133	1/2 - 1 Mile South
B8	NYOG50000000140	1/2 - 1 Mile WNW
B9	NYOG50000000141	1/2 - 1 Mile WNW
B10	NYOG50000000142	1/2 - 1 Mile WNW
B11	NYOG50000000143	1/2 - 1 Mile WNW

PHYSICAL SETTING SOURCE MAP - 2822816.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: 125th St and Lenox Ave
 ADDRESS: 291 Lenox Ave
 New York NY 10027
 LAT/LONG: 40.8077 / 73.9462

CLIENT: Langan Engineering, Inc.
 CONTACT: Jen Armstrong
 INQUIRY #: 2822816.2s
 DATE: July 21, 2010 1:11 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
WSW
0 - 1/8 Mile
Higher

FED USGS USGS2114762

Agency cd:	USGS	Site no:	404826073565201
Site name:	NY 85		
Latitude:	404826	EDR Site id:	USGS2114762
Longitude:	0735652	Dec lat:	40.80732304
Dec lon:	-73.94735991	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	30		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	150	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

A2
WSW
0 - 1/8 Mile
Higher

FED USGS USGS2114764

Agency cd:	USGS	Site no:	404826073565203
Site name:	NY 87		
Latitude:	404826	EDR Site id:	USGS2114764
Longitude:	0735652	Dec lat:	40.80732304
Dec lon:	-73.94735991	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	30		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

A3
WSW
0 - 1/8 Mile
Higher

FED USGS USGS2114763

Agency cd:	USGS	Site no:	404826073565202
Site name:	NY 86		
Latitude:	404826	EDR Site id:	USGS2114763
Longitude:	0735652	Dec lat:	40.80732304
Dec lon:	-73.94735991	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	30		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

4
WNW
1/4 - 1/2 Mile
Higher

FED USGS USGS2114606

Agency cd:	USGS	Site no:	404835073570501
Site name:	NY 84		
Latitude:	404835	EDR Site id:	USGS2114606
Longitude:	0735705	Dec lat:	40.80982299
Dec lon:	-73.95097112	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	30		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	30	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

5
West
1/4 - 1/2 Mile
Higher

FED USGS USGS2114574

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404831073571401
Site name:	NY 52		
Latitude:	404831	EDR Site id:	USGS2114574
Longitude:	0735714	Dec lat:	40.80871189
Dec lon:	-73.95347119	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	30		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	70	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**B6
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2114424

Agency cd:	USGS	Site no:	404844073571501
Site name:	NY 158		
Latitude:	404844	EDR Site id:	USGS2114424
Longitude:	0735715	Dec lat:	40.81232294
Dec lon:	-73.95374896	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	35		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	PLEISTOCENE SERIES		
Well depth:	90	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

7
SSW
1/2 - 1 Mile
Lower

FRDS PWS NY0002726

PWS ID:	NY0002726	
Date Initiated:	Not Reported	Date Deactivated: Not Reported
PWS Name:	ALL SOUL'S CAMP LIBERTY, NY 12754	

Addressee / Facility: System Owner/Responsible Party
ACHAM MILLICENT
ALL SOULS CHURCH
88 ST NICHOLAS AVENUE
NEW YORK, NY 10026

Addressee / Facility: System Owner/Responsible Party
ACHAM MILLICENT
ALL SOULS CHURCH
88 ST NICHOLAS AVENUE
NEW YORK, NY 10026

Facility Latitude:	40 48 00	Facility Longitude:	073 57 00
City Served:	LIBERTY (T)	Population:	Not Reported
Treatment Class	Not Reported		

Violations information not reported.

B8
NW
1/2 - 1 Mile
Higher

FED USGS USGS2114441

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404846073571901
Site name:	NY 91		
Latitude:	404846	EDR Site id:	USGS2114441
Longitude:	0735719	Dec lat:	40.81287849
Dec lon:	-73.9548601	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	35		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	75	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

9
ESE
1/2 - 1 Mile
Lower

FED USGS USGS2114726

Agency cd:	USGS	Site no:	404818073561001
Site name:	NY 82		
Latitude:	404818	EDR Site id:	USGS2114726
Longitude:	0735610	Dec lat:	40.80510088
Dec lon:	-73.93569292	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	30	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**10
East
1/2 - 1 Mile
Lower**

FED USGS USGS2114753

Agency cd:	USGS	Site no:	404824073560301
Site name:	NY 150		
Latitude:	404824	EDR Site id:	USGS2114753
Longitude:	0735603	Dec lat:	40.80676752
Dec lon:	-73.93374842	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	6		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	2		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	106	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C11
NW
1/2 - 1 Mile
Higher

FED USGS USGS2114470

Agency cd:	USGS	Site no:	404852073572501
Site name:	NY 89		
Latitude:	404852	EDR Site id:	USGS2114470
Longitude:	0735725	Dec lat:	40.81454512
Dec lon:	-73.95652681	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	35		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	35	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

C12
NW
1/2 - 1 Mile
Higher

FED USGS USGS2114471

Agency cd:	USGS	Site no:	404852073572502
Site name:	NY 90		
Latitude:	404852	EDR Site id:	USGS2114471
Longitude:	0735725	Dec lat:	40.81454512
Dec lon:	-73.95652681	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	35		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	35	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**13
NW
1/2 - 1 Mile
Higher**

FED USGS USGS2114506

Agency cd:	USGS	Site no:	404859073572501
Site name:	NY 93		
Latitude:	404859	EDR Site id:	USGS2114506
Longitude:	0735725	Dec lat:	40.81648953
Dec lon:	-73.9565268	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	40		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

14
East
1/2 - 1 Mile
Lower

FED USGS USGS2114605

Agency cd:	USGS	Site no:	404835073555101
Site name:	B 65	EDR Site id:	USGS2114605
Latitude:	404835	Dec lat:	40.80982303
Longitude:	0735551	Coor meth:	M
Dec lon:	-73.93041497	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	005
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	CENTRAL PARK R-25-4		
Altitude:	5		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	2		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	49	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1951-10-22	Ground water data end date:	1951-10-22
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

	Feet below	Feet to
Date	Surface	Sealevel

1951-10-22	8	

15
East
1/2 - 1 Mile
Lower

FED USGS USGS2114761

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404826073554701
Site name:	B 6		
Latitude:	404826	EDR Site id:	USGS2114761
Longitude:	0735547	Dec lat:	40.80732307
Dec lon:	-73.92930384	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	36	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**D16
NW
1/2 - 1 Mile
Lower**

FED USGS USGS2114515

Agency cd:	USGS	Site no:	404900073573602
Site name:	NY 124		
Latitude:	404900	EDR Site id:	USGS2114515
Longitude:	0735736	Dec lat:	40.8167673
Dec lon:	-73.95958244	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	55	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**D17
NW
1/2 - 1 Mile
Lower**

FED USGS USGS2114514

Agency cd:	USGS	Site no:	404900073573601
Site name:	NY 123		
Latitude:	404900	EDR Site id:	USGS2114514
Longitude:	0735736	Dec lat:	40.8167673
Dec lon:	-73.95958244	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	55	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D18
NW
1/2 - 1 Mile
Lower

FED USGS USGS2114516

Agency cd:	USGS	Site no:	404900073573603
Site name:	NY 125		
Latitude:	404900	EDR Site id:	USGS2114516
Longitude:	0735736	Dec lat:	40.8167673
Dec lon:	-73.95958244	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	60	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

19
North
1/2 - 1 Mile
Higher

FED USGS USGS2114382

Agency cd:	USGS	Site no:	404918073563501
Site name:	NY 162		
Latitude:	404918	EDR Site id:	USGS2114382
Longitude:	0735635	Dec lat:	40.82176725
Dec lon:	-73.9426375	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	20		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	112	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**20
ENE
1/2 - 1 Mile
Lower**

FED USGS USGS2114644

Agency cd:	USGS	Site no:	404841073554201
Site name:	B 49		
Latitude:	404841	EDR Site id:	USGS2114644
Longitude:	0735542	Dec lat:	40.81148967
Dec lon:	-73.9279149	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	225	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
Water quality data end date: Not Reported
Ground water data begin date: Not Reported
Ground water data count: Not Reported

Water quality data begin date: Not Reported
Water quality data count: Not Reported
Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

A1
South
1/2 - 1 Mile

OIL_GAS NYOG50000000139

Api wellno:	31061210720000	Cnty:	New York
Hole:	21072	Sidetrck:	0
Completion:	0		
Well nm:	P-2		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	03/17/2004	Dt spud:	05/06/2004
Dt comp:	08/06/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94721		
Yloc:	40.79957		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Fordham Gneiss	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000139

A2
South
1/2 - 1 Mile

OIL_GAS NYOG50000000138

Api wellno:	31061210750000	Cnty:	New York
Hole:	21075	Sidetrck:	0
Completion:	0		
Well nm:	P-7		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	05/04/2004	Dt spud:	08/17/2004
Dt comp:	10/26/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94695		
Yloc:	40.79955		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Fordham Gneiss	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000138

A3
South
1/2 - 1 Mile

OIL_GAS NYOG50000000137

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210760000	Cnty:	New York
Hole:	21076	Sidetrck:	0
Completion:	0		
Well nm:	P-8		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	05/04/2004	Dt spud:	08/17/2004
Dt comp:	10/26/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94653		
Yloc:	40.79947		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Fordham Gneiss	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000137

**A4
South
1/2 - 1 Mile**

OIL_GAS

NYOG50000000136

Api wellno:	31061210730000	Cnty:	New York
Hole:	21073	Sidetrck:	0
Completion:	0		
Well nm:	P-4		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	03/17/2004	Dt spud:	05/13/2004
Dt comp:	08/06/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94684		
Yloc:	40.79944		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Fordham Gneiss	Elevation:	21
Dt mod:	06/07/2007	Site id:	NYOG50000000136

**A5
South
1/2 - 1 Mile**

OIL_GAS

NYOG50000000135

Api wellno:	31061210710000	Cnty:	New York
Hole:	21071	Sidetrck:	0
Completion:	0		
Well nm:	P-1		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	03/17/2004	Dt spud:	06/22/2004
Dt comp:	08/06/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.94634		
Yloc:	40.79939		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Fordham Gneiss	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000135

A6
South
1/2 - 1 Mile

OIL_GAS NYOG50000000134

Api wellno:	31061210740000	Cnty:	New York
Hole:	21074	Sidetrck:	0
Completion:	0		
Well nm:	P-6		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	03/17/2004	Dt spud:	05/13/2004
Dt comp:	08/06/2004	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94692		
Yloc:	40.79931		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Not Applicable	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000134

7
South
1/2 - 1 Mile

OIL_GAS NYOG50000000133

Api wellno:	31061210910000	Cnty:	New York
Hole:	21091	Sidetrck:	0
Completion:	0		
Well nm:	P-9		
Coname:	The 1400 5th LLC		
Opno:	2184		
Dt approv:	01/07/2005	Dt spud:	02/22/2005
Dt comp:	04/01/2005	Well typ:	Geothermal
Dtd:	1550		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.94753		
Yloc:	40.79854		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	E
Deepestfor:	Not Applicable	Elevation:	20
Dt mod:	06/07/2007	Site id:	NYOG50000000133

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

B8
WNW
1/2 - 1 Mile

OIL_GAS NYOG50000000140

Api wellno:	31061237800000	Cnty:	New York
Hole:	23780	Sidetrck:	0
Completion:	0		
Well nm:	W-4		
Coname:	Columbia University		
Opno:	2439		
Dt approv:	05/07/2008	Dt spud:	08/28/2008
Dt comp:	08/08/2008	Well typ:	Not Listed
Dtd:	1800		
WI status:	Drilling Completed	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.96153		
Yloc:	40.81193		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	D
Deepestfor:	Not Applicable	Elevation:	98
Dt mod:	03/02/2009	Site id:	NYOG50000000140

B9
WNW
1/2 - 1 Mile

OIL_GAS NYOG50000000141

Api wellno:	31061237790000	Cnty:	New York
Hole:	23779	Sidetrck:	0
Completion:	0		
Well nm:	W-3		
Coname:	Columbia University		
Opno:	2439		
Dt approv:	05/07/2008	Dt spud:	09/22/2008
Dt comp:	08/08/2008	Well typ:	Not Listed
Dtd:	1800		
WI status:	Drilling Completed	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.96166		
Yloc:	40.812		
Confid:	Released		
Wellst:	Other Well		
Quad:	Central Park	Quadsec:	D
Deepestfor:	Not Applicable	Elevation:	102
Dt mod:	03/23/2009	Site id:	NYOG50000000141

B10
WNW
1/2 - 1 Mile

OIL_GAS NYOG50000000142

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237780000	Cnty:	New York
Hole:	23778	Sidetrck:	0
Completion:	0		
Well nm:	W-2		
Coname:	Columbia University		
Opno:	2439		
Dt approv:	05/07/2008	Dt spud:	10/17/2008
Dt comp:	08/08/2008	Well typ:	Confidential
Dtd:	1800		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-73.96192		
Yloc:	40.81203		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Central Park	Quadsec:	D
Deepestfor:	Confidential	Elevation:	109
Dt mod:	02/24/2009	Site id:	NYOG50000000142

**B11
WNW
1/2 - 1 Mile**

OIL_GAS NYOG50000000143

Api wellno:	31061237770001	Cnty:	New York
Hole:	23777	Sidetrck:	0
Completion:	1		
Well nm:	W-1		
Coname:	Columbia University		
Opno:	2439		
Dt approv:	11/06/2008	Dt spud:	11/14/2008
Dt comp:	08/08/2008	Well typ:	Confidential
Dtd:	1800		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-73.96196		
Yloc:	40.8121		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Central Park	Quadsec:	D
Deepestfor:	Confidential	Elevation:	111
Dt mod:	02/24/2009	Site id:	NYOG50000000143

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for NEW YORK County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level \geq 2 pCi/L and \leq 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8056

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX E



David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

July 26, 2010

Fire Department, City of New York
Bureau of Revenue Management
9 MetroTech East
Brooklyn, New York 11201-3857

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue,
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909/ Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129
Langan Project No.: 170121501**

Dear Sir or Madam:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, 107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**

Jennifer Armstrong
Senior Staff Scientist



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section
 9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the **NYC Fire Department** and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

111 West 124th Street (Block 1909/ Lot 26)

Manhattan

House Number

Street Name

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the **NYC Fire Department** and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

113 West 124th Street (Block 1909/ Lot 25)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section
 9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name
360 West 31st Street

Address
New York, New York 10001

State Zip Code

212-479-5554
 Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff
 Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B FUEL TANK REPORT - FEE \$10.00 / PER REPORT

281 Lenox Avenue (Block 1909/ Lot 29) Manhattan
 House Number Street Name Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B FUEL TANK REPORT - FEE \$10.00 / PER REPORT

283 Lenox Avenue (Block 1909/ Lot 129)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section
 9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



Fuel Tank Special Report Request Form

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. DO NOT MAIL CASH.

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

287 Lenox Avenue (Block 1909/ Lot 31)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the **NYC Fire Department** and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

285 Lenox Avenue (Block 1909/ Lot 30)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the **NYC Fire Department** and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

291 Lenox Avenue (Block 1909/ Lot 33)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section
 9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. DO NOT MAIL CASH.

SECTION B FUEL TANK REPORT - FEE \$10.00 / PER REPORT

108 West 125th Street (Block 1909/ Lot 38)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

107 West 124th Street (Block 1909/ Lot 28)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section

9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A

CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B

FUEL TANK REPORT - FEE \$10.00 / PER REPORT

109 West 124th Street (Block 1909/ Lot 27)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



FIRE DEPARTMENT – CITY OF NEW YORK
Public Records Unit / Tanks Section
 9 MetroTech Center
 Brooklyn, New York 11201-3857
 (718) 999-2441 or 2442



**Fuel Tank Special Report
 Request Form**

SECTION A CUSTOMER INFORMATION

Please print the required information below.

Jennifer Armstrong/ Langan Engineering

Name

360 West 31st Street

Address

New York, New York 10001

State

Zip Code

212-479-5554

Telephone Number

OFFICE USE ONLY

Cashier / Search No. _____

PRU Staff

Accepted By/Initials: _____

Searched By: _____

Total Amount: _____

Note: Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the NYC Fire Department and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

SECTION B FUEL TANK REPORT - FEE \$10.00 / PER REPORT

110 West 125th Street (Block 1909/ Lot 39)

House Number

Street Name

Manhattan

Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

July 26, 2010

Attn: Records Access Officer
New York City Department of Environmental Protection
Bureau of Legal Affairs
59-17 Junction Boulevard, 19th Floor
Corona, New York 11368

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue,
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909/ Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129
Langan Project No.: 170121501**

Dear Sir or Madam:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, 107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**

Jennifer Armstrong
Senior Staff Scientist

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
110 West 125th Street
New York, New York 10027
Block 1909, Lot 39

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- Not described in sufficient detail
- After search, no records responsive to request located
- (Other) _____
- Not maintained by this Department

LOG NO.: _____

 (Department Representative) (Bureau) (Date)

•• • Fee Waived •• • Check/M.O. received •• • Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |


I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
108 West 125th Street
New York, New York 10027
Block 1909, Lot 38

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com

Firm: Langan Engineering and Environmental Services

Address: 360 West 31st Street, New York, New York 10001

Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- Not described in sufficient detail
- After search, no records responsive to request located
- (Other) _____
- Not maintained by this Department

LOG NO.: _____

 (Department Representative) (Bureau) (Date)

••• Fee Waived ••• Check/M.O. received ••• Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):
 Pertaining to the property located at:
113 West 124th Street
New York, New York 10027
Block 1909, Lot 25

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:
 _____ (Department Representative) _____ (Bureau) _____ (Phone No.)
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.
 Exempt: State/Fed. Statute (2(a)) Exempt: Law Enforcement (2(e))
 Invasion of personal privacy (2(b)) Inter/Intra-agency material (2(g))
 Competitive position injury (2(d)) (Other) _____

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:
 • Not described in sufficient detail • Not maintained by this Department
 • After search, no records responsive to request located
 • (Other) _____

LOG NO.: _____

 (Department Representative) (Bureau) (Date)
 ••• Fee Waived ••• Check/M.O. received ••• Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
111 West 124th Street
New York, New York 10027
Block 1909, Lot 26

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

- **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.
- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

- UNAVAILABLE** - - for reason(s) checked:
- | | |
|--|-------------------------------------|
| • Not described in sufficient detail | • Not maintained by this Department |
| • After search, no records responsive to request located | |
| • (Other) _____ | |

LOG NO.: _____

(Department Representative) _____ (Bureau) _____ (Date) _____

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
109 West 124th Street
New York, New York 10027
Block 1909, Lot 27

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- Not described in sufficient detail
- After search, no records responsive to request located
- (Other) _____
- Not maintained by this Department

LOG NO.: _____

(Department Representative) _____ (Bureau) _____ (Date) _____

•• • Fee Waived •• • Check/M.O. received •• • Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |
| | | | <input type="checkbox"/> _____ |
| | | | <input type="checkbox"/> _____ |


I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
107 West 124th Street
New York, New York 10027
Block 1909, Lot 28

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com

Firm: Langan Engineering and Environmental Services

Address: 360 West 31st Street, New York, New York 10001

Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative)	(Bureau)	(Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- | | |
|--|-------------------------------------|
| • Not described in sufficient detail | • Not maintained by this Department |
| • After search, no records responsive to request located | |
| • (Other) _____ | |

LOG NO.: _____

(Department Representative)	(Bureau)	(Date)
-----------------------------	----------	--------

••• Fee Waived ••• Check/M.O. received ••• Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |
| | | | <input type="checkbox"/> _____ |
| | | | <input type="checkbox"/> _____ |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
281 Lenox Avenue
New York, New York 10027
Block 1909, Lot 29

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law:

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

- UNAVAILABLE** - - for reason(s) checked:
- | | |
|--|-------------------------------------|
| • Not described in sufficient detail | • Not maintained by this Department |
| • After search, no records responsive to request located | |
| • (Other) _____ | |

LOG NO.: _____

(Department Representative) _____ (Bureau) _____ (Date) _____

• • • Fee Waived • • • Check/M.O. received • • • Check/M.O. requested DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
283 Lenox Avenue
New York, New York 10027
Block 1909, Lot 129

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- Not described in sufficient detail
- After search, no records responsive to request located
- (Other) _____
- Not maintained by this Department

LOG NO.: _____

 (Department Representative) (Bureau) (Date)

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
285 Lenox Avenue
New York, New York 10027
Block 1909, Lot 30

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative) _____ (Bureau) _____ (Phone No.) _____
 Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- Not described in sufficient detail
- After search, no records responsive to request located
- (Other) _____
- Not maintained by this Department

LOG NO.: _____

 (Department Representative) (Bureau) (Date)

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input type="checkbox"/> Environmental Control Board | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:

287 Lenox Avenue


New York, New York 10027

Block 1909, Lot 31

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com

Firm: Langan Engineering and Environmental Services

Address: 360 West 31st Street, New York, New York 10001

Signature: 

Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative)

(Bureau)

(Phone No.)

Number of Pages: _____ x\$.25 per page = Cost: _____

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

Exempt: State/Fed. Statute (2(a))

Exempt: Law Enforcement (2(e))

Invasion of personal privacy (2(b))

Inter/Intra-agency material (2(g))

Competitive position injury (2(d))

(Other) _____

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

• Not described in sufficient detail

• Not maintained by this Department

• After search, no records responsive to request located

• (Other) _____

LOG NO.: _____

(Department Representative)

(Bureau)

(Date)

• • Fee Waived

• • Check/M.O. received

• • Check/M.O. requested

DOC# 050303

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment Board | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise Environmental Control Board | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
289 Lenox Avenue
New York, New York 10027
Block 1909, Lot 32

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

_____ (Department Representative)	_____ (Bureau)	_____ (Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

- **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.
- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

- UNAVAILABLE** - - for reason(s) checked:
- | | |
|--|-------------------------------------|
| • Not described in sufficient detail | • Not maintained by this Department |
| • After search, no records responsive to request located | |
| • (Other) _____ | |

LOG NO.: _____

_____ (Department Representative)	_____ (Bureau)	_____ (Date)
--------------------------------------	-------------------	-----------------

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application for Records, Article 6 - New York State Public Officers Law, Freedom of Information Law


Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373 or fax to (718) 595-6543

PART I. APPLICATION - Check Bureau(s) known or believed to have the record(s):

- | | | | |
|--|---|---|---|
| <input type="checkbox"/> Executive | <input checked="" type="checkbox"/> Asbestos | <input checked="" type="checkbox"/> Office of Environmental Planning and Assessment | <input type="checkbox"/> Water Records |
| <input type="checkbox"/> General Counsel | <input checked="" type="checkbox"/> Hazardous Materials | <input type="checkbox"/> Bureau of Wastewater Treatment | <input type="checkbox"/> Sewer Records |
| <input type="checkbox"/> Agency Chief Contracting Office | <input type="checkbox"/> Air & Noise Environmental Control Board | <input type="checkbox"/> Sewer discharge violations | <input type="checkbox"/> Bureau of Water Supply |
| <input type="checkbox"/> Bureau of Customer Services (Water Bills) | <input checked="" type="checkbox"/> Bureau of Environmental Engineering | <input type="checkbox"/> Bureau of Water and Sewer Operations | <input type="checkbox"/> Water Quality |
| <input checked="" type="checkbox"/> Bureau of Environmental Compliance | | | <input type="checkbox"/> DEP Police |

I hereby apply to inspect or receive copies of the following records (use additional sheets as needed and attach):

Pertaining to the property located at:
291 Lenox Avenue
New York, New York 10027
Block 1909, Lot 33

Name: Jennifer Armstrong Phone: (212) 479-5537 E-Mail: jarmstrong@langan.com
 Firm: Langan Engineering and Environmental Services
 Address: 360 West 31st Street, New York, New York 10001
 Signature:  Date: July 26, 2010

PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)

• **APPROVED** • **APPROVED IN PART** - - To arrange for access to the records, please contact:

(Department Representative)	(Bureau)	(Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

• **DENIED** • **DENIED IN PART** - - for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- | | |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a)) | <input type="checkbox"/> Exempt: Law Enforcement (2(e)) |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d)) | <input type="checkbox"/> (Other) _____ |

Brief Description of records not subject to disclosure _____

A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19th Fl., Flushing, NY 11373

UNAVAILABLE - - for reason(s) checked:

- | | |
|--|-------------------------------------|
| • Not described in sufficient detail | • Not maintained by this Department |
| • After search, no records responsive to request located | |
| • (Other) _____ | |

LOG NO.: _____

(Department Representative)	(Bureau)	(Date)
-----------------------------	----------	--------

July 26, 2010

Rene Bryant
New York City Department of Health
125 Worth Street
Box 31C
New York, NY 10013

David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue,
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909/ Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129
Langan Project No.: 170121501**

Dear Ms. Bryant:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, 107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**



Jennifer Armstrong
Senior Staff Scientist

July 26, 2010

Records Access Officer
New York State Department of
Environmental Conservation
47-40 21st Street
Long Island City, New York 11101

David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909 / Lots 25, 26, 27, 28, 38 and 39
Langan Project No.: 170121501**

Dear Sir or Madam:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 38 and 39)**. The property is bounded by West 125th Street to the north, 281, 283, 285, 287, 289, and 291 Lenox Avenue to the east (Lots 29, 30, 31, 32, 33, and 129), West 124th Street to the south, and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**



Jennifer Armstrong
Senior Staff Scientist



July 26, 2010

Records Access Officer
New York State Department of
Environmental Conservation
47-40 21st Street
Long Island City, New York 11101

David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue
New York, New York 10027
Block: 1909 / Lots 29, 30, 31, 32, 33 and 129
Langan Project No.: 170121501**

Dear Sir or Madam:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, New York, New York (Block 1909 and Lots 29, 30, 31, 32, 33 and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 107 West 124th Street and 108 West 125th Street (Lots 28 and 38) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**

Jennifer Armstrong
Senior Staff Scientist

July 26, 2010

New York State Department of Health
Attn: Record Access Officer
Corning Tower, Room 2348
Albany, NY 12237

David T. Gockel, P.E., P.P.
George P. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancia, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue,
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909/ Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129
Langan Project No.: 170121501**

Dear Sir or Madam:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, 107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**



Jennifer Armstrong
Senior Staff Scientist



David T. Gockel, P.E., P.P.
George F. Kelley, P.E.
George E. Derrick, P.E.
Michael A. Semeraro, Jr., P.E.
Nicholas De Rose, P.G.
Andrew J. Ciancio, P.E.
George E. Leventis, P.E.
Rudolph P. Frizzi, P.E.
Ronald A. Fuerst, C.L.A.
Colleen Costello, P.G.
Cristina M. González, P.E.
Gerald J. Zambrella, C.E.M.

July 26, 2010

Ms. Wanda Calderon
Freedom of Information Officer
US EPA Region 2
290 Broadway, 26th Floor
New York, New York 10007-1866

Gregory L. Biesiadecki, P.E.
Marc Gallagher, P.E.
Donald J. Hodson, P.E.
Joel B. Landes, P.E.
Alan R. Poeppel, P.E.

**Re: Freedom of Information Request
Borough of Manhattan
281, 283, 285, 287, 289, and 291 Lenox Avenue,
107, 109, 111, and 113 West 124th Street and
108 and 110 West 125th Street
New York, New York 10027
Block: 1909/ Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129
Langan Project No.: 170121501**

Dear Ms. Calderon:

Pursuant to the Federal Freedom of Information Act (5 U.S.C 552 et seq.) dealing with the examination and duplication of documents maintained by public agencies, Langan is requesting any information or copies of files regarding environmental conditions on the above properties, such as environmental permits, notices of violations, spill/discharge incidents, storage or disposal of hazardous substances, Underground Storage Tanks (USTs), Leaking Underground Storage Tanks (LUSTs), asbestos abatement, and any other environmental reports that your department may have.

The subject property is located at **281, 283, 285, 287, 289, and 291 Lenox Avenue, 107, 109, 111, and 113 West 124th Street and 108 and 110 West 125th Street, New York, New York (Block 1909 and Lots 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, and 129)**. The property is bounded by West 125th Street to the north, Lenox Avenue to the east, West 124th Street to the south, and 400 and 117 West 124th Street and 112 West 125th Street (Lots 24 and 40) to the west.

Please contact me at 212-479-5537 or send your response to my attention at:

Langan Engineering and Environmental Services, P.C.
21 Penn Plaza
360 West 31st Street, 8th floor
New York, New York 10001-2727

Thank you in advance for your cooperation.

Very truly yours,
**LANGAN ENGINEERING &
ENVIRONMENTAL SERVICES, PC**

Jennifer Armstrong
Senior Staff Scientist

APPENDIX F



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

291 LENOX AVENUE
LENOX AVENUE 291 - 291

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 3

BIN# 1057828
Tax Block : 1909
Tax Lot : 33
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 124 STREET, WEST 125 STREET
 DOB Special Place Name:
 DOB Building Remarks:
 Landmark Status: Special Status: N/A
 Local Law: NO Loft Law: NO
 SRO Restricted: NO TA Restricted: NO
 UB Restricted: NO
 Little 'E' Restricted: HAZMAT/NOISE Grandfathered Sign: NO
 Legal Adult Use: NO City Owned: NO
 Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	5	0	Electrical Applications
Violations-DOB	21	0	Permits In-Process / Issued
Violations-ECB (DOB)	5	0	Illuminated Signs Annual Permits
Jobs/Filings	7		Plumbing Inspections
ARA / LAA Jobs	1		Open Plumbing Jobs / Work Types
Total Jobs	8		Facades
Actions	123		Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

110 WEST 125 STREET
WEST 125 STREET 110 - 110

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057830
Tax Block : 1909
Tax Lot : 39
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

STOP WORK ORDER EXISTS ON THIS PROPERTY

Cross Street(s): LENOX AVENUE, 7 AVENUE
 DOB Special Place Name:
 DOB Building Remarks:
 Landmark Status: Special Status: N/A
 Local Law: NO Loft Law: NO
 SRO Restricted: NO TA Restricted: NO
 UB Restricted: NO
 Little 'E' Restricted: HAZMAT/NOISE/AIR Grandfathered Sign: NO
 Legal Adult Use: NO City Owned: NO
 Additional BINs for Building: [1057829](#)

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	2	0	Electrical Applications
Violations-DOB	3	3	Permits In-Process / Issued
Violations-ECB (DOB)	0	0	Illuminated Signs Annual Permits
This property has 1 open DOB "Work Without A Permit" Violations and may be subject to DOB civil penalties upon application for a permit.			Plumbing Inspections
Jobs/Filings	2		Open Plumbing Jobs / Work Types
ARA / LAA Jobs	0		Facades
Total Jobs	2		Marquee Annual Permits
Total Actions	0		Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

Overview for Complaint #:1238255 = RESOLVED

Complaint at: 110 WEST 125 STREET BIN: 1057830 Borough: MANHATTAN ZIP: 10027
 Re: HAZARDOUS CONDITIONS OBSERVED AT INSPECTION

Category Code: 12 DEMOLITION-UNSAFE/ILLEGAL/MECHANICAL DEMO

DOB District: N/A
 Special District: 125 - 125TH STREET

Assigned To: BEST SQUAD Priority: A

Received: 10/03/2008 12:35 Block: 1909 Lot: 39 Community Board: 110
 Owner: X X

Last Inspection: 10/03/2008 -- BY BADGE # 2425
 Disposition: 10/03/2008 -- A3 - FULL STOP WORK ORDER SERVED
 Job Number:
 Comments: DM PERMIT# 104430581 EXPIRED ON 01/01/07. STOP ALL WORK, RENEW PERMIT
 DOB Violation #: 100308MOST0020MJ

Complaint Disposition History

Disposition Date	Code	Disposition	Inspection By	Date
------------------	------	-------------	---------------	------

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

108 WEST 125 STREET
WEST 125 STREET

108 - 108

MANHATTAN 10027

Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057829

Tax Block : 1909
Tax Lot : 38
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

STOP WORK ORDER EXISTS ON THIS PROPERTY

Cross Street(s): LENOX AVENUE, 7 AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Special Status: N/A

Local Law: NO

Loft Law: NO

SRO Restricted: NO

TA Restricted: NO

UB Restricted: NO

Little 'E' Restricted: HAZMAT/NOISE/AIR

Grandfathered Sign: NO

Legal Adult Use: NO

City Owned: NO

Additional BINs for Building: [1057830](#)

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
Complaints	2	0
Violations-DOB	3	3
Violations-ECB (DOB)	0	0

This property has 1 open DOB "Work Without A Permit" Violations and may be subject to DOB civil penalties upon application for a permit.

Jobs/Filings	1
ARA / LAA Jobs	0
Total Jobs	1
Actions	51

- [Elevator Records](#)
- [Electrical Applications](#)
- [Permits In-Process / Issued](#)
- [Illuminated Signs Annual Permits](#)
- [Plumbing Inspections](#)
- [Open Plumbing Jobs / Work Types](#)
- [Facades](#)
- [Marquee Annual Permits](#)
- [Boiler Records](#)
- [DEP Boiler Information](#)

OR Enter Action Type:

OR Select from List:

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

Overview for Complaint #:1238254 = RESOLVED

Complaint at: 108 WEST 125 STREET BIN: 1057829 Borough: MANHATTAN ZIP: 10027
 Re: HAZARDOUS CONDITIONS OBSERVED @ INSPECTION

Category Code: 12 DEMOLITION-UNSAFE/ILLEGAL/MECHANICAL DEMO

DOB District: N/A
 Special District: 125 - 125TH STREET

Assigned To: BEST SQUAD Priority: A

Received: 10/03/2008 12:33 Block: 1909 Lot: 38 Community Board: 110
 Owner: X X

Last Inspection: 10/03/2008 -- BY BADGE # 2425
 Disposition: 10/03/2008 -- A3 - FULL STOP WORK ORDER SERVED
 Job Number:
 Comments: DM PERMIT # 104430590 EXPIRED 1/1/07. STOP ALL WORK RENEW PERMIT
 DOB Violation #: 100308MOST0010MJ

Complaint Disposition History

Disposition Date	Code	Disposition	Inspection By	Date
------------------	------	-------------	---------------	------

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

289 LENOX AVENUE
LENOX AVENUE 289 - 289

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057827
Tax Block : 1909
Tax Lot : 32
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 124 STREET, WEST 125 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Special Status: N/A

Local Law: NO

Loft Law: NO

SRO Restricted: NO

TA Restricted: NO

UB Restricted: NO

Little 'E' Restricted: HAZMAT/NOISE/AIR

Grandfathered Sign: NO

Legal Adult Use: NO

City Owned: NO

Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
Complaints	1	0
Violations-DOB	2	2
Violations-ECB (DOB)	0	0
Jobs/Filings	2	
ARA / LAA Jobs	0	
Total Jobs	2	
Actions	24	

[Elevator Records](#)

[Electrical Applications](#)

[Permits In-Process / Issued](#)

[Illuminated Signs Annual Permits](#)

[Plumbing Inspections](#)

[Open Plumbing Jobs / Work Types](#)

[Facades](#)

[Marquee Annual Permits](#)

[Boiler Records](#)

[DEP Boiler Information](#)

OR Enter Action Type:

OR Select from List:

Select...

AND [Show Actions](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

287 LENOX AVENUE
LENOX AVENUE 287 - 287

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057826
Tax Block : 1909
Tax Lot : 31
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#) [View Challenge Results](#) [View Certificates of Occupancy](#)

Cross Street(s): WEST 124 STREET, WEST 125 STREET
 DOB Special Place Name:
 DOB Building Remarks:
 Landmark Status: Special Status: N/A
 Local Law: NO Loft Law: NO
 SRO Restricted: NO TA Restricted: NO
 UB Restricted: NO
 Little 'E' Restricted: HAZMAT/NOISE/AIR Grandfathered Sign: NO
 Legal Adult Use: NO City Owned: NO
 Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	0	0	Electrical Applications
Violations-DOB	0	0	Permits In-Process / Issued
Violations-ECB (DOB)	0	0	Illuminated Signs Annual Permits
Jobs/Filings	3		Plumbing Inspections
ARA / LAA Jobs	1		Open Plumbing Jobs / Work Types
Total Jobs	4		Facades
Actions	31		Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

AND [Show Actions](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

285 LENOX AVENUE
LENOX AVENUE 285 - 285

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057825
Tax Block : 1909
Tax Lot : 30
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 124 STREET, WEST 125 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:		Special Status:	N/A
Local Law:	NO	Loft Law:	NO
SRO Restricted:	NO	TA Restricted:	NO
UB Restricted:	NO		
Little 'E' Restricted:	HAZMAT/NOISE/AIR	Grandfathered Sign:	NO
Legal Adult Use:	NO	City Owned:	NO
Additional BINs for Building:	NONE		

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	<u>Elevator Records</u>
Complaints	0	0	<u>Electrical Applications</u>
<u>Violations-DOB</u>	2	2	<u>Permits In-Process / Issued</u>
<u>Violations-ECB (DOB)</u>	1	0	<u>Illuminated Signs Annual Permits</u>
<u>Jobs/Filings</u>	3		<u>Plumbing Inspections</u>
ARA / LAA Jobs	0		<u>Open Plumbing Jobs / Work Types</u>
Total Jobs	3		<u>Facades</u>
Actions	3		<u>Marquee Annual Permits</u>

OR Enter Action Type:

OR Select from List:

Select...

AND

[Boiler Records](#)

[DEP Boiler Information](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

NO BOILER RECORDS FOUND FOR THIS PROPERTY

283 LENOX AVENUE
LENOX AVENUE

283 - 283

MANHATTAN 10027

Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057838

Tax Block : 1909
Tax Lot : 129
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 124 STREET, WEST 125 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Special Status: N/A

Local Law: NO

Loft Law: NO

SRO Restricted: NO

TA Restricted: NO

UB Restricted: NO

Little 'E' Restricted: HAZMAT/NOISE/AIR

Grandfathered Sign: NO

Legal Adult Use: NO

City Owned: NO

Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	2	0	Electrical Applications
Violations-DOB	0	0	Permits In-Process / Issued
Violations-ECB (DOB)	3	0	Illuminated Signs Annual Permits
Jobs/Filings	3		Plumbing Inspections
ARA / LAA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	3		Facades
Actions	5		Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

Select..

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Boiler Details

Premises: 281 LENOX AVENUE MANHATTAN

BIN: 1057824 Block: 1909 Lot: 29

Boiler-No: 33215 Serial-No: 01

Type: MULT DWELL LOW PRESSURE

Boiler Status: ACTIVE

Review Required:

Filed At: 105 WEST 124TH ST

BIN: 1057824 BBL: 1-01909-00029

Located in: BSMT

Make of Boiler: PEERLESS

Year:

Over6: No

No-of-Boilers: 01

Fee: Yes

School: No

DEP Install Number:

DEP Expire Date:

INSP-DATE	REC-DATE	ENTRY DATE	NAME	RESULTS	NYS CERTIFICATE
12/13/2001	12/28/2001	03/07/2002	BUNYAN TIMOTHY	NO VIOLATIONS	4205
12/16/1999	01/10/2000	01/22/2000	BUNYAN TIMOTHY	NO VIOLATIONS	4205
02/06/1997	02/21/1997	04/07/1997	THE HARTFORD STEAM BLR INSP INS	NO VIOLATIONS	5162
02/06/1997			HARTFORD STEAM INS	C.DEPOUNTIS 5162	
10/04/1999			HARTFORD STEAM	INS. CANCELLED	

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

107 WEST 124 STREET
WEST 124 STREET 107 - 107

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110
Buildings on Lot : 1

BIN# 1057823
Tax Block : 1909
Tax Lot : 28
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): LENOX AVENUE, 7 AVENUE
DOB Special Place Name:
DOB Building Remarks:
Landmark Status: Special Status: N/A
Local Law: NO Loft Law: NO
SRO Restricted: NO TA Restricted: NO
UB Restricted: NO
Little 'E' Restricted: HAZMAT/NOISE/AIR Grandfathered Sign: NO
Legal Adult Use: NO City Owned: NO
Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	<u>Elevator Records</u>
<u>Complaints</u>	2	0	<u>Electrical Applications</u>
<u>Violations-DOB</u>	9	0	<u>Permits In-Process / Issued</u>
<u>Violations-ECB (DOB)</u>	4	0	<u>Illuminated Signs Annual Permits</u>
<u>Jobs/Filings</u>	2		<u>Plumbing Inspections</u>
ARA / LAA Jobs	0		<u>Open Plumbing Jobs / Work Types</u>
Total Jobs	2		<u>Facades</u>
<u>Actions</u>	18		<u>Marquee Annual Permits</u>
			<u>Boiler Records</u>
			<u>DEP Boiler Information</u>

OR Enter Action Type:

OR Select from List:

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

109 WEST 124 STREET
WEST 124 STREET 109 - 109

MANHATTAN 10027
Health Area : 1500
Census Tract : 222
Community Board : 110

BIN# 1807186
Tax Block : 1909
Tax Lot : 27
Condo : NO
Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): LENOX AVENUE, 7 AVENUE
 DOB Special Place Name:
 DOB Building Remarks:
 Landmark Status: Special Status: N/A
 Local Law: NO Loft Law: NO
 SRO Restricted: NO TA Restricted: NO
 UB Restricted: NO
 Little 'E' Restricted: HAZMAT/NOISE/AIR Grandfathered Sign: NO
 Legal Adult Use: NO City Owned: NO
 Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	0	0	Electrical Applications
Violations-DOB	1	1	Permits In-Process / Issued
Violations-ECB (DOB)	0	0	Illuminated Signs Annual Permits
Jobs/Filings	0		Plumbing Inspections
ARA / LAA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	0		Facades
Actions	9		Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

Select...

AND [Show Actions](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

111 WEST 124 STREET
WEST 124 STREET

111 - 111

MANHATTAN 10027

Health Area : 1500
Census Tract : 222
Community Board : 110

BIN# 1807187

Tax Block : 1909
Tax Lot : 26
Condo : NO
Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): LENOX AVENUE, 7 AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Special Status: N/A

Local Law: NO

Loft Law: NO

SRO Restricted: NO

TA Restricted: NO

UB Restricted: NO

Little 'E' Restricted: HAZMAT/NOISE/AIR

Grandfathered Sign: NO

Legal Adult Use: NO

City Owned: NO

Additional BINs for Building: NONE

Special District: 125 - 125TH STREET

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: V1-VACANT LAND

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
Complaints	0	0
Violations-DOB	0	0
Violations-ECB (DOB)	0	0
Jobs/Filings	0	
ARA / LAA Jobs	0	
Total Jobs	0	
Actions	12	

OR Enter Action Type:

OR Select from List:

Select...

AND

[Elevator Records](#)

[Electrical Applications](#)

[Permits In-Process / Issued](#)

[Illuminated Signs Annual Permits](#)

[Plumbing Inspections](#)

[Open Plumbing Jobs / Work Types](#)

[Facades](#)

[Marquee Annual Permits](#)

[Boiler Records](#)

[DEP Boiler Information](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

Unless an approval for the same has been obtained from the Borough Superintendent, no change or rearrangement in the structural parts of the building, or affecting the light and ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

The superimposed, uniformly distributed loads, or concentrated loads producing the same stresses in the construction in any story shall not exceed the live loads specified on reverse side; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

This certificate does not in any way relieve the owner or owners or any other person or persons in possession or control of the building, or any part thereof from obtaining such other permits, licenses or approvals as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from obtaining the special certificates required for the use and operation of elevators; nor from the installation of fire alarm systems where required by law; nor from complying with any lawful order for additional fire extinguishing appliances under the discretionary powers of the fire commissioner; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

If this certificate is marked "Temporary", it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to any building under the jurisdiction of the Housing Division unless it is also approved and endorsed by them, and it must be replaced by a full certificate at the date of expiration.

If this certificate is for an existing building, erected prior to March 14, 1916, it has been duly inspected and it has been found to have been occupied or arranged to be occupied prior to March 14, 1916, as noted on the reverse side, and that on information and belief, since that date there has been no alteration or conversion to a use that changed its classification as defined in the Building Code, or that would necessitate compliance with some special requirement or with the State Labor Law or any other law or ordinance; that there are no notices of violations or orders pending in the Department of Housing and Buildings at this time; that Section 646F of the New York City Charter has been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent, and that, so long as the building is not altered, except by permission of the Borough Superintendent, the existing use and occupancy may be continued.

"§ 646 F. No certificate of occupancy shall be issued for any building, structure, enclosure, place or premises wherein containers for combustibles, chemicals, explosives, inflammables and other dangerous substances, articles, compounds or mixtures are stored, or wherein automatic or other fire alarm systems or fire extinguishing equipment are required by law to be or are installed, until the fire commissioner has tested and inspected and has certified his approval in writing of the installation of such containers, systems or equipment to the Borough Superintendent of the borough in which the installation has been made. Such approval shall be recorded on the certificate of occupancy."

Additional copies of this certificate will be furnished to persons having an interest in the building or premises, upon payment of a fee of fifty cents per copy.

DEPARTMENT OF BUILDINGS

BOROUGH OF MANHATTAN, THE CITY OF NEW YORK

Date April 9, 1964 No. 59424

CERTIFICATE OF OCCUPANCY

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

This certificate supersedes C. O. No.

THIS CERTIFIES that the ~~new~~ altered ~~existing~~ building—premises located at
 292 Lenox Avenue Block 1909 Lot part of 93

That the zoning lot and premises above referred to are situated, bounded and described as follows:

BEGINNING at a point on the west side of Lenox Avenue distant 0 feet south from the corner formed by the intersection of Lenox Avenue and 125th Street running thence west 100 feet; thence south 100'-11" feet; thence east 100 feet; thence north 100'-11" feet; running thence _____ feet; thence _____ feet;

to the point or place of beginning, conforms substantially to the approved plans and specifications, and to the requirements of the Building Code, the Zoning Resolution and all other laws and ordinances, and of the rules of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646F of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

Alt. No.—929-1963 Construction classification—Class 3, Non fireproof

Occupancy classification—Old Law Tenant Class "A" Height 4 stories, 45 feet

Date of completion—April 3, 1964 Mult. Dwelling Located in C 4-4 Zoning District

at time of issuance of permit 6297-1963
 This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals:
 and The City Planning Commission: (Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

Off-Street Parking Spaces _____

Off-Street Loading Berths _____

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED	USE
Cellar	On ground		Boiler room and storage.
1st story	100	20	Two (2) stores (Use Group 6).
2nd story, 3rd, & 4th stories			Two (2) apartments on each story. Fire Department Fuel Oil Permit #175069

THIS CERTIFICATE SHALL ALSO BE CONSIDERED A CERTIFICATE OF COMPLIANCE OR OCCUPANCY UNDER SECTION 301 OF THE MULTIPLE DWELLING LAW.

Sec. 6.1.2.3 sub-4 Building Code, C.26-273.9 Adm. Code
 "Prior to the occupancy of any structure erected or altered after January 1, 1933, the entrance to each floor of said structure as stated in the certificate of occupancy, shall be permanently posted under glass and maintained in the main entrance hall of such structures."

Thomas V. ...
 Borough Superintendent

PERMISSIBLE USE AND OCCUPANCY (continued)

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED	USE
FIRST	100	100	OFFICE
SECOND	100	100	OFFICE
THIRD	100	100	OFFICE
FOURTH	100	100	OFFICE
FIFTH	100	100	OFFICE
SIXTH	100	100	OFFICE
SEVENTH	100	100	OFFICE
EIGHTH	100	100	OFFICE
NINTH	100	100	OFFICE
TENTH	100	100	OFFICE
ELEVENTH	100	100	OFFICE
TWELFTH	100	100	OFFICE
THIRTEENTH	100	100	OFFICE
FOURTEENTH	100	100	OFFICE
FIFTEENTH	100	100	OFFICE
SIXTEENTH	100	100	OFFICE
SEVENTEENTH	100	100	OFFICE
EIGHTEENTH	100	100	OFFICE
NINETEENTH	100	100	OFFICE
TWENTIETH	100	100	OFFICE
TWENTY-FIRST	100	100	OFFICE
TWENTY-SECOND	100	100	OFFICE
TWENTY-THIRD	100	100	OFFICE
TWENTY-FOURTH	100	100	OFFICE
TWENTY-FIFTH	100	100	OFFICE
TWENTY-SIXTH	100	100	OFFICE
TWENTY-SEVENTH	100	100	OFFICE
TWENTY-EIGHTH	100	100	OFFICE
TWENTY-NINTH	100	100	OFFICE
THIRTIETH	100	100	OFFICE

Borough Superintendent

OFFICE OF THE BOROUGH SUPERINTENDENT

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

No. 20612
Date January 14, 1949

CERTIFICATE OF OCCUPANCY

(Standard form adopted by the Board of Standards and Appeals and issued pursuant to Section 646 of the New York Charter, and Sections C.26-181.0 to C.26-187.0 inclusive Administrative Code 2.1.3.1. to 2.1.3.7. Building Code.)

This certificate supersedes C. O. No.

To the owner or owners of the building or premises:

THIS CERTIFIES that the ~~new~~-altered-~~existing~~-building-premises located at
289 Lenox Avenue

Block 1909 Lot 32

conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646 of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

~~N.B.~~ Alt. No.— 1503-1948

Construction classification— Class 3 Nonfireproof

Occupancy classification— Commercial . Height 1 stories, 13 feet.

Date of completion— December 28, 1948 . Located in Business Use District.

B Area 1 1/2 Height Zone at time of issuance of permit 2272-1948; 2252-1948

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals: (Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar	on ground				Storage
1st story	100			15	Stores

Arthur J. ...
Borough Superintendent

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

Unless an approval for the same has been obtained from the Borough Superintendent, no change or rearrangement in the structural parts of the building, or affecting the light and ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

The superimposed, uniformly distributed loads, or concentrated loads producing the same stresses in the construction in any story shall not exceed the live loads specified on reverse side; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

This certificate does not in any way relieve the owner or owners or any other person or persons in possession or control of the building, or any part thereof from obtaining such other permits, licenses or approvals as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from obtaining the special certificates required for the use and operation of elevators; nor from the installation of fire alarm systems where required by law; nor from complying with any lawful order for additional fire extinguishing appliances under the discretionary powers of the fire commissioner; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

If this certificate is marked "Temporary", it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to any building under the jurisdiction of the Housing Division unless it is also approved and endorsed by them, and it must be replaced by a full certificate at the date of expiration.

If this certificate is for an existing building, erected prior to March 14, 1916, it has been duly inspected and it has been found to have been occupied or arranged to be occupied prior to March 14, 1916, as noted on the reverse side, and that on information and belief, since that date there has been no alteration or conversion to a use that changed its classification as defined in the Building Code, or that would necessitate compliance with some special requirement or with the State Labor Law or any other law or ordinance; that there are no notices of violations or orders pending in the Department of Housing and Buildings at this time; that Section 646F of the New York City Charter has been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent, and that, so long as the building is not altered, except by permission of the Borough Superintendent the existing use and occupancy may be continued.

"§ 646 F. No certificate of occupancy shall be issued for any building, structure, enclosure, place or premises wherein containers for combustibles, chemicals, explosives, inflammables and other dangerous substances, articles, compounds or mixtures are stored, or wherein automatic or other fire alarm systems or fire extinguishing equipment are required by law to be or are installed, until the fire commissioner has tested and inspected and has certified his approval in writing of the installation of such containers, systems or equipment to the Borough Superintendent of the borough in which the installation has been made. Such approval shall be recorded on the certificate of occupancy."

Additional copies of this certificate will be furnished to persons having an interest in the building or premises, upon payment of a fee of fifty cents per copy.

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

EVC **CERTIFICATE OF OCCUPANCY No. 12415 1927**

Supersedes Certificate of Occupancy No.

To the owner or owners of the building:

New York April 13, 1927.

THIS CERTIFIES that the building located on Block 1909 , Lot 28

known as 107 West 124th Street

under a permit, Application No. 252 Alt of 124 , conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of **non-fireproof** construction within the meaning of the building code and may be used and occupied as a **business** building as hereinafter qualified, in a **business** district under the building zone resolution, subject to all the privileges, requirements, limitations, and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar					Laundry
1st Story	120	14	14	28	Laundry
2nd to 5th Story	120 on each	14	14	28 on each	Factory

This certificate is issued to **Paul Edelstein, representative**
107 West 124th Street, City. , for the owner or owners.

The superimposed, uniformly distributed loads, or their equivalent concentrated loads in any story shall not exceed the live loads specified above; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

Unless specifically stated above, the building or any part thereof, if certified as a public building, shall not be used as a building in which persons are harbored to receive medical, charitable or other care or treatment, such as a hospital, asylum, etc., or in which persons are held or detained under legal restraint, such as a police station, jail, etc.; nor shall it be used as a motion picture theatre as defined in section 30, chapter 3, Code of Ordinances; nor as a theatre or opera house or other building intended to be used for theatrical or operatic purposes, or for public entertainment of any kind, for the accommodation of more than 300 persons.

Unless specifically stated above, the building or any part thereof, if certified as a residence building, shall not be used as a tenement house as defined in the tenement house law; nor shall it be used as any form of residence building having more than 15 sleeping rooms; nor shall it be used as a lodging house within the meaning of Sec. 1365 of the Greater New York Charter.

Unless specifically stated above, the building or any part thereof, if certified as a business building, shall not be used as a garage, motor vehicle repair shop or oil selling station as defined in section 1, chapter 10, Code of Ordinances; nor shall it be used for the generation or compression of acetylene; nor as a factory building as defined in the labor law; nor as a grain elevator; nor as a coal pocket; but, if approved as a factory building for less than twenty-five persons, it shall not be used for any other purpose.

Except as otherwise noted above, the building, or any part thereof, if located elsewhere than in an unrestricted district, shall not be used for any of the purposes enumerated in paragraph (a) of section 4 of the building zone resolution; nor for any trade, industry or use that is noxious or offensive by reason of the emission of odor, dust, smoke, gas or noise; nor for any kind of manufacturing not already prohibited, except that, if located in a business district, not more than twenty-five per cent. of the total floor space may be so used, or space equal to the area of the lot in any case.

Except as otherwise noted above, the building, if certified as a garage, may not be used for more than five cars on any portion of a street between two intersecting streets, in which portion there exists an exit from or an entrance to a public school, or in which portion there exists any hospital maintained as a charitable institution; and in no case within a distance of 200 feet from the nearest exit from or entrance to a public school; nor within two hundred feet of any hospital maintained as a charitable institution.

If the building has, at any time previous to the issuance of this certificate, been the subject of an appeal to the board of appeals or of a petition to the board of standards and appeals resulting in modification or variation of law or any lawful requirement, the construction and arrangement of the building as specified in the resolution granting such modification or variation, must be maintained, and all conditions imposed by either board must be observed.

No change or re-arrangement in the structural parts of the building, or affecting the lighting or ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located, until an approval of the same has been obtained from the superintendent of buildings.

This certificate supersedes each and every previously issued certificate of occupancy for this building or any part thereof, and each and every such previously issued certificate shall be null and void; and this certificate in turn becomes null and void upon the issuance of any new lawful certificate.

This certificate does not in any way relieve the owner or owners, or any other person or persons in possession or control of the building, or any part thereof, from obtaining such other permits or licenses as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

This certificate does not authorize the use or operation of any elevator in the building without the special certificate required by section 563 of the building code.

If the building is or is required to be equipped with standpipes or other fire extinguishing or gas shut off appliances, this certificate is not complete until such standpipes or other appliances have been inspected by the fire department (or by the Tenement House Department, in the case of a gas shut off in a tenement house) and approved in writing, either in a separate certificate or by endorsement upon this certificate. (Space for such endorsement is provided on page 4 of this certificate.)

If this certificate is marked "Temporary," it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to a tenement house unless also approved by the tenement house commissioner; and it must be replaced by a full certificate as soon as the entire building is completed according to law and ready for occupancy.

The word "class" as used in this certificate refers to the classification of buildings in the building code (section 70).

This certificate is issued in accordance with the provisions of section 411-a of the Greater New York Charter and of section 5 of chapter 5 (Building Code) of the Code of Ordinances of the City of New York.

Examined. *CS*

Charles Peabody
Superintendent of Buildings, Borough of Manhattan.

Additional copies of this certificate will be loaned, upon written request, to persons having a proprietary interest in the building. *mt*

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

CERTIFICATE OF OCCUPANCY No. 17154 **19** **30**

HVC

Supersedes Certificate of Occupancy No. **12415**

To the owner or owners of the building: New York **Dec. 22** **19** **30**

THIS CERTIFIES that the building located on Block **1909** Lot **28**

known as **107 West 124th Street**

under a permit, Application No. **25** **Front** **252** **Alt. of** **19** **24** conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of **nonfireproof** construction within the meaning of the building code and may be used and occupied as a **business** building as hereinafter qualified, in a **business** district under the building zone resolution, subject to all the privileges, requirements, limitations and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar				1	Storage and Boiler room
1st Story	120			1	Garage for 5 autos
2nd to 5th Story	120 on each			1 on each	Storage

CREATED BY THE CHARTER NEW YORK CHARTER, FROM 1898 TO 1901, SECTION 4
A certificate of occupancy is issued to the owner or owners of a building when the building is found to conform to the provisions of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

This certificate is issued to **Samuel Lamkin, representative**
235 East 76th Street, City. for the owner or owners.

The superimposed, uniformly distributed loads, or their equivalent concentrated loads in any story shall not exceed the live loads specified above; the number of persons of either sex in any story shall not exceed that specified when sex is indicated; no shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

Unless specifically stated above, the building or any part thereof, if certified as a public building, shall not be used as a building in which persons are harbored to receive medical, charitable or other care or treatment, such as a hospital, asylum, etc., or in which persons are held or detained under legal restraint, such as a police station, jail, etc. nor shall it be used as a motion picture theatre as defined in section 30, chapter 3, Code of Ordinances; nor as a theatre or opera house or other building intended to be used for theatrical or operatic purposes, or for public entertainment of any kind, for the accommodation of more than 300 persons.

Unless specifically stated above, the building or any part thereof, if certified as a residence building, shall not be used as a tenement house as defined in the tenement house law; nor shall it be used as any form of residence building having more than 15 sleeping rooms; nor shall it be used as a lodging house within the meaning of Sec. 1305 of the Greater New York Charter.

Unless specifically stated above, the building or any part thereof, if certified as a business building, shall not be used as a garage, motor vehicle repair shop or oil selling station as defined in section 1, chapter 10, Code of Ordinances; nor shall it be used for the generation or compression of acetylene; nor as a factory building as defined in the labor law; nor as a grain elevator; nor as a coal pocket.

Except as otherwise noted above, the building, or any part thereof, if located elsewhere than in an unrestricted district, shall not be used for any of the purposes enumerated in paragraph (a) of section 4 of the building zone resolution; nor for any trade, industry or use that is noxious or offensive by reason of the emission of odor, dust, smoke, gas or noise; nor for any kind of manufacturing not already prohibited, except that, if located in a business district, not more than twenty-five per cent. of the total floor space may be so used, or space equal to the area of the lot in any case.

Except as otherwise noted above, the building, if certified as a garage, may not be used for more than five cars on any portion of a street between two intersecting streets, in which portion there exists an exit from or an entrance to a public school, or in which portion there exists any hospital maintained as a charitable institution; and in no case within a distance of 200 feet from the nearest exit from or entrance to a public school; nor within two hundred feet of any hospital maintained as a charitable institution.

If the building has, at any time previous to the issuance of this certificate, been the subject of an appeal to the board of appeals or of a petition to the board of standards and appeals resulting in modification or variation of law or any lawful requirement, the construction and arrangement of the building as specified in the resolution granting such modification or variation, must be maintained, and all conditions imposed by either board must be observed.

No change or re-arrangement in the structural parts of the building, or affecting the lighting or ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located, until an approval of the same has been obtained from the superintendent of buildings.

This certificate supersedes each and every previously issued certificate of occupancy for this building or any part thereof, and each and every such previously issued certificate shall be null and void; and this certificate in turn becomes null and void upon the issuance of any new lawful certificate.

This certificate does not in any way relieve the owner or owners, or any other person or persons in possession or control of the building, or any part thereof, from obtaining such other permits or licenses as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

This certificate does not authorize the use or operation of any elevator in the building without the special certificate required by section 533 of the building code.

If the building is or is required to be equipped with standpipes or other fire extinguishing or gas shut off appliances, this certificate is not complete until such standpipes or other appliances have been inspected by the fire department (or by the Tenement House Department, in the case of a gas shut off in a tenement house) and approved in writing, either in a separate certificate or by endorsement upon this certificate. (Space for such endorsement is provided on page 4 of this certificate.)

If this certificate is marked "Temporary," it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to a tenement house unless also approved by the tenement house commissioner; and it must be replaced by a full certificate as soon as the entire building is completed according to law and ready for occupancy.

The word "class" as used in this certificate refers to the classification of buildings in the building code (section 70).

This certificate is issued in accordance with the provisions of section 411-a of the Greater New York Charter and of section 5 of chapter 5 (Building Code) of the Code of Ordinances of the City of New York.

Examined. *g*


[Signature]
Superintendent of Buildings, Borough of Manhattan.

Additional copies of this certificate will be issued, upon written request, to persons having a proprietary interest in the building.

APPENDIX G

ZONING RESOLUTION Web Version

THE CITY OF NEW YORK



THE CITY OF NEW YORK
Michael R. Bloomberg, Mayor

CITY PLANNING COMMISSION
Amanda M. Burden, Director

Article IX: Special Purpose Districts Chapter 7: Special 125th Street District

Effective date of most recently amended section of Article IX Chapter 7: 07/29/09

Date of file creation: Web version of Article IX Chapter 7: 01/04/10

CITY PLANNING COMMISSION
nyc.gov/planning

DEPARTMENT OF CITY PLANNING
©Copyright 2010 NYC Department of City Planning

4/30/08

Article IX - Special Purpose Districts

Chapter 7

Special 125th Street District

4/30/08

97-00

GENERAL PURPOSES

The "Special 125th Street District" established in this Resolution is designed to promote and protect the public health, safety, general welfare and amenity. The general goals include, among others, the following specific purposes:

- (a) to preserve, protect and promote the special character of 125th Street as Harlem's "Main Street" and the role of 125th Street as Upper Manhattan's premier mixed use corridor;
- (b) to guide development on the 125th Street corridor;
- (c) to expand the retail and commercial character of 125th Street;
- (d) to provide incentives for the creation of visual and performing arts space and enhance the area's role as a major arts, entertainment and cultural destination in the City;
- (e) to support mixed use development throughout the 125th Street corridor, including residential uses, and to provide incentives for the production of affordable housing;
- (f) to ensure that the form of new buildings is compatible and relates to the built character of the 125th Street corridor;
- (g) to enhance the pedestrian environment through appropriate ground floor uses and regulations;

- (h) to promote the most desirable use of land and thus conserve and enhance the value of land and buildings, and thereby protect the City's revenue.

4/30/08

97-01
Definitions

Special 125th Street District

The "Special 125th Street District" is a Special Purpose District designated by the number "125" in which special regulations set forth in Article IX, Chapter 7, apply. The #Special 125th Street District# appears on the #zoning maps# superimposed on other districts and its regulations supersede, supplement and modify those of the districts upon which it is superimposed.

4/30/08

97-02
General Provisions

In harmony with the general purposes of the #Special 125th Street District# and in accordance with the provisions of this Chapter, the express requirements of the Special District shall apply to all #developments#, #enlargements#, alterations and changes of #use# within the Special District. The regulations of the Special District shall supersede, supplement or modify the requirements of the underlying zoning districts on which the Special District is superimposed, except as described in Section 97-05 (Applicability of Special Transit Land Use District Regulations).

Except as modified by the particular provisions of the Special District, the regulations of the underlying zoning districts shall remain in effect. In the event of a conflict between the provisions of this Chapter and other regulations of this Resolution, the provisions of this Chapter shall control.

4/30/08

97-03

District Plan and Maps

The regulations of this Chapter are designed to implement the #Special 125th Street District# Plan. The District Plan, including the map of the #Special 125th Street District#, is set forth in Appendix A of this Chapter and is hereby incorporated as part of this Resolution for the purpose of specifying locations where the special regulations and requirements set forth in this Chapter apply.

4/30/08

97-04

Establishment of Core Subdistrict

In order to carry out the purposes and provisions of this Chapter, the Core Subdistrict is established within the #Special 125th Street District# and includes specific regulations designed to support an arts and entertainment environment along 125th Street. The boundaries of the Core Subdistrict are shown on the map of the #Special 125th Street District# in Appendix A of this Chapter.

4/30/08

97-05

Establishment of Bonused Space Local Arts Advisory Council

A Bonused Space Local Arts Advisory Council shall be created for the purpose of reviewing and making recommendations concerning the Community Engagement Plans of proposed operators of visual or performing arts #uses# pursuant to paragraph (c)(7) of Section 97-423 (Certification for floor area bonus for visual or performing arts uses). The Bonused Space Local Arts Advisory Council shall consist of 11 members: two (2) members appointed by the Commissioner of the Department of

Cultural Affairs, one of whom shall be designated by such Commissioner to serve as Chair, and three (3) members appointed by each of the Council Members for the Councilmanic Districts in which the Special District is located, who will rotate depending upon where the proposed visual or performing arts #use# is located, pursuant to Sections 97-422 and 97-423. Members of the Bonused Space Local Arts Advisory Council shall be members of the Harlem performing or visual arts, non-profit, or business communities and shall serve at the pleasure of the appointing official. The Department of Cultural Affairs shall provide staff assistance to the Bonused Space Local Arts Advisory Council and shall establish guidelines and procedures for the performance of its functions.

In making a recommendation concerning a Community Engagement Plan pursuant to paragraph (c)(7) of Section 97-423, the Bonused Space Local Arts Advisory Council shall consider the prior history and/or proposed scope of outreach and educational activities in Community Boards 9, 10 or 11 by the proposed operator; and the organizational capacity and commitment of the proposed operator to implement local partnerships under the Community Engagement Plan. The Department of Cultural Affairs shall not submit a letter to the Chairperson of the City Planning Commission pursuant to paragraph (c)(7) of Section 97-423 without having first received and considered the written recommendation of the Bonused Space Local Arts Advisory Council, provided that the Bonused Space Local Arts Advisory Council shall have provided the Department of Cultural Affairs with such written recommendation no later than 45 days following receipt of a request for review from the Department of Cultural Affairs.

4/30/08

97-06

Applicability of Special Transit Land Use District Regulations

Wherever the #Special 125th Street District# includes an area which also lies within the #Special Transit Land Use District#, the requirements of the #Special Transit Land Use District#, as set forth in Article IX, Chapter 5, shall

apply, subject to the modifications described in paragraphs (e) and (f) of Section 97-433 (Street wall location).

The #Special Transit Land Use District# includes the area within the #Special 125th Street District# bounded by a line 50 feet west of Second Avenue from 124th Street midway to 125th Street where such area widens to a line 100 feet west of Second Avenue.

4/30/08

97-10

SPECIAL USE AND LOCATION REGULATIONS

4/30/08

97-11

Special Arts and Entertainment Uses

In order to sustain the arts and entertainment character of the 125th Street corridor, the provisions of this Section shall apply.

- (a) The following #uses# shall be designated as entertainment #uses#:

Auditoriums

Bookstores

Clubs, including music, dance or comedy clubs

Eating or drinking establishments, with table service only

Music stores

Studios, art, music, dancing or theatrical

Studios, radio, television or motion picture.

- (b) The following #uses# shall be designated as visual or performing arts #uses#:

Art galleries
Historical exhibits
Literary arts spaces
Museums
Performance spaces
Primary rehearsal spaces
Theaters
Visual/Media arts spaces.

4/30/08

97-12

Arts and Entertainment Use Requirement

Within the Core Subdistrict, as shown on the map in Appendix A of this Chapter, or for that portion of a #zoning lot# located within the Core Subdistrict, for new #developments# or #enlargements# that contain at least 60,000 square feet of #floor area# and are located on #zoning lots# with frontage on 125th Street, an amount of space equivalent to a minimum of five percent of the #floor area# of the #development# or #enlargement# shall be occupied by one or more of the #uses# designated in Section 97-11 (Special Arts and Entertainment Uses).

4/30/08

97-20

LOCATION AND ACCESS REGULATIONS

Within the #Special 125th Street District#, for any #zoning lot# that fronts upon 125th Street, the #use# regulations of the underlying districts shall be modified by the locational and access requirements of this Section, inclusive. On #through lots# or #corner lots# with frontage

along 125th Street, such requirements shall apply within the first 100 feet of the 125th Street #street line#.

4/30/08

97-21

Location and Access of Arts and Entertainment Uses

Any arts and entertainment #uses# listed in Section 97-11 that are provided in order to comply with the requirements of Section 97-12 (Arts and Entertainment Use Requirement) or Section 97-422 (Floor area bonus for visual or performing arts uses) shall be subject to the following location and access requirements:

The designated #uses# listed in Section 97-11 may be located anywhere throughout a #building# that fronts on 125th Street, subject to the following conditions:

- (a) any such designated #uses# within the Core Subdistrict required pursuant to Section 97-12 shall be accessed from 125th Street; and
- (b) any #residential use# shall be located on a floor wholly above any non-#residential use#; or
- (c) any non-#residential use# may be permitted on the same #story# as a #residential use#, provided that:
 - (1) no access exists between non-#residential uses# and #residential uses# at any level; and
 - (2) non-#residential uses# are not located directly over any #residential uses#.

Such non-#residential use#, however, may be located over a #residential use# by authorization of the City Planning Commission upon a finding that sufficient separation of #residential uses# from non-#residential uses# exists within the #building#.

4/30/08

97-22

Uses Not Permitted on the Ground Floor of Buildings

Within the #Special 125th Street District#, the following #uses# are not permitted at the ground floor level of #developments# and #enlargements# that front upon 125th Street, within 100 feet from 125th Street, or within five feet of the as-built level of the adjoining sidewalk. Entranceways and lobby space for access to such #uses# shall be permitted at the ground floor level, pursuant to the provisions of Section 97-221 (Access to non-ground floor uses).

From Use Group 2:

All #uses#.

From Use Groups 3A and 3B:

All #uses#, except for libraries, museums or non-commercial art galleries.

From Use Groups 4A and 4B:

All #uses#, except for houses of worship or playgrounds.

From Use Group 5A:

All #uses#.

From Use Groups 6A, 6B, 6C and 6E:

Banks (except for automated teller machines, provided the length of #street# frontage allocated for automated teller machines shall be no more than 25 feet or 40 percent of the frontage of the #zoning lot#, whichever is less, measured to a depth of 30 feet from 125th Street, except that such frontage need not be less than 20 feet), electrolysis studios, frozen food lockers, laundry establishments, loan offices, offices or veterinary medicine offices.

From Use Group 6D:

All #uses#.

From Use Group 7:

All #uses#, except for bicycle rental or repair shops.

From Use Groups 8A and 8B:

Automobile driving schools, ice vending machines, lumber stores or pawn shops.

From Use Groups 8C, 8D and 8E:

All #uses#.

From Use Groups 9A, 9B and 9C:

All #uses#, except for gymnasiums, public auction rooms, photographic developing or printing establishments for the consumer, or art, music, dancing or theatrical studios.

From Use Groups 10A, 10B and 10C:

Depositories for storage, and wholesale offices or showrooms.

Use Group 11:

All #uses#.

Use Groups 12A and 12B:

Trade expositions.

Use Groups 12C and 12D:

All #uses#.

Use Group 14A and 14B:

All #uses#, except for bicycle sales, rental or repair shops.

Within the Special District, for #developments# and #enlargements# that are no more than one #story#, a #use# permitted by the regulations of the underlying district shall be allowed.

4/30/08

97-221

Access to non-ground floor uses

Within the Special District, for non-ground floor #uses# listed in Section 97-22 with access from 125th Street, the following requirements shall apply:

- (a) Within the Core Subdistrict the #residential# portion of a #building# may be accessed from an entrance on 125th Street only if such #building# does not front upon a #street# other than 125th Street.
- (b) The length of the ground floor #street# frontage on 125th Street allocated to an entranceway or lobby space shall be no more than 25 linear feet or 40 percent of such #street# frontage, whichever is less, except that an entranceway or lobby space need not be less than 20 feet.
- (c) For a #development# or #enlargement# with more than one entranceway or lobby on 125th Street for non-ground floor #uses#, each entranceway or lobby for #uses# listed in Section 97-22 shall be no more than 25 linear feet and, in the aggregate, shall not exceed 40 percent of such ground floor frontage.
- (d) For #developments# or #enlargements# with at least 200 linear feet fronting on 125th Street, the length of #street# frontage on 125th Street allocated to entranceways or lobby space for such #uses# shall be no more than 40 linear feet.

4/30/08

97-23

Transparency Requirements

For all #uses#, other than houses of worship, libraries and primary rehearsal spaces, located on the ground floor of #developments# and #enlargements# that front upon that portion of 125th Street located within the #Special 125th Street District#, the ground floor #street wall# shall be

glazed with materials which may include show windows, glazed transoms or glazed portions of doors. Such glazed area shall occupy at least 70 percent of the area of each such ground floor #street wall#, measured to a height of 12 feet above the level of the adjoining sidewalk or public access area. Not less than 50 percent of such area shall be glazed with transparent materials and up to 20 percent of such area may be glazed with translucent materials.

4/30/08

97-24

Security Gates

Within the #Special 125th Street District#, all security gates installed after April 30, 2008, that are swung, drawn or lowered to secure commercial or community facility premises shall, when closed, permit visibility of at least 75 percent of the area covered by such gate when viewed from the #street#, except that this provision shall not apply to entrances or exits to parking garages.

4/30/08

97-30

SPECIAL SIGN REGULATIONS

#Signs# for all #uses# within the #Special 125th Street District# shall be subject to the applicable #sign# requirements in Section 32-60, inclusive, subject to the modifications of Sections 97-31 through 97-34, inclusive.

#Marquee signs# for an arts #use# may be combined, subject to the requirements of Section 32-641 (Total surface area of signs).

In the event of a conflict between the provisions of this Section, 97-30, inclusive, and other regulations of the Administrative Code, the provisions of this Chapter shall apply.

4/30/08

**97-31
Definitions**

Marquee

A "marquee" is a permanent structure or canopy located above the primary entrance to an arts #use# fronting on 125th Street, that projects over the sidewalk and is attached to, and entirely supported from, the #street wall# of the #building#. The location and dimensions of the #marquee# shall be determined by the requirements of Sections 97-32.

All marquees shall comply with the construction and maintenance requirements of Title 27, Subchapter 4, Article 9, of the New York City Building Code pertaining to projecting signs, or its successor.

Marquee sign

A "marquee sign" is a #sign#, other than an #advertising sign#, mounted on a #marquee# that identifies the arts #use# and provides informational displays about such #use#.

4/30/08

**97-32
Location, Height and Width of Marquees and Marquee Signs**

For the purposes of this Chapter, #marquees# shall be permitted only above the primary entrance to one of the following #uses# fronting upon 125th Street:

Museums

Performance spaces

Theaters.

Marquees shall project over the sidewalk no more than 15 feet from the #lot line# and shall be no nearer to the curb than two feet.

(a) Height of #marquees#

The minimum height of a #marquee# or a #marquee sign# shall be three feet; the maximum height for such structure and #sign# shall be five feet. No part of a #marquee# or a #marquee sign# shall be located at a height higher than three feet below any floor containing a #residential use#.

(b) Width of #marquees#

The width of a #marquee# or a #marquee sign# shall be no greater than 50 percent of the width of the #building# frontage to which it is attached or 40 feet, whichever is less.

4/30/08

97-33

Vertical Distance above Sidewalk of Marquees and Marquee Signs

The minimum vertical distance from the sidewalk for a #marquee# shall be 12 feet; the maximum vertical distance above the sidewalk for such #marquee# shall be 20 feet.

Notwithstanding the provisions of paragraph (b) of Section 32-653 (Additional regulations for projecting signs), additional #signs# may be displayed on a #marquee#, provided such #sign# is no more than two feet above the #marquee#.

No #marquee# or #marquee sign# shall be located at a height higher than three feet below any floor containing a #residential use#.

4/30/08

97-34

Accessory Signs for Visual or Performing Arts Uses

Notwithstanding the regulations of paragraph (b) of Section 32-653 (Additional regulations for projecting signs) and

the relevant provisions of the Administrative Code, only the following visual or performing arts #uses# fronting on 125th Street within the #Special 125th Street District# shall be permitted to erect a #marquee sign# on or above a #marquee#:

Museums

Performance spaces

Theaters.

Flashing #signs# shall not be permitted as #accessory signs# for arts #uses#.

4/30/08

97-40

SPECIAL BULK REGULATIONS

Within the #Special 125th Street District#, all #residential developments# or #enlargements# shall comply with the requirements of Article II, Chapter 8 (Quality Housing) and the applicable #bulk# regulations of the underlying districts, except as modified in this Section, inclusive.

4/30/08

97-41

Floor Area Regulations

The maximum #floor area ratio#, #open space ratio# and #lot coverage# requirements of the applicable underlying district shall apply within the #Special 125th Street District#, unless modified by the following regulations.

11/19/08

97-411

Maximum floor area ratio in C4-4D, C4-7 and C6-3 Districts

In C4-4D, C4-7 or C6-3 Districts, the maximum permitted floor area ratios for new developments or enlargements shall be as listed in the following table for residential, commercial and community facility uses, and may only be increased pursuant to Section 97-42 (Floor Area Bonuses).

MAXIMUM PERMITTED FLOOR AREA RATIO (FAR)
FOR RESIDENTIAL, COMMERCIAL AND COMMUNITY FACILITY USES

District	Outside the Core Subdistrict			Within the Core Subdistrict		
	#Residential Floor Area Ratio#	Commercial #Floor Area Ratio#	Community Facility #Floor Area Ratio#	#Residential Floor Area Ratio#	Commercial #Floor Area Ratio#	Community Facility #Floor Area Ratio#
C4-4D	5.4	4.0	6.0	5.4	4.0	6.0
C4-7	9.0	10.0	10.0	5.4	7.2	7.2
C6-3	6.0	6.0	6.0	5.4	6.0	6.0

7/29/09

97-42

Floor Area Bonuses

The maximum #floor area ratio# for a #development# or #enlargement# within the #Special 125th Street District# may be increased by a floor area bonus, pursuant to Sections 23-90 (INCLUSIONARY HOUSING), inclusive, or 97-422 (Floor area bonus for visual or performing arts uses), which may be used concurrently.

4/30/08

97-421

Inclusionary Housing

Within the #Special 125th Street District#, C4-4D, C4-7 and C6-3 Districts shall be #Inclusionary Housing designated areas#, pursuant to Section 12-10 (DEFINITIONS), for the purpose of making the Inclusionary Housing Program regulations of Section 23-90 (INCLUSIONARY HOUSING), inclusive, and this Section, applicable within the Special District. Within such #Inclusionary Housing designated areas#, the #residential floor area ratio# may be increased

by an Inclusionary Housing bonus, pursuant to the provisions of Sections 23-90, inclusive.

11/19/08

97-422

Floor area bonus for visual or performing arts uses

In C4-4D, C4-7 or C6-3 Districts within the #Special 125th Street District#, for a new #development# or #enlargement# with frontage on 125th Street, the maximum #floor area ratio# otherwise permitted for #residential# or #commercial uses# listed in Section 97-411 may be increased up to the maximum #floor area ratio# specified in the following table, provided that for every four square feet of bonused #floor area#, an amount of space equivalent to one square foot of such bonused #floor area# shall be used for those visual or performing arts #uses# designated in paragraph (b) of Section 97-11 (Special Arts and Entertainment Uses). Such bonused #floor area# shall be permitted only upon certification by the Chairperson of the City Planning Commission to the Commissioner of Buildings that the conditions set forth in Section 97-423 have been met.

MAXIMUM PERMITTED FLOOR AREA RATIO (FAR)
FOR RESIDENTIAL AND COMMERCIAL USES WITH
FLOOR AREA BONUS FOR VISUAL OR PERFORMING ARTS USES

	Outside the Core District				Within the Core Subdistrict			
	#Residential Floor Area Ratio#		Commercial #Floor Area Ratio#		#Residential Floor Area Ratio#		Commercial #Floor Area Ratio#	
	Base	Maximum	Base	Maximum	Base	Maximum	Base	Maximum
C4-4D	5.4	7.2	4.0	5.4	5.4	7.2	4.0	5.40
C4-7	9.0	12.0	10.0	12.0	5.4	7.2	7.2	8.65
C6-3	6.0	8.0	6.0	8.0	5.4	7.2	6.0	8.00

4/30/08

97-423

Certification for floor area bonus for visual or performing arts uses

The #floor area# bonus provisions of Section 97-422 shall apply only upon certification by the Chairperson of the City Planning Commission to the Commissioner of Buildings that the following conditions have been met:

- (a) Drawings have been provided that clearly designate all #floor area# that will result from the permitted increase in #floor area ratio# pursuant to Section 97-422, including the location of such #floor area#.
- (b) Drawings also have been provided that clearly designate all #floor area# and/or below grade floor space for any new visual or performing arts #uses# for which a bonus is to be received pursuant to Section 97-422.

Such drawings shall be of sufficient detail to show that such designated space shall be designed, arranged and used for the new visual arts or performing arts #uses#, and shall also show that:

- (1) all such visual or performing arts #uses# are located at or above the ground floor level of the #building#, except that performance space meeting the requirements of paragraph (b)(4) may be located below grade, and #accessory uses# may be located below grade, subject to the requirements of paragraph (b)(5);
- (2) all bonused #floor area# or below grade space occupied by visual or performing arts #uses# is primarily accessed from 125th Street;
- (3) in the case of primary rehearsal space, where such space does not consist of #accessory uses# subject to the requirements of paragraph (b)(4) of this Section, such space:
 - (i) can be adapted for rehearsals or performances open to the public;
 - (ii) is located on the first #story# of the #development# or on any higher #story# with

a ceiling height not greater than 60 feet above grade;

(iii) has a #streetwall# with at least 50 feet of frontage along 125th Street, and has a minimum area of 2,000 square feet, with a floor-to-ceiling height of not less than nine feet six inches; and

(iv) complies with the following glazing requirements: At least 70 percent of the total surface area of the #streetwall# abutting the primary rehearsal space, measured from finished floor to ceiling shall be glazed. Furthermore, at least 90 percent of such area shall be transparent from within one foot of the finished floor level to at least eight feet above such level. For primary rehearsal spaces located at the corner of 125th Street and an intersecting #street#, the glazing requirements of this Section shall be applied separately for each #streetwall#, and up to 100 feet along such intersecting #street#;

(4) for performance space which is exclusively designed and arranged for the presentation of live drama, music, dance and interactive or multidisciplinary performances open to the public, such space may be below grade provided it has a minimum area of 2,000 square feet of column-free space with a floor-to-ceiling height of not less than 16 feet;

(5) #Accessory# space

(i) For primary rehearsal spaces, no more than 25 percent of the bonused #floor area# or below grade floor space shall be occupied by #uses accessory# to such primary rehearsal spaces. #Accessory uses# shall include but are not limited to educational and classroom space, administrative offices, circulation space, restrooms and equipment space;

(ii) For visual or performing arts #uses# other than a primary rehearsal space, no more than 40 percent of such bonused #floor area# or below grade floor space shall be occupied by #uses accessory# to such visual or performing arts #uses#, provided no single #accessory use# occupies more than 25 percent of the total bonused #floor area# or below grade floor space. #Accessory uses# shall include but are not limited to educational and classroom space, non-primary rehearsal space, administrative offices, lobbies, circulation space, ticket offices, restrooms, dressing rooms, other backstage areas and equipment space; and

(6) Signage

(i) signage that identifies the visual or performing arts facility shall be provided at the 125th Street entrance of the visual or performing arts facility, subject to the requirements of Section 97-30, inclusive; and

(ii) for below grade performance space subject to the requirements of paragraph (b)(4) of this Section, such #sign#, not including any frame or surrounding element, shall be utilized for the additional purpose of informing the public regarding the program of scheduled performances in such facility, and shall be no less than two feet in width and four feet in height, and shall be installed a minimum of two feet, six inches above grade;

(c) A letter from the Department of Cultural Affairs has been submitted to the Chairperson of the City Planning Commission, certifying that:

(1) a signed lease has been provided from the prospective operator of the visual or performing arts space, or a written commitment from the owner of such space in a form acceptable to the City, if such owner is also the operator, for occupancy of such space, and its operation as a

visual or performing arts space for a period of not less than fifteen years, with two five-year renewal options, pursuant to an operating plan and program therefor;

- (2) the proposed operator of the visual or performing arts space is a non-profit organization;
- (3) the proposed operator of the visual or performing arts space has the fiscal and managerial capacity to successfully operate such space;
- (4) the proposed operator of the visual or performing arts space will have a program of regularly scheduled presentations or performances that are open to the public, provided that, in the case of a visual or performing arts space that is a primary rehearsal space, a program of regularly scheduled rehearsals or performances open to the public shall be required only where the proposed operator is the principal user of the primary rehearsal space. In the event that the proposed operator is not the principal user of the primary rehearsal space and such space is made available to multiple organizations or individuals on an hourly, weekly, monthly or similar basis, the proposed operator shall allow open rehearsals or performances open to the public to be sponsored by such organizations or individuals, upon request;
- (5) preliminary design plans have been provided to the Department of Cultural Affairs for the visual or performing arts space, which shall include sufficient detail regarding core, shell, structural, mechanical, electrical, plumbing and HVAC systems necessary to ensure that such visual or performing arts space will operate efficiently for its intended use;
- (6) a written commitment has been provided ensuring that there are financial resources available for the timely completion of the identified scope of work; and
- (7) the proposed operator of the visual or performing arts space has a Community Engagement Plan that

will effectively encourage public access and use of the visual or performing arts space, provide educational opportunities to the local community, and address new, undeveloped and/or underserved audience or participant groups. The Department of Cultural Affairs shall make its determination concerning the sufficiency of the Community Engagement Plan based upon consideration of the written recommendation of the Bonused Space Local Arts Advisory Council with respect thereto.

- (d) A legal commitment by the owner has been provided:
- (1) for the operator of the visual or performing arts space to submit an annual program report, describing the use of the space during the previous year, to the Chairperson of the City Planning Commission, the Commissioner of the Department of Cultural Affairs, the Manhattan Borough President, the applicable Community Board and the local Council Member; and
 - (2) for inspection and ongoing maintenance of the visual or performing arts space to ensure its continued availability for #use# as a visual or performing arts space. Such inspection shall be conducted every five years by a licensed engineer or architect, and a report identifying the operator utilizing the space, describing the condition of the space and identifying any maintenance or repair work necessary to ensure the physical and operational soundness of such space, and establishing a plan and program for such work, including providing that adequate resources be made available to ensure timely completion of such maintenance or repair work, shall be submitted to the Chairperson of the City Planning Commission and the Commissioner of the Department of Cultural Affairs;
- (e) A legal commitment by the owner has been provided for continued occupancy of all #floor area# for which a bonus has been received, pursuant to this Section, as a visual or performing arts space only in accordance with the drawings and design plans provided pursuant to paragraphs (b) and (c) (5) of this Section, and providing further that in the event of a change of

operator, the owner or operator shall obtain a new certification pursuant to this Section. An #adult establishment# #use# shall be prohibited for the life of the #development#.

(1) notwithstanding the provisions of this paragraph, (e), an owner shall not be in violation of such legal commitment during a grace period consisting of:

(i) six (6) months from the date the visual or performing arts space is vacated by the operator, provided owner timely notifies the Departments of City Planning and Cultural Affairs of such vacancy in accordance with the requirements of the legal commitment;

(ii) the period of review by the Chairperson of the City Planning Commission and the Commissioner of the Department of Cultural Affairs with respect to a new operator and any associated change of design or #use# requirements pursuant to this Section, provided that application for certification pursuant to this Section is made no later than the expiration of the six month period set forth in paragraph (e)(1)(i) of this Section;

(iii) any period set forth in such certification as necessary to allow for the modification of design to accommodate a new operator; and

(iv) any event of force majeure;

(2) in the event that the Chairperson of the City Planning Commission determines that the requirements for certification pursuant to this Section with respect to a change of operator and associated change of design or #use# requirements are not satisfied, the grace period set forth in paragraph (e)(1) of this Section shall thereupon apply from the date of such determination;

(f) A legal commitment by the owner has been provided that all visual arts exhibitions or presentations of live drama, music, dance, interactive or multidisciplinary

performances shall be open to the public in accordance with the terms of the letter issued by the Commissioner of Cultural Affairs, pursuant to paragraph (c) of this Section;

- (g) A legal commitment by the owner has been provided that, in the event of an adjudicated violation of the provisions of paragraph (e) of this Section, requiring the continued occupancy of all #floor area# for which a bonus has been received, pursuant to Section 97-422, as a visual and performing arts space only, the owner shall not permit the occupancy of any #floor area# in the #development# or #enlargement# which is vacant as of the date of such adjudication or thereafter, up to the amount of the increased #floor area# permitted under Section 97-422, until such time as the Chairperson of the City Planning Commission has determined that the visual or performing arts space is occupied in accordance with the provisions of this Section.

Such legal commitments shall be in the form of a declaration of restrictions, filed and duly recorded in the Borough Office of the Register of the City of New York, binding upon the owner of the visual or performing arts space and their successors and assigns, a certified copy of which shall be submitted to the Chairperson of the City Planning Commission. The filing of such declaration and the posting of any bond or other security required by the Chairperson of the City Planning Commission under the terms of such declaration, and receipt of a certified copy of such declaration shall be preconditions to issuance of any building permit, including any foundation or alteration permit, for any #development# or #enlargement#.

The owner shall not apply for or accept a temporary certificate of occupancy for such portion of the #development# or #enlargement# identified under the terms of the declaration of restrictions as utilizing the increased #floor area# permitted pursuant to Section 97-422, and the Department of Buildings shall not issue a temporary certificate of occupancy for such portion of the #development# or #enlargement#, until the Commissioner of the Department of Cultural Affairs has certified that the visual or performing

arts space is substantially complete. The owner shall not apply for or accept a permanent certificate of occupancy for such portion of the #development# or #enlargement#, nor shall the Department of Buildings issue a permanent certificate of occupancy for such portion of the #development# or #enlargement#, until the visual or performing arts space has been finally completed in accordance with the approved plans and such final completion has been certified by the Commissioner of the Department of Cultural Affairs. The declaration of restrictions shall be noted on any temporary or final certificate of occupancy for the #building#. The temporary or final certificate of occupancy for any portion of the #development# or #enlargement# identified under the terms of the declaration of restrictions as utilizing the increased #floor area# permitted pursuant to Section 97-422 shall include the provisions of paragraph (e) of this Section, requiring the continued occupancy of all #floor area# for which a bonus has been received as a visual or performing arts space only, as a condition of occupancy of such portion of the #development# or #enlargement#.

In granting the original certification, the Chairperson of the City Planning Commission may specify such changes in design or #use# that would not warrant further certification pursuant to this Section.

4/30/08

97-43

Special Lot Coverage Regulations

The maximum #lot coverage# for #residential use# in C6-3 Districts within the #Special 125th Street District# shall be 70 percent for #interior# or #through lots# and 80 percent for #corner lots#.

Within the Special District, there shall be no maximum #lot coverage# applied to any #zoning lot# comprising a #corner lot# of 5,000 square feet or less.

4/30/08

97-44

Special Height and Setback Regulations

Within the #Special 125th Street District#, the underlying height and setback regulations shall be modified in accordance with the provisions of this Section, inclusive.

The provisions of paragraph (b) of Section 23-663 (Required rear setbacks for tall buildings in other districts) shall not be applicable within the Special District.

4/30/08

97-441

Permitted obstructions

The provisions of Section 33-42 (Permitted Obstructions) shall apply to all #buildings# within the Special District, except that the provisions of paragraph (c) shall not apply. In lieu thereof, the following regulations shall apply:

Elevator or stair bulkheads, roof water tanks, cooling towers or other mechanical equipment (including enclosures) may penetrate a maximum height limit or #sky exposure plane# provided that either:

- (a) the product, in square feet, of the #aggregate width of street walls# of such obstructions facing each #street# frontage, times their average height, in feet, shall not exceed a figure equal to eight times the width, in feet, of the #street wall# of the #building# facing such frontage; or
- (b) for #buildings# at least 120 feet in height, the #lot coverage# of all such obstructions does not exceed 20 percent of the #lot coverage# of the #building#, and the height of all such obstructions does not exceed 40 feet.

In addition, dormers may penetrate a maximum base height in accordance with the provisions of paragraph (c) of Section 23-621 (Permitted obstructions in certain districts).

11/19/08

97-442

Height and setback regulations for C4-7 and C6-3 Districts

The following modifications of the underlying district regulations shall apply for C4-7 and C6-3 Districts within the Special District:

- (a) The minimum and maximum base height of the #street wall# and the maximum height of a #development# or #enlargement# shall be modified, as set forth in the following table:

MINIMUM BASE HEIGHT, MAXIMUM BASE HEIGHT AND
MAXIMUM BUILDING HEIGHT

District	Street Wall Height (in feet)		Maximum Building Height (in feet)
	Minimum Base Height	Maximum Base Height	
C4-7	60	85	195
C6-3	60	85	160

All portions of buildings that exceed a height of 85 feet in C4-7 and C6-3 Districts shall be set back at least 15 feet from the #street line#, except that such setback depth may include the depth of any permitted recess in the #street wall#, according to the provisions of 97-433 (Street wall location).

- (b) Special regulations for certain C4-7 Districts
- (1) For the area located within 50 feet of the 126th Street frontage and between 200 feet east of Adam Clayton Powell Boulevard and 150 feet west of Lenox Avenue/Malcolm X Boulevard, the height of any portion of a #development# or #enlargement# shall be limited to 80 feet.

- (2) For #zoning lots# bounded by 125th Street, Park Avenue and 124th Street, the maximum #building# height shall be 330 feet.
 - (3) For Lots 1 and 7501 on Block 1910, the requirements of City Environmental Quality Review (CEQR) Environmental Designation Number (E-102) have been modified, as set forth in the Technical Memorandum to the Final Environmental Impact Statement for CEQR Number 07DCP030M, dated July 18, 2008.
- (c) In C6-3 Districts, the maximum length of any #story# located above a height of 85 feet shall not exceed 150 feet. Such length shall be measured by inscribing within a rectangle the outermost walls at the level of each #story# entirely above a height of 85 feet. No side of such rectangle shall exceed a width of 150 feet.

4/30/08

97-443

Street wall location

In all #Commercial Districts# within the #Special 125th Street District#, the #street wall# of any #development# or #enlargement# shall be located on the #street line# of 125th Street and extend along the entire #street# frontage of the #zoning lot# up to at least the applicable minimum base height of the underlying district, or the height of the #building#, whichever is less.

The #street wall# location provisions shall be modified, as follows:

- (a) On Park Avenue, within 10 feet of its intersection with any #street#, the #street wall# may be located anywhere within 10 feet of the Park Avenue #street line#. However, to allow articulation of the #street walls# pursuant to the provisions of paragraph (b) of this Section, the #street walls# may be located anywhere within an area bounded by a #street line#,

the #street wall# on Park Avenue and a line connecting these two lines 15 feet from their intersection.

- (b) To allow articulation of #street walls# at the intersection of any two #streets# within the Special District, the #street wall# may be located anywhere within an area bounded by the two #street lines# and a line connecting such #street lines# at points 15 feet from their intersection.
- (c) Recesses, not to exceed three feet in depth from the #street line#, shall be permitted on the ground floor where required to provide access to the #building#. Above a height of the second #story# and up to the applicable maximum base height, recesses are permitted for #outer courts# or balconies, provided that the aggregate length of such recesses does not exceed 30 percent of the length of the #street wall# at any level, and the depth of such recesses does not exceed five feet. No recesses shall be permitted within 20 feet of an adjacent #building# or within 30 feet of the intersection of two #street lines#, except in compliance with corner articulation rules.
- (d) All #developments# or #enlargements# shall comply with the #street wall# location and minimum #street wall# height provisions of this Section, except that such requirements shall not apply to any existing #buildings# that are to remain on the #zoning lot#.
- (e) For any #development# or #enlargement# within the #Special 125th Street District# that is partially within the #Special Transit Land Use District# and located directly over the planned Second Avenue subway line tunnel, the #residential# portion of such #development# or #enlargement# may be subject to the R8A #street wall# requirements and the commercial portion of such #development# or #enlargement# may be subject to the C4-4D #street wall# requirements in lieu of the requirements of this Section.
- (f) The requirements of this Section shall apply within the #Special Transit Land Use District# except that, for the area of the #Special Transit Land Use District# that is also within the #Special 125th Street District#, a #street wall# of a #development# or #enlargement# located on the #street line# of a

#zoning lot# need not exceed 15 feet if that portion of the #development# or #enlargement# is located directly over the planned Second Avenue subway line tunnel.

4/30/08

97-45

Special Provisions for Zoning Lots Divided by District Boundaries

The regulations of Article VII, Chapter 7 (Special Provisions for Zoning Lots Divided by District Boundaries) shall apply within the #Special 125th Street District#, except that for any #zoning lot# that is completely within the Core Subdistrict, #floor area# may be located anywhere on such #zoning lot# without regard to the requirements of Section 77-22 (Floor Area Ratio), subject to the applicable height and setback regulations.

4/30/08

97-50

SPECIAL OFF-STREET PARKING AND OFF-STREET LOADING REGULATIONS

The underlying provisions of Article II, Chapter 5, Article III, Chapter 6 and Article IV, Chapter 4 (Accessory Off-Street Parking and Off-Street Loading Regulations) shall apply within the #Special 125th Street District#, subject to modification by the regulations of this Section, inclusive.

Enclosed parking spaces, or parking spaces covered by a #building#, including such spaces #accessory# to #residences# shall be permitted to occupy the ground floor provided they are located beyond 30 feet of the #street wall# of the #building#.

The applicable district regulations for the location of #accessory# off-street parking spaces along 125th Street within the Special District may be modified, so that such facilities may be provided off-site, within a #Commercial

District#, but at a distance no greater than 1,200 feet from the #zoning lot#.

4/30/08

97-51

Required Accessory Off-Street Residential Parking

#Accessory# off-street parking spaces, open or enclosed, shall be provided for all #developments# or #enlargements# within the #Special 125th Street District# that contain #residences#, according to the provisions of the underlying district, as modified by the provisions of Section 97-50 (SPECIAL OFF-STREET PARKING AND OFF-STREET LOADING REGULATIONS), inclusive.

4/30/08

97-52

Required Accessory Off-Street Commercial Parking

In #Commercial Districts# within the #Special 125th Street District#, #accessory# off-street parking spaces shall be provided if required by Section 36-21, as modified by the provisions of Section 97-50 (SPECIAL OFF-STREET PARKING AND OFF-STREET LOADING REGULATIONS), inclusive, except that no #accessory# parking spaces shall be required for #commercial uses# in C4-4D Districts.

4/30/08

97-53

Location of Access to the Street

Curb cuts for entrances and exits to #accessory# off-street parking facilities or for loading berths shall not be located on 125th Street or any other #wide street# that intersects with 125th Street, other than under the specific conditions of Sections 97-55 (Certification for Access to Required Uses) and 97-56 (Authorization for Access to Permitted Uses).

Such certification or authorization shall not be required if parking and loading requirements can be met through the provisions of 97-54 (Parking Access through Residential Zoning Lots).

4/30/08

97-54

Parking Access through Residential Zoning Lots

When a #residential zoning lot# fronts upon either 124th or 126th Street within the #Special 125th Street District# and the #rear lot line# abuts a #zoning lot# that fronts only on 125th Street, and such #zoning lot# has been vacant since April 30, 2008, access for parking and loading purposes may be made through such #zoning lot#.

4/30/08

97-55

Certification for Access to Required Uses

If access to a required #accessory residential# parking facility or loading berth is not possible because of the requirements of Section 97-53, a curb cut may be allowed if the City Planning Commission certifies to the Commissioner of Buildings that such location is:

- (a) the only possible location for the facility or loading berth;
- (b) not hazardous to traffic safety;
- (c) located not less than 50 feet from the intersection of any two #street lines#; and
- (d) constructed and maintained so as to have a minimal effect on the streetscape.

Such curb cut, if granted, shall be no greater than 20 feet in width.

The Commissioner may refer such matter to the Department of Transportation, or its successor, for a report and may base the determination on such report.

4/30/08

97-56

Authorization for Access to Permitted Parking Facilities or Loading Berths

The City Planning Commission may authorize curb cuts for the following parking facility or loading berths:

- (a) If access to a permitted #accessory residential# or public parking facility is not possible due to the requirements of Section 97-53, the City Planning Commission may authorize curb cuts for such #uses#, provided such curb cuts:
 - (1) will not create or contribute to serious traffic congestion or unduly inhibit vehicular and pedestrian movement; and
 - (2) will not interfere with the efficient functioning of public transit facilities.

- (b) If access to a permitted loading berth is not possible due to the requirements of Section 97-53, the City Planning Commission may authorize curb cuts for such #use#, provided:
 - (1) such loading berths are adjacent to a fully enclosed maneuvering area on the #zoning lot#;
 - (2) such maneuvering area is at least equal in size to the area of the loading berth; and
 - (3) there is adequate space to permit head-in and head-out truck movements to and from the #zoning lot#.

Such curb cut, if granted, shall be no greater than 20 feet in width.

The Commissioner may refer such matter to the Department of Transportation, or its successor, for a report and may base the determination on such report.

Applications for authorizations shall be referred to the affected Community Board for a period of at least 30 days for comment. The City Planning Commission shall grant in whole or in part or deny the application within 60 days of the completion of the Community Board review period.

4/30/08

97-57


Public Parking Facilities

Notwithstanding the special permit regulations of Section 74-52 (Parking Garages or Public Parking Lots in High Density Central Areas), #public parking garages# with 150 spaces or less shall be permitted as-of-right in C4-7 and C6 Districts, subject to the requirements of Section 36-50, inclusive, pertaining to surfacing and screening, and Section 97-53 (Location of Access to the Street). #Public parking garages# with more than 150 spaces shall be subject to the requirements of Sections 74-512 and 74-52.

#Public parking lots# are not permitted on zoning lots with 125th Street frontage within the Special District.

4/30/08

Appendix A Special 125th Street District Plan



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
The number(s) and/or letter(s) that follows an R, C or M district designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

- R - RESIDENTIAL DISTRICT
- C - COMMERCIAL DISTRICT
- M - MANUFACTURING DISTRICT

..... AREA(S) REZONED

EFFECTIVE DATE(S) OF REZONING:
12-09-2009 C 060038 ZMM

CITY PURPOSE DISTRICT
The letter(s) which the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

- D - RESTRICTIVE DECLARATION
- E - CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

REFERS TO DISTRICTS OR PORTIONS THEREOF THAT ARE ACQUISITORY APPROVAL REQUIRED AREAS OR BOUNDARIES OF DESIGNATED AREAS.

CITY MAP CHANGE(S):
AS CORRECTED 8-09-10


ZONING MAP 6a

MAP KEY

3b	3d
5c	6a
5d	6b
	6d

© Copyrighted by the City of New York

NOTE: Zoning information as shown on this map is subject to change. For the most current information, please refer to the Zoning Resolution or contact the Department of City Planning website: www.nyc.gov/dcp/planning or contact the Zoning Information Desk at (212) 720-3391.



C1-1 C1-2 C1-3 C1-4 C1-5 C2-1 C2-2 C2-3 C2-4 C2-5
 NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.



APPENDIX H



125th St and Lenox Ave

291 Lenox Ave

New York, NY 10027

Inquiry Number: 2822816.5

July 21, 2010

The EDR Aerial Photo Decade Package



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography July 21, 2010

Target Property:

291 Lenox Ave

New York, NY 10027

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1954	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-G8, Central Park, NY;/Flight Date: February 23, 1954	EDR
1966	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-G8, Central Park, NY;/Flight Date: February 23, 1966	EDR
1975	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-G8, Central Park, NY;/Flight Date: April 01, 1975	EDR
1984	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-G8, Central Park, NY;/Flight Date: April 27, 1984	EDR
1994	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-G8, Central Park, NY;/Flight Date: April 04, 1994	EDR
2006	Aerial Photograph. Scale: 1"=604'	Panel #: 40073-G8, Central Park, NY;/Flight Date: January 01, 2006	EDR



INQUIRY #: 2822816.5

YEAR: 1954

|—————| = 750'





INQUIRY #: 2822816.5

YEAR: 1966

|—————| = 750'




K-146-91



INQUIRY #: 2822816.5

YEAR: 1975

 = 750'





INQUIRY #: 2822816.5

YEAR: 1984

| = 750'





INQUIRY #: 2822816.5

YEAR: 1994

| = 750'





INQUIRY #: 2822816.5

YEAR: 2006

| = 604'



APPENDIX I



125th St and Lenox Ave

291 Lenox Ave

New York, NY 10027

Inquiry Number: 2822816.3

July 21, 2010

Certified Sanborn® Map Report

Certified Sanborn® Map Report

7/21/10

Site Name:

125th St and Lenox Ave
291 Lenox Ave
New York, NY 10027

Client Name:

Langan Engineering, Inc.
360 W. 31st Street
New York, NY 10001



EDR Inquiry # 2822816.3

Contact: Jen Armstrong

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Langan Engineering, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 125th St and Lenox Ave
Address: 291 Lenox Ave
City, State, Zip: New York, NY 10027
Cross Street:
P.O. # NA
Project: 170121501
Certification # FBD6-4BD9-B751



Sanborn® Library search results
Certification # FBD6-4BD9-B751

Maps Provided:

2005	1995	1988	1951
2004	1994	1986	1912
2003	1993	1985	1902
2002	1992	1980	
2001	1991	1978	
1996	1989	1976	

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Langan Engineering, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




2005 Source Sheets



Volume 7N, Sheet 90



Volume 7N, Sheet 87




Volume 7N, Sheet 88




Volume 7N, Sheet 89


2004 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90


2003 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90

2002 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89



Volume 7N, Sheet 90

2001 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89



Volume 7N, Sheet 90

1996 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89



Volume 7N, Sheet 90

1995 Source Sheets



Volume 7N, Sheet 85



Volume 7N, Sheet 86



Volume 7N, Sheet 87



Volume 7N, Sheet 88

1994 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90

1988 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90


1986 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90

1985 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89



Volume 7N, Sheet 90

1980 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 90



Volume 7N, Sheet 91

1978 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88




Volume 7N, Sheet 89




Volume 7N, Sheet 90


1976 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89



Volume 7N, Sheet 90


1951 Source Sheets



Volume 7N, Sheet 87



Volume 7N, Sheet 88



Volume 7N, Sheet 89




Volume 7N, Sheet 90


1912 Source Sheets




Volume 7N, Sheet 87



Volume 7N, Sheet 88




Volume 7N, Sheet 89



Volume 7N, Sheet 90


1902 Source Sheets




Volume 7N, Sheet 53



Volume 7N, Sheet 54



Volume 7N, Sheet 55



Volume 7N, Sheet 56

2005 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 2005



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 7N, Sheet 90
- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89



2004 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



2003 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrf.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 2003



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



2002 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 2002




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



2001 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 2001



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1996 Certified Sanborn Map




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1995 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1995



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 85
- Volume 7N, Sheet 86
- Volume 7N, Sheet 87
- Volume 7N, Sheet 88



1994 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1994



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1992 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 1992



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1991 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1991



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1989 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1989



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1988 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 1988



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1986 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1986



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90

1985 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1985



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1980 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
FBD6-4BD9-B751



Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification # FBD6-4BD9-B751
 Copyright: 1980

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 7N, Sheet 87
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90
- Volume 7N, Sheet 91



1978 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1976 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification #
FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751



Copyright: 1976


This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1951 Certified Sanborn Map




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1912 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 87
- Volume 7N, Sheet 88
- Volume 7N, Sheet 89
- Volume 7N, Sheet 90



1902 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # FBD6-4BD9-B751

Site Name: 125th St and Lenox Ave
 Address: 291 Lenox Ave
 City, ST, ZIP: New York NY 10027
 Client: Langan Engineering, Inc.
 EDR Inquiry: 2822816.3
 Order Date: 7/21/2010 4:03:01 PM
 Certification #: FBD6-4BD9-B751
 Copyright: 1902



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 7N, Sheet 53
- Volume 7N, Sheet 54
- Volume 7N, Sheet 55
- Volume 7N, Sheet 56



APPENDIX J



125th St and Lenox Ave

291 Lenox Ave

New York, NY 10027

Inquiry Number: 2822816.4

July 21, 2010

EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




N 	TARGET QUAD	SITE NAME: 125th St and Lenox Ave	CLIENT: Langan Engineering, Inc.	
	NAME: HARLEM	ADDRESS: 291 Lenox Ave	CONTACT: Jen Armstrong	
	MAP YEAR: 1897	LAT/LONG: 40.8077 / -73.9462	INQUIRY#: 2822816.4	RESEARCH DATE: 07/21/2010
	SERIES: 15			
	SCALE: 1:62500			

Historical Topographic Map




	TARGET QUAD NAME: CENTRAL PARK MAP YEAR: 1947	SITE NAME: 125th St and Lenox Ave ADDRESS: 291 Lenox Ave New York, NY 10027 LAT/LONG: 40.8077 / -73.9462	CLIENT: Langan Engineering, Inc. CONTACT: Jen Armstrong INQUIRY#: 2822816.4 RESEARCH DATE: 07/21/2010
	SERIES: 7.5 SCALE: 1:25000		

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: CENTRAL PARK MAP YEAR: 1966</p>	<p>SITE NAME: 125th St and Lenox Ave ADDRESS: 291 Lenox Ave New York, NY 10027 LAT/LONG: 40.8077 / -73.9462</p>	<p>CLIENT: Langan Engineering, Inc. CONTACT: Jen Armstrong INQUIRY#: 2822816.4 RESEARCH DATE: 07/21/2010</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map



<p>N ↑</p>	TARGET QUAD	SITE NAME: 125th St and Lenox Ave	CLIENT: Langan Engineering, Inc.
	NAME: CENTRAL PARK	ADDRESS: 291 Lenox Ave	CONTACT: Jen Armstrong
	MAP YEAR: 1979	NEW YORK, NY 10027	INQUIRY#: 2822816.4
	PHOTOREVISED: 1966	LAT/LONG: 40.8077 / -73.9462	RESEARCH DATE: 07/21/2010
	SERIES: 7.5		
	SCALE: 1:24000		

Historical Topographic Map



	TARGET QUAD	SITE NAME: 125th St and Lenox Ave	CLIENT: Langan Engineering, Inc.
	NAME: CENTRAL PARK	ADDRESS: 291 Lenox Ave New York, NY 10027	CONTACT: Jen Armstrong
	MAP YEAR: 1995	LAT/LONG: 40.8077 / -73.9462	INQUIRY#: 2822816.4
	SERIES: 7.5		RESEARCH DATE: 07/21/2010
	SCALE: 1:24000		

APPENDIX K

125th St and Lenox Ave

291 Malcolm X Blvd
New York, NY 10027

Inquiry Number: 2824895.1
July 26, 2010

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

2009 Enhancements to EDR City Directory Abstract

New for 2009, the EDR City Directory Abstract has been enhanced with additional information and features. These enhancements will make your city directory research process more efficient, flexible, and insightful than ever before. The enhancements will improve the options for selecting adjoining properties, and will speed up your review of the report.

City Directory Report. Three important enhancements have been made to the EDR City Directory Abstract:

1. *Executive Summary.* The report begins with an Executive Summary that lists the sources consulted in the preparation of the report. Where available, a parcel map is also provided within the report, showing the locations of properties researched.
2. *Page Images.* Where available, the actual page source images will be included in the Appendix, so that you can review them for information that may provide additional insight. EDR has copyright permission to include these images.
3. *Findings Listed by Location.* Another useful enhancement is that findings are now grouped by address. This will significantly reduce the time you need to review your abstracts. Findings are provided under each property address, listed in reverse chronological order and referencing the source for each entry.

Options for Selecting Adjoining Properties. Ensuring that the right adjoining property addresses are searched is one of the biggest challenges that environmental professionals face when conducting city directory historical research. EDR's new enhancements make it easier for you to meet this challenge. Now, when you place an order for the EDR City Directory Abstract, you have the following choices for determining which addresses should be researched.

1. *You Select Addresses and EDR Selects Addresses.* Use the "Add Another Address" feature to specify the addresses you want researched. Your selections will be supplemented by addresses selected by EDR researchers using our established research methods. Where available, a digital map will be shown, indicating property lines overlaid on a color aerial photo and their corresponding addresses. Simply use the address list below the map to check off which properties shown on the map you want to include. You may also select other addresses using the "Add Another Address" feature at the bottom of the list.
2. *EDR Selects Addresses.* Choose this method if you want EDR's researchers to select the addresses to be researched for you, using our established research methods.
3. *You Select Addresses.* Use this method for research based solely on the addresses you select or enter into the system.
4. *Hold City Directory Research Option.* If you choose to select your own adjoining addresses, you may pause production of your EDR City Directory Abstract report until you have had a chance to look at your other EDR reports and sources. Sources for property addresses include: your Certified Sanborn Map Report may show you the location of property addresses; the new EDR Property Tax Map Report may show the location of property addresses; and your field research can supplement these sources with additional address information. To use this capability, simply click "Hold City Directory research" box under "Other Options" at the bottom of the page. Once you have determined what addresses you want researched, go to your EDR Order Status page, select the EDR City Directory Abstract, and enter the addresses and submit for production.

Questions? Contact your EDR representative at 800-352-0050. For more information about all of EDR's 2009 report and service enhancements, visit www.edrnet.com/2009enhancements

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2006. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2006	Hill-Donnelly Information Services	X	X	X	-
2000	Cole Information Services	X	X	X	-
1998	NYNEX Telephone	-	X	X	-
1996	NYNEX Telephone	-	-	-	-
1993	NYNEX Telephone	-	X	X	-
1988	NYNEX Telephone	-	X	X	-
1983	New York Telephone	-	X	X	-
1978	New York Telephone	-	X	X	-
1973	New York Telephone	-	X	X	-
1968	New York Telephone	-	X	X	-
1963	New York Telephone	-	X	X	-
1958	New York Telephone	-	X	X	-
1956	New York Telephone	-	X	X	-
1950	New York Telephone	-	X	X	-
1947	New York Telephone	-	-	-	-
1942	New York Telephone	-	X	X	-
1938	New York Telephone	-	X	X	-
1934	R. L. Polk & Co.	-	-	-	-
1931	Manhattan and Bronx Directory Publishing Company Residential Directory	-	X	X	-
1927	New York Telephone	-	X	X	-
1923	R. L. Polk & Co.	-	-	-	-
1920	R. L. Polk & Co.	-	-	-	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
108 W 124th St	Client Entered	X
110 W 124th St	Client Entered	X
114 W 124th St	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

291 Malcolm X Blvd
New York, NY 10027

FINDINGS DETAIL

Target Property research detail.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	293 297 299 300 302 No Current Listing	Hill-Donnelly Information Services
2000	POWDER PUFF MARION	Cole Information Services

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

LENOX AVE

284 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Angeles Agustin	Hill-Donnelly Information Services
	Guerrero Felix	Hill-Donnelly Information Services
	Jimbos Hamburger	Hill-Donnelly Information Services
	Naula Nicanor 7v os	Hill-Donnelly Information Services
	Angeles Agustin	Hill-Donnelly Information Services
	Guerrero Felix	Hill-Donnelly Information Services
	Jimbos Hamburger	Hill-Donnelly Information Services
	Naula Nicanor 7v os	Hill-Donnelly Information Services
1998	WILLIAMS BARB-QUE	NYNEX Telephone
	WILLIAMS BARB-QUE	NYNEX Telephone
1988	LEWIS JEANETTE I MRS	NYNEX Telephone
	MARCHAN E	NYNEX Telephone
	LEWIS JEANETTE I MRS	NYNEX Telephone
	MARCHAN E	NYNEX Telephone
1983	LEWIS JEANETTE I MRS	New York Telephone
	WHITE C M	New York Telephone
	Lewis Jeanette I Mrs	New York Telephone
	White C M	New York Telephone
	LEWIS JEANETTE I MRS	New York Telephone
	WHITE C M	New York Telephone
	Lewis Jeanette I Mrs	New York Telephone
	White C M	New York Telephone
1978	STURGIS ERNEST E	New York Telephone
	WHITE E M	New York Telephone
	LEWIS JEANETTE I MRS	New York Telephone
	ROGERS JOYCE	New York Telephone
	ROGERS JOYCE	New York Telephone
	LEWIS JEANETTE I MRS	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE E M	New York Telephone
1973	LEWIS JEANETTE I MRS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
	LEWIS JEANETTE I MRS	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
1968	CRAWFORD STEPHANIE	New York Telephone
	HY-GRADE CUSTOM UPHLSTRG	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
	CRAWFORD STEPHANIE	New York Telephone
	HY-GRADE CUSTOM UPHLSTRG	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
1963	WHITE ETTA	New York Telephone
	WHITE ETTA	New York Telephone
1958	STURGIS ERNEST E	New York Telephone
	STURGIS ERNEST E	New York Telephone
1931	BOULAS SAM	Manhattan and Bronx Directory Publishing Company Residential Directory
	SINANIS PONAGYTOIS	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sinanis Ponagytois	Manhattan and Bronx Directory Publishing Company Residential Directory
	Boulas Sam	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sinanis Ponagytois	Manhattan and Bronx Directory Publishing Company Residential Directory
	Boulas Sam	Manhattan and Bronx Directory Publishing Company Residential Directory
	BOULAS SAM	Manhattan and Bronx Directory Publishing Company Residential Directory
	SINANIS PONAGYTOIS	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	SKOLNICK S & R WHSLE TOBACCONISTS	New York Telephone
	Fleming Jas J V r	New York Telephone
	Ostrow Herman MD	New York Telephone
	Riley Ben P Dr r	New York Telephone
	Skolnick S & R whsle tobacconists	New York Telephone
	SKOLNICK S & R WHSLE TOBACCONISTS	New York Telephone
	Fleming Jas J V r	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Ostrow Herman MD	New York Telephone
	Riley Ben P Dr r	New York Telephone
	Skolnick S & R whsle tobacconists	New York Telephone

285 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	AA LENOX AVE	NYNEX Telephone
	AA LENOX AVE	NYNEX Telephone
1993	RAIA FOOD CORP	NYNEX Telephone
	RAIA FOOD CORP	NYNEX Telephone
1988	BRYAN O L	NYNEX Telephone
	RAJA FOOD CORP	NYNEX Telephone
	SAUNDERS MARGARET MRS	NYNEX Telephone
	BRYAN O L	NYNEX Telephone
	RAJA FOOD CORP	NYNEX Telephone
	SAUNDERS MARGARET MRS	NYNEX Telephone
1983	BRYAN O L	New York Telephone
	Bitterman L	New York Telephone
	Bryan O L	New York Telephone
	Gershowitz Judith MD	New York Telephone
	Roberts Leonard MMD	New York Telephone
	Roberts Rosoff & Berk PC	New York Telephone
	Roseff Lionell S MD	New York Telephone
	Saunders Margaret Mrs	New York Telephone
	BRYAN O L	New York Telephone
	Bitterman L	New York Telephone
	Bryan O L	New York Telephone
	Gershowitz Judith MD	New York Telephone
	Roberts Leonard MMD	New York Telephone
	Roberts Rosoff & Berk PC	New York Telephone
	Roseff Lionell S MD	New York Telephone
	Saunders Margaret Mrs	New York Telephone
1978	ALLEYNE JEAN	New York Telephone
	LEWIS O L	New York Telephone
	SNAPE WILFRED B	New York Telephone
	ALLEYNE JEAN	New York Telephone
	LEWIS O L	New York Telephone
	SNAPE WILFRED B	New York Telephone
1973	ALLIED CUSTOM HATTERS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	LEWIS O L	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
	ALLIED CUSTOM HATTERS	New York Telephone
	LEWIS O L	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
1968	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
1963	MCDUFFIE ESSIE	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
	MCDUFFIE ESSIE	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
1958	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS MOLLY MRS	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS MOLLY MRS	New York Telephone
1956	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS MOLLY MRS	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS MOLLY MRS	New York Telephone
1950	AITCHISON BETH	New York Telephone
	AITCHISON BETH	New York Telephone
1938	MANSBACH L INC MEAT MKT	New York Telephone
	MANSBACH L INC MEAT MKT	New York Telephone
1931	BRUCE ELSIE	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kennedy Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	FLYNN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	HOOK ELLA	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY CATH	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY WM	Manhattan and Bronx Directory Publishing Company Residential Directory
	BRUCE ELSIE	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kennedy Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	FLYNN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	HOOK ELLA	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY CATH	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY WM	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Elsie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Harry J lab	Manhattan and Bronx Directory Publishing Company Residential Directory
	Flynn Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hook Ella	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kennedy Cath	Manhattan and Bronx Directory Publishing Company Residential Directory
	BRUCE HARRY J LAB	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Elsie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Harry J lab	Manhattan and Bronx Directory Publishing Company Residential Directory
	Flynn Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hook Ella	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kennedy Cath	Manhattan and Bronx Directory Publishing Company Residential Directory
BRUCE HARRY J LAB	Manhattan and Bronx Directory Publishing Company Residential Directory	
1927	Hooks Detective Agency	New York Telephone
	Mansbach L Inc meat mkt	New York Telephone
	Pease Henry Hollister r	New York Telephone
	MANSBACH L INC MEAT MKT	New York Telephone
	MANSBACH L INC MEAT MKT	New York Telephone
	Hooks Detective Agency	New York Telephone
	Mansbach L Inc meat mkt	New York Telephone
Pease Henry Hollister r	New York Telephone	

286 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	286 Lenox Ave Realty Corp	Hill-Donnelly Information Services
	R& R Books 1 R	Hill-Donnelly Information Services
	286 Lenox Ave Realty Corp	Hill-Donnelly Information Services
	R& R Books 1 R	Hill-Donnelly Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	SAMMY S NAIL & HAIR SALON	NYNEX Telephone
	SENEGALES HAIR BRAIDING	NYNEX Telephone
	LENOX AV REALTY CORP	NYNEX Telephone
	SAMMY S NAIL & HAIR SALON	NYNEX Telephone
	SENEGALES HAIR BRAIDING	NYNEX Telephone
	LENOX AV REALTY CORP	NYNEX Telephone
1993	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
	ROSENBERG & MALOFF DDS PC	NYNEX Telephone
	LENOX AV REALTY CORP	NYNEX Telephone
	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
	ROSENBERG & MALOFF DDS PC	NYNEX Telephone
1988	LENOX AV REALTY CORP	NYNEX Telephone
	MENDOZA SONNY	NYNEX Telephone
	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
	MENDOZA SONNY	NYNEX Telephone
	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
1983	MENDOZA SONNY	New York Telephone
	PHILIPPINE MEDICAL RECRUITERS	New York Telephone
	MENDOZA SONNY	New York Telephone
	PHILIPPINE MEDICAL RECRUITERS	New York Telephone
	Mendoza Sonny	New York Telephone
	Philippine Medical Recruiters	New York Telephone
	Mendoza Sonny	New York Telephone
	Philippine Medical Recruiters	New York Telephone
	1978	MENDOZA SONNY
PHILIPPINE MEDICAL RECRUITERS		New York Telephone
MENDOZA SONNY		New York Telephone
PHILIPPINE MEDICAL RECRUITERS		New York Telephone
1973	HARLEM STATIONERY & PRNTING INC	New York Telephone
	HARLEM STATIONERY & PRNTING INC	New York Telephone
1968	STANLEY S CLEANING & DYEING	New York Telephone
	STANLEY S CLEANING & DYEING	New York Telephone
1963	STANLEYS CLEANNIG & DYEING	New York Telephone
	STANLEYS CLEANNIG & DYEING	New York Telephone
1938	MUSSEN ALEX	New York Telephone
	MUSSEN ALEX	New York Telephone
1931	Ducos Wm	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	DUCOS WM	Manhattan and Bronx Directory Publishing Company Residential Directory
	DUCOS WM	Manhattan and Bronx Directory Publishing Company Residential Directory
	Ducos Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	JENKS GRANT L R	New York Telephone
	O HEA T W J R	New York Telephone
	RUSSELL JOHN R	New York Telephone
	ULSAMER L BARBER	New York Telephone
	Jenks Grant L r	New York Telephone
	Maynard H Louise Miss r	New York Telephone
	Maynard Mary H Miss r	New York Telephone
	OHea T W J r	New York Telephone
	Russell John r	New York Telephone
	Ulsamer L barber	New York Telephone
	Jenks Grant L r	New York Telephone
	Maynard H Louise Miss r	New York Telephone
	Maynard Mary H Miss r	New York Telephone
	OHea T W J r	New York Telephone
	Russell John r	New York Telephone
	Ulsamer L barber	New York Telephone
	JENKS GRANT L R	New York Telephone
O HEA T W J R	New York Telephone	
RUSSELL JOHN R	New York Telephone	
ULSAMER L BARBER	New York Telephone	

287 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	NATIONAL DEVELOPMENT & RESEARCH INSTITUTE	NYNEX Telephone
	NATIONAL DEVELOPMENT & RESEARCH INSTITUTE	NYNEX Telephone
1973	TRIPLE VARETY CORP	New York Telephone
	TRIPLE VARETY CORP	New York Telephone
1968	FARINHOLT A	New York Telephone
	B & M SUPER MKT	New York Telephone
	FARINHOLT A	New York Telephone
	B & M SUPER MKT	New York Telephone
1942	VICTORIA PHARMACY	New York Telephone
	VICTORIA PHARMACY	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	VICTORIA PHARMACY	New York Telephone
	VICTORIA PHARMACY	New York Telephone
1927	Berger Bros & Schoenbrun bakry	New York Telephone
	Dunning M S Miss RN	New York Telephone
	Hood Marion r	New York Telephone
	Hull Willard J Dr	New York Telephone
	Lenz Henry pntr decrtr	New York Telephone
	Lever H Randolph r	New York Telephone
	Lever Mary E Miss r	New York Telephone
	Mac Intyre Mary B Miss r	New York Telephone
	Morgan Leonard B r	New York Telephone
	Murphy Frank J r	New York Telephone
	Tyson R E Mrs r	New York Telephone
	BERGER BROS & SCHOENBRUN BAKRY	New York Telephone
	LENZ HENRY PNTR DECRTR	New York Telephone
	Berger Bros & Schoenbrun bakry	New York Telephone
	Dunning M S Miss RN	New York Telephone
	Hood Marion r	New York Telephone
	Hull Willard J Dr	New York Telephone
	Lenz Henry pntr decrtr	New York Telephone
	Lever H Randolph r	New York Telephone
	Lever Mary E Miss r	New York Telephone
	Mac Intyre Mary B Miss r	New York Telephone
	Morgan Leonard B r	New York Telephone
	Murphy Frank J r	New York Telephone
	Tyson R E Mrs r	New York Telephone
	BERGER BROS & SCHOENBRUN BAKRY	New York Telephone
	LENZ HENRY PNTR DECRTR	New York Telephone

288 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Lenox Lounge 1 R	Hill-Donnelly Information Services
	Wilson Dennis	Hill-Donnelly Information Services
	Lenox Lounge 1 R	Hill-Donnelly Information Services
	Wilson Dennis	Hill-Donnelly Information Services
1993	LENOX LOUNGE	NYNEX Telephone
	LENOX LOUNGE	NYNEX Telephone
1988	LENOX LOUNGE	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	WALKER PAUL	NYNEX Telephone
	LENOX LOUNGE	NYNEX Telephone
	WALKER PAUL	NYNEX Telephone
1983	Asher B A	New York Telephone
	Axelband Alan A DDS ofc	New York Telephone
	Bau Zdzislaw	New York Telephone
	Beck T	New York Telephone
	Berman Jed DDS	New York Telephone
	Betlin Hugh b	New York Telephone
	Born Robert H	New York Telephone
	Braverman Murray DDS	New York Telephone
	Buckley V	New York Telephone
	Bwanelli M	New York Telephone
	Buranelli L	New York Telephone
	Cappelli Patricia	New York Telephone
	Carr J E	New York Telephone
	Carson G M	New York Telephone
	Corvi Steven	New York Telephone
	Curtin Edward R	New York Telephone
	LENOX LOUNGE	New York Telephone
	David R	New York Telephone
	Davis L	New York Telephone
	Deindorfer G M	New York Telephone
	Durkin Michael R	New York Telephone
	Eden D	New York Telephone
	Engelson Sandra DDS	New York Telephone
	Erickson Imo	New York Telephone
	Farber Irving	New York Telephone
	Fiert E	New York Telephone
	Fish N	New York Telephone
	Fleming Edward T	New York Telephone
	Garavuso Tia	New York Telephone
	Goldberg Richard	New York Telephone
Gould Douglas J	New York Telephone	
Gurchick B M	New York Telephone	
Hackett Raymond Mrs	New York Telephone	
Harley Robt L	New York Telephone	
Hoffman L E	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Hwa N D	New York Telephone
	Janoff Abraham	New York Telephone
	Johnson J	New York Telephone
	Kesch A	New York Telephone
	Kinhead E	New York Telephone
	Kosofsky M	New York Telephone
	Lambert R J	New York Telephone
	Landry A R	New York Telephone
	Lazar D	New York Telephone
	Lenox Lounge	New York Telephone
	Lloyd N	New York Telephone
	Martin Frank	New York Telephone
	LENOX LOUNGE	New York Telephone
	David R	New York Telephone
	Davis L	New York Telephone
	Deindorfer G M	New York Telephone
	Durkin Michael R	New York Telephone
	Eden D	New York Telephone
	Engelson Sandra DDS	New York Telephone
	Erickson Imo	New York Telephone
	Farber Irving	New York Telephone
	Fiert E	New York Telephone
	Fish N	New York Telephone
	Fleming Edward T	New York Telephone
	Garavuso Tia	New York Telephone
	Goldberg Richard	New York Telephone
	Gould Douglas J	New York Telephone
	Gurchick B M	New York Telephone
	Hackett Raymond Mrs	New York Telephone
	Harley Robt L	New York Telephone
	Hoffman L E	New York Telephone
	Hwa N D	New York Telephone
	Janoff Abraham	New York Telephone
	Johnson J	New York Telephone
	Kesch A	New York Telephone
	Kinhead E	New York Telephone
	Kosofsky M	New York Telephone
	Lambert R J	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Landry A R	New York Telephone
	Lazar D	New York Telephone
	Lenox Lounge	New York Telephone
	Lloyd N	New York Telephone
	Martin Frank	New York Telephone
	Asher B A	New York Telephone
	Axelband Alan A DDS ofc	New York Telephone
	Bau Zdzislaw	New York Telephone
	Beck T	New York Telephone
	Berman Jed DDS	New York Telephone
	Betlin Hugh b	New York Telephone
	Born Robert H	New York Telephone
	Braverman Murray DDS	New York Telephone
	Buckley V	New York Telephone
	Bwanelli M	New York Telephone
	Buranelli L	New York Telephone
	Cappelli Patricia	New York Telephone
	Carr J E	New York Telephone
	Carson G M	New York Telephone
	Corvi Steven	New York Telephone
	Curtin Edward R	New York Telephone
	Mass E	New York Telephone
	Meade B	New York Telephone
	Meeks Howard	New York Telephone
	Meyers T	New York Telephone
	Miller J	New York Telephone
	Mitchell L	New York Telephone
	Negri G	New York Telephone
	Nicholas S	New York Telephone
	Noolevich R	New York Telephone
	ORourke B J	New York Telephone
	Paya Francisco	New York Telephone
	Pilitsis Siri	New York Telephone
	Realmuto Joseph T	New York Telephone
	Ross Robin	New York Telephone
	Royal Bobby	New York Telephone
	Scheuer F	New York Telephone
	Schulol Cindy	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Scranton D B	New York Telephone
	Smith R	New York Telephone
	Spiegel Stuart	New York Telephone
	Stephen J T	New York Telephone
	Strauss Aline	New York Telephone
	Sweet Blanche	New York Telephone
	Tatar S	New York Telephone
	Tresser C	New York Telephone
	Turman S J	New York Telephone
	Turner J E	New York Telephone
	Weiss M	New York Telephone
	Weiss P	New York Telephone
	Winheim L	New York Telephone
	Wolinsky P	New York Telephone
	Zimmerman D	New York Telephone
	Mass E	New York Telephone
	Meade B	New York Telephone
	Meeks Howard	New York Telephone
	Meyers T	New York Telephone
	Miller J	New York Telephone
	Mitchell L	New York Telephone
	Negri G	New York Telephone
	Nicholas S	New York Telephone
	Noolevich R	New York Telephone
	ORourke B J	New York Telephone
	Paya Francisco	New York Telephone
	Pilitsis Siri	New York Telephone
	Realmuto Joseph T	New York Telephone
	Ross Robin	New York Telephone
	Royal Bobby	New York Telephone
	Scheuer F	New York Telephone
	Schulol Cindy	New York Telephone
	Scranton D B	New York Telephone
	Smith R	New York Telephone
	Spiegel Stuart	New York Telephone
	Stephen J T	New York Telephone
	Strauss Aline	New York Telephone
	Sweet Blanche	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Tatar S	New York Telephone
	Tresser C	New York Telephone
	Turman S J	New York Telephone
	Turner J E	New York Telephone
	Weiss M	New York Telephone
	Weiss P	New York Telephone
	Winheim L	New York Telephone
	Wolinsky P	New York Telephone
	Zimmerman D	New York Telephone
1978	GERALD FRANKLIN	New York Telephone
	HATHAWAY M	New York Telephone
	LENOX LOUNGE	New York Telephone
	GERALD FRANKLIN	New York Telephone
	HATHAWAY M	New York Telephone
	LENOX LOUNGE	New York Telephone
1968	BAKER SAML	New York Telephone
	BROWN LESTER	New York Telephone
	JANOFF ABRATTAM	New York Telephone
	JENSEN NORMAN ART	New York Telephone
	LENOX LOUNGE	New York Telephone
	BAKER SAML	New York Telephone
	BROWN LESTER	New York Telephone
	JANOFF ABRATTAM	New York Telephone
	JENSEN NORMAN ART	New York Telephone
	LENOX LOUNGE	New York Telephone
1963	BELL MARY LOUISE	New York Telephone
	LOUNG	New York Telephone
	BELL MARY LOUISE	New York Telephone
	LOUNG	New York Telephone
1958	LENOX LOUNGE	New York Telephone
	LENOX LOUNGE	New York Telephone
1956	LENOX LOUNGE	New York Telephone
	ORTIZ PEDRO	New York Telephone
	ROBINSON EARL A	New York Telephone
	LENOX LOUNGE	New York Telephone
	ORTIZ PEDRO	New York Telephone
1938	ROBINSON EARL A	New York Telephone
	CLAPP G FRANKLIN MRS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	CLAPP G FRANKLIN MRS	New York Telephone
1931	Backes Rosa	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ANNA	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES LEO	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ROSA	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Anna	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Leo	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Rosa	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Anna	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Leo	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ANNA	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES LEO	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ROSA	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	BERRIAN AMALIA MRS R	New York Telephone
	HILL JOHN W R	New York Telephone
	JOHNSON K MRS R	New York Telephone
	MARKOS M RESTAURANT	New York Telephone
	MYERS BERT A R	New York Telephone
	Berrian Amalia Mrs r	New York Telephone
	Dennison & Hirons archts	New York Telephone
	Hill John W r	New York Telephone
	Hirons Frederic C archt	New York Telephone
	Johnson K Mrs r	New York Telephone
	Markos M restaurant	New York Telephone
	Mellor Frederic W archt	New York Telephone
	Myers Bert A r	New York Telephone
	Russell H Tusti r	New York Telephone
	BERRIAN AMALIA MRS R	New York Telephone
	HILL JOHN W R	New York Telephone
	JOHNSON K MRS R	New York Telephone
	MARKOS M RESTAURANT	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	MYERS BERT A R	New York Telephone
	Berrian Amalia Mrs r	New York Telephone
	Dennison & Hiron archts	New York Telephone
	Hill John W r	New York Telephone
	Hiron Frederic C archt	New York Telephone
	Johnson K Mrs r	New York Telephone
	Markos M restaurant	New York Telephone
	Mellor Frederic W archt	New York Telephone
	Myers Bert A r	New York Telephone
	Russell H Tusti r	New York Telephone

289 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone
	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone
1993	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone
	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone
1988	TWO BR0S FISH MKT FRUIT & VEGETABLE S	NYNEX Telephone
	TWO BR0S FISH MKT FRUIT & VEGETABLE S	NYNEX Telephone
1983	TWO BR0S FISH MKT FRUIT & VEGETABLES	New York Telephone
	TWO BR0S FISH MKT FRUIT & VEGETABLES	New York Telephone
1978	TWO BROS FISH MKT FRUIT & VEGETABLES	New York Telephone
	TWO BROS FISH MKT FRUIT & VEGETABLES	New York Telephone
1968	GALES SNACK BAR	New York Telephone
	JOSH FRENCH DRY CLEANRS	New York Telephone
	GALES SNACK BAR	New York Telephone
	JOSH FRENCH DRY CLEANRS	New York Telephone
1963	COLA FRENCH DRY CLEANRS	New York Telephone
	STATNRY STORE	New York Telephone
	COLA FRENCH DRY CLEANRS	New York Telephone
	STATNRY STORE	New York Telephone
1958	COLA FRENCH DRY CLEANERS	New York Telephone
	HEMMINGS STATNRY	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	COLA FRENCH DRY CLEANERS	New York Telephone
	HEMMINGS STATNRY	New York Telephone
1956	COLA FRENCH DRY CLEANERS	New York Telephone
	COLA FRENCH DRY CLEANERS	New York Telephone
1927	United Cigar Stores Co	New York Telephone
	CAREFUL WINDOW CLNG CO	New York Telephone
	CITIZENS LIBERTY LEAGUE INC	New York Telephone
	COLUMBIA HOUSE & WINDOW CLNG CO	New York Telephone
	POST TIME PUB CO	New York Telephone
	UNITED CIGAR STORES CO	New York Telephone
	Careful Window CIng Co	New York Telephone
	Citizens Liberty League Inc	New York Telephone
	Columbia House & Window CIng Co	New York Telephone
	Post Time Pub Co	New York Telephone
	Prem sta MMM	New York Telephone
	United Cigar Stores Co	New York Telephone
	CAREFUL WINDOW CLNG CO	New York Telephone
	CITIZENS LIBERTY LEAGUE INC	New York Telephone
	COLUMBIA HOUSE & WINDOW CLNG CO	New York Telephone
	POST TIME PUB CO	New York Telephone
	UNITED CIGAR STORES CO	New York Telephone
	Careful Window CIng Co	New York Telephone
	Citizens Liberty League Inc	New York Telephone
	Columbia House & Window CIng Co	New York Telephone
Post Time Pub Co	New York Telephone	
Prem sta MMM	New York Telephone	

290 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Ler Realty Corp 1 F	Hill-Donnelly Information Services
	Prima Check Cashing i F o	Hill-Donnelly Information Services
	Rico Check Cashing Corp	Hill-Donnelly Information Services
	Upper Manhattan Empowerment	Hill-Donnelly Information Services
	Ler Realty Corp 1 F	Hill-Donnelly Information Services
	Prima Check Cashing i F o	Hill-Donnelly Information Services
	Rico Check Cashing Corp	Hill-Donnelly Information Services
	Upper Manhattan Empowerment	Hill-Donnelly Information Services
1998	PRIMA CHECK CASHING	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	ROBIN HOOD CHICKEN	NYNEX Telephone
	PRIMA CHECK CASHING	NYNEX Telephone
	ROBIN HOOD CHICKEN	NYNEX Telephone
1993	BLACK IRON-REBAR & LATHING INC	NYNEX Telephone
	FIGGT BACK	NYNEX Telephone
	GROCERY & SMOKE SHOP	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone
	WESTERN UNION-	NYNEX Telephone
	BLACK IRON-REBAR & LATHING INC	NYNEX Telephone
	FIGGT BACK	NYNEX Telephone
	GROCERY & SMOKE SHOP	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone
	WESTERN UNION-	NYNEX Telephone
1988	AUDELCO	NYNEX Telephone
	DANCE VISION INC	NYNEX Telephone
	NEW BEGINNINGS STUDIO	NYNEX Telephone
	NEW HEITAIERIPEPTY THEATRE EXPERIMENTAL WORKSHOP INC	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone
	RODNEYS SHIPING	NYNEX Telephone
	SALAH CANDY & GROCERY STORE	NYNEX Telephone
	SOUNDS IN MOTION	NYNEX Telephone
	THOMPSON BARBER SHOP	NYNEX Telephone
	TUSCAN CHAPTER FED CREDIT UNION	NYNEX Telephone
	AUDELCO	NYNEX Telephone
	DANCE VISION INC	NYNEX Telephone
	NEW BEGINNINGS STUDIO	NYNEX Telephone
	NEW HEITAIERIPEPTY THEATRE EXPERIMENTAL WORKSHOP INC	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone
	RODNEYS SHIPING	NYNEX Telephone
	SALAH CANDY & GROCERY STORE	NYNEX Telephone
	SOUNDS IN MOTION	NYNEX Telephone
	THOMPSON BARBER SHOP	NYNEX Telephone
	TUSCAN CHAPTER FED CREDIT UNION	NYNEX Telephone
1983	AUDEICO	New York Telephone
	DANCE VISION INC	New York Telephone
	HARLEM PRODUCERS WORKSHOP	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	KIM J B	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
	SOUNDS IN MOTION	New York Telephone
	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	Audeico	New York Telephone
	Dance Vision Inc	New York Telephone
	Harlem Producers Workshop	New York Telephone
	Kim J b	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	Public Svce Check Corp	New York Telephone
	Sounds In Motion	New York Telephone
	Thompson Barber Shop	New York Telephone
	Tuscan Chapter Fed Credit Union	New York Telephone
	AUDEICO	New York Telephone
	DANCE VISION INC	New York Telephone
	HARLEM PRODUCERS WORKSHOP	New York Telephone
	KIM J B	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
	SOUNDS IN MOTION	New York Telephone
	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	Audeico	New York Telephone
	Dance Vision Inc	New York Telephone
	Harlem Producers Workshop	New York Telephone
	Kim J b	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	Public Svce Check Corp	New York Telephone
	Sounds In Motion	New York Telephone
	Thompson Barber Shop	New York Telephone
	Tuscan Chapter Fed Credit Union	New York Telephone
1978	EDMONDS JOB LOTS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	GRANTS EMPLOY AGENCY	New York Telephone
	JOSLING ALEXANDER E B	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	EDMONDS JOB LOTS	New York Telephone
	GRANTS EMPLOY AGENCY	New York Telephone
	JOSLING ALEXANDER E B	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	1973	COLUMBIAN MUTUAL LIFE INS CO BRNGAMTON NY
FREEDOM CHECK CASHING CORP		New York Telephone
FREEDOM CHECK CASHING CORP		New York Telephone
GRANT S EMPLOY AGENCY		New York Telephone
HERMANN LUDWIG INS		New York Telephone
JULIEN L MARIE MRS EMPLOY AGCY		New York Telephone
KLAMMER GARY E INS		New York Telephone
KLAMMER PHILIP INSURANCE		New York Telephone
LEGAL AID SOCIETY		New York Telephone
MANHOOD FOUNDATION INC		New York Telephone
MORSE HAROLD L MRS		New York Telephone
PROJECT MANHOOD FOUNDATION INC		New York Telephone
ROSNER N L DR DNTST OFC		New York Telephone
ROTHSTEIN HERMAN Z LWYR		New York Telephone
ROTHSTEIN LESTER E LWYR		New York Telephone
COLUMBIAN MUTUAL LIFE INS CO BRNGAMTON NY		New York Telephone
FREEDOM CHECK CASHING CORP		New York Telephone
FREEDOM CHECK CASHING CORP		New York Telephone
GRANT S EMPLOY AGENCY		New York Telephone
HERMANN LUDWIG INS		New York Telephone
JULIEN L MARIE MRS EMPLOY AGCY	New York Telephone	
KLAMMER GARY E INS	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	KLAMMER PHILIP INSURANCE	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	MANHOOD FOUNDATION INC	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PROJECT MANHOOD FOUNDATION INC	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	ROTHSTEIN HERMAN Z LWYR	New York Telephone
	ROTHSTEIN LESTER E LWYR	New York Telephone
1968	CENTRAL HARLEM LIBERAL CLUB	New York Telephone
	COZY THREE INC	New York Telephone
	GRANT S EMPLOY AGENCY	New York Telephone
	HARLEY CHECK CASHING CORP	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	UNITY MUTUAL LIFE INS CO OF NY	New York Telephone
	CENTRAL HARLEM LIBERAL CLUB	New York Telephone
	COZY THREE INC	New York Telephone
	GRANT S EMPLOY AGENCY	New York Telephone
	HARLEY CHECK CASHING CORP	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	UNITY MUTUAL LIFE INS CO OF NY	New York Telephone
1963	BEBI JOHNSON	New York Telephone
	COLUMBIAN MUTUAL LIFE INS CO BINGHAMTON NY	New York Telephone
	GRANT E MARIE MRS EMPLOY AGCY	New York Telephone
	GRANTS EMPLOY AGENCY	New York Telephone
	JERVIS WM L INS	New York Telephone
	JOHNSON BEBI BEAUTY SALON	New York Telephone
	JOHNSON J MISS MASEUS	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	MARTINEZ CO OF NY RL EST & INS	New York Telephone
	MARTINEZ RAMON A RL EST & INS	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PERLMAN DONALD S AGNCY INC	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	SUPREME COURT USA	New York Telephone
BEBI JOHNSON	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	COLUMBIAN MUTUAL LIFE INS CO BINGHAMTON NY	New York Telephone
	GRANT E MARIE MRS EMPLOY AGCY	New York Telephone
	GRANTS EMPLOY AGENCY	New York Telephone
	JERVIS WM L INS	New York Telephone
	JOHNSON BEBI BEAUTY SALON	New York Telephone
	JOHNSON J MISS MASEUS	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	MARTINEZ CO OF NY RL EST & INS	New York Telephone
	MARTINEZ RAMON A RL EST & INS	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PERLMAN DONALD S AGENCY INC	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	SUPREME COURT USA	New York Telephone
	1958	CORNELIUS H SALES CO
GRANT E MARIE MRS EMPLOY AGCY		New York Telephone
GRANT S EMPLOY AGENCY		New York Telephone
JERVIS WM L INS		New York Telephone
JOHNSON J MISS MASEUS		New York Telephone
MORSE HAROLD L MRS		New York Telephone
ROSNER N L DR DNTST		New York Telephone
UNITY MUTUAL LIFE INS CO OF NY		New York Telephone
WANG GOH JONG B		New York Telephone
CORNELIUS H SALES CO		New York Telephone
GRANT E MARIE MRS EMPLOY AGCY		New York Telephone
GRANT S EMPLOY AGENCY		New York Telephone
JERVIS WM L INS		New York Telephone
JOHNSON J MISS MASEUS		New York Telephone
MORSE HAROLD L MRS		New York Telephone
ROSNER N L DR DNTST		New York Telephone
UNITY MUTUAL LIFE INS CO OF NY		New York Telephone
WANG GOH JONG B		New York Telephone
1956	CAMPBELL HEDLEY H ACCTNT	New York Telephone
	DURCHIN JOS B	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	WANG GOH JONG B	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1956	CAMPBELL HEDLEY H ACCTNT	New York Telephone
	DURCHIN JOS B	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	WANG GOH JONG B	New York Telephone
1938	CREVICR ELIZ B	New York Telephone
	FINKLER R CARPNTR	New York Telephone
	HAHN JACOB H LWYR	New York Telephone
	HYMAN ALBERT S INS	New York Telephone
	JERVIS VINCENT G INS	New York Telephone
	ROWAN EDW INC DNTS MTL	New York Telephone
	TINGLING HUGH INS	New York Telephone
	CREVICR ELIZ B	New York Telephone
	FINKLER R CARPNTR	New York Telephone
	HAHN JACOB H LWYR	New York Telephone
	HYMAN ALBERT S INS	New York Telephone
	JERVIS VINCENT G INS	New York Telephone
	ROWAN EDW INC DNTS MTL	New York Telephone
	TINGLING HUGH INS	New York Telephone
1927	Chisholm & Chapman brokers	New York Telephone
	Branch	New York Telephone
	Branch	New York Telephone
	Chisholm & Chapman brokers	New York Telephone
	Frank Walter L rl est	New York Telephone
	Gutman Louis Inc	New York Telephone
	Harlem Adv & Ri Est Exch	New York Telephone
	Harlem Bd of Commerce	New York Telephone
	Harlem Dental Lab	New York Telephone
	Harlem Magazine	New York Telephone
	Harlem Magazine a pub	New York Telephone
	Jervis V G dist mgr	New York Telephone
	Kahrs Daniel H cafe	New York Telephone
	Kay L beauty salon	New York Telephone
	Kaybee Exterminating Co	New York Telephone
	Kennedy Wm adv agey	New York Telephone
	Kenton Restrnt Co	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	King Solomon Cemetery	New York Telephone
	Morningside Billiard Academy	New York Telephone
	Natl Casualty Co Inc	New York Telephone
	Olenick Alfred rl est	New York Telephone
	Peall Chas E mgr	New York Telephone
	Retail branch	New York Telephone
	Rowan Edw Inc dnts mtls	New York Telephone
	Schechter P pntr	New York Telephone
	Scheuer Louis lwyr	New York Telephone
	Scheuroth Letonite Co Inc hard rubber	New York Telephone
	Unity Protective Assn	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	FRANK WALTER L RL EST	New York Telephone
	HARLEM ADV & RL EST EXCH	New York Telephone
	HARLEM BD OF COMMERCE	New York Telephone
	HARLEM DENTAL LAB	New York Telephone
	HARLEM MAGAZINE	New York Telephone
	JERVIS V G DIST MGR	New York Telephone
	KAHRS DANIEL H CAFE	New York Telephone
	KAY L BEAUTY SALON	New York Telephone
	KAYBEE EXTERMINATING CO	New York Telephone
	KENNEDY WM ADV AGEY	New York Telephone
	KENTON RESTRNT CO	New York Telephone
	MORNINGSIDE BILLIARD ACADEMY	New York Telephone
	NATL CASUALTY CO INC	New York Telephone
	OLENICK ALFRED RL EST	New York Telephone
	PEALL CHAS E MGR	New York Telephone
	ROWAN EDW INC DNTS MTLs	New York Telephone
	SCHECHTER P PNTR	New York Telephone
	SCHEUER LOUIS LWYR	New York Telephone
	SCHEUROTH LETONITE CO INC HARD RUBBER	New York Telephone
	UNITY PROTECTIVE ASSN	New York Telephone
	Chisholm & Chapman brokers	New York Telephone
	Branch	New York Telephone
	Branch	New York Telephone
	Chisholm & Chapman brokers	New York Telephone
	Frank Walter L rl est	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Gutman Louis Inc	New York Telephone
	Harlem Adv & Ri Est Exch	New York Telephone
	Harlem Bd of Commerce	New York Telephone
	Harlem Dental Lab	New York Telephone
	Harlem Magazine	New York Telephone
	Harlem Magazine a pub	New York Telephone
	Jervis V G dist mgr	New York Telephone
	Kahrs Daniel H cafe	New York Telephone
	Kay L beauty salon	New York Telephone
	Kaybee Exterminating Co	New York Telephone
	Kennedy Wm adv agey	New York Telephone
	Kenton Restrnt Co	New York Telephone
	King Solomon Cemetery	New York Telephone
	Morningside Billiard Academy	New York Telephone
	Natl Casualty Co Inc	New York Telephone
	Olenick Alfred rl est	New York Telephone
	Peall Chas E mgr	New York Telephone
	Retail branch	New York Telephone
	Rowan Edw Inc dnts mtls	New York Telephone
	Schechter P pntr	New York Telephone
	Scheuer Louis lwyr	New York Telephone
	Scheuroth Letonite Co Inc hard rubber	New York Telephone
	Unity Protective Assn	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	FRANK WALTER L RL EST	New York Telephone
	HARLEM ADV & RL EST EXCH	New York Telephone
	HARLEM BD OF COMMERCE	New York Telephone
	HARLEM DENTAL LAB	New York Telephone
	HARLEM MAGAZINE	New York Telephone
	JERVIS V G DIST MGR	New York Telephone
	KAHRS DANIEL H CAFE	New York Telephone
	KAY L BEAUTY SALON	New York Telephone
	KAYBEE EXTERMINATING CO	New York Telephone
	KENNEDY WM ADV AGEY	New York Telephone
	KENTON RESTRNT CO	New York Telephone
	MORNINGSIDE BILLIARD ACADEMY	New York Telephone
	NATL CASUALTY CO INC	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	OLENICK ALFRED RL EST	New York Telephone
	PEALL CHAS E MGR	New York Telephone
	ROWAN EDW INC DNTS MTL	New York Telephone
	SCHECHTER P PNTR	New York Telephone
	SCHEUER LOUIS LWYR	New York Telephone
	SCHEUROTH LETONITE CO INC HARD RUBBER	New York Telephone
	UNITY PROTECTIVE ASSN	New York Telephone

291 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
1993	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
1988	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
1983	MCKISSIC BARBER SHOP	New York Telephone
	Mitchell Margaret	New York Telephone
	Powder Puff By Marion	New York Telephone
	MCKISSIC BARBER SHOP	New York Telephone
	MITCHELL MARGARET	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	PODER PUFF BY MARION	New York Telephone
	MCKISSIC BARBER SHOP	New York Telephone
	Mitchell Margaret	New York Telephone
	Powder Puff By Marion	New York Telephone
	MCKISSIC BARBER SHOP	New York Telephone
	MITCHELL MARGARET	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	PODER PUFF BY MARION	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	POWDER PUFF BY MARION	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	YOUNG ELLA	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	YOUNG ELLA	New York Telephone
1973	POWDER PUFF BY PINKIE	New York Telephone
	TUCHFELD IRVING INS	New York Telephone
	POWDER PUFF BY PINKIE	New York Telephone
	TUCHFELD IRVING INS	New York Telephone
1968	BROWN BEATRICE MRS	New York Telephone
	GONZALEZ RALPH	New York Telephone
	POWDER PUFF BY PINKIE	New York Telephone
	TUCHIFELD IRVING INS	New York Telephone
	BROWN BEATRICE MRS	New York Telephone
	GONZALEZ RALPH	New York Telephone
	POWDER PUFF BY PINKIE	New York Telephone
	TUCHIFELD IRVING INS	New York Telephone
	WEB RESTRNT	New York Telephone
	WEB RESTRNT	New York Telephone
1963	WEB RESTRNT	New York Telephone
	WEB RESTRNT	New York Telephone
	WEB RESTRNT	New York Telephone
	WEB RESTRNT	New York Telephone
1958	FELTON S LOUNGE RESTRNST	New York Telephone
	MORRIS ANN S MRS	New York Telephone
	FELTON S LOUNGE RESTRNST	New York Telephone
	MORRIS ANN S MRS	New York Telephone
1927	Donahue Chas D rl est	New York Telephone
	Schmidt Herman A rl est off	New York Telephone
	Schmidt & Donahue real estate	New York Telephone
	United Tailoring & Cleaning Co	New York Telephone
	DONAHUE CHAS D RL EST	New York Telephone
	SCHMIDT HERMAN A RL EST OFF	New York Telephone
	SCHMIDT & DONAHUE REAL ESTATE	New York Telephone
	UNITED TAILORING & CLEANING CO	New York Telephone
	Donahue Chas D rl est	New York Telephone
	Schmidt Herman A rl est off	New York Telephone
	Schmidt & Donahue real estate	New York Telephone
	United Tailoring & Cleaning Co	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	DONAHUE CHAS D RL EST	New York Telephone
	SCHMIDT HERMAN A RL EST OFF	New York Telephone
	SCHMIDT & DONAHUE REAL ESTATE	New York Telephone
	UNITED TAILORING & CLEANING CO	New York Telephone

292 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	WILLIAMS CHRSTPHR A	New York Telephone
	WILLIAMS CHRSTPHR A	New York Telephone

293 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	JUNEGLORY REALTY CORP	New York Telephone
	TINDLEY MARY	New York Telephone
	Juneglory Realty Corp	New York Telephone
	Tindley Mary	New York Telephone
	Juneglory Realty Corp	New York Telephone
	Tindley Mary	New York Telephone
	JUNEGLORY REALTY CORP	New York Telephone
	TINDLEY MARY	New York Telephone
1978	HANES EILEEN	New York Telephone
	IRBY L	New York Telephone
	JUNEGLORY REALTY CORP	New York Telephone
	MC INTYRE ESTELLA	New York Telephone
	HANES EILEEN	New York Telephone
	IRBY L	New York Telephone
	JUNEGLORY REALTY CORP	New York Telephone
	MC INTYRE ESTELLA	New York Telephone
1973	BATTLE OSCAR L	New York Telephone
	BRANNOIN EUGENE	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JERNIGAN B	New York Telephone
	JUNEGLORY REALTY CORP	New York Telephone
	MC INTYRE ESTELLA	New York Telephone
	SHEFFEY CELESTINE	New York Telephone
	SMITH GERTRUDE	New York Telephone
	WASHINGTON JAMES	New York Telephone
	WILLIAMS FRANK	New York Telephone
	BATTLE OSCAR L	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	BRANNOIN EUGENE	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JERNIGAN B	New York Telephone
	JUNEGLODY REALTY CORP	New York Telephone
	MC INTYRE ESTELLA	New York Telephone
	SHEFFEY CELESTINE	New York Telephone
	SMITH GERTRUDE	New York Telephone
	WASHINGTON JAMES	New York Telephone
	WILLIAMS FRANK	New York Telephone
1968	BOUTTE BEULAH MRS	New York Telephone
	DAVIS EZEKIEL JR	New York Telephone
	GOON CHAS	New York Telephone
	GREEN HARRISON	New York Telephone
	HINES NEEDAM T	New York Telephone
	JOHNSON T DAVID	New York Telephone
	PETERS LINNIE MRS	New York Telephone
	REYNOLDS DAISY MRS	New York Telephone
	BOUTTE BEULAH MRS	New York Telephone
	DAVIS EZEKIEL JR	New York Telephone
	GOON CHAS	New York Telephone
	GREEN HARRISON	New York Telephone
	HINES NEEDAM T	New York Telephone
	JOHNSON T DAVID	New York Telephone
	PETERS LINNIE MRS	New York Telephone
REYNOLDS DAISY MRS	New York Telephone	
1963	PETERS LINNIE MRS	New York Telephone
	POPE WALTER	New York Telephone
	PRICE LULA M	New York Telephone
	SIMON FRED	New York Telephone
	SPENCER LOUISE A MRS	New York Telephone
	STEPHENSON B J	New York Telephone
	SWANSON CLAUDIA	New York Telephone
	BOUTTE BOULAH MRS	New York Telephone
	DAVIS EZEKIEL JR	New York Telephone
	GOON CHAS	New York Telephone
	HARRISON GIOVER	New York Telephone
	HINES NEEDHAM T	New York Telephone
JOHNSON MARY J MRS	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	JOHNSON T DAVID	New York Telephone
	MCCORD ALLEN	New York Telephone
	MILLER VICTOR	New York Telephone
	PETERS LINNIE MRS	New York Telephone
	POPE WALTER	New York Telephone
	PRICE LULA M	New York Telephone
	SIMON FRED	New York Telephone
	SPENCER LOUISE A MRS	New York Telephone
	STEPHENSON B J	New York Telephone
	SWANSON CLAUDIA	New York Telephone
	BOUTTE BOULAH MRS	New York Telephone
	DAVIS EZEKIEL JR	New York Telephone
	GOON CHAS	New York Telephone
	HARRISON GIOVER	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JOHNSON MARY J MRS	New York Telephone
	JOHNSON T DAVID	New York Telephone
MCCORD ALLEN	New York Telephone	
MILLER VICTOR	New York Telephone	
1958	BOUTTE BEULAH MRS	New York Telephone
	CARROLL ANNIE	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JOHNSON T DAVID	New York Telephone
	MILLER RICHD	New York Telephone
	PETERS LINNIE MRS	New York Telephone
	PRICE LULA M	New York Telephone
	SPENCER LOUISE A MRS	New York Telephone
	WHALEY ANN MRS	New York Telephone
	BOUTTE BEULAH MRS	New York Telephone
	CARROLL ANNIE	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
HINES NEEDHAM T	New York Telephone	
JOHNSON T DAVID	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	MILLER RICHD	New York Telephone
	PETERS LINNIE MRS	New York Telephone
	PRICE LULA M	New York Telephone
	SPENCER LOUISE A MRS	New York Telephone
	WHALEY ANN MRS	New York Telephone
1956	BOUTTE BEULAH MRS	New York Telephone
	CASON NORMAN	New York Telephone
	DENT LOUISE MRS	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
	HINES MATILDA MRS	New York Telephone
	HUNT HAZEL F	New York Telephone
	JOHNSON MARY JANE MRS	New York Telephone
	JOHNSON T DAVID	New York Telephone
	KELLER ERNESTINE MRS	New York Telephone
	NIXON SWANIE MRS	New York Telephone
	RAYE SADIE MAE	New York Telephone
	TURNER IRENE	New York Telephone
	WALLACE ALBERT	New York Telephone
	WHALEY ANN MRS	New York Telephone
	WILLIAMS JOHNNIE M MRS	New York Telephone
	BOUTTE BEULAH MRS	New York Telephone
	CASON NORMAN	New York Telephone
	DENT LOUISE MRS	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
	HINES MATILDA MRS	New York Telephone
	HUNT HAZEL F	New York Telephone
	JOHNSON MARY JANE MRS	New York Telephone
	JOHNSON T DAVID	New York Telephone
KELLER ERNESTINE MRS	New York Telephone	
NIXON SWANIE MRS	New York Telephone	
RAYE SADIE MAE	New York Telephone	
TURNER IRENE	New York Telephone	
WALLACE ALBERT	New York Telephone	
WHALEY ANN MRS	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1956	WILLIAMS JOHNNIE M MRS	New York Telephone
1938	BUTLER JOHN T	New York Telephone
	THOM K C	New York Telephone
	BUTLER JOHN T	New York Telephone
	THOM K C	New York Telephone
1931	Bower Wm C	Manhattan and Bronx Directory Publishing Company Residential Directory
	Butler John Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Edgarton Geo T	Manhattan and Bronx Directory Publishing Company Residential Directory
	Franco Anthony J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Keid Kaiherme	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kelchel Jos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Mulvihill Irving J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Pyne Helen	Manhattan and Bronx Directory Publishing Company Residential Directory
	BOWER WM C	Manhattan and Bronx Directory Publishing Company Residential Directory
	BUTLER JOHN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	EDGARTON GEO T	Manhattan and Bronx Directory Publishing Company Residential Directory
	FRANCO ANTHONY J	Manhattan and Bronx Directory Publishing Company Residential Directory
	KEID KAIHERME	Manhattan and Bronx Directory Publishing Company Residential Directory
	KELCHEL JOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	MULVIHILL IRVING J	Manhattan and Bronx Directory Publishing Company Residential Directory
	PYNE HELEN	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bower Wm C	Manhattan and Bronx Directory Publishing Company Residential Directory
	Butler John Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Edgarton Geo T	Manhattan and Bronx Directory Publishing Company Residential Directory
	Franco Anthony J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Keid Kaiherme	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	Kelchel Jos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Mulvihill Irving J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Pyne Helen	Manhattan and Bronx Directory Publishing Company Residential Directory
	BOWER WM C	Manhattan and Bronx Directory Publishing Company Residential Directory
	BUTLER JOHN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	EDGARTON GEO T	Manhattan and Bronx Directory Publishing Company Residential Directory
	FRANCO ANTHONY J	Manhattan and Bronx Directory Publishing Company Residential Directory
	KEID KAIHERME	Manhattan and Bronx Directory Publishing Company Residential Directory
	KELCHEL JOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	MULVIHILL IRVING J	Manhattan and Bronx Directory Publishing Company Residential Directory
	PYNE HELEN	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Berlin I dental lab	New York Telephone
	Boudreau Wm r	New York Telephone
	Cantor Saml M Dr DDS	New York Telephone
	Carroll A F Mrs r	New York Telephone
	Crouch A B Mrs r	New York Telephone
	De Lancellotti Louis r	New York Telephone
	Farinelli N jewelry	New York Telephone
	Galvin Edw	New York Telephone
	Galvin Mary E Miss	New York Telephone
	Galvin Nellie	New York Telephone
	Gordon Wm r	New York Telephone
	Lancellotti Chev C De	New York Telephone
	Residenee	New York Telephone
	Matisse A C r	New York Telephone
	Matisse C A r	New York Telephone
	Maurer R r	New York Telephone
	Nunley Joseph W r	New York Telephone
	Rosenfeld L H r	New York Telephone
	Smith H W r	New York Telephone
	Steinmetz Edwin r	New York Telephone
Story Chas P Mrs r	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Tauman Irving mach dntst	New York Telephone
	Valerious R D r	New York Telephone
	BERLIN I DENTAL LAB	New York Telephone
	BOUDREAU WM R	New York Telephone
	CANTOR SAML M DR DDS	New York Telephone
	CARROLL A F MRS R	New York Telephone
	CROUCH A B MRS R	New York Telephone
	FARINELLI N JEWELRY	New York Telephone
	GALVIN EDW	New York Telephone
	GALVIN MARY E MISS	New York Telephone
	GALVIN NELLIE	New York Telephone
	GORDON WM R	New York Telephone
	LANCELLOTTI CHEV C DE	New York Telephone
	MATISSE A C R	New York Telephone
	MATISSE C A R	New York Telephone
	MAURER R R	New York Telephone
	NUNLEY JOSEPH W R	New York Telephone
	ROSENFELD L H R	New York Telephone
	SMITH H W R	New York Telephone
	STEINMETZ EDWIN R	New York Telephone
	STORY CHAS P MRS R	New York Telephone
	TAUMAN IRVING MACH DNTST	New York Telephone
	VALERIOUS R D R	New York Telephone
	Berlin I dental lab	New York Telephone
	Boudreau Wm r	New York Telephone
	Cantor Saml M Dr DDS	New York Telephone
	Carroll A F Mrs r	New York Telephone
	Crouch A B Mrs r	New York Telephone
	De Lancellotti Louis r	New York Telephone
	Farinelli N jewelry	New York Telephone
	Galvin Edw	New York Telephone
	Galvin Mary E Miss	New York Telephone
	Galvin Nellie	New York Telephone
	Gordon Wm r	New York Telephone
	Lancellotti Chev C De	New York Telephone
	Residenee	New York Telephone
	Matisse A C r	New York Telephone
	Matisse C A r	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Maurer R r	New York Telephone
	Nunley Joseph W r	New York Telephone
	Rosenfeld L H r	New York Telephone
	Smith H W r	New York Telephone
	Steinmetz Edwin r	New York Telephone
	Story Chas P Mrs r	New York Telephone
	Tauman Irving mach dntst	New York Telephone
	Valerious R D r	New York Telephone
	BERLIN I DENTAL LAB	New York Telephone
	BOUDREAU WM R	New York Telephone
	CANTOR SAML M DR DDS	New York Telephone
	CARROLL A F MRS R	New York Telephone
	CROUCH A B MRS R	New York Telephone
	FARINELLI N JEWELRY	New York Telephone
	GALVIN EDW	New York Telephone
	GALVIN MARY E MISS	New York Telephone
	GALVIN NELLIE	New York Telephone
	GORDON WM R	New York Telephone
	LANCELLOTTI CHEV C DE	New York Telephone
	MATISSE A C R	New York Telephone
	MATISSE C A R	New York Telephone
	MAURER R R	New York Telephone
	NUNLEY JOSEPH W R	New York Telephone
	ROSENFELD L H R	New York Telephone
	SMITH H W R	New York Telephone
	STEINMETZ EDWIN R	New York Telephone
	STORY CHAS P MRS R	New York Telephone
	TAUMAN IRVING MACH DNTST	New York Telephone
	VALERIOUS R D R	New York Telephone

295 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	FORD THERESA	New York Telephone
	FORD THERESA	New York Telephone
1973	FORD THERESA	New York Telephone
	FORD THERESA	New York Telephone
1968	WILLIAMS HERMAN	New York Telephone
	WILLIAMS HERMAN	New York Telephone
1927	COHEN SAML TLR	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	KETCHELL JOSEPH A R	New York Telephone
	SMITH A MRS R	New York Telephone
	Cohen Saml tlr	New York Telephone
	Ketchell Joseph A r	New York Telephone
	Smith A Mrs r	New York Telephone
	COHEN SAML TLR	New York Telephone
	KETCHELL JOSEPH A R	New York Telephone
	SMITH A MRS R	New York Telephone
	Cohen Saml tlr	New York Telephone
	Ketchell Joseph A r	New York Telephone
	Smith A Mrs r	New York Telephone

297 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	KALKULATOR SAM MILNRY	New York Telephone
	Kalkulator Sam milnry	New York Telephone
	KALKULATOR SAM MILNRY	New York Telephone
	Kalkulator Sam milnry	New York Telephone

LENOX RD

297 LENOX RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	LEVINE H ROBERT BKLYN	New York Telephone
	Levine H Robert	New York Telephone
	LEVINE H ROBERT BKLYN	New York Telephone
	Levine H Robert	New York Telephone
1978	LEVINE H ROBERT BKLYN	New York Telephone
	LEVINE H ROBERT BKLYN	New York Telephone
1973	LEVINE H ROBERT BKLYN	New York Telephone
	LEVINE H ROBERT BKLYN	New York Telephone

MALCOLM X BLVD

284 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	SAM TOWING INC	Cole Information Services
	A-AAA TOWING EMER	Cole Information Services
	SAM TOWING INC	Cole Information Services
	A-AAA TOWING EMER	Cole Information Services

FINDINGS

286 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Edmonds Cafe 1 R	Hill-Donnelly Information Services
	Edmonds Cafe 1 R	Hill-Donnelly Information Services
2000	CHARLES FRANKLIN	Cole Information Services
	HAROUNA TRAORE	Cole Information Services
	CHARLES FRANKLIN	Cole Information Services
	HAROUNA TRAORE	Cole Information Services
	SENEGALES HR BRDNG	Cole Information Services
	LENOX AV RLTY	Cole Information Services
	SAMMYS NI & HR SLN	Cole Information Services
	SENEGALES HR BRDNG	Cole Information Services
	LENOX AV RLTY	Cole Information Services
SAMMYS NI & HR SLN	Cole Information Services	

287 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NTNL DEV & RESEARCH	Cole Information Services
	NTNL DEV & RESEARCH	Cole Information Services

288 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	289 No Current Listing	Hill-Donnelly Information Services
	289 No Current Listing	Hill-Donnelly Information Services
2000	LENOX LOUNGE INC	Cole Information Services
	LENOX LOUNGE	Cole Information Services
	DENNIS WILSON	Cole Information Services
	LENOX LOUNGE INC	Cole Information Services
	LENOX LOUNGE	Cole Information Services
	DENNIS WILSON	Cole Information Services

289 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	PREDICATE ENTRPRS	Cole Information Services
	PREDICATE ENTRPRS	Cole Information Services

290 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Business Resource Investment	Hill-Donnelly Information Services
	Business Resource Investment	Hill-Donnelly Information Services
2000	BSNSS RESRC CTR	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	LER REALTY CORP	Cole Information Services
	NGHBRHD DELI GROC	Cole Information Services
	WESTERN UNION	Cole Information Services
	STERLING OPTICAL	Cole Information Services
	THOMPSON BARB SHP	Cole Information Services
	UPPER MNHTTN CORP	Cole Information Services
	UPPER MNHTTN CORP	Cole Information Services
	PRIMA CHK CASHING	Cole Information Services
	BSNSS RESRC CTR	Cole Information Services
	LER REALTY CORP	Cole Information Services
	NGHBRHD DELI GROC	Cole Information Services
	WESTERN UNION	Cole Information Services
	STERLING OPTICAL	Cole Information Services
	THOMPSON BARB SHP	Cole Information Services
	UPPER MNHTTN CORP	Cole Information Services
	UPPER MNHTTN CORP	Cole Information Services
	PRIMA CHK CASHING	Cole Information Services

W 124th St

108 W 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	h Robinson Winston n	Hill-Donnelly Information Services
	Allen Woodrow An	Hill-Donnelly Information Services
	Pena Flores Carlos y	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Bannister Patricia o os	Hill-Donnelly Information Services
	Bartlett Donald C An	Hill-Donnelly Information Services
	Blair Marion v	Hill-Donnelly Information Services
	h Capers John e	Hill-Donnelly Information Services
	Green Dwayne vn	Hill-Donnelly Information Services
	Hernandez Nelson en	Hill-Donnelly Information Services
	Hill Otis	Hill-Donnelly Information Services
	Hodges Williema e o	Hill-Donnelly Information Services
	h Hooks Bobby An	Hill-Donnelly Information Services
	Khemraj Shreematti w	Hill-Donnelly Information Services
	h King Vincent e oo	Hill-Donnelly Information Services
	h Mata Anthony en	Hill-Donnelly Information Services
	Mendoza 2 AV	Hill-Donnelly Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Mullen Sean w	Hill-Donnelly Information Services
	h Pitt Larry A	Hill-Donnelly Information Services
	h Reeves Ullie A	Hill-Donnelly Information Services
	Smith H A	Hill-Donnelly Information Services
	Thompson Marcia n	Hill-Donnelly Information Services
	h Robinson Winston n	Hill-Donnelly Information Services
	Allen Woodrow An	Hill-Donnelly Information Services
	Pena Flores Carlos y	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Bannister Patricia o os	Hill-Donnelly Information Services
	Bartlett Donald C An	Hill-Donnelly Information Services
	Blair Marion v	Hill-Donnelly Information Services
	h Capers John e	Hill-Donnelly Information Services
	Green Dwayne vn	Hill-Donnelly Information Services
	Hernandez Nelson en	Hill-Donnelly Information Services
	Hill Otis	Hill-Donnelly Information Services
	Hodges Williamae o	Hill-Donnelly Information Services
	h Hooks Bobby An	Hill-Donnelly Information Services
	Khemraj Shreematti w	Hill-Donnelly Information Services
	h King Vincent e oo	Hill-Donnelly Information Services
h Mata Anthony en	Hill-Donnelly Information Services	
Mendoza 2 AV	Hill-Donnelly Information Services	
Mullen Sean w	Hill-Donnelly Information Services	
h Pitt Larry A	Hill-Donnelly Information Services	
h Reeves Ullie A	Hill-Donnelly Information Services	
Smith H A	Hill-Donnelly Information Services	
Thompson Marcia n	Hill-Donnelly Information Services	
2000	APARTMENTS	Cole Information Services
	APARTMENTS	Cole Information Services
1927	Gerhauser Pliip M L r	New York Telephone
	Barker Alex E W gymnsm	New York Telephone
	Residence	New York Telephone
	Ackerson Geo W r	New York Telephone
	Gerhauser Pliip M L r	New York Telephone
	Barker Alex E W gymnsm	New York Telephone
	Residence	New York Telephone
	Ackerson Geo W r	New York Telephone

FINDINGS

110 W 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	Groh Adolph G	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hallisy Julia	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hallisy Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	Fay Minnie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Fay Sylvester	Manhattan and Bronx Directory Publishing Company Residential Directory
	Ryan Andrew	Manhattan and Bronx Directory Publishing Company Residential Directory
	Groh Adolph G	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hallisy Julia	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hallisy Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	Fay Minnie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Fay Sylvester	Manhattan and Bronx Directory Publishing Company Residential Directory
	Ryan Andrew	Manhattan and Bronx Directory Publishing Company Residential Directory
	1927	Williams Geo r
Groh Adolph r		New York Telephone
Groh C I Mrs r		New York Telephone
Fors Thyra A Miss RN		New York Telephone
Williams Geo r		New York Telephone
Groh Adolph r		New York Telephone
Groh C I Mrs r		New York Telephone
Fors Thyra A Miss RN		New York Telephone

114 W 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	116 No Current Listing	Hill-Donnelly Information Services
	116 No Current Listing	Hill-Donnelly Information Services
1931	Boston Jessie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Red Alice	Manhattan and Bronx Directory Publishing Company Residential Directory
	Red Cornelius	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	Michel Riussel T	Manhattan and Bronx Directory Publishing Company Residential Directory
	Boston Jessie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Red Alice	Manhattan and Bronx Directory Publishing Company Residential Directory
	Red Cornelius	Manhattan and Bronx Directory Publishing Company Residential Directory
	Michel Riussel T	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

291 Malcolm X Blvd

Address Not Identified in Research Source

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched

108 W 124th St

Address Not Identified in Research Source

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

110 W 124th St

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

114 W 124th St

2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1927, 1923, 1920

284 LENOX AVE

2000, 1996, 1993, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

284 LENOX AVE

2000, 1996, 1993, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

284 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

284 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

285 LENOX AVE

2006, 2000, 1996, 1947, 1942, 1934, 1923, 1920

285 LENOX AVE

2006, 2000, 1996, 1947, 1942, 1934, 1923, 1920

286 LENOX AVE

2000, 1996, 1958, 1956, 1950, 1947, 1942, 1934, 1923, 1920

286 LENOX AVE

2000, 1996, 1958, 1956, 1950, 1947, 1942, 1934, 1923, 1920

286 MALCOLM X BLVD

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

286 MALCOLM X BLVD

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

287 LENOX AVE

2006, 2000, 1996, 1993, 1988, 1983, 1978, 1963, 1958, 1956, 1950, 1947, 1934, 1931, 1923, 1920

287 LENOX AVE

2006, 2000, 1996, 1993, 1988, 1983, 1978, 1963, 1958, 1956, 1950, 1947, 1934, 1931, 1923, 1920

287 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

287 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

288 LENOX AVE

2000, 1998, 1996, 1973, 1950, 1947, 1942, 1934, 1923, 1920

FINDINGS

Address Researched

288 LENOX AVE

288 MALCOLM X BLVD

288 MALCOLM X BLVD

289 LENOX AVE

289 LENOX AVE

289 MALCOLM X BLVD

289 MALCOLM X BLVD

290 LENOX AVE

290 LENOX AVE

290 MALCOLM X BLVD

290 MALCOLM X BLVD

291 LENOX AVE

291 LENOX AVE

292 LENOX AVE

292 LENOX AVE

293 LENOX AVE

293 LENOX AVE

295 LENOX AVE

295 LENOX AVE

297 LENOX AVE

297 LENOX AVE

297 LENOX RD

297 LENOX RD

Address Not Identified in Research Source

2000, 1998, 1996, 1973, 1950, 1947, 1942, 1934, 1923, 1920

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1996, 1973, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1996, 1973, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2000, 1996, 1950, 1947, 1942, 1934, 1931, 1923, 1920

2000, 1996, 1950, 1947, 1942, 1934, 1931, 1923, 1920

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1996, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1996, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1950, 1947, 1942, 1934, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1950, 1947, 1942, 1934, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

125th St and Lenox Ave

291 Malcolm X Blvd
New York, NY 10027

Inquiry Number: 2822816.6
July 22, 2010

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

2009 Enhancements to EDR City Directory Abstract

New for 2009, the EDR City Directory Abstract has been enhanced with additional information and features. These enhancements will make your city directory research process more efficient, flexible, and insightful than ever before. The enhancements will improve the options for selecting adjoining properties, and will speed up your review of the report.

City Directory Report. Three important enhancements have been made to the EDR City Directory Abstract:

1. *Executive Summary.* The report begins with an Executive Summary that lists the sources consulted in the preparation of the report. Where available, a parcel map is also provided within the report, showing the locations of properties researched.
2. *Page Images.* Where available, the actual page source images will be included in the Appendix, so that you can review them for information that may provide additional insight. EDR has copyright permission to include these images.
3. *Findings Listed by Location.* Another useful enhancement is that findings are now grouped by address. This will significantly reduce the time you need to review your abstracts. Findings are provided under each property address, listed in reverse chronological order and referencing the source for each entry.

Options for Selecting Adjoining Properties. Ensuring that the right adjoining property addresses are searched is one of the biggest challenges that environmental professionals face when conducting city directory historical research. EDR's new enhancements make it easier for you to meet this challenge. Now, when you place an order for the EDR City Directory Abstract, you have the following choices for determining which addresses should be researched.

1. *You Select Addresses and EDR Selects Addresses.* Use the "Add Another Address" feature to specify the addresses you want researched. Your selections will be supplemented by addresses selected by EDR researchers using our established research methods. Where available, a digital map will be shown, indicating property lines overlaid on a color aerial photo and their corresponding addresses. Simply use the address list below the map to check off which properties shown on the map you want to include. You may also select other addresses using the "Add Another Address" feature at the bottom of the list.
2. *EDR Selects Addresses.* Choose this method if you want EDR's researchers to select the addresses to be researched for you, using our established research methods.
3. *You Select Addresses.* Use this method for research based solely on the addresses you select or enter into the system.
4. *Hold City Directory Research Option.* If you choose to select your own adjoining addresses, you may pause production of your EDR City Directory Abstract report until you have had a chance to look at your other EDR reports and sources. Sources for property addresses include: your Certified Sanborn Map Report may show you the location of property addresses; the new EDR Property Tax Map Report may show the location of property addresses; and your field research can supplement these sources with additional address information. To use this capability, simply click "Hold City Directory research" box under "Other Options" at the bottom of the page. Once you have determined what addresses you want researched, go to your EDR Order Status page, select the EDR City Directory Abstract, and enter the addresses and submit for production.

Questions? Contact your EDR representative at 800-352-0050. For more information about all of EDR's 2009 report and service enhancements, visit www.edrnet.com/2009enhancements

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2006. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2006	Hill-Donnelly Information Services	X	X	X	-
2000	Cole Information Services	X	X	X	-
1998	NYNEX Telephone	-	X	X	-
1996	NYNEX Telephone	-	-	-	-
1993	NYNEX Telephone	-	X	X	-
1988	NYNEX Telephone	-	X	X	-
1983	New York Telephone	-	X	X	-
1978	New York Telephone	-	X	X	-
1973	New York Telephone	-	X	X	-
1968	New York Telephone	-	X	X	-
1963	New York Telephone	-	X	X	-
1958	New York Telephone	-	X	X	-
1956	New York Telephone	-	X	X	-
1950	New York Telephone	-	X	X	-
1947	New York Telephone	-	-	-	-
1942	New York Telephone	-	X	X	-
1938	New York Telephone	-	X	X	-
1934	R. L. Polk & Co.	-	-	-	-
1931	Manhattan and Bronx Directory Publishing Company Residential Directory	-	X	X	-
1927	New York Telephone	-	X	X	-
1923	R. L. Polk & Co.	-	-	-	-
1920	R. L. Polk & Co.	-	-	-	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
285 Lenox Ave	Client Entered	X
109 West 124th St	Client Entered	X
110 West 125th St	Client Entered	X
105 West 125th St	Client Entered	X
290 Lenox Ave	Client Entered	X
280 Lenox Ave	Client Entered	X
100 W 124th St	Client Entered	X
112 W 124th St	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

291 Malcolm X Blvd
New York, NY 10027

FINDINGS DETAIL

Target Property research detail.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	293 297 299 300 302 No Current Listing	Hill-Donnelly Information Services
2000	POWDER PUFF MARION	Cole Information Services

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

Lenox Ave

280 Lenox Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Good Taste 11 R	Hill-Donnelly Information Services
1998	GOOD TASTE	NYNEX Telephone
1993	NEW S & G LUNCHEONETTE INC	NYNEX Telephone
1988	WANG GOH JONG B	NYNEX Telephone
1983	WANG GOH JONG B	New York Telephone
	WANG GOH JONG b	New York Telephone
1978	WANG GOH JONG B	New York Telephone
1973	WANG GOH JONG B	New York Telephone
1968	WANG GOH JONG D	New York Telephone
	WALKER ARMEDA A B	New York Telephone
1963	WANG GOH JONG B	New York Telephone
1927	LILLIAN SILK UNDERGARMENT CO	New York Telephone
	Lillian Silk Undergarment Co	New York Telephone

LENOX AVE

284 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Angeles Agustin	Hill-Donnelly Information Services
	Guerrero Felix	Hill-Donnelly Information Services
	Jimbo's Hamburger	Hill-Donnelly Information Services
	Naula Nicanor 7v os	Hill-Donnelly Information Services
1998	WILLIAMS BARB-QUE	NYNEX Telephone
1988	LEWIS JEANETTE I MRS	NYNEX Telephone
	MARCHAN E	NYNEX Telephone
1983	Lewis Jeanette I Mrs	New York Telephone
	White C M	New York Telephone
	LEWIS JEANETTE I MRS	New York Telephone
	WHITE C M	New York Telephone
1978	STURGIS ERNEST E	New York Telephone
	WHITE E M	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	LEWIS JEANETTE I MRS	New York Telephone
	ROGERS JOYCE	New York Telephone
1973	LEWIS JEANETTE I MRS	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
1968	CRAWFORD STEPHANIE	New York Telephone
	HY-GRADE CUSTOM UPHLSTRG	New York Telephone
	STURGIS ERNEST E	New York Telephone
	WHITE ETTA	New York Telephone
1963	WHITE ETTA	New York Telephone
1958	STURGIS ERNEST E	New York Telephone
1931	Boulas Sam	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sinanis Ponagytois	Manhattan and Bronx Directory Publishing Company Residential Directory
	BOULAS SAM	Manhattan and Bronx Directory Publishing Company Residential Directory
	SINANIS PONAGYTOIS	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Fleming Jas J V r	New York Telephone
	Ostrow Herman MD	New York Telephone
	Riley Ben P Dr r	New York Telephone
	Skolnick S & R whsle tobacconists	New York Telephone
	SKOLNICK S & R WHSLE TOBACCONISTS	New York Telephone

Lenox Ave

285 Lenox Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	AA LENOX AVE	NYNEX Telephone
1993	RAIA FOOD CORP	NYNEX Telephone
1988	SAUNDERS MARGARET MRS	NYNEX Telephone
	RAJA FOOD CORP	NYNEX Telephone
	BRYAN O L	NYNEX Telephone
1983	BRYAN O L	New York Telephone
	Bitterman L	New York Telephone
	Bryan O L	New York Telephone
	Gershowitz Judith MD	New York Telephone
	Roberts Rosoff & Berk PC	New York Telephone
	Saunders Margaret Mrs	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Roseff Lionell S MD	New York Telephone
	Roberts Leonard MMD	New York Telephone
1978	LEWIS O L	New York Telephone
	SNAPE WILFRED B	New York Telephone
	ALLEYNE JEAN	New York Telephone
1973	ALLIED CUSTOM HATTERS	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
	LEWIS O L	New York Telephone
1968	WILLIAMS BERTHA MRS	New York Telephone
1963	MCDUFFIE ESSIE	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
1958	WILLIAMS BERTHA MRS	New York Telephone
	WILLIAMS MOLLY MRS	New York Telephone
1956	WILLIAMS MOLLY MRS	New York Telephone
	WILLIAMS BERTHA MRS	New York Telephone
1950	AITCHISON BETH	New York Telephone
1938	MANSBACH L INC MEAT MKT	New York Telephone
1931	Kennedy Cath	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kennedy Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Harry J lab	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hook Ella	Manhattan and Bronx Directory Publishing Company Residential Directory
	Bruce Elsie	Manhattan and Bronx Directory Publishing Company Residential Directory
	Flynn Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY CATH	Manhattan and Bronx Directory Publishing Company Residential Directory
	FLYNN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	BRUCE ELSIE	Manhattan and Bronx Directory Publishing Company Residential Directory
	BRUCE HARRY J LAB	Manhattan and Bronx Directory Publishing Company Residential Directory
	KENNEDY WM	Manhattan and Bronx Directory Publishing Company Residential Directory
	HOOK ELLA	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	MANSBACH L INC MEAT MKT	New York Telephone
	Hooks Detective Agency	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Mansbach L Inc meat mkt	New York Telephone
	Pease Henry Hollister r	New York Telephone

LENOX AVE

286 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	286 Lenox Ave Realty Corp	Hill-Donnelly Information Services
	R& R Books 1 R	Hill-Donnelly Information Services
1998	SAMMY S NAIL & HAIR SALON	NYNEX Telephone
	SENEGALES HAIR BRAIDING	NYNEX Telephone
	LENOX AV REALTY CORP	NYNEX Telephone
1993	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
	ROSENBERG & MALOFF DDS PC	NYNEX Telephone
	LENOX AV REALTY CORP	NYNEX Telephone
1988	MENDOZA SONNY	NYNEX Telephone
	PHILIPPINE MEDICAL RECRUITERS	NYNEX Telephone
1983	MENDOZA SONNY	New York Telephone
	PHILIPPINE MEDICAL RECRUITERS	New York Telephone
	Mendoza Sonny	New York Telephone
	Philippine Medical Recruiters	New York Telephone
1978	PHILIPPINE MEDICAL RECRUITERS	New York Telephone
	MENDOZA SONNY	New York Telephone
1973	HARLEM STATIONERY & PRNTING INC	New York Telephone
1968	STANLEY S CLEANING & DYEING	New York Telephone
1963	STANLEYS CLEANNIG & DYEING	New York Telephone
1938	MUSSEN ALEX	New York Telephone
1931	Ducos Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	DUCOS WM	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	JENKS GRANT L R	New York Telephone
	O HEA T W J R	New York Telephone
	RUSSELL JOHN R	New York Telephone
	ULSAMER L BARBER	New York Telephone
	Jenks Grant L r	New York Telephone
	Maynard H Louise Miss r	New York Telephone
	Maynard Mary H Miss r	New York Telephone
	OHea T W J r	New York Telephone
	Russell John r	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Ulsamer L barber	New York Telephone

287 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	NATIONAL DEVELOPMENT & RESEARCH INSTITUTE	NYNEX Telephone
1973	TRIPLE VARETY CORP	New York Telephone
1968	FARINHOLT A	New York Telephone
	B & M SUPER MKT	New York Telephone
1942	VICTORIA PHARMACY	New York Telephone
1938	VICTORIA PHARMACY	New York Telephone
1927	Berger Bros & Schoenbrun bakry	New York Telephone
	Dunning M S Miss RN	New York Telephone
	Hood Marion r	New York Telephone
	Hull Willard J Dr	New York Telephone
	Lenz Henry pntr decrtr	New York Telephone
	Lever H Randolph r	New York Telephone
	Lever Mary E Miss r	New York Telephone
	Mac Intyre Mary B Miss r	New York Telephone
	Morgan Leonard B r	New York Telephone
	Murphy Frank J r	New York Telephone
	Tyson R E Mrs r	New York Telephone
	BERGER BROS & SCHOENBRUN BAKRY	New York Telephone
	LENZ HENRY PNTR DECRTR	New York Telephone

288 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Lenox Lounge 1 R	Hill-Donnelly Information Services
	Wilson Dennis	Hill-Donnelly Information Services
1993	LENOX LOUNGE	NYNEX Telephone
1988	LENOX LOUNGE	NYNEX Telephone
	WALKER PAUL	NYNEX Telephone
1983	Asher B A	New York Telephone
	Axelband Alan A DDS ofc	New York Telephone
	Bau Zdzislaw	New York Telephone
	Beck T	New York Telephone
	Berman Jed DDS	New York Telephone
	Betlin Hugh b	New York Telephone
	Born Robert H	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Braverman Murray DDS	New York Telephone
	Buckley V	New York Telephone
	Bwanelli M	New York Telephone
	Buranelli L	New York Telephone
	Cappelli Patricia	New York Telephone
	Carr J E	New York Telephone
	Carson G M	New York Telephone
	Corvi Steven	New York Telephone
	Curtin Edward R	New York Telephone
	LENOX LOUNGE	New York Telephone
	David R	New York Telephone
	Davis L	New York Telephone
	Deindorfer G M	New York Telephone
	Durkin Michael R	New York Telephone
	Eden D	New York Telephone
	Engelson Sandra DDS	New York Telephone
	Erickson Imo	New York Telephone
	Farber Irving	New York Telephone
	Fiert E	New York Telephone
	Fish N	New York Telephone
	Fleming Edward T	New York Telephone
	Garavuso Tia	New York Telephone
	Goldberg Richard	New York Telephone
	Gould Douglas J	New York Telephone
	Gurchick B M	New York Telephone
	Hackett Raymond Mrs	New York Telephone
	Harley Robt L	New York Telephone
	Hoffman L E	New York Telephone
	Hwa N D	New York Telephone
	Janoff Abraham	New York Telephone
	Johnson J	New York Telephone
	Kesch A	New York Telephone
	Kinhead E	New York Telephone
	Kosofsky M	New York Telephone
	Lambert R J	New York Telephone
	Landry A R	New York Telephone
	Lazar D	New York Telephone
	Lenox Lounge	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Lloyd N	New York Telephone
	Martin Frank	New York Telephone
	Mass E	New York Telephone
	Meade B	New York Telephone
	Meeks Howard	New York Telephone
	Meyers T	New York Telephone
	Miller J	New York Telephone
	Mitchell L	New York Telephone
	Negri G	New York Telephone
	Nicholas S	New York Telephone
	Noolevich R	New York Telephone
	ORourke B J	New York Telephone
	Paya Francisco	New York Telephone
	Pilitsis Siri	New York Telephone
	Realmuto Joseph T	New York Telephone
	Ross Robin	New York Telephone
	Royal Bobby	New York Telephone
	Scheuer F	New York Telephone
	Schulol Cindy	New York Telephone
	Scranton D B	New York Telephone
	Smith R	New York Telephone
	Spiegel Stuart	New York Telephone
	Stephen J T	New York Telephone
	Strauss Aline	New York Telephone
	Sweet Blanche	New York Telephone
	Tatar S	New York Telephone
	Tresser C	New York Telephone
	Turman S J	New York Telephone
	Turner J E	New York Telephone
	Weiss M	New York Telephone
Weiss P	New York Telephone	
Winheim L	New York Telephone	
Wolinsky P	New York Telephone	
Zimmerman D	New York Telephone	
1978	GERALD FRANKLIN	New York Telephone
	HATHAWAY M	New York Telephone
	LENOX LOUNGE	New York Telephone
1968	BAKER SAML	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1968	BROWN LESTER	New York Telephone
	JANOFF ABRATTAM	New York Telephone
	JENSEN NORMAN ART	New York Telephone
	LENOX LOUNGE	New York Telephone
1963	BELL MARY LOUISE	New York Telephone
	LOUNG	New York Telephone
1958	LENOX LOUNGE	New York Telephone
1956	LENOX LOUNGE	New York Telephone
	ORTIZ PEDRO	New York Telephone
	ROBINSON EARL A	New York Telephone
1938	CLAPP G FRANKLIN MRS	New York Telephone
1931	Backes Rosa	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ANNA	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES LEO	Manhattan and Bronx Directory Publishing Company Residential Directory
	BACKES ROSA	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Anna	Manhattan and Bronx Directory Publishing Company Residential Directory
	Backes Leo	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Berrian Amalia Mrs r	New York Telephone
	Dennison & Hirons archts	New York Telephone
	Hill John W r	New York Telephone
	Hirons Frederic C archt	New York Telephone
	Johnson K Mrs r	New York Telephone
	Markos M restaurant	New York Telephone
	Mellor Frederic W archt	New York Telephone
	Myers Bert A r	New York Telephone
	Russell H Tusti r	New York Telephone
	BERRIAN AMALIA MRS R	New York Telephone
	HILL JOHN W R	New York Telephone
	JOHNSON K MRS R	New York Telephone
	MARKOS M RESTAURANT	New York Telephone
	MYERS BERT A R	New York Telephone

289 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1993	TWO BROS FISH MKT FRUIT & VEGETABLES	NYNEX Telephone
1988	TWO BR0S FISH MKT FRUIT & VEGETABLE S	NYNEX Telephone
1983	TWO BR0S FISH MKT FRUIT & VEGETABLES	New York Telephone
1978	TWO BROS FISH MKT FRUIT & VEGETABLES	New York Telephone
1968	GALES SNACK BAR	New York Telephone
	JOSH FRENCH DRY CLEANRS	New York Telephone
1963	COLA FRENCH DRY CLEANRS	New York Telephone
	STATNRY STORE	New York Telephone
1958	COLA FRENCH DRY CLEANERS	New York Telephone
	HEMMINGS STATNRY	New York Telephone
1956	COLA FRENCH DRY CLEANERS	New York Telephone
1927	United Cigar Stores Co	New York Telephone
	CAREFUL WINDOW CLNG CO	New York Telephone
	CITIZENS LIBERTY LEAGUE INC	New York Telephone
	COLUMBIA HOUSE & WINDOW CLNG CO	New York Telephone
	POST TIME PUB CO	New York Telephone
	UNITED CIGAR STORES CO	New York Telephone
	Careful Window Clng Co	New York Telephone
	Citizens Liberty League Inc	New York Telephone
	Columbia House & Window Clng Co	New York Telephone
	Post Time Pub Co	New York Telephone
	Prem sta MMM	New York Telephone

Lenox Ave

290 Lenox Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Ler Realty Corp 1 F	Hill-Donnelly Information Services
	Prima Check Cashing i F o	Hill-Donnelly Information Services
	Rico Check Cashing Corp	Hill-Donnelly Information Services
	Upper Manhattan Empowerment	Hill-Donnelly Information Services
1998	PRIMA CHECK CASHING	NYNEX Telephone
	ROBIN HOOD CHICKEN	NYNEX Telephone
1993	FIGGT BACK	NYNEX Telephone
	GROCERY & SMOKE SHOP	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1993	BLACK IRON-REBAR & LATHING INC	NYNEX Telephone
	WESTERN UNION-	NYNEX Telephone
1988	SALAH CANDY & GROCERY STORE	NYNEX Telephone
	AUDELCO	NYNEX Telephone
	SOUNDS IN MOTION	NYNEX Telephone
	TUSCAN CHAPTER FED CREDIT UNION	NYNEX Telephone
	RODNEYS SHIPING	NYNEX Telephone
	NEW BEGINNINGS STUDIO	NYNEX Telephone
	DANCE VISION INC	NYNEX Telephone
	RICO CHECK CASHING	NYNEX Telephone
	NEW HEITAIERIPEPTY THEATRE EXPERIMENTAL WORKSHOP INC	NYNEX Telephone
	THOMPSON BARBER SHOP	NYNEX Telephone
1983	AUDEICO	New York Telephone
	SOUNDS IN MOTION	New York Telephone
	DANCE VISION INC	New York Telephone
	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	KIM J B	New York Telephone
	HARLEM PRODUCERS WORKSHOP	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	NEW HERITAGE REPERTORY THEATRE EXPERIMENTAL WORK SHOP INC	New York Telephone
	Kim J b	New York Telephone
	Public Svce Check Corp	New York Telephone
	Audeico	New York Telephone
	Sounds In Motion	New York Telephone
	Harlem Producers Workshop	New York Telephone
	Thompson Barber Shop	New York Telephone
	Tuscan Chapter Fed Credit Union	New York Telephone
	Dance Vision Inc	New York Telephone
1978	ROSNER N L DR DNTST OFC	New York Telephone
	GRANTS EMPLOY AGENCY	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	JOSLING ALEXANDER E B	New York Telephone
	EDMONDS JOB LOTS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	TUSCAN CHAPTER FED CREDIT UNION	New York Telephone
	PUBLIC SVCE CHECK CORP	New York Telephone
1973	MANHOOD FOUNDATION INC	New York Telephone
	COLUMBIAN MUTUAL LIFE INS CO BRNGAMTON NY	New York Telephone
	FREEDOM CHECK CASHING CORP	New York Telephone
	JULIEN L MARIE MRS EMPLOY AGCY	New York Telephone
	PROJECT MANHOOD FOUNDATION INC	New York Telephone
	KLAMMER GARY E INS	New York Telephone
	KLAMMER PHILIP INSURANCE	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROTHSTEIN HERMAN Z LWYR	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	FREEDOM CHECK CASHING CORP	New York Telephone
	GRANT S EMPLOY AGENCY	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	ROTHSTEIN LESTER E LWYR	New York Telephone
	HERMANN LUDWIG INS	New York Telephone
1968	MORSE HAROLD L MRS	New York Telephone
	HARLEY CHECK CASHING CORP	New York Telephone
	GRANT S EMPLOY AGENCY	New York Telephone
	COZY THREE INC	New York Telephone
	UNITY MUTUAL LIFE INS CO OF NY	New York Telephone
	CENTRAL HARLEM LIBERAL CLUB	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
1963	MARTINEZ CO OF NY RL EST & INS	New York Telephone
	JOHNSON J MISS MASEUS	New York Telephone
	SUPREME COURT USA	New York Telephone
	BEBI JOHNSON	New York Telephone
	COLUMBIAN MUTUAL LIFE INS CO BINGHAMTON NY	New York Telephone
	GRANTS EMPLOY AGENCY	New York Telephone
	JERVIS WM L INS	New York Telephone
	MARTINEZ RAMON A RL EST & INS	New York Telephone
	GRANT E MARIE MRS EMPLOY AGCY	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	PERLMAN DONALD S AGNCY INC	New York Telephone
	JOHNSON BEBI BEAUTY SALON	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	ROSNER N L DR DNTST OFC	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
1958	JERVIS WM L INS	New York Telephone
	CORNELIUS H SALES CO	New York Telephone
	JOHNSON J MISS MASEUS	New York Telephone
	UNITY MUTUAL LIFE INS CO OF NY	New York Telephone
	WANG GOH JONG B	New York Telephone
	GRANT S EMPLOY AGENCY	New York Telephone
	GRANT E MARIE MRS EMPLOY AGCY	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	ROSNER N L DR DNTST	New York Telephone
1956	DURCHIN JOS B	New York Telephone
	MORSE HAROLD L MRS	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	LEGAL AID SOCIETY	New York Telephone
	ROSNER N L DR DNTST OFC	New York Telephone
	CAMPBELL HEDLEY H ACCTNT	New York Telephone
1938	WANG GOH JONG B	New York Telephone
	HYMAN ALBERT S INS	New York Telephone
	ROWAN EDW INC DNTS MTL	New York Telephone
	CREVICR ELIZ B	New York Telephone
	JERVIS VINCENT G INS	New York Telephone
	TINGLING HUGH INS	New York Telephone
	HAHN JACOB H LWYR	New York Telephone
1927	FINKLER R CARPNTR	New York Telephone
	Jervis V G dist mgr	New York Telephone
	Kahrs Daniel H cafe	New York Telephone
	Kaybee Exterminating Co	New York Telephone
	Kenton Restrnt Co	New York Telephone
	Kennedy Wm adv agey	New York Telephone
	Kay L beauty salon	New York Telephone
	King Solomon Cemetery	New York Telephone
	Unity Protective Assn	New York Telephone
	Branch	New York Telephone
	Morningside Billiard Academy	New York Telephone
	Harlem Adv & Ri Est Exch	New York Telephone
	Gutman Louis Inc	New York Telephone
Harlem Bd of Commerce	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Harlem Dental Lab	New York Telephone
	Natl Casualty Co Inc	New York Telephone
	Rowan Edw Inc dnts mtl	New York Telephone
	Retail branch	New York Telephone
	Harlem Magazine	New York Telephone
	Harlem Magazine a pub	New York Telephone
	Olenick Alfred rl est	New York Telephone
	Scheuer Louis lwyr	New York Telephone
	Schechter P pntr	New York Telephone
	Scheuroth Letonite Co Inc hard rubber	New York Telephone
	Chisholm & Chapman brokers	New York Telephone
	Chisholm & Chapman brokers	New York Telephone
	Branch	New York Telephone
	Frank Walter L rl est	New York Telephone
	Peall Chas E mgr	New York Telephone
	HARLEM MAGAZINE	New York Telephone
	HARLEM ADV & RL EST EXCH	New York Telephone
	HARLEM BD OF COMMERCE	New York Telephone
	OLENICK ALFRED RL EST	New York Telephone
	HARLEM DENTAL LAB	New York Telephone
	ROWAN EDW INC DNTS MTL	New York Telephone
	UNITY PROTECTIVE ASSN	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	SCHEUER LOUIS LWYR	New York Telephone
	JERVIS V G DIST MGR	New York Telephone
	KAHRS DANIEL H CAFE	New York Telephone
	MORNINGSIDE BILLIARD ACADEMY	New York Telephone
	FRANK WALTER L RL EST	New York Telephone
	KENTON RESTRNT CO	New York Telephone
	KENNEDY WM ADV AGEY	New York Telephone
	KAY L BEAUTY SALON	New York Telephone
	KAYBEE EXTERMINATING CO	New York Telephone
	SCHECHTER P PNTR	New York Telephone
	SCHEUROTH LETONITE CO INC HARD RUBBER	New York Telephone
	CHISHOLM & CHAPMAN BROKERS	New York Telephone
	NATL CASUALTY CO INC	New York Telephone
	PEALL CHAS E MGR	New York Telephone

FINDINGS

LENOX AVE

291 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	POWDER PUFF BY MARION	NYNEX Telephone
1993	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
1988	MC KISSIC BARBER SHOP	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
	POWDER PUFF BY MARION	NYNEX Telephone
1983	Powder Puff By Marion	New York Telephone
	MCKISSIC BARBER SHOP	New York Telephone
	Mitchell Margaret	New York Telephone
	MCKISSIC BARBER SHOP	New York Telephone
	MITCHELL MARGARET	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	PODER PUFF BY MARION	New York Telephone
1978	POWDER PUFF BY MARION	New York Telephone
	POWDER PUFF BY MARION	New York Telephone
	YOUNG ELLA	New York Telephone
1973	POWDER PUFF BY PINKIE	New York Telephone
	TUCHFELD IRVING INS	New York Telephone
1968	BROWN BEATRICE MRS	New York Telephone
	GONZALEZ RALPH	New York Telephone
	POWDER PUFF BY PINKIE	New York Telephone
	TUCHIFELD IRVING INS	New York Telephone
1963	WEB RESTRNT	New York Telephone
	WEB RESTRNT	New York Telephone
1958	FELTON S LOUNGE RESTRNST	New York Telephone
	MORRIS ANN S MRS	New York Telephone
1927	Donahue Chas D rl est	New York Telephone
	Schmidt Herman A rl est off	New York Telephone
	Schmidt & Donahue real estate	New York Telephone
	United Tailoring & Cleaning Co	New York Telephone
	DONAHUE CHAS D RL EST	New York Telephone
	SCHMIDT HERMAN A RL EST OFF	New York Telephone
	SCHMIDT & DONAHUE REAL ESTATE	New York Telephone
	UNITED TAILORING & CLEANING CO	New York Telephone

FINDINGS

292 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	WILLIAMS CHRSTPHR A	New York Telephone

293 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
1983	Juneglory Realty Corp	New York Telephone	
	Tindley Mary	New York Telephone	
	JUNEGLORE REALTY CORP	New York Telephone	
	TINDLEY MARY	New York Telephone	
1978	HANES EILEEN	New York Telephone	
	IRBY L	New York Telephone	
	JUNEGLORE REALTY CORP	New York Telephone	
	MC INTYRE ESTELLA	New York Telephone	
1973	BATTLE OSCAR L	New York Telephone	
	BRANNOIN EUGENE	New York Telephone	
	HINES NEEDHAM T	New York Telephone	
	JERNIGAN B	New York Telephone	
	JUNEGLORE REALTY CORP	New York Telephone	
	MC INTYRE ESTELLA	New York Telephone	
	SHEFFEY CELESTINE	New York Telephone	
	SMITH GERTRUDE	New York Telephone	
	WASHINGTON JAMES	New York Telephone	
	WILLIAMS FRANK	New York Telephone	
	1968	BOUTTE BEULAH MRS	New York Telephone
		DAVIS EZEKIEL JR	New York Telephone
GOON CHAS		New York Telephone	
GREEN HARRISON		New York Telephone	
HINES NEEDAM T		New York Telephone	
JOHNSON T DAVID		New York Telephone	
PETERS LINNIE MRS		New York Telephone	
REYNOLDS DAISY MRS		New York Telephone	
1963		PETERS LINNIE MRS	New York Telephone
		POPE WALTER	New York Telephone
	PRICE LULA M	New York Telephone	
	SIMON FRED	New York Telephone	
	SPENCER LOUISE A MRS	New York Telephone	
	STEPHENSON B J	New York Telephone	
	SWANSON CLAUDIA	New York Telephone	
	BOUTTE BOULAH MRS	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	DAVIS EZEKIEL JR	New York Telephone
	GOON CHAS	New York Telephone
	HARRISON GIOVER	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JOHNSON MARY J MRS	New York Telephone
	JOHNSON T DAVID	New York Telephone
	MCCORD ALLEN	New York Telephone
	MILLER VICTOR	New York Telephone
1958	CARROLL ANNIE	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
	HINES NEEDHAM T	New York Telephone
	JOHNSON T DAVID	New York Telephone
	MILLER RICHD	New York Telephone
	PETERS LINNIE MRS	New York Telephone
	PRICE LULA M	New York Telephone
	SPENCER LOUISE A MRS	New York Telephone
	WHALEY ANN MRS	New York Telephone
	BOUTTE BEULAH MRS	New York Telephone
1956	BOUTTE BEULAH MRS	New York Telephone
	CASON NORMAN	New York Telephone
	DENT LOUISE MRS	New York Telephone
	DONOVAN LIONEL	New York Telephone
	FRASER CICILY MRS	New York Telephone
	GOON CHAS	New York Telephone
	HINES MATILDA MRS	New York Telephone
	HUNT HAZEL F	New York Telephone
	JOHNSON MARY JANE MRS	New York Telephone
	JOHNSON T DAVID	New York Telephone
	KELLER ERNESTINE MRS	New York Telephone
	NIXON SWANIE MRS	New York Telephone
	RAYE SADIE MAE	New York Telephone
	TURNER IRENE	New York Telephone
	WALLACE ALBERT	New York Telephone
	WHALEY ANN MRS	New York Telephone
	WILLIAMS JOHNNIE M MRS	New York Telephone
1938	BUTLER JOHN T	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	THOM K C	New York Telephone
1931	Bower Wm C	Manhattan and Bronx Directory Publishing Company Residential Directory
	Butler John Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Edgarton Geo T	Manhattan and Bronx Directory Publishing Company Residential Directory
	Franco Anthony J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Keid Kaiherme	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kelchel Jos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Mulvihill Irving J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Pyne Helen	Manhattan and Bronx Directory Publishing Company Residential Directory
	BOWER WM C	Manhattan and Bronx Directory Publishing Company Residential Directory
	BUTLER JOHN THOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	EDGARTON GEO T	Manhattan and Bronx Directory Publishing Company Residential Directory
	FRANCO ANTHONY J	Manhattan and Bronx Directory Publishing Company Residential Directory
	KEID KAIHERME	Manhattan and Bronx Directory Publishing Company Residential Directory
	KELCHEL JOS	Manhattan and Bronx Directory Publishing Company Residential Directory
	MULVIHILL IRVING J	Manhattan and Bronx Directory Publishing Company Residential Directory
	PYNE HELEN	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Berlin I dental lab	New York Telephone
	Boudreau Wm r	New York Telephone
	Cantor Saml M Dr DDS	New York Telephone
	Carroll A F Mrs r	New York Telephone
	Crouch A B Mrs r	New York Telephone
	De Lancellotti Louis r	New York Telephone
	Farinelli N jewelry	New York Telephone
	Galvin Edw	New York Telephone
	Galvin Mary E Miss	New York Telephone
	Galvin Nellie	New York Telephone
	Gordon Wm r	New York Telephone
	Lancellotti Chev C De	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Residenee	New York Telephone
	Matisse A C r	New York Telephone
	Matisse C A r	New York Telephone
	Maurer R r	New York Telephone
	Nunley Joseph W r	New York Telephone
	Rosenfeld L H r	New York Telephone
	Smith H W r	New York Telephone
	Steinmetz Edwin r	New York Telephone
	Story Chas P Mrs r	New York Telephone
	Tauman Irving mach dntst	New York Telephone
	Valerious R D r	New York Telephone
	BERLIN I DENTAL LAB	New York Telephone
	BOUDREAU WM R	New York Telephone
	CANTOR SAML M DR DDS	New York Telephone
	CARROLL A F MRS R	New York Telephone
	CROUCH A B MRS R	New York Telephone
	FARINELLI N JEWELRY	New York Telephone
	GALVIN EDW	New York Telephone
	GALVIN MARY E MISS	New York Telephone
	GALVIN NELLIE	New York Telephone
	GORDON WM R	New York Telephone
	LANCELLOTTI CHEV C DE	New York Telephone
	MATISSE A C R	New York Telephone
	MATISSE C A R	New York Telephone
	MAURER R R	New York Telephone
	NUNLEY JOSEPH W R	New York Telephone
	ROSENFELD L H R	New York Telephone
	SMITH H W R	New York Telephone
	STEINMETZ EDWIN R	New York Telephone
	STORY CHAS P MRS R	New York Telephone
	TAUMAN IRVING MACH DNTST	New York Telephone
	VALERIOUS R D R	New York Telephone

295 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	FORD THERESA	New York Telephone
1973	FORD THERESA	New York Telephone
1968	WILLIAMS HERMAN	New York Telephone
1927	COHEN SAML TLR	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	KETCHELL JOSEPH A R	New York Telephone
	SMITH A MRS R	New York Telephone
	Cohen Saml tir	New York Telephone
	Ketchell Joseph A r	New York Telephone
	Smith A Mrs r	New York Telephone

297 LENOX AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	KALKULATOR SAM MILNRY	New York Telephone
	Kalkulator Sam milnry	New York Telephone

LENOX RD

297 LENOX RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	LEVINE H ROBERT BKLYN	New York Telephone
	Levine H Robert	New York Telephone
1978	LEVINE H ROBERT BKLYN	New York Telephone
1973	LEVINE H ROBERT BKLYN	New York Telephone

MALCOLM X BLVD

284 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	SAM TOWING INC	Cole Information Services
	A-AAA TOWING EMER	Cole Information Services

286 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Edmonds Cafe 1 R	Hill-Donnelly Information Services
2000	SENEGALES HR BRDNG	Cole Information Services
	LENOX AV RLTY	Cole Information Services
	SAMMYS NI & HR SLN	Cole Information Services
	CHARLES FRANKLIN	Cole Information Services
	HAROUNA TRAORE	Cole Information Services

287 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	NTNL DEV & RESEARCH	Cole Information Services

FINDINGS

288 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	289 No Current Listing	Hill-Donnelly Information Services
2000	LENOX LOUNGE INC	Cole Information Services
	LENOX LOUNGE	Cole Information Services
	DENNIS WILSON	Cole Information Services

289 MALCOLM X BLVD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	PREDICATE ENTRPRS	Cole Information Services

W 124th St

100 W 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	H Ellis G E An	Hill-Donnelly Information Services
	h Kelly B An	Hill-Donnelly Information Services
	Ndoye Maty en	Hill-Donnelly Information Services
	h Pearson Etta Rev An	Hill-Donnelly Information Services
	Salmon Beatrice yn	Hill-Donnelly Information Services
	South Beach Cafe & Juice Bar	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Number B 4 h Black Sonia A	Hill-Donnelly Information Services
	Boria Ralph V	Hill-Donnelly Information Services
	h Oroz Luz AV	Hill-Donnelly Information Services
	Mcduffie Bristow	Hill-Donnelly Information Services
	Number 1 Eh Nelson Robert A	Hill-Donnelly Information Services
	Santana Domingo a	Hill-Donnelly Information Services
	Number 83 h Valentin Karen AO	Hill-Donnelly Information Services
	Number 28 h Riddick Weldon AO	Hill-Donnelly Information Services
2000	APARTMENTS	Cole Information Services
	SONIA J BLACK	Cole Information Services
	1A EULA MILLER	Cole Information Services
	APANMENTS	Cole Information Services
	3A G E ELLIS	Cole Information Services
	B KELLY	Cole Information Services
	REV ETTA PEARSON	Cole Information Services
1931	Conley Jas	Manhattan and Bronx Directory Publishing Company Residential Directory
	Kous Nicholas	Manhattan and Bronx Directory Publishing Company Residential Directory

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	Harris Jas P	Manhattan and Bronx Directory Publishing Company Residential Directory
	Mc Carthy John	Manhattan and Bronx Directory Publishing Company Residential Directory
	Gorman Eliz	Manhattan and Bronx Directory Publishing Company Residential Directory
	Abernathy Michl J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Gorman Wm J	Manhattan and Bronx Directory Publishing Company Residential Directory
	Perkenson L S	Manhattan and Bronx Directory Publishing Company Residential Directory
	Reilly Jas B supertndt	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sullivan John M	Manhattan and Bronx Directory Publishing Company Residential Directory
	Hoffman Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Barrett C Miss r	New York Telephone
	Curry John J r	New York Telephone
	Hoffman Albert r	New York Telephone
	Maloney John J r	New York Telephone
	Perkinson Lawrence C r	New York Telephone
	Lay George r	New York Telephone

112 W 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Sawyer Eddie	Hill-Donnelly Information Services
2000	PEARL SMITH	Cole Information Services
	WILLIAM LEACH	Cole Information Services
	EVA FLOYD	Cole Information Services
	BEVERLY NELSON	Cole Information Services
	JOSE AGRONT	Cole Information Services
	BOBBY HOOKS	Cole Information Services
	CIRA ATRELLA	Cole Information Services
	PATRICIA BANNISTER	Cole Information Services
	ALBERT BARNEY	Cole Information Services
	DONDI BEATTIE	Cole Information Services
	LEROY BENNETT	Cole Information Services
	MARLON BLAIR	Cole Information Services
	JOHN CAPERS	Cole Information Services
LOUIS ENCARNACION	Cole Information Services	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	MICHAEL FRANCIS	Cole Information Services
	NELSON HERNANDEZ	Cole Information Services
	DERRICK JONES	Cole Information Services
	VINCENT KING	Cole Information Services
	TERENCE NESBIT	Cole Information Services
	LILLIE REEVES	Cole Information Services
	RODDRIC RUCKER	Cole Information Services
	EDDIE SEGERS	Cole Information Services
	R SMITH	Cole Information Services
	IRIS TEMPLE	Cole Information Services
	RAMON VEGA	Cole Information Services
	HIRAM VELEZ	Cole Information Services
	W WILLIAMS	Cole Information Services
1931	Nivins Martin	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sheehan Edw	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sanger Wm	Manhattan and Bronx Directory Publishing Company Residential Directory
	Broder Thos	Manhattan and Bronx Directory Publishing Company Residential Directory
	Sanger Annie	Manhattan and Bronx Directory Publishing Company Residential Directory
1927	Mc Gaffigan John J r	New York Telephone
	Broder Thos r	New York Telephone

West 124th St

109 West 124th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	Lunch Thos F	Manhattan and Bronx Directory Publishing Company Residential Directory

West 125th St

105 West 125th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Liquor Authority Ny State	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	CVS Pharmacy	Hill-Donnelly Information Services
	Disability Determination Div	Hill-Donnelly Information Services
	Dunkin Donuts 1 R	Hill-Donnelly Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	E Trade Financial Inc IF	Hill-Donnelly Information Services
	Marshalls 3 R	Hill-Donnelly Information Services
	Staples 2 R	Hill-Donnelly Information Services
	Washington Mutual 2 F	Hill-Donnelly Information Services
1927	Gottlieb Shops Ids wear	New York Telephone

110 West 125th St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Sun Light Video & Electronics	Hill-Donnelly Information Services
2000	AJAZ BHATTI	Cole Information Services
	STELLAR ERPN DSGN	Cole Information Services
	SUN VID & EICTRNCS	Cole Information Services
1927	Johnson Fur Shop	New York Telephone
	Chain Knit Weat Shops	New York Telephone

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

291 Malcolm X Blvd

Address Not Identified in Research Source

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched

100 W 124th St

Address Not Identified in Research Source

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

105 West 125th St

2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

109 West 124th St

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1927, 1923, 1920

110 West 125th St

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

112 W 124th St

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

280 Lenox Ave

2000, 1996, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

284 LENOX AVE

2000, 1996, 1993, 1956, 1950, 1947, 1942, 1938, 1934, 1923, 1920

284 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

285 Lenox Ave

2006, 2000, 1996, 1947, 1942, 1934, 1923, 1920

286 LENOX AVE

2000, 1996, 1958, 1956, 1950, 1947, 1942, 1934, 1923, 1920

286 MALCOLM X BLVD

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

287 LENOX AVE

2006, 2000, 1996, 1993, 1988, 1983, 1978, 1963, 1958, 1956, 1950, 1947, 1934, 1931, 1923, 1920

287 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

288 LENOX AVE

2000, 1998, 1996, 1973, 1950, 1947, 1942, 1934, 1923, 1920

288 MALCOLM X BLVD

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

289 LENOX AVE

2006, 2000, 1996, 1973, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

289 MALCOLM X BLVD

2006, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

290 Lenox Ave

2000, 1996, 1950, 1947, 1942, 1934, 1931, 1923, 1920

FINDINGS

Address Researched

291 LENOX AVE

292 LENOX AVE

293 LENOX AVE

295 LENOX AVE

297 LENOX AVE

297 LENOX RD

Address Not Identified in Research Source

2006, 2000, 1996, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1950, 1947, 1942, 1934, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

APPENDIX L

125th St and Lenox Ave

291 Lenox Ave
New York, NY 10027

Inquiry Number: 2822816.7
July 26, 2010

The EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel information and/or legal description;
- search for ownership information;
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.;
- access a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument(s) (title, parties involved, and description); and
- provide a copy of the deed or cite documents reviewed.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

The EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

291 Lenox Ave
125th St and Lenox Ave
New York, NY 10027

RESEARCH SOURCE

Source 1:

New York County Register of Deeds
New York, NY

PROPERTY INFORMATION

Deed 1:

Type of Deed: Deed
Title is vested in: 113 WEST 124TH STREET LLC
Title received from: LANDE REALTY CORPORATION
Deed Dated: 1/7/2004
Deed Recorded: 9/30/2009
Book: NA
Page: NA
Volume: NA
Instrument: 2009092800151002
Docket: NA
Land Record Comments: NA
Miscellaneous Comments: NA

Legal Description: See Exhibit

Legal Current Owner: 113 WEST 124TH STREET LLC

Property Identifiers: Block 1909 Lot 25

Comments: See Exhibit

Deed 2:

Type of Deed: Deed
Title is vested in: 125TH & LENOX LLC
Title received from: JUNEGLORY REALTY CORPORATION
Deed Dated: 7/10/2002
Deed Recorded: 9/19/2002
Book: 3612
Page: 2356
Volume: NA
Instrument: NA
Docket: NA
Land Record Comments:

The EDR Environmental LienSearch™ Report

Miscellaneous Comments: NA

Legal Description: See Exhibit

Legal Current Owner: 125TH & LENOX LLC

Property Identifiers: Block 1909 Lot 26, Block 1909 Lot 27, Block 1909 Lot 28, Block 1909 Lot 29, Block 1909 Lot 129, Block 1909 Lot 30, Block 1909 Lot 31, Block 1909 Lot 32, Block 1909 Lot 33, Block 1909 Lot 38, Block 1909 Lot 39

Comments: See Exhibit

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found


OTHER ACTIVITY AND USE LIMITATIONS (AULs)

AULs: Found Not Found

Deed Exhibit 1

**NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2009092800151002001EA4AE

RECORDING AND ENDORSEMENT COVER PAGE

PAGE 1 OF 4

Document ID: 2009092800151002 Document Date: 01-07-2004 Preparation Date: 09-29-2009
Document Type: CORRECT INDEX/DEED-OFFICE USE
Document Page Count: 3

<p>PRESENTER: NYC DEPT. OF FINANCE YOLANDE PIERRE 66 JOHN STREET, 13TH FLOOR NEW YORK, NY 10038 212-361-7550 pierrey@finance.nyc.gov</p>	<p>RETURN TO: NYC DEPT. OF FINANCE YOLANDE PIERRE 66 JOHN STREET, 13TH FLOOR NEW YORK, NY 10038 212-361-7550 pierrey@finance.nyc.gov</p>
---	---

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	1909	25	Entire Lot	N/A WEST 124 STREET
Property Type: RESIDENTIAL VACANT LAND				
Borough	Block	Lot	Unit	Address
MANHATTAN	1909	140	Entire Lot	283 WEST 125 STREET
Property Type: RESIDENTIAL VACANT LAND				

CROSS REFERENCE DATA

CRFN: 2004000065426

PARTIES

<p>GRANTOR: LANDE REALTY CORPORATION 224 WEST 82ND STREET NEW YORK, NY 10024</p>	<p>GRANTEE: 113 WEST 124TH STREET LLC C/O WHATTON REALTY, 20 EAST 46TH STREET, ROOM 1200 NEW YORK, NY 10017</p>
---	--

FEES AND TAXES

Mortgage			Filing Fee:	
Mortgage Amount:	\$	0.00		\$ 0.00
Taxable Mortgage Amount:	\$	0.00	NYC Real Property Transfer Tax:	
Exemption:				\$ 0.00
TAXES: County (Basic):	\$	0.00	NYS Real Estate Transfer Tax:	
City (Additional):	\$	0.00		\$ 0.00
Spec (Additional):	\$	0.00		
TASF:	\$	0.00		
MTA:	\$	0.00		
NYCTA:	\$	0.00		
Additional MRT:	\$	0.00		
TOTAL:	\$	0.00		
Recording Fee:	\$	0.00		
Affidavit Fee:	\$	0.00		



**RECORDED OR FILED IN THE OFFICE
OF THE CITY REGISTER OF THE
CITY OF NEW YORK**

Recorded/Filed 09-30-2009 15:40
City Register File No.(CRFN):
2009000317484

Annette McMill

City Register Official Signature



City of New York
Department of Finance
www.nyc.gov

Office of the City Register
Annette M. Hill
hilla@finance.nyc.gov

66 John Street, 13th Floor
New York, NY 10038

+1 212 361-7130 tel
+1 212 361-7132 fax

To whom it may concern:


The following document was not indexed/or indexed incorrectly at the time it was recorded. This entry in the index is to provide notice of the recorded document.

Please note the date of the document and its appropriate place in the chain of title.

Questions regarding this memorandum should be addressed to the City Register.

**NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2004011301372001001EFA93

RECORDING AND ENDORSEMENT COVER PAGE

PAGE 1 OF 3

Document ID: 2004011301372001

Document Date: 01-07-2004

Preparation Date: 01-13-2004

Document Type: DEED, OTHER

Document Page Count: 2

PRESENTER:

ROYAL ABSTRACT OF NEW YORK LLC
AGENT FOR COMMONWEALTH LAND TITLE
500 5TH AVENUE- SUITE 1940
NEW YORK, NY 10110
212-376-0900
820856

RETURN TO:

IVAN MOSKOWITZ, ESQ.
MANDEL, RESNICK KAISER MOSKOWITZ
220 EAST 42ND STREET, 20TH FLOOR
NEW YORK, NY 10017
820856

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	1909	25	Entire Lot	113 WEST 124 STREET
Property Type: VACANT LAND				
Borough	Block	Lot	Unit	Address
MANHATTAN	1909	140	Entire Lot	283 WEST 125 STREET
Property Type: VACANT LAND				

CROSS REFERENCE DATA

CRFN _____ or Document ID _____ or _____ Year _____ Reel _____ Page _____ or File Number _____

PARTIES

GRANTOR:

LANDE REALTY CORPORATION
224 WEST 82ND STREET
NEW YORK, NY 10024

GRANTEE:

113 WEST 124TH STREET LLC
C/O WHARTON REALTY, ROOM 1200, 20 EAST 46TH STREET
NEW YORK, NY 10017

FEES AND TAXES

Mortgage		Recording Fee: \$	50.00
Mortgage Amount:	\$	Affidavit Fee: \$	0.00
Taxable Mortgage Amount:	\$	NYC Real Property Transfer Tax Filing Fee:	
Exemption:			\$ 50.00
TAXES:		NYS Real Estate Transfer Tax:	
County (Basic):	\$		\$ 1,780.00
City (Additional):	\$		
Spec (Additional):	\$		
TASF:	\$		
MTA:	\$		
NYCTA:	\$		
TOTAL:	\$		0.00

NYC HPD Affidavit in Lieu of Registration Statement



**RECORDED OR FILED IN THE OFFICE
OF THE CITY REGISTER OF THE
CITY OF NEW YORK**

Recorded/Filed 02-03-2004 17:08

City Register File No. (CRFN):

2004000065426

Rochelle Patricia

City Register Official Signature

THIS INDENTURE, made the 7th day of January, 2004 and
BETWEEN

Lande Realty Corporation, with an office at 224 West
82nd Street, New York, NY 10024

party of the first part, and

113 West 124th Street LLC, with an office c/o Wharton
Realty, Room 1200 at 20 East 46th Street, New York,
NY 10017

party of the second part.

WITNESSETH, that the party of the first part, in consideration of ten dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the

Borough of Manhattan, City and State of New York, designated on the Tax Map of the City of New York, for the Borough of Manhattan, as said Tax Map was on July 16, 1977 and February 10, 1976, respectively.

Section 7 Block 1909 Lots 25 and 140.

known as 113 West 124th Street, [Ⓢ] and 283 West 125th Street, NY
New York, New York

Being the same premises conveyed to the party of the first part from The City of New York by deed dated 3/7/89 and recorded 3/14/89 on Reel 1547 Page 1145.

This conveyance has been made with the consent of the holders of all the outstanding shares of the party of the first part entitled to vote thereon.

TOGETHER with all right, title and interest, if any, of the party of the first part, in and to any streets and roads abutting the above-described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

Lande Realty Corporation

by 
Feng-yo-Miao, President

Acknowledgement taken in New York State

State of New York, County of _____

ss

On the 7th day of January in the year 2004, before me, the undersigned, personally appeared:

FENG YOSHIN
personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.



ROBERT P. SCHROEDER
Notary Public, State of New York
No. 41493179
Qualified in Queens County
Commission Expires 7/2/06

Acknowledgement by Subscribing Witness taken in New York State

State of New York, County of _____

ss

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared:

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly sworn, did depose and say, that he/she/they reside(s) in _____

that he/she/they know(s) to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.

Acknowledgement taken in New York State

State of New York, County of _____

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared _____

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

Acknowledgement taken outside New York State

State of _____, County of _____, _____
(or insert District of Columbia, Territory, Possession or Foreign Country)

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared _____

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual made such appearance before the undersigned in the _____

(add the city or political subdivision and the state or country or other place the acknowledgement was taken)

Title No. 820556

Lande Realty Corporation
TO
113 West 124th Street

SECTION 7
BLOCK 1909
LOT 25 and 140
COUNTY OR TOWN New York

Recorded in the _____
ROYAL ABSTRACT
500 FIFTH AVENUE
NEW YORK, NY
TEL: (212) _____

RETURN BY MAIL TO:
Evan Moskowitz, Esq.
Nandel Resnick Kaiser Moskowitz
220 East 42nd Street, 20th Fl.
New York, NY
Zip No. 10017

RESERVE THIS SPACE FOR USE OF REC

Deed Exhibit 2

CITY REGISTER RECORDING AND ENDORSEMENT PAGE

COUNTY OF New York

TOTAL NUMBER OF PAGES IN DOCUMENT INCLUDING THIS PAGE 4

THIS PAGE FORMS PART OF THE INSTRUMENT

Block 1909 Lots - ONLY IF ENTIRE LOT 26 Partial Lots NO

Prerequisites See attached

Name Mandel et al

Address 220 E 42d Street

City New York, NY State NY Zip 10017

Title/Agent Company Name Royal Abstract

Title Company Number 816974



2612 02351

NAME & ADDRESS

PARTY 1 Wesley, Inc 845 Third Avenue New York NY

ADDITIONAL PARTY 1

PARTY 2 125th & Lenox LLC 20 East 46th St. New York, NY

ADDITIONAL PARTY 2

CHECK THIS BOX IF THERE ARE MORE THAN 2 OF EITHER PARTY

Examined by (s) [Signature]

Misc Tax Serial No.

Misc Amount \$

Taxable Amount \$

Exemption (✓) YES NO

Type: (3000) (300) (OTHER)

Dwelling Type: (102) (2) (400) (over 6)

TAX RECEIVED ON ABOVE MORTGAGE

County (base) \$

City (Add'l) \$

Dpsr Add'l \$

TASF \$

MTA \$

NYCTA \$

TOTAL TAX \$

Apportionment Mortgage (✓) YES NO

City Register Serial Number 48412

Indexed By (s) [Signature]

Block(s) and Lot(s) 10

Address Map

Extra Block(s) Lot(s) 10

Recording Fee A \$ 82

Affidavit Fee (C) \$

RPTT Fee (R) \$ 25

HPD-A HPD-C

New York State Real Estate Transfer Tax \$ 43872

Serial Number 001745

New York City Real Property Transfer Tax Serial Number 8178

DEPT. OF FINANCE

FOLD

RECORDED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK



2002 SEP 19

[Handwritten signature]

COMMUNAL BUREAU

48-N-002

25X

le!

- Premises: 111 West 124th Street, New York, NY
Block: 1909 Lot: 26
- Premises: 109 West 124th Street, New York, NY
Block: 1909 Lot: 27
- Premises: 107 West 124th Street, New York, NY
Block: 1909 Lot: 28
- Premises: 281 Lenox Avenue, New York, NY
Block: 1909 Lot: 29
- Premises: 285 Lenox Avenue, New York, NY
Block: 1909 Lot: 30
- Premises: 287 Lenox Avenue, New York, NY
Block: 1909 Lot: 31
- Premises: 289 Lenox Avenue, New York, NY
Block: 1909 Lot: 32
- Premises: 291 Lenox Avenue, New York, NY
Block: 1909 Lot: 33
- Premises: 108 West 125th Street, New York, NY
Block: 1909 Lot: 38
- Premises: 110 West 125th Street, New York, NY
Block: 1909 Lot: 39
- Premises: 283 Lenox Avenue, New York, NY
Block: 1909 Lot: 129

816974

Form R001 (3/00) - Bargain and Sale Deed, without Covenants against Grantor's Acts-Individual or Corporation. (single sheet)
CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT - THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

THIS INDENTURE, made the 10th day of July, 2002 and
BETWEEN
Juneglory, Inc. f/k/a Juneglory Realty Corporation
c/o Gilmartin, Foster & Shafo LLP
848 Third Avenue
New York, New York 10022

Handwritten initials

3612-2359

party of the first part, and
125th & Lenox LLC
20 East 48th Street
Suite 1200
New York, New York 10017

party of the second part.

WITNESSETH, that the party of the first part, in consideration of ten dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Manhattan, City of New York, State of New York identified as follows:

ALL THAT lot or parcel of land, in the Borough of Manhattan, City, County and State of New York, bounded and described as follows:

BEGINNING at the corner formed by the intersection of the northerly side of West 124th Street and the westerly side of Lenox Avenue;

RUNNING THENCE northerly, along said westerly side of Lenox Avenue, 201 feet 10 inches to the southerly side of West 125th Street;

THENCE westerly, along said southerly side of West 125th Street, 150 feet;

THENCE southerly, parallel with Lenox Avenue and part of the distance through two party walls, 201 feet 10 inches to said northerly side of West 124th Street; and

THENCE easterly, along said northerly side of West 124th Street, 150 feet to the point or place of BEGINNING.

Premises known as 281-297 Lenox Avenue a/k/a 101-111 West 124th Street a/k/a 101-111 West 125th Street, New York, N.Y. and designated as Section 7 Block 1909 Lots 26, 27, 28, 29, 29, 30, 31, 32, 33, 38 and 39 as shown on the Tax Map.

Being the same premises conveyed to the grantor from Eldicon Corporation by deed dated 10/31/46 and recorded 11/1/46 in Liber 4472 Page 667.

This conveyance has been made with the consent of the holders of at least two-thirds of the outstanding shares of the party of the first part entitled to vote thereon at a meeting duly called.

TOGETHER with all right, title and interest, if any, of the party of the first part, in and to any streets and roads abutting the above-described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

Handwritten signature of Paul J. Shafo

JUNEGLOREY INC.

Handwritten signature of Constantino DiLorenzo
By: Constantino DiLorenzo, President

Acknowledgement taken in New York State

State of New York, County of ~~New York~~ *Suffolk*, ss:

On the 10th day of July, in the year 2002, before me, the undersigned, personally appeared

Constantino DiLorenzo personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.



JERRY SCHONFELD
Notary Public, State of New York
Qualified in Rockland County
No. 01804740283
Comm. Expires 8-31-03

Acknowledgement by Subscribing Witness taken in New York State

State of New York, County of ~~New York~~ *Suffolk*, ss:

On the 10th day of July, in the year 2002, before me, the undersigned, personally appeared

Patrick J. Gilmarlin the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly sworn, did depose and say, that he/she/they reside(s) in Irvington, New York that he/she/they know(s) Constantino DiLorenzo to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said Constantino DiLorenzo execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.


JERRY SCHONFELD
Notary Public, State of New York
Qualified in Rockland County
No. 01804740283
Comm. Expires 8-31-03

Title No.: 816974

JUNEGLORY, INC.

TO

125TH & LENOX LLC

Recorded at the Request of
ROYAL ABSTRACT
500 FIFTH AVENUE, SUITE 1940
NEW YORK, N.Y. 10110
TEL.: (212) 376-0900

Acknowledgement taken in New York State

State of New York, County of _____, ss:

On the _____ day of _____, in the year _____, before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

Acknowledgement taken outside New York State

*State of _____, County of _____, ss:
*(or insert District of Columbia, Territory, Possession or Foreign Country)

On the _____ day of _____, in the year _____, before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual made such appearance before the undersigned in the

(add the city or political subdivision and the state or country or other place the acknowledgement was taken).

DISTRICT

SECTION

BLOCK

1909
LOT 26, 27, 28, 29, 30, 31, 32, 33, 38, 39 + 129

COUNTY OR TOWN

New York

RETURN BY MAIL TO:

Mendel Resnick & Kinder
220 E. 42d Street
New York, NY
Zip No. 10017

RESERVE THIS SPACE FOR USE OF RECORDING OFFICE

125th St and Lenox Ave

291 Lenox Ave
New York, NY 10027

Inquiry Number: 2857966.1
August 31, 2010

The EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel information and/or legal description;
- search for ownership information;
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.;
- access a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument(s) (title, parties involved, and description); and
- provide a copy of the deed or cite documents reviewed.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

The EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

291 Lenox Ave
125th St and Lenox Ave
New York, NY 10027

RESEARCH SOURCE

Source 1:

New York County Register of Deeds
New York, NY

PROPERTY INFORMATION

Deed 1:

Type of Deed: Deed
Title is vested in: 113 WEST 124TH STREET LLC
Title received from: LANDE REALTY CORPORATION
Deed Dated: 1/7/2004
Deed Recorded: 9/30/2009
Book: NA
Page: NA
Volume: NA
Instrument: 2009092800151002
Docket: NA
Land Record Comments: NA
Miscellaneous Comments: NA

Legal Description: See Exhibit

Legal Current Owner: 113 WEST 124TH STREET LLC

Property Identifiers: Block 1909 Lot 140

Comments: See Exhibit

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found


OTHER ACTIVITY AND USE LIMITATIONS (AULs)

AULs: Found Not Found

Deed Exhibit 1

**NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2009092800151002001EA4AE

RECORDING AND ENDORSEMENT COVER PAGE

PAGE 1 OF 4

Document ID: 2009092800151002

Document Date: 01-07-2004

Preparation Date: 09-29-2009

Document Type: CORRECT INDEX/DEED-OFFICE USE

Document Page Count: 3

PRESENTER:

NYC DEPT. OF FINANCE
YOLANDE PIERRE
66 JOHN STREET, 13TH FLOOR
NEW YORK, NY 10038
212-361-7550
pierrey@finance.nyc.gov

RETURN TO:

NYC DEPT. OF FINANCE
YOLANDE PIERRE
66 JOHN STREET, 13TH FLOOR
NEW YORK, NY 10038
212-361-7550
pierrey@finance.nyc.gov

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	1909	25	Entire Lot	N/A WEST 124 STREET

Property Type: RESIDENTIAL VACANT LAND

Borough	Block	Lot	Unit	Address
MANHATTAN	1909	140	Entire Lot	283 WEST 125 STREET

Property Type: RESIDENTIAL VACANT LAND

CROSS REFERENCE DATA

CRFN: 2004000065426

PARTIES

GRANTOR:

LANDE REALTY CORPORATION
224 WEST 82ND STREET
NEW YORK, NY 10024

GRANTEE:

113 WEST 124TH STREET LLC
C/O WHATTON REALTY, 20 EAST 46TH STREET,
ROOM 1200
NEW YORK, NY 10017

FEES AND TAXES

Mortgage		Filing Fee:	
Mortgage Amount:	\$ 0.00	\$	0.00
Taxable Mortgage Amount:	\$ 0.00	NYC Real Property Transfer Tax:	
Exemption:		\$	0.00
TAXES: County (Basic):	\$ 0.00	NYC Real Estate Transfer Tax:	
City (Additional):	\$ 0.00	\$	0.00
Spec (Additional):	\$ 0.00		
TASF:	\$ 0.00		
MTA:	\$ 0.00		
NYCTA:	\$ 0.00		
Additional MRT:	\$ 0.00		
TOTAL:	\$ 0.00		
Recording Fee:	\$ 0.00		
Affidavit Fee:	\$ 0.00		



**RECORDED OR FILED IN THE OFFICE
OF THE CITY REGISTER OF THE
CITY OF NEW YORK**

Recorded/Filed 09-30-2009 15:40

City Register File No.(CRFN):

2009000317484

Annette McMill

City Register Official Signature



City of New York
Department of Finance
www.nyc.gov

Office of the City Register
Annette M. Hill
hilla@finance.nyc.gov

66 John Street, 13th Floor
New York, NY 10038

+1 212 361-7130 tel
+1 212 361-7132 fax

To whom it may concern:


The following document was not indexed/or indexed incorrectly at the time it was recorded. This entry in the index is to provide notice of the recorded document.

Please note the date of the document and its appropriate place in the chain of title.

Questions regarding this memorandum should be addressed to the City Register.

**NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2004011301372001001EFA93

RECORDING AND ENDORSEMENT COVER PAGE

PAGE 1 OF 3

Document ID: 2004011301372001 Document Date: 01-07-2004 Preparation Date: 01-13-2004
 Document Type: DEED, OTHER
 Document Page Count: 2

PRESENTER:
 ROYAL ABSTRACT OF NEW YORK LLC
 AGENT FOR COMMONWEALTH LAND TITLE
 500 5TH AVENUE- SUITE 1940
 NEW YORK, NY 10110
 212-376-0900
 820856

RETURN TO:
 IVAN MOSKOWITZ, ESQ.
 MANDEL, RESNICK KAISER MOSKOWITZ
 220 EAST 42ND STREET, 20TH FLOOR
 NEW YORK, NY 10017
 820856

PROPERTY DATA

Borough	Block	Lot	Unit	Address
MANHATTAN	1909	25	Entire Lot	113 WEST 124 STREET
Property Type: VACANT LAND				
Borough	Block	Lot	Unit	Address
MANHATTAN	1909	140	Entire Lot	283 WEST 125 STREET
Property Type: VACANT LAND				

CROSS REFERENCE DATA

CRFN _____ or Document ID _____ or _____ Year _____ Reel _____ Page _____ or File Number _____

PARTIES

GRANTOR:
 LANDE REALTY CORPORATION
 224 WEST 82ND STREET
 NEW YORK, NY 10024

GRANTEE:
 113 WEST 124TH STREET LLC
 C/O WHARTON REALTY, ROOM 1200, 20 EAST 46TH STREET
 NEW YORK, NY 10017

FEES AND TAXES

Mortgage			Recording Fee: \$	50.00
Mortgage Amount:	\$	0.00	Affidavit Fee: \$	0.00
Taxable Mortgage Amount:	\$	0.00	NYC Real Property Transfer Tax Filing Fee:	
Exemption:			\$	50.00
TAXES:			NYS Real Estate Transfer Tax:	
County (Basic):	\$	0.00	\$	1,780.00
City (Additional):	\$	0.00		
Spec (Additional):	\$	0.00		
TASF:	\$	0.00		
MTA:	\$	0.00		
NYCTA:	\$	0.00		
TOTAL:	\$	0.00		

NYC HPD Affidavit in Lieu of Registration Statement



**RECORDED OR FILED IN THE OFFICE
OF THE CITY REGISTER OF THE
CITY OF NEW YORK**

Recorded/Filed 02-03-2004 17:08
 City Register File No. (CRFN):
 2004000065426

Rochelle Patricia

City Register Official Signature

THIS INDENTURE, made the 7th day of January, 2004 and
BETWEEN

Lande Realty Corporation, with an office at 224 West
82nd Street, New York, NY 10024

party of the first part, and

113 West 124th Street LLC, with an office c/o Wharton
Realty, Room 1200 at 20 East 46th Street, New York,
NY 10017

party of the second part.

WITNESSETH, that the party of the first part, in consideration of ten dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the

Borough of Manhattan, City and State of New York,
designated on the Tax Map of the City of New York, for
the Borough of Manhattan, as said Tax Map was on July 16,
1977 and February 10, 1976, respectively.

Section 7 Block 1909 Lots 25 and 140.

known as 113 West 124th Street, [Ⓢ] and 283 West 125th Street, NY
New York, New York

Being the same premises conveyed to the party of the first part from The City of New York by deed dated 3/7/89 and recorded 3/14/89 on Reel 1547 Page 1145.

This conveyance has been made with the consent of the holders of all the outstanding shares of the party of the first part entitled to vote thereon.

TOGETHER with all right, title and interest, if any, of the party of the first part, in and to any streets and roads abutting the above-described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the part of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid.


AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

Lande Realty Corporation

by 
Feng-yo-Miao, President

Acknowledgement taken in New York State

State of New York, County of _____

ss

On the 7th day of January in the year 2004, before me, the undersigned, personally appeared:

FRANCESCO
personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.



ROBERT P. SCHROEDER
Notary Public, State of New York
No. 41493178
Qualified in Queens County
Commission Expires 7/21/04

Acknowledgement by Subscribing Witness taken in New York State

State of New York, County of _____

ss

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared:

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly sworn, did depose and say, that he/she/they reside(s) in _____

that he/she/they know(s) _____ to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said _____ execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.

Acknowledgement taken in New York State

State of New York, County of _____

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared _____

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

Acknowledgement taken outside New York State

State of _____, County of _____, _____
(or insert District of Columbia, Territory, Possession or Foreign Country)

On the _____ day of _____ in the year _____ before me, the undersigned, personally appeared _____

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual made such appearance before the undersigned in the _____

(add the city or political subdivision and the state or country or other place the acknowledgement was taken)

Title No. 820856

Lande Realty Corporation
TO
113 West 124th Street NYC

SECTION 7
BLOCK 1909
LOT 25 and 140
COUNTY OR TOWN New York

Recorded on the _____
ROYAL ABSTRACT
500 FIFTH AVENUE
NEW YORK, NY
TEL: (212) _____

RETURN BY MAIL TO:
Evan Moskowitz, Esq.
Mandel Resnick Kaiser Moskowitz
220 East 42nd Street, 20th Fl.
New York, NY

Zip No. 10017

RESERVE THIS SPACE FOR USE OF REC

APPENDIX M

JOEL B. LANDES, P.E.

Senior Associate
Langan Engineering and Environmental Services, Inc.

Regulatory Compliance
Environmental Engineering
Hazardous Waste Management
Environmental Due Diligence and Risk Management

EDUCATION

Polytechnic Institute of Brooklyn: B.S. Chemical Engineering
The Cooper Union, New York: M.E. Environmental Planning and Management
Union College, New York: Graduate studies in Business Management

REGISTRATIONS:

Registered Professional Engineer – New York – New Jersey

SUMMARY QUALIFICATIONS

Mr. Landes has twenty-eight years project engineering and management experience, the last 15 years as a senior consultant and the prior seven years as manager of engineering and environmental affairs for a worldwide organic and specialty chemical manufacturer. Experience includes environmental compliance audits, risk management and due diligence assignments in the United States and Internationally, Phase I and Phase II environmental assessments, power plant site selection and permitting evaluation, remedial investigations, feasibility studies and remedial measures for transportation-related, industrial and manufacturing facilities. Mr. Landes has managed assignments throughout North and South America, western and central Europe, and Australia. Expertise includes soil and groundwater remediation, permitting, risk management and hazard assessment.

RELEVANT EXPERIENCE

Peter Cooper Village/Stuyvesant Town, New York, NY Mr. Landes managed a team that prepared an Environmental Assessment of both properties, which consisted of 21 residential buildings at Peter Cooper Village and over 100 residential and commercial buildings at Stuyvesant Town. Both communities are home to approximately 25,000 residents. The properties which encompass approximately 100 acres on the east side of Manhattan is home to four former Con Edison manufactured gas plant properties including manufacturing and gas storage facilities. Extensive site characterization work was completed by Con Edison. Our due diligence teams summarized the available data and provided an accurate assessment of environmental conditions on both sites. Environmental Assessment Reports were provided to prospective buyers of the properties. During the negotiations, Mr. Landes provided answers to buyer's questions. This ultimately concluded as the largest real estate deal in history (\$5.4 Billion).

New York City Board of Education – Provided senior environmental and geotechnical consultation to the Chief Executive of Board of Education's Division of School Facilities. Assisted in the decision on the development of new additions to an existing school that was constructed on a site formerly used to manufacture pharmaceuticals in Brooklyn, NY. Numerous remedial investigation and remediation reports were reviewed as well as the owner's conceptual plans for the additions (PS 333). Concerns identified included protection of the health and safety of children, workers and the general public during construction, and the ability to maintain the integrity of a proposed vapor barrier.

JOEL B. LANDES, P.E.

Silverstein Properties, New York – Provided environmental services to assist in the redevelopment of the 7 World Trade Center site destroyed in the 9/11 attacks.

1. Prepared Environmental Assessment Forms as required under the New York SEQRA for the development project.
2. Evaluated previous investigations and developed and implemented a soil and groundwater management plan, approved by NYSDEC, for the excavation of approximately 25,000 cubic yards of soil and demolition of subsurface building features to allow for the construction of a new building foundation.
3. Planned, provided oversight and prepared a closure report (received NYSDEC NFA letter) for the removal of two vaulted 11,500-gallon fuel oil USTs.
4. Provided oversight for the excavation and removal of two 6,500-gallon fuel oil USTs that were damaged and spilled during the 9/11 attacks.

Silverstein Properties, New York – Program Manager for the preparation of specification for management of clean and contaminated soil at the site of a proposed high-rise residential building in midtown New York City. Investigation of subsurface soil and groundwater indicated that the site had been used as a service station and for the manufacture of gas at the turn of the century. The specifications included provisions for handling, characterization and disposal of soil and groundwater that would be disturbed during construction of a subsurface parking garage in the proposed building, and to protect the health of construction workers and future occupants from potential exposure to contaminants.

Pnemo Abex, Cleveland, Ohio – Mr. Landes managed the investigation and cleanup of a 700,000 sq. ft. former aircraft parts manufacturing facility under the Ohio Voluntary Action program. The facility had been in disuse for many years. Through initial site inspections and surveys, our team developed plans and specifications for the decontamination of building components, including wood block floors, asbestos, lead-based paint, and various pits, drains and sumps. Plans and specifications were also prepared for demolition of building, and remediation of soil and groundwater.

Waterside Generating Plant and Office Building, New York, New York

Mr. Landes managed a team that participated with other consultants, attorneys and insurance brokers to evaluate the risks of purchasing and redeveloping four Con Edison properties, one a 1.2 million sq. ft. office and service building that was a former manufactured gas plant (MGP) and one an operating steam and electric generating station covering 6 acres. Based on the limited data available, Langan recommended a geotechnical and environmental investigation program be implemented to evaluate the need for estimate the cost of remediation and redevelopment. The data collected was utilized, along with Langan's construction and remediation experience to evaluate potential remedial cost. A Monte Carlo simulation was developed to assess all probabilities for potential scenarios. Findings indicated that previous estimates were inadequate to cover most probable scenarios. Recommendations were provided to assure adequate insurance coverage.

The Hertz Corporation, New Jersey – Responsible for their program to prepare SPCC Plans for over 200 Hertz car and truck rental facilities throughout the United States. Coordinated and managed six separate operations offices and Professional Engineers in more than 20 states to accomplish this task.

JOEL B. LANDES, P.E.

Sterling Organics, Division of Sterling Drug, Inc., Rensselaer, New York – Responsible for environmental compliance and affairs for a 27 acre specialty chemical and pharmaceutical intermediates manufacturing facility.

- Responsible for preparing and implementing an SPCC Plan for this entire facility. Storage included more than 100,000 gallons of inorganic liquids, 20,000 gallons of fuel oil and 60,000 gallons of organic solvents.
- Filed and obtained permits for over 300 individual emission points for numerous organic chemicals utilized as raw materials and process by-products. These emission points included process vents, general and local exhaust systems, vacuum discharges and storage tanks. Full compliance required two years of negotiation with NYSDEC representatives during which no violations were issued.
- Responsible for the disposal of all solid and hazardous waste generated by the facility. Personally conducted compliance audits of waste transportation contractors and treatment, storage and disposal facilities including landfills, incinerators and fuel processing facilities.
- Responsible for maintaining compliance with wastewater pretreatment requirements and reducing the quantity of contaminants discharged into the wastewater pretreatment system. Conducted internal assessments of plant processes and designed systems that resulted in waste discharge reductions. Provided liaison between plant management and local sewer authority.
- Advised management on environmental impacts of proposed processes.

Confidential Metal Processor, Sofia, Bulgaria – Conducted an environmental, health and safety compliance audit of a privatized copper processing facility. The audit was performed in accordance with World Bank and European Union guidelines and included assessment of air discharge to the atmosphere (including impact on public health) and into the workplace, wastewater discharge to the local sewer treatment system, groundwater discharges from injection wells and stormwater runoff, and noise generation. Also evaluated were former waste disposal practices and current liabilities. Performed air, soil and groundwater investigations and developed baseline environmental conditions of the facility from the point of acquisition. Assisted the client in obtaining financing from the World Bank for proposed environmental improvements.

Confidential Independent Power Producer, Midwest, Mid Atlantic and South – Managed implementation of fatal flaw analyses to evaluate power plant permitting in the following states: Illinois, Maryland, Delaware, New Jersey, Pennsylvania, Kentucky, Ohio and Arkansas. Responsible for developing the technical strategy, selecting the project team, reviewing all deliverables and assisting in the presentations of results to the client. Scope of Work included development and implementation of a Geographic Information System (GIS) tool to assist in locating sites suitable for siting power plants in the PJM region. Collected location data for pipelines, transmission lines, power plants, wastewater treatment plants, land use, population density and other factors, integrated this data into our GIS database and created source maps showing preferred sites. This tool has proven itself through the savings in time and effort to screen a proposed power plant site.

TXU Energy, Brooklyn, New York – Evaluated the Article X Public Service Commission submittal to license a 530 MW, combined cycle power generation facility in Brooklyn, New York. This assignment was part of our due diligence for the acquisition of the right to complete the

JOEL B. LANDES, P.E.

licensing and develop a new power generation site to be constructed on a barge and moored at a Brooklyn pier in Upper New York Bay. Reviewed the impact analysis particularly with respect to the use of river water for cooling on a once-through basis. Found insufficient attention spent on the key stakeholders including the Bay Keeper and accurately predicted significant delays in obtaining the necessary approvals.

Colgate-Palmolive, Paris, France, Mexico City, Mexico, Brazil and Argentina, South America – Managed environmental compliance and due diligence, soil and groundwater investigations, and remedial planning and implementation for the divestiture of manufacturing facilities for Colgate-Palmolive.

CPC International, New Jersey and Illinois – Compliance audits and due diligence of 5 pharmaceutical and specialty chemical manufacturing facilities.

Confidential IPP, Virginia – Due diligence for the acquisition of 7 coal-fired PEPCO power generation facilities in Washington, DC, Delaware and Virginia.

Sithe Energy, New York – Due diligence for the construction of a co-generation facility on the site of pharmaceutical manufacturing facility in Kenilworth, NJ.

Confidential Pharmaceutical Co., Europe, Caribbean, Africa - Due diligence for the acquisition of 24 health care product manufacturing facilities. Phase II site investigations were conducted at each of the facilities. The entire project was managed and the work coordinated from New Jersey.

AMF, Throughout US, Australia, Puerto Rico – Due diligence for the acquisition of 285 manufacturing and end use sporting goods facilities (bowling alleys).

Riverwood, US, Mexico, Central and South America – Due diligence of 14 wood products manufacturing facilities, including two pulp plants. Phase II investigations and permitting assessment were conducted at the facilities.

FPL Energy, Florida – Due diligence for the acquisition of 32 power generation facilities in New Jersey and Massachusetts.

American Home Products, Mexico – Due diligence of a consumer products manufacturing facility for acquisition.

NL Chemicals, New Jersey and Missouri – A hazard and risk assessment of diisocyanate manufacturing facilities. Developed detailed Process and Instrument diagrams, developed and implemented a modified HazOp study to identify, quantify and prioritize potential accidental discharges, and finally, modeled toxic releases and developed recommendations for process alterations.

Elizabethtown Gas Co., - Elizabeth, NJ – Developed and conducted remedial investigations of two former manufactured gas plant sites. Assisted the utility and outside counsel with the negotiation of a Memorandum of Agreement with NJDEP. Recommendations for remedial action justified in the RIR included paving over localized areas that exceeded soil cleanup

JOEL B. LANDES, P.E.

criteria, a Declaration of Environmental Restriction and natural attenuation of groundwater contamination.

New Jersey Turnpike Authority, East Brunswick, NJ – Provided Quality Review for the NJ Turnpike widening project from Exit 11 to Exit 15. This included review and discussion of proposed strategies, such as the reuse of contaminated soil as underlying roadway fill prior to submittal to NJDEP for approval, and review of all proposals and reports prior to deliver to client.

PROFESSIONAL AFFILIATIONS:

Business Council of New York State
American Institute of Chemical Engineers
Air Pollution Control Association
National Brownfield Association – NYS Chapter

U:\Other\Joe\RESUMES\landes due diligence 2008.doc

MICHAEL D. BURKE
Project Manager

**Environmental Geology
Environmental Science
Remedial Investigations
Remedial Action
Environmental Site Assessments
Geotechnical Engineering**

EDUCATION

Rutgers University, New Brunswick, NJ
B.S. Geological Sciences
B.S. Environmental Science
Rutgers University, Newark, NJ
M.S. Environmental Geochemistry

PROFESSIONAL REGISTRATIONS

OSHA Certification for Hazardous Waste Site Supervisor
OSHA 29 CFR 1910.120 Certification for Hazardous Waste Operations and Emergency Response
NJDEP Certification for Community Noise Enforcement
Troxler Certification for Nuclear Densometer Training

YEARS OF EXPERIENCE: 11

SUMMARY QUALIFICATIONS

Mr. Burke is a Geologist/Environmental Scientist whose experience involves site investigation and remediation, environmental site assessments, in-situ remedial technology, sub-slab depressurization system design, emergency response, environmental and geotechnical site investigations, and health and safety monitoring. Mr. Burke has experience with projects in the NYSDEC Brownfield Cleanup, Voluntary Cleanup, and Spill Programs and NYCDEP "E" Designated sites. He has extensive experience in soil and groundwater investigation and remediation, design of in-situ chemical oxidation and enhanced bioremediation strategies, Phase I Site Assessments, Phase II site investigations, UST Closures, NYSDEC spill closure, remedial excavation oversight, and excavation and off-site treatment and/or disposal of contaminated soils.

RELEVANT EXPERIENCE

82 Irving Place, New York, NY – Served as the project manager for a catastrophic fuel tank rupture within a residential building in historic Gramercy Park, Manhattan. Duties included, but were not limited to, remedial investigation utilizing limited access investigation techniques, health and safety monitoring, and preparation of a remedial action plan. After petroleum impacts were adequately delineated, he managed the remedial measures, completed in accordance with a NYSDEC-approved Remedial Action Plan. Most work was completed utilizing Level C personal protection equipment within a negative pressure enclosure. Mr. Burke served as liaison for the building co-op board, lawyers, DEC and insurance carrier for this project.

1113 York Avenue, New York, NY – Served as the project manager for the closure of 17 underground storage tanks and management of the associated soil remediation at a former car dealership in the Lenox Hill Section of Manhattan, New York. Site activities were conducted under NYCDEP and NYSDEC Spill Prevention and Response Section's oversight. Duties included, but were not limited to the following: NYS BCP application, spill reporting, coordination of investigation and remediation activities, registration and closure of decommissioned underground storage tanks, vapor mitigation, mass excavation and disposal of approximately 25,000 tons of petroleum-impacted soil, development of an odor control and monitoring program, preparation of a NYSDEC and NYCDEP approved Spill Closure Work Plan, MTA coordination, and NYSDEC correspondence. Site work is ongoing.

MICHAEL D. BURKE

Peter Cooper Village/Stuyvesant Town, New York, N.Y. – served as the project manager for the Phase I Environmental Site Assessment of the largest real estate transaction in U.S history. The Phase I was conducted, on an expedited schedule, in accordance with the user’s standard scope of services, and in conformance with the ASTM Standard Practice for Environmental Site Assessments E1527-05 and the USEPA’s All Appropriate Inquiry rule for the purpose of identifying recognized environmental conditions in connection with the subject property. Due diligence included comprehensive review of environmental databases and existing environmental reports. The subject property is a residential development, built on a former MGP site, consisting of 90 acres and 110 buildings on the east side of Manhattan, New York.

Superior Ink, New York, NY – served as the project manager providing oversight for a former commercial site (Superior Ink), which since November 2004, has been in the process of removing petroleum contaminants that were found to have leaked from an underground storage tank (previously removed). Duties included the preparation and implementation of a Waste Characterization Plan and a NYSDEC and NYCDEP-approved Remedial Action Plan, preparation of a NYS BCP application, due diligence for soil disposal, point sampling and soil remediation, confirmation of acceptable residual contamination levels for NYSDEC, remediation oversight, and SSDS and vapor mitigation design. The NYSDEC requirements for spill closure have been met and the spill has been administratively closed. A Final Engineering Report has been submitted to the NYCDEP and a Notice of Satisfaction is eminent.

Bronx Mental Health Redevelopment Project, Bronx, NY – Langan provided due diligence services for redevelopment of the existing hospital facilities that will include a new Adult Facility, Children’s Facility, a Transitional Living Facility, Work Control Facility, and Campus Utilities. The project budget is around \$250 million. As project manager, Mr. Burke was responsible for Phase I services in accordance with the USEPA AA1 Rule and ASTM 1525-05 regulations. Duties included due diligence management and operations including a complete historical review of the site; environmental database review, and comprehensive review of available environmental reports. Services for this 80-acre site were conducted in accordance with DASNY requirements.

2950 Atlantic Avenue, East New York, Brooklyn, NY – Mr. Burke served as project manager in charge of overseeing the site characterization investigation at a Con Edison garage facility. Responsibilities included subsurface investigation to differentiate gasoline contamination from MGP impacts resulting from the operations of a separate responsible party. Duties included installation of 14 soil borings (later converted to permanent monitoring wells), sampling/ testing of monitoring wells contaminants, natural attenuation modeling using the USEPA BIOSCREEN Natural Attenuation Decision Support System model, and preparation of a site characterization report to detail findings for NYSDEC.

Con Edison, East 74th Street Generating Station, New York, NY – served as the project manager for a subsurface investigation of a kerosene spill in the basement of an active Con Edison steam generating facility. Based on the findings of the investigation, Mr. Burke designed the remediation program required to close out the NYSDEC spill number, prepared a NYSDEC approved remedial action plan, and generated the construction bid package. Remediation performed within restricted access under a negative air enclosure. Basement floor drains were replaced and reinforced concrete slab restored to its original condition. Site work is ongoing.

Gowanus Village I, Brooklyn, NY – Managed the implementation of a Remedial Investigation Work Plan for a NYS BCP project sited on a 3.5 acre former coal-fired power plant and sulfur works. Duties included, but were not limited to, implementation of a remedial investigation, preparation of a RIR, and coordination with NYSDEC and NYSDOH.

Con Edison, First Avenue Properties, New York, NY – served as the Assistant Project Manager and Environmental Site Supervisor for the demolition, remedial investigation and excavation of a Con Edison

MICHAEL D. BURKE

Steam Plant, Office Building and associated structures. Most remedial and investigation actions were performed in an active Con Edison steam generating station. Soil was excavated to accommodate site development for commercial and residential use. Duties included but were not limited to the following: report preparation, supervision of field personnel, contractor oversight, implementation of enhanced receptor and soil gas surveys, operations monitoring and maintenance, oversight of cofferdam and slurry wall construction, and addressing questions and concerns from the client and sub-contractors. Responsible for adhering closely to the NYSDEC approved Work Plan and ensuring that remediation activities were completed accordingly.

Queens West Development Corp. Stage II, Long Island City, NY – served as the Assistant Project Manager and Site Remediation Supervisor for the implementation of a large scale Remedial Investigation/Remedial Action conducted as part of the NY State Voluntary Clean-Up Program. Duties included but were not limited to the following: construction management, onsite coordination of remediation activities, scheduling of sub-contractors and field team, report preparation, supervision of onsite personnel, addressing questions and concerns of the client. Responsible for adhering closely to the approved Work Plan and ensured that remedial activities were completed accordingly. Remedial activities included: investigation and closure of four USTs and numerous reported spills, mass excavation and disposal of impacted soils, geoprobe investigations, and soil vapor sampling for the purpose of sub-slab depressurization system design, implementation of enhanced odor control and monitoring program, design and implementation of enhanced bioremediation and in situ chemical oxidation and marine spill response. Upon completion of remediation activities in each operable unit, an Interim Remedial Measures Final Report was generated and summarized all of the remedial work. Project is ongoing.

Poletti Generating Station, Astoria, NY – served as project geologist for a baseline subsurface investigation at an active NY Power Authority facility. Responsibilities included but were not limited to the following: coordination of investigation activities with drilling subcontractors, involved in daily coordination meetings, health and safety oversight, soil boring and groundwater monitoring well installation and addressing questions and concerns of the client. Following completion of investigative work, coordinated the preparation of a Preliminary Site Assessment report.

Arthur Kill Generating Station, Staten Island, NY – served as the environmental site supervisor and health and safety officer for an investigation and remediation oversight program at an active Con Edison facility in Staten Island, NY. Work was performed during a critical response period following a large PCB spill in which there was intense federal, state and city scrutiny. Involved in daily coordination meetings, scheduling, cost control, field design modifications, and daily interaction with sub-contractors and regulatory agencies. Remedial actions included excavation, removal and dewatering of PCB contaminated sediment, in a discharge canal and treatment of resulting wastewater, and scarification of PCB-contaminated brick within the building structure.

K. Hovanian, New Jersey Development Sites, N.J. – served as a field geologist for septic feasibility studies, preliminary geotechnical assessments and oversight of building foundation installations in numerous geologic settings in New Jersey.

JENNIFER ARMSTRONG, LEED AP
Senior Staff Engineer

Environmental Scientist
Environmental Due Diligence
Soil, Soil Vapor,
Indoor Air Quality, and
Groundwater Investigations
Remedial Oversight

EDUCATION

Marist College: BS in Environmental Science, May 2000

PROFESSIONAL CERTIFICATIONS

New York State Asbestos Project Monitor
New York State Asbestos Air Sampling Technician
LEED Accredited Professional
OSHA 40-Hour HAZWOPER
OSHA 10-Hour Basic Construction Safety and Health Certified

EMPLOYMENT HISTORY

Langan Engineering and Environmental Services, New York, New York: 4/07- Present
Senior Staff Engineer
Contamination Control Engineering, Trenton, New Jersey: 7/01 – 4/07
Program Manager
Roy F. Weston of New York, New York, New York: 8/00 – 7/01
Assistant Project Scientist
Chazen Engineering & Environmental Services, Poughkeepsie, New York: 9/99 – 5/00
Environmental Assistant

LANGAN START: 2007

YEARS OF EXPERIENCE: 10

SUMMARY OF QUALIFICATIONS

Ms. Armstrong has 10 years of experience working on environmental projects in New York. She has conducted Phase I and II Environmental Site Assessments, soil vapor and indoor air quality surveys, and waste characterization investigations. She has also developed remediation investigation and work plans. Her field experience includes soil, soil vapor, groundwater, and indoor air investigations, remedial excavation oversight, and Community Air Monitoring Program (CAMP) management. Ms. Armstrong also has several years of experience in evaluating asbestos consultants and contractors.

LANGAN EXPERIENCE

New York City School Construction Authority (NYCSCA), Various Sites in New York City – Environmental due diligence, including 16 Phase I Environmental Site Assessments for new acquisitions and lease sites. Project sites were located throughout the five boroughs and consisted of properties with various land uses including auto repair facilities, former filling stations and manufacturing facilities, and other commercial properties. Ms. Armstrong has also prepared investigation work plans, performed Phase II Environmental Site Investigations, sub-surface investigations and Indoor Air Quality Investigations for several NYCSCA projects.

84 West 3rd Street, New York, NY – Phase I Environmental Site Assessment and Soil Vapor Investigation. Ms. Armstrong prepared a Phase I Environmental Site Assessment and subsequently performed a Soil Vapor

JENNIFER ARMSTRONG, LEED AP

Intrusion Investigation consisting of sub-slab soil vapor, indoor air, and ambient air samples.

John Jay College Expansion, New York, NY – Project involved the demolition of a parking garage and construction of a multi-story academic building at John Jay College located on 11th Avenue between 58th and 59th Streets. Ms. Armstrong managed the project's Community Air Monitoring Program Management (CAMP) at the site, monitored the serpentine (asbestos-containing) rock and petroleum contaminated soil excavation, and managed the load out and transportation of contaminated soil and rock. She also conducted due diligence of the disposal facilities suggested by the foundation construction contractor.

Pelham Plaza, Pelham Manor, NY – Remedial construction oversight at a former Manufactured Gas Plant (MGP) site. Ms. Armstrong provided oversight on behalf of the property owner to verify that the remediation was performed in accordance with the approved work plan and specifications. Ms. Armstrong was responsible for monitoring the overall project schedule.

Con Edison, East 74th Street Steam Generation Plant, New York, NY – Ms. Armstrong assisted with the investigation and remediation of kerosene-impacted concrete related to a NYSDEC Spill. Ms. Armstrong performed a remedial investigation within an operating steam generation facility, prepared bid specifications and drawings, and assisted Con Edison throughout the bid package finalization process. Familiarity with Con Edison's specific standard procedures was required.

Former Queens County Family Court House, Jamaica, NY – Waste characterization and remediation oversight that included demolition of the Queens County Family Courthouse building and development of the site into a multi-story residential complex and parking garage. Ms. Armstrong performed soil and groundwater sampling and subsequently prepared a Soil Characterization Report. She oversaw the remedial excavation, load out and transportation of contaminated soil and collected post-excavation samples for hot-spot contamination identified at various locations throughout the site. Ms. Armstrong prepared the Remedial Action Report.

Bronx Terminal Market, Bronx, NY – Remediation for a development that will consist of commercial retail space, associated parking, and improvements along the Harlem River waterfront including an esplanade and park. The 17± acre site is located in the Bronx, New York, adjacent to the Harlem River, between the Macombs Avenue Bridge and the 145th Street Bridge. Ms. Armstrong provided contractor oversight for remedial excavation and backfilling, collected endpoint soil samples, and participated in the CAMP.

Pier 4, Bronx, New York - Spill remediation oversight. Ms. Armstrong provided contractor oversight for remedial excavation and backfilling, collected endpoint samples, and prepared a Closure Report for submission to the NYSDEC.

40 Bond Street, New York, New York – Site Management Plan. Ms. Armstrong prepared a Site Management Plan (SMP) for submission to the NYSDEC. The SMP described remedial actions, including excavation and the installation of a sub-slab depressurization system with a vapor barrier, and planned mitigation and monitoring services.

Bronx Mental Health Redevelopment Project, Bronx, New York –Phase I services for an 80-acre hospital facility that will include a new Adult Facility, new Children's Facility, a new Transitional Living Facility, new Work Control Facility, and Campus Utilities. Ms. Armstrong prepared a Phase I ESA in accordance with the AA1 Rule and ASTM 1525-05.

Silvercup West – NYPA Site, Queens, NY – Brownfield Program Application and Waste Characterization

JENNIFER ARMSTRONG, LEED AP

Investigation for the proposed development of the 3.4 acre site for commercial use. Responsibilities included collection of soil samples from Geoprobe® borings and oversight of the installation of temporary monitoring wells. Ms. Armstrong also reviewed the analytical results and prepared the corresponding summaries for the Site Characterization Report.

New York City School Construction Authority (NYCSCA), Queens, NY – Provided compliance audits and general oversight for the asbestos consultants and contractors working under requirements contracts with the NYCSCA. Her main role was to ensure that applicable regulations and contractual obligations were being followed through both document review and on-site audits during abatement activities. She also managed the scheduling of the survey and design group and all project consultants to ensure that project abatement specifications were completed on time to meet the NYCSCA’s financial commitments.

Freshkills Landfill, Staten Island, New York – Public Relations and Operations and Maintenance Plan Preparation. Ms. Armstrong performed public relations for the New York City Department of Sanitation (NYCDOS) and the Fresh Kills Landfill including an annual public consent order meeting involving the New York State Department of Environmental Conservation. She also worked closely with the NYCDOS and updated the Operations and Maintenance Plan as needed.

Various Site Throughout Upstate New York – Environmental due diligence, data review, and general research. Ms. Armstrong completed over 20 Phase I Environmental Site Assessments consisting of historical and regulatory document review for various sites throughout upstate New York including Dutchess and Albany Counties and the Finger Lakes Region. She also reviewed and interpreted laboratory data and provided research for ongoing projects.

APPENDIX B

Health and Safety Plan

**SITE SPECIFIC HEALTH AND SAFETY PLAN
PHASE II ENVIRONMENTAL INVESTIGATION
WEST 125TH STREET AND LENOX AVENUE
NEW YORK, NEW YORK**

Prepared For:

**The City of New York
Mayor's Office of Operations
Office of Environmental Remediation
253 Broadway – 14th Floor
New York, New York 10007**

Prepared By:

**Langan Engineering and Environmental Services, P.C.
360 West 31st Street, 8th Floor
New York, New York 10001**

*October 2010
Langan Project No. 170121501*

<u>Section</u>	<u>Page</u>
SITE SPECIFIC HEALTH AND SAFETY PLAN	i
1.0 INTRODUCTION.....	3
1.1 Site Description and Background	3
1.2 Project Scope and Organization	4
1.3 Safety Organization	6
1.3.1 Safety and Planning Meetings	6
1.3.2 Report of Accidents and Emergencies	6
2.0 ASSIGNMENT OF RESPONSIBILITIES	1
2.1 General.....	1
2.2 Langan Responsibilities	1
2.2.1 Langan Site Safety Health Officer (SSHO)	2
2.2.2 Langan Site Safety Coordinator (SSC)	2
2.2.3 Maintenance of Records	3
2.2.4 Contractor’s Safety Program Evaluation.....	3
2.3 Key Personnel and Emergency Telephone Numbers	3
3.0 STANDARD OPERATING PROCEDURES.....	1
3.1 Standard Work Practices	1
3.2 Safety Inspection Program.....	1
3.3 Accident Investigations.....	1
3.4 Site Hazard Assessments.....	2
3.5 Health Risks	2
3.6 Fire Safety Hazards.....	2
3.7 Electrical Utilities	2
3.8 Drilling Operations	2
3.9 Hearing Conservation	3
3.10 Close Call Program	3
4.0 PERSONAL PROTECTIVE EQUIPMENT.....	1
4.1 General Safety Equipment.....	1
4.2 Levels of Protection per Task	1
5.0 TRAINING.....	1
5.1 Site Training Requirements.....	1
5.1.1 Hazwoper Training	1
5.1.2 Hazard Communication Training.....	2
5.1.3 Respirator Protection Training.....	2
5.1.4 Respirator Protection Training.....	2
5.1.5 Personal Protective Equipment Training	2
5.1.6 Hearing Conservation Training	2
5.1.7 Trade Specific Requirements	3
5.2 Tool Box Safety Talks	3
6.0 EMERGENCY PROCEDURES.....	1
6.1 Emergency Site Evacuation Procedure	4
6.2 Designated Assembly Locations.....	4
6.3 Accounting for Personnel	4

7.0	MEDICAL PROCEDURES	1
7.1	Physical Examination Documents	1
7.2	Access to Exposure and Medical Records	2
7.3	Physical Examination and Respirator Approval	2
7.4	Emergency First Aid	2
7.5	Heat Stress	3
7.6	Cold Stress	5
7.7	Emergency Medical Procedures	7
7.8	Accident and Injury Report Forms	8
7.8.1	Accident/Incident Report	8
7.8.2	OSHA Form 300	8
8.0	ENVIRONMENTAL CONSIDERATIONS	1
8.1	Hazardous Substance Assessments	1
8.2	Site Air Monitoring	1
8.2.1	Community Air Monitoring	1
8.3	Decontamination Procedures	2
8.3.1	Decontamination of Equipment	2
8.3.2	Personal Decontamination Procedures	2
8.4	Investigation Derived Waste (IDW)	4

TABLES

6-1 Emergency Contacts

FIGURES

6-1 Directions to Harlem Hospital Center

APPENDICES

- Appendix A Report of Accident/Incident
- Appendix B Employee Acknowledgement of Site Specific HASP
- Appendix C Contractor’s Safety Program Evaluation Form
- Appendix D Key Personnel and Emergency Phone Numbers
- Appendix E Safety Inspection Form
- Appendix F Hazard Communication Program
- Appendix G Material Safety Data Sheets
- Appendix H Respiratory Protection Program
- Appendix I OSHA Forms for Recording Work-Related Injuries and Illnesses

1.0 INTRODUCTION

This Site Specific Health and Safety Plan (HASP) was designed to protect against occupational injuries and illnesses from workplace hazards, tasks, and chemical exposures during activities associated with the Phase II Environmental Site Investigation to be completed at West 125th Street and Lenox Avenue in New York, New York ("the Site"). The Site consists of the following addresses: 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39). This HASP has been developed to comply with Occupational Safety and Health Administration (OSHA) 29 Code of Federal Regulations (CFR) 1910.120(b)(4), Hazardous Waste Operations and Emergency Response and addresses all of the foreseeable activities associated with the proposed investigation activities at the Site. This document establishes personnel protection standards and mandatory safety practices and procedures, and provides for contingencies that may arise while operations are being conducted at known or suspected hazardous waste sites.

All on-site personnel are required to read, review, and strictly comply with this HASP. It is the responsibility of Langan Engineering and Environmental Services, PC (Langan) to ensure that the HASP is implemented and enforced. The HASP may contain sensitive or confidential information and therefore should not be disclosed to persons other than those working on-site. The HASP was prepared in accordance with requirements established by the Occupational Safety and Health Administration (OSHA), the National Institute of Occupational Safety and Health (NIOSH), the Environmental Protection Agency (EPA), and New York City Local Laws.

1.1 Site Description and Background

The Site is an assemblage of properties on the city block located between 124th Street, 125th Street, Adam C. Powell Boulevard, and Lenox Avenue in the Harlem section of the borough of Manhattan, New York. The following addresses comprise the Site: 281-291 Lenox Ave (Block 1909, Lots 29, 129, 30, 31, 32, and 33), 107-113 West 124th Street (Block 1909, Lots 28, 27, 26, 25, and 140), and 108-110 West 125th Street (Block 1909, Lots 38 and 39). The Site is vacant land encompassing an approximate area of 32,410 square feet. Chain-linked fencing surrounds the Site with a locked gate on West 124th Street. The Site is bound by West 125th Street and a 10-story shopping center to the north, Lenox Avenue and multi-story residential buildings with ground-level retail space to the east, West 124th Street and multi-story residential buildings to the south, and a vacant lot and a 1-story retail building to the west.

Beyond adjoining properties, the surrounding area is comprised primarily of multi-story residential and commercial buildings with ground-level retail space and restaurants.

Langan performed a Phase I Environmental Site Assessment at the Site in September 2010 that revealed several on-site recognized environmental concerns (RECs) including historical petroleum bulk storage, historical site use for auto repair, a factory, and dry cleaning, evidence of previous environmental investigation, and several E-designations. Off-site RECs included historical use of surrounding properties for auto repair and a dry cleaner, and an open leaking tank incident at an up-gradient property. The purpose of the Phase II ESI is to investigate potential impacts from the identified RECs on the Site.

1.2 Project Scope and Organization

The general project scope anticipated at the Site is as follows:

A geophysical survey using ground penetrating radar (GPR) and electromagnetic detection equipment will first be conducted to identify remnant UST structures and associated piping and subsurface utilities that may be encountered during the investigation. Approximately 13 soil borings, four permanent groundwater monitoring wells, 4 temporary groundwater monitoring wells, 7 soil vapor samples, and an ambient air sample will be collected during the investigation.

The investigative borings will be advanced to the anticipated basement depth, approximately 18 feet below grade surface (bgs); however, the four soil borings that will be converted to monitoring wells will be advanced to 25 to 30 feet bgs. The driller will use a direct-push Geoprobe® unit for soil borings and temporary wells. Soil samples will be continuously collected from the borings and screened for organic vapors with a photoionization detector (PID). The temporary groundwater monitoring wells will be installed by inserting new, one-inch diameter PVC well screen and riser into the open borehole.

A hollow stem auger drill rig will be used to install permanent monitoring wells. The wells will be constructed with 2-inch diameter polyvinyl chloride (PVC) and 0.02-inch slotted PVC screen extending approximately 5 feet below the groundwater table. Clean filter sand will be placed in the annulus between the borehole and the outside of the screen, from the bottom of the boring to about 1 foot above the top of the screen. A 2-foot-thick hydrated bentonite seal will be placed above the filter sand.

Purge water and grossly contaminated soil generated during the investigation, if encountered,

will be placed in labeled, sealed 55-gallon drums pending off-site transport and disposal o de coordinated by the drilling contractor.

Langan is the Prime Contractor for all project activities. Langan will coordinate with a geophysical contractor to map out subsurface utilities and structures on the Site and to clear boring locations. Langan will retain a licensed drilling contractor to advance the environmental borings and install the monitoring wells. Prior to any intrusive sampling activities, the drilling contractor will coordinate with "One Call" utility locating company for the Site perimeter (streets and sidewalks) utility mark outs. The geophysical survey, the utility clearance results, and "One Call" mark-outs will be the basis to select the final proposed boring/well locations.

1.3 Safety Organization

The Safety Organization at the Site will involve the joint cooperation of all parties Langan and its affiliates (Prime Contractor), and all subcontractors. Subcontractors are responsible for working safely and complying with this HASP.

1.3.1 Safety and Planning Meetings

For routine investigation tasks, a task-specific kick-off meeting to discuss safety issues will take place to review appropriate safety issues prior to starting fieldwork. This meeting will be held in the field on the first day of work. Additional safety meetings will be conducted as the job progresses to discuss health and safety issues related to upcoming tasks. Langan will prepare and maintain documentation of these meetings.

1.3.2 Report of Accidents and Emergencies

All incidents involving injuries or property damage shall be reported to Langan by the appropriate subcontractor Safety Coordinator, and accident/incident reports will be completed for all accidents and incidents by those Safety Coordinators. At a minimum, the information presented in the accident/incident report form (Appendix A) must be provided.

2.0 ASSIGNMENT OF RESPONSIBILITIES

2.1 General

All activities on or around the Site are subject to this health and safety plan. These activities include, but are not limited to investigation and other support activities.

All personnel, including subcontract personnel, will be responsible for continuous adherence to the safety procedures during the performance of this work. Deviations from the procedures or intent of the HASP will not be allowed without express consent of the Langan Site Safety Health Officer (SSHO), who shall coordinate all significant changes with the Langan Project Management staff and subcontractor personnel, as appropriate. The Project Management and field supervisor for each contractor and subcontractor is responsible for ensuring that their personnel follow the established procedures in this HASP. After appropriate warning and notification, personnel who violate health and safety procedures will be dismissed from site operations. It must be remembered that the person most responsible for the health and safety of an individual is the individual him/herself.

Langan and subcontractor Project Management staff will participate in periodic health and safety inspections and accident investigations; attend periodic safety meetings; and coordinate on field-approach or project scope changes that could impact the project safety program. The Langan SSHO will be informed of any changes in approach that could impact existing safety protocols.

Langan employees will be expected to sign the Employee Acknowledgement of Site Specific Health and Safety Plan Form (Appendix B). Project field personnel for all subcontractors will be required to sign an acknowledgement form indicating that they have reviewed and are familiar with the HASP.

2.2 Langan Responsibilities

Langan is the Prime Contractor for the Site and is responsible for setting safety policies as prescribed by local, state, and federal jurisdictions for all work done by contractors (if any) and subcontractors. Langan will directly manage all environmental investigation activities and will be directly responsible for the implementation of this HASP.

2.2.1 Langan Site Safety Health Officer (SSHO)

The Langan SSHO shall be responsible for providing overall technical and administrative oversight of the health and safety program, both on-site and off-site. Additionally, the SSHO will have the following responsibilities:

- The SSHO will review and approve the HASP and any changes to the plan.
- The SSHO will receive and maintain documentation from subcontractor field supervisors or Site Safety Coordinators for all safety related matters, including accident record keeping, accident investigations, safety training, and certifications.

2.2.2 Langan Site Safety Coordinator (SSC)

Langan's Site Safety Coordinator will be responsible for the day-to-day safety compliance of Langan employees and Langan subcontractors, during all field activities. Langan will provide a SSC for all field investigation and remediation work that Langan directly manages. The SSC is a full-time member of Langan's field staff during all work. Depending on the complexity of the work; Langan's Field Supervisor may also serve as the SSC, or a separate member of the field staff will serve as SSC. The primary duties of the SSC will include:

- Directing and implementing requirements of the HASP.
- Attendance at safety and planning meetings.
- Weekly formal and daily site inspections.
- Ensuring that all Langan project personnel and subcontractors working under this HASP have been adequately trained in the recognition and avoidance of unsafe site conditions, the content of this HASP, and regulations applicable to the work in order to control or eliminate hazards or other exposure to illness or injury.
- Authorizing "Stop Work Orders" to subcontractors that shall be executed upon the determination of an imminent health and safety concern.
- Contacting the Langan Project Manager and SSHO on the issuance of the Stop Work Orders when the SSC has made the determination of an imminent health and safety concern.
- Authorizing work to resume upon approval from the Wharton Properties, Langan Project Manager and the SSHO.

- Directing activities as defined in this HASP during emergency situations, subject to restrictions identified in Section 6.
- The SSC will initiate evacuation procedures when necessary, subject to restrictions identified in Section 6.

The SSC will be responsible for assessing daily site activities for compliance with all provisions of the HASP. Deviations will be noted, corrected, and reported to the Langan Project Manager and SSO. The SSC or designee will ensure that required monitoring and hazard evaluations are performed. The SSC will also ensure that subcontractor site safety inspection logs and documents are maintained for inspection at the jobsite as part of the Contractor's Safety Program Evaluation (Section 2.2.4).

2.2.3 Maintenance of Records

Langan will maintain records pertinent to the overall safety program as described in this HASP, including meeting minutes, accident records, safety inspection records, contractor evaluations, records of applicable training, and records of accident investigations.

2.2.4 Contractor's Safety Program Evaluation

Langan will periodically evaluate subcontractor safety performance. Results of this evaluation may be discussed and corrected immediately or, if immediate correction is not possible, forwarded directly to the subcontractor's office for resolution. Langan's Project Management and the subcontractor's Project Management will receive copies of this evaluation. The Contractor's Safety Program Evaluation form can be found in Appendix C.

2.3 Key Personnel and Emergency Telephone Numbers

The key personnel in this project and emergency phone numbers are included in Appendix D.

3.0 STANDARD OPERATING PROCEDURES

3.1 Standard Work Practices

The following work practices and engineering controls may be used during each phase of the project. The work practices are Standard Operating Procedures, and will not be deviated from without the consent of the SSHO.

Hazards associated with site work including drilling, monitoring well installation, soil and groundwater sampling, and cold/heat stress are covered under this HASP.

3.2 Safety Inspection Program

Safety inspections are a key to compliance with safety rules, and the maintenance of safe conditions. Accidents can be a direct result of whether or not these inspections have taken place. Safety inspections will take three forms:

- Everyday inspections – results of which are to be recorded by SSCs or the SSM;
- Weekly inspections – formal inspections that should be recorded on a form similar to the Safety Inspection Form located in Appendix E; and
- Contractor Evaluations – as described in Section 2.2.4.

3.3 Accident Investigations

The purpose of these investigations is to determine cause of an accident so that a similar accident will not occur in the future. Depending on who is directly managing the work, Langan shall determine the nature of such accident, record the findings, and correct the cause. Langan will investigate accidents related to site investigation.

In the event that an injury occurs, an Accident/Incident Report (Appendix A) will be completed within 24-hours of the incident. Langan will provide an investigation report that includes a description of the incident, root cause determination, and preventative actions to be taken to prevent recurrence. Work will not resume on the task until Wharton Properties is satisfied with Langan's preventative action plan.

3.4 Site Hazard Assessments

Hazard assessments shall be performed for each task on this project. Such assessments may involve the use of air sampling, or a site survey for exposure to chemicals and gases or other physical agents such as noise or electricity. During such a survey, engineering or administrative controls will be considered before resorting to Personal Protective Equipment (PPE). If these controls do not adequately address work-related hazards, PPE needs must be evaluated.

3.5 Health Risks

Potential health risks will involve exposure to chemical and physical hazards. Chemical hazards may result from subsurface contaminants and gases, silica in concrete, and other hazards. Physical hazards result from exposure to noise, construction or drilling equipment, electricity, and other utilities. Work methods when near such exposures will need pre-planning and use of exposure limiting controls such as use of analytical equipment for detection of vapors and gases, as well as the use of PPE to aid in the control of many exposures.

3.6 Fire Safety Hazards

Fire hazards include exposures to underground utilities and gases. Volatile organic compounds are likely present in the soil and the groundwater at some locations. Vapor monitoring will be necessary during all on-site activities where flammable/ combustible exposures exist.

3.7 Electrical Utilities

For environmental drilling and other environmental investigation work, Langan's utility mark-out subcontractor will conduct a geophysical survey around all proposed sampling locations to identify subsurface electric utilities and mark the centerline of underground lines. The drilling contractor will notify the NYC One Call Center at (800) 272-4480, in accordance with Code 753, a minimum of 5 working days prior to any drilling on streets and sidewalks. Environmental borings will be offset by at least 5 feet from any identified subsurface utility.

3.8 Drilling Operations

Depending on the particular drill rig employed, these operations can present exposure to the

following:

- Flying objects (chipped asphalt or concrete, soil) and dust. Measures used to control such exposures will include use of water misting apparatus to keep dust down, or use of a guard installed around the drill to protect against flying objects and dust.
- Underground utilities present fire, electrocution, burn, and explosion hazards. Positions of gas, electric, and steam utility lines will be verified as described in Section 3.7. If possible, all lines in the area of drilling should be de-energized, locked-out, and tested before work begins.
- All subsurface utility lines in the area of drilling shall be identified by Langan's geophysical sub-contractor.

3.9 Hearing Conservation

The operation of drill rig equipment may result in momentary high noise levels during advancement of soil borings. Hearing protection (e.g., ear plugs, headphones) will be used as necessary.

3.10 Close Call Program

A "close call" is an undesirable incident that under similar circumstances could have caused injury or damage. The SSHO or the SSC will conduct an incident review at the location where a "close call" occurred. The purpose of the incident review is to identify the cause of the incident, thereby allowing the development of remedies to prevent reoccurrence. Every "close call" shall be considered an incident and shall be thoroughly reviewed.

The SSC or SSHO is responsible for completing incident reports and for seeing that recommendations are addressed. The following procedures should be followed when investigating a "close call":

- Implement temporary controls to prevent further or potential injuries.
- Make sketches and take measurements/photos from several different angles.
- Establish and communicate procedures for conducting employee internal safety self-inspections of the workplace.
- Establish and communicate procedures to review and analyze causal factors related to "close calls" in order to eliminate hazards or reduce their potential reoccurrence.

Establish and communicate guidelines for safety training of all Site workers.

4.0 PERSONAL PROTECTIVE EQUIPMENT

4.1 General Safety Equipment

If entry into a confined space is to be performed, a full-body harness with lifeline, attached to an extraction unit will be part of the required PPE. This will be performed in compliance with Confined Space Standard 1910.146. Entry into confined spaces is not anticipated on this project.

4.2 Levels of Protection per Task

Personal safety protection will be required during all site activities at most of the site locations unless information is obtained indicating that contaminants are not present. Conditions may develop that would require increased protective measures that would require the SSHO/SSC/SSM to stop operations and evaluate the situation. Respirators will likely not be needed on this project. It is anticipated that most work will be performed under Level D protection that consists of the following:

Level D

- a) Standard work clothes
- b) Steel-toe safety boots
- c) Safety glasses (goggles must be worn when splash hazard is present)
- d) Nitrile outer and inner gloves must be worn during all activities requiring contact with soils.
- e) Hard hat (to be worn in the vicinity of active drilling equipment)

If excessive vapors are detected or direct contact with grossly contaminated media is expected, workers may need to upgrade to Level C protection. Level C protection consists of the following:

Level C

- a) Full-face or half-mask air-purifying respirator (APR) or powered air purifier (PAPR), depending on presence and abundance of airborne toxic constituents of concern (cartridges will be disposed at the end of each day's use)
- b) Combination high efficiency particulate absorbing (HEPA) filter/organic vapor cartridges
- c) Tyvek coveralls must be worn if particulate hazard present

- d) Polyethylene (PE)-coated Tyvek coveralls if liquid contamination present
- e) Steel-toe safety boots
- f) Nitrile outer gloves and PVC inner gloves must be worn during all activities requiring contact with soils
- g) Hard hat (must be worn during all site activities)

Neither Level B nor A protection is expected to be required for this project.

5.0 TRAINING

5.1 Site Training Requirements

The following training requirements shall be addressed for Langan employees and all subcontractors. Copies of all training rosters and agendas, and required training certificates shall be forwarded for the review of the SSHO.

- *HAZWOPER* – for those employees involved in emergency response to chemical incidents and those performing site investigations on a potentially uncontrolled hazardous waste site
- *Hazard Communication Training*
- *Emergency Evacuation*
- *Respirator Protection* – for those workers required to use respirators
- *Confined Space Entry* – for those workers involved in such situations
- *Personal Protective Equipment Training*
- *Hearing Conservation*
- *Trade Specific Requirements*

The SSHO, SSCs, SSM, and other supervisory personnel must have attended additional site-specific training to:

- Ensure maximum regard for the health and safety of all employees, the public, and the environment;
- Comply with all laws, rules, and regulations required to safeguard the health and safety of all employees, the public, and the environment;
- Increase the ability of employees to react responsibly and safely under normal conditions and during emergency situations; and
- Educate personnel relative to potential site hazards, adverse chemical effects, and the importance of good safety and industrial hygiene practices.

Formal safety training programs may be held periodically to refresh employees' health and safety awareness.

5.1.1 *Hazwoper Training*

The SSC and any other designated worker that is expected to respond to chemical incidents in an emergency operation or *perform site investigations on a potentially uncontrolled hazardous waste site* must have 40-hour HAZWOPER Training as defined in OSHA 29 CFR 1926.65.

Certificates of completion of 40-hour HAZWOPER, 8-hour refresher, and 8-hour supervisor training for those workers requiring it must be presented to the SSHO and maintained in the project file for the duration of the project.

5.1.2 Hazard Communication Training

All workers will be trained prior to the start of a job in accordance with 29 CFR 1926.59. Workers will receive training for exposure to chemical contaminants, as well as for chemicals brought in on the job. All chemicals to be brought to the job must receive the approval of the Langan Project Manager, SSHO, SSC/SSM, including the provision of Material Safety and Data Sheets (MSDSs) prior to use. The SSC/SSM, SSHO, and the Langan Project Manager must be made aware of any changes made with regard to chemical use on the job. Refer to Appendix F for the formal Hazard Communication Plan and Appendix G for MSDSs.

5.1.3 Respirator Protection Training

There are no building located at the Site that would require familiarization with evacuation procedures.

5.1.4 Respirator Protection Training

In areas where respiratory protection is required, employees are required to have annual training and documentation completed. This is only a part of other requirements mandated to include a medical clearance and respirator fit testing. Please refer to Appendix H for the Respiratory Protection Program.

5.1.5 Personal Protective Equipment Training

Workers are required to have this training at least initially before beginning work. PPE training is again required when the job task changes and different chemical or physical exposures are encountered. Employers should keep records of all training and any updated training efforts. These records shall be available to the SSHO for review.

5.1.6 Hearing Conservation Training

For those employees exposed to an 8-hour time-weighted average noise exposure of 90 dbA or more, hearing conservation training is required on an annual basis. Additionally, annual medical

evaluations and engineering corrections and/or provision of hearing protection is necessary. Exposures to impulse/impact noise shall not exceed a 140 dbA peak sound pressure level.

5.1.7 Trade Specific Requirements

Specialized training shall be provided when serious hazards are present for which employees lack the specific training to do the job safely.

5.2 Tool Box Safety Talks

Toolbox safety talks will take place daily, before the job begins, in order to review:

- Best methods used for tasks scheduled that day, tool selection, and anticipated problems.
- Each worker will be provided access to a copy of the site safety plan and the plan will be reviewed with each worker performing work on-site.
- Workers assigned a respirator shall have been fit-tested with their individual respirator. Fit testing will be performed in accordance with 29 CFR 1926.1128. Fit testing will occur only if it is determined that an upgrade to Level C PPE is required, and will occur prior to Level C work.
- On-site personal hygiene will be reviewed to prevent contaminants from being brought off-site on clothing or footwear.
- Decontamination procedures will be reviewed and demonstrated when necessary.
- Emergency procedures including emergency alarms and exits will be reviewed.
- A review of the area(s) that will be classified as restricted access area(s) and the methods employed to designate these areas.
- Hazards to be expected (from the Hazard Assessment) for each task to be performed that day, and

Tool Box Safety Talks shall be documented, minimally, with an attendance roster and the content of each meeting.

6.0 EMERGENCY PROCEDURES


Should outside assistance be needed for accidents, fire, or release of hazardous substances, the emergency numbers will be available and posted at the Site (Appendix D) where a readily accessible telephone is made available for emergency use.

A map showing the directions to the nearest hospital is included as Figure 6-1. Emergency contact is included as Table 6-1.

FIGURE 6-1- *Directions to Hospital (see attached map)*

Site Location: West 125th Street and Lenox Avenue
New York, New York 10037

Hospital Location: Harlem Hospital Center
506 Lenox Avenue
New York, New York 10037
Main: (212) 939-1340
Emergency: (212)-939-2250



Driving Directions to Harlem Hospital Center (0.8 miles – approximately 3 minutes)

1. Head southwest on Lenox Ave/Malcolm X Blvd toward W 124th Street 0.1 mile
2. Make a U-turn at W 122nd St and head northeast on Lenox Ave/Malcolm X Blvd. Destination will be on the right. 0.7 mile

**Table 6-1
EMERGENCY CONTACTS**

In the event of any situation or unplanned occurrence requiring assistance, the appropriate contact(s) should be made from the list below. For emergency situations, contact should first be made with the Field Team Leader (or designee) and the Site Safety Officer, who will notify emergency personnel who will then contact the appropriate response teams. This emergency contacts list must be in an easily accessible location at the Site.

Emergency Contacts

Phone Number

Fire Department:	911
Police:	911
New York City-Long Island One Call Center: (3 day notice required for utility markouts)	(800) 272-4480
Poison Control Center:	(800) 222-1222
Pollution Toxic Chemical Oil Spills:	(800) 424-8802

Medical Emergency

Ambulance Service:	911
Hospital Name:	Harlem Hospital Center
Hospital Information Number:	(212) 939-1340
Hospital Emergency Room Number:	(212) 939-2250
Hospital Address:	506 Lenox Avenue New York, NY 10037
Route to Hospital:	See Figure 6-1
Travel Time From Site:	0.8 miles, 3 minutes

Langan Contacts

Principal/Associate:	Joel Landes, P.E.	(917) 940-3015
Project Manager:	Michael Burke	(347) 633-1923
Health & Safety Officer:	Tony Moffa	(215) 491-6545
Site Safety Coordinator/Site Safety Health Officer	Jennifer Armstrong	(646) 315-4613

6.1 Emergency Site Evacuation Procedure

In the event that an emergency situation arises, including but not limited to fire, explosion, or significant toxic gas release into the ambient atmosphere, the SSC/SSM will implement an immediate evacuation of all project personnel due to immediate or impending danger.

After the emergency has been resolved, the SSC/SSM or Site Supervisor will indicate when staff should resume their normal duties. If dangers are present for those at the designated assembly point, another designated location of assembly will be established.

It will be the responsibility of the SSC/SSM or Site Supervisor to report a fire or emergency to Wharton Properties, assess the seriousness of the situation, and initiate emergency measures until the arrival local fire fighters or other first responders, should they be necessary.

Under no circumstances will incoming visitors be allowed to proceed to the area of concern once an emergency evacuation has been implemented. Visitors or other persons present in the area of the emergency shall be instructed to evacuate the area. The SSC/SSM will ensure that access roads are not obstructed and will remain on-site to provide stand-by assistance upon arrival of emergency personnel.

If it is necessary to temporarily control traffic in the event of an emergency, those persons controlling traffic will wear proper reflection warning vests until the arrival of police or fire personnel.

6.2 Designated Assembly Locations

All personnel will evacuate the Site and assemble at a designated assembly location.

6.3 Accounting for Personnel

All contractor and subcontractor supervisors are responsible for the accounting of all personnel assembled at the designed assembly area.

7.0 MEDICAL PROCEDURES

7.1 Physical Examination Documents

Employees whose work assignments require their presence at a hazardous work site are required to have a baseline medical evaluation prior to commencement of hazardous work activity. The baseline medical evaluation consists of the following [*=Required; •=Preferred]:

- * Medical and Occupational History
- * Physical Examination
- * Pulmonary Function
- Urinalysis
- CBC (with differential and RCB) Chem 24 (SMAC)
- RBC Cholinesterase
- Urine Heavy Metal Panel
- Blood Lead with zinc protoporphyrin (zpp)
- Chest X-Ray (2-view)
- * EKG (over 40 years of age)
- Audiometry

The annual medical evaluation consists of the following [*=Required; •=Preferred]:

- * Physical Examination and History
- * Pulmonary Function
- Urinalysis
- CBC (with differential and RCB) Chem 24 (SMAC)
- RBC Cholinesterase
- Blood Lead with zpp
- EKG (Over 40 years of age)
- Audiometry

Additional tests that may be performed as part of the annual examination include the following [*=Required; •=Preferred]:

- Cholinesterase - plasma
- Urine - heavy metal
- Blood - PCB
- Chest X-Ray (2-view)

Based upon this examination and a review of the employee's job description, the physician identifies any medical restrictions that would affect an employee's ability to safely perform his/her job. If no restrictions are imposed, the physician certifies the employees as capable of

full participation in the work program.

If an employee suspects exposure to a toxic chemical or other hazard while performing project tasks, additional tests may be ordered immediately following the exposure period. Individuals are encouraged to discuss changes in their health status with their respective corporate safety manager and/or physician.

7.2 Access to Exposure and Medical Records

Instructions regarding the existence, location, and availability of employee medical records shall be provided to the employee for all medical exams conducted as a result of their employment; Employee access to records shall be provided in a reasonable time, place and manner, but on no event later than fifteen days after the request is received.

7.3 Physical Examination and Respirator Approval

Medical clearance from a physician for the respirator type to be used is required for each employee before they are allowed to don respiratory protection. Additionally, each employer must select a respirator acceptable for use and that will provide the correct protection for the specific exposure. The employer is responsible for administering fit tests for all new respirators used by employees, and must administer training on a yearly basis.

7.4 Emergency First Aid

All accidents or near miss incidents will be dealt with in a manner to minimize further injury to the individual or others. In the event that an accident does occur, the following general procedures should be followed:

- First aid and other appropriate action shall be given by the qualified individual closest to the event.
- Contact hospital and arrange for ambulance if necessary.
- As soon as practicable, the incident shall be reported to the SSHO and the Project Manager. The SSC/SSM and the SSHO shall be responsible for making all decisions concerning treatment, and/or other appropriate action.

The accident investigation reports/forms as provided in Appendix A will be completed and

forwarded to the Langan SSC/SSHO and will be kept in the project file.

7.5 Heat Stress

Heat stress is a result of a build-up of heat in the body. This can occur when the body produces heat at a greater rate than it is dispersed by conduction, radiation, and evaporation of sweat from the surface of the skin. The internal heat of the body is brought to the surface by blood. When heat build-up occurs, the body temperature is raised causing a fever. When this condition exists it produces a cycle that further aggravates the situation. The fever causes certain body functions to accelerate. This generates excess heat that must be dispersed in addition to the normal heat generated by a person's body. Heat loss from the body is slow during conditions of high temperature and high humidity, such as a hot, humid day. These conditions, however, can be artificially caused by the wearing of non-porous, protective clothing. Therefore, caution should be exercised during field activities performed within high temperature environments.

Based on the allowable work periods (minutes per hour), a work rest regimen should be established based upon ambient conditions at the start of the job, and the acclimatization of the workforce in those conditions. Temperature extremes, as determined by a globe thermometer device (WBGT or equivalent) may require scaling back work cycles within the regimen. Greater active work times are allowable, so long as no symptoms of heat stress are noted. Heat stress symptoms are discussed in detail below.

There are three classes or types of heat stress: heat exhaustion, heat cramps, and heat stroke.

Heat Exhaustion

Heat exhaustion is brought about by the concentration of blood in the vessels of the skin. This condition may lead to an inadequate return of blood to the heart and, eventually, to physical collapse. The symptoms are:

- General weakness
- Excessive perspiration
- Dizziness
- Appearance of having fainted
- Pale and clammy skin
- Weak pulse
- Rapid and shallow breathing

To treat for heat exhaustion, place the individual in a cool place and remove as much clothing as possible. The individual should drink cool water, "Gatorade", or other similar liquid. The individual should be fanned, however, do not over cool or allow chilling. Treat the individual for shock and remove to medical facility if condition persists.

Heat Cramps

Heat cramps are usually caused by loss of salt when an individual has perspired a great deal. Drinking iced liquids quickly or in large amounts can also cause cramps usually in the leg and abdominal muscles. The symptoms of heat cramps are as follows:

- Pain and cramps in legs or abdomen
- Faintness
- Profuse perspiration

Heat Stroke

Heat stroke is a breakdown of the body heat-regulating mechanism causing high fever and collapse. This condition can result in unconsciousness, convulsions, and even death. Persons in poor physical condition or of advanced age are particularly susceptible. The symptoms of heat stroke are:

- Muscle twitching or convulsions
- Dry hot skin
- Flushed skin
- Suddenness of condition
- High body temperature
- Loss of consciousness
- Deep breathing, then shallow or absent
- Dilated pupils

Heat stroke is an immediate medical emergency for which an individual should be transported to a medical facility immediately. In the interim the following steps can be taken. The individual should be removed to a cool environment and the body temperature should be reduced promptly by dousing the body with water or by wrapping in a wet sheet. If ice is available, it should be placed under the arms and around the neck and ankles. Drinking water should be provided. Intake of these liquids will be monitored by supervision so as not to be excessive. Steps should be taken to protect patient from injury during convulsions, especially from biting the tongue.

To avoid problems from heat stress during conditions of high temperature and humidity, supervisors should insure that the employees drink plenty of fluids; should provide breaks in accordance with the previously outlined guidance and monitoring; and should revise work schedules as necessary to take advantage of the cooler parts of the day. Some basic guidelines for maintaining workers' body fluids at normal levels during conditions of high temperature and humidity are as follows:

- Have workers drink 16 ounces of fluid before beginning work.
- Have workers drink 4 to 8 ounces of fluid every 15 to 20 minutes, or at each scheduled break. A total of 1 to 1.6 gallons of fluid per day are recommended, but more may be necessary to maintain body weight.

To measure the effectiveness of the heat recovery rest periods, the employee heart rate should be monitored as follows:

- Count the pulse rate for the last 30 seconds of the first minute of a three-minute period, the last 30 seconds of the second minute, and the last 30 seconds of the third minute.
- Double the count to obtain an equivalent one-minute rate.

If the first rate is less than 100 beats/minute and the second two readings are at least 10 beats/minute less than the previous reading than the rest periods should be considered adequate. Otherwise, the rest periods should be extended.

Another method of measuring the effectiveness of the rest periods is to take oral temperatures. If body temperature exceeds 37.8°C (100°F), then the rest periods should be extended.

If heat stress may be a factor due to ambient temperature and humidity, then it is recommended that both methods be used. In addition, these tests should be performed in the morning prior to any work to establish a background level.

7.6 Cold Stress

The single most important aspect of hypothermia (cold stress) is the fall in the deep core temperature of the body. Workers should be protected from exposure to cold so that the deep core temperature does not fall below 36°C (96.8°F). Lower body temperatures will very likely result in reduced mental alertness, reduction in rational decision-making, or loss of

consciousness.

Pain in the extremities may be the first early warning of danger to cold stress. During exposure to cold, maximum severe shivering develops when the body temperature has fallen to 35°C (95°F). This must be taken as a sign of danger to the workers and exposure to cold should be immediately terminated for all workers when severe shivering becomes evident. Useful physical, or mental work is limited when severe shivering occurs.

Since prolonged exposure to cold air at temperatures well above freezing can lead to dangerous hypothermia, whole body protection must be provided. Adequate insulating clothing to maintain core temperatures above 36°C (96.8°F) must be provided to workers if work is performed in air temperatures below 4°C (40°F). In addition, it should be kept in mind that, the higher the wind speed and the lower the temperature in the work area, the greater the insulation value of the protective clothing required. Special protection of the hands is required to maintain manual dexterity for the prevention of accidents:

- If fine work is to be performed with bare hands for more than 10-20 minutes in an environment below 16°C (60°F), special provisions should be established for keeping the workers' hands warm. Metal handles or tools and control bars should be covered with thermal insulating material at temperatures below -1°C (30°F).
- If the air temperature falls below 16°C (60°F) for sedentary, 4°C (40°F) for light, -7°C (20°F) for moderate work and fine manual dexterity is not required, then the workers must use gloves. Winter "Monkey-grip" gloves consisting of a cotton lining with a textured PVC coating are typically used in cold weather. To prevent contact frostbite, the workers should wear anti-contact gloves.

Provisions for additional body protection is required if work is performed in an environment at or below 4°C (40°F). The workers shall wear cold protective clothing appropriate for the level of cold and physical activity:

- If the air velocity at the job sites is increased by wind, draft, or artificial ventilating equipment, the cooling effect of the wind shall be reduced by shielding the work area, or by wearing an easily removable outer windbreak layer garment.
- If only light work is involved and if the clothing on the worker may become wet on the job site, the outer layer of the clothing in use may be of a type impermeable to water.

With more severe work under such conditions, the outer layer should be water repellent and the outerwear should be changed as it becomes wetted. The SSC/SSM should assure that adequate replacement garments are available for use by the employees.

- If the available clothing does not give adequate protection to prevent hypothermia or frostbite, the SSC/SSM can suspend work on the Site until adequate clothing is available or until weather conditions improve.
- Workers handling evaporative liquids (gasoline, alcohols, solvents, etc.) at air temperatures below 4°C (40°F) shall take special precautions to avoid soaking of clothing or gloves with the liquids because of the added danger of cold injury due to evaporative cooling.

7.7 Emergency Medical Procedures

Should an accident occur during a job related activity in which personnel are injured, the following actions will be taken:

- The SSC/SSM will assume control, and will notify emergency personnel by calling 911 to request an ambulance.
- The SSC/SSM should designate a person to flag down the ambulance and direct it to the injured person.
- Companion personnel who are unaffected by the incident or personnel partially dressed in protective gear but outside the work zone will be alerted to rescue any workers whose health or safety is endangered.
- Under no circumstances shall rescue be attempted without first obtaining help, and re-assessment of hazardous conditions.
- The buddy system will be enforced. Victims will be located and their conditions will be assessed. If possible, the hazardous situation will be brought under complete or temporary control and victims will be assisted or removed from the area.

- The SSC/SSM will determine, based on the type and severity of the illness or injury, whether or not to decontaminate the victim, and whether the victim needs to be stabilized.

The SSC/SSM will insure that well-stocked first aid kits are present at the work site at all times.

7.8 Accident and Injury Report Forms

7.8.1 Accident/Incident Report

All injuries, no matter how slight, shall be reported to the SSC/SSM and to Wharton Properties. An accident/incident report form, attached in Appendix A will be filled out on all accidents by the applicable contractor supervision personnel, the SCC, or the SSM. Copies of all accident/incident reports shall be kept on-site and available for review. Project personnel will be instructed on the location of the first aid station, hospital, doctor and ambulance service near the job. The emergency telephone numbers will be conspicuously posted in site vehicles near the work zone. First aid supplies will be centrally located and conspicuously posted between restricted and non-restricted areas to be readily accessible to all on the Site.

7.8.2 OSHA Form 300

An OSHA Form 300 will be kept at the Langan Corporate Office in Elmwood Park, New Jersey. All recordable injuries or illnesses will be recorded on this form. Subcontractor employers must also meet the requirements of maintaining an OSHA 300 form. The Incident Report form used to capture the details of work-related injuries/illnesses meets the requirements of the OSHA Form 301 (supplemental record) and must be maintained with the OSHA Form 300 for all recordable injuries or illnesses. Forms for recording OSHA work-related injuries and illnesses are included in Appendix I.

8.0 ENVIRONMENTAL CONSIDERATIONS

8.1 Hazardous Substance Assessments

Hazardous Substance Assessments are to be completed for each phase of work as required by OSHA, 29 CFR 1926.65. All contractors involved in operations where there is a possibility of an exposure to their employees of a hazardous discharge will discuss procedures necessary to guard against an occurrence at the weekly safety meetings.

8.2 Site Air Monitoring

An essential component in maintaining low exposure to Site workers is air monitoring of work operations. Volatile organic compounds (VOCs) and fuel oil constituents may be present at drilling locations. The SSC, SSM, or an air-sampling technician will perform air monitoring of organic vapors (OVs) with a photo ionization detector (PID). If above background air monitoring results are encountered in the worker breathing zone for OVs, community air monitoring will be conducted in compliance with the Community Air Monitoring Plan (CAMP) outlined below.

8.2.1 Community Air Monitoring

Continuous monitoring for OVs will be conducted during all ground intrusive activities (i.e., advancement of borings). Upwind concentrations will be measured at the start of each workday and periodically thereafter to establish background concentrations. OVs will be monitored continuously at the downwind perimeter of the hot zone. Monitoring will be conducted with a PID equipped with a 10.6 eV lamp capable of calculating 15-minute running average concentrations. The following actions will be taken based on organic vapor levels measured:

- If total organic vapor levels exceed 5 parts per million (ppm) above background for the 15-minute average at the perimeter, work activities will be temporarily halted and monitoring continued. If levels readily decrease (per instantaneous readings) below 5 ppm above background, work activities will resume with continued monitoring.
- If total organic vapor levels at the downwind perimeter of the hot zone persist at levels in excess of 5 ppm above background but less than 25 ppm, work activities will be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities will resume provided that the total organic vapor level 200 feet downwind of the hot zone or half the distance to the

nearest potential receptor or residential/commercial structure, whichever is less – but in no case less than 20 feet, is below 5 ppm above background for the 15-minute average.

- If the total organic vapor level is above 25 ppm at the perimeter of the hot zone, activities will be shutdown.
- All 15-minute readings will be recorded and available for NYSDEC and New York State Department of Health (NYSDOH) personnel to review, if requested. Instantaneous readings, if any, will also be recorded.

8.3 Decontamination Procedures

Decontamination areas where personnel and equipment decontamination procedures will be performed, if appropriate, will be located as close as possible to work areas. Appropriate barriers will demarcate these areas and signs and all unauthorized personnel will be excluded. Decontamination could be necessary if contaminated materials are uncovered or spills occur.

Decontamination of field equipment will be necessary for all equipment in contact with contaminated materials. Decontamination activities shall be performed in a designated area lined with polyethylene sheeting that is designed to collect the decontamination reinstate.

8.3.1 Decontamination of Equipment

Decontamination equipment may include the following, as appropriate:

- Wash buckets (1 wash, 1 rinse)
- Several scrub brushes
- Disposable towels
- Seating to facilitate boot removal
- Decontamination solution (e.g., non-phosphate detergent)
- Duct tape
- Hand soap
- Skin wash water source
- Special rinse solutions for hand sampling tools

8.3.2 Personal Decontamination Procedures

The following describes procedures to be employed for personal and equipment decontamination.

PERSONAL DECONTAMINATION PROCEDURES FOR LEVEL D PROTECTION	
1.	Deposit equipment used on-site (tools, sampling devices and containers, monitoring instruments, radios, clipboards, etc.) on plastic drop cloths or in different containers with plastic liners. Segregation at the drop reduces the probability of cross-contamination. During hot weather operations, cool down stations may be set up within this area.
2.	Remove outer gloves and deposit in waste container.
3.	Remove inner gloves and deposit in container.
4.	If clothing has become contaminated, remove it and place it into a poly bag.
5.	Wash hands and face.
6.	Re-dress (as necessary) or put on clean clothes.

PERSONAL DECONTAMINATION PROCEDURES FOR LEVEL C PROTECTION	
1.	Deposit equipment used on-site (tools, sampling devices and containers, monitoring instruments, radios, clip- boards, etc.) on plastic drop cloths or in different containers with plastic liners. Segregation at the drop reduces the probability of cross-contamination. During hot weather operations, cool down stations may be set up within this area.
2.	Scrub outer boot covers and gloves with decon solution or detergent/ water.
3.	Rinse off decon solution from Station 2.
4.	Remove tape around boots and gloves and deposit in waste container.
5.	Remove boot covers and deposit in waste container.
6.	Remove outer gloves and deposit in waste container.
7.	If worker leaves exclusion zone to change canister (or mask), this is the last step in the decontamination procedure. Worker's canister is exchanged, new outer gloves and boot covers donned, and joints taped. Worker returns to duty.
8.	Remove safety boots and place in area with plastic liner.
9.	With assistance of helper, remove splash suit. Deposit in waste container.
10.	Remove respirator. Deposit in container with plastic liner. Avoid touching face with fingers.
11.	Remove inner gloves and deposit in waste container.
12.	If inner clothing has become contaminated, remove it and place it into a poly bag.
13.	Wash hands and face if shower is not available.
14.	Put on clean clothes.

8.4 Investigation Derived Waste (IDW)

IDW, including petroleum-impacted soil and purged groundwater, will be stored temporarily on-site in 55-gallon drums until it has been appropriately characterized for off-site disposal. Transportation and disposal of IDW will be arranged by the drilling contractor upon the receipt of analytical data.

Appendix A
Report of Accident Form

REPORT OF ACCIDENT/INCIDENT

NAME OF AFFECTED EMPLOYEE: _____ DATE _____

EXACT LOCATION: _____

CONTRACTOR: _____ SUPERVISOR: _____

INJURY DATE: _____ TIME: _____ DATE REPORTED: _____

ACCIDENT LOCATION: _____

DATE DIS. BEGAN: _____

INJURY AND BODY PART AFFECTED: _____

SUPERVISOR / SAFETY COORDINATOR:

- REVIEW, SIGN AND RETAIN FOR RECORDS ON SITE
- COMPLETE WITHIN 48 HOURS

SAFETY EQUIPMENT: WORN NOT WORN NOT APPLICABLE

DESCRIBE OCCURRENCE (HOW, WHAT, **CAUSE** FACTORS; *see attached page*):

EXTENT OF DAMAGE TO EQUIPMENT AND / OR FACILITIES

DEFICIENCIES NOTED (EQUIPMENT / PROCEDURES)

CORRECTIVE ACTION TAKEN TO PREVENT RE-OCCURRENCE (FWR. RTE OR MEMO)

SUPERVISOR / SAFETY COORDINATOR SIGNATURE: _____ DATE: _____

PRINT NAME: _____

PROJECT MANAGER SIGNATURE: _____ DATE: _____

PRINT NAME: _____

Accident Analysis Form

Instructions:

To Determine the **Accident Cause:**


1. Determine if the accident circumstances are in the areas of *People, Equipment, Environment, or Management.*
2. If there are circumstances in a particular section, ask a series of "why ?" questions to determine the reasons for every set of circumstances.
3. When you have run out of "why?" questions, analyze the result. Eliminate any unlikely causes or circumstances that you *cannot control.* Identify the accident cause.
4. Determine what management system needs to be in place to assure that the accident does not happen again.

People

- Lack of procedures
- Procedures not followed
- Procedures not known or understood
- Task too difficult to perform
- PPE not used or not available
- People not trained
- Training inadequate
- Distraction, Emotions, or Fatigue

Equipment

- Equipment not maintained
- Wrong equipment used
- Poor equipment design
- Correct equipment not available



Environment

- Location of employee in
- Temperature extremes
- Poor lighting detect
- Poor housekeeping
- Inadequate ventilation
- Excessive vibration
- Excessive noise
- Condition of work surface

Management

- No management system
- place to control hazard
- Supervision did not
- unsafe conditions or behaviors
- Supervision did not take action to correct unsafe conditions or behaviors
- Lack of supervisor training
- Lack of accountability for safety

Appendix B
Employee Acknowledgement Form

APPENDIX B
EMPLOYEE ACKNOWLEDGEMENT OF SITE SPECIFIC HEALTH
AND SAFETY PLAN

Langan management is committed to the safety of our employees. It is the responsibility of management and supervision to see that every employee is provided with safety instructions for this job, information, the location and opportunity to review the Site Health and Safety Plan. It is also the responsibility of management to provide a safe work environment and observe all safety regulations. No management policy can be effective, however, if each employee does not also have a commitment to the safety policies of the company. To ensure the safety and health of Company employees, the company has developed, and shall implement, the following disciplinary policies.

Any infraction of Langan safety policies and/or Federal, State, or local regulations by a Langan employee will result in disciplinary actions.

- A first infraction will result in a verbal warning and the infraction will be documented and become part of the employee's work record. If, during investigation, it is determined that the employee's first infraction causes or could cause serious harm to himself and/or another employee, the result may be other disciplinary actions, including dismissal.
- A second infraction may result in suspension from work. The duration of the suspension will be determined on a case-by-case basis and will be commensurate with the seriousness of the infraction, and may result in dismissal. The infraction will be documented and become part of the employee's work record.
- A third infraction may result in dismissal. This will be documented and become part of the employee's work record, and the employee's name shall be placed on a not-for-rehire list maintained by the company. All information and documentation will be retained by the Company and will not be available to other employers.

Langan safety policies and regulations were developed to protect each employee, however, **it is every employee's responsibility to observe and follow the company's safety policies.**

I have been notified of, received, and understand Langan safety policies and acknowledge the disciplinary actions that may be taken as a result of non-compliance with such policies.

Date: _____

Employee Name

Employee Signature

Langan Supervisor

Appendix C
Contractor Safety Program Evaluation Form

Appendix C
Contractor's Safety Program Evaluation Form

Contractor Name: _____ Date: _____

Job Location: _____

Supervisor / Foreman: / PM _____

	<u>Good</u>	<u>Needs Improvement</u>	<u>Comments</u>
<input type="checkbox"/> Safety Coordinator	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Competent Person	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Barrier / Perimeter Protection	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Housekeeping	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> OSHA LOG / First Aid	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Accident Investigation	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Safety Inspections	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Safety Training	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Emergency Evacuation	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Fall Protection	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Traffic Safety	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Hearing Conservation	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Dust Monitoring	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> PPE	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Medical Evaluations	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> LOTO	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Confined Space Program	<input type="checkbox"/>	<input type="checkbox"/>	_____

Appendix D
Key Personnel and Emergency Phone Numbers

Appendix D

Key Personnel and Emergency Numbers

Emergency Contacts

	<u>Phone Number</u>
Fire Department:	911
Police:	911
New York City-Long Island One Call Center: (3 day notice required for utility markouts)	(800) 272-4480
Poison Control Center:	(800) 222-1222
Pollution Toxic Chemical Oil Spills:	(800) 424-8802

Medical Emergency

Ambulance Service:	911
Hospital Name:	Harlem Hospital Center
Hospital Information Number:	(212) 939-1340
Hospital Emergency Room Number:	(212) 939-2250
Hospital Address:	506 Lenox Avenue New York, NY 10037

Langan Contacts

Principal/Associate:	Joel Landes, P.E.	(917) 940-3015
Project Manager:	Michael Burke	(347) 633-1923
Health & Safety Officer:	Tony Moffa	(215) 491-6545
Site Safety Coordinator/Site Safety Health Officer	Jennifer Armstrong	(646) 315-4613

Appendix E
Safety Inspection Form

Appendix E - Langan Engineering and Environmental Services Inspection Form

Date of Inspection _____ Inspector(s) _____

Description of Job _____

Building No. _____ Location within building _____

Area Location/Description (if outdoors) _____

Item	Y	N	N/A	Comments / Remarks
I. Personal Protective Equipment				
Hard hats are being worn when overhead, falling or flying hazards exist;				
Safety glasses or face shields are used for welding, cutting, nailing (including pneumatic), or when working with concrete and/or harmful chemicals;				
Proper shoes or boots are worn to lessen slipping hazards and prevent toe crushing and nail punctures; and				
Safety belts and/or harness systems are in use for fall protection				
II. Housekeeping & Access Around Site				
Walkways and stairways are kept clear of trash/debris and other materials such as tools and supplies to prevent tripping.				
Boxes, scrap lumber and other materials are picked up and put in a dumpster or trash/debris area to prevent fire and tripping hazards				
Enough light is provided to allow workers to see and to prevent accidents				
III. Stairs & Ladders				
Permanent or temporary guardrails are installed on stairs, before stairs are used for general access, between levels to prevent someone from falling or stepping off edges.				
Manufactured and job-made ladders are kept in good condition and free of defects.				
Ladders are inspected before use for broken rungs or other defects so falls do not happen. Defective ladders are discarded or repaired				

Appendix E - Lagan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
III. Stairs & Ladders				
Ladders are secured near the top or at the bottom to prevent them from slipping and causing falls				
Ladders are secured on a stable and level surface, when they cannot be tied off, so they cannot be knocked over or their bottoms kicked out.				
Ladders are extended at least 3 feet above the landing to provide a handhold or for balance when getting on and off the ladder from other surfaces				
Ladders are only used for what they were made and not as a platform, runway, or as scaffold planks				
IV. Scaffolds & Other Work Platforms				
Ladders or stairs are provided to get on and off scaffolds and work platforms safely.				
Scaffolds and work platforms are kept free of debris. Tools and materials are kept as neat as possible on scaffolds and platforms. This will help prevent materials from falling and workers from tripping.				
Scaffolds are erected on firm and level foundations.				
First consider the use of finished floors to support the load and provide a stable base.				
Place scaffold legs on firm footing and secured from movement or tipping, especially surfaces on dirt or similar surfaces				
Erect and dismantle scaffolds under the supervision of a competent person.				
The competent person must inspect scaffolds before each use.				
Do not use blocks, bricks, or pieces of lumber to level or stabilize the footings. Manufactured base plates or "mud sills" made of hardwood or equivalent can be used.				
V. Planking				
Fully plank or use manufactured decking to provide a full work platform on scaffolds. The platform decking and/or scaffold planks must be scaffold grade and not have any visible defects.				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
V. Planking				
Extend planks or decking material at least 6" over the edge or cleat them to prevent movement. The work platform or planks must not extend more than 12" beyond the end supports to prevent tipping when stepping or working.				
Be sure that manufactured scaffold planks are the proper size and that the end hooks are attached to the scaffold frame.				
VI. Scaffold Guardrails				
Guard scaffold platforms that are more than 10 feet above the ground or floor surface with a standard guardrail. If guardrails are not practical, use other fall protection devices such as safety belts/harnesses and lanyards.				
Place the toprail approximately 42" above the work platform or planking with a midrail about half that high at 21".				
Install toe boards when other workers are below the scaffold.				
VII. Fall Protection - Floor and Wall Openings				
Install guardrails around open floors and walls when the fall distance is 6 feet or more. Be sure the toprails can withstand a 200 lb load.				
Construct guardrails with a toprail approximately 42" high with a midrail about half that high at 21".				
Install toeboards when other workers are below the work area.				
Cover floor openings larger than 2x2 (inches) with material to safely support the working load..				
Use other fall protection systems like slide guards, roof anchors or alternative safe work practices when a guardrail system cannot be used.				
Wear proper shoes or footwear to lessen slipping hazards.				
Train workers on safe work practices before performing work on foundation walls, roofs, trusses, or where performing exterior wall erections and floor installations.				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
VIII. Work on Roofs				
Inspect for and remove frost and other slipping hazards before getting onto roof surfaces.				
Wear Cover and secure all skylights and openings, or install guardrails to keep workers from falling through the openings.				
Install slide guards along the roof eave after the first 3 rows of roofing material are installed when the roof pitch is over 4:12 and up to 6:12..				
Use a safety harness system with a solid anchor point on steep roofs with pitch greater than 8:12 or if the ground to eave height exceeds 25 feet.				
Stop roofing operations when storms, high winds or other adverse weather conditions create unsafe conditions.				
IX. Excavations & Trenching - General				
Find the location of all underground utilities by contacting the local utility locating service before digging.				
Keep workers away from digging equipment and never allow workers in an excavation when equipment is in use.				
Keep workers from getting between equipment in use and other obstacles and machinery that can cause crushing hazards				
Keep equipment and the excavated dirt (spoils pile) back 2 feet from the edge of the excavation.				
Have a competent person conduct daily inspections and correct any hazards before workers enter a trench or excavation.				
Provide workers a way to get into and out of a trench or excavation. Ladders and ramps can be used and must be within 25 feet of the worker.				
For excavations and utility trenches over 5 feet deep, use shoring, shields (trench boxes), benching, or slope back the sides. Unless soil analysis has been completed, the earth's slope must be at least 1 1/2 horizontal to 1 vertical.				
Keep water out of trenches with a pump or drainage system, and inspect the area for soil movement and potential cave-ins.				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
IX. Excavations & Trenching - General				
Keep drivers in the cab and workers away when dirt and other debris are being loaded into dump trucks. Workers must never be allowed under any load and must stay clear of the back of vehicles.				
X. Foundations After the foundation walls are constructed, special precautions must be taken to prevent injury from cave-ins in the area between the excavation wall and the foundation wall				
The depth of the foundation/basement trench cannot exceed 7 1/2 feet deep unless other cave-in protection is provided. .				
Keep the horizontal width of the foundation trench at least 2 feet wide. Make sure there is no earth vibration while workers are in the trench.				
Plan the foundation trench work to minimize the number of workers in the trench and the length of time they spend there.				
XI. Tools & Equipment				
Maintain all hand tools and equipment in safe condition and check regularly for defects. Broken or damaged tools and equipment must be removed from the jobsite.				
Use double insulated tools, or ensure the tools are grounded.				
Plan the foundation trench work to minimize the number of workers in the trench and the length of time they spend there.				
Use double insulated tools, or ensure the tools are grounded.				
Equip all power saws (circular, skill, table, etc.) with blade guards. Saws must be turned off when unattended.				
Provide training for workers before pneumatic or powder-actuated tools are used.				
Pneumatic and powder-actuated tools must only be used by trained and experienced personnel. Require proper eye protection for workers.				
Never leave cartridges for pneumatic or powder-actuated tools unattended. Keep equipment in a safe place, according to the manufacturers' instructions.				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XII. Vehicles & Mobile Equipment				
Inform workers verbally and provide training to stay clear of backing and turning vehicles and equipment with rotating cabs.				
Maintain back-up alarms for equipment with limited rear view or use someone to help guide them back.				
Verify experience or provide training to crane and heavy equipment operators.				
Maintain at least a 10 foot clearance from overhead power lines when operating equipment.				
Block up the raised bed when inspecting or repairing dump trucks.				
Use a tag line to control materials moved by a crane.				
Provide flagmen with orange and red warning garments while working in vehicular traffic.				
XIII. Electrical				
Prohibit work on new and existing energized (hot) electrical circuits until all power is shut off and a positive "Lockout/Tagout System" is in place.				
Maintain all electrical tools and equipment in safe condition and check regularly for defects.				
Broken or damaged tools and equipment must be removed from the jobsite.				
Protect all temporary power (including extension cords) with Ground Fault Circuit Interrupters (GFCIs). Plug into a GFCI protected temporary power pole, a GFCI protected generator, or use a GFCI extension cord to protect against shocks.				
Locate and identify overhead electrical power lines. Make sure that ladders, scaffolds, equipment or materials never come within 10 feet of electrical power lines.				
XIV. Fire Prevention				
Provide fire extinguishers near all welding, soldering, or other sources of ignition.				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XIV. Fire Prevention				
Avoid spraying of paint, solvents or other types of flammable materials in rooms with poor ventilation. Buildup of fumes and vapors can cause explosions or fires.				
Store gasoline and other flammable materials in a safety can outdoors or in an approved storage facility.				
Provide one fire extinguisher within 100 feet of employees for each 3,000 square feet of building.				
XV. Asbestos				
Conduct air monitoring where there may be asbestos exposure				
<p>Where employees may be exposed to asbestos, establish a program which includes:</p> <ul style="list-style-type: none"> a. Awareness training b. Health effects of asbestos exposure c. Caution labels and signs d. Use of appropriate respiratory protection e. Protective clothing f. Change areas for storage of work and street clothes g. Medical surveillance h. Recordkeeping i. Personnel certifications j. Contractor licensing 				
Establish regulated areas if the permissible exposure limit (PEL) is likely to be exceeded				
<p>Employ the following engineering controls to minimize asbestos fiber release:</p> <ul style="list-style-type: none"> a. Local ventilation exhaust b. HEPA filtration and vacuuming c. Work area isolation d. Wet handling methods 				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XV. Asbestos				
Ensure all activities are being conducted in accordance with USEPA, USOSHA, USDOT, NYSDOL, NYCDEP, and NYCDOS rules and regulations.				
Ensure all power tools are equipped with HEPA filtered local exhaust ventilation.				
Ensure all asbestos waste is properly labeled and disposed of.				
XVI. Dusts, Gases, Fumes, and Mists				
Ensure material safety data sheets (MSDS) are maintained on each product in use at the construction site.				
Provide adequate ventilation				
Ensure proper protective equipment is used to protect against overexposure				
XVII. Silica				
Provide adequate exhaust to remove silica particles from the work area				
Provide respirators for employees who may be overexposed to silica dust particles				
XVIII. Noise				
Provide hearing protectors when noise levels exceed 90 decibels on the A weighted scale (dbA)				
Enforce the use of hearing protective equipment				
Establish administrative controls to reduce or eliminate excessive noise				
XIX. Respiratory Protection				
Have a written respiratory protection program in effect in accordance with 29 CFR 1910.134				
Selection of respirators should be based on the amount and type of toxin present, and should be comfortable to the user				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XIX. Respiratory Protection				
The issuance of respiratory equipment should include the following: a. Instruction in the proper use of respiratory equipment b. Allowing the user to become familiar with the equipment prior to use c. Qualitative or quantitative fit testing d. Positive and negative pressure field testing prior to each use e. Maintenance of fit test records				
Ensure workers are properly trained in the use of respiratory protective equipment, and are familiar with the written respiratory protection program				
Ensure workers are familiar with the following: a. Cleaning of the respirator b. Storage of the respirator c. Inspecting of the respirator d. Procedures for ordering and installing replacement parts				
Ensure all workers who wear respirators have been medically cleared to wear such equipment				
Procedures are in place to monitor the work area environment to ensure proper respiratory equipment has been selected				
XX. Hazardous Materials				
Store flammable and combustible liquids in approved containers, and in approved fire cabinets when not in use				
Keep flammable and combustible liquids (except for storage in approved fire cabinets) at least 25 feet from any ignition source (smoking materials, open flames, electrical power, grinders, etc.)				
Use bonding straps on bare metal of containers when transferring flammable or combustible liquids between containers				
Use grounding straps on flammable or combustible liquid metal drums (when transferring liquid)				
Paint spray equipment that is bonded and grounded				
Store caustics, acids, flammables and combustibles, and oxidizers separately				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XX. Hazardous Materials				
Compressed gas cylinders should be strapped in storage and transport, segregated by full or empty, and secured against falls				
Compressed gas cylinders should be tagged “empty” or “MT” when spent				
Hazardous material and chemical containers should be properly labeled (including squeeze bottles)				
Prohibit eating, smoking, drinking and applying cosmetics in hazardous materials storage and use areas				
Ensure a spill control and response program is in effect				
Store waste chemicals (including waste paint, solvents, etc), contaminated rags, debris (including paint cans, stir sticks, paper, plastic, etc) in accumulated storage as designated by the SSHO and as follows: <ul style="list-style-type: none"> a. Segregated containers labeled “Hazardous Waste” with a description of the waste b. Keep lids closed on containers c. Date full containers and arrange for removal from the site 				
If waste water is being generated, ensure the following: <ul style="list-style-type: none"> a. Label containers as described above b. Store tanks in secondary contained areas as approved by the SSHO c. Date full containers and arrange for removal from the site d. Do not overfill tanks or mishandle the waste water 				
Obtain MSDS for all new materials brought onto the site				
XXI. Confined Spaces				
Provide training for employees in confined space entry				
Provide proper and appropriate equipment				

Appendix E - Langan Engineering and Environmental Services Inspection Form

Item	Y	N	N/A	Comments / Remarks
XXI. Confined Spaces				
In manholes, ensure that vehicular exhaust or carbon monoxide cannot permeate into the space				
Examine the space for decaying vegetation or animal matter which may produce methane				
Survey the space for possible industrial waste which may contribute to the accumulation of a toxic or combustible atmosphere				
If there is inadequate natural air movement and forced ventilation is not provided, test the atmosphere for combustible gases and air contaminants				
Ensure the space is ventilated to safe levels of toxic or combustible gases before employees enter				
If ventilation is not sufficient to remove the hazardous atmosphere, ensure the employees entering the space wear the proper and approved respiratory protective equipment prior to entering the space				
Ensure that employees are trained in the use of respirators				
Ensure that the confined space entry program is in effect, and that entry permits have been filled out				
Ensure constant communication with employees in the immediate vicinity who are not within the confined space				
Ensure that the internal atmosphere is tested for toxic and combustible gases				

Appendix F
Hazard Communication Program

HAZARD COMMUNICATION PROGRAM

TABLE OF CONTENTS

SECTION	PAGE
1.0 LABELS AND OTHER FORMS OF WARNING:	1
2.0 MATERIAL SAFETY DATA SHEETS:.....	2
3.0 EMPLOYEE INFORMATION AND TRAINING:.....	2
4.0 CONTRACTORS:	3
5.0 HAZARDS FOR NON-ROUTINE TASKS - CONFINED SPACE ENTRY:.....	3
6.0 EMPLOYEE RIGHTS:.....	4

ATTACHMENTS

- ATTACHMENT A CONTRACTOR NOTIFICATION PROCEDURE**
- ATTACHMENT B FACILITY NOTIFICATION OF CONTRACTOR WORK**
- ATTACHMENT C WORK PERMIT**
- ATTACHMENT D SAFETY ORIENTATION - AWARENESS TRAINING FOR AUTHORIZED EMPLOYEES AND SUBCONTRACTORS**

HAZARD COMMUNICATION PROGRAM

APPENDIX F

HAZARD COMMUNICATION PROGRAM

This program has been developed to maintain compliance with 29 CFR 1926.59, the Hazard Communication Standard for the Construction Industry, 29 CFR 1910.1200, the Hazard Communication Standard for the General Industry, 29 CFR 1926.65, the Hazardous Waste Operations and Emergency Response Regulations for the Construction Industry and 29 CFR 1910.120, the Hazardous Waste Operations and Emergency Response Regulations for the General Industry. This Hazard Communication Program applies to all hazardous chemicals used at Langan Engineering and Environmental Services (Langan) job sites, however it does not apply to Hazardous Waste as defined by the Solid Waste Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901 et seq.), when subject to regulations issued under that Act by the Environmental Protection Agency (EPA).

1.0 LABELS AND OTHER FORMS OF WARNING:

- 1) All containers of hazardous chemicals must be labeled, tagged, or marked with:
 - a. The identity of the hazardous chemical contained therein;
 - b. Appropriate hazard warnings.

No employee shall remove or deface existing labels on incoming containers of hazardous chemicals, unless the container is immediately marked with the required information.

- 2) The contents of all storage tanks are identified by the Tank Numbers on the storage tanks. The Tank Numbers will also be noted on the appropriate MSDS.
- 3) If the required information is not conveyed on the existing labeling of an incoming container, immediately notify the Manager of Regulatory Affairs in order to have new labels affixed.
- 4) Portable containers into which hazardous chemicals are transferred from labeled containers, and which are intended only for the immediate use of the employee who performs the transfer, are not required to be labeled.

HAZARD COMMUNICATION PROGRAM

2.0 MATERIAL SAFETY DATA SHEETS:

- 1) A copy of the Material Safety Data Sheet (MSDS) that meets the requirements of 29CFR 1910.1200 (g)(2) for every hazardous chemical, used at the Langan job site, must be kept in each appropriate work area.
- 2) If no MSDS is on file for a hazardous chemical in use, or does not arrive with first shipment, immediately notify the Langan Safety Officer so one may be obtained.
- 3) Should new significant health information become available for a hazardous chemical, an updated MSDS will immediately be requested from the manufacturer by the Langan's Safety Manager.

3.0 EMPLOYEE INFORMATION AND TRAINING:

- 1) Employees shall be informed of:
 - a. The requirements of the Hazard Communication Standards (29 CFR 1926.59 and 1910.1200);
 - b. Any operations in their work area where hazardous chemicals are present;
 - c. The location and availability of this written program, the required list of hazardous chemicals, and MSDS's.
- 2) Employee training shall include:
 - a. Methods and observations to be used to detect the presence or release of a hazardous chemical;
 - b. The physical and health hazards of the chemicals in the work area;
 - c. Measures or procedures the employee can take to protect themselves from exposure to hazardous chemicals (i.e. standard work practices, emergency procedures, appropriate safety equipment);
 - d. The details of this program, including an explanation of the labeling system and MSDS's, and how employees can obtain and use the appropriate information.

HAZARD COMMUNICATION PROGRAM

- 3) All training will be conducted by the Langan's Environmental Safety/Compliance Manager, or his designee.
- 4) Training will be presented by:
 - a. A slide presentation covering classes, labels, and marking of hazardous chemicals and the hazard communication requirements - "Classes/Labels/Markings of Hazardous Chemicals" along with a handout supplying definitions of the various physical and chemical hazards.
 - b. A review of Langan's sites written Hazard Communication Program covering the locations of the written program; the location and appropriate hazards and protective equipment to be used for each hazardous chemical at Langan's job sites, and how to read and understand an MSDS.
- 5) Training will be performed for new employees prior to their initial assignment. In addition, employee's training will be updated whenever a new hazard is introduced into the workplace through regular weekly safety meetings.

4.0 CONTRACTORS:

Contractors will be notified of all chemical hazards in their work area, any special instructions and all required safety equipment as outlined in the CONTRACTOR NOTIFICATION PROCEDURE (Attachment A).

5.0 HAZARDS FOR NON-ROUTINE TASKS - CONFINED SPACE ENTRY:

Anyone entering a confined space will follow the Confined Space Entry Procedures as described in Appendix I of this HASP, and be informed of the hazards to be encountered in the confined space, prior to entry, by the person completing the confined space entry permit.

RIGHT TO KNOW LAW

(180 Laws of New York - Chapter 551)

The "Right To Know" Law maintains that workers have an inherent right to know all of the health hazards associated with their exposure to toxic substances for two reasons:

HAZARD COMMUNICATION PROGRAM

- 1) Employees have a right to make an informed decision about the possible costs of employment to health and life.
- 2) Employees can observe symptoms of toxicity in themselves, understand the relationship between the symptoms and exposure, and can therefore evaluate the need for any corrective action.

6.0 EMPLOYEE RIGHTS:

§ Employees or their representatives may request and must receive, upon request, all information concerning the hazards of toxic substances in the workplace.

§ An employee may refuse to work with a toxic substance if he has requested information about it and has not received the written reply within 72 hours (3 working days, excluding weekends and public holidays) of its receipt by the employer.

§ An employee may exercise any right pursuant to, or directly related to, the "Right To Know" Law without fear of any discrimination what so ever.

§ An employee must not be required to waive any rights under the "Right To Know" Law as a condition of employment.

§ An employee may file a complaint with the Department of Labor if he or she has been discriminated against in violation of the "Right To Know" Law.

HAZARD COMMUNICATION PROGRAM

MSDS COPY REQUEST

Name: _____

The substance to which I am routinely exposed, and for which I am requesting a copy of a Material Safety Data Sheet is:

(Employee must use a separate request for each Material Safety Data Sheet requested)

My reason for requesting this information is:

(Employee Signature)

(Date)

G I have received a copy of the
MSDS which I requested.

(Employee Signature/Date)

G A copy of the MSDS for _____ which you have requested is not
available. We are making every effort to obtain a copy from our supplier.

(Compliance Manager (Safety)

(Date)

(Employee Signature)

(Date)

HAZARD COMMUNICATION PROGRAM

GENERAL TOXICOLOGY PRINCIPALS

ACUTE EFFECTS: Health effects from exposure to a toxin for less than 24 hours, and it usually refers to a single continuous exposure to a high concentration of a chemical. Acute exposures to chemicals are rapidly absorbed and is likely to produce immediate toxic effects, but acute effects can also produce delayed toxicity that may or may not be similar to the toxic effects of chronic exposure.

CHRONIC EFFECTS: Health effects from repeated exposures to a toxin for more than three months. Chronic effects tend to occur at a delayed time after the exposure, which is known as the latency period.

DISTINCTION BETWEEN TOXICITY AND HAZARD: An extremely toxic chemical that is sealed in a container and stored properly poses very little hazard. On the other hand, drinking five gallons of water, which is not toxic, in one sitting could be very hazardous.

DOSE-RESPONSE RELATIONSHIP: Refers to the measurement and analysis of the doses, or levels of exposure, at which toxic effects will occur.

HAZARD: The degree of probability that an injury or illness will occur under the specified conditions of use of a product.

HAZARDOUS CHEMICALS: Any chemical which is a physical or health hazard.

HEALTH HAZARD: A chemical for which there is a significant evidence that acute or chronic health effects may occur in exposed employees.

LATENCY PERIOD: The period of time between the initial exposure and the onset of symptoms related to the toxic effects of the exposure. Toxins associated with long latency periods are of a concern since the lack of an immediate effect generates a lack of caution when it comes to wearing personal protective equipment.

LD50: A single dose of a material which on a basis of laboratory tests is expected to kill 50% of a group of test animals. The LD50 is usually expressed as milligrams of materials per kilogram of animal body weight (mg/Kg).

LC50: The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group of test animals when administered as a single exposure. The LC50 is expressed as parts of a material per million parts of air, by volume (ppm) for gases and vapors, or as milligrams of material per cubic meter of air (mg/m³) for dusts, mists, and fumes.

HAZARD COMMUNICATION PROGRAM

PHYSICAL HAZARD: A chemical that is a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive), or water reactive.

SUBCHRONIC EFFECTS: Health effects from repeated exposures to a toxin for less than three months.

TOXICITY: The ability of a chemical to produce harmful effects.

HEALTH HAZARDS

CARCINOGEN: Causes cancer

CORROSIVE: A chemical that causes visible destruction of, or irreversible alterations to living tissue (i.e. hydrochloric acid, sulfuric acid).

EXTREMELY TOXIC: A chemical that has:

- 1) An LD50 single oral dose for rats of less than 1 milligram per kilogram (mg/Kg) of body weight, or;
- 2) An LC50 4-hour vapor exposure for rats of less than 10 parts per million (ppm), or;
- 3) An LD50 skin exposure to rabbits of less than 5 mg/Kg of body weight, or;
- 4) A probable lethal dose to humans of less than 1 grain (one taste).

HIGHLY TOXIC: A chemical that has:

- 1) An LD50 single oral dose for rats of greater than 1 mg/Kg of body weight, but less than 50 mg/Kg of body weight, or;
- 2) An LC50 4-hour vapor exposure for rats of greater than 10 ppm, but less than 100 ppm, or;
- 3) An LD50 skin exposure to rabbits of greater than 5 mg/Kg of body weight, but less than 43 mg/Kg of body weight, or;
- 4) A probable lethal dose to humans of greater than 1 grain (1 taste), but less than 4 cubic centimeters (cc) (1 teaspoon).

HAZARD COMMUNICATION PROGRAM

IMMEDIATELY DANGEROUS TO LIFE OR HEALTH (IDLH): Any condition that poses an immediate or delayed threat to life that would cause irreversible adverse health effects or that would interfere with an individual's ability to escape from a permit space.

IRRITANT: A substance that produces an irritating effect when it contacts skin, eyes, nose, or respiratory system (e.g. tear gas).

SENSITIZER: A chemical that causes a substantial proportion of exposed people or animals to develop an allergic reaction in normal tissue after repeated exposure to the chemical.

TARGET ORGAN EFFECTS: Effects on specific body organs by certain chemicals (i.e. carbon tetrachloride - causes liver damage).

TOXIC: A chemical that has:

- 1) An LD50 single oral dose for rats of greater than 50 mg/Kg of body weight, but less than 5,000 mg/Kg of body weight, or;
- 2) An LC50 4-hour vapor exposure for rats of greater than 100 ppm, but less than 10,000 ppm, or;
- 3) An LD50 skin exposure to rabbits of greater than 43 mg/Kg of body weight, but less than 2,810 mg/Kg of body weight, or;
- 4) A probable lethal dose to humans of greater than 4 cc (1 teaspoon), but less than 1 pint (250 grams).

COMBUSTION DEFINITIONS AND PROPERTIES

AUTOIGNITION TEMPERATURE: The temperature at which a material will ignite without an external source of ignition.

BOILING LIQUID EXPANDING VAPOR EXPLOSION (BLEVE): Occurs when a liquefied flammable gas containers is heated up and causes the liquid to boil and change to a gas, which expands and causes the container to explode.

DEFLAGRATION: An explosion which occurs slower than the speed of sound, and produces no shock wave.

HAZARD COMMUNICATION PROGRAM

DETONATION: An explosive chemical reaction with a rate of less than 1/100th of a second.

EXOTHERM: Any material which is capable of releasing energy when it burns.

EXPLOSION: Effect produced by the sudden and violent expansion of gases which may or may not be accompanied by shock waves, or disruption of the enclosing materials.

FIRE POINT: The temperature, usually about five to ten degrees above the flash point at which the ignitable mixture will continue to burn.

FLAMMABILITY/EXPLOSIVE LIMITS:

Lower Flammable Limit (LFL): The point at which an air and vapor mixture is too lean for combustion.

Upper Flammable Limit (UFL): The point at which an air and vapor mixture is too rich for combustion.

Lower Explosive Limit (LEL): When the concentration of a material is too small for an explosion to occur.

Upper Explosive Limit (UEL): The level at which there is too much material present for an explosion to occur.

FLASH POINT: The lowest temperature at which a material gives off enough vapors to form an ignitable mixture.

SPONTANEOUS COMBUSTION: Occurs when combustible solids are heated to the ignition point by an internal source of heating.

PHYSICAL HAZARDS

COMBUSTIBLE LIQUID: Having flash points at or above 100 EF but below 200 EF (e.g. fuel oils, ethylene glycol).

COMPRESSED GAS: A gas having a pressure exceeding 40 psi at 70 EF or;

§ A gas having a pressure exceeding 40 psi at 130 EF regardless of the pressure at 70 EF or;

§ A liquid having a vapor pressure exceeding 40 psi at 100 EF (e.g. LP Gas, acetylene, hydrogen).

HAZARD COMMUNICATION PROGRAM

EXPLOSIVE: A chemical that causes a sudden, almost instantaneous release of pressure, gas, and heat when subjected to sudden shock, pressure, or high temperature.

FLAMMABLE:

Aerosol: Yields a flame projection exceeding 18 inches at full valve opening or a flashback at any degree of valve opening.

Gas: Forms a flammable mixture with air at a concentration of 13% by volume or less, or forms a range of flammable mixtures with air wider than 12% by volume, regardless of the lower limit.

Liquid: Has a flash point below 100 EF (e.g. acetone, gasoline, methyl alcohol)

Solid: A solid, other than blasting agent or explosive, that is liable to cause fire through friction, absorption, moisture, spontaneous chemical change, or retained from manufacturing or processing, or which can be ignited readily and when ignited burns so vigorously and persistently as to create a serious hazard (e.g., magnesium powder).

ORGANIC PEROXIDE: A chemical that is explosively sensitive to heat, shock, or friction and is potentially toxic (e.g., benzoyl peroxide).

OXIDIZER: A chemical other than a blasting agent or explosive, that initiates or promotes combustion in other materials, there by causing fire either of itself or through the release of oxygen or other gases (e.g., ammonium nitrate fertilizer, hydrogen peroxide solution).

PYROPHORIC: A chemical that will ignite spontaneously in air at a temperature of 130 EF or below (e.g., aluminum alkyls, alkyl boranes).

UNSTABLE (REACTIVE): A chemical which in the pure state, or as produced or transported, will vigorously polymerize, decompose, condense, or will become self-reactive under conditions of shocks, pressure, or temperature (e.g., picric acid).

WATER REACTIVE: A chemical that reacts with water to release a gas that is either flammable or presents a health hazard (e.g., sodium metal, potassium metal).

NO SMOKING REGULATIONS

Smoking represents a dual hazard in a hazardous waste handling operational area. The first hazard is the flammability danger posed by smoking in areas where flammable materials are stored or handled. The

HAZARD COMMUNICATION PROGRAM

second hazard is the contamination danger whereby toxic materials can be transferred from hands (gloves) to cigarettes and inhaled or ingested during smoking.

PRECAUTIONS:

§ Do not smoke in operational areas.

§ Always wash hands prior to smoking (or eating).

HAZARD COMMUNICATION PROGRAM

HAZARDOUS CHEMICALS

HAZARDOUS CHEMICALS	HAZARD
Diesel Fuel	<p>Contains petroleum distillate and aliphatic and aromatic hydrocarbons</p> <p>OSHA PEL 8-hr TWA –5 mg/m³ OSHA STEL - 100 mg/m³</p> <p><i>PPE: Use nitrile, neoprene, or PVC gloves. If deemed necessary by degree of exposure chemical protective clothing is recommended. A NIOSH/MSHA-approved air-purifying respirator with organic vapor cartridges or canister may be permissible under certain circumstances where airborne concentrations are or may be expected to exceed exposure limits or for odor or irritation.</i></p>
No. 6 Fuel Oil	<p>A combustible complex combination of heavy petroleum hydrocarbons (some carcinogenic). The amount of sulfur varies with product specification. Hydrogen Sulfide (H₂S) may be present in trace quantities</p> <p>Fuel Oil OSHA PEL 8-hr TWA –5 mg/m³ (as oil mist) and 0.2 mg/m³ as mineral oil</p> <p>Hydrogen Sulfide OSHA Exposure Limits –20 ppm ceiling/50 ppm peak</p> <p><i>PPE: Use nitrile, neoprene, or PVC gloves. If deemed necessary by degree of exposure chemical protective clothing is recommended. If a hydrogen sulfide hazard is present (that is, exposure potential above H₂S permissible exposure limit), use a positive-pressure SCBA or Type C supplied air respirator with escape bottle. Where it has been determined that there is no hydrogen sulfide exposure hazard (that is, exposure potential below H₂S permissible exposure limit), a NIOSH/ MSHA-approved air-purifying respirator with organic vapor cartridges or canister may be permissible under certain circumstances where airborne concentrations are or may be expected to exceed exposure limits or for odor or irritation.</i></p>
Naphthalene (Tar comphor, white tar)	<p>Organic solid. Colorless to brown solid with an odor of mothballs (normally shipped as a molten solid). Combustible solid, but will take some effort to ignite.</p> <p>OSHA PEL 8-hr TWA – 50 mg/m³; IDLH – 250 mg/m³</p> <p><i>PPE: Use rubber glove and safety shoes, full-body coverall (tyvek suit), Chemical cartridge respirator in combination with High Efficiency Particulate P100 respirator, face shield, if exposure is over 10 times the OSHA Permissible Exposure Limit (PEL) use any self-contained breathing apparatus that has a full facepiece and is operated in a pressure demand mode.</i></p>
Polycyclic Aromatic Hydrocarbons	<p>Flammable liquids. Inhalation, ingestion, and skin absorption hazard, exhibits toxic effects on the eyes, skin, respiratory system, and central nervous system, liver and kidneys. Symptoms include eye and nose irritation, drowsiness, dermatitis, chemical pneumonia, narcosis, and cracked skin.</p> <p>OSHA Permissible Exposure Ceiling Limit: 8-hr TWA: 500 ppm</p> <p>Immediately Dangerous to Life and Health at 10% LEL, approximately 2.2 x OSHA Permissible Exposure limit (PEL)</p> <p><i>PPE: Use full body chemical protective clothing, organic vapor cartridge respirator, rubber gloves, safety glasses, or goggles. If over 10 times PEL, any self-contained breathing apparatus in pressure demand mode.</i></p>

HAZARD COMMUNICATION PROGRAM

HAZARDOUS CHEMICALS	HAZARD
Isobutylene	<p>Non-carcinogenic compressed gas that does not contain oxygen. Product is relatively nontoxic. Simple hydrocarbons can irritate the eyes, mucous membranes and respiratory system at high concentrations. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. This product may displace oxygen if released in a confined space.</p> <p><i>PPE: Protective gloves made of plastic or rubber.</i></p>
Alconox	<p>Biodegradable detergent used for decontamination.</p> <p>OSHA PEL – Not Applicable</p> <p><i>PPE: Impermeable protective gloves.</i></p>

HAZARD COMMUNICATION PROGRAM

**POTENTIALLY HAZARDOUS OPERATIONS, ASSOCIATED AIR CONTAMINANTS AND
RECOMMENDED PPE**

Process Type	Contaminant Examples	Recommended PPE
<p>Equipment Removal: Dismantling and removal of electrical switches and panels, transformers, vapor lamps and fluorescent fixtures</p>	<p><i>Gases:</i> Carbon monoxide; Ozone</p> <p><i>Dusts. Fumes, mists:</i> Polychlorinated biphenyls (PCB), Arsenic, Barium, Cadmium, Chromium, Lead, Mercury; Naphthalene</p>	<p>Employ engineering controls such as work area containment and ventilation. PPE: Use rubber glove and safety shoes, full-body chemical protective clothing. Combination organic vapor and mercury cartridge respirator, face shield, if exposure is over 10 times the OSHA Permissible Exposure Limit (PEL) use any self-contained breathing apparatus that has a full facepiece and is operated in a pressure demand mode with Level A protection.</p>
<p>Solid Operations: Pouring; Mixing; Separations; Extraction; Crushing; Conveying; Loading; Bagging</p>	<p><i>Dusts:</i> Arsenic, Barium, Chromium, Lead; Cadmium; Mercury; Cement; Quartz (free silica); Fibrous glass</p>	<p>Employ engineering controls such as work area containment and ventilation. PPE: Use rubber glove and safety shoes, full-body coverall (tyvek suit), High Efficiency Particulate P100 respirator, face shield, if exposure is over 10 times the OSHA Permissible Exposure Limit (PEL) use any self-contained breathing apparatus that has a full facepiece and is operated in a pressure demand mode. If Mercury is present use mercury chemical cartridge in combination with P100 and OV filters.</p>

HAZARD COMMUNICATION PROGRAM

ATTACHMENT A

CONTRACTOR NOTIFICATION PROCEDURE

In order to ensure the safety of contractors performing work at this facility, the following procedures must be followed:

- § At the time a contractor is hired, the attached Contractor's Notice (Attachment A) must be delivered to the contractor informing them of the rules that must be followed at this facility.
- § The Facility Notification of Contractor Work (Attachment B) must be completed and forwarded to the Corporate Safety Officer by the person hiring the contractor.
- § The bottom portion of the FACILITY NOTIFICATION will then be completed, signed, and returned to the originator indicating any special instructions or safety equipment required. This information is to be relayed to the contractor by the person hiring them prior to the contractor beginning work.
- § A new FACILITY NOTIFICATION must be completed prior to the contractor working in an area different than was authorized in the notification.
- § A copy of the authorized FACILITY NOTIFICATION with any special instructions and/or additional safety equipment will be forwarded to the Site Safety Officer. The Site Safety Officer will verify that all contractors' employees have the required safety equipment as outlined in the FACILITY NOTIFICATION before being allowed access to the facility.
- § The Site Safety Officer will not admit any contractor without an authorized FACILITY NOTIFICATION.
- § Prior to allowing a contractor access to the facility, the Site Safety Officer will contact the Department Manager or Foreman for the area the work is to be performed. (Note: This will be indicated on the FACILITY NOTIFICATION). The Department Manager or Foreman will complete and sign the WORK PERMIT (Attachment C) authorizing the contractor to work in the specified area for that immediate work shift indicating any special instructions for the contractor on the permit.
- § The contractor will retain the WORK PERMIT until the end of the shift. He will then return it to the Site Safety Officer when signing out.

HAZARD COMMUNICATION PROGRAM

ATTACHMENT B

FACILITY NOTIFICATION OF CONTRACTOR WORK

CONTRACTOR: _____

ADDRESS: _____

APPROXIMATE NUMBER OF EMPLOYEES

PERFORMING WORK FOR LANGAN: _____

DATE WORK IS TO BEGIN: _____

AREA(S) WHERE WORK IS TO BE PERFORMED: _____

WORK TO BE PERFORMED: _____

APPROXIMATE DURATION OF PROJECT: _____

PERSON
CONTRACTOR: _____

HIRING

SPECIAL INSTRUCTIONS: _____

ADDITIONAL SAFETY EQUIPMENT REQUIRED: _____

CHEMICAL HAZARDS IN WORK AREA: _____

AUTHORIZATION: _____ DATE: _____

HAZARD COMMUNICATION PROGRAM

ATTACHMENT C

WORK PERMIT

DATE: _____

SHIFT: _____

CONTRACTOR: _____

WORK AREA: _____

SPECIAL INSTRUCTIONS:

DEPARTMENT MANAGER: _____

HAZARD COMMUNICATION PROGRAM

ATTACHMENT D

SAFETY ORIENTATION - AWARENESS TRAINING

FOR AUTHORIZED EMPLOYEES AND SUBCONTRACTORS

NAME OF JOB-SITE:
PRESENTED BY:
DATE/TIME/LOCATION:

AWARENESS TRAINING OUTLINE REVIEWED WITH ACKNOWLEDGMENT SHEET ATTACHED:

I. INTRODUCTION

- 1) Corporate Safety Statement
- 2) Safety Program Synopsis
- 3) Conduct on Customers Property
- 4) Fitness For Duty Program
- 5) Brief review of following sections of Subpart C - General Safety and Health Provisions:
 - § 1926.20(a) Contractor requirements: Must maintain site free of conditions that are Aunsanitary, hazardous, or dangerous to health or safety@. OSHA=s definition of a ACompetent Person@.
 - § 1926.21 Safety Training and Education: employees must be instructed in recognition, avoidance and prevention of unsafe conditions.
 - § 1926.23 First Aid & Medical Attention. Access to medical records and confidentiality.
 - § 1926.25 Housekeeping
- 6) Brief review of the following sections of Subpart D:
 - § 1926.51 Sanitation; Potable/non-potable water; toilets/washing facilities; Food handling.
 - § 1926.1101 Asbestos; only certified personnel may handle asbestos containing materials.
 - § 1926.65 Hazardous Materials - only certified personnel may handle hazardous materials.

II. HAZARD COMMUNICATION (1926.59; 1910.1200)

HAZARD COMMUNICATION PROGRAM

- 1) Purpose of standard
- 2) Sources of information: Material Safety Data Sheets (MSDS), labels
- 3) Material Safety Data Sheets:
 - § Materials for which required
 - § Definition of basic terminology:
 - ∇ flammable/combustible liquids
 - ∇ flash point
 - ∇ corrosive
 - ∇ chronic/acute exposures
 - ∇ routes of entry (give examples, particularly of inhalation)
 - ∇ target organs
 - § Review sample MSDS
 - § Right of access and location of MSDS
- 4) Labeling
 - § Requirements for labeling - all containers must be labeled.
 - § Alternative methods (signs, placards, batch ticket, etc.)
- 5) Process Safety Management (1926.64; 1910.119)
 - § Prevent catastrophic releases hazardous chemicals

III. PERSONAL PROTECTIVE EQUIPMENT (1926 SUBPART E)

- 1) Head Protection (1926.100; 1910.135)
 - § General requirements - hard hats required at all times
 - § ANSI standards
 - § Care for and inspection
- 2) Hearing Protection (1926.101; 1926.52; 1910.95)
 - § Brief review of Occupational Noise Exposure requirements (decibel levels, effect on hearing, audiometric exams)
 - § Hearing protection types; noise reduction ratings

HAZARD COMMUNICATION PROGRAM

- § Signs for posted areas
- 3) Eye and Face Protection (1926.102, 1910.133)
 - § ANSI Safety Glasses required at all times (Z-87)
 - § Review selection guide for types of protection
- 4) Respiratory Protection (1926.103, 1910.134)
 - § Proper use and limitations of respirators (half and full face)
 - § Requirements for fit testing and ability to wear determination
 - § Fit check procedures when donning
 - § Care for, cleaning, inspection, and storage
- 5) Other
 - § Safety shoes
 - § Gloves
 - § Protective clothing and chemical protection
 - § Electrical protection

IV. FIRE PROTECTION (1926 SUBPART F)

Lagan Personnel are not fire fighters. Use of extinguishers are for inception stage only. Immediately call for professional firefighters.

- 1) Concept of fire triangle
- 2) Classes of fire
- 3) Extinguisher types appropriate for hazard
- 4) Hands on demonstration of use (when permissible)
- 5) Flammable/combustible liquid storage
- 6) Approved safety cans for flammable liquids
- 7) Quantities limitations for storage
- 8) Bonding/grounding requirements
- 9) Maintain access to exits, emergency equipment
- 10) Hot Work Permits

HAZARD COMMUNICATION PROGRAM

- 11) Temporary heating devices (1926.154)

V. FALL PROTECTION (1926 SUBPART M)

- 1) Six (6) foot elevation requirement
- 2) Design specifications for lifelines and lanyards
- 3) Show how to wear harness properly
- 4) Inspection if the responsibility of worker to be performed prior to putting on
- 5) Ladders
 - § Condition of ladders
 - § Proper pitch and securing/tie off
 - § Rails extend 36" above landing
- 6) Guarding floor and wall openings (1926.500)
 - § General description of when guardrail protection is required
- 7) Crane suspended personnel platforms (1926.550 (g) - If used
- 8) Aerial lifts (1926.556)
 - § Fall protection requirements must comply when stepping foot within basket
 - § Only full body harness acceptable (no use of safety Abelts@)

HAZARD COMMUNICATION PROGRAM

VI. CONFINED SPACE ENTRY (1910.146)

- 1) Definition of and examples
- 2) Permit required/non-permit required spaces
- 3) Atmospheric testing requirements
- 4) Rescue plans, retrieval devices
- 5) Safety monitor responsibilities

VII. LOCKOUT/TAGOUT (1910.147)

- 1) Applies to all energy sources
- 2) General purpose & examples of when required
- 3) Use of lock box technique
- 4) Must be aware of plant specific procedures

VIII. DEMOLITION (1926 SUBPART T)

- 1) Engineering Survey
- 2) Shoring/bracing of walls and floors
- 3) Utility services/process line disconnects
- 4) Presence of hazardous materials
 - § Asbestos; certified workers required
 - § Lead; requirements to check lead content, work practices and training based on presence of lead.
 - § Cadmium; requirements to check cadmium content, work practices and training based on presence of cadmium.
- 5) Protection of floor/wall openings and entrances

IX. GENERAL SAFE WORK PRACTICES

- 1) Proper body mechanics and lifting techniques
- 2) Project Emergency and Evacuation Plan
- 3) Emergency telephone numbers posted in job-site office/trailer.

X. SITE SPECIFIC HAZARDS/TOPICS

--

HAZARD COMMUNICATION PROGRAM

**SITE SAFETY AND HEALTH ORIENTATION AWARENESS &
ACKNOWLEDGMENT**

DECLARATION OF UNDERSTANDING
NAME OF JOB-SITE:
PRESENTED BY:
DATE/TIME/LOCATION:

The undersigned have participated in; acknowledge, understand and will follow the safety procedures, rules and guidelines covered during the LANGAN Orientation/Safety Training (copy of topics attached). I understand that copies of all procedures are available to me at any time and I have received copies of all requested procedures. By signing below I understand these safety rules are for my own protection and I will follow them to protect my co-workers the environment and me. I understand these safety rules are a condition of employment and failure to follow safe work practices may result in disciplinary action and/or loss of employment. If I ever believe an unsafe condition may exist I will stop work immediately and contact my foreman/supervisor/project manager.

	NAME	SIGNATURE	EMPLOYEE ID #	DATE
1				
2				
3				
4				
5				
6				
7				

Appendix G
Material Safety Data Sheets



[Division of Facilities Services](#)

DOD Hazardous Material Information (ANSI Format) For Cornell University Convenience Only

ALCONOX

Section 1 - Product and Company Identification	Section 9 - Physical & Chemical Properties
Section 2 - Composition/Information on Ingredients	Section 10 - Stability & Reactivity Data
Section 3 - Hazards Identification Including Emergency Overview	Section 11 - Toxicological Information
Section 4 - First Aid Measures	Section 12 - Ecological Information
Section 5 - Fire Fighting Measures	Section 13 - Disposal Considerations
Section 6 - Accidental Release Measures	Section 14 - MSDS Transport Information
Section 7 - Handling and Storage	Section 15 - Regulatory Information
Section 8 - Exposure Controls & Personal Protection	Section 16 - Other Information

The information in this document is compiled from information maintained by the United States Department of Defense (DOD). Anyone using this information is solely responsible for the accuracy and applicability of this information to a particular use or situation.

Cornell University does not in any way warrant or imply the applicability, viability or use of this information to any person or for use in any situation.

Section 1 - Product and Company Identification ALCONOX

Product Identification: ALCONOX

Date of MSDS: 08/14/1992 **Technical Review Date:** 09/28/1992

FSC: 6505 **NIIN:** 00-839-8894

Submitter: N EN

Status Code: C

MFN: 01

Article: N

Kit Part: N

Manufacturer's Information

Manufacturer's Name: ALCONOX INC
Manufacturer's Address1: 215 PARK AVE S
Manufacturer's Address2: NEW YORK, NY 10003
Manufacturer's Country: US
General Information Telephone: 212-473-1300
Emergency Telephone: 212-473-1300
Emergency Telephone: 212-473-1300
MSDS Preparer's Name: N/P
Proprietary: N
Reviewed: N
Published: Y
CAGE: 17534
Special Project Code: N

Item Description

Item Name: DETERGENT,SURGICAL INSTRUMENT
Item Manager: NK
Specification Number: NK
Type/Grade/Class: NK
Unit of Issue: NK **Quantitative Expression:** NK
Unit of Issue Quantity: NK
Type of Container:

Contractor Information

Contractor's Name: ALCONOX INC
Contractor's Address1: 9 EAST 40TH STREET, SUITE 200
Contractor's Address2: NEW YORK, NY 10016
Contractor's Telephone: 212-532-4040
Contractor's CAGE: 17534

Section 2 - Compositon/Information on Ingredients ALCONOX

Ingredient Name: ALCONOX
Ingredient CAS Number: **Ingredient CAS Code:** X
RTECS Number: **RTECS Code:** X
=WT: **=WT Code:**
=Volume: **=Volume Code:**
>WT: **>WT Code:**
>Volume: **>Volume Code:**
<WT: **<WT Code:**
<Volume: **<Volume Code:**
% Low WT: **% Low WT Code:**
% High WT: **% High WT Code:**
% Low Volume: **% Low Volume Code:**
% High Volume: **% High Volume Code:**
% Text: N/K
% Enviromental Weight:
Other REC Limits: N/K
OSHA PEL: NOT APPLICABLE **OSHA PEL Code:** M
OSHA STEL: **OSHA STEL Code:**

ACGIH TLV: NOT APPLICABLE **ACGIH TLV Code:** M

ACGIH STEL: N/P **ACGIH STEL Code:**

EPA Reporting Quantity:

DOT Reporting Quantity:

Ozone Depleting Chemical:

Section 3 - Hazards Identification, Including Emergency Overview ALCONOX

Health Hazards Acute & Chronic: PROLONGED EXPOSURE TO DUST MAY IRRITATE MUCOUS MEMBRANES.

Signs & Symptoms of Overexposure:
SEE HEALTH HAZARDS.

Medical Conditions Aggravated by Exposure:
NONE SPECIFIED BY MANUFACTURER.

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route of Entry Indicators:

Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Indicators

NTP: NO

IARC: NO

OSHA: NO

Carcinogenicity Explanation: NOT RELEVANT

Section 4 - First Aid Measures ALCONOX

First Aid:

EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. SKIN: FLUSH WITH PLENTY OF WATER. INGEST: DRINK LARGE QTY OF WATER TO DILUTE MATERIAL. GET MED ATTN FOR DISCOMFORT. INHAL: REMOVE TO FRESH AIR. SU PPORT BRTHG (GIVE O*2/ARTF RESP) (FP N).

Section 5 - Fire Fighting Measures ALCONOX

Fire Fighting Procedures:

WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire or Explosion Hazard:

NONE.

Extinguishing Media:

WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM SAND/EARTH.

Flash Point: **Flash Point Text:** NONE

Autoignition Temperature:

Autoignition Temperature Text: N/A

Lower Limit(s): N/A

Upper Limit(s): N/A

Section 6 - Accidental Release Measures
ALCONOX

Spill Release Procedures:

MATERIAL FOAMS PROFUSELY, SHOVEL & RECOVER AS MUCH AS POSSIBLE. RINSE REMAINDER TO SEWER. MATERIAL IS COMPLETELY BIODEGRADABLE.

Section 7 - Handling and Storage
ALCONOX

Handling and Storage Precautions:

Other Precautions:

Section 8 - Exposure Controls & Personal Protection
ALCONOX

Respiratory Protection:

NIOSH/MSHA APPROVED DUST MASK.

Ventilation:

LOCAL EXHAUST: NORMAL.

Protective Gloves:

IMPERVIOUS GLOVES (FP N).

Eye Protection: CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment: NOT REQUIRED.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Health & Safety Information: NONE SPECIFIED BY MANUFACTURER.

Section 9 - Physical & Chemical Properties
ALCONOX

HCC:

NRC/State License Number:

Net Property Weight for Ammo:

Boiling Point: Boiling Point Text: N/A

Melting/Freezing Point: Melting/Freezing Text: N/K

Decomposition Point: Decomposition Text: N/K

Vapor Pressure: N/A Vapor Density: N/A

Percent Volatile Organic Content:

Specific Gravity: N/A

Volatile Organic Content Pounds per Gallon:

pH: N/K

Volatile Organic Content Grams per Liter:

Viscosity: N/P

Evaporation Weight and Reference: NOT APPLICABLE

Solubility in Water: APPRECIABLE

Appearance and Odor: WHITE POWDER INTERSPERSED W/CREAM COLORED FLAKES-
ODORLESS

Percent Volatiles by Volume: N/A

Corrosion Rate: N/K

Section 10 - Stability & Reactivity Data
ALCONOX

Stability Indicator: YES

Materials to Avoid:

AVOID STRONG ACIDS.

Stability Condition to Avoid:

NONE.

Hazardous Decomposition Products:

MAY RELEASE CARBON DIOXIDE GAS ON BURNING.

Hazardous Polymerization Indicator: NO

Conditions to Avoid Polymerization:

NOT RELEVANT

Section 11 - Toxicological Information
ALCONOX

Toxicological Information:

N/P

Section 12 - Ecological Information
ALCONOX

Ecological Information:

N/P

Section 13 - Disposal Considerations
ALCONOX

Waste Disposal Methods:

SMALL QTY MAY BE DISPOSED OF IN SEWER. LARGE QTY SHOULD BE DISPOSED OF ACCORDING TO LOCAL, FEDERAL & STATE REQUIREMENTS FOR NON-HAZARDOUS DETERGENT.

Section 14 - MSDS Transport Information
ALCONOX

Transport Information:

N/P

Section 15 - Regulatory Information
ALCONOX

SARA Title III Information:

N/P

Federal Regulatory Information:

N/P

State Regulatory Information:

N/P

Section 16 - Other Information
ALCONOX

Other Information:

N/P

HMIS Transportation Information**Product Identification:** ALCONOX**Transportation ID Number:** 88154**Responsible Party CAGE:** 17534**Date MSDS Prepared:** 08/14/1992**Date MSDS Reviewed:** 02/22/1993**MFN:** 02/22/1993**Submitter:** N TN**Status Code:** C**Container Information****Unit of Issue:** NK**Container Quantity:** NK**Type of Container:****Net Unit Weight:****Article without MSDS:** N**Technical Entry NOS Shipping Number:****Radioactivity:****Form:****Net Explosive Weight:****Coast Guard Ammunition Code:****Magnetism:** N/P**AF MMAC Code:****DOD Exemption Number:****Limited Quantity Indicator:****Multiple Kit Number:** 0**Kit Indicator:** N**Kit Part Indicator:** N**Review Indicator:** Y**Additional Data:**

NOT REGULATED FOR TRANSPORTATION

Department of Transportation Information**DOT Proper Shipping Name:** NOT REGULATED BY THIS MODE OF TRANSPORTATION**DOT PSN Code:** ZZZ**Symbols:** N/R**DOT PSN Modifier:****Hazard Class:** N/R**UN ID Number:** N/R**DOT Packaging Group:** N/R**Label:** N/R**Special Provision(s):** N/R**Packaging Exception:** N/R**Non Bulk Packaging:** N/R**Bulk Packaging:** N/R**Maximum Quantity in Passenger Area:** N/R**Maximum Quantity in Cargo Area:** N/R**Stow in Vessel Requirements:** N/R**Requirements Water/Sp/Other:** N/R**IMO Detail Information**

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
IMO PSN Code: ZZZ
IMO PSN Modifier:
IMDG Page Number: N/R
UN Number: N/R
UN Hazard Class: N/R
IMO Packaging Group: N/R
Subsidiary Risk Label: N/R
EMS Number: N/R
Medical First Aid Guide Number: N/R

IATA Detail Information

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
IATA PSN Code: ZZZ
IATA PSN Modifier:
IATA UN Id Number: N/R
IATA UN Class: N/R
Subsidiary Risk Class: N/R
UN Packaging Group: N/R
IATA Label: N/R
Packaging Note for Passengers: N/R
Maximum Quantity for Passengers: N/R
Packaging Note for Cargo: N/R
Maximum Quantity for Cargo: N/R
Exceptions: N/R

AFI Detail Information

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
AFI Symbols:
AFI PSN Code: ZZZ
AFI PSN Modifier:
AFI UN Id Number: N/R
AFI Hazard Class: N/R
AFI Packing Group: N/R
AFI Label: N/R
Special Provisions: N/A
Back Pack Reference: N/A

HAZCOM Label Information

Product Identification: ALCONOX
CAGE: 17534
Assigned Individual: N
Company Name: ALCONOX INC
Company PO Box:
Company Street Address1: 9 EAST 40TH STREET, SUITE 200
Company Street Address2: NEW YORK, NY 10016 US
Health Emergency Telephone: 212-473-1300
Label Required Indicator: Y
Date Label Reviewed: 09/18/1992
Status Code: C
Manufacturer's Label Number:
Date of Label: 09/18/1992
Year Procured: N/K
Organization Code: G
Chronic Hazard Indicator: N
Eye Protection Indicator: YES
Skin Protection Indicator: YES

Respiratory Protection Indicator: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

8/8/2002 12:40:10 AM

SAFETY DATA SHEET

Based on Directive 2001/58/EC et seq. of the Commission of the European Communities

BENZ[a]ANTHRACENE

1. Identification of the substance/preparation and of the company/undertaking

1.1 Identification of the substance or preparation:

Synonyms: benzo(a)anthracene

CAS No. : 56-55-3 BCR number : BCR-271
EC index No. : 601-033-00-9 NFPA code : N.D.
EINECS No. : 200-280-6 Molecular weight : 228.30
RTECS No. : CV9275000 Formula : C18H12

1.2 Use of the substance or the preparation:

Certified reference material for laboratory use only

1.3 Company/undertaking identification:

Institute for Reference Materials and Measurements
Retieseweg
B-2440 Geel
Tel. : +32 14 57 12 11
Fax : +32 14 58 42 73

1.4 Telephone number for emergency:

+32 70 245 245
Antigifcentrum
p/a Militair Hospitaal Koningin Astrid, Bruynstraat, B-1120 Brussel

2. Composition/information on ingredients

Hazardous ingredients	CAS No. EINECS No.	Conc. in %	Hazard symbol	Risks (R-phrases)
Benzo[a]anthracene	56-55-3 200-280-6	100	T;N	45-50/53 (1)

(1) For R-phrases in full: see heading 16

3. Hazards identification

- May cause cancer
- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

4. First aid measures

4.1 Eye contact:

- Consult a doctor/medical service if irritation persists
- Rinse immediately with water

4.2 Skin contact:

- Consult a doctor/medical service if irritation persists
- Wash with water and soap
- Remove clothing before washing

4.3 After inhalation:

- Consult a doctor/medical service if breathing problems develop
- Remove the victim into fresh air
- Unconscious: maintain adequate airway and respiration

4.4 After ingestion:

- Consult a doctor/medical service if you feel unwell
- Immediately give lots of water to drink
- Never give water to an unconscious person

Printing date : 07-2002
Compiled by : Brandweerinformatiecentrum voor Gevaarlijke Stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel
☎ +32 14 58 45 47 <http://www.big.be> E-mail: info@big.be

MSDS established :
Reference number : BIG\18241GB
Reason for revision : Directive 2001/58/EC

Revision date : 28-03-2002
Revision number : 001

BENZ[a]ANTHRACENE

BENZ[a]ANTHRACENE

5. Fire-fighting measures

5.1 Suitable extinguishing media:

- Water spray
- Alcohol foam
- Polymer foam
- ABC powder
- Carbon dioxide

5.2 Unsuitable extinguishing media:

- Solid water jet ineffective as extinguishing medium

5.3 Special exposure hazards:

- Not easily combustible
- Upon combustion CO and CO₂ are formed

5.4 Instructions:

- Take account of toxic firefighting water
- Use firefighting water moderately and contain it

5.5 Special protective equipment for firefighters:

- Heat/fire exposure: compressed air/oxygen apparatus
- Dust cloud production: compressed air/oxygen apparatus

6. Accidental release measures

6.1 Personal protection/precautions: see heading 8.1/8.3/10.3

6.2 Environmental precautions:

- Prevent soil and water pollution
- Substance must not be discharged into the sewer
- Dam up the solid spill

6.3 Methods for cleaning up:

- Stop dust cloud by covering with sand/earth
- Carefully collect the spill/leftovers
- Scoop solid spill into closing containers
- Take collected spill to manufacturer/competent authority
- Clean contaminated surfaces with an excess of water
- Wash clothing and equipment after handling

7. Handling and storage

7.1 Handling:

- Observe strict hygiene
- Avoid prolonged and repeated contact with skin
- Avoid raising dust
- Do not discharge the waste into the drain
- Remove contaminated clothing immediately

7.2 Storage:

- Keep container tightly closed. Store in a cool area. Store in a dry area.
- Store in a dark area.
- Keep away from: heat sources, ignition sources, oxidizing agents, acids

Storage temperature	: N.D.	°C
Quantity limits	: N.D.	kg
Storage life	: N.D.	
Materials for packaging	:	
- suitable	:no data available	
- to avoid	:no data available	

7.3 Specific uses:

See information supplied by the manufacturer

BENZ[a]ANTHRACENE

8. Exposure controls/Personal protection

8.1 Exposure limit values:

TLV-TWA	:	mg/m ³	-	ppm
TLV-STEL	:	mg/m ³	-	ppm
TLV-Ceiling	:	mg/m ³		ppm
OES-LTEL	:	mg/m ³		ppm
OES-STEL	:	mg/m ³		ppm
MAK	:	mg/m ³		ppm
TRK	:	mg/m ³		ppm
MAC-TGG 8 h	:	mg/m ³		
MAC-TGG 15 min.	:	mg/m ³		
MAC-Ceiling	:	mg/m ³		
VME-8 h	:	mg/m ³		ppm
VLE-15 min.	:	mg/m ³		ppm
GWBB-8 h	:	mg/m ³		ppm
GWK-15 min.	:	mg/m ³		ppm
Momentary value	:	mg/m ³		ppm
EC	:	mg/m ³		ppm
EC-STEL	:	mg/m ³		ppm

Sampling methods:

- Benz(a)Anthracene (Polynuclear aromatic hydrocarbons) NIOSH 5506
- Benz(a)Anthracene (Polynuclear aromatic hydrocarbons) NIOSH 5515
- Benz(a)Anthracene OSHA CSI

8.2 Exposure controls:

8.2.1 Occupational exposure controls:

- Measure the concentration in the air regularly
- Work under local exhaust/ventilation

8.2.2 Environmental exposure controls: see heading 13

8.3 Personal protection:

8.3.1 respiratory protection:

- Dust production: dust mask with filter type P3
- High dust production: compressed air/oxygen apparatus

8.3.2 hand protection:

- Gloves
Suitable materials: No data available
- Breakthrough time: N.D.

8.3.3 eye protection:

- Safety glasses
- In case of dust production: protective goggles

8.3.4 skin protection:

- Protective clothing
- In case of dust production: head/neck protection
Suitable materials: No data available

BENZ[a]ANTHRACENE

9. Physical and chemical properties

9.1 General information:

Appearance (at 20°C)	: Crystalline solid / Scales
Odour	: Odourless
Colour	: Colourless to fluorescent yellow-green

9.2 Important health, safety and environmental information:

pH value	: N.D.	
Boiling point/boiling range	: N.A.	°C
Flashpoint	: N.D.	°C
Explosion limits	: N.D.	vol% (°C)
Vapour pressure (at 20°C)	: 0.00007	hPa
Vapour pressure (at 50°C)	: N.D.	hPa
Relative density (at 20°C)	: 1.3	
Water solubility	: 0.00001	g/100 ml
Soluble in	: Ether, acetone, oils/fats	
Relative vapour density	: N.D.	
Viscosity	: N.D.	Pa.s
Partition coefficient n-octanol/water	: 5.61/5.79	
Evaporation rate		
ratio to butyl acetate	: N.D.	
ratio to ether	: N.D.	

9.3 Other information:

Melting point/melting range	: 160	°C
Auto-ignition point	: N.D.	°C
Saturation concentration	: N.D.	g/m ³

10. Stability and reactivity

10.1 Conditions to avoid/reactivity:

- Stable under normal conditions

10.2 Materials to avoid:

- Keep away from: heat sources, ignition sources, oxidizing agents, acids

10.3 Hazardous decomposition products:

- Upon combustion CO and CO₂ are formed
- Reacts violently with (strong) oxidizers
- Decomposes on exposure to (strong) acids

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat	: N.D.	mg/kg
LD50 dermal rat	: N.D.	mg/kg
LD50 dermal rabbit	: N.D.	mg/kg
LC50 inhalation rat	: N.D.	mg/l/4 h
LC50 inhalation rat	: N.D.	ppm/4 h

BENZ[a]ANTHRACENE

11.2 Chronic toxicity:

EC carc. cat. : 2
EC muta. cat. : not listed
EC repr. cat. : not listed

Carcinogenicity (TLV) : A2
Carcinogenicity (MAC) : K
Carcinogenicity (VME) : not listed
Carcinogenicity (GWBB) : not listed

Carcinogenicity (MAK) : 2
Mutagenicity (MAK) : not listed
Teratogenicity (MAK) : -

IARC classification : 2A

11.3 Routes of exposure: ingestion, inhalation, eyes and skin
Caution! Substance is absorbed through the skin

11.4 Acute effects/symptoms:

AFTER SKIN CONTACT
- Slight irritation

11.5 Chronic effects:

- Probably human carcinogenic
- Mutagenicity: AMES test positive
- Probably human mutagenic

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT:
- No specific information available

SIMILAR PRODUCTS CAUSE FOLLOWING SYMPTOMS:
- Feeling of weakness
- Photoallergy
- Skin rash/inflammation
- Cracking of the skin
- Skin cancer
- Lung tissue affection/degeneration
- Enlargement/affection of the liver
- Affection of the renal tissue

12. Ecological information

12.1 Ecotoxicity:

- LC50 (65 h) : 0.0018 mg/l (PIMEPHALES PROMELAS)
- EC50 (96 h) : 0.01 mg/l (DAPHNIA PULEX)

12.2 Mobility:

- Volatile organic compounds (VOC): 0%
- Photolysis in water
- Ozonation in water
- Insoluble in water

For other physicochemical properties see heading 9.

12.3 Persistence and degradability:

- biodegradation BOD₅ : N.D. % ThOD
- water : - Not readily biodegradable in water
- soil : T ½: > 100 days

12.4 Bioaccumulative potential:

- log P_{ow} : 5.61/5.79
- BCF : 72 h : 350 (LEUCISCUS IDUS)
- Highly bioaccumulative

BENZ[a]ANTHRACENE

12.5 Other adverse effects:

- **WGK** : 3 (Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 17 May 1999)
- **Effect on the ozone layer** : Not dangerous for the ozone layer (Council Regulation (EC) 3093/94)
- **Greenhouse effect** : no data available
- **Effect on waste water purification** : no data available

13. Disposal considerations

13.1 Provisions relating to waste:

- Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 16 05 06 (laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals)
- Waste material code (Flanders): 001, 045, 691
- Waste code (Germany): 59302
- Hazardous waste (91/689/EEC)

13.2 Disposal methods:

- Dissolve or mix with a combustible solvent
- Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber
- Do not discharge into surface water (2000/60/EEC, Council Decision 2455/2001/EC)

13.3 Packaging/Container:

- Waste material code packaging (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 15 01 10 (packaging containing residues of or contaminated by dangerous substances)

BENZ[a]ANTHRACENE

14. Transport information

90

3077

- 14.1 Classification of the substance in compliance with UN Recommendations
- | | |
|----------------------|--|
| UN number | : 3077 |
| CLASS | : 9 |
| SUB RISKS | : - |
| PACKING | : III |
| PROPER SHIPPING NAME | : UN 3077, Environmentally hazardous substance, solid, n.o.s. (benzo[a]anthracene) |
- 14.2 ADR (transport by road)
- | | |
|-----------------------|-------|
| CLASS | : 9 |
| PACKING | : III |
| DANGER LABEL TANKS | : 9 |
| DANGER LABEL PACKAGES | : 9 |
- 14.3 RID (transport by rail)
- | | |
|-----------------------|-------|
| CLASS | : 9 |
| PACKING | : III |
| DANGER LABEL TANKS | : 9 |
| DANGER LABEL PACKAGES | : 9 |
- 14.4 ADNR (transport by inland waterways)
- | | |
|-----------------------|-------|
| CLASS | : 9 |
| PACKING | : III |
| DANGER LABEL TANKS | : 9 |
| DANGER LABEL PACKAGES | : 9 |
- 14.5 IMDG (maritime transport)
- | | |
|------------------|-------|
| CLASS | : 9 |
| SUB RISKS | : - |
| PACKING | : III |
| MFAG | : - |
| EMS | : - |
| MARINE POLLUTANT | : P |
- 14.6 ICAO (air transport)
- | | |
|---|-------|
| CLASS | : 9 |
| SUB RISKS | : - |
| PACKING | : III |
| PACKING INSTRUCTIONS PASSENGER AIRCRAFT | : |
| PACKING INSTRUCTIONS CARGO AIRCRAFT | : |
- 14.7 Special precautions in connection with transport : none
- 14.8 Limited quantities (LQ) :

When substances and their packaging meet the conditions established by ADR/RID/ADNR in chapter 3.4, **only** the following prescriptions shall be complied with:
each package shall display a diamond-shaped figure with the following inscription:
- 'UN 3077'
or, in the case of different goods with different identification numbers within a single package:
- the letters 'LQ'

BENZ[a]ANTHRACENE

15. Regulatory information

Enumerated in substance list Annex I of directive 67/548/EEC et sequens



Toxic



Dangerous for the environment

- R45 : May cause cancer
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- S53 : Avoid exposure - obtain special instructions before use
S45 : In case of accident or if you feel unwell, seek medical advice (show the label where possible)
S60 : This material and/or its container must be disposed of as hazardous waste
S61 : Avoid release to the environment. Refer to special instructions/safety data sheets.

16. Other information

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

N.A. = NOT APPLICABLE
N.D. = NOT DETERMINED
* = INTERNAL CLASSIFICATION

Full text of any R-phrases referred to under heading 2:

- R45 : May cause cancer
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Exposure limits:

TLV : Threshold Limit Value - ACGIH USA 2000
OES : Occupational Exposure Standards - United Kingdom 1999
MEL : Maximum Exposure Limits - United Kingdom 1999
MAK : Maximale Arbeitsplatzkonzentrationen - Germany 2001
TRK : Technische Richtkonzentrationen - Germany 2001
MAC : Maximale aanvaarde concentratie - The Netherlands 2002
VME : Valeurs limites de Moyenne d'Exposition - France 1999
VLE : Valeurs limites d'Exposition à court terme - France 1999
GWBB : Grenswaarde beroepsmatige blootstelling - Belgium 1998
GWK : Grenswaarde kortstondige blootstelling - Belgium 1998
EC : Indicative occupational exposure limit values - directive 2000/39/EC

Chronic toxicity:

K : List of the carcinogenic substances and processes - The Netherlands 2002



New Jersey Department of Health and Senior Services

HAZARDOUS SUBSTANCE FACT SHEET

Common Name: **BENZO(a)PYRENE**

CAS Number: 50-32-8

DOT Number: None

RTK Substance number: 0207

Date: August 1992 Revision: July 1998

HAZARD SUMMARY

- * **Benzo(a)pyrene** can affect you when breathed in and by passing through your skin.
- * **Benzo(a)pyrene** is a CARCINOGEN--HANDLE WITH EXTREME CAUTION.
- * Exposure may damage the developing fetus.
- * **Benzo(a)pyrene** can cause skin irritation with rash and/or burning sensations. Repeated exposure can cause skin changes such as thickening and darkening.
- * Exposure can irritate and/or burn the eyes on contact.
- * Except in laboratories, **Benzo(a)pyrene** is usually mixed with other "Coal Tar Pitch" chemicals. CONSULT THE NEW JERSEY DEPARTMENT OF HEALTH and SENIOR SERVICES HAZARDOUS SUBSTANCE FACT SHEETS ON COAL TAR SUBSTANCES.

IDENTIFICATION

Benzo(a)pyrene is a pale yellow, crystalline solid or a powder. In its pure form it is used as a laboratory reagent. **Benzo(a)pyrene** also forms as a gaseous by-product when certain carbon substances burn, such as coal tar pitch chemicals.

REASON FOR CITATION

- * **Benzo(a)pyrene** is on the Hazardous Substance List because it is regulated by OSHA and cited by ACGIH, IARC, NIOSH, NTP, EPA, HHAG and DOT.
- * This chemical is on the Special Health Hazard Substance List because it is a **CARCINOGEN** and a **MUTAGEN**.
- * Definitions are provided on page 5.

HOW TO DETERMINE IF YOU ARE BEING EXPOSED

The New Jersey Right to Know Act requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information and training concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard, 1910.1200, requires private employers to provide similar training and information to their employees.

- * Exposure to hazardous substances should be routinely evaluated. This may include collecting personal and area air samples. You can obtain copies of sampling results from your employer. You have a legal right to this information under OSHA 1910.20.

- * If you think you are experiencing any work-related health problems, see a doctor trained to recognize occupational diseases. Take this Fact Sheet with you.

WORKPLACE EXPOSURE LIMITS

OSHA: The legal airborne permissible exposure limit (PEL) for *Coal Tar Pitch Volatiles (benzene-soluble fraction)* is **0.2 mg/m³** averaged over an 8-hour workshift.

NIOSH: The recommended airborne exposure limit for *Coal Tar Pitch Volatiles (cyclohexane-extractable fraction)* is **0.1 mg/m³** averaged over a 10-hour workshift.

ACGIH: ACGIH recommends that worker exposures, by all routes, be controlled to levels as low as can be reasonably achieved.

- * **Benzo(a)pyrene** is a PROBABLE CARCINOGEN in humans. There may be no safe level of exposure to a carcinogen, so all contact should be reduced to the lowest possible level.
- * The above exposure limits are for air levels only. When skin contact also occurs, you may be overexposed, even though air levels are less than the limits listed above.

WAYS OF REDUCING EXPOSURE

- * Enclose operations and use local exhaust ventilation at the site of chemical release. If local exhaust ventilation or enclosure is not used, respirators should be worn.
- * A regulated, marked area should be established where **Benzo(a)pyrene** is handled, used, stored, or formed.
- * Wear protective work clothing.
- * Wash thoroughly immediately after exposure to **Benzo(a)pyrene** and at the end of the workshift.
- * Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards of **Benzo(a)pyrene** to potentially exposed workers.

This Fact Sheet is a summary source of information of all potential and most severe health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

HEALTH HAZARD INFORMATION

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Benzo(a)pyrene**:

- * **Benzo(a)pyrene** can cause skin irritation with rash and/or burning sensations. Exposure to sunlight and the chemical together can increase these effects.
- * Exposure can irritate and/or burn the eyes on contact.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Benzo(a)pyrene** and can last for months or years:

Cancer Hazard

- * **Benzo(a)pyrene** is a PROBABLE CARCINOGEN in humans. There is some evidence that it causes skin, lung, and bladder cancer in humans and in animals.
- * **Benzo(a)pyrene** has caused CANCER in the offspring of animals exposed to the substance during pregnancy.
- * Many scientists believe there is no safe level of exposure to a carcinogen.

Reproductive Hazard

- * **Benzo(a)pyrene** may damage the developing fetus.
- * There is some evidence that **Benzo(a)pyrene** may affect sperm and testes (male reproductive glands).
- * **Benzo(a)pyrene** may be transferred to nursing infants through the exposed mother's milk.

Other Long-Term Effects

- * Repeated exposure to **Benzo(a)pyrene** can cause skin changes such as thickening, darkening, and pimples. Later skin changes include loss of color, reddish areas, thinning of the skin, and warts.

MEDICAL

Medical Testing

If warts or other growths on the skin get larger or change color, they should be examined by a doctor for possible early skin cancer. Skin cancer is very often easily cured when detected early.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under OSHA 1910.20.

Mixed Exposures

- * Sunlight may cause a rash to develop in people exposed to **Benzo(a)pyrene** and increases the risk of skin cancer.
- * Tobacco smoke also contains **Benzo(a)pyrene**. Smoking may increase the risk of lung cancer with exposure to **Benzo(a)pyrene**.

WORKPLACE CONTROLS AND PRACTICES

Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

In evaluating the controls present in your workplace, consider: (1) how hazardous the substance is, (2) how much of the substance is released into the workplace and (3) whether harmful skin or eye contact could occur. Special controls should be in place for highly toxic chemicals or when significant skin, eye, or breathing exposures are possible.

In addition, the following controls are recommended:

- * Where possible, automatically transfer **Benzo(a)pyrene** from drums or other storage containers to process containers.
- * Use a Class I, Type B, biological safety hood when working with **Benzo(a)pyrene** in a laboratory.

Good **WORK PRACTICES** can help to reduce hazardous exposures. The following work practices are recommended:

- * Workers whose clothing has been contaminated by **Benzo(a)pyrene** should change into clean clothing promptly.
- * Do not take contaminated work clothes home. Family members could be exposed.
- * Contaminated work clothes should be laundered by individuals who have been informed of the hazards of exposure to **Benzo(a)pyrene**.

- * Eye wash fountains should be provided in the immediate work area for emergency use.
- * If there is the possibility of skin exposure, emergency shower facilities should be provided.
- * On skin contact with **Benzo(a)pyrene**, immediately wash or shower to remove the chemical. At the end of the workshift, wash any areas of the body that may have contacted **Benzo(a)pyrene**, whether or not known skin contact has occurred.
- * Do not eat, smoke, or drink where the above chemicals or **Benzo(a)pyrene** are handled, processed, or stored, since the chemical can be swallowed. Wash hands carefully before eating or smoking.
- * In laboratories DO NOT DRY SWEEP for clean-up. Use a vacuum or a wet method to reduce dust during clean-up.
- * When vacuuming, a high efficiency particulate absolute (HEPA) filter should be used, not a standard shop vacuum.

PERSONAL PROTECTIVE EQUIPMENT

WORKPLACE CONTROLS ARE BETTER THAN PERSONAL PROTECTIVE EQUIPMENT. However, for some jobs (such as outside work, confined space entry, jobs done only once in a while, or jobs done while workplace controls are being installed), personal protective equipment may be appropriate.

OSHA 1910.132 requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Clothing

- * Avoid skin contact with **Benzo(a)pyrene**. Wear protective gloves and clothing. Safety equipment suppliers/manufacturers can provide recommendations on the most protective glove/clothing material for your operation.
- * All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.

Eye Protection

- * Wear dust-proof goggles and face shield when working with powders or dust, unless full facepiece respiratory protection is worn.
- * Where exposure to volatilized *Coal Tar* products may occur, wear gas-proof goggles and face shield, unless full facepiece respiratory protection is worn.

Respiratory Protection

IMPROPER USE OF RESPIRATORS IS DANGEROUS.

Such equipment should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing and medical exams, as described in OSHA 1910.134.

- * Where the potential exists for exposures over **0.1 mg/m³**, use a MSHA/NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.
- * Exposure to **80 mg/m³** of *Coal Tar Pitch Volatiles* is immediately dangerous to life and health. If the possibility of exposure above **80 mg/m³** exists, use a MSHA/NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode.

QUESTIONS AND ANSWERS

- Q: If I have acute health effects, will I later get chronic health effects?
- A: Not always. Most chronic (long-term) effects result from repeated exposures to a chemical.
- Q: Can I get long-term effects without ever having short-term effects?
- A: Yes, because long-term effects can occur from repeated exposures to a chemical at levels not high enough to make you immediately sick.
- Q: What are my chances of getting sick when I have been exposed to chemicals?
- A: The likelihood of becoming sick from chemicals is increased as the amount of exposure increases. This is determined by the length of time and the amount of material to which someone is exposed.
- Q: When are higher exposures more likely?
- A: Conditions which increase risk of exposure include dust releasing operations (grinding, mixing, blasting, dumping, etc.), other physical and mechanical processes (heating, pouring, spraying, spills and evaporation from large surface areas such as open containers), and "confined space" exposures (working inside vats, reactors, boilers, small rooms, etc.).
- Q: Is the risk of getting sick higher for workers than for community residents?
- A: Yes. Exposures in the community, except possibly in cases of fires or spills, are usually much lower than those found in the workplace. However, people in the community may be exposed to contaminated water as well as to chemicals in the air over long periods. Because of this, and because of exposure of children or people who are already ill, community exposures may cause health problems.
- Q: Don't all chemicals cause cancer?
- A: No. Most chemicals tested by scientists are not cancer-causing.

- Q: Should I be concerned if a chemical causes cancer in animals?
- A: Yes. Most scientists agree that a chemical that causes cancer in animals should be treated as a suspected human carcinogen unless proven otherwise.
- Q: But don't they test animals using much higher levels of a chemical than people usually are exposed to?
- A: Yes. That's so effects can be seen more clearly using fewer animals. But high doses alone don't cause cancer unless it's a cancer agent. In fact, a chemical that causes cancer in animals at high doses could cause cancer in humans exposed to low doses.
- Q: Can men as well as women be affected by chemicals that cause reproductive system damage?
- A: Yes. Some chemicals reduce potency or fertility in both men and women. Some damage sperm and eggs, possibly leading to birth defects.
- Q: But aren't pregnant women at the greatest risk from reproductive hazards?
- A: Not necessarily. Pregnant women are at greatest risk from chemicals which harm the developing fetus. However, chemicals may affect the ability to have children, so both men and women of childbearing age are at high risk.

The following information is available from:

New Jersey Department of Health and Senior Services
Occupational Disease and Injury Services
PO Box 360
Trenton, NJ 08625-0360
(609) 984-1863
(609) 292-5677 (fax)

Web address: <http://www.state.nj.us/health/eoh/odisweb/>

Industrial Hygiene Information

Industrial hygienists are available to answer your questions regarding the control of chemical exposures using exhaust ventilation, special work practices, good housekeeping, good hygiene practices, and personal protective equipment including respirators. In addition, they can help to interpret the results of industrial hygiene survey data.

Medical Evaluation

If you think you are becoming sick because of exposure to chemicals at your workplace, you may call personnel at the Department of Health and Senior Services, Occupational Disease and Injury Services, who can help you find the information you need.

Public Presentations

Presentations and educational programs on occupational health or the Right to Know Act can be organized for labor unions, trade associations and other groups.

Right to Know Information Resources

The Right to Know Infoline (609) 984-2202 can answer questions about the identity and potential health effects of chemicals, list of educational materials in occupational health, references used to prepare the Fact Sheets, preparation of the Right to Know survey, education and training programs, labeling requirements, and general information regarding the Right to Know Act. Violations of the law should be reported to (609) 984-2202.

DEFINITIONS

ACGIH is the American Conference of Governmental Industrial Hygienists. It recommends upper limits (called TLVs) for exposure to workplace chemicals.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is assigned by the Chemical Abstracts Service to identify a specific chemical.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes irreversible damage to human tissue or containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

HHAG is the Human Health Assessment Group of the federal EPA.

IARC is the International Agency for Research on Cancer, a scientific group that classifies chemicals according to their cancer-causing potential.

A **miscible** substance is a liquid or gas that will evenly dissolve in another.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

MSHA is the Mine Safety and Health Administration, the federal agency that regulates mining. It also evaluates and approves respirators.

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NAERG is the North American Emergency Response Guidebook. It was jointly developed by Transport Canada, the United States Department of Transportation and the Secretariat of Communications and Transportation of Mexico. It is a guide for first responders to quickly identify the specific or generic hazards of material involved in a transportation incident, and to protect themselves and the general public during the initial response phase of the incident.

NCI is the National Cancer Institute, a federal agency that determines the cancer-causing potential of chemicals.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the Public Employees Occupational Safety and Health Act, a state law which sets PELs for New Jersey public employees.

ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

TLV is the Threshold Limit Value, the workplace exposure limit recommended by ACGIH.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.



New Jersey Department of Health and Senior Services

HAZARDOUS SUBSTANCE FACT SHEET

Common Name: **BENZO(b)FLUORANTHENE**

CAS Number: 205-99-2
DOT Number: None

RTK Substance number: 0208
Date: September 1995 Revision: July 2001

HAZARD SUMMARY

- * **Benzo(b)fluoranthene** can affect you when breathed in and may be absorbed through the skin.
- * **Benzo(b)fluoranthene** is a CARCINOGEN--HANDLE WITH EXTREME CAUTION.
- * Contact with **Benzo(b)fluoranthene** can cause skin and eye irritation.
- * Because the major hazards associated with **Benzo(b)fluoranthene** come from exposure to *Coal Tar Pitch*, CONSULT THE NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES HAZARDOUS SUBSTANCE FACT SHEET ON COAL TAR PITCH.

IDENTIFICATION

Benzo(b)fluoranthene is a colorless, needle-shaped solid. It is used as a research chemical and is present in coal, and coke oven emissions, and petroleum products.

REASON FOR CITATION

- * **Benzo(b)fluoranthene** is on the Hazardous Substance List because it is regulated by OSHA and cited by ACGIH, NIOSH, NTP, IARC, HHAG and EPA.
- * This chemical is on the Special Health Hazard Substance List because it is a **CARCINOGEN**.
- * Definitions are provided on page 5.

HOW TO DETERMINE IF YOU ARE BEING EXPOSED

The New Jersey Right to Know Act requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information and training concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard, 1910.1200, requires private employers to provide similar training and information to their employees.

- * Exposure to hazardous substances should be routinely evaluated. This may include collecting personal and area air samples. You can obtain copies of sampling results from your employer. You have a legal right to this information under OSHA 1910.1020.

- * If you think you are experiencing any work-related health problems, see a doctor trained to recognize occupational diseases. Take this Fact Sheet with you.

WORKPLACE EXPOSURE LIMITS

The following exposure limits are for **Benzo(b)fluoranthene** (measured as *Coal Tar Pitch volatiles*):

- OSHA: The legal airborne permissible exposure limit (PEL) is **0.2 mg/m³** averaged over an 8-hour workshift.
- NIOSH: The recommended airborne exposure limit is **0.1 mg/m³** averaged over a 10-hour workshift.
- ACGIH: The recommended airborne exposure limit is **0.2 mg/m³** averaged over an 8-hour workshift.

- * **Benzo(b)fluoranthene** is a PROBABLE CARCINOGEN in humans. There may be no safe level of exposure to a carcinogen, so all contact should be reduced to the lowest possible level.
- * The above exposure limits are for air levels only. When skin contact also occurs, you may be overexposed, even though air levels are less than the limits listed above.

WAYS OF REDUCING EXPOSURE

- * Enclose operations and use local exhaust ventilation at the site of chemical release. If local exhaust ventilation or enclosure is not used, respirators should be worn.
- * A regulated, marked area should be established where **Benzo(b)fluoranthene** is handled, used, or stored.
- * Wear protective work clothing.
- * Wash thoroughly immediately after exposure to **Benzo(b)fluoranthene** and at the end of the workshift.
- * Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards of **Benzo(b)fluoranthene** to potentially exposed workers.

This Fact Sheet is a summary source of information of all potential and most severe health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

HEALTH HAZARD INFORMATION

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Benzo(b)fluoranthene**:

- * Contact with **Benzo(b)fluoranthene** can cause skin and eye irritation.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Benzo(b)fluoranthene** and can last for months or years:

Cancer Hazard

- * **Benzo(b)fluoranthene** is a PROBABLE CARCINOGEN in humans. It has been shown to cause lung, liver and skin cancer in animals.
- * Many scientists believe there is no safe level of exposure to a carcinogen. Such substances may also have the potential for causing reproductive damage in humans.

Reproductive Hazard

- * According to the information presently available to the New Jersey Department of Health and Senior Services, **Benzo(b)fluoranthene** has not been tested for its ability to affect reproduction.

Other Long-Term Effects

- * **Benzo(b)fluoranthene** has not been tested for other chronic (long-term) health effects.

MEDICAL

Medical Testing

There is no special test for this chemical. However, if illness occurs or overexposure is suspected, medical attention is recommended.

Examine your skin periodically for growths or changes in warts or moles. Skin cancers are usually easily curable when removed early.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under OSHA 1910.1020.

WORKPLACE CONTROLS AND PRACTICES

Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

In evaluating the controls present in your workplace, consider: (1) how hazardous the substance is, (2) how much of the substance is released into the workplace and (3) whether harmful skin or eye contact could occur. Special controls should be in place for highly toxic chemicals or when significant skin, eye, or breathing exposures are possible.

In addition, the following controls are recommended:

- * Where possible, automatically transfer **Benzo(b)fluoranthene** from drums or other storage containers to process containers.
- * A Class I, Type B, biological safety hood should be used when mixing, handling, or preparing **Benzo(b)fluoranthene**.

Good **WORK PRACTICES** can help to reduce hazardous exposures. The following work practices are recommended:

- * Workers whose clothing has been contaminated by **Benzo(b)fluoranthene** should change into clean clothing promptly.
- * Do not take contaminated work clothes home. Family members could be exposed.
- * Contaminated work clothes should be laundered by individuals who have been informed of the hazards of exposure to **Benzo(b)fluoranthene**.
- * Eye wash fountains should be provided in the immediate work area for emergency use.
- * If there is the possibility of skin exposure, emergency shower facilities should be provided.
- * On skin contact with **Benzo(b)fluoranthene**, immediately wash or shower to remove the chemical. At the end of the workshift, wash any areas of the body that may have contacted **Benzo(b)fluoranthene**, whether or not known skin contact has occurred.
- * Do not eat, smoke, or drink where **Benzo(b)fluoranthene** is handled, processed, or stored, since the chemical can be swallowed. Wash hands carefully before eating, drinking, smoking, or using the toilet.
- * Use a vacuum or a wet method to reduce dust during clean-up. **DO NOT DRY SWEEP.**
- * When vacuuming, a high efficiency particulate air (HEPA) filter should be used, not a standard shop vacuum.

PERSONAL PROTECTIVE EQUIPMENT

WORKPLACE CONTROLS ARE BETTER THAN PERSONAL PROTECTIVE EQUIPMENT. However, for some jobs (such as outside work, confined space entry, jobs done only once in a while, or jobs done while workplace controls are being installed), personal protective equipment may be appropriate.

OSHA 1910.132 requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Clothing

- * Avoid skin contact with **Benzo(b)fluoranthene**. Wear protective gloves and clothing. Safety equipment suppliers/manufacturers can provide recommendations on the most protective glove/clothing material for your operation.
- * All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.

Eye Protection

- * Wear impact resistant eye protection with side shields or goggles.
- * Wear a face shield along with goggles when working with corrosive, highly irritating or toxic substances.

Respiratory Protection

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Such equipment should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing and medical exams, as described in OSHA 1910.134.

- * Where the potential exists for exposure over **0.1 mg/m³** (as *Coal Tar Pitch volatiles*), use a MSHA/NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.
- * Exposure to **80 mg/m³** (as *Coal Tar Pitch volatiles*) is immediately dangerous to life and health. If the possibility of exposure above **80 mg/m³** (as *Coal Tar Pitch volatiles*) exists, use a MSHA/NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode.

QUESTIONS AND ANSWERS

Q: If I have acute health effects, will I later get chronic health effects?

A: Not always. Most chronic (long-term) effects result from repeated exposures to a chemical.

Q: Can I get long-term effects without ever having short-term effects?

A: Yes, because long-term effects can occur from repeated exposures to a chemical at levels not high enough to make you immediately sick.

Q: What are my chances of getting sick when I have been exposed to chemicals?

A: The likelihood of becoming sick from chemicals is increased as the amount of exposure increases. This is determined by the length of time and the amount of material to which someone is exposed.

Q: When are higher exposures more likely?

A: Conditions which increase risk of exposure include dust releasing operations (grinding, mixing, blasting, dumping, etc.), other physical and mechanical processes (heating, pouring, spraying, spills and evaporation from large surface areas such as open containers), and "confined space" exposures (working inside vats, reactors, boilers, small rooms, etc.).

Q: Is the risk of getting sick higher for workers than for community residents?

A: Yes. Exposures in the community, except possibly in cases of fires or spills, are usually much lower than those found in the workplace. However, people in the community may be exposed to contaminated water as well as to chemicals in the air over long periods. This may be a problem for children or people who are already ill.

Q: Don't all chemicals cause cancer?

A: No. Most chemicals tested by scientists are not cancer-causing.

Q: Should I be concerned if a chemical causes cancer in animals?

A: Yes. Most scientists agree that a chemical that causes cancer in animals should be treated as a suspected human carcinogen unless proven otherwise.

Q: But don't they test animals using much higher levels of a chemical than people usually are exposed to?

A: Yes. That's so effects can be seen more clearly using fewer animals. But high doses alone don't cause cancer unless it's a cancer agent. In fact, a chemical that causes cancer in animals at high doses could cause cancer in humans exposed to low doses.

The following information is available from:

New Jersey Department of Health and Senior Services
Occupational Health Service
PO Box 360
Trenton, NJ 08625-0360
(609) 984-1863
(609) 292-5677 (fax)

Web address: <http://www.state.nj.us/health/eoh/odisweb/>

Industrial Hygiene Information

Industrial hygienists are available to answer your questions regarding the control of chemical exposures using exhaust ventilation, special work practices, good housekeeping, good hygiene practices, and personal protective equipment including respirators. In addition, they can help to interpret the results of industrial hygiene survey data.

Medical Evaluation

If you think you are becoming sick because of exposure to chemicals at your workplace, you may call personnel at the Department of Health and Senior Services, Occupational Health Service, who can help you find the information you need.

Public Presentations

Presentations and educational programs on occupational health or the Right to Know Act can be organized for labor unions, trade associations and other groups.

Right to Know Information Resources

The Right to Know Infoline (609) 984-2202 can answer questions about the identity and potential health effects of chemicals, list of educational materials in occupational health, references used to prepare the Fact Sheets, preparation of the Right to Know Survey, education and training programs, labeling requirements, and general information regarding the Right to Know Act. Violations of the law should be reported to (609) 984-2202.

DEFINITIONS

ACGIH is the American Conference of Governmental Industrial Hygienists. It recommends upper limits (called TLVs) for exposure to workplace chemicals.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is assigned by the Chemical Abstracts Service to identify a specific chemical.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes irreversible damage to human tissue or containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

HHAG is the Human Health Assessment Group of the federal EPA.

IARC is the International Agency for Research on Cancer, a scientific group that classifies chemicals according to their cancer-causing potential.

A **miscible** substance is a liquid or gas that will evenly dissolve in another.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

MSHA is the Mine Safety and Health Administration, the federal agency that regulates mining. It also evaluates and approves respirators.

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NAERG is the North American Emergency Response Guidebook. It was jointly developed by Transport Canada, the United States Department of Transportation and the Secretariat of Communications and Transportation of Mexico. It is a guide for first responders to quickly identify the specific or generic hazards of material involved in a transportation incident, and to protect themselves and the general public during the initial response phase of the incident.

NCI is the National Cancer Institute, a federal agency that determines the cancer-causing potential of chemicals.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the Public Employees Occupational Safety and Health Act, a state law which sets PELs for New Jersey public employees.

PIH is a DOT designation for chemicals which are Poison Inhalation Hazards.

ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

TLV is the Threshold Limit Value, the workplace exposure limit recommended by ACGIH.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.



New Jersey Department of Health and Senior Services

HAZARDOUS SUBSTANCE FACT SHEET

Common Name: **CHRYSENE**

CAS Number: 218-01-9
DOT Number: None

RTK Substance number: 0441
Date: April 1994 Revision: December 1999

HAZARD SUMMARY

- * **Chrysene** can affect you when breathed in and by passing through your skin.
- * If skin contaminated with **Chrysene** is exposed to sunlight, a rash or sunburn effect and permanent changes in skin pigment can occur.
- * **Chrysene** is almost always found in *Coal Tar Pitch*, *Coal Tar Creosote*, or other coal tar products. If you work with coal, tar, soot, pitch, asphalt, etc., you may be exposed to **Chrysene**.
- * *CONSULT THE NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES HAZARDOUS SUBSTANCE FACT SHEETS ON COAL TAR PITCH AND COAL TAR CREOSOTE.*

IDENTIFICATION

Pure **Chrysene** is a colorless to off-white flake which is used in laboratories and dye manufacturing. **Chrysene** is most often found in black or brown tars and pitches.

REASON FOR CITATION

- * **Chrysene** is on the Hazardous Substance List because it is regulated by OSHA and cited by ACGIH, DOT, NIOSH, HHAG and EPA.
- * Definitions are provided on page 5.

HOW TO DETERMINE IF YOU ARE BEING EXPOSED

The New Jersey Right to Know Act requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information and training concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard, 1910.1200, requires private employers to provide similar training and information to their employees.

- * Exposure to hazardous substances should be routinely evaluated. This may include collecting personal and area air samples. You can obtain copies of sampling results from your employer. You have a legal right to this information under OSHA 1910.1020.

- * If you think you are experiencing any work-related health problems, see a doctor trained to recognize occupational diseases. Take this Fact Sheet with you.

WORKPLACE EXPOSURE LIMITS

The following exposure limits are for *Coal Tar Pitch Volatiles*:

- OSHA: The legal airborne permissible exposure limit (PEL) is **0.2 mg/m³** averaged over an 8-hour workshift.
- NIOSH: The recommended airborne exposure limit is **0.1 mg/m³** averaged over a 10-hour workshift.
- ACGIH: An exposure limit has not been determined for this suspected carcinogen. Worker exposure by all routes should be carefully controlled to the lowest possible level.

- * The above exposure limits are for air levels only. When skin contact also occurs, you may be overexposed, even though air levels are less than the limits listed above.

WAYS OF REDUCING EXPOSURE

- * Where possible, enclose operations and use local exhaust ventilation at the site of chemical release. If local exhaust ventilation or enclosure is not used, respirators should be worn.
- * Wear protective work clothing.
- * Wash thoroughly immediately after exposure to **Chrysene** and at the end of the workshift.
- * Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards of **Chrysene** to potentially exposed workers.

This Fact Sheet is a summary source of information of all potential and most severe health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

HEALTH HAZARD INFORMATION

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Chrysene**:

- * If skin contaminated with **Chrysene** is exposed to sunlight, a rash or sunburn effect can occur, sometimes with blisters.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Chrysene** and can last for months or years:

Cancer Hazard

- * There is limited evidence that **Chrysene** causes cancer in animals. It may cause skin cancer.
- * Many scientists believe there is no safe level of exposure to a carcinogen. Such substances may also have the potential for causing reproductive damage in humans.

Reproductive Hazard

- * According to the information presently available to the New Jersey Department of Health and Senior Services, **Chrysene** has not been tested for its ability to affect reproduction.

Other Long-Term Effects

- * Permanent changes in skin pigment can occur if contaminated skin is exposed to sunlight.

MEDICAL

Medical Testing

- * There is no special test for this chemical. However, monthly, carefully look at any skin areas that have been exposed. Any growth (like a mole) that increases in size or shows changes in color should be examined by a physician. Skin cancer is curable when detected early.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under OSHA 1910.1020.

Mixed Exposures

- * Sunlight exposure on skin contaminated with *Coal Tar* chemicals can cause rash and later, pigment changes. Persons who smoke cigarettes may be at increased risk for lung cancer with his chemical. This can be significantly reduced by stopping smoking as well as by reducing exposures.

WORKPLACE CONTROLS AND PRACTICES

Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

In evaluating the controls present in your workplace, consider: (1) how hazardous the substance is, (2) how much of the substance is released into the workplace and (3) whether harmful skin or eye contact could occur. Special controls should be in place for highly toxic chemicals or when significant skin, eye, or breathing exposures are possible.

In addition, the following control is recommended:

- * Where possible, automatically transfer pure **Chrysene** from drums or other storage containers to process containers.

Good **WORK PRACTICES** can help to reduce hazardous exposures. The following work practices are recommended:

- * Workers whose clothing has been contaminated by **Chrysene** should change into clean clothing promptly.
- * Do not take contaminated work clothes home. Family members could be exposed.
- * Contaminated work clothes should be laundered by individuals who have been informed of the hazards of exposure to **Chrysene**.
- * Eye wash fountains should be provided in the immediate work area for emergency use.
- * If there is the possibility of skin exposure, emergency shower facilities should be provided.
- * On skin contact with **Chrysene**, immediately wash or shower to remove the chemical. At the end of the workshift, wash any areas of the body that may have contacted **Chrysene**, whether or not known skin contact has occurred.
- * Do not eat, smoke, or drink where **Chrysene** is handled, processed, or stored, since the chemical can be swallowed. Wash hands carefully before eating, drinking, smoking, or using the toilet.
- * For pure **Chrysene** use a vacuum or a wet method to reduce dust during clean-up. **DO NOT DRY SWEEP.**

PERSONAL PROTECTIVE EQUIPMENT

WORKPLACE CONTROLS ARE BETTER THAN PERSONAL PROTECTIVE EQUIPMENT. However, for some jobs (such as outside work, confined space entry, jobs done only once in a while, or jobs done while workplace controls are being installed), personal protective equipment may be appropriate.

OSHA 1910.132 requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Clothing

- * Avoid skin contact with **Chrysene**. Wear protective gloves and clothing. Safety equipment suppliers/manufacturers can provide recommendations on the most protective glove/clothing material for your operation.
- * All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.

Eye Protection

- * For pure **Chrysene** wear impact resistant eye protection with side shields or goggles.
- * Wear a face shield along with goggles when working with corrosive, highly irritating or toxic substances.

Respiratory Protection

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Such equipment should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing and medical exams, as described in OSHA 1910.134.

- * Where the potential exists for exposure over **0.1 mg/m³**, (as *Coal Tar Pitch Volatiles*) use a MSHA/NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.
- * Exposure to **80 mg/m³** (as *Coal Tar Pitch Volatiles*) is immediately dangerous to life and health. If the possibility of exposure above **80 mg/m³** (as *Coal Tar Pitch Volatiles*) exists, use a MSHA/NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode.

QUESTIONS AND ANSWERS

- Q: If I have acute health effects, will I later get chronic health effects?
- A: Not always. Most chronic (long-term) effects result from repeated exposures to a chemical.
- Q: Can I get long-term effects without ever having short-term effects?
- A: Yes, because long-term effects can occur from repeated exposures to a chemical at levels not high enough to make you immediately sick.
- Q: What are my chances of getting sick when I have been exposed to chemicals?
- A: The likelihood of becoming sick from chemicals is increased as the amount of exposure increases. This is determined by the length of time and the amount of material to which someone is exposed.
- Q: When are higher exposures more likely?
- A: Conditions which increase risk of exposure include dust releasing operations (grinding, mixing, blasting, dumping, etc.), other physical and mechanical processes (heating, pouring, spraying, spills and evaporation from large surface areas such as open containers), and "confined space" exposures (working inside vats, reactors, boilers, small rooms, etc.).
- Q: Is the risk of getting sick higher for workers than for community residents?
- A: Yes. Exposures in the community, except possibly in cases of fires or spills, are usually much lower than those found in the workplace. However, people in the community may be exposed to contaminated water as well as to chemicals in the air over long periods. This may be a problem for children or people who are already ill.
- Q: Don't all chemicals cause cancer?
- A: No. Most chemicals tested by scientists are not cancer-causing.
- Q: Should I be concerned if a chemical causes cancer in animals?
- A: Yes. Most scientists agree that a chemical that causes cancer in animals should be treated as a suspected human carcinogen unless proven otherwise.
- Q: But don't they test animals using much higher levels of a chemical than people usually are exposed to?
- A: Yes. That's so effects can be seen more clearly using fewer animals. But high doses alone don't cause cancer unless it's a cancer agent. In fact, a chemical that causes cancer in animals at high doses could cause cancer in humans exposed to low doses.

The following information is available from:

New Jersey Department of Health and Senior Services
Occupational Health Service
PO Box 360
Trenton, NJ 08625-0360
(609) 984-1863
(609) 292-5677 (fax)

Web address: <http://www.state.nj.us/health/eoh/odisweb/>

Industrial Hygiene Information

Industrial hygienists are available to answer your questions regarding the control of chemical exposures using exhaust ventilation, special work practices, good housekeeping, good hygiene practices, and personal protective equipment including respirators. In addition, they can help to interpret the results of industrial hygiene survey data.

Medical Evaluation

If you think you are becoming sick because of exposure to chemicals at your workplace, you may call personnel at the Department of Health and Senior Services, Occupational Health Service, who can help you find the information you need.

Public Presentations

Presentations and educational programs on occupational health or the Right to Know Act can be organized for labor unions, trade associations and other groups.

Right to Know Information Resources

The Right to Know Infoline (609) 984-2202 can answer questions about the identity and potential health effects of chemicals, list of educational materials in occupational health, references used to prepare the Fact Sheets, preparation of the Right to Know survey, education and training programs, labeling requirements, and general information regarding the Right to Know Act. Violations of the law should be reported to (609) 984-2202.

DEFINITIONS

ACGIH is the American Conference of Governmental Industrial Hygienists. It recommends upper limits (called TLVs) for exposure to workplace chemicals.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is assigned by the Chemical Abstracts Service to identify a specific chemical.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes irreversible damage to human tissue or containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

HHAG is the Human Health Assessment Group of the federal EPA.

IARC is the International Agency for Research on Cancer, a scientific group that classifies chemicals according to their cancer-causing potential.

A **miscible** substance is a liquid or gas that will evenly dissolve in another.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

MSHA is the Mine Safety and Health Administration, the federal agency that regulates mining. It also evaluates and approves respirators.

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NAERG is the North American Emergency Response Guidebook. It was jointly developed by Transport Canada, the United States Department of Transportation and the Secretariat of Communications and Transportation of Mexico. It is a guide for first responders to quickly identify the specific or generic hazards of material involved in a transportation incident, and to protect themselves and the general public during the initial response phase of the incident.

NCI is the National Cancer Institute, a federal agency that determines the cancer-causing potential of chemicals.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the Public Employees Occupational Safety and Health Act, a state law which sets PELs for New Jersey public employees.

ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

TLV is the Threshold Limit Value, the workplace exposure limit recommended by ACGIH.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.

SUPELCO INC -- 48574, DIBENZO (A,H) ANTHRACENE 0.1G -- 6810-00N032523

===== Product Identification =====

Product ID:48574, DIBENZO (A,H) ANTHRACENE 0.1G

MSDS Date:12/19/1985

FSC:6810

NIIN:00N032523

MSDS Number: BNSSL

=== Responsible Party ===

Company Name:SUPELCO INC

Address:SUPELCO PARK

City:BELLEFONTE

State:PA

ZIP:16823-0048

Country:US

Info Phone Num:814-359-3441

Emergency Phone Num:814-359-3441

CAGE:54968

=== Contractor Identification ===

Company Name:SIGMA-ALDRICH INC.

Address:3050 SPRUCE STREET

Box:14508

City:ST. LOUIS

State:MO

ZIP:63103

Country:US

Phone:314-771-5765/414-273-3850X5996

CAGE:54968

===== Composition/Information on Ingredients =====

Ingred Name:DIBENZ A,H ANTHRACENE

CAS:53-70-3

RTECS #:HN2625000

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:REPORTED ANIMAL CARCINOGEN.

Explanation of Carcinogenicity:DIBENZ(A,H) ANTHRACENE: GROUP 2A(IARC),
ANTICIPATED TO BE CARCINOGEN (NTP).

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MIN. CONTACT A
PHYSICIAN. SKIN: FLUSH WITH LARGE VOLUMES OF WATER. CONTACT A
PHYSICIAN. INHAL: IMMED MOVE TO FRESH AIR. INGEST: CONTACT A
PHYSICIAN.

===== Fire Fighting Measures =====

Lower Limits:1%

Extinguishing Media:WATER, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP MATERIAL. AVOID GENERATING DUST.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN SEALED CONTAINER IN COOL, DRY
LOCATION. AVOID GENERATING DUST.
Other Precautions:REPORTED CANCER HAZARD. AVOID EYE OR SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH/MSHA APPROVED SCBA.
Ventilation:USE ONLY IN WELL VENTILATED AREA.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:T6
Boiling Pt:B.P. Text:509F,265C
Vapor Density:9.60
Spec Gravity:>1(H2O=1)
Appearance and Odor:OFF-WHITE TO YELLOW-GREEN CRYSTALLINE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS.

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH ALL APPLICABLE FEDERAL, STATE, OR
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.



MATERIAL SAFETY DATA SHEET

□i□□□□□□□□□□ □□□□□□□□

□ □□□ □□□□□□

Electricity in Petroleum Fuel Systems" address special precautions and design requirements involving loading rates, grounding, bonding, filter installation, conductivity additives and especially the hazards associated with "switch loading." ["Switch Loading" is when a higher flash point product (such as diesel) is loaded into tanks previously containing a low flash point product (such as gasoline) and the electrical charge generated during loading of the diesel results in a static ignition of the vapor from the previous cargo (gasoline).]

Note: When conductivity additives are used or are necessary the product should achieve 25 picosiemens/meter or greater at the handling temperature.

□□□□□□ □□□□□□□□□□

Keep away from flame, sparks, excessive temperatures and open flame. Use approved vented containers. Keep containers closed and clearly labeled. Empty product containers or vessels may contain explosive vapors. Do not pressurize, cut, heat, weld or expose such containers to sources of ignition.

Store in a well-ventilated area. This storage area should comply with NFPA 30 "Flammable and Combustible Liquid Code". Avoid storage near incompatible materials. The cleaning of tanks previously containing this product should follow API Recommended Practice (RP) 2013 "Cleaning Mobile Tanks In Flammable and Combustible Liquid Service" and API RP 2015 "Cleaning Petroleum Storage Tanks".

W□□□□□□□□□□ □□□□□□□□□□

Emergency eye wash capability should be available in the near proximity to operations presenting a potential splash exposure. Use good personal hygiene practices. Avoid repeated and/or prolonged skin exposure. Wash hands before eating, drinking, smoking, or using toilet facilities. Do not use as a cleaning solvent on the skin. Do not use solvents or harsh abrasive skin cleaners for washing this product from exposed skin areas. Waterless hand cleaners are effective. Promptly remove contaminated clothing and launder before reuse. Use care when laundering to prevent the formation of flammable vapors which could ignite via washer or dryer. Consider the need to discard contaminated leather shoes and gloves.

□□ □□□□□□□□ □□□□□□□□ **an** □□□□□□□□ □□□□□□□□

□□□□□□□□ □□□□□□

□□□ □□□□□□□□ □□□□□□□□	□□□□□□	□□□□□□□□ □□□□□□□□	□□□□□□□□ □□□□□□□□	□□□□
Diesel Fuel: (68476-34-6)	OSHA ACGIH	5 mg/m, as mineral oil mist 100 mg/m ³ (as totally hydrocarbon vapor) TWA		A3, skin
Naphthalene (91-20-3)	OSHA ACGIH	10 ppm TWA 10 ppm TWA / 15 ppm STEL		A4, Skin

□□□□□□□□□□ □□□□□□□□

Use adequate ventilation to keep vapor concentrations of this product below occupational exposure and flammability limits, particularly in confined spaces.

□□□□□□□□ □□□□□□□□□□

Safety glasses or goggles are recommended where there is a possibility of splashing or spraying.

□□□□ □□□□□□□□□□

Gloves constructed of nitrile, neoprene, or PVC are recommended. Chemical protective clothing such as of E.I. DuPont TyChem®, Saranex® or equivalent recommended based on degree of exposure. Note: The resistance of specific material may vary from product to product as well as with degree of exposure. Consult manufacturer specifications for further information.



MATERIAL SAFETY DATA SHEET

110000000000 0000000000

0 000 00000000

00000000000 00000000000

A NIOSH/MSHA-approved air-purifying respirator with organic vapor cartridges or canister may be permissible under certain circumstances where airborne concentrations are or may be expected to exceed exposure limits or for odor or irritation. Protection provided by air-purifying respirators is limited. Refer to OSHA 29 CFR 1910.134, NIOSH Respirator Decision Logic, and the manufacturer for additional guidance on respiratory protection selection.

Use a positive pressure, air-supplied respirator if there is a potential for uncontrolled release, exposure levels are not known, in oxygen-deficient atmospheres, or any other circumstance where an air-purifying respirator may not provide adequate protection.

00 00000000 an 0000 000 0000000000

0000000000

Clear, straw-yellow liquid. Dyed fuel oil will be red or reddish-colored.

0000

Mild, petroleum distillate odor

0000 00000000 00000000000

BOILING RANGE: 320 to 690 oF (160 to 366 °C)
 VAPOR PRESSURE: 0.009 psia @ 70 °F (21 °C)
 VAPOR DENSITY (air = 1): > 1.0
 SPECIFIC GRAVITY (H₂O = 1): 0.83 to 0.88 @ 60 °F (16 °C)
 PERCENT VOLATILES: 100 %
 EVAPORATION RATE: Slow; varies with conditions
 SOLUBILITY (H₂O): Negligible

000 00000000 an 0000000000

00000000: Stable. Hazardous polymerization will not occur.

0000000000 00 0000 an 000000000000 0000000000

Avoid high temperatures, open flames, sparks, welding, smoking and other ignition sources. Keep away from strong oxidizers; Viton ®; Fluorel ®

0000000000 000000000000 0000000000

Carbon monoxide, carbon dioxide and non-combusted hydrocarbons (smoke).

000 0000000000000 0000000000

000000 00000000

Acute dermal LD50 (rabbits): > 5 ml/kg Acute oral LD50 (rats): 9 ml/kg
 Primary dermal irritation: extremely irritating (rabbits) Draize eye irritation: non-irritating (rabbits)
 Guinea pig sensitization: negative

0000000 00000000 000 0000000000000000

Carcinogenic: OSHA: NO IARC: NO NTP: NO ACGIH: A3

Studies have shown that similar products produce skin tumors in laboratory animals following repeated applications without washing or removal. The significance of this finding to human exposure has not been determined. Other studies with active skin carcinogens have shown that washing the animal's skin with soap and water between applications reduced tumor formation.

0 00000000000 gn i 00000000

This material has been positive in a mutagenicity study.

SAFETY DATA SHEET

Based on Directive 2001/58/EC et seq. of the Commission of the European Communities

FLUORANTHENE

1. Identification of the substance/preparation and of the company/undertaking

1.1 Identification of the substance or preparation:

Synonyms: 1,2-benzacenaphthene, benzo(jk)fluorene
CAS No. : 206-44-0 BCR number : BCR-160R
EC index No. : N.A. NFPA code : N.D.
EINECS No. : 205-912-4 Molecular weight : 202.26
RTECS No. : LL4025000 Formula : C₁₆H₁₀

1.2 Use of the substance or the preparation:

Certified reference material for laboratory use only

1.3 Company/undertaking identification:

Institute for Reference Materials and Measurements
Retieseweg
B-2440 Geel
Tel. : +32 14 57 12 11
Fax : +32 14 58 42 73

1.4 Telephone number for emergency:

+32 70 245 245
Antigifcentrum
p/a Militair Hospitaal Koningin Astrid, Bruynstraat, B-1120 Brussel

2. Composition/information on ingredients

Hazardous ingredients	CAS No. EINECS No.	Conc. in %	Hazard symbol	Risks (R-phrases)
fluoranthene	206-44-0 205-912-4	100	Xn;N	22-36-51/53-68 (1)

(1) For R-phrases in full: see heading 16

3. Hazards identification

- Harmful if swallowed
- Irritating to eyes
- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- Possible risk of irreversible effects

4. First aid measures

4.1 Eye contact:

- Consult a doctor/medical service
- Rinse immediately with plenty of water
- Do not apply neutralizing agents

4.2 Skin contact:

- Consult a doctor/medical service
- Wash immediately with lots of water
- Do not apply (chemical) neutralizing agents

4.3 After inhalation:

- Consult a doctor/medical service
- Remove the victim into fresh air
- Unconscious: maintain adequate airway and respiration

4.4 After ingestion:

- Consult a doctor/medical service

Printing date : 07-2002
Compiled by : Brandweerinformatiecentrum voor Gevaarlijke Stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel
☎ +32 14 58 45 47 http://www.big.be E-mail: info@big.be

MSDS established : Revision date : 11-03-2002
Reference number : BIG\18206GB Revision number : 001
Reason for revision : Directive 2001/58/EC

FLUORANTHENE

- Never give water to an unconscious person

FLUORANTHENE

5. Fire-fighting measures

5.1 Suitable extinguishing media:

- Water spray
- Alcohol foam
- Polymer foam
- ABC powder
- Carbon dioxide

5.2 Unsuitable extinguishing media:

- No data available

5.3 Special exposure hazards:

- Combustible
- It's dust is explosive with air
- Upon combustion CO and CO2 are formed

5.4 Instructions:

- Take account of toxic firefighting water
- Use firefighting water moderately and contain it

5.5 Special protective equipment for firefighters:

- Heat/fire exposure: compressed air/oxygen apparatus
- Dust cloud production: compressed air/oxygen apparatus

6. Accidental release measures

6.1 Personal protection/precautions: see heading 8.1/8.3/10.3

6.2 Environmental precautions:

- Prevent soil and water pollution
- Substance must not be discharged into the sewer
- Dam up the solid spill
- Knock down/dilute dust cloud with water spray

6.3 Methods for cleaning up:

- Stop dust cloud by covering with sand/earth
- Carefully collect the spill/leftovers
- Scoop solid spill into closing containers
- Clean contaminated surfaces with an excess of water
- Wash clothing and equipment after handling

7. Handling and storage

7.1 Handling:

- Observe strict hygiene
- Avoid prolonged and repeated contact with skin
- Avoid raising dust
- Do not discharge the waste into the drain
- Clean contaminated clothing

7.2 Storage:

- Keep container tightly closed
- Store in a dry area
- Store in a dark area
- Meet the legal requirements.
- Keep away from: heat sources, oxidizing agents

Storage temperature	: < 4	°C
Quantity limits	: N.D.	kg
Storage life	: N.D.	
Materials for packaging	:	
- suitable	: glass	
- to avoid	: no data available	

7.3 Specific uses: N.D.

FLUORANTHENE

8. Exposure controls/Personal protection

8.1 Exposure limit values:

TLV-TWA : not listed
TLV-STEL : not listed
TLV-Ceiling : not listed

OES-LTEL : not listed
OES-STEL : not listed
MEL-LTEL : not listed
MEL-STEL : not listed

MAK : not listed
TRK : not listed

MAC-TGG 8 h : not listed
MAC-TGG 15 min. : not listed
MAC-Ceiling : not listed

VME-8 h : not listed
VLE-15 min. : not listed

GWBB-8 h : not listed
GWL-15 min. : not listed
Momentary value : not listed

Sampling methods:

- Fluoranthene (Polynuclear aromatic hydrocarbon) NIOSH 5506
- Fluoranthene OSHA CSI
- Fluoranthene (Polynuclear aromatic hydrocarbon) NIOSH 5515

8.2 Exposure controls:

8.2.1 Occupational exposure controls:

- Measure the concentration in the air regularly
- Work under local exhaust/ventilation

8.2.2 Environmental exposure controls: see heading 13

8.3 Personal protection:

8.3.1 respiratory protection:

- Dust production: dust mask with filter type P3
- High dust production: compressed air/oxygen apparatus

8.3.2 hand protection:

- Gloves
Suitable materials: Rubber
- Breakthrough time: N.D.

8.3.3 eye protection:

- Safety glasses
- In case of dust production: protective goggles

8.3.4 skin protection:

- Protective clothing
- In case of dust production: head/neck protection
Suitable materials: Rubber

FLUORANTHENE

9. Physical and chemical properties

9.1 General information:

Appearance (at 20°C) : Crystalline solid / Needles
Odour : N.D.
Colour : Colourless to light-yellow

9.2 Important health, safety and environmental information:

pH value : N.D.
Boiling point/boiling range : 384 °C
Flashpoint : 198 °C
Explosion limits : N.D. vol% (°C)
Vapour pressure (at 20°C) : < 0.01 hPa
Vapour pressure (at 50°C) : N.D. hPa
Relative density (at 20°C) : 1.30
Water solubility : 0.00002 g/100 ml
Soluble in : Ethanol, ether, chloroform, acetic acid, carbondisulfide
Relative vapour density : N.D.
Viscosity : N.D. Pa.s
Partition coefficient n-octanol/water : 5.33
Evaporation rate
ratio butyl acetate : N.D.
ratio ether : N.D.

9.3 Other information:

Melting point/melting range : 110 °C
Auto-ignition point : N.D. °C
Saturation concentration : N.D. g/m³

10. Stability and reactivity

10.1 Conditions to avoid/reactivity:

- No data available

10.2 Materials to avoid:

- Keep away from: heat sources, oxidizing agents

10.3 Hazardous decomposition products:

- Upon combustion CO and CO₂ are formed

FLUORANTHENE

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat	: 2000	mg/kg
LD50 dermal rat	: N.D.	mg/kg
LD50 dermal rabbit	: 3180	mg/kg
LC50 inhalation rat	: N.D.	mg/l/4 h
LC50 inhalation rat	: N.D.	ppm/4 h

11.2 Chronic toxicity:

EC carc. cat. : not listed
EC muta. cat. : not listed
EC repr. cat. : not listed

Carcinogenicity (TLV) : not listed
Carcinogenicity (MAC) : not listed
Carcinogenicity (VME) : not listed
Carcinogenicity (GWBB) : not listed

Carcinogenicity (MAK) : not listed
Mutagenicity (MAK) : not listed
Teratogenicity (MAK) : not listed

IARC classification : 3

11.3 Routes of exposure: ingestion, inhalation, eyes and skin

11.4 Acute effects/symptoms:

- **AFTER EYE CONTACT**
- Irritation of the eye tissue

11.5 Chronic effects:

- Possible risks of irreversible effects
- Not classified as toxic to reproduction (EC)
- **SIMILAR PRODUCTS CAUSE FOLLOWING SYMPTOMS:**
- Tingling/irritation of the skin
- Nausea
- Accelerated heart action
- Disturbances of heart rate
- Enlargement/affection of the liver
- Risk of lung oedema

FLUORANTHENE

12. Ecological information

12.1 Ecotoxicity:

fluoranthene:

- LC50 (96 h) : 4 mg/l (LEPOMIS MACROCHIRUS)
- LC50 (48 h) : 320 mg/l (DAPHNIA MAGNA)
- EC50 (96 h) : 54 mg/l (SELENASTRUM CAPRICORNUTUM)

12.2 Mobility:

- Volatile organic compounds (VOC): 0%
- Forming sediments in water
- Insoluble in water
- Substance sinks in water

For other physicochemical properties see heading 9.

12.3 Persistence and degradability:

- biodegradation BOD₅ : N.D. % ThOD
- water : - N.D.
- soil : T ½: N.D. days

12.4 Bioaccumulative potential:

- log P_{ow} : 5.33
- BCF : h : 3981 (PIMEPHALES PROMELAS)
- Highly bioaccumulative

12.5 Other adverse effects:

- WGK : 3 (Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 17 May 1999)
- Effect on the ozone layer : Not dangerous for the ozone layer (Council Regulation (EC) No 3093/94, O.J. L333 of 22/12/94)
- Greenhouse effect : no data available
- Effect on waste water purification : no data available

13. Disposal considerations

13.1 Provisions relating to waste:

- Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 16 05 06 (laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory)
- Waste material code (Flanders): 001, 045, 691
- Waste code (Germany): 59302
- Hazardous waste (91/689/EEC)

13.2 Disposal methods:

- Do not discharge into surface water (2000/60/EEC, Council Decision 2455/2001/EC, O.J. L331 of 15/12/2001)
- Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber

13.3 Packaging/Container:

- Waste material code packaging (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 15 01 10 (packaging containing residues of or contaminated by dangerous substances)

FLUORANTHENE

14. Transport information

90

3077

14.1 Classification of the substance in compliance with UN Recommendations

UN number : 3077
CLASS : 9
SUB RISKS : -
PACKING : III
PROPER SHIPPING NAME : UN 3077, Environmentally hazardous substance, solid, n.o.s. (fluoranthene)

14.2 ADR (transport by road)

CLASS : 9
PACKING : III
DANGER LABEL TANKS : 9
DANGER LABEL PACKAGES : 9

14.3 RID (transport by rail)

CLASS : 9
PACKING : III
DANGER LABEL TANKS : 9
DANGER LABEL PACKAGES : 9

14.4 ADNR (transport by inland waterways)

CLASS : 9
PACKING : III
DANGER LABEL TANKS : 9
DANGER LABEL PACKAGES : 9

14.5 IMDG (maritime transport)

CLASS : 9
SUB RISKS : -
PACKING : III
MFAG : -
EMS : -
MARINE POLLUTANT : P

14.6 ICAO (air transport)

CLASS : 9
SUB RISKS : -
PACKING : III
PACKING INSTRUCTIONS PASSENGER AIRCRAFT :
PACKING INSTRUCTIONS CARGO AIRCRAFT :

14.7 Special precautions in connection with transport : none

When substances and their packaging meet the conditions established by ADR/RID/ADNR in chapter 3.4, **only** the following prescriptions shall be complied with:

each package shall display a diamond-shaped figure with the following inscription:

- 'UN 3077'

or, in the case of different goods with different identification numbers within a single package:

- the letters 'LQ'

FLUORANTHENE

15. Regulatory information

Not listed in Annex I of directive 67/548/EEC et sequens. Labelling established on the basis of the available data.



Harmful



Dangerous for the environment

- R22 : Harmful if swallowed
R36 : Irritating to eyes
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R68 : Possible risk of irreversible effects
- S(02) : (Keep out of reach of children)
S22 : Do not breathe dust
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S36/37 : Wear suitable protective clothing and gloves
S46 : If swallowed, seek medical advice immediately and show this container or label
S61 : Avoid release to the environment. Refer to special instructions/safety data sheets.

16. Other information

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

N.A. = NOT APPLICABLE
N.D. = NOT DETERMINED
***** = INTERNAL CLASSIFICATION

Full text of any R-phrases referred to under heading 2:

- R22 : Harmful if swallowed
R36 : Irritating to eyes
R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R68 : Possible risk of irreversible effects

Exposure limits:

TLV : Threshold Limit Value - ACGIH USA 2000
OES : Occupational Exposure Standards - United Kingdom 1999
MEL : Maximum Exposure Limits - United Kingdom 1999
MAK : Maximale Arbeitsplatzkonzentrationen - Germany 2001
TRK : Technische Richtkonzentrationen - Germany 2001
MAC : Maximale aanvaarde concentratie - The Netherlands 2002
VME : Valeurs limites de Moyenne d'Exposition - France 1999
VLE : Valeurs limites d'Exposition à court terme - France 1999
GWBB : Grenswaarde beroepsmatige blootstelling - Belgium 1998
GWK : Grenswaarde kortstondige blootstelling - Belgium 1998
EC : Indicative occupational exposure limit values - directive 2000/39/EC



INDENO(1,2,3-cd)PYRENE		ICSC: 0730	
Date of Peer Review: March 1999			
o-Phenylene pyrene 2,3-Phenylene pyrene			
CAS #	193-39-5	C ₂₂ H ₁₂	
RTECS #	NK9300000	Molecular mass: 276.3	
UN #			
EC Index #			
TYPES OF HAZARD / EXPOSURE	ACUTE HAZARDS / SYMPTOMS	PREVENTION	FIRST AID / FIRE FIGHTING
FIRE			In case of fire in the surroundings: use appropriate extinguishing media.
EXPLOSION			
EXPOSURE		AVOID ALL CONTACT!	
Inhalation		Local exhaust or breathing protection.	Fresh air, rest.
Skin		Protective gloves. Protective clothing.	Remove contaminated clothes. Rinse and then wash skin with water and soap.
Eyes		Safety spectacles or eye protection in combination with breathing protection.	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Ingestion		Do not eat, drink, or smoke during work.	Rinse mouth. Refer for medical attention.
SPILLAGE DISPOSAL		PACKAGING & LABELLING	
Sweep spilled substance into covered containers; if appropriate, moisten first to prevent dusting. Carefully collect remainder, then remove to safe place. Do NOT let this chemical enter the environment.		EU Classification UN Classification	
EMERGENCY RESPONSE		STORAGE	
		Provision to contain effluent from fire extinguishing. Well closed.	
IPCS International Programme on		Prepared in the context of cooperation between the International Programme on Chemical Safety and the Commission of the European Communities © IPCS, CEC 2005	

Chemical Safety



SEE IMPORTANT INFORMATION ON BACK

INDENO(1,2,3-cd)PYRENE		ICSC: 0730
IMPORTANT DATA		
<p>PHYSICAL STATE; APPEARANCE: YELLOW CRYSTALS</p> <p>CHEMICAL DANGERS: Upon heating, toxic fumes are formed.</p> <p>OCCUPATIONAL EXPOSURE LIMITS: TLV not established. MAK: Carcinogen category: 2; (DFG 2004).</p>	<p>ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation of its aerosol and through the skin.</p> <p>INHALATION RISK: Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.</p> <p>EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: This substance is possibly carcinogenic to humans.</p>	
PHYSICAL PROPERTIES		
<p>Boiling point: 536°C Melting point: 164°C Solubility in water: none</p>	<p>Octanol/water partition coefficient as log Pow: 6.58</p>	
ENVIRONMENTAL DATA		
<p>This substance may be hazardous to the environment; special attention should be given to air quality and water quality. Bioaccumulation of this chemical may occur in fish.</p>		
NOTES		
<p>Indeno(1,2,3-cd)pyrene is present as a component of polycyclic aromatic hydrocarbons (PAH) content in the environment usually resulting from the incomplete combustion or pyrolysis of organic matters, especially fossil fuels and tobacco. ACGIH recommends environment containing Indeno(1,2,3-c,d)pyrene should be evaluated in terms of the TLV-TWA for coal tar pitch volatile, as benzene soluble 0.2 mg/m³. Insufficient data are available on the effect of this substance on human health, therefore utmost care must be taken. Card has been partly updated in October 2005. See section Occupational Exposure Limits.</p>		
ADDITIONAL INFORMATION		
<p>LEGAL NOTICE Neither the CEC nor the IPCS nor any person acting on behalf of the CEC or the IPCS is responsible for the use which might be made of this information</p>		
<p>© IPCS, CEC 2005</p>		

See Also:

[Toxicological Abbreviations](#)

[Indeno\(1,2,3-cd\)Pyrene \(IARC Summary & Evaluation, Volume 3, 1973\)](#)



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ISOBUTYLENE

1. Chemical Product and Company Identification

**BOC Gases,
Division of
The BOC Group, Inc.
575 Mountain Avenue
Murray Hill, NJ 07974**

**BOC Gases
Division of
BOC Canada Limited
5975 Falbourne Street, Unit 2
Mississauga, Ontario L5R 3W6**

TELEPHONE NUMBER: (908) 464-8100
24-HOUR EMERGENCY TELEPHONE NUMBER:
CHEMTREC (800) 424-9300

TELEPHONE NUMBER: (905) 501-1700
24-HOUR EMERGENCY TELEPHONE NUMBER:
(905) 501-0802
EMERGENCY RESPONSE PLAN NO: 20101

PRODUCT NAME: ISOBUTYLENE
CHEMICAL NAME: Isobutylene
COMMON NAMES/SYNONYMS: 2-Methylpropene, Isobutene
TDG (Canada) CLASSIFICATION: 2.1
WHMIS CLASSIFICATION: A, B1, D2B

PREPARED BY: Loss Control (908)464-8100/(905)501-1700
PREPARATION DATE: 6/1/95
REVIEW DATES: 6/7/96

2. Composition, Information on Ingredients

INGREDIENT	% VOLUME	PEL-OSHA ¹	TLV-ACGIH ²	LD ₅₀ or LC ₅₀ Route/Species
Isobutylene FORMULA: C ₄ H ₈ CAS: 115-11-7 RTECS #: UD0890000	99.0 to 99.8	Simple Asphyxiant	Simple Asphyxiant	LC ₅₀ 620 mg/m ³ /3H (rat)

¹ As stated in 29 CFR 1910, Subpart Z (revised July 1, 1993)

² As stated in the ACGIH 1994-95 Threshold Limit Values for Chemical Substances and Physical Agents

3. Hazards Identification

EMERGENCY OVERVIEW

This product does not contain oxygen and may cause asphyxia if released in a confined area. Simple hydrocarbons can cause irritation and central nervous system depression at high concentrations. flammable.

ROUTE OF ENTRY:

Skin Contact Yes	Skin Absorption No	Eye Contact Yes	Inhalation Yes	Ingestion No
---------------------	-----------------------	--------------------	-------------------	-----------------

PRODUCT NAME: ISOBUTYLENE

HEALTH EFFECTS:

Exposure Limits No	Irritant Yes	Sensitization No
Teratogen No	Reproductive Hazard No	Mutagen No
Synergistic Effects None Reported		

Carcinogenicity: -- NTP: No IARC: No OSHA: No

EYE EFFECTS:

Irritation may occur.

SKIN EFFECTS:

None anticipated as product is a gas at room temperature.

INGESTION EFFECTS:

Ingestion is unlikely.

INHALATION EFFECTS:

Product is relatively nontoxic. Simple hydrocarbons can irritate the eyes, mucous membranes and respiratory system at high concentrations.

Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.

This product may displace oxygen if released in a confined space. Maintain oxygen levels above 19.5% at sea level to prevent asphyxiation.

Effects of oxygen deficiency resulting from simple asphyxiants may include: rapid breathing, diminished mental alertness, impaired muscular coordination, faulty judgement, depression of all sensations, emotional instability, and fatigue. As asphyxiation progresses, nausea, vomiting, prostration, and loss of consciousness may result, eventually leading to convulsions, coma, and death.

Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals.

NFPA HAZARD CODES

Health: 1
Flammability: 4
Reactivity: 0

HMIS HAZARD CODES

Health: 1
Flammability: 4
Reactivity: 0

RATINGS SYSTEM

0 = No Hazard
1 = Slight Hazard
2 = Moderate Hazard
3 = Serious Hazard
4 = Severe Hazard

4. First Aid Measures

EYES:

Never introduce oil or ointment into the eyes without medical advice! If pain is present, refer the victim to an ophthalmologist for further treatment and follow up.

SKIN:

MSDS: G-53

Revised: 6/7/96

PRODUCT NAME: ISOBUTYLENE

Remove contaminated clothing and wash affected area with soap and water. If irritation persists, seek medical attention.

INGESTION:

Not normally required. Seek immediate medical attention.

INHALATION:

PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF OVEREXPOSURE TO PRODUCT. RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS. Conscious persons should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area, given assisted (artificial) respiration and supplemental oxygen. Further treatment should be symptomatic and supportive.

5. Fire Fighting Measures

Conditions of Flammability: Flammable liquid and vapor		
Flash point: -105 °F (-76 °C)	Method: Closed Cup	Autoignition Temperature: 869 °F (465 °C)
LEL(%): 1.8	UEL(%): 9.6	
Hazardous combustion products: Carbon monoxide, Carbon dioxide		
Sensitivity to mechanical shock: None		
Sensitivity to static discharge: Not Available		

FIRE AND EXPLOSION HAZARDS:

Isobutylene is heavier than air and may travel a considerable distance to an ignition source. Isobutylene is a flammable gas! Keep away from open flame and other sources of ignition. Do not allow smoking in storage areas or when handling.

EXTINGUISHING MEDIA:

Water, carbon dioxide, dry chemical.

FIRE FIGHTING INSTRUCTIONS:

If possible, stop the flow of gas with a remote valve. Use water spray to cool fire exposed containers. If fire is extinguished and flow of gas is continued, increase ventilation to prevent a build up of a flammable/ explosive atmosphere. Extinguish sources of ignition.

Be cautious of a Boiling Liquid Evaporating Vapor Explosion, BLEVE, if flame is impinging on surrounding containers. Direct 500 GPM water stream onto containers above the liquid level with remote monitors. Limit the number of personnel in proximity to the fire. Evacuate surrounding areas to at least 3000 feet in all directions.

6. Accidental Release Measures

Evacuate all personnel from affected area. Use appropriate protective equipment. Increase ventilation to prevent build up of a flammable/explosive atmosphere. Extinguish all sources of ignition! If leak is in user's equipment, be certain to purge piping with inert gas prior to attempting repairs. If leak is in container or container valve, contact the appropriate emergency telephone number listed in Section 1 or call your closest BOC location

MSDS: G-53

Revised: 6/7/96

7. Handling and Storage

Earth bond and ground all lines and equipment associated with the product system. Electrical equipment should be non-sparking and explosion proof.

Use only in well-ventilated areas. Valve protection caps must remain in place unless container is secured with valve outlet piped to use point. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Use a pressure regulator when connecting cylinder to lower pressure (<250 psig) piping or systems. Do not heat cylinder by any means to increase the discharge rate of product from the cylinder. Use a check valve or trap in the discharge line to prevent hazardous back flow into the cylinder.

Protect cylinders from physical damage. Store in cool, dry, well-ventilated area away from heavily trafficked areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 130°F (54°C). Cylinders should be stored upright and firmly secured to prevent falling or being knocked over. Full and empty cylinders should be segregated. Use a "first in-first out" inventory system to prevent full cylinders from being stored for excessive periods of time.

Post "No Smoking" signs in storage or use areas.

For additional recommendations consult Compressed Gas Association Pamphlet P-1.

Never carry a compressed gas cylinder or a container of a gas in cryogenic liquid form in an enclosed space such as a car trunk, van or station wagon. A leak can result in a fire, explosion, asphyxiation or a toxic exposure.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS¹:

INGREDIENT	% VOLUME	PEL-OSHA ²	TLV-ACGIH ³	LD ₅₀ or LC ₅₀ Route/Species
Isobutylene FORMULA: C ₄ H ₈ CAS: 115-11-7 RTECS #: UD0890000	99.0 to 99.8	Simple Asphyxiant	Simple Asphyxiant	LC ₅₀ 620 mg/m ³ /3H (rat)

¹ Refer to individual state or provincial regulations, as applicable, for limits which may be more stringent than those listed here.

² As stated in 29 CFR 1910, Subpart Z (revised July 1, 1993)

³ As stated in the ACGIH 1994-1995 Threshold Limit Values for Chemical Substances and Physical Agents.

ENGINEERING CONTROLS:

Use local exhaust to prevent accumulation. Use general ventilation to prevent build up of flammable concentrations. May use hood with forced ventilation when handling small quantities. If product is handled routinely where the potential for leaks exists, all electrical equipment must be rated for use in potentially flammable atmospheres. Consult the National Electrical Code for details.

EYE/FACE PROTECTION:

Safety goggles or glasses.

SKIN PROTECTION:

Protective gloves made of plastic or rubber.

PRODUCT NAME: ISOBUTYLENE

RESPIRATORY PROTECTION:

Positive pressure air line with full-face mask and escape bottle or self-contained breathing apparatus should be available for emergency use.

OTHER/GENERAL PROTECTION:

Safety shoes, safety shower, eyewash.

9. Physical and Chemical Properties

PARAMETER	VALUE	UNITS
Physical state (gas, liquid, solid)	: Gas	
Vapor pressure at 70°F	: 39	psia
Vapor density at STP (Air = 1)	: 1.98	
Evaporation point	: Not Available	
Boiling point	: 19.5	°F
	: -6.9	°C
Freezing point	: -220.6	°F
	: -140.3	°C
pH	: Not Available	
Specific gravity	: Not Available	
Oil/water partition coefficient	: Not Available	
Solubility (H2O)	: Insoluble	
Odor threshold	: Not Available	
Odor and appearance	: A colorless gas with an unpleasant odor similar to that of burning coal.	

10. Stability and Reactivity

STABILITY:

Stable

CONDITIONS TO AVOID (STABILITY):

None

INCOMPATIBLE MATERIALS:

Oxidizers

PRODUCT NAME: ISOBUTYLENE

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide

11. Toxicological Information

Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals.

No chronic effects data given in the Registry of Toxic Effects of Chemical Substances (RTECS) or Sax, Dangerous Properties of Industrial Materials, 7th ed.

12. Ecological Information

No data given.

13. Disposal Considerations

Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED, WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE to BOC Gases or authorized distributor for proper disposal.

14. Transport Information

PARAMETER	United States DOT	Canada TDG
PROPER SHIPPING NAME:	Isobutylene	Isobutylene
HAZARD CLASS:	2.1	2.1
IDENTIFICATION NUMBER:	UN 1055	UN 1055
SHIPPING LABEL:	FLAMMABLE GAS	FLAMMABLE GAS

15. Regulatory Information

Isobutylene is listed under the accident prevention provisions of section 112(r) of the Clean Air Act (CAA) with a threshold quantity (TQ) of 10,000 pounds.

SARA TITLE III NOTIFICATIONS AND INFORMATION

SARA TITLE III - HAZARD CLASSES:

Acute Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

16. Other Information

Compressed gas cylinders shall not be refilled without the express written permission of the owner. Shipment of a compressed gas cylinder which has not been filled by the owner or with his/her (written) consent is a violation of transportation regulations.


MSDS: G-53

Revised: 6/7/96

PRODUCT NAME: ISOBUTYLENE

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).



Health	2
Fire	2
Reactivity	0
Personal Protection	E

Material Safety Data Sheet Naphthalene MSDS

Section 1: Chemical Product and Company Identification

Product Name: Naphthalene

Catalog Codes: SLN1789, SLN2401

CAS#: 91-20-3

RTECS: QJ0525000

TSCA: TSCA 8(b) inventory: Naphthalene

CI#: Not available.

Synonym:

Chemical Name: Not available.

Chemical Formula: C₁₀H₈

Contact Information:

Sciencelab.com, Inc.
14025 Smith Rd.
Houston, Texas 77396

US Sales: **1-800-901-7247**
International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:
1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Naphthalene	91-20-3	100

Toxicological Data on Ingredients: Naphthalene: ORAL (LD50): Acute: 490 mg/kg [Rat]. 533 mg/kg [Mouse]. 1200 mg/kg [Guinea pig]. DERMAL (LD50): Acute: 20001 mg/kg [Rabbit]. VAPOR (LC50): Acute: 170 ppm 4 hour(s) [Rat].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of ingestion. Hazardous in case of eye contact (irritant), of inhalation. Slightly hazardous in case of skin contact (irritant, permeator). Severe over-exposure can result in death.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Classified Development toxin [POSSIBLE].

The substance is toxic to blood, kidneys, the nervous system, the reproductive system, liver, mucous membranes, gastrointestinal tract, upper respiratory tract, central nervous system (CNS).

Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact: Not available.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 567°C (1052.6°F)

Flash Points: CLOSED CUP: 88°C (190.4°F). OPEN CUP: 79°C (174.2°F).

Flammable Limits: LOWER: 0.9% UPPER: 5.9%

Products of Combustion: These products are carbon oxides (CO, CO₂).

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Flammable solid.

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Large Spill:

Flammable solid.

Stop leak if without risk. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. Avoid contact with eyes Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. Keep container dry. Keep in a cool place.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

Israel: TWA: 10 (ppm)
TWA: 10 STEL: 15 (ppm) from ACGIH (TLV) [1995]
TWA: 52 STEL: 79 (mg/m³) from ACGIH [1995]
Australia: STEL: 15 (ppm)
Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Crystalline solid.)

Odor: Aromatic.

Taste: Not available.

Molecular Weight: 128.19 g/mole

Color: White.

pH (1% soln/water): Not available.

Boiling Point: 218°C (424.4°F)

Melting Point: 80.2°C (176.4°F)

Critical Temperature: Not available.

Specific Gravity: 1.162 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: 4.4 (Air = 1)

Volatility: Not available.

Odor Threshold: 0.038 ppm

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties:

Partially dispersed in hot water, methanol, n-octanol.

Very slightly dispersed in cold water.

See solubility in methanol, n-octanol.

Solubility:

Partially soluble in methanol, n-octanol.

Very slightly soluble in cold water, hot water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances: Highly reactive with oxidizing agents.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: May attack some forms of rubber and plastic

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.

Acute oral toxicity (LD50): 490 mg/kg [Rat].

Acute dermal toxicity (LD50): 20001 mg/kg [Rabbit].

Acute toxicity of the vapor (LC50): 170 ppm 4 hour(s) [Rat].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH.

DEVELOPMENTAL TOXICITY: Classified Development toxin [POSSIBLE].

The substance is toxic to blood, kidneys, the nervous system, the reproductive system, liver, mucous membranes, gastrointestinal tract, upper respiratory tract, central nervous system (CNS).

Other Toxic Effects on Humans:

Very hazardous in case of ingestion.

Hazardous in case of inhalation.

Slightly hazardous in case of skin contact (irritant, permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity: Ecotoxicity in water (LC50): 305.2 ppm 96 hour(s) [Trout].

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: CLASS 4.1: Flammable solid.

Identification: : Naphthalene, refined : UN1334 PG: III

Special Provisions for Transport: Marine Pollutant

Section 15: Other Regulatory Information

Federal and State Regulations:

Rhode Island RTK hazardous substances: Naphthalene

Pennsylvania RTK: Naphthalene

Florida: Naphthalene

Minnesota: Naphthalene

Massachusetts RTK: Naphthalene

TSCA 8(b) inventory: Naphthalene

TSCA 8(a) PAIR: Naphthalene

TSCA 8(d) H and S data reporting: Naphthalene: 06/01/87

SARA 313 toxic chemical notification and release reporting: Naphthalene: 1%

CERCLA: Hazardous substances.: Naphthalene: 100 lbs. (45.36 kg)

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada):

CLASS B-4: Flammable solid.

CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC).

CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):

R36- Irritating to eyes.

R40- Possible risks of irreversible effects.

R48/22- Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R48/23- Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R63- Possible risk of harm to the unborn child.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 2

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 2

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves.

Lab coat.

Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/11/2005 01:30 PM

Last Updated: 10/11/2005 01:30 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.

MSDS Number: T0767 * * * * * Effective Date: 05/19/08 * * * * * Supercedes: 08/16/05

MSDS	Material Safety Data Sheet		24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300
			National Response in Canada CANUTEC: 613-996-6666
From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865		 J.T. Baker	Outside U.S. and Canada Chemtrec: 703-527-3887
			NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.
All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.			

TETRACHLOROETHYLENE

1. Product Identification

Synonyms: ethylene tetrachloride; tetrachloroethene; perchloroethylene; carbon bichloride; carbon dichloride

CAS No.: 127-18-4

Molecular Weight: 165.83

Chemical Formula: Cl₂C:CCl₂

Product Codes:

J.T. Baker: 9218, 9360, 9453, 9465, 9469

Mallinckrodt: 1933, 8058

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Tetrachloroethylene	127-18-4	99 - 100%	Yes

3. Hazards Identification

Emergency Overview

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS CENTRAL NERVOUS SYSTEM, LIVER AND KIDNEYS. SUSPECT CANCER HAZARD. MAY CAUSE CANCER. Risk of cancer depends on level and duration of exposure.

SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate (Poison)

Flammability Rating: 0 - None

Reactivity Rating: 1 - Slight

Contact Rating: 2 - Moderate (Life)

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Blue (Health)

Potential Health Effects

Inhalation:

Irritating to the upper respiratory tract. Giddiness, headache, intoxication, nausea and vomiting may follow the inhalation of large amounts while massive amounts can cause breathing arrest, liver and kidney damage, and death. Concentrations of 600 ppm and more can affect the central nervous system after a few minutes.

Ingestion:

Not highly toxic by this route because of low water solubility. Used as an oral dosage for hookworm (1 to 4 ml). Causes abdominal pain, nausea, diarrhea, headache, and dizziness.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain. May be absorbed through the skin with possible systemic effects.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

May cause liver, kidney or central nervous system damage after repeated or prolonged exposures. Suspected cancer risk from animal studies.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired liver or kidney function may be more susceptible to the effects of the substance. The use of alcoholic beverages enhances the toxic effects.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion:

Aspiration hazard. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Wash skin with soap or mild detergent and water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Call a physician.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Note to Physician:

Do not administer adrenaline or epinephrine to a victim of chlorinated solvent poisoning.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard but becomes hazardous in a fire situation because of vapor generation and possible degradation to phosgene (highly toxic) and hydrogen chloride (corrosive). Vapors are heavier than air and collect in low-lying areas.

Explosion:

Not considered to be an explosion hazard. Containers may explode when involved in a fire.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire. Water spray may be used to keep fire exposed containers cool.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime), then absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Store in a cool, dry, ventilated area away from sources of heat or ignition. Isolate from flammable materials. Protect from direct sunlight. Wear special protective equipment (Sec. 8) for maintenance break-in or where exposures may exceed established exposure levels. Wash hands, face, forearms and neck when exiting restricted areas. Shower, dispose of outer clothing, change to clean garments at the end of the day. Avoid cross-contamination of street clothes. Wash hands before eating and do not eat, drink, or smoke in workplace. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

-OSHA Permissible Exposure Limit (PEL):

100 ppm (TWA), 200 ppm (ceiling),

300 ppm/5min/3-hour (max)

-ACGIH Threshold Limit Value (TLV):

25 ppm (TWA), 100 ppm (STEL); listed as A3, animal carcinogen

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, wear a supplied air, full-facepiece respirator, airlined hood, or full-facepiece self-contained breathing apparatus.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

Clear, colorless liquid.

Odor:

Ethereal odor.

Solubility:

0.015 g in 100 g of water.

Specific Gravity:

1.62 @ 20C/4C

pH:

No information found.

% Volatiles by volume @ 21C (70F):

100

Boiling Point:

121C (250F)

Melting Point:

-19C (-2F)

Vapor Density (Air=1):

5.7

Vapor Pressure (mm Hg):

18 @ 25C (77F)

Evaporation Rate (BuAc=1):

0.33 (trichloroethylene = 1)

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage. Slowly decomposed by light. Deteriorates rapidly in warm, moist climates.

Hazardous Decomposition Products:

Carbon dioxide and carbon monoxide may form when heated to decomposition. Hydrogen chloride gas and phosgene gas may be formed upon heating. Decomposes with moisture to yield trichloroacetic acid and hydrochloric acid.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong acids, strong oxidizers, strong alkalis, especially NaOH, KOH; finely divided metals, especially zinc, barium, lithium. Slowly corrodes aluminum, iron and zinc.

Conditions to Avoid:

Moisture, light, heat and incompatibles.

11. Toxicological Information

Oral rat LD50: 2629 mg/kg; inhalation rat LC50: 4100 ppm/6H; investigated as a tumorigen, mutagen, reproductive effector.

Ingredient	---NTP Carcinogen---		IARC Category
	Known	Anticipated	
Tetrachloroethylene (127-18-4)	No	Yes	2A

12. Ecological Information

Environmental Fate:

When released into the soil, this material is expected to quickly evaporate. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade to a moderate extent. When released to water, this material is expected to quickly evaporate. When released into water, this material is not expected to biodegrade. This material is not expected to significantly bioaccumulate. When released into the air, this material may be moderately degraded by reaction with photochemically produced hydroxyl radicals.

Environmental Toxicity:

The LC50/96-hour values for fish are between 1 and 10 mg/l. The LC50/96-hour values for fish are between 10 and 100 mg/l. This material is expected to be toxic to aquatic life.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: TETRACHLOROETHYLENE

Hazard Class: 6.1

UN/NA: UN1897

Packing Group: III

Information reported for product/size: 4L

International (Water, I.M.O.)

Proper Shipping Name: TETRACHLOROETHYLENE

Hazard Class: 6.1

UN/NA: UN1897

Packing Group: III

Information reported for product/size: 4L

International (Air, I.C.A.O.)

Proper Shipping Name: TETRACHLOROETHYLENE

Hazard Class: 6.1

UN/NA: UN1897

Packing Group: III

Information reported for product/size: 4L

15. Regulatory Information

```
-----\Chemical Inventory Status - Part 1\-----
Ingredient                               TSCA  EC   Japan  Australia
-----
Tetrachloroethylene (127-18-4)          Yes  Yes  Yes    Yes
```

```
-----\Chemical Inventory Status - Part 2\-----
Ingredient                               --Canada--
Korea  DSL  NDSL  Phil.
-----
Tetrachloroethylene (127-18-4)          Yes  Yes  No    Yes
```

```
-----\Federal, State & International Regulations - Part 1\-----
Ingredient                               -SARA 302-  -SARA 313-
RQ    TPQ    List  Chemical Catg.
-----
Tetrachloroethylene (127-18-4)          No    No    Yes   No
```

```
-----\Federal, State & International Regulations - Part 2\-----
Ingredient                               -RCRA-      -TSCA-
CERCLA  261.33    8(d)
-----
Tetrachloroethylene (127-18-4)          100      U210    No
```

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No
 Reactivity: No (Pure / Liquid)

WARNING:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Australian Hazchem Code: 2[Z]

Poison Schedule: None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 0

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS CENTRAL NERVOUS SYSTEM, LIVER AND KIDNEYS. SUSPECT CANCER HAZARD. MAY CAUSE CANCER. Risk of cancer depends on level and

duration of exposure.

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Do not breathe vapor or mist.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases call a physician.

Product Use:

Laboratory Reagent.

Revision Information:

No Changes.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environmental Health & Safety

Phone Number: (314) 654-1600 (U.S.A.)



New Jersey Department of Health and Senior Services

HAZARDOUS SUBSTANCE FACT SHEET

Common Name: **PHENANTHRENE**

CAS Number: 85-01-8

DOT Number: UN 1137

RTK Substance number: 3004

Date: August 1999

HAZARD SUMMARY

- * **Phenanthrene** can affect you when breathed in and may be absorbed through the skin.
- * Contact can irritate the skin and eyes. If skin contaminated with **Phenanthrene** is exposed to sunlight a rash or skin burn may occur, sometimes with blisters.
- * Breathing **Phenanthrene** can irritate the nose and throat.
- * **Phenanthrene** may cause a skin allergy. If allergy develops, very low future exposure can cause itching and a skin rash.
- * *CONSULT THE NEW JERSEY DEPARTMENT OF HEALTH AND SENIOR SERVICES HAZARDOUS SUBSTANCE FACT SHEET ON COAL TAR PITCH.*

IDENTIFICATION

Phenanthrene is a colorless, crystalline substance with a weak aromatic odor. It is used in the manufacture of dyes, explosives and drugs, and in biological research.

REASON FOR CITATION

- * **Phenanthrene** is on the Hazardous Substance List because it is regulated by OSHA and cited by ACGIH, DOT, NIOSH, HHAG, NFPA and EPA.
- * Definitions are provided on page 5.

HOW TO DETERMINE IF YOU ARE BEING EXPOSED

The New Jersey Right to Know Act requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information and training concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard, 1910.1200, requires private employers to provide similar training and information to their employees.

- * Exposure to hazardous substances should be routinely evaluated. This may include collecting personal and area air samples. You can obtain copies of sampling results from your employer. You have a legal right to this information under OSHA 1910.1020.
- * If you think you are experiencing any work-related health problems, see a doctor trained to recognize occupational diseases. Take this Fact Sheet with you.

WORKPLACE EXPOSURE LIMITS

The following exposure limits are for *Coal Tar Pitch volatiles*:

- OSHA: The legal airborne permissible exposure limit (PEL) is **0.2 mg/m³** averaged over an 8-hour workshift.
- NIOSH: The recommended airborne exposure limit is **0.1 mg/m³** averaged over a 10-hour workshift.
- ACGIH: The recommended airborne exposure limit is **0.2 mg/m³** averaged over an 8-hour workshift.

- * The above exposure limits are for air levels only. When skin contact also occurs, you may be overexposed, even though air levels are less than the limits listed above.

WAYS OF REDUCING EXPOSURE

- * Where possible, enclose operations and use local exhaust ventilation at the site of chemical release. If local exhaust ventilation or enclosure is not used, respirators should be worn.
- * Wear protective work clothing.
- * Wash thoroughly immediately after exposure to **Phenanthrene** and at the end of the workshift.
- * Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards of **Phenanthrene** to potentially exposed workers.

This Fact Sheet is a summary source of information of all potential and most severe health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

HEALTH HAZARD INFORMATION

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Phenanthrene**:

- * Contact can irritate the skin and eyes. If skin contaminated with **Phenanthrene** is exposed to sunlight a rash or skin burn effect may occur, sometimes with blisters.
- * Breathing **Phenanthrene** can irritate the nose and throat.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Phenanthrene** and can last for months or years:

Cancer Hazard

- * There is no evidence that **Phenanthrene** causes cancer in animals. This is based on test results presently available to the New Jersey Department of Health and Senior Services from published studies.

Reproductive Hazard

- * According to the information presently available to the New Jersey Department of Health and Senior Services, **Phenanthrene** has not been tested for its ability to affect reproduction.

Other Long-Term Effects

- * **Phenanthrene** may cause a skin allergy. If allergy develops, very low future exposure can cause itching and a skin rash.

MEDICAL

Medical Testing

If symptoms develop or overexposure is suspected, the following is recommended:

- * Evaluation by a qualified allergist, including careful exposure history and special testing, may help diagnose skin allergy.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under OSHA 1910.1020.

WORKPLACE CONTROLS AND PRACTICES

Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

In evaluating the controls present in your workplace, consider: (1) how hazardous the substance is, (2) how much of the substance is released into the workplace and (3) whether harmful skin or eye contact could occur. Special controls should be in place for highly toxic chemicals or when significant skin, eye, or breathing exposures are possible.

In addition, the following control is recommended:

- * Where possible, automatically transfer **Phenanthrene** from drums or other storage containers to process containers.

Good **WORK PRACTICES** can help to reduce hazardous exposures. The following work practices are recommended:

- * Workers whose clothing has been contaminated by **Phenanthrene** should change into clean clothing promptly.
- * Do not take contaminated work clothes home. Family members could be exposed.
- * Contaminated work clothes should be laundered by individuals who have been informed of the hazards of exposure to **Phenanthrene**.
- * Eye wash fountains should be provided in the immediate work area for emergency use.
- * If there is the possibility of skin exposure, emergency shower facilities should be provided.
- * On skin contact with **Phenanthrene**, immediately wash or shower to remove the chemical. At the end of the workshift, wash any areas of the body that may have contacted **Phenanthrene**, whether or not known skin contact has occurred.
- * Do not eat, smoke, or drink where **Phenanthrene** is handled, processed, or stored, since the chemical can be swallowed. Wash hands carefully before eating, drinking, smoking, or using the toilet.
- * Use a vacuum or a wet method to reduce dust during clean-up. **DO NOT DRY SWEEP.**

PERSONAL PROTECTIVE EQUIPMENT

WORKPLACE CONTROLS ARE BETTER THAN PERSONAL PROTECTIVE EQUIPMENT. However, for some jobs (such as outside work, confined space entry, jobs done only once in a while, or jobs done while workplace controls are being installed), personal protective equipment may be appropriate.

OSHA 1910.132 requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Clothing

- * Avoid skin contact with **Phenanthrene**. Wear protective gloves and clothing. Safety equipment suppliers/manufacturers can provide recommendations on the most protective glove/clothing material for your operation.
- * All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.

Eye Protection

- * Wear impact resistant eye protection with side shields or goggles.
- * Wear a face shield along with goggles when working with corrosive, highly irritating or toxic substances.

Respiratory Protection

IMPROPER USE OF RESPIRATORS IS DANGEROUS.

Such equipment should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing and medical exams, as described in OSHA 1910.134.

- * Where the potential exists for exposure over **0.1 mg/m³** (as *Coal Tar Pitch volatiles*), use a MSHA/NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.
- * Exposure to **80 mg/m³** (as *Coal Tar Pitch volatiles*) is immediately dangerous to life and health. If the possibility of exposure above **80 mg/m³** (as *Coal Tar Pitch volatiles*) exists, use a MSHA/NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode.

QUESTIONS AND ANSWERS

- Q: If I have acute health effects, will I later get chronic health effects?
- A: Not always. Most chronic (long-term) effects result from repeated exposures to a chemical.
- Q: Can I get long-term effects without ever having short-term effects?
- A: Yes, because long-term effects can occur from repeated exposures to a chemical at levels not high enough to make you immediately sick.

- Q: What are my chances of getting sick when I have been exposed to chemicals?
- A: The likelihood of becoming sick from chemicals is increased as the amount of exposure increases. This is determined by the length of time and the amount of material to which someone is exposed.
- Q: When are higher exposures more likely?
- A: Conditions which increase risk of exposure include dust releasing operations (grinding, mixing, blasting, dumping, etc.), other physical and mechanical processes (heating, pouring, spraying, spills and evaporation from large surface areas such as open containers), and "confined space" exposures (working inside vats, reactors, boilers, small rooms, etc.).
- Q: Is the risk of getting sick higher for workers than for community residents?
- A: Yes. Exposures in the community, except possibly in cases of fires or spills, are usually much lower than those found in the workplace. However, people in the community may be exposed to contaminated water as well as to chemicals in the air over long periods. This may be a problem for children or people who are already ill.

The following information is available from:

New Jersey Department of Health and Senior Services
Occupational Health Service
PO Box 360
Trenton, NJ 08625-0360
(609) 984-1863
(609) 292-5677 (fax)

Web address: <http://www.state.nj.us/health/eoh/odisweb/>

Industrial Hygiene Information

Industrial hygienists are available to answer your questions regarding the control of chemical exposures using exhaust ventilation, special work practices, good housekeeping, good hygiene practices, and personal protective equipment including respirators. In addition, they can help to interpret the results of industrial hygiene survey data.

Medical Evaluation

If you think you are becoming sick because of exposure to chemicals at your workplace, you may call personnel at the Department of Health and Senior Services, Occupational Health Service, who can help you find the information you need.

Public Presentations

Presentations and educational programs on occupational health or the Right to Know Act can be organized for labor unions, trade associations and other groups.

Right to Know Information Resources

The Right to Know Infoline (609) 984-2202 can answer questions about the identity and potential health effects of chemicals, list of educational materials in occupational health, references used to prepare the Fact Sheets, preparation of the Right to Know survey, education and training programs, labeling requirements, and general information regarding the Right to Know Act. Violations of the law should be reported to (609) 984-2202.

DEFINITIONS

ACGIH is the American Conference of Governmental Industrial Hygienists. It recommends upper limits (called TLVs) for exposure to workplace chemicals.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is assigned by the Chemical Abstracts Service to identify a specific chemical.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes irreversible damage to human tissue or containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

HHAG is the Human Health Assessment Group of the federal EPA.

IARC is the International Agency for Research on Cancer, a scientific group that classifies chemicals according to their cancer-causing potential.

A **miscible** substance is a liquid or gas that will evenly dissolve in another.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

MSHA is the Mine Safety and Health Administration, the federal agency that regulates mining. It also evaluates and approves respirators.

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NAERG is the North American Emergency Response Guidebook. It was jointly developed by Transport Canada, the United States Department of Transportation and the Secretariat of Communications and Transportation of Mexico. It is a guide for first responders to quickly identify the specific or generic hazards of material involved in a transportation incident, and to protect themselves and the general public during the initial response phase of the incident.

NCI is the National Cancer Institute, a federal agency that determines the cancer-causing potential of chemicals.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the Public Employees Occupational Safety and Health Act, a state law which sets PELs for New Jersey public employees.


ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

TLV is the Threshold Limit Value, the workplace exposure limit recommended by ACGIH.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.



Health	2
Fire	1
Reactivity	0
Personal Protection	C

Material Safety Data Sheet Pyrene MSDS

Section 1: Chemical Product and Company Identification

Product Name: Pyrene

Catalog Codes: SLP3868

CAS#: 129-00-00

RTECS: UR2450000

TSCA: TSCA 8(b) inventory: Pyrene

CI#: Not available.

Synonym: Benzo(D,E,F)phenanthrene

Chemical Name: Pyrene

Chemical Formula: C16-H10

Contact Information:

Sciencelab.com, Inc.
14025 Smith Rd.
Houston, Texas 77396

US Sales: **1-800-901-7247**
International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:
1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Pyrene	129-00-00	100

Toxicological Data on Ingredients: Pyrene: ORAL (LD50): Acute: 2700 mg/kg [Rat]. 800 mg/kg [Mouse].

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant, permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged exposure is not known to aggravate medical condition.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact: Not available.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Flash Points: Not available.

Flammable Limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO₂).

Fire Hazards in Presence of Various Substances:

Slightly flammable to flammable in presence of heat, of combustible materials.
Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.
Slightly explosive in presence of heat.
Non-explosive in presence of open flames and sparks.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.
LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Keep locked up.. Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 24°C (75.2°F). Preferably refrigerate.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Synthetic apron. Gloves (impervious).

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Crystalline solid. Powdered solid.)

Odor: Not available.

Taste: Not available.

Molecular Weight: 202.26 g/mole

Color: Yellow.

pH (1% soln/water): Not applicable.

Boiling Point: 404°C (759.2°F)

Melting Point: 151.2°C (304.2°F)

Critical Temperature: Not available.

Specific Gravity: 1.271 @ 23 C (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: The product is more soluble in oil; $\log(\text{oil/water}) = 4.9$

Ionicity (in Water): Not available.

Dispersion Properties:

Is not dispersed in cold water, hot water.
See solubility in diethyl ether.

Solubility:

Soluble in diethyl ether.
Insoluble in cold water, hot water.
Pyrene is fairly soluble in organic solvents.
It is soluble in alcohol, benzene, carbon disulfide, ether, petroleum ether, and toluene

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents.

Corrosivity: Not available.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 800 mg/kg [Mouse].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.

Other Toxic Effects on Humans:

Hazardous in case of ingestion, of inhalation.

Slightly hazardous in case of skin contact (irritant, permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May affect genetic material (mutagenic).

May cause cancer (tumorigenic) according to animal data.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects:

Skin: May cause skin irritation. May be absorbed through skin.

Eyes: May cause eye irritation. Conjunctival irritation may be noted.

Inhalation: May cause respiratory tract irritation.

Ingestion: May cause gastrointestinal tract irritation. May affect behavior/Central Nervous System (excitation and muscel spasicity), liver and urinary system, and immune system, and blood.

Section 12: Ecological Information

Ecotoxicity: Ecotoxicity in water (LC50): 1.8 mg/l 48 hours [Water flea].

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:

Connecticut carcinogen reporting list.: Pyrene
Illinois chemical safety act: Pyrene
New York release reporting list: Pyrene
Pennsylvania RTK: Pyrene
Massachusetts RTK: Pyrene
Massachusetts spill list: Pyrene
New Jersey: Pyrene
New Jersey spill list: Pyrene
Louisiana RTK reporting list: Pyrene
Louisiana spill reporting: Pyrene
California Director's list of Hazardous Substances: Pyrene
TSCA 8(b) inventory: Pyrene
TSCA 8(a) CAIR: Pyrene
TSCA 8(d) H and S data reporting: Pyrene: June 1, 1987-June1, 1997
SARA 302/304/311/312 extremely hazardous substances: Pyrene
CERCLA: Hazardous substances.: Pyrene: 5000 lbs. (2268 kg)

Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC):

R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

S2- Keep out of the reach of children.

S36/37- Wear suitable protective clothing and gloves.

S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 1

Reactivity: 0

Personal Protection: C

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves (impervious).

Synthetic apron.

Not applicable.

Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/09/2005 06:14 PM

Last Updated: 11/06/2008 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.



New Jersey Department of Health and Senior Services

HAZARDOUS SUBSTANCE FACT SHEET

Common Name: **TRICHLOROETHYLENE**

CAS Number: 79-01-6
DOT Number: UN 1710

RTK Substance number: 1890
Date: April 1994 Revision: January 2000

HAZARD SUMMARY

- * **Trichloroethylene** can affect you when breathed in.
- * **Trichloroethylene** may cause mutations. Handle with extreme caution.
- * Contact can irritate and burn the skin and eyes with possible eye damage.
- * Exposure can cause lightheadedness, dizziness, unconsciousness, visual disturbances, nausea and vomiting. Very high levels can cause irregular heartbeat which can be fatal.
- * **Trichloroethylene** may cause a skin allergy. If allergy develops, very low future exposure can cause itching and a skin rash.
- * Repeated exposure can cause memory loss, headache, and depression.
- * **Trichloroethylene** may damage the liver and kidneys.

- * If you think you are experiencing any work-related health problems, see a doctor trained to recognize occupational diseases. Take this Fact Sheet with you.
- * **ODOR THRESHOLD = 82 to 110 ppm.**
- * The range of accepted odor threshold values is quite broad. Caution should be used in relying on odor alone as a warning of potentially hazardous exposures.

IDENTIFICATION

Trichloroethylene is a colorless liquid with a sweet odor. It is used as a solvent for degreasing and dry cleaning, and in printing inks, paints, lacquers, varnishes, and adhesives.

REASON FOR CITATION

- * **Trichloroethylene** is on the Hazardous Substance List because it is regulated by OSHA and cited by ACGIH, DOT, NIOSH, DEP, HHAG, NFPA and EPA.
- * This chemical is on the Special Health Hazard Substance List because it is a **MUTAGEN**.
- * Definitions are provided on page 5.

HOW TO DETERMINE IF YOU ARE BEING EXPOSED

The New Jersey Right to Know Act requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information and training concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard, 1910.1200, requires private employers to provide similar training and information to their employees.

- * Exposure to hazardous substances should be routinely evaluated. This may include collecting personal and area air samples. You can obtain copies of sampling results from your employer. You have a legal right to this information under OSHA 1910.1020.

WORKPLACE EXPOSURE LIMITS

OSHA: The legal airborne permissible exposure limit (PEL) is **100 ppm** averaged over an 8-hour workshift, **200 ppm** not to be exceeded during any 15 minute work period, and **300 ppm** for 5 minutes in any 2-hour work period.

NIOSH: The recommended airborne exposure limit is **25 ppm** averaged over a 10-hour workshift.

ACGIH: The recommended airborne exposure limit is **50 ppm** averaged over an 8-hour workshift and **100 ppm** as a STEL (short term exposure limit).

- * **Trichloroethylene** may cause mutations. All contact with this chemical should be reduced to the lowest possible level.

WAYS OF REDUCING EXPOSURE

- * Where possible, enclose operations and use local exhaust ventilation at the site of chemical release. If local exhaust ventilation or enclosure is not used, respirators should be worn.
- * Wear protective work clothing.
- * Wash thoroughly immediately after exposure to **Trichloroethylene** and at the end of the workshift.
- * Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards of **Trichloroethylene** to potentially exposed workers.

This Fact Sheet is a summary source of information of all potential and most severe health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

HEALTH HAZARD INFORMATION

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Trichloroethylene**:

- * Contact can irritate and burn the skin and eyes with possible eye damage.
- * Exposure can cause lightheadedness, dizziness, unconsciousness, visual disturbances, nausea and vomiting. Very high levels can cause irregular heartbeat which can be fatal.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Trichloroethylene** and can last for months or years:

Cancer Hazard

- * There is limited evidence that **Trichloroethylene** causes cancer in animals. It may cause lung and liver cancer.
- * **Trichloroethylene** may cause mutations (genetic changes).
- * Many scientists believe there is no safe level of exposure to a carcinogen.

Reproductive Hazard

- * There is no evidence that **Trichloroethylene** affects reproduction. This is based on test results presently available to the New Jersey Department of Health and Senior Services from published studies.

Other Long-Term Effects

- * **Trichloroethylene** may cause a skin allergy. If allergy develops, very low future exposure can cause itching and a skin rash.
- * Repeated exposure can cause memory loss, headache, intolerance of alcohol, depression, and weakness in the arms and legs.
- * **Trichloroethylene** may damage the liver and kidneys.
- * Repeated contact can cause irritation, blistering, roughening, and cracking of the exposed skin.

MEDICAL

Medical Testing

For those with frequent or potentially high exposure (half the TLV or greater, or significant skin contact), the following are recommended before beginning work and at regular times after that:

- * Liver and kidney function tests.

If symptoms develop or overexposure is suspected, the following are recommended:

- * Exam of the nervous system. Consider nerve conduction tests.
- * Urinary *Trichloroacetic Acid* level (for repeated exposures) or blood **Trichloroethylene** levels (for acute exposure).
- * Evaluation by a qualified allergist, including careful exposure history and special testing, may help diagnose skin allergy.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under OSHA 1910.1020.

Mixed Exposures

- * Because more than light alcohol consumption can cause liver damage, drinking alcohol can increase the liver damage caused by **Trichloroethylene**.

WORKPLACE CONTROLS AND PRACTICES

Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

In evaluating the controls present in your workplace, consider: (1) how hazardous the substance is, (2) how much of the substance is released into the workplace and (3) whether harmful skin or eye contact could occur. Special controls should be in place for highly toxic chemicals or when significant skin, eye, or breathing exposures are possible.

In addition, the following control is recommended:

- * Where possible, automatically pump liquid **Trichloroethylene** from drums or other storage containers to process containers.

Good **WORK PRACTICES** can help to reduce hazardous exposures. The following work practices are recommended:

- * Workers whose clothing has been contaminated by **Trichloroethylene** should change into clean clothing promptly.
- * Contaminated work clothes should be laundered by individuals who have been informed of the hazards of exposure to **Trichloroethylene**.
- * Eye wash fountains should be provided in the immediate work area for emergency use.
- * If there is the possibility of skin exposure, emergency shower facilities should be provided.
- * On skin contact with **Trichloroethylene**, immediately wash or shower to remove the chemical. At the end of the workshift, wash any areas of the body that may have contacted **Trichloroethylene**, whether or not known skin contact has occurred.
- * Do not eat, smoke, or drink where **Trichloroethylene** is handled, processed, or stored, since the chemical can be swallowed. Wash hands carefully before eating, drinking, smoking, or using the toilet.
- * Do not smoke in the work area. Even a little vapor inhaled through a burning cigarette, cigar, or pipe will be converted into more highly toxic substances.

PERSONAL PROTECTIVE EQUIPMENT

WORKPLACE CONTROLS ARE BETTER THAN PERSONAL PROTECTIVE EQUIPMENT. However, for some jobs (such as outside work, confined space entry, jobs done only once in a while, or jobs done while workplace controls are being installed), personal protective equipment may be appropriate.

OSHA 1910.132 requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Clothing

- * Avoid skin contact with **Trichloroethylene**. Wear solvent-resistant gloves and clothing. Safety equipment suppliers/manufacturers can provide recommendations on the most protective glove/clothing material for your operation.
- * All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.
- * ACGIH recommends *Viton*, *Polyvinyl Alcohol*, *Teflon* and *Silver Shield* as protective materials.

Eye Protection

- * Wear indirect-vent, impact and splash resistant goggles when working with liquids.
- * Wear a face shield along with goggles when working with corrosive, highly irritating or toxic substances.
- * Contact lenses should not be worn when working with this substance.

Respiratory Protection

IMPROPER USE OF RESPIRATORS IS DANGEROUS.

Such equipment should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing and medical exams, as described in OSHA 1910.134.

- * Where the potential exists for exposure over **25 ppm**, use a MSHA/NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.
- * Exposure to **1,000 ppm** is immediately dangerous to life and health. If the possibility of exposure above **1,000** exists, use a MSHA/NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode.

HANDLING AND STORAGE

- * Prior to working with **Trichloroethylene** you should be trained on its proper handling and storage.
- * **Trichloroethylene** must be handled and stored away from operations which generate HIGH TEMPERATURES such as ARC WELDING or CUTTING, UNSHIELDED RESISTANCE HEATING, OPEN FLAMES, and HIGH INTENSITY LIGHT, as poisonous gases are produced.
- * **Trichloroethylene** must be stored to avoid contact with CHEMICALLY ACTIVE METALS (such as ALUMINUM, POTASSIUM, SODIUM, MAGNESIUM and ZINC); NITRIC ACID; and REDUCING AGENTS since violent reactions occur.
- * **Trichloroethylene** is not compatible with OXIDIZING AGENTS (such as PERCHLORATES, PEROXIDES, PERMANGANATES, CHLORATES, NITRATES, CHLORINE, BROMINE and FLUORINE).
- * **Trichloroethylene** in contact with STRONG BASES (such as SODIUM HYDROXIDE and POTASSIUM HYDROXIDE) results in the evolution of spontaneously flammable and explosive *Dichloroacetylene*.
- * Store in tightly closed containers in a cool, well-ventilated area away from SUNLIGHT and MOISTURE.

QUESTIONS AND ANSWERS

- Q: If I have acute health effects, will I later get chronic health effects?
- A: Not always. Most chronic (long-term) effects result from repeated exposures to a chemical.
- Q: Can I get long-term effects without ever having short-term effects?
- A: Yes, because long-term effects can occur from repeated exposures to a chemical at levels not high enough to make you immediately sick.
- Q: What are my chances of getting sick when I have been exposed to chemicals?
- A: The likelihood of becoming sick from chemicals is increased as the amount of exposure increases. This is determined by the length of time and the amount of material to which someone is exposed.
- Q: When are higher exposures more likely?
- A: Conditions which increase risk of exposure include physical and mechanical processes (heating, pouring, spraying, spills and evaporation from large surface areas such as open containers), and "confined space" exposures (working inside vats, reactors, boilers, small rooms, etc.).
- Q: Is the risk of getting sick higher for workers than for community residents?
- A: Yes. Exposures in the community, except possibly in cases of fires or spills, are usually much lower than those found in the workplace. However, people in the community may be exposed to contaminated water as well as to chemicals in the air over long periods. This may be a problem for children or people who are already ill.
- Q: What are the likely health problems from chemicals which cause mutations?
- A: There are two primary health concerns associated with mutagens: (1) cancers can result from changes induced in cells and, (2) adverse reproductive and developmental outcomes can result from damage to the egg and sperm cells.
- Q: Don't all chemicals cause cancer?
- A: No. Most chemicals tested by scientists are not cancer-causing.
- Q: Should I be concerned if a chemical causes cancer in animals?
- A: Yes. Most scientists agree that a chemical that causes cancer in animals should be treated as a suspected human carcinogen unless proven otherwise.

- Q: But don't they test animals using much higher levels of a chemical than people usually are exposed to?
- A: Yes. That's so effects can be seen more clearly using fewer animals. But high doses alone don't cause cancer unless it's a cancer agent. In fact, a chemical that causes cancer in animals at high doses could cause cancer in humans exposed to low doses.

The following information is available from:

New Jersey Department of Health and Senior Services
Occupational Health Service
PO Box 360
Trenton, NJ 08625-0360
(609) 984-1863
(609) 292-5677 (fax)

Web address: <http://www.state.nj.us/health/eoh/odisweb/>

Industrial Hygiene Information

Industrial hygienists are available to answer your questions regarding the control of chemical exposures using exhaust ventilation, special work practices, good housekeeping, good hygiene practices, and personal protective equipment including respirators. In addition, they can help to interpret the results of industrial hygiene survey data.

Medical Evaluation

If you think you are becoming sick because of exposure to chemicals at your workplace, you may call personnel at the Department of Health and Senior Services, Occupational Health Service, who can help you find the information you need.

Public Presentations

Presentations and educational programs on occupational health or the Right to Know Act can be organized for labor unions, trade associations and other groups.

Right to Know Information Resources

The Right to Know Infoline (609) 984-2202 can answer questions about the identity and potential health effects of chemicals, list of educational materials in occupational health, references used to prepare the Fact Sheets, preparation of the Right to Know survey, education and training programs, labeling requirements, and general information regarding the Right to Know Act. Violations of the law should be reported to (609) 984-2202.

DEFINITIONS

ACGIH is the American Conference of Governmental Industrial Hygienists. It recommends upper limits (called TLVs) for exposure to workplace chemicals.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is assigned by the Chemical Abstracts Service to identify a specific chemical.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes irreversible damage to human tissue or containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

HHAG is the Human Health Assessment Group of the federal EPA.

IARC is the International Agency for Research on Cancer, a scientific group that classifies chemicals according to their cancer-causing potential.

A **miscible** substance is a liquid or gas that will evenly dissolve in another.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

MSHA is the Mine Safety and Health Administration, the federal agency that regulates mining. It also evaluates and approves respirators.

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NAERG is the North American Emergency Response Guidebook. It was jointly developed by Transport Canada, the United States Department of Transportation and the Secretariat of Communications and Transportation of Mexico. It is a guide for first responders to quickly identify the specific or generic hazards of material involved in a transportation incident, and to protect themselves and the general public during the initial response phase of the incident.

NCI is the National Cancer Institute, a federal agency that determines the cancer-causing potential of chemicals.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the Public Employees Occupational Safety and Health Act, a state law which sets PELs for New Jersey public employees.

ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

TLV is the Threshold Limit Value, the workplace exposure limit recommended by ACGIH.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.

Appendix H
Respiratory Protection Program

RESPIRATORY PROTECTION PROGRAM

APPENDIX H
RESPIRATORY PROTECTION PROGRAM

TABLE OF CONTENTS

SECTION.....	PAGE
1.0 PURPOSE.....	1
2.0 SCOPE	1
3.0 POLICY	1
4.0 CODES AND REGULATIONS.....	1
5.0 DESIGNATION OF ADMINISTRATOR	2
6.0 PURCHASE OF APPROVED EQUIPMENT	2
7.0 RESPIRATORY SELECTION	2
7.1 SELECTION.....	3
7.2 COMFORT	3
8.0 ISSUANCE OF EQUIPMENT	4
8.1 FITTING	4
8.2 FAMILIARIZATION	4
8.3 FIT-TESTING REQUIREMENTS.....	5
8.3.1 ODOROUS VAPOR TEST	5
8.3.2 TASTE TEST	5
8.4 FIELD TEST.....	5
8.4.1 POSITIVE PRESSURE TEST.....	6
8.4.2 NEGATIVE PRESSURE TEST	6
8.5 RECORD KEEPING OF TEST RESULTS	6
9.0 TRAINING	6
9.1 TRAINING PROGRAM.....	6
9.2 RESPIRATOR TRAINING RECORD	7
10.0 CARE AND MAINTENANCE	7
10.1 CLEANING THE RESPIRATOR	8
10.2 STORING THE RESPIRATOR	8
10.3 INSPECTING THE RESPIRATORS	8
10.4 CARE AND MAINTENANCE RECORDS.....	9
11.0 MEDICAL REQUIREMENTS.....	9
11.1 MEDICAL EXAMINATIONS	9
11.2 MEDICAL FORMS.....	10
11.3 MAINTENANCE RECORDS	10

HASP
DATE: JAN-01
RESPIRATORY PROTECTION PROGRAM

TABLE OF CONTENTS (Continued)

12.0	WORK AREA SURVEILLANCE.....	10
13.0	VOLUNTARY USE OF RESPIRATORS	11
14.0	PROGRAM EVALUATION.....	11
15.0	VIOLATION AND DISCIPLINARY ACTION.....	11
	15.1 Disciplinary Action	11
16.0	REPORTING RESPIRATOR PROBLEMS	11

RESPIRATORY PROTECTION PROGRAM

1.0 PURPOSE

The standard established uniform guidelines for complying with the requirements of the Occupational Safety and Health Administration (OSHA) for Respiratory Protection, Title 29, Part 1910, Section 134 of the Code of Federal Regulations, and provides organization-wide procedures for the proper selection, use and care of respiratory protective equipment.

2.0 SCOPE

This standard applies to all Langan projects with which there is a potentially elevated airborne exposure above regulatory permissible exposure limits.

3.0 POLICY

Every consideration will be given to the use of effective administrative and engineering controls to eliminate or reduce exposure to respiratory hazards to the point where respirators are not required in controlling toxic substances, appropriate respiratory protective equipment will be provided by the company at no charge to the employee.

Respiratory protective devices will be appropriate for the hazardous material(s) involved, and the extent and nature of the work requirements and conditions.

Employees required to use respirators will be properly fitted, appropriately tested, medically screened, and thoroughly trained in their use.

4.0 CODES AND REGULATIONS

General applicability of Codes and Regulations. Except to the extent that requirements that are more stringent are written directly into this standard, all applicable codes and regulations have the same force and effect as if copied directly into this standard.

FEDERAL REGULATIONS: Those standards governing the development of this program include, but are not limited to, the following:

Asbestos Regulations - Industrial

Title 29, Part 1910 Section 1001 of the Code of Federal Regulations

Asbestos Regulations - Construction

Title 29, Part 1926, Section 1101 of the Code of Federal Regulations

Lead Regulations - Construction

**HASP
RESPIRATORY PROTECTION PROGRAM**

Title 29, Part 1926, Section 62 of the Code of Federal Regulations

Respiratory Protection

Title 29, Part 1910, Section 134 of the Code of Federal regulations, as revised April 8, 1998.

Access to Employee Exposure and Medical Records

Title 29, Part 1910, Section 20 of the Codes of Federal Regulations

NIOSH Approvals for Respirators

Title 42 CFR 84, of the Code of Federal Regulations, as revised April 8, 1998.

American National Standards Institute (ANSI)

American National Standard: Practices for respiratory Protection, Z88, 2-1980, revised 1992.

5.0 DESIGNATION OF ADMINISTRATOR

The designated program administrator if the Corp. Safety Officer who has the responsibility for implementation of, and the adherence to, the provisions of this respiratory protection program. The Corp. Safety Officer will designate a person who is responsible for the enforcement of the program at each job site. This will be the site supervisor/foreman or on-site safety representative.

In order to comply with OSHA's competent person requirements, the person designated must have two qualifications. He or she must have experience in identifying and controlling exposures, and authority to promptly prevent and correct hazardous conditions.

6.0 PURCHASE OF APPROVED EQUIPMENT

In order to comply with the provisions of OSHA's Standard on Respiratory Protection, 29 CFR 1910.134, all respiratory protective equipment purchased by Langan will have been tested by the National Institute of Occupational Safety and Health (NIOSH) and will carry a joint NIOSH/MSHA approval number for that specific respirator assembly. All respiratory protective equipment purchased after October 8, 1998 will have been tested by NIOSH and will carry a NIOSH specified approval number for that specific respirator assembly.

7.0 RESPIRATORY SELECTION

In selecting the correct respirator for a given circumstance the following factors must be taken into consideration:

Nature of the Hazard - In order to make subsequent decisions, the nature of the hazard must be identified to ensure that an over exposure does not occur. These include oxygen deficiency, physical properties of the hazard, actual concentrations of the toxic substances, the Permissible Exposure Limits (PEL), and the warning characteristics.

*U:\DATA5\170121501\OFFICE DATA\REPORTS\PHASE II WORK PLAN\HASP\APPENDICES\APPENDIX_H
RESPIRATORY PROTECTION PROGRAM.DOC*

**HASP
RESPIRATORY PROTECTION PROGRAM**

Nature of the Hazardous Operations - For proper respirator selection, it is necessary to know the details of the operations which require employees to use devices. These include operations or process characteristics, and work characteristics which may necessitate alternate respirator selection.

Location of the Hazardous Area - This is important in the selection process so that a backup system may be planned, if necessary. Respirable or emergency operations may be planned.

Time Respiratory Protection is Required - The length of time a respirator will have to be worn by an employee is a factor which must be evaluated. This is most pronounced when using SCBA equipment where, by definition, the air supply is limited. However, time is also a factor during routine use of air purifying respirators when the employee's breathing and comfort become affected by clogged filter cartridges which may need changing.

Employee's Health - Effective usage of a respirator is dependent on an individual's ability to wear a respirator as determined by a physician. Most respiratory devices increase physical stress on the body, especially the heart and lung. Care should be taken to ensure that medical determination has been made that an individual is capable of wearing a respirator for the duration of the work assignment (See Section 11.0 of the Standard).

Work Activity - The type of work activities to be performed while wearing a respirator is vitally important in the respirator selection. The proper respirator will be one which is least disruptive to the task being conducted, yet providing the desired protection.

Respirator Characteristics, Capabilities, and Limitations - The tables in Exhibits 1 and 2 have been reproduced from ANSI Z99.2-1992. They provide a description of various respirator characteristics, capabilities, and limitations.

Protection Factors - The protection afforded by respirators is dependent upon the seal of the face piece to the face. The degree of protection may be ascertained and a relative safety factor as designed. Protection factors are only applicable if all elements of an effective respirator program are in place and being enforced.

7.1 SELECTION

Where respirators are used, Langan, will select and provide, at no cost to the employees, the appropriate respirator, as specified in the following charts, and will ensure that the employee uses the respirator provided.

Exhibit 3 - Selection Chart for Routine Respirator Use

7.2 COMFORT

Once the type of respirator has been selected, that is applicable and suitable for the purpose intended, the selection process should give consideration to the fit and comfort of the respirator.

The employee should be given the opportunity to select a respirator which provides the most comfortable fit. Since each respirator represents a different size and shape, a respirator which fits better during selection will provide better protection after fit testing. For this purpose, the employee should be shown how to access a comfortable device and should eliminate those which are obviously ill fitting.

*U:\DATA5\170121501\OFFICE DATA\REPORTS\PHASE II WORK PLAN\HASP\APPENDICES\APPENDIX_H
RESPIRATORY PROTECTION PROGRAM.DOC*

**HASP
RESPIRATORY PROTECTION PROGRAM**

An assessment of comfort should include the following points:

Chin properly placed	Fit across nose bridge
Positioning of mask on nose	Room for safety glasses
Strap tension	Distance from nose to bridge
Room to talk	Tendency to slip
Cheeks filled out	Hindrance to movement

8.0 ISSUANCE OF EQUIPMENT

When practical, respirators should be assigned to individual employees for their exclusive use and labeled for identification in such a way as not to affect the performance of the respirator.

8.1 FITTING

After the employee has been shown how to assess a respirator, he/she should be shown how to don a respirator, how it should be positioned on the face, how to set strap tension, and how to determine a proper fit.

Note: The instruction should take the form of a review and should not be considered the employee's formal training.

The employee should hold each face piece up to the face and eliminate those which obviously do not give a comfortable or proper fit. Normally, fitting should start with a half-face mask and if a good fit cannot be found, the employee should then try a full-face mask.

8.2 FAMILIARIZATION

Once the proper fitting respirator has been selected, the employee should don the device, adjusting the face piece and tension straps. He/she should wear the mask for as least five minutes before taking it off and putting it on several times, adjusting the straps each time to become familiar with the respirator and adept at setting the proper tension on the straps.

**HASP
RESPIRATORY PROTECTION PROGRAM**

8.3 FIT-TESTING REQUIREMENTS

OSHA requires that respirators be fitted properly and that they be tested for their face piece to face seal. There are currently two methods acceptable for conducting these tests. Qualitative and Quantitative Fit Testing. The Qualitative method is a fast, easily conducted test that can be performed almost anywhere, while the Quantitative method requires the use of bulky test chambers and very expensive electronic equipment. The Qualitative method applies only to negative pressure non-powered air-purifying respirators. Due to numerous field locations in which fit testing must be accomplished the Qualitative fit test shall be utilized throughout Langan's organization.

Qualitative fit testing is based on the wearer's subjective response to the test agent of chemical of which the two most popular tests are: the odorous vapor test, and the taste test. (See Exhibit 5 procedures). The following represents a brief summary of how to conduct each of these tests.

8.3.1 ODOROUS VAPOR TEST

The odorous vapor test relies on the respirator wearer's ability to detect odorous materials, usually isoamyl acetate saturated material around the outside of the respirator. If the wearer is unable to smell the chemical, then a satisfactory fit is assumed to be achieved.

When an air-purifying respirator is tested by this method, it should be equipped with an inorganic vapor cartridge which removes the test vapor from the air.

Note: This test is solely dependent upon the employee's honest response, there is no involuntary reaction. For that reason, it is the preferred test method.

8.3.2 TASTE TEST

The taste test relies upon the wearer's ability to detect a chemical substance, usually sodium saccharin, by tasting it inside the respirator. The test performed by placing an enclosure over the respirator wearer's head and shoulders, and spraying the test agent into the enclosure with a nebulizer. If the wearer is unable to taste the chemical, then a satisfactory fit is assumed to be achieved.

Note: This test is totally dependent on the wearer's honest indication of taste. There is no involuntary response and therefore is not preferred as the method of testing. When conducting this type of test, the person being tested must not be allowed to eat, drink, chew gum or tobacco, or smoke.

8.4 FIELD TEST

There are two tests that are used in the field to check the seal of the respirator. These are known as the positive and negative pressure sealing tests. Each of these two tests must be performed every time a respirator is put on, and prior to entering a contaminated area.

**HASP
RESPIRATORY PROTECTION PROGRAM**

Note: Although both the positive and negative pressure tests are considered essential to a good respiratory protection program and should always be used prior to entering an area of exposure, they are recognized solely as a field test and cannot be substituted for the qualitative fit test.

8.4.1 POSITIVE PRESSURE TEST

1. This test only applies to those respirators which have an exhalation valve which can be blocked. The exhalation valve may have to be removed for the test.
2. Close or block off at the exhalation valve.
3. Exhale gently into face pieces.
4. If a slight pressure is built up, with no apparent outward leakage around face pieces to face, seal is assumed to be satisfactory.

8.4.2 NEGATIVE PRESSURE TEST

1. Close the inlet opening or hose of the respirator face pieces with the hand(s), tape or the other means.
2. Inhale gently so that the face pieces collapse slightly and hold the breath for ten seconds.
3. If the face piece remains slightly collapsed and no inward leakage occurs, then the face piece to seal is assumed satisfactory.

8.5 RECORD KEEPING OF TEST RESULTS

A summary of the test results for each employee on whom a qualitative fit test was conducted will be documented on the Respirator Test Summary (See Exhibit 6). This record will then become a part of the employee's medical record and will be retained for the same time period as the medical records.

9.0 TRAINING

Respirators will not be issued to individuals (including company officials, subcontractors, or visitors) who have not received appropriate training and medical clearance.

9.1 TRAINING PROGRAM

The extent and frequency of employee *training depends primarily on the nature and extent of the hazard*. As a minimum, all employees and supervisory personnel will be trained in basic respirator practices. It must be remembered that respirators are effective only when they are acceptable to the employee and worn properly by him/her. Because proper use depends especially upon the wearer's motivation, it is important that the need for the respirator be explained fully.

The basic respirator-training program must include:

***U:\DATA5\170121501\OFFICE DATA\REPORTS\PHASE II WORK PLAN\HASP\APPENDICES\APPENDIX_H
RESPIRATORY PROTECTION PROGRAM.DOC***

**HASP
RESPIRATORY PROTECTION PROGRAM**

- § A discussion of the nature of airborne contaminants against which the employee must be protected and why engineering and/or administrative controls have not been effective in controlling exposure to the point where respirators are not required.
- § A discussion of why the respirator, which has been selected for this job, is the proper device for this particular purpose.
- § Instruction on the respirator's limitations, emphasizing such things as oxygen deficiency, toxic contaminants which are immediately dangerous to life or health, and the need for changing filter cartridges when indicated to do so by testing, or when breathing resistance increases to an uncomfortable level.
- § Instructions on how to inspect the respirator and ensure that it is in proper working condition.
- § Instructions on how to put on a respirator, how it should be positioned on the face, how to set strap tension and how to wear the respirator comfortably.
- § Instructions on the method of fit-testing used and the proper way to conduct positive and negative pressure test each time the respirator is put on. During this instruction, the wearer must be made to understand that the respirator cannot be used when conditions prevent a satisfactory face piece to face seal. If this condition cannot be corrected, the employee cannot be allowed into the area requiring the use of a respirator.
- § Instructions in the proper care and maintenance of the respirator.
- § A discussion on the value of medical surveillance and air sample exposure monitoring.
- § Field training to recognize and cope with any type of emergency while using the respirator.

9.2 RESPIRATOR TRAINING RECORD

Upon completion of the basic respirator training program, the employee will be required to read and sign the Respirator Training Record (See Exhibit 5) attesting to the fact that they have received the basic training program and feel confident in their ability to use the respirator properly. The signed and dated Respiratory Training Record will then become part of the employee's medical records and will be retained for the same period of time as those records.

10.0 CARE AND MAINTENANCE

Personnel involved in respirator maintenance must be thoroughly trained. Substitution of parts from different brands or type of respirators invalidate approval of the device. Repairs and adjustments should never be made beyond the manufacturer's recommendations.

**HASP
RESPIRATORY PROTECTION PROGRAM**

10.1 CLEANING THE RESPIRATOR

Respirators must be cleaned and disinfected after each day's use when they are assigned to one individual or after each use if they are assigned to more than one person. The following procedures are recommended for cleaning and disinfecting the respirator:

- § If required, remove and discard filters or cartridges.
- § Wash face piece and breathing tube in detergent and warm water (120⁰F) or cleaner/disinfectant solution. Use a soft brush to facilitate removal of dirt. Cleaner/disinfectant solutions are available from respirator manufacturers or it can be made using a solution of water and household chemicals such as two tablespoons of chlorine bleach to one gallon of water or one teaspoon or tincture of iodine solution is sufficient for disinfecting. Do not use an alcohol-based solution to clean and disinfect a respirator face piece.
- § Rinse completely in clean warm water.
- § Air-dry in clean air.
- § Clean out other parts, as recommended by the manufacturer.
- § Inspect the valves, head straps, and other parts - replace with new parts if defective.
- § Place face piece in a plastic bag or container for storage in an assigned area.
- § Insert new filters or cartridges prior to use, making sure the seals are tight.

10.2 STORING THE RESPIRATOR

When they are not being used, respirators should be individually sealed in plastic bags and stored at convenient locations in order to protect them against dust, sunlight, extreme temperatures, excessive moisture, or damaging chemicals. They should be stored in such a way that the face piece and exhalation valve are not being distorted.

10.3 INSPECTING THE RESPIRATORS

All respirators should be inspected before and after use, and at least monthly by a competent person to assure that they are in satisfactory working condition. A general inspection checklist should include:

- § Tightness of connections
- § Conditions of face piece straps, connecting tubes, and cartridge
- § Condition of exhalation and inhalation valves: If the side of the exhalation valve gaps even slightly, it must be replaced with a new valve.

**HASP
RESPIRATORY PROTECTION PROGRAM**

§ Pliability and flexibility of rubber parts: Deteriorated rubber parts must be replaced, unused rubber parts should be worked, stretched and manipulated, with a massaging action.

§ Proper function of regulations and warning devices

Respiratory protection is no better than the condition of the respirator in use, even though it is worn conscientiously. Frequently, random inspections must be conducted by a qualified individual to assure that the respirators are properly selected, fitted, used, cleaned, and maintained.

On the inside of the respirator face piece, the manufacturer is required to affix a stamp indicating the production date of the face piece. Respirator face pieces have a life expectancy of three years, therefore, face pieces should be replaced after every three years of use.

Note: For a detailed respirator checklist, refer to the Respirator Inspection Chart in Exhibit 7.

10.4 CARE AND MAINTENANCE RECORDS

A written record should be maintained of the Care and Maintenance program within each individual company. Information contained on this record should include inspection reports, replacement parts used, dates of repair, cleaning and type of disinfectant used and the names of persons doing the work. The respirator should be identified by manufacturer, model, and approval number. Records should be retained for a period of five years.

11.0 MEDICAL REQUIREMENTS

Employees of Langan will not be assigned to tasks requiring the use of a respirator unless it has been determined that they are physically able to perform work, and use the respirator.

11.1 MEDICAL EXAMINATIONS

Employees who are working at or above the Action Level¹ of a toxic substance for thirty (30) days or more per year, or who are using a negative pressure respirator, will be required to undergo a medical evaluation of the following frequency:

§ Prior to assignment of a respirator for those employees who will be issued a negative pressure respirator.

§ At least annually thereafter.

Each procedure of the medical examination and evaluation will be performed by or under the supervision of a licensed physician and will include, as a minimum, a chest x-ray both posterior and anterior, a medical and

¹ There is no Action level associated with asbestos exposure, therefore, workers assigned to asbestos work areas will be issued respirators independent of employee exposure levels.

**HASP
RESPIRATORY PROTECTION PROGRAM**

work history and special emphasis directed to the pulmonary, cardiovascular, and gastrointestinal systems to determine the presence of any possible respiratory diseases. A pulmonary function test which will include both the maximum amount of air that can be expired from the lungs after full inhalation (FVC) and maximum amount of air forcibly expired in one second after exhalation (FEV10).

The only exception to this requirement, for an initial medical examination, is if the employee or company can provide adequate records/documentation to show that he/she has been examined in accordance with the provision of this program within the past one (1) year period.

11.2 MEDICAL FORMS

When conducting the initial medical examination, the standard medical questionnaire must be used. During the annual re-examination, the abbreviated standardized medical questionnaire should be used.

In addition to the standardizing questionnaires, the physician must also be furnished with a copy of the latest OSHA standards governing the type of exposure the employee will be involved in. A description of the employee's duties as they relate to the exposure, the anticipated exposure level, a description of the respiratory protection equipment to be used, and any available information from the previous medical examinations of the employee must also be furnished to the physician.

At the conclusion of the examination, the physician will submit a written opinion to Langan. This will contain the results of the examination, and conditions discovered by the physician that will prohibit the employee from using a respirator and any recommendations from the physician regarding the employee's limitations. It will also contain a statement from the physician that he/she has informed the employee of the results of the examination. A copy of the physician's opinion must be furnished to the employee by the company within thirty (30) days of its receipt by the company.

11.3 MAINTENANCE RECORDS

All records pertaining to the employee's medical examination must be retained for a period of thirty (30) years.

12.0 WORK AREA SURVEILLANCE

As of October 8, 1998, the Respiratory Protection Standard 29 CFR 1910.134, requires the employer to monitor the continued effectiveness and appropriateness of the respirators selected for a particular work area. This includes identification of work area containment(s), the nature of the hazards, concentration at the breathing zone and, if appropriate, biological monitoring. The industrial hygienist who is conducting the air sampling should carefully document any apparent deficiencies in surveillance necessary to the respirator program.

**HASP
RESPIRATORY PROTECTION PROGRAM**

13.0 VOLUNTARY USE OF RESPIRATORS²

Langan will periodically perform Negative Exposure Assessments (NEA) in order to document worker exposure and ensure the proper selection of respirators. If the NEA indicates that a specific work practice does not require the use of respirators, then the employees assigned to such tasks will not be issued respirators. However, if employees voluntarily decide to wear respirators, they must participate in the Langan Medical Surveillance Program.

14.0 PROGRAM EVALUATION

The program administration should periodically assess the effectiveness of the respiratory protection program during all phases of operation in which respiratory protection is being used. Frequent walk-through inspections during these activities should be conducted to monitor and document supervisor and worker compliance with the requirements of the program. In addition to specific evaluations of the respirator cleaning, inspection, maintenance, desired results of these operations are consistently achieved.

15.0 VIOLATION AND DISCIPLINARY ACTION

Due to Langan's heavy involvement in various industrial facilities, respiratory protection is a crucial part of the company's overall safety program. As such, mandatory compliance with all aspects of this program, by those employees required to use a respirator, is a condition of continuing employment.

15.1 Disciplinary Action

When it has come to the attention of a supervisor that an employee has deliberately removed his/her respirator or broken the face piece to the seal while in the contaminated area, the employee will be immediately suspended from work and instructed to leave the job site pending a final disposition. Random spot checks will be conducted to determine the effectiveness of the employee's fit test. Should the check, which will be a positive or negative pressure test conducted under the direction of a supervisor, indicated that the employee's respirator does not have satisfactory seal, the employee will be advised accordingly and instructed to leave the contaminated area. A written citation will be issued to the employee the first time he/she fails a random check. Two such citations on the same job will be sufficient cause for dismissal.

16.0 REPORTING RESPIRATOR PROBLEMS

Occasionally, the company may find a defect in the design or performance of a respirator. The best course to follow is to report these findings to the administrator of the company's respiratory protection program, which in turn, should report to Langan's Safety Officer. The respirator carries with it the approval of the National Institute of Occupational Safety and Health (NIOSH), the Corporate Safety Officer will report the findings to the respirator's manufacturer and to NIOSH.

² As of October 8, 1998, Respiratory Protection Programs must include provisions for voluntary use of respirators.

***HASP
RESPIRATORY PROTECTION PROGRAM***

This will be done by notifying the manufacturer of the defect in a report format and forwarding a copy of the report to NIOSH. The report will include the following:

- § The name, address, and telephone number of Langan
- § The name of the respirator's manufacturer
- § Model number of the respirator
- § The name and part number (if possible) of the defective part
- § A brief description of the respirator's use when the defect was discovered
- § A description of the defect
- § A description of the defects adverse effect on the respirator's performance

This report should be addressed to the NIOSH Division of Safety Research, testing and Certification Branch, 944 Chestnut Ridge Road, Morgan Town, West Virginia 26595.

EXHIBIT 1

CLASSIFICATION AND DESCRIPTION OF RESPIRATOR BY MODE OF OPERATION

1.0 ATMOSPHERE-SUPPLYING RESPIRATORS

A respirable atmosphere independent of the ambient air is supplied to the wearer.

Self-Contained Breathing Apparatus (SCBA). A supply of oxygen, or oxygen-generating material is carried by the wearer. Normally equipped with full-face piece, but may be equipped with a quarter-mask face piece, half-mask, helmet, hood or mouthpiece, and nose clamp.

1.1 CLOSED-CIRCUIT SCBA (Oxygen only, negative pressure or positive pressure)

1.1.1 COMPRESSED OR LIQUID OXYGEN TYPE

Equipped with a face piece or mouth piece and nose clamp. High-pressure oxygen from a gas cylinder passes through a high pressure-reducing valve and, in some designs, through a low-pressure admission valve to a breathing bag or container. Liquid oxygen is converted to low pressure gaseous oxygen and delivered to the breathing bag. The wearer inhales from the bag, through a corrugated tube connected to a mouthpiece or face piece and a one way check valve. Exhaled air passed through check valve and tube into a container of carbon dioxide removing chemical or as the bag deflates sufficiently to actuate an admission valve. A pressure-relief system is provided; and a manual bypass system and saliva trap may be provided depending upon the design.

1.1.2 OXYGEN-GENERATING TYPE

Equipped with a face piece or mouth piece and nose clamp. Water vapor in the exhaled breath reacts with chemicals in the canister to release oxygen to the breathing bag. The wearer inhales from the bag through a corrugated tube and one-way check valve at the face piece. Exhaled air passes through a second check valve breathing tube assembly into the canister. The oxygen-release rate is governed by the volume of exhaled air. Carbon dioxide in the exhaled breath is removed by the canister fill.

1.2 OPEN-CIRCUIT SCBA (Compressed air, compressed oxygen, liquid air, liquid oxygen).

A bypass system is provided in case of regulator failure, except on escape-type units.

1.2.1 DEMAND TYPE C

Equipped with a face piece or mouth piece and nose clamp. The demand valve permits oxygen or air flow only during inhalation. Exhaled breath passes to ambient atmosphere through a valve(s) in the face piece.

**HASP
RESPIRATORY PROTECTION PROGRAM**

1.2.2 PRESSURE-DEMAND TYPE D

Equipped with a face piece only. Positive pressure is maintained in the face piece. The apparatus may have provisions for the wearer to select the demand or pressure-demand mode of operation, in which case the demand mode should be used only when donning or removing the apparatus.

1.3. SUPPLIED-AIR RESPIRATOR

1.3.1 HOSE MASK

Equipped with a face piece, breathing tube, rugged safety harness, and a large diameter heavy-duty non-kinking air supply hose. The breathing tube and air-supply hose are securely attached to the harness. The face piece is equipped with an exhalation valve. The harness has provisions for attaching a safety line.

1.3.2 HOSE MASK WITH BLOWER

Air is supplied by a motor driven or hand operated blower. The wearer can continue to inhale through the hose if the blower fails. Up to 200 feet (91 meters) of hose length is permissible.

1.3.3 HOSE MASK WITHOUT BLOWER

The wearer provides motivating force to pull air through the hose. The hose inlet is anchored and filled with a funnel or like object covered with a fine mesh screen to prevent entrance of coarse particulate matter. Up to 75 feet (23 meters) of hose length permissible.

1.4. AIR-LINE RESPIRATOR

Respirable air is supplied through a small diameter hose from a compressor or compressed air cylinder(s). The hose is attached to the wearer by a belt or other suitable means and can be detached readily in an emergency. A flow-control valve or orifice is provided to govern the rate of air to the wearer. Exhaled air passes to the ambient atmosphere through a valve(s) or opening(s) in the enclosure (face piece, helmet, hood or suit). Up to 300 feet (91 meters) of hose length is permissible.

1.4.1 CONTINUOUS-FLOW CLASS

Equipped with a face piece, hood, helmet, or suit. At least 115 liters (4 cubic feet) of air per minute to light-fitting face pieces and 170 liters (6 cubic feet) of air per minute to loose-fitting helmets, hoods, and suits are required. Air is supplied to a suit through a system of internal tubes to the head, trunk, and extremities through valves located in appropriate parts of then suit.

1.4.2 DEMAND TYPE C

Equipped with a face piece only. The demand valve permits the flow of air only during inhalation.

**HASP
RESPIRATORY PROTECTION PROGRAM**

1.4.3 PRESSURE-DEMAND TYPE D

Equipped with a face piece only. A positive pressure is maintained in the face piece.

1.4.4 COMBINATION AIR-LINE RESPIRATORS WITH AUXILIARY SELF-CONTAINED AIR SUPPLY

Include an airline respirator with an auxiliary self-contained air supply. To escape from a hazardous atmosphere in the event the primary air supply fails to operate, the wearer switches to the auxiliary self-contained air supply. Devices approved for both entry into and escape from dangerous atmospheres have a low-pressure warning alarm and contain at least 15-minute self-contained air supply.

1.4.5 COMBINATION ATMOSPHERE-SUPPLY AND AIR-PURIFYING RESPIRATORS

Provide the wearer with the option of using either of two different modes of operation:

1. An atmosphere-supplying respirator with an auxiliary air purifying attachment which provides protection in the event the air supply fails; or
2. An air-purifying respirator with an auxiliary self-contained air supply which is used when the atmosphere may exceed safe conditions for use of an air-purifying respirator.

2.0 AIR-PURIFYING RESPIRATORS

Ambient air, prior to being inhaled, is passed through a filter, cartridge or canister which removes particles, vapors, gases, or a combination of these contaminants. The breathing action of the wearer operates the non-powered type of respirator. The power type contains a blower - stationary or carried by the wearer - which passes ambient air through an air-purifying component and then supplies purified air to the respirator inlet covering.

The non-powered type is equipped with a face piece or mouth piece and nose clamp. The powered type is equipped with a face piece, helmet, hood, or suit.

2.1. VAPOR - AND GAS - REMOVING RESPIRATOR

Equipped with cartridge(s) or canister(s) to remove a single vapor or gas (for example, chlorine gas), a single class of vapors or gases (for example: dust and fume), from air. Filter may be a replaceable part of a permanent part of the respirator. Filter may be the single-use or the reusable type.

2.2. PARTICULATE-REMOVING RESPIRATORS

Equipped with filter(s) to remove a single type of particulate matter (for example: dust), or a combination of two or more types of particulate matter (for example: dust and fume), from air. Filter may be a replaceable part of a permanent part of the respirator. Filter may be the single-use or the reusable type.

HASP
RESPIRATORY PROTECTION PROGRAM

2.3. COMBINATION PARTICULATE - AND VAPOR - AND GAS - REMOVING RESPIRATOR

Equipped with cartridge(s) or canister(s) to remove particulate matter, vapors, and gases from air. The filter may be a permanent part, or replacement part of a cartridge or canister.

- A. Device procedures negative pressure on respiratory inlet covering during inhalation
- B. Device procedures positive pressure on respiratory inlet covering during both inhalation and exhalation.
- C. Equipped with a demand valve that is activated on initiation of inhalation and permits the flow of breathing atmosphere to the face piece. On exhalation, pressure in the face piece becomes positive and the demand valve is deactivated.
- D. A positive pressure is maintained in the face piece by a spring loaded or balanced regulator and exhalation valve.

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 2

CAPABILITIES OF RESPIRATORS

1.0 ATMOSPHERE-SUPPLYING RESPIRATORS

Atmosphere-supplying respirators provide protection against deficiency and toxic atmospheres. The breathing atmosphere is independent of ambient atmospheric conditions.

1.1. GENERAL LIMITATION

Except for some airline suits, no protection is provided against skin irritation by material such as ammonia and hydrogen chloride, or against sorption of materials such as hydrogen cyanide, tritium, or organic phosphate pesticides through the skin. Face pieces present special problems to individuals required to wear prescriptive lenses (See 9.1). Use of atmosphere-supplying respirators in atmospheres immediately dangerous to life or health is limited to specific devices under specified conditions (See Table 5 and 9.3 and 9.4).

1.2. SELF CONTAINED BREATHING APPARATUS (SCBA)

The wearer carries his/her own breathing atmosphere.

1.2.1. LIMITATIONS

The period over which the device will provide protection is limited by the amount of air or oxygen in the apparatus, the ambient atmospheric pressure (service life of open-circuit devices is cut in half by a doubling of the atmospheric pressure), and the type of work being performed. Some SCBA devices have a short service life (less than 15 minutes) and are suitable only for escape (self-rescue) from an irrespirable atmosphere.

Chief limitations of SCBA devices are their weight or bulk, or both, limited service life, and the training required for their maintenance and safe use.

1.3. CLOSED-CIRCUIT SCBA

The closed-circuit operation conserves oxygen and permits longer service life at reduced weight. The negative pressure type produces a negative pressure in the respiratory -inlet covering during inhalation, and this may permit leakage of contaminants, whereas the positive pressure type always maintains a positive pressure in the respiratory-inlet covering, and is less apt to permit inward leakage of contaminants.

1.3.1. OPEN-CIRCUIT SCBA

The demand type produces a negative pressure in the respiratory-inlet covering during inhalation, whereas the pressure-demand type maintains a positive pressure in the respiratory-inlet covering during inhalation, and is less apt to permit inward leakage of contaminants.

**HASP
RESPIRATORY PROTECTION PROGRAM**

1.3.2. SUPPLIED-AIR RESPIRATORS

The respirable air supply is not limited to the quantity the individual can carry, and the devices are lightweight and simple.

1.3.2.1 LIMITATIONS

Limited to use in atmospheres from which the wearer can escape unharmed without the aid of the respirator. The wearer is restricted in movement by the hose and must return to a respirable atmosphere by re-tracing his/her route of entry. The hose is subject to being severed or pinched off.

1.4. HOSE MASK

The hose inlet or blower must be located and secured in a respirable atmosphere.

1.4.1. HOSE MASK WITH BLOWER

If the blower fails, the unit still provides protection, although a negative pressure exists in the face piece during inhalation.

1.4.2. HOSE MASK WITHOUT BLOWER

Maximum hose length may restrict application of device.

1.5. AIR-LINE RESPIRATOR (Continuous Flow, Demand, and Pressure-Demand Types)

The demand type produces a negative pressure in the face piece on inhalation, whereas continuous-flow and pressure-demand types maintain a positive pressure in the respiratory-inlet covering and are less apt to permit inward leakage of contaminants. Airline suits may protect against atmospheres that irritate the skin or that may be absorbed through unbroken skin.

1.5.1. LIMITATIONS

Airline respirators provide no protection if the air supply fails. Some contaminants, such as tritium, may penetrate the material of an airline suit and limit its effectiveness. Other contaminants, such as fluorine, may react chemically with the material on an airline suit and damage it.

1.5.2. COMBINATION AIR-LINE RESPIRATORS WITH AUXILIARY SC AIR SUPPLY

The advantages and disadvantages, expressed above, of the mode of operation being used will govern. The mode with greater limitations (air-purifying mode) will mainly determine the overall capabilities and limitation of the respirator, since the wearer may for some reason fail to change the mode of operation even though conditions would require such a change.

**HASP
RESPIRATORY PROTECTION PROGRAM**

2.0 AIR-PURIFYING RESPIRATORS

2.1. GENERAL LIMITATIONS

Air purifying respirators do not protect against oxygen-deficient atmospheres, or against skin irritations by, or sorption through the skin, of airborne contaminants. The maximum contaminant concentration against which an air-purifying respirator will protect is determined by the design efficiency and capacity of the cartridge, canister, or filter, and face piece-to-face seal on the user. For gases and vapors, the maximum concentration for which the air-purifying element is designated is specified by the manufacturer or is listed on labels of cartridges and canisters.

Non-powered air purifying will not provide the maximum design protection specified unless the face piece or mouth piece/nose clamp is carefully fitted to the wearer's face to prevent inward leakage (See 7.4). The time period over which protection is provided is dependent on canister, cartridge, or filter type; concentration of contaminant; humidity levels in the ambient atmosphere; and the wearer's respiratory rate.

The proper type of canister, cartridge, or filter must be selected for the particular atmosphere and conditions. Non-powered air-purifying respirators may cause discomfort, due to noticeable resistance to inhalation. This problem is minimized in powered respirators. Respirators face piece present special problems to individual required to wear prescription lenses (See 9.1). These devices do have the advantage of being small, light, and simple in operation. Use of air-purifying respirators in atmosphere immediately dangerous to life or health is limited to specific devices under specific conditions (See Table 5 and 9.3 and 9.4).

2.2. VAPOR AND GAS-REMOVING RESPIRATORS

2.2.1. LIMITATIONS

No protection is provided against particulate contaminants. A rise in canister or cartridge temperature indicates that a gas vapor is being removed from the inspired air. An uncomfortably high temperature indicates a high concentration of gas or vapor and requires and immediate return to fresh air.

Use should be avoided in atmosphere where the contaminant(s) lacks sufficient warning properties (that is: odor, taste, or irritation at a concentration in air at or above the (permissible exposure limit). Vapor-and-gas-removing respirators are not approved for contaminants that lack adequate warning properties.

Not for use in atmospheres immediately dangerous to life or health unless the device is a powered-type respirator with escape provisions (See Table 5).

§ Full Face Piece Respirator provides protection against eye irritation, in addition to respiratory protection.

§ Quarter-mask and Half-mask Face Piece Respirator provides a fabric covering (facelet) available from some manufacturers shall not be used.

**HASP
RESPIRATORY PROTECTION PROGRAM**

§ Mouthpiece Respirator shall be used only for escape applications. Mouth breathing detection of contaminant by odor. Nose clamps must be securely in place to prevent nasal breathing.

§ Limitations include no protection is provided against particulate contaminants. A rise in canister or cartridge temperature indicates that a gas or vapor is being removed from the inspired air.

3.0 PARTICULATE-REMOVING RESPIRATORS

3.1. LIMITATIONS

Protection against non-volatile particles only. No protection against gases and vapors. Not for use in atmosphere immediately dangerous to life or health unless the device is a powered-type respirator with escape provisions (See Table 5).

3.1.1. FULL FACE PIECE RESPIRATOR

Provide protection against eye irritation, in addition to respiratory protection.

3.1.2. QUARTER-MASK AND HALF-MASK FACE PIECE RESPIRATOR

A fabric covering (facelet) available from some manufacturers shall not be used unless approved for use with respirator.

3.1.3. MOUTH PIECE RESPIRATOR

Shall be used only for escape application. Mouth breathing prevents detection of contaminant by odor. Nose clamp must be securely in place to prevent nasal breathing.

**3.2. COMBINATION PARTICULATE-AND-VAPOR-AND-GAS REMOVING
RESPIRATORS**

The advantages and disadvantages of the component sections of the combinations respirator as described above apply.

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 3

SELECTION CHART FOR ROUTINE RESPIRATOR USE

Airborne Concentration of Contaminant	Required Respirator
< Permissible Exposure Limit (PEL) over 8-hour Time Weighted Average (TWA) ³	Respirators not required
≥ PEL but < 10 x PEL	Half-mask air-purifying respirator other than a disposable respirator, equipped with appropriate filter cartridge and/or canister.
≥ 10 x PEL but < 50 x PEL	Full-face piece air-purifying respirator other than a disposable respirator, equipped with appropriate filter cartridge and/or canister.
≥ 50 x PEL but < 100 x PEL	Full-face piece powered air-purifying respirator other than a disposable respirator, equipped with appropriate filter cartridge and/or canister. or Full-face piece supplied-air respirator operated in the continuous flow mode.
≥ 100 x PEL but < 1,000 x PEL	Full-face piece supplied-air respirator operated in the pressure demand mode.
≥ 1,000 x PEL or any unknown concentration	Full-face piece supplied-air respirator operated in the pressure demand mode equipped with a full-face piece self-contained supplied-air escape unit..

³ If at or above the Action Level (normally set at one-half the PEL), medical and employee exposure monitoring is required, as well as the issuance of proper respiratory protection.

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 4

PROCEDURES FOR CONDUCTING A QUALITATIVE FIT-TEST

Part I. OSHA-Accepted Fit Test Protocols

A. Fit Testing Procedures -- General Requirements

The employer shall conduct fit testing using the following procedures. The requirements in this appendix apply to all OSHA-accepted fit test methods, both QLFT and QNFT.

1. The test subject shall be allowed to pick the most acceptable respirator from a sufficient number of respirator models and sizes so that the respirator is acceptable to, and correctly fits, the user.
2. Prior to the selection process, the test subject shall be shown how to put on a respirator, how it should be positioned on the face, how to set strap tension and how to determine an acceptable fit. A mirror shall be available to assist the subject in evaluating the fit and positioning of the respirator. This instruction may not constitute the subject's formal training on respirator use, because it is only a review.
3. The test subject shall be informed that he/she is being asked to select the respirator that provides the most acceptable fit. Each respirator represents a different size and shape, and if fitted and used properly, will provide adequate protection.
4. The test subject shall be instructed to hold each chosen facepiece up to the face and eliminate those that obviously do not give an acceptable fit.
5. The more acceptable facepieces are noted in case the one selected proves unacceptable; the most comfortable mask is donned and worn at least five minutes to assess comfort. Assistance in assessing comfort can be given by discussing the points in the following item A.6. If the test subject is not familiar with using a particular respirator, the test subject shall be directed to don the mask several times and to adjust the straps each time to become adept at setting proper tension on the straps.
6. Assessment of comfort shall include a review of the following points with the test subject and allowing the test subject adequate time to determine the comfort of the respirator:
 - (a) Position of the mask on the nose
 - (b) Room for eye protection
 - (c) Room to talk
 - (d) Position of mask on face and cheeks
7. The following criteria shall be used to help determine the adequacy of the respirator fit:
 - (a) Chin properly placed;

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (b) Adequate strap tension, not overly tightened;
 - (c) Fit across nose bridge;
 - (d) Respirator of proper size to span distance from nose to chin;
 - (e) Tendency of respirator to slip;
 - (f) Self-observation in mirror to evaluate fit and respirator position.
7. The test subject shall conduct a user seal check, either the negative and positive pressure seal checks described in Appendix B-1 of this section or those recommended by the respirator manufacturer which provide equivalent protection to the procedures in Appendix B-1. Before conducting the negative and positive pressure checks, the subject shall be told to seat the mask on the face by moving the head from side-to-side and up and down slowly while taking in a few slow deep breaths. Another facepiece shall be selected and retested if the test subject fails the user seal check tests.
 8. The test shall not be conducted if there is any hair growth between the skin and the facepiece sealing surface, such as stubble beard growth, beard, mustache or sideburns which cross the respirator sealing surface.
 9. Any type of apparel which interferes with a satisfactory fit shall be altered or removed.
 10. If a test subject exhibits difficulty in breathing during the tests, she or he shall be referred to a physician or other licensed health care professional, as appropriate, to determine whether the test subject can wear a respirator while performing her or his duties.
 11. If the employee finds the fit of the respirator unacceptable, the test subject shall be given the opportunity to select a different respirator and to be retested.
 12. Exercise regimen. Prior to the commencement of the fit test, the test subject shall be given a description of the fit test and the test subject's responsibilities during the test procedure. The description of the process shall include a description of the test exercises that the subject will be performing. The respirator to be tested shall be worn for at least 5 minutes before the start of the fit test.
 13. The fit test shall be performed while the test subject is wearing any applicable safety equipment that may be worn during actual respirator use which could interfere with respirator fit.
 14. Test Exercises. (a) The following test exercises are to be performed for all fit testing methods prescribed in this appendix, except for the CNP method. A separate fit testing exercise regimen is contained in the CNP protocol. The test subject shall perform exercises, in the test environment, in the following manner:
 - (1) Normal breathing. In a normal standing position, without talking, the subject shall breathe normally.
 - (2) Deep breathing. In a normal standing position, the subject shall breathe slowly and deeply, taking caution so as not to hyperventilate.

HASP
RESPIRATORY PROTECTION PROGRAM

- (3) Turning head side to side. Standing in place, the subject shall slowly turn his/her head from side to side between the extreme positions on each side. The head shall be held at each extreme momentarily so the subject can inhale at each side.
- (4) Moving head up and down. Standing in place, the subject shall slowly move his/her head up and down. The subject shall be instructed to inhale in the up position (i.e., when looking toward the ceiling).
- (5) Talking. The subject shall talk out loud slowly and loud enough so as to be heard clearly by the test conductor. The subject can read from a prepared text such as the Rainbow Passage, count backward from 100, or recite a memorized poem or song.

Rainbow Passage

When the sunlight strikes raindrops in the air, they act like a prism and form a rainbow. The rainbow is a division of white light into many beautiful colors. These take the shape of a long round arch, with its path high above, and its two ends apparently beyond the horizon. There is, according to legend, a boiling pot of gold at one end. People look, but no one ever finds it. When a man looks for something beyond reach, his friends say he is looking for the pot of gold at the end of the rainbow.

- (6) Grimace. The test subject shall grimace by smiling or frowning. (This applies only to QNFT testing; it is not performed for QLFT)
- (7) Bending over. The test subject shall bend at the waist as if he/she were to touch his/her toes. Jogging in place shall be substituted for this exercise in those test environments such as shroud type QNFT or QLFT units that do not permit bending over at the waist. (8) Normal breathing. Same as exercise (1).
 - (a) Each test exercise shall be performed for one minute except for the grimace exercise which shall be performed for 15 seconds. The test subject shall be questioned by the test conductor regarding the comfort of the respirator upon completion of the protocol. If it has become unacceptable, another model of respirator shall be tried. The respirator shall not be adjusted once the fit test exercises begin. Any adjustment voids the test, and the fit test must be repeated.

Qualitative Fit Test (QLFT) Protocols

1. General
 - (a) The employer shall ensure that persons administering QLFT are able to prepare test solutions, calibrate equipment and perform tests properly, recognize invalid tests, and ensure that test equipment is in proper working order.
 - (b) The employer shall ensure that QLFT equipment is kept clean and well maintained so as to operate within the parameters for which it was designed.

**HASP
RESPIRATORY PROTECTION PROGRAM**

2. Isoamyl Acetate Protocol

Note: This protocol is not appropriate to use for the fit testing of particulate respirators. If used to fit test particulate respirators, the respirator must be equipped with an organic vapor filter.

(a) Odor Threshold Screening

Odor threshold screening, performed without wearing a respirator, is intended to determine if the individual tested can detect the odor of isoamyl acetate at low levels.

- (1) Three 1 liter glass jars with metal lids are required.
- (2) Odor-free water (e.g., distilled or spring water) at approximately 25 deg. C (77 deg. F) shall be used for the solutions.
- (3) The isoamyl acetate (IAA) (also known as isopentyl acetate) stock solution is prepared by adding 1 ml of pure IAA to 800 ml of odor-free water in a 1 liter jar, closing the lid and shaking for 30 seconds. A new solution shall be prepared at least weekly.
- (4) The screening test shall be conducted in a room separate from the room used for actual fit testing. The two rooms shall be well-ventilated to prevent the odor of IAA from becoming evident in the general room air where testing takes place.
- (5) The odor test solution is prepared in a second jar by placing 0.4 ml of the stock solution into 500 ml of odor-free water using a clean dropper or pipette. The solution shall be shaken for 30 seconds and allowed to stand for two to three minutes so that the IAA concentration above the liquid may reach equilibrium. This solution shall be used for only one day.
- (6) A test blank shall be prepared in a third jar by adding 500 cc of odor-free water.
- (7) The odor test and test blank jar lids shall be labeled (e.g., 1 and 2) for jar identification. Labels shall be placed on the lids so that they can be peeled off periodically and switched to maintain the integrity of the test.
- (8) The following instruction shall be typed on a card and placed on the table in front of the two test jars (i.e., 1 and 2): "The purpose of this test is to determine if you can smell banana oil at a low concentration. The two bottles in front of you contain water. One of these bottles also contains a small amount of banana oil. Be sure the covers are on tight, then shake each bottle for two seconds. Unscrew the lid of each bottle, one at a time, and sniff at the mouth of the bottle. Indicate to the test conductor which bottle contains banana oil."
- (9) The mixtures used in the IAA odor detection test shall be prepared in an area separate from where the test is performed, in order to prevent olfactory fatigue in the subject.
- (10) If the test subject is unable to correctly identify the jar containing the odor test

**HASP
RESPIRATORY PROTECTION PROGRAM**

solution, the IAA qualitative fit test shall not be performed.

- (11) If the test subject correctly identifies the jar containing the odor test solution, the test subject may proceed to respirator selection and fit testing.
- (b) Isoamyl Acetate Fit Test
 - (1) The fit test chamber shall be a clear 55-gallon drum liner suspended inverted over a 2-foot diameter frame so that the top of the chamber is about 6 inches above the test subject's head. If no drum liner is available, a similar chamber shall be constructed using plastic sheeting. The inside top center of the chamber shall have a small hook attached.
 - (2) Each respirator used for the fitting and fit testing shall be equipped with organic vapor cartridges or offer protection against organic vapors.
 - (3) After selecting, donning, and properly adjusting a respirator, the test subject shall wear it to the fit testing room. This room shall be separate from the room used for odor threshold screening and respirator selection, and shall be well-ventilated, as by an exhaust fan or lab hood, to prevent general room contamination.
 - (4) A copy of the test exercises and any prepared text from which the subject is to read shall be taped to the inside of the test chamber.
 - (5) Upon entering the test chamber, the test subject shall be given a 6-inch by 5-inch piece of paper towel, or other porous, absorbent, single-ply material, folded in half and wetted with 0.75 ml of pure IAA. The test subject shall hang the wet towel on the hook at the top of the chamber. An IAA test swab or ampule may be substituted for the IAA wetted paper towel provided it has been demonstrated that the alternative IAA source will generate an IAA test atmosphere with a concentration equivalent to that generated by the paper towel method.
 - (6) Allow two minutes for the IAA test concentration to stabilize before starting the fit test exercises. This would be an appropriate time to talk with the test subject; to explain the fit test, the importance of his/her cooperation, and the purpose for the test exercises; or to demonstrate some of the exercises.
 - (7) If at any time during the test, the subject detects the banana-like odor of IAA, the test is failed. The subject shall quickly exit from the test chamber and leave the test area to avoid olfactory fatigue.
 - (8) If the test is failed, the subject shall return to the selection room and remove the respirator. The test subject shall repeat the odor sensitivity test, select and put on another respirator, return to the test area and again begin the fit test procedure described in (b) (1) through (7) above. The process continues until a respirator that fits well has been found. Should the odor sensitivity test be failed, the subject shall wait at least 5 minutes before retesting. Odor sensitivity will usually have returned by this time.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (9) If the subject passes the test, the efficiency of the test procedure shall be demonstrated by having the subject break the respirator face seal and take a breath before exiting the chamber.
- (10) When the test subject leaves the chamber, the subject shall remove the saturated towel and return it to the person conducting the test, so that there is no significant IAA concentration buildup in the chamber during subsequent tests. The used towels shall be kept in a self-sealing plastic bag to keep the test area from being contaminated.

3. Saccharin Solution Aerosol Protocol

The entire screening and testing procedure shall be explained to the test subject prior to the conduct of the screening test.

- (a) Taste threshold screening. The saccharin taste threshold screening, performed without wearing a respirator, is intended to determine whether the individual being tested can detect the taste of saccharin.
 - (1) During threshold screening as well as during fit testing, subjects shall wear an enclosure about the head and shoulders that is approximately 12 inches in diameter by 14 inches tall with at least the front portion clear and that allows free movements of the head when a respirator is worn. An enclosure substantially similar to the 3M hood assembly, parts # FT 14 and # FT 15 combined, is adequate.
 - (2) The test enclosure shall have a 3/4-inch (1.9 cm) hole in front of the test subject's nose and mouth area to accommodate the nebulizer nozzle.
 - (3) The test subject shall don the test enclosure. Throughout the threshold screening test, the test subject shall breathe through his/her slightly open mouth with tongue extended. The subject is instructed to report when he/she detects a sweet taste.
 - (4) Using a DeVilbiss Model 40 Inhalation Medication Nebulizer or equivalent, the test conductor shall spray the threshold check solution into the enclosure. The nozzle is directed away from the nose and mouth of the person. This nebulizer shall be clearly marked to distinguish it from the fit test solution nebulizer.
 - (5) The threshold check solution is prepared by dissolving 0.83 gram of sodium saccharin USP in 100 ml of warm water. It can be prepared by putting 1 ml of the fit test solution (see (b)(5) below) in 100 ml of distilled water.
 - (6) To produce the aerosol, the nebulizer bulb is firmly squeezed so that it collapses completely, then released and allowed to fully expand.
 - (7) Ten squeezes are repeated rapidly and then the test subject is asked whether the saccharin can be tasted. If the test subject reports tasting the sweet taste during the ten squeezes, the screening test is completed. The taste threshold is noted as ten regardless of the number of squeezes actually completed.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (8) If the first response is negative, ten more squeezes are repeated rapidly and the test subject is again asked whether the saccharin is tasted. If the test subject reports tasting the sweet taste during the second ten squeezes, the screening test is completed. The taste threshold is noted as twenty regardless of the number of squeezes actually completed.
- (9) If the second response is negative, ten more squeezes are repeated rapidly and the test subject is again asked whether the saccharin is tasted. If the test subject reports tasting the sweet taste during the third set of ten squeezes, the screening test is completed. The taste threshold is noted as thirty regardless of the number of squeezes actually completed.
- (10) The test conductor will take note of the number of squeezes required to solicit a taste response.
- (11) If the saccharin is not tasted after 30 squeezes (step 10), the test subject is unable to taste saccharin and may not perform the saccharin fit test.

Note to paragraph 3. (a): If the test subject eats or drinks something sweet before the screening test, he/she may be unable to taste the weak saccharin solution.

- (12) If a taste response is elicited, the test subject shall be asked to take note of the taste for reference in the fit test.
 - (13) Correct use of the nebulizer means that approximately 1 ml of liquid is used at a time in the nebulizer body.
 - (14) The nebulizer shall be thoroughly rinsed in water, shaken dry, and refilled at least each morning and afternoon or at least every four hours.
- (b) Saccharin solution aerosol fit test procedure.
- (1) The test subject may not eat, drink (except plain water), smoke, or chew gum for 15 minutes before the test.
 - (2) The fit test uses the same enclosure described in 3. (a) above.
 - (3) The test subject shall don the enclosure while wearing the respirator selected in section I. A. of this appendix. The respirator shall be properly adjusted and equipped with a particulate filter(s).
 - (4) A second DeVilbiss Model 40 Inhalation Medication Nebulizer or equivalent is used to spray the fit test solution into the enclosure. This nebulizer shall be clearly marked to distinguish it from the screening test solution nebulizer.
 - (5) The fit test solution is prepared by adding 83 grams of sodium saccharin to 100 ml of warm water.
 - (6) As before, the test subject shall breathe through the slightly open mouth with tongue

**HASP
RESPIRATORY PROTECTION PROGRAM**

extended, and report if he/she tastes the sweet taste of saccharin.

- (7) The nebulizer is inserted into the hole in the front of the enclosure and an initial concentration of saccharin fit test solution is sprayed into the enclosure using the same number of squeezes (either 10, 20 or 30 squeezes) based on the number of squeezes required to elicit a taste response as noted during the screening test. A minimum of 10 squeezes is required.
- (8) After generating the aerosol, the test subject shall be instructed to perform the exercises in section I. A. 14. of this exhibit.
- (9) Every 30 seconds the aerosol concentration shall be replenished using one half the original number of squeezes used initially (e.g., 5, 10 or 15).
- (10) The test subject shall indicate to the test conductor if at any time during the fit test the taste of saccharin is detected. If the test subject does not report tasting the saccharin, the test is passed.
- (11) If the taste of saccharin is detected, the fit is deemed unsatisfactory and the test is failed. A different respirator shall be tried and the entire test procedure is repeated (taste threshold screening and fit testing).
- (12) Since the nebulizer has a tendency to clog during use, the test operator must make periodic checks of the nebulizer to ensure that it is not clogged. If clogging is found at the end of the test session, the test is invalid.

4. Bitrex™ (Denatonium Benzoate) Solution Aerosol Qualitative Fit Test Protocol

The Bitrex™ (Denatonium benzoate) solution aerosol QLFT protocol uses the published saccharin test protocol because that protocol is widely accepted. Bitrex is routinely used as a taste aversion agent in household liquids which children should not be drinking and is endorsed by the American Medical Association, the National Safety Council, and the American Association of Poison Control Centers. The entire screening and testing procedure shall be explained to the test subject prior to the conduct of the screening test.

(a) Taste Threshold Screening.

The Bitrex taste threshold screening, performed without wearing a respirator, is intended to determine whether the individual being tested can detect the taste of Bitrex.

- (1) During threshold screening as well as during fit testing, subjects shall wear an enclosure about the head and shoulders that is approximately 12 inches (30.5 cm) in diameter by 14 inches (35.6 cm) tall. The front portion of the enclosure shall be clear from the respirator and allow free movement of the head when a respirator is worn. An enclosure substantially similar to the 3M hood assembly, parts # FT 14 and # FT 15 combined, is adequate.
- (2) The test enclosure shall have a 3/4 inch (1.9 cm) hole in front of the test subject's nose and mouth area to accommodate the nebulizer nozzle.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (3) The test subject shall don the test enclosure. Throughout the threshold screening test, the test subject shall breathe through his or her slightly open mouth with tongue extended. The subject is instructed to report when he/she detects a bitter taste
 - (4) Using a DeVilbiss Model 40 Inhalation Medication Nebulizer or equivalent, the test conductor shall spray the Threshold Check Solution into the enclosure. This Nebulizer shall be clearly marked to distinguish it from the fit test solution nebulizer.
 - (5) The Threshold Check Solution is prepared by adding 13.5 milligrams of Bitrex to 100 ml of 5% salt (NaCl) solution in distilled water.
 - (6) To produce the aerosol, the nebulizer bulb is firmly squeezed so that the bulb collapses completely, and is then released and allowed to fully expand.
 - (7) An initial ten squeezes are repeated rapidly and then the test subject is asked whether the Bitrex can be tasted. If the test subject reports tasting the bitter taste during the ten squeezes, the screening test is completed. The taste threshold is noted as ten regardless of the number of squeezes actually completed.
 - (8) If the first response is negative, ten more squeezes are repeated rapidly and the test subject is again asked whether the Bitrex is tasted. If the test subject reports tasting the bitter taste during the second ten squeezes, the screening test is completed. The taste threshold is noted as twenty regardless of the number of squeezes actually completed.
 - (9) If the second response is negative, ten more squeezes are repeated rapidly and the test subject is again asked whether the Bitrex is tasted. If the test subject reports tasting the bitter taste during the third set of ten squeezes, the screening test is completed. The taste threshold is noted as thirty regardless of the number of squeezes actually completed.
 - (10) The test conductor will take note of the number of squeezes required to solicit a taste response.
 - (11) If the Bitrex is not tasted after 30 squeezes (step 10), the test subject is unable to taste Bitrex and may not perform the Bitrex fit test.
 - (12) If a taste response is elicited, the test subject shall be asked to take note of the taste for reference in the fit test.
 - (13) Correct use of the nebulizer means that approximately 1 ml of liquid is used at a time in the nebulizer body.
 - (14) The nebulizer shall be thoroughly rinsed in water, shaken to dry, and refilled at least each morning and afternoon or at least every four hours.
- (b) Bitrex Solution Aerosol Fit Test Procedure.
- (1) The test subject may not eat, drink (except plain water), smoke, or chew gum for 15

**HASP
RESPIRATORY PROTECTION PROGRAM**

minutes before the test.

- (2) The fit test uses the same enclosure as that described in 4. (a) above.
- (3) The test subject shall don the enclosure while wearing the respirator selected according to section I. A. of this appendix. The respirator shall be properly adjusted and equipped with any type particulate filter(s).
- (4) A second DeVilbiss Model 40 Inhalation Medication Nebulizer or equivalent is used to spray the fit test solution into the enclosure. This nebulizer shall be clearly marked to distinguish it from the screening test solution nebulizer.
- (5) The fit test solution is prepared by adding 337.5 mg of Bitrex to 200 ml of a 5% salt (NaCl) solution in warm water.
- (6) As before, the test subject shall breathe through his or her slightly open mouth with tongue extended, and be instructed to report if he/she tastes the bitter taste of Bitrex.
- (7) The nebulizer is inserted into the hole in the front of the enclosure and an initial concentration of the fit test solution is sprayed into the enclosure using the same number of squeezes (either 10, 20 or 30 squeezes) based on the number of squeezes required to elicit a taste response as noted during the screening test.
- (8) After generating the aerosol, the test subject shall be instructed to perform the exercises in section I. A. 14. of this exhibit.
- (9) Every 30 seconds the aerosol concentration shall be replenished using one half the number of squeezes used initially (e.g., 5, 10 or 15).
- (10) The test subject shall indicate to the test conductor if at any time during the fit test the taste of Bitrex is detected. If the test subject does not report tasting the Bitrex, the test is passed.
- (11) If the taste of Bitrex is detected, the fit is deemed unsatisfactory and the test is failed. A different respirator shall be tried and the entire test procedure is repeated (taste threshold screening and fit testing).

5. Irritant Smoke (Stannic Chloride) Protocol

This qualitative fit test uses a person's response to the irritating chemicals released in the "smoke" produced by a stannic chloride ventilation smoke tube to detect leakage into the respirator.

- (a) General Requirements and Precautions
 - (1) The respirator to be tested shall be equipped with high efficiency particulate air (HEPA) or P100 series filter(s).
 - (2) Only stannic chloride smoke tubes shall be used for this protocol.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (3) No form of test enclosure or hood for the test subject shall be used.
- (4) The smoke can be irritating to the eyes, lungs, and nasal passages. The test conductor shall take precautions to minimize the test subject's exposure to irritant smoke. Sensitivity varies, and certain individuals may respond to a greater degree to irritant smoke. Care shall be taken when performing the sensitivity screening checks that determine whether the test subject can detect irritant smoke to use only the minimum amount of smoke necessary to elicit a response from the test subject.
- (5) The fit test shall be performed in an area with adequate ventilation to prevent exposure of the person conducting the fit test or the build-up of irritant smoke in the general atmosphere.

(b) Sensitivity Screening Check

The person to be tested must demonstrate his or her ability to detect a weak concentration of the irritant smoke.

- (1) The test operator shall break both ends of a ventilation smoke tube containing stannic chloride, and attach one end of the smoke tube to a low flow air pump set to deliver 200 milliliters per minute, or an aspirator squeeze bulb. The test operator shall cover the other end of the smoke tube with a short piece of tubing to prevent potential injury from the jagged end of the smoke tube.
- (2) The test operator shall advise the test subject that the smoke can be irritating to the eyes, lungs, and nasal passages and instruct the subject to keep his/her eyes closed while the test is performed.
- (3) The test subject shall be allowed to smell a weak concentration of the irritant smoke before the respirator is donned to become familiar with its irritating properties and to determine if he/she can detect the irritating properties of the smoke. The test operator shall carefully direct a small amount of the irritant smoke in the test subject's direction to determine that he/she can detect it.

(c) Irritant Smoke Fit Test Procedure

- (1) The person being fit tested shall don the respirator without assistance, and perform the required user seal check(s).
- (2) The test subject shall be instructed to keep his/her eyes closed.
- (3) The test operator shall direct the stream of irritant smoke from the smoke tube toward the face seal area of the test subject, using the low flow pump or the squeeze bulb. The test operator shall begin at least 12 inches from the facepiece and move the smoke stream around the whole perimeter of the mask. The operator shall gradually make two more passes around the perimeter of the mask, moving to within six inches of the respirator.
- (4) If the person being tested has not had an involuntary response and/or detected the

**HASP
RESPIRATORY PROTECTION PROGRAM**

irritant smoke, proceed with the test exercises.

- (5) The exercises identified in section I.A. 14. of this exhibit shall be performed by the test subject while the respirator seal is being continually challenged by the smoke, directed around the perimeter of the respirator at a distance of six inches.
- (6) If the person being fit tested reports detecting the irritant smoke at any time, the test is failed. The person being retested must repeat the entire sensitivity check and fit test procedure.
- (7) Each test subject passing the irritant smoke test without evidence of a response (involuntary cough, irritation) shall be given a second sensitivity screening check, with the smoke from the same smoke tube used during the fit test, once the respirator has been removed, to determine whether he/she still reacts to the smoke. Failure to evoke a response shall void the fit test.
- (8) If a response is produced during this second sensitivity check, then the fit test is passed.

B. Quantitative Fit Test (QNFT) Protocols

The following quantitative fit testing procedures have been demonstrated to be acceptable: Quantitative fit testing using a non-hazardous test aerosol (such as corn oil, polyethylene glycol 400 [PEG 400], di-2-ethyl hexyl sebacate [DEHS], or sodium chloride) generated in a test chamber, and employing instrumentation to quantify the fit of the respirator; Quantitative fit testing using ambient aerosol as the test agent and appropriate instrumentation (condensation nuclei counter) to quantify the respirator fit; Quantitative fit testing using controlled negative pressure and appropriate instrumentation to measure the volumetric leak rate of a facepiece to quantify the respirator fit.

1. General

- (a) The employer shall ensure that persons administering QNFT are able to calibrate equipment and perform tests properly, recognize invalid tests, calculate fit factors properly and ensure that test equipment is in proper working order.
- (b) The employer shall ensure that QNFT equipment is kept clean, and is maintained and calibrated according to the manufacturer's instructions so as to operate at the parameters for which it was designed.

2. Generated Aerosol Quantitative Fit Testing Protocol

- (a) Apparatus.
 - (1) Instrumentation. Aerosol generation, dilution, and measurement systems using particulates (corn oil, polyethylene glycol 400 [PEG 400], di-2-ethyl hexyl sebacate [DEHS] or sodium chloride) as test aerosols shall be used for quantitative fit testing.
 - (2) Test chamber. The test chamber shall be large enough to permit all test

**HASP
RESPIRATORY PROTECTION PROGRAM**

subjects to perform freely all required exercises without disturbing the test agent concentration or the measurement apparatus. The test chamber shall be equipped and constructed so that the test agent is effectively isolated from the ambient air, yet uniform in concentration throughout the chamber.

- (3) When testing air-purifying respirators, the normal filter or cartridge element shall be replaced with a high efficiency particulate air (HEPA) or P100 series filter supplied by the same manufacturer.
- (4) The sampling instrument shall be selected so that a computer record or strip chart record may be made of the test showing the rise and fall of the test agent concentration with each inspiration and expiration at fit factors of at least 2,000. Integrators or computers that integrate the amount of test agent penetration leakage into the respirator for each exercise may be used provided a record of the readings is made.
- (5) The combination of substitute air-purifying elements, test agent and test agent concentration shall be such that the test subject is not exposed in excess of an established exposure limit for the test agent at any time during the testing process, based upon the length of the exposure and the exposure limit duration.
- (6) The sampling port on the test specimen respirator shall be placed and constructed so that no leakage occurs around the port (e.g., where the respirator is probed), a free air flow is allowed into the sampling line at all times, and there is no interference with the fit or performance of the respirator. The in-mask sampling device (probe) shall be designed and used so that the air sample is drawn from the breathing zone of the test subject, midway between the nose and mouth and with the probe extending into the facepiece cavity at least 1/4 inch.
- (7) The test setup shall permit the person administering the test to observe the test subject inside the chamber during the test.
- (8) The equipment generating the test atmosphere shall maintain the concentration of test agent constant to within a 10 percent variation for the duration of the test.
- (9) The time lag (interval between an event and the recording of the event on the strip chart or computer or integrator) shall be kept to a minimum. There shall be a clear association between the occurrence of an event and its being recorded.
- (10) The sampling line tubing for the test chamber atmosphere and for the respirator sampling port shall be of equal diameter and of the same material. The length of the two lines shall be equal.
- (11) The exhaust flow from the test chamber shall pass through an appropriate filter (i.e., high efficiency particulate filter) before release.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (12) When sodium chloride aerosol is used, the relative humidity inside the test chamber shall not exceed 50 percent.
 - (13) The limitations of instrument detection shall be taken into account when determining the fit factor.
 - (14) Test respirators shall be maintained in proper working order and be inspected regularly for deficiencies such as cracks or missing valves and gaskets.
- (b) Procedural Requirements.
- (1) When performing the initial user seal check using a positive or negative pressure check, the sampling line shall be crimped closed in order to avoid air pressure leakage during either of these pressure checks.
 - (2) The use of an abbreviated screening QLFT test is optional. Such a test may be utilized in order to quickly identify poor fitting respirators that passed the positive and/or negative pressure test and reduce the amount of QNFT time. The use of the CNC QNFT instrument in the count mode is another optional method to obtain a quick estimate of fit and eliminate poor fitting respirators before going on to perform a full QNFT.
 - (3) A reasonably stable test agent concentration shall be measured in the test chamber prior to testing. For canopy or shower curtain types of test units, the determination of the test agent's stability may be established after the test subject has entered the test environment.
 - (4) Immediately after the subject enters the test chamber, the test agent concentration inside the respirator shall be measured to ensure that the peak penetration does not exceed 5 percent for a half mask or 1 percent for a full facepiece respirator.
 - (5) A stable test agent concentration shall be obtained prior to the actual start of testing.
 - (6) Respirator restraining straps shall not be over-tightened for testing. The straps shall be adjusted by the wearer without assistance from other persons to give a reasonably comfortable fit typical of normal use. The respirator shall not be adjusted once the fit test exercises begin.
 - (7) The test shall be terminated whenever any single peak penetration exceeds 5 percent for half masks and 1 percent for full facepiece respirators. The test subject shall be refitted and retested.
 - (8) Calculation of fit factors.
 - a. The fit factor shall be determined for the quantitative fit test by taking the ratio of the average chamber concentration to the

**HASP
RESPIRATORY PROTECTION PROGRAM**

concentration measured inside the respirator for each test exercise except the grimace exercise.

- b. The average test chamber concentration shall be calculated as the arithmetic average of the concentration measured before and after each test (i.e., 7 exercises) or the arithmetic average of the concentration measured before and after each exercise or the true average measured continuously during the respirator sample.
- c. The concentration of the challenge agent inside the respirator shall be determined by one of the following methods:
- d. (A) Average peak penetration method means the method of determining test agent penetration into the respirator utilizing a strip chart recorder, integrator, or computer. The agent penetration is determined by an average of the peak heights on the graph or by computer integration, for each exercise except the grimace exercise. Integrators or computers that calculate the actual test agent penetration into the respirator for each exercise will also be considered to meet the requirements of the average peak penetration method.

(B) Maximum peak penetration method means the method of determining test agent penetration in the respirator as determined by strip chart recordings of the test. The highest peak penetration for a given exercise is taken to be representative of average penetration into the respirator for that exercise.

(C) Integration by calculation of the area under the individual peak for each exercise except the grimace exercise. This includes computerized integration.

(D) The calculation of the overall fit factor using individual exercise fit factors involves first converting the exercise fit factors to penetration values, determining the average, and then converting that result back to a fit factor. This procedure is described in the following equation:

$$PV_1 = ff_1 / \text{Conc.}_{\text{out}}$$

$$PV_2 = ff_2 / \text{Conc.}_{\text{out}}$$

$$PV_3 = ff_3 / \text{Conc.}_{\text{out}}$$

$$PV_{\text{Avg}} = (PV_1 + PV_2 + PV_3) / 3$$

$$\text{Off} = \text{Conc.}_{\text{out}} / PV_{\text{Avg}}$$

Where PV_1 , PV_2 , PV_3 , etc. are the penetration values for exercises

**HASP
RESPIRATORY PROTECTION PROGRAM**

1, 2, 3;

Conc._{out} is the ambient (outside face mask) air concentration;

Where ff₁, ff₂, ff₃, etc. are the fit factors for exercises 1, 2, 3; and

Off is the overall fit factor

- (9) The test subject shall not be permitted to wear a half mask or quarter facepiece respirator unless a minimum fit factor of 100 is obtained, or a full facepiece respirator unless a minimum fit factor of 500 is obtained.
 - (10) Filters used for quantitative fit testing shall be replaced whenever increased breathing resistance is encountered, or when the test agent has altered the integrity of the filter media.
2. Ambient aerosol condensation nuclei counter (CNC) quantitative fit testing protocol.
 3. The ambient aerosol condensation nuclei counter (CNC) quantitative fit testing (Portacount™) protocol quantitatively fit tests respirators with the use of a probe. The probed respirator is only used for quantitative fit tests. A probed respirator has a special sampling device, installed on the respirator, that allows the probe to sample the air from inside the mask. A probed respirator is required for each make, style, model, and size that the employer uses and can be obtained from the respirator manufacturer or distributor. The CNC instrument manufacturer, TSI Inc., also provides probe attachments (TSI sampling adapters) that permit fit testing in an employee's own respirator. A minimum fit factor pass level of at least 100 is necessary for a half-mask respirator and a minimum fit factor pass level of at least 500 is required for a full facepiece negative pressure respirator. The entire screening and testing procedure shall be explained to the test subject prior to the conduct of the screening test.
 - (a) Portacount Fit Test Requirements.
 - (1) Check the respirator to make sure the sampling probe and line are properly attached to the facepiece and that the respirator is fitted with a particulate filter capable of preventing significant penetration by the ambient particles used for the fit test (e.g., NIOSH 42 CFR 84 series 100, series 99, or series 95 particulate filter) per manufacturer's instruction.
 - (2) Instruct the person to be tested to don the respirator for five minutes before the fit test starts. This purges the ambient particles trapped inside the respirator and permits the wearer to make certain the respirator is comfortable. This individual shall already have been trained on how to wear the respirator properly.
 - (3) Check the following conditions for the adequacy of the respirator fit: Chin properly placed; Adequate strap tension, not overly

**HASP
RESPIRATORY PROTECTION PROGRAM**

tightened; Fit across nose bridge; Respirator of proper size to span distance from nose to chin; Tendency of the respirator to slip; Self-observation in a mirror to evaluate fit and respirator position.

- (4) Have the person wearing the respirator do a user seal check. If leakage is detected, determine the cause. If leakage is from a poorly fitting facepiece, try another size of the same model respirator, or another model of respirator.
 - (5) Follow the manufacturer's instructions for operating the Portacount and proceed with the test.
 - (6) The test subject shall be instructed to perform the exercises in section I. A. 14. of this exhibit
 - (7) After the test exercises, the test subject shall be questioned by the test conductor regarding the comfort of the respirator upon completion of the protocol. If it has become unacceptable, another model of respirator shall be tried.
- (b) Portacount Test Instrument.
- (1) The Portacount will automatically stop and calculate the overall fit factor for the entire set of exercises. The overall fit factor is what counts. The Pass or Fail message will indicate whether or not the test was successful. If the test was a Pass, the fit test is over.
 - (2) Since the pass or fail criterion of the Portacount is user programmable, the test operator shall ensure that the pass or fail criterion meet the requirements for minimum respirator performance in this Appendix.
 - (3) A record of the test needs to be kept on file, assuming the fit test was successful. The record must contain the test subject's name; overall fit factor; make, model, style, and size of respirator used; and date tested.

4. The CNP protocol provides an alternative to aerosol fit test methods.

The CNP fit test method technology is based on exhausting air from a temporarily sealed respirator facepiece to generate and then maintain a constant negative pressure inside the facepiece. The rate of air exhaust is controlled so that a constant negative pressure is maintained in the respirator during the fit test. The level of pressure is selected to replicate the mean inspiratory pressure that causes leakage into the respirator under normal use conditions. With pressure held constant, air flow out of the respirator is equal to air flow into the respirator. Therefore, measurement of the exhaust stream that is required to hold the pressure in the temporarily sealed respirator constant yields a direct measure of leakage air flow into the respirator. The CNP fit test method measures leak rates through the facepiece as a method for

**HASP
RESPIRATORY PROTECTION PROGRAM**

determining the facepiece fit for negative pressure respirators. The CNP instrument manufacturer Dynatech Nevada also provides attachments (sampling manifolds) that replace the filter cartridges to permit fit testing in an employee's own respirator. To perform the test, the test subject closes his or her mouth and holds his/her breath, after which an air pump removes air from the respirator facepiece at a pre-selected constant pressure. The facepiece fit is expressed as the leak rate through the facepiece, expressed as milliliters per minute. The quality and validity of the CNP fit tests are determined by the degree to which the in-mask pressure tracks the test pressure during the system measurement time of approximately five seconds. Instantaneous feedback in the form of a real-time pressure trace of the in-mask pressure is provided and used to determine test validity and quality. A minimum fit factor pass level of 100 is necessary for a half-mask respirator and a minimum fit factor of at least 500 is required for a full facepiece respirator. The entire screening and testing procedure shall be explained to the test subject prior to the conduct of the screening test.

(a) CNP Fit Test Requirements.

- (1) The instrument shall have a non-adjustable test pressure of 15.0 mm water pressure.
- (2) The CNP system defaults selected for test pressure shall be set at -- 15 mm of water (-0.58 inches of water) and the modeled inspiratory flow rate shall be 53.8 liters per minute for performing fit tests.

(Note: CNP systems have built-in capability to conduct fit testing that is specific to unique work rate, mask, and gender situations that might apply in a specific workplace. Use of system default values, which were selected to represent respirator wear with medium cartridge resistance at a low-moderate work rate, will allow inter-test comparison of the respirator fit.)

- (3) The individual who conducts the CNP fit testing shall be thoroughly trained to perform the test.
- (4) The respirator filter or cartridge needs to be replaced with the CNP test manifold. The inhalation valve downstream from the manifold either needs to be temporarily removed or propped open.
- (5) The test subject shall be trained to hold his or her breath for at least 20 seconds.
- (6) The test subject shall don the test respirator without any assistance from the individual who conducts the CNP fit test.
- (7) The QNFT protocol shall be followed according to section I.C.1. of this exhibit with an exception for the CNP test exercises.

(b) CNP Test Exercises.

**HASP
RESPIRATORY PROTECTION PROGRAM**

- (1) Normal breathing. In a normal standing position, without talking, the subject shall breathe normally for 1 minute. After the normal breathing exercise, the subject needs to hold head straight ahead and hold his or her breath for 10 seconds during the test measurement.
- (2) Deep breathing. In a normal standing position, the subject shall breathe slowly and deeply for 1 minute, being careful not to hyperventilate. After the deep breathing exercise, the subject shall hold his or her head straight ahead and hold his or her breath for 10 seconds during test measurement.
- (3) Turning head side to side. Standing in place, the subject shall slowly turn his or her head from side to side between the extreme positions on each side for 1 minute. The head shall be held at each extreme momentarily so the subject can inhale at each side. After the turning head side to side exercise, the subject needs to hold head full left and hold his or her breath for 10 seconds during test measurement. Next, the subject needs to hold head full right and hold his or her breath for 10 seconds during test measurement.
- (4) Moving head up and down. Standing in place, the subject shall slowly move his or her head up and down for 1 minute. The subject shall be instructed to inhale in the up position (i.e., when looking toward the ceiling). After the moving head up and down exercise, the subject shall hold his or her head full up and hold his or her breath for 10 seconds during test measurement. Next, the subject shall hold his or her head full down and hold his or her breath for 10 seconds during test measurement.
- (5) Talking. The subject shall talk out loud slowly and loud enough so as to be heard clearly by the test conductor. The subject can read from a prepared text such as the Rainbow Passage, count backward from 100, or recite a memorized poem or song for 1 minute. After the talking exercise, the subject shall hold his or her head straight ahead and hold his or her breath for 10 seconds during the test measurement.
- (6) Grimace. The test subject shall grimace by smiling or frowning for 15 seconds.
- (7) Bending Over. The test subject shall bend at the waist as if he or she were to touch his or her toes for 1 minute. Jogging in place shall be substituted for this exercise in those test environments such as shroud-type QNFT units that prohibit bending at the waist. After the bending over exercise, the subject shall hold his or her head straight ahead and hold his or her breath for 10 seconds during the test measurement.
- (8) Normal Breathing. The test subject shall remove and re-do the

**HASP
RESPIRATORY PROTECTION PROGRAM**

respirator within a one-minute period. Then, in a normal standing position, without talking, the subject shall breathe normally for 1 minute. After the normal breathing exercise, the subject shall hold his or her head straight ahead and hold his or her breath for 10 seconds during the test measurement. After the test exercises, the test subject shall be questioned by the test conductor regarding the comfort of the respirator upon completion of the protocol. If it has become unacceptable, another model of a respirator shall be tried.

- (c) CNP Test Instrument.
 - (1) The test instrument shall have an effective audio warning device when the test subject fails to hold his or her breath during the test. The test shall be terminated whenever the test subject failed to hold his or her breath. The test subject may be refitted and retested.
 - (2) A record of the test shall be kept on file, assuming the fit test was successful. The record must contain the test subject's name; overall fit factor; make, model, style and size of respirator used; and date tested.

Part II. New Fit Test Protocols

- A. Any person may submit to OSHA an application for approval of a new fit test protocol. If the application meets the following criteria, OSHA will initiate a rulemaking proceeding under section 6(b)(7) of the OSH Act to determine whether to list the new protocol as an approved protocol in this Exhibit.
- B. The application must include a detailed description of the proposed new fit test protocol. This application must be supported by either:
 - 1. A test report prepared by an independent government research laboratory (e.g., Lawrence Livermore National Laboratory, Los Alamos National Laboratory, the National Institute for Standards and Technology) stating that the laboratory has tested the protocol and had found it to be accurate and reliable; or
 - 2. An article that has been published in a peer-reviewed industrial hygiene journal describing the protocol and explaining how test data support the protocol's accuracy and reliability.
- C. If OSHA determines that additional information is required before the Agency commences a rulemaking proceeding under this section, OSHA will so notify the applicant and afford the applicant the opportunity to submit the supplemental information. Initiation of a rulemaking proceeding will be deferred until OSHA has received and evaluated the supplemental information.

RECORD KEEPING

The Respirator Test Summary, shown in Exhibit 6, must be completed after each fit-test.

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 5

Langan

RESPIRATOR FIT-TEST AND TRAINING RECORD

Employee=s Name: _____ Social Security No.: _____-_____-

Project Name: _____ Job Number:

RESPIRATOR FIT-TEST SUMMARY (*Must be conducted for each negative pressure respirator used*)

Fit-Test Date: _____ Person Conducting Fit-Test:

Respirator Selected:

Manufacturer: _____ Model:

Respirator Size: _____ NIOSH Approval No.:

Was Rainbow Passage Used: ___ Yes ___ No Was Face piece-to-face Seal Obtained: ___ Yes ___ No

Signature of person conducting Fit-Test: _____

RESPIRATOR TRAINING RECORD

Your signature on the respirator Training Record will attest to your having received and understood the following respirator training information which both OSHA and Langan require as part of their Respiratory Protection Program.

The required respirator training consists of the following:

An explanation of the problems involved in misusing or inter-changing parts of the respirator.

A discussion of why engineering controls could not prevent the use of respiratory protection.

How and why this make and model was chosen for this specific project.

The limitations of this make and model was chosen for this specific project.

How to put on this respirator and properly adjust the face piece and tension straps.

How to wear this respirator properly.

What the essential points of the care and maintenance of this respirator are.

How to recognize and handle emergencies which may occur while using this respirator.

How to properly inspect, clean, and disinfect this respirator.

How to properly use an Air Purifying Respirator.

**U:\DATA5\170121501\OFFICE DATA\REPORTS\PHASE II WORK PLAN\HASP\APPENDICES\APPENDIX_H
RESPIRATORY PROTECTION PROGRAM.DOC**

**HASP
RESPIRATORY PROTECTION PROGRAM**

When a Type-C Supplied-air respirator is required.

The purpose of medical evaluation.

How Langan conducts a proper respirator fit-test.

That a Powered Air Purifying Respirator (PAPR) is available to you upon request, as long as it meets the protection factor for the hazard involved.

Employee=s Signature: _____ Date:

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 6

Langan

QUALITATIVE RESPIRATOR FIT TESTING

Date:

Employee Name: _____ (Last, First, Middle Intl.)

Age: _____ Sex: _____

Years Experience: _____ Frequency: _____ **See Key

Mask Now Using: _____ Usual Conditions: _____ **See Key

Mask Selected: _____ (i.e. MSA, Half Mask, Medium)

Qualitative Tests: (PP) _____ (NP) _____ (IA) _____ (IS)

(1) = Passed (2) = Failed (3) = Did Not Run

IAA Sensitivity Test: _____ (Pass) or (Fail)

Smoke Sensitivity Test: _____ (Pass) or (Fail)

Respirator Selection: 1st Choice: _____ (Pass) or (Fail)

2nd Choice: _____ (Pass) or (Fail)

3rd Choice: _____ (Pass) or (Fail)

Final Selection: _____ (Pass) or (Fail)

(Manufacturer/Size)

Test Instructor: _____ Employee Signature: _____

Comments: Facial Conditions:

- | | |
|--|---|
| <input type="checkbox"/> Wrinkles | <input type="checkbox"/> Wide-Bridge |
| <input type="checkbox"/> Broken Nose | <input type="checkbox"/> Shallow-Bridge |
| <input type="checkbox"/> Deep Nostrils | <input type="checkbox"/> Small Face |
| <input type="checkbox"/> Narrow Face | <input type="checkbox"/> Wide Face |
| <input type="checkbox"/> Other | |

**HASP
RESPIRATORY PROTECTION PROGRAM**

Frequency:	Usual Conditions:	Qualitative Tests:
How many times used during a week:	(1) Beard/Heavy	PP - Positive Pressure
(1) Less than 1/Week	(2) Beard/Light	NP - Negative Pressure
(2) 2-5 Times/Week	(3) Scars	IA - Isoamyl Acetate
(3) 5-10 Times/Week	(4) Wrinkles	IS - Irritant Smoke
(4) 1-4 Times/Day	(5) Glasses	
	(6) Several Days Beard Growth	

**HASP
RESPIRATORY PROTECTION PROGRAM**

EXHIBIT 7

RESPIRATOR INSPECTION CHART

Item	Half Face APR	Full Face APR	PAPR	Type C	SCBA
FACE PIECE	X	X	X	X	X
Dirt or debris	X	X	X	X	X
Cracks, tears or holes	X	X	X	X	X
Distortion	X	X	X	X	X
Cracked or scratched lens		X	X	X	X
Looseness of parts					
HEAD STRAPS	X	X	X	X	X
Break or tears	X	X	X	X	X
Loss of elasticity	X	X	X	X	X
Broken or malfunctioning buckles					
VALVES	X	X	X	X	X
Dirt or dust	X	X	X	X	X
Detergent residue	X	X	X	X	X
Distortion	X	X	X	X	X
Missing Pieces	X	X	X	X	X
Fit of valve set					
FILTER/CARTRIDGES	X	X	X	X	X
Proper one for intended use	X	X	X	X	X
Approval designation	X	X	X	X	X
Missing or worn gasket	X	X	X	X	X
Worn threads on filter	X	X	X	X	X
Worn threads on face piece	X	X	X		X
Cracks or dents	X	X	X		X
Missing or loose hose clamps					

**HASP
RESPIRATORY PROTECTION PROGRAM**

Item	Half Face APR	Full Face APR	PAPR	Type C	SCBA
COMPRESSORS				X	
Air Quality				X	
Breaks or kinks in supply hose				X	
Supply hose fittings				X	
Connections				X	
Regulator set properly and working				X	
Valves working correctly				X	
Carbon monoxide alarms				X	
High Temperature alarm					
Air-purifying elements					
TANKS					X
Regulator					X
Valves					X
Reserves air system					X
Harness					
PUMPS			X		
Motors			X		
Charging units			X		
Hoses			X		
Batteries			X		
Test gauges			X		
Power cords			X		
Belt holder					

Appendix I
OSHA 300 Forms

OSHA Forms for Recording Work-Related Injuries and Illnesses

Dear Employer:

This booklet includes the forms needed for maintaining occupational injury and illness records for 2004. These new forms have changed in several important ways from the 2003 recordkeeping forms.

In the December 17, 2002 Federal Register (67 FR 77165-77170), OSHA announced its decision to add an occupational hearing loss column to OSHA's Form 300, Log of Work-Related Injuries and Illnesses. This forms package contains modified Forms 300 and 300A which incorporate the additional column M(5) Hearing Loss. Employers required to complete the injury and illness forms must begin to use these forms on January 1, 2004.

In response to public suggestions, OSHA also has made several changes to the forms package to make the recordkeeping materials clearer and easier to use:

- On Form 300, we've switched the positions of the day count columns. The days "away from work" column now comes before the days "on job transfer or restriction."
- We've clarified the formulas for calculating incidence rates.
- We've added new recording criteria for occupational hearing loss to the "Overview" section.
- On Form 300, we've made the column heading "Classify the Case" more prominent to make it clear that employers should mark only one selection among the four columns offered.

The Occupational Safety and Health Administration shares with you the goal of preventing injuries and illnesses in our nation's workplaces. Accurate injury and illness records will help us achieve that goal.

*Occupational Safety and Health Administration
U.S. Department of Labor*

What's Inside...

In this package, you'll find everything you need to complete OSHA's Log and the *Summary of Work-Related Injuries and Illnesses* for the next several years. On the following pages, you'll find:

- ▼ **An Overview: Recording Work-Related Injuries and Illnesses** — General instructions for filling out the forms in this package and definitions of terms you should use when you classify your cases as injuries or illnesses.
- ▼ **How to Fill Out the Log** — An example to guide you in filling out the Log properly.
- ▼ **Log of Work-Related Injuries and Illnesses** — Several pages of the Log (but you may make as many copies of the Log as you need.) Notice that the Log is separate from the *Summary*.
- ▼ **Summary of Work-Related Injuries and Illnesses** — Removable *Summary* pages for easy posting at the end of the year. Note that you post the *Summary* only, not the Log.
- ▼ **Worksheet to Help You Fill Out the Summary** — A worksheet for figuring the average number of employees who worked for your establishment and the total number of hours worked.
- ▼ **OSHA's 301: Injury and Illness Incident Report** — A copy of the OSHA 301 to provide details about the incident. You may make as many copies as you need or use an equivalent form.

Take a few minutes to review this package. If you have any questions, visit us online at www.osha.gov or call your local OSHA office. We'll be happy to help you.



An Overview: Recording Work-Related Injuries and Illnesses

The Occupational Safety and Health (OSHA) Act of 1970 requires certain employers to prepare and maintain records of work-related injuries and illnesses. Use these definitions when you classify cases on the Log. OSHA's recordkeeping regulation (see 29 CFR Part 1904) provides more information about the definitions below.

The *Log of Work-Related Injuries and Illnesses* (Form 300) is used to classify work-related injuries and illnesses and to note the extent and severity of each case. When an incident occurs, use the *Log* to record specific details about what happened and how it happened. The *Summary* — a separate form (Form 300A) — shows the totals for the year in each category. At the end of the year, post the *Summary* in a visible location so that your employees are aware of the injuries and illnesses occurring in their workplace.

Employers must keep a *Log* for each establishment or site. If you have more than one establishment, you must keep a separate *Log* and *Summary* for each physical location that is expected to be in operation for one year or longer.

Note that your employees have the right to review your injury and illness records. For more information, see 29 Code of Federal Regulations Part 1904.35, *Employee Involvement*.

Cases listed on the *Log of Work-Related Injuries and Illnesses* are not necessarily eligible for workers' compensation or other insurance benefits. Listing a case on the *Log* does not mean that the employer or worker was at fault or that an OSHA standard was violated.

When is an injury or illness considered work-related?

An injury or illness is considered work-related if an event or exposure in the work environment caused or contributed to a condition or significantly aggravated a preexisting condition. Work-relatedness is

presumed for injuries and illnesses resulting from events or exposures occurring in the workplace, unless an exception specifically applies. See 29 CFR Part 1904.5(b)(2) for the exceptions. The work environment includes the establishment and other locations where one or more employees are working or are present as a condition of their employment. See 29 CFR Part 1904.5(b)(1).

Which work-related injuries and illnesses should you record?

Record those work-related injuries and illnesses that result in:

- ▶ death,
- ▶ loss of consciousness,
- ▶ days away from work,
- ▶ restricted work activity or job transfer, or
- ▶ medical treatment beyond first aid.

You must also record work-related injuries and illnesses that are significant (as defined below) or meet any of the additional criteria listed below.

You must record any significant work-related injury or illness that is diagnosed by a physician or other licensed health care professional. You must record any work-related case involving cancer, chronic irreversible disease, a fractured or cracked bone, or a punctured eardrum. See 29 CFR 1904.7.

What are the additional criteria?
You must record the following conditions when they are work-related:

- ▶ any needlestick injury or cut from a sharp object that is contaminated with another person's blood or other potentially infectious material;
- ▶ any case requiring an employee to be medically removed under the requirements of an OSHA health standard;
- ▶ tuberculosis infection as evidenced by a positive skin test or diagnosis by a physician or other licensed health care professional after exposure to a known case of active tuberculosis;
- ▶ an employee's hearing test (audiogram) reveals 1) that the employee has experienced a Standard Threshold Shift (STS) in hearing in one or both ears (averaged at 2000, 3000, and 4000 Hz) and 2) the employee's total hearing level is 25 decibels (dB) or more above audiometric zero (also averaged at 2000, 3000, and 4000 Hz) in the same ear(s) as the STS.

What is medical treatment?

Medical treatment includes managing and caring for a patient for the purpose of combating disease or disorder. The following are not considered medical treatments and are NOT recordable:

- ▶ visits to a doctor or health care professional solely for observation or counseling;

What do you need to do?

1. Within 7 calendar days after you receive information about a case, decide if the case is recordable under the OSHA recordkeeping requirements.
2. Determine whether the incident is a new case or a recurrence of an existing one.
3. Establish whether the case was work-related.
4. If the case is recordable, decide which form you will fill out as the injury and illness incident report.
You may use *OSHA's 301: Injury and Illness Incident Report* or an equivalent form. Some state workers compensation, insurance, or other reports may be acceptable substitutes, as long as they provide the same information as the OSHA 301.

How to work with the Log

1. Identify the employee involved unless it is a privacy concern case as described below.
2. Identify when and where the case occurred.
3. Describe the case, as specifically as you can.
4. Classify the seriousness of the case by recording the **most serious outcome** associated with the case, with column G (Death) being the most serious and column J (Other recordable cases) being the least serious.
5. Identify whether the case is an injury or illness. If the case is an injury, check the injury category. If the case is an illness, check the appropriate illness category.



- ▼ diagnostic procedures, including administering prescription medications that are used solely for diagnostic purposes, and any procedure that can be labeled first aid. (See below for more information about first aid.)

What is first aid?

If the incident required only the following types of treatment, consider it first aid. Do NOT record the case if it involves only:

- ▼ using non-prescription medications at non-prescription strength;
- ▼ administering tetanus immunizations;
- ▼ cleaning, flushing, or soaking wounds on the skin surface;
- ▼ using wound coverings, such as bandages, BandAids™, gauze pads, etc., or using SteriStrips™ or butterfly bandages.
- ▼ using hot or cold therapy;
- ▼ using any totally non-rigid means of support, such as elastic bandages, wraps, non-rigid back belts, etc.;
- ▼ using temporary immobilization devices while transporting an accident victim (splints, slings, neck collars, or back boards).
- ▼ drilling a fingernail or toenail to relieve pressure, or draining fluids from blisters;
- ▼ using eye patches;
- ▼ using simple irrigation or a cotton swab to remove foreign bodies not embedded in or adhered to the eye;
- ▼ using irrigation, tweezers, cotton swab or other simple means to remove splinters or foreign material from areas other than the eye;

- ▼ using finger guards;
- ▼ using massages;
- ▼ drinking fluids to relieve heat stress

How do you decide if the case involved restricted work?

Restricted work activity occurs when, as the result of a work-related injury or illness, an employer or health care professional keeps, or recommends keeping, an employee from doing the routine functions of his or her job or from working the full workday that the employee would have been scheduled to work before the injury or illness occurred.

How do you count the number of days of restricted work activity or the number of days away from work?

Count the number of calendar days the employee was on restricted work activity or was away from work as a result of the recordable injury or illness. Do not count the day on which the injury or illness occurred in this number. Begin counting days from the day after the incident occurs. If a single injury or illness involved both days away from work and days of restricted work activity, enter the total number of days for each. You may stop counting days of restricted work activity or days away from work once the total of either or the combination of both reaches 180 days.

Under what circumstances should you NOT enter the employee's name on the OSHA Form 300?

You must consider the following types of injuries or illnesses to be privacy concern cases:

- ▼ an injury or illness to an intimate body part or to the reproductive system,
 - ▼ an injury or illness resulting from a sexual assault,
 - ▼ a mental illness,
 - ▼ a case of HIV infection, hepatitis, or tuberculosis,
 - ▼ a needlestick injury or cut from a sharp object that is contaminated with blood or other potentially infectious material (see 29 CFR Part 1904.8 for definition), and other illnesses, if the employee independently and voluntarily requests that his or her name not be entered on the log.
- You must not enter the employee's name on the OSHA 300 Log for these cases. Instead, enter "privacy case" in the space normally used for the employee's name. You must keep a separate, confidential list of the case numbers and employee names for the establishment's privacy concern cases so that you can update the cases and provide information to the government if asked to do so.

If you have a reasonable basis to believe that information describing the privacy concern case may be personally identifiable even though the employee's name has been omitted, you may use discretion in describing the injury or illness on both the OSHA 300 and 301 forms. You must enter enough information to identify the cause of the incident and the general severity of

the injury or illness, but you do not need to include details of an intimate or private nature.

What if the outcome changes after you record the case?

If the outcome or extent of an injury or illness changes after you have recorded the case, simply draw a line through the original entry or, if you wish, delete or white-out the original entry. Then write the new entry where it belongs. Remember, you need to record the most serious outcome for each case.

Classifying injuries

An injury is any wound or damage to the body resulting from an event in the work environment.

Examples: Cut, puncture, laceration, abrasion, fracture, bruise, contusion, chipped tooth, amputation, insect bite, electrocution, or a thermal, chemical, electrical, or radiation burn. Sprain and strain injuries to muscles, joints, and connective tissues are classified as injuries when they result from a slip, trip, fall or other similar accidents.





Classifying illnesses

Skin diseases or disorders

Skin diseases or disorders are illnesses involving the worker's skin that are caused by work exposure to chemicals, plants, or other substances.

Examples: Contact dermatitis, eczema, or rash caused by primary irritants and sensitizers or poisonous plants; oil acne; friction blisters, chrome ulcers; inflammation of the skin.

Respiratory conditions

Respiratory conditions are illnesses associated with breathing hazardous biological agents, chemicals, dust, gases, vapors, or fumes at work.

Examples: Silicosis, asbestosis, pneumonitis, pharyngitis, rhinitis or acute congestion; farmer's lung, beryllium disease, tuberculosis, occupational asthma, reactive airways dysfunction syndrome (RAADS), chronic obstructive pulmonary disease (COPD), hypersensitivity pneumonitis, toxic inhalation injury, such as metal fume fever; chronic obstructive bronchitis, and other pneumoconioses.

Poisoning

Poisoning includes disorders evidenced by abnormal concentrations of toxic substances in blood, other tissues, other bodily fluids, or the breath that are caused by the ingestion or absorption of toxic substances into the body.

Examples: Poisoning by lead, mercury,

cadmium, arsenic, or other metals; poisoning by carbon monoxide, hydrogen sulfide, or other gases; poisoning by benzene, benzol, carbon tetrachloride, or other organic solvents; poisoning by insecticide sprays, such as parathion or lead arsenate; poisoning by other chemicals, such as formaldehyde.

Hearing Loss

Noise-induced hearing loss is defined for recordkeeping purposes as a change in hearing threshold relative to the baseline audiogram of an average of 10 dB or more in either ear at 2000, 3000 and 4000 hertz, and the employee's total hearing level is 25 decibels (dB) or more above audiometric zero (also averaged at 2000, 3000, and 4000 hertz) in the same ear(s).

All other illnesses

All other occupational illnesses.
Examples: Heatstroke, sunstroke, heat exhaustion, heat stress and other effects of environmental heat; freezing, frostbite, and other effects of exposure to low temperatures; decompression sickness; effects of ionizing radiation (isotopes, x-rays, radium); effects of nonionizing radiation (welding flash, ultra-violet rays, lasers); anthrax; bloodborne pathogenic diseases, such as AIDS, HIV, hepatitis B or hepatitis C; brucellosis; malignant or benign tumors; histoplasmosis; coccidioidomycosis.

When must you post the Summary?

You must post the *Summary* only — not the *Log* — by February 1 of the year following the year covered by the form and keep it posted until April 30 of that year.

How long must you keep the Log and Summary on file?

You must keep the *Log* and *Summary* for 5 years following the year to which they pertain.

Do you have to send these forms to OSHA at the end of the year?

No. You do not have to send the completed forms to OSHA unless specifically asked to do so.

How can we help you?

If you have a question about how to fill out the *Log*,

- visit us online at www.osha.gov or
- call your local OSHA office.

Optional

Calculating Injury and Illness Incidence Rates

What is an incidence rate?

An incidence rate is the number of recordable injuries and illnesses occurring among a given number of full-time workers (usually 100 full-time workers) over a given period of time (usually one year). To evaluate your firm's injury and illness experience over time or to compare your firm's experience with that of your industry as a whole, you need to compute your incidence rate. Because a specific number of workers and a specific period of time are involved, these rates can help you identify problems in your workplace and/or progress you may have made in preventing work-related injuries and illnesses.

How do you calculate an incidence rate?

You can compute an occupational injury and illness incidence rate for all recordable cases or for cases that involved days away from work for your firm quickly and easily. The formula requires that you follow instructions in paragraph (a) below for the total recordable cases or those in paragraph (b) for cases that involved days away from work, and for both rates the instructions in paragraph (c).

(a) To find out the total number of recordable injuries and illnesses that occurred during the year, count the number of line entries on your OSHA Form 300, or refer to the OSHA Form 300A and sum the entries for columns (C), (H), (I), and (J).

(b) To find out the number of injuries and illnesses that involved days away from work, count the number of line entries on your OSHA Form 300 that received a check mark in column (H), or refer to the entry for column

(H) on the OSHA Form 300A.

(c) The number of hours all employees actually worked during the year. Refer to OSHA Form 300A and optional worksheet to calculate this number.

You can compute the incidence rate for all recordable cases of injuries and illnesses using the following formula:

$$\frac{\text{Total number of injuries and illnesses} \times 200,000}{\text{Number of hours worked by all employees}} = \text{Total recordable case rate}$$

(The 200,000 figure in the formula represents the number of hours 100 employees working 40 hours per week, 50 weeks per year would work, and provides the standard base for calculating incidence rates.)

You can compute the incidence rate for recordable cases involving days away from work, days of restricted work activity or job transfer (DART) using the following formula:

$$\frac{\text{Number of entries in column H} + \text{Number of entries in column I} \times 200,000}{\text{Number of hours worked by all employees}} = \text{DART incidence rate}$$

You can use the same formula to calculate incidence rates for other variables such as cases involving restricted work activity (column (I) on Form 300A), cases involving skin disorders (column (M-2) on Form 300A), etc. Just substitute the appropriate total for these cases, from Form 300A, into the formula in place of the total number of injuries and illnesses.

What can I compare my incidence rate to?

The Bureau of Labor Statistics (BLS) conducts a survey of occupational injuries and illnesses each year and publishes incidence rate data by

various classifications (e.g., by industry, by employer size, etc.). You can obtain these published data at www.bls.gov/iif or by calling a BLS Regional Office.

Worksheet

$$\begin{array}{l} \text{Total number of} \\ \text{injuries and illnesses} \\ \boxed{} \end{array} \times 200,000 \div \begin{array}{l} \text{Number of} \\ \text{hours worked} \\ \text{by all employees} \\ \boxed{} \end{array} = \begin{array}{l} \text{Total recordable} \\ \text{case rate} \\ \boxed{} \end{array}$$

$$\begin{array}{l} \text{Number of entries in} \\ \text{Column H} + \text{Column I} \\ \boxed{} \end{array} \times 200,000 \div \begin{array}{l} \text{Number of} \\ \text{hours worked} \\ \text{by all employees} \\ \boxed{} \end{array} = \begin{array}{l} \text{DART incidence} \\ \text{rate} \\ \boxed{} \end{array}$$



How to Fill Out the Log

The *Log of Work-Related Injuries and Illnesses* is used to classify work-related injuries and illnesses and to note the extent and severity of each case. When an incident occurs, use the *Log* to record specific details about what happened and how it happened.

If your company has more than one establishment or site, you must keep separate records for each physical location that is expected to remain in operation for one year or longer.

We have given you several copies of the *Log* in this package. If you need more than we provided, you may photocopy and use as many as you need.

The *Summary* — a separate form — shows the work-related injury and illness totals for the year in each category. At the end of the year, count the number of incidents in each category and transfer the totals from the *Log* to the *Summary*. Then post the *Summary* in a visible location so that your employees are aware of injuries and illnesses occurring in their workplace.

You don't post the Log. You post only the Summary at the end of the year.

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to the health and safety of employees. It is to be used to protect the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year 20 20
 U.S. Department of Labor
 Occupational Safety and Health Administration
 Form approved OSHA # 1114-0118

You must record information about every work-related death and about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, loss of one or more full days of work, or significant work-related injury or illness that is diagnosed by a physician or licensed health care professional. You must also record work-related injury and illness that are recorded on the OSHA Form 301 or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Establishment name XYZ Company
 City Jayville State ME

Identify the person		Describe the case		Classify the case based on the most serious outcome for that case		Enter the number of employees affected by each case		Check the injury/illness or absence case type of illness	
(A) Case #	(B) Employee's name	(C) Job title (e.g., "Welder")	(D) Date of injury or onset of illness	(E) Where the event occurred (e.g., "Loading dock north of building")	(F) Describes injury or illness, parts of body affected, and all affected employees that are directly injured (e.g., "Second degree burns on right forearm from employer's torch")	(G) Death	(H) Job transfer or restriction	(I) Restricted work activity	(J) Other
1	Mark Bagin	Welder	5 / 25	warehouse	fracture, left arm and left leg, fell from ladder	<input type="checkbox"/>	12 days	15 days	<input type="checkbox"/>
2	Shana Alexander	Foundry man	7 / 2	pouring deck	poisoning from lead fumes	<input type="checkbox"/>	30 days	30 days	<input type="checkbox"/>
3	Sam Switzer	Elevator	8 / 5	2nd floor stairwell	limken left foot, fell over ban	<input type="checkbox"/>	7 days	30 days	<input type="checkbox"/>
4	Ralph Benelle	Laborer	9 / 17	packaging dept	Back strain lifting boxes	<input type="checkbox"/>	3 days	30 days	<input type="checkbox"/>
5	Lured Daniels	Machine opr.	10 / 23	production floor	died in cnc	<input checked="" type="checkbox"/>			<input type="checkbox"/>

Be as specific as possible. You can use two lines if you need more room.

Revise the log if the injury or illness progresses and the outcome is more serious than you originally recorded for the case. Cross out, erase, or white-out the original entry.

Choose ONLY ONE of these categories. Classify the case by recording the most serious outcome of the case, with column G (death) being the most serious and column J (Other recordable cases) being the least serious.

Note whether the case involves an injury or an illness.



Log of Work-Related Injuries and Illnesses

You must record information about every work-related death and about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR Part 1904.12. Feel free to use two lines for a single case if you need to. You must complete an Injury and Illness Incident Report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.



Year 20 _____

U.S. Department of Labor
Occupational Safety and Health Administration

Form approved OMB no. 1218-0178

Establishment name _____

City _____

State _____

Identify the person

(A) Case no. _____

(B) Employee's name _____

(C) Job title (e.g., Welder) _____

(D) Date of injury or onset of illness _____
month/day

(E) Where the event occurred (e.g., Loading dock north end)

(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made person ill (e.g., Second degree burns on right forearm from acetylene torch)

Classify the case

CHECK ONLY ONE box for each case based on the most serious outcome for that case:

Remained at Work		On job transfer or restriction		Away from work		Death	
(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> </						

Summary of Work-Related Injuries and Illnesses



Year 20 _____

U.S. Department of Labor
Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

All establishments covered by Part 1904 must complete this Summary page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log to verify that the entries are complete and accurate before completing this summary.

Using the Log, count the individual entries you made for each category. Then write the totals below, making sure you've added the entries from every page of the Log. If you had no cases, write "0."

Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR Part 1904.35, in OSHA's recordkeeping rule, for further details on the access provisions for these forms.

Number of Cases

Total number of deaths	Total number of cases with days away from work	Total number of cases with job transfer or restriction	Total number of other recordable cases
(G) _____	(H) _____	(I) _____	(J) _____

Number of Days

Total number of days away from work	Total number of days of job transfer or restriction
(K) _____	(L) _____

Injury and Illness Types

Total number of . . . (M)	(4) Poisonings
(1) Injuries	(5) Hearing loss
(2) Skin disorders	(6) All other illnesses
(3) Respiratory conditions	

Post this Summary page from February 1 to April 30 of the year following the year covered by the form.

Public reporting burden for this collection of information is estimated to average 60 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any other aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-3614, 200 Constitution Avenue, NW, Washington, DC 20210. Do not send the completed forms to this office.

Establishment information

Your establishment name _____

Street _____

City _____ State _____ ZIP _____

Industry description (e.g., *Manufacture of motor truck trailers*) _____

Standard Industrial Classification (SIC), if known (e.g., 3715) _____

OR _____

North American Industrial Classification (NAICS), if known (e.g., 336212) _____

Employment information (If you don't have these figures, see the Worksheet on the back of this page to estimate.)

Annual average number of employees _____

Total hours worked by all employees last year _____

Sign here

Knowingly falsifying this document may result in a fine.

I certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.

Company executive _____ Title _____

Phone _____ / / Date _____

Optional

Worksheet to Help You Fill Out the Summary

At the end of the year, OSHA requires you to enter the average number of employees and the total hours worked by your employees on the summary. If you don't have these figures, you can use the information on this page to estimate the numbers you will need to enter on the Summary page at the end of the year.

How to figure the average number of employees who worked for your establishment during the year:

- Add** the total number of employees your establishment paid in all pay periods during the year. Include all employees: full-time, part-time, temporary, seasonal, salaried, and hourly.
- Count** the number of pay periods your establishment had during the year. Be sure to include any pay periods when you had no employees.
- Divide** the number of employees by the number of pay periods.
- Round the answer** to the next highest whole number. Write the rounded number in the blank marked *Annual average number of employees*.

For example, Acme Construction figured its average employment this way:

For pay period... Acme paid this number of employees...

1	10	Number of employees paid = 830	1
2	0	Number of pay periods = 26	2
3	15	830 = 31.92	3
4	30	26	4
5	40	31.92 rounds to 32	
▼	20	32 is the annual average number of employees	
24	15		
25	+10		
26	830		

How to figure the total hours worked by all employees:

Include hours worked by salaried, hourly, part-time and seasonal workers, as well as hours worked by other workers subject to day to day supervision by your establishment (e.g., temporary help services workers).

Do not include vacation, sick leave, holidays, or any other non-work time, even if employees were paid for it. If your establishment keeps records of only the hours paid or if you have employees who are not paid by the hour, please estimate the hours that the employees actually worked.

If this number isn't available, you can use this optional worksheet to estimate it.

Optional Worksheet

_____ **Find** the number of full-time employees in your establishment for the year.

X _____ **Multiply** by the number of work hours for a full-time employee in a year.

_____ This is the number of full-time hours worked.

+ _____ **Add** the number of any overtime hours as well as the hours worked by other employees (part-time, temporary, seasonal)

_____ **Round** the answer to the next highest whole number. Write the rounded number in the blank marked *Total hours worked by all employees last year*.



OSHA's Form 301 Injury and Illness Incident Report

This *Injury and Illness Incident Report* is one of the first forms you must fill out when a recordable work-related injury or illness has occurred. Together with the *Log of Work-Related Injuries and Illnesses* and the accompanying *Summary*, these forms help the employer and OSHA develop a picture of the extent and severity of work-related incidents.

Within 7 calendar days after you receive information that a recordable work-related injury or illness has occurred, you must fill out this form or an equivalent. Some state workers' compensation, insurance, or other reports may be acceptable substitutes. To be considered an equivalent form, any substitute must contain all the information asked for on this form.

According to Public Law 91-596 and 29 CFR 1904, OSHA's recordkeeping rule, you must keep this form on file for 5 years following the year to which it pertains.

If you need additional copies of this form, you may photocopy and use as many as you need.

Completed by _____

Title _____

Phone (____) _____ Date ____/____/____

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.



U.S. Department of Labor
Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

Information about the employee

- 1) Full name _____
- 2) Street _____
City _____ State _____ ZIP _____
- 3) Date of birth ____/____/____
- 4) Date hired ____/____/____
- 5) Male Female

Information about the physician or other health care professional

- 6) Name of physician or other health care professional _____

Facility _____
Street _____
City _____ State _____ ZIP _____
- 7) If treatment was given away from the worksite, where was it given?

Facility _____
Street _____
City _____ State _____ ZIP _____
- 8) Was employee treated in an emergency room?
 Yes No
- 9) Was employee hospitalized overnight as an in-patient?
 Yes No

Information about the case

- 10) Case number from the Log _____ (Transfer the case number from the Log after you record the case.)
- 11) Date of injury or illness ____/____/____ AM / PM
- 12) Time employee began work _____ AM / PM
- 13) Time of event _____ AM / PM Check if time cannot be determined
- 14) **What was the employee doing just before the incident occurred?** Describe the activity, as well as the tools, equipment, or material the employee was using. Be specific. *Examples:* "climbing a ladder while carrying roofing materials"; "spraying chlorine from hand sprayer"; "daily computer key-entry."
- 15) **What happened?** Tell us how the injury occurred. *Examples:* "When ladder slipped on wet floor, worker fell 20 feet"; "Worker was sprayed with chlorine when gasket broke during replacement"; "Worker developed soreness in wrist over time."
- 16) **What was the injury or illness?** Tell us the part of the body that was affected and how it was affected; be more specific than "hurt," "pain," or "sore." *Examples:* "strained back"; "chemical burn, hand"; "carpal tunnel syndrome."
- 17) **What object or substance directly harmed the employee?** *Examples:* "concrete floor"; "chlorine"; "radial arm saw." If this question does not apply to the incident, leave it blank.
- 18) **If the employee died, when did death occur?** Date of death ____/____/____

Public reporting burden for this collection of information is estimated to average 29 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Persons are not required to respond to the collection of information unless it displays a current valid OMB control number. If you have any comments about this estimate or any other aspects of this data collection, including suggestions for reducing this burden, contact: US Department of Labor, OSHA, Office of Statistical Analysis, Room N-3634, 200 Constitution Avenue, NW, Washington, DC 20210. Do not send the completed forms to this office.

If You Need Help...

If you need help deciding whether a case is recordable, or if you have questions about the information in this package, feel free to contact us. We'll gladly answer any questions you have.

▼ Visit us online at www.osha.gov

▼ Call your OSHA Regional office and ask for the recordkeeping coordinator

or

▼ Call your State Plan office

Federal Jurisdiction

Region 1 - 617 / 565-3860
Connecticut; Massachusetts; Maine; New Hampshire; Rhode Island

Region 2 - 212 / 337-2378
New York; New Jersey

Region 3 - 215 / 861-4900
DC; Delaware; Pennsylvania; West Virginia

Region 4 - 404 / 562-2300
Alabama; Florida; Georgia; Mississippi

Region 5 - 312 / 353-2220
Illinois; Ohio; Wisconsin

Region 6 - 214 / 767-4731
Arkansas; Louisiana; Oklahoma; Texas

Region 7 - 816 / 426-5861
Kansas; Missouri; Nebraska

Region 8 - 303 / 844-1600
Colorado; Montana; North Dakota; South Dakota

Region 9 - 415 / 975-4310

Region 10 - 206 / 553-5930
Idaho

State Plan States

Alaska - 907 / 269-4957

Arizona - 602 / 542-5795

California - 415 / 703-5100

*Connecticut - 860 / 566-4380

Hawaii - 808 / 586-9100

Indiana - 317 / 232-2688

Iowa - 515 / 281-3661

Kentucky - 502 / 564-3070

Maryland - 410 / 767-2371

Michigan - 517 / 322-1848

Minnesota - 651 / 284-5050

Nevada - 702 / 486-9020

*New Jersey - 609 / 984-1389

New Mexico - 505 / 827-4230

*New York - 518 / 457-2574

North Carolina - 919 / 807-2875

Oregon - 503 / 378-3272

Puerto Rico - 787 / 754-2172

South Carolina - 803 / 734-9669

Tennessee - 615 / 741-2793

Utah - 801 / 530-6901

Vermont - 802 / 828-2765

Virginia - 804 / 786-6613

Virgin Islands - 340 / 772-1315

Washington - 360 / 902-5554

Wyoming - 307 / 777-7786

*Public Sector only





Have questions?

If you need help in filling out the *Log or Summary*, or if you have questions about whether a case is recordable, contact us. We'll be happy to help you. You can:

- ▼ Visit us online at: www.osha.gov
- ▼ Call your regional or state plan office. You'll find the phone number listed inside this cover.

APPENDIX C

**GEOPHYSICAL WORK SUMMARY
AND MAPS**

NOVA GEOPHYSICAL SERVICES

□□□□□□□□□□ □□□□□□ □□□□□□□□

56-01 Marathon Parkway, PO Box 765, Douglaston, New York 11362
Ph. 347-556-7787 Fax. 718-261-1527
www.nova-gsi.com

November 17, 2010

Michael Burke
Langan Engineering & Environmental Services
21 Penn Plaza
360 West 31st Street, 8th Floor
New York, NY 10001-27279
Direct: 212-479-5513
Mobile: 347-633-1923
Email: MBurke@langan.com

Re: Geophysical Survey Report
Lenox Avenue & 125th Street
New York, New York 10027

Dear Mr. Burke:

Nova Geophysical Services (NOVA) is pleased to provide findings of our geophysical survey at the above referenced project site located at Lenox Avenue between 124th Street and 125th Street, New York, New York (the "Site"). Please see attached Geophysical Survey map for more details.

□□□□□□□□□□ □□ □□□□□□□□□□□□□□□□

NOVA performed a Geophysical survey consisting of Ground Penetrating Radar (GPR), Electromagnetic (EM) surveys and comprehensive subsurface utility (CSUL) surveys at the proposed Site. The purpose of this survey is to identify underground anomalies such as underground storage tanks (USTs), current and former utility lines, former structures, abnormalities and to verify that proposed environmental soil boring locations are clear of subsurface structures and utilities located at the project site on November 8th 2010.

The equipment selected for this investigation will be included a CSUL Pipe and Cable Locator (an magnetic detector), Ditch-Witch utility locator, Electromagnetic detector (Geonics EM61), MALAs and NOGGIN's 250 MHz and 500 MHz ground-penetrating radar (GPR) units, and a Conquest Concrete based GPR with 750 to 1000 MHz antenna units.

A GPR system consists of a radar control unit, control cable and a transducer (antenna). The control unit transmits a trigger pulse at a normal repetition rate of 500 MHz. The trigger pulse is sent to the transmitter electronics in the transducer via the control cable. The transmitter electronics amplify the trigger pulses into bipolar pulses that are radiated to the surface. The transformed pulses vary in shape and frequency according to the transducer used. In the subsurface, variations of the signal occur at boundaries where there is a dielectric contrast (void, steel, soil type, etc.). Signal reflections travel back to the control unit and are represented as color graphic images for interpolation.


Methodology

The project site and proposed soil boring locations were first screened using the Geonics(tm) electromagnetic detector by carrying the instrument over the boring locations at the site in 5' x 5' traverses. When evidence of anomalies were observed, the Ditch-witch(tm) utility locator was then used to determine if the anomalies were utilities or other large sub-surface metal objects. Finally, GPR profiles were collected over each metal-detector anomaly and inspected for reflections, which could be indicative of USTs. Proposed environmental Sample locations were established in areas that were not conflict with subsurface structures or utilities.

NOVA Processing

In order to improve the quality of the results and to better identify subsurface anomalies NOVA processed the collected data. The processes flow is briefly described at this section.


NOVA Processing Flow



□□□□□□□□□□ □□□□□□ □□□□□□

□angan □ngin □ring □ n □ir □n □ n a □□ri □□□□n □□

Lenox Avenue & 125th Street
New York, New York 10027



The above example shows the significance of data processing. The last image (step 5) has higher resolution than the starting image (raw data – step 1) and describes the subsurface anomalies more accurately.

□□□□□□□□ □□□□□□□□

Nova observed following physical conditions at the time of the survey:

□□□ □□ a □□r: Cloudy & light rain.

□□□ □: 38 degrees

□□ r a □□: Non-paved vacant lot and concrete paved city sidewalks.

□□□□□□□ i a □□ i □□ □□□□□□ □□□: Excessive Geophysical Noise Level (GNL) was medium level due to existence of former building foundations and underground subway line adjacent to the subject property.

□□□□□□□□

The results of the geophysical survey identified following anomalies located at the project Site:

- Geophysical survey identified minor anomalies located throughout the project Site. Further evaluations of these anomalies were appeared to be reflection of remnant of former building foundations including but not limited to steel beams, bricks, concrete blocks, and unconsolidated soils located throughout of the project site.
- Geophysical survey identified scattered anomalies located throughout of the surveyed areas. None of these anomalies were consistant with any underground storage tanks (USTs).

Geophysical Engineering & Environmental Services

Geophysical Engineering & Environmental Services

Lenox Avenue & 125th Street
New York, New York 10027

- Geophysical survey identified former utility lines (electric, sewer, gas, water) located along the north, east and south sides of the project site.
- NOVA cleared and marked all of the proposed environmental soil boring locations at the project site.
- Geophysical Survey Plan portrays the areas investigated during the geophysical survey.

If you have any questions please do not hesitate to contact the undersigned.

Sincerely,

Geophysical Engineering & Environmental Services



Levent Eskicakit, P.G., E.P.
Project Engineer

Attachment:

Figure 1 Site Location Map
Geophysical Survey Plan

ATTACHMENTS






FIGURE 1


SITE LOCATION MAP

Yahoo Maps New York County-New York



Subsurface Mapping Solutions
 56-01 Marathon Parkway, P.O. Box 765
 Douglaston, NY 11362
 (718) 261-1527 Fax (718) 261-1528
www.nova-gsi.com

- : □ a □ a n □ □ a n □ □
 Lenox Avenue & 125th Street
 New York, New York 10027
- : See Map





GEOPHYSICAL SURVEY PLAN

SITE : Vacant Lot
125th Street & Lenox Avenue, New York, New York

SCALE : See Map
DATE : 11/08/10

INFORMATION

-  GPR/EM Surveyed Areas
-  Proposed Boring Locations
-  Scattered Anomaly
-  Underground Piping (Utilities- Gas, Sewer, Electric)
-  Minor Anomaly


 56-01 Marathon Parkway, PO Box 765
 Douglaston, New York 11362
 Phone (347) 556-7787 * Fax (718) 261-1527
www.nova-gsi.com

APPENDIX D

Soil Boring Logs

Project 110 West 125th Street				Project No. 170121501			
Location Harlem, NY				Elevation and Datum Approx. BPMD			
Drilling Company Aquifer Drilling & Testing				Date Started 11/12/10		Date Finished 11/12/10	
Drilling Equipment Sonic 319				Completion Depth 30 ft		Rock Depth N/E	
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed
Casing Diameter (in) 5"		Casing Depth (ft)		Water Level (ft.) First ∇ 20.6		Completion ∇	Core 24 HR. ∇
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Chris Miglione			
Sampler 2.5" OD Polyliner Bag				Inspecting Engineer Courtney Mann			
Sampler Hammer		Weight (lbs)	Drop (in)				

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:31 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)		
				Number	Type	Recov. (in)	Penetr. resist	BL/Join	N-Value (Blows/ft) 10 20 30 40			
X		Brown c-f SAND, sm. brick, tr. gravel [FILL] (dry)	0								Boring begins at 850 hrs	
	1		1	S1	ENV.	12					No Odor No Staining	
	2		2									
	3		3									
	4		4									
	5		5								Drill Casing to 5-ft	
	6		Brown c-f SAND, sm. brick, tr. silt [FILL] (dry)	6	S2	ENV.	36					Sample SB-1-6-9 taken at 915 hrs No Odor No Staining
	7			7								
	8			8								
	9			9								
	10			10								Drill Casing to 10-ft
	11		Brown c-f SAND, sm. c-gravel, tr. cobble [FILL] (wet)	11	S3	ENV.	48					No Odor No Staining
	12			12								
	13			13								
	14			14								
	15			15								Drill Casing to 15-ft
	16		Light Brown c-f SAND, sm. c-gravel, tr. silt, tr. cobble [FILL] (wet)	16	S4	ENV.	36					Sample SB-1-16-18 at 950 hrs No Odor No Staining
	17			17								
	18			18								
	19			19								
20			20								Drill Casing to 20-ft	

Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)		
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	N-Value (Blows/ft)			
[Dotted pattern symbol]	20	Light Brown c-f SAND, [SP] (wet)	▽	S5	ENV.	6		N-Value (Blows/ft)			
	21							22	23	24	
[Dotted pattern symbol]	25	Light brown c-f SAND, tr. f-gravel, tr. silt [SP] (wet)		S6	ENV.	48		N-Value (Blows/ft)			
	26							27	28	29	
	30	End of boring at 30'0"						N-Value (Blows/ft)			
	31							N-Value (Blows/ft)			
	32							N-Value (Blows/ft)			
	33							N-Value (Blows/ft)			
	34							N-Value (Blows/ft)			
	35							N-Value (Blows/ft)			
	36							N-Value (Blows/ft)			
	37							N-Value (Blows/ft)			
	38							N-Value (Blows/ft)			
	39							N-Value (Blows/ft)			
	40							N-Value (Blows/ft)			
	41							N-Value (Blows/ft)			
	42							N-Value (Blows/ft)			
	43							N-Value (Blows/ft)			
	44							N-Value (Blows/ft)			
	45							N-Value (Blows/ft)			

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:31 PM... Report: Log - LANGAN...Template TEMPLATE.GDT



Project		Project No.								
110 West 125th Street		170121501								
Location		Elevation and Datum								
Harlem, NY		Approx. BPMD								
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)		
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)	
			20							
		Brown m-f SAND [NATIVE] (moist)	21	S5	ENV.	36				No Odor No Staining
		Grey f-SAND, sm. c-gravel, tr. cobble [NATIVE] (dry)	22							
		Grey f-SAND, tr. c-gravel [NATIVE] (dry)	23							
			24							
		End of Boring at 25'0"	25							
			26							
			27							
			28							
			29							
			30							
			31							
			32							
			33							
			34							
			35							
			36							
			37							
			38							
			39							
			40							
			41							
			42							
			43							
			44							
			45							

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:49 PM... Report: Log - LANGAN...Template TEMPLATE.GDT



Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	N-Value (Blows/ft)	
[Patterned Area]		Brown c-f SAND, tr. cobbles [NATIVE] (wet)	20	S5	ENV.	20			No Odor No Staining
			21						
		Brown c-f SAND [NATIVE] (wet)	25	S6	ENV.	40			No Odor No Staining
			26						
			27						
		End of boring at 30'0"	30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:52 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

Project 110 West 125th Street			Project No. 170121501		
Location Harlem, NY			Elevation and Datum Approx. BPMD		
Drilling Company Aquifer Drilling & Testing		Date Started 11/12/10		Date Finished 11/12/10	
Drilling Equipment Sonic 319			Completion Depth 30 ft		Rock Depth N/E
Size and Type of Bit			Number of Samples	Disturbed	Undisturbed
Casing Diameter (in) 5"		Casing Depth (ft)	Water Level (ft.)	First ▽	Completion ▽
Casing Hammer N/A	Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Chris Miglione		
Sampler 2.5" OD Polyliner Bag			Inspecting Engineer Courtney Mann		
Sampler Hammer	Weight (lbs)	Drop (in)			

I:\LANGAN.COM\DATA\NY\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:54 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist	BL/Join	N-Value (Blows/ft) 10 20 30 40	
[Cross-hatched pattern]	0	Borwn c-f SAND, sm. c-gravel, tr. cobble [FILL] (dry)	0							Boring begins at 1145 hrs
	1		1	S1	ENV.	36				Sample SB-4-0-3 taken at 1200 hrs No Odor No Staining
	2		2							
	3		3							
	5	Brown c-f SAND, sm. c-gravel, tr. brick, tr. cobble, tr. wood [FILL] (moist)	5							No Odor No Staining
	6		6	S2	ENV.	24				
	7		7							
	10	Light brown c-f SAND, sm. c-gravel, tr. silt [FILL] (moist)	10							No Odor No Staining
	11		11	S3	ENV.	10				
	12		12							
	15	Brown, c-f SAND, sm. c-gravel, tr. silt, tr. cobble [FILL] (dry)	15							Sample SB-4-15-18 taken at 1215 hrs No Odor No Staining
	16		16	S4	ENV.	36				
	17		17							
	18		18							
	19		19							
	20		20							

Project		Project No.											
110 West 125th Street		170121501											
Location		Elevation and Datum											
Harlem, NY		Approx. BPMD											
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)					
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)				
			20					10	20	30	40		
		Light brown c-f SAND, tr. f-gravel [FILL] (wet)	21	S5	ENV.	26							No Odor No Staining
		Light brown c-f SAND [NATIVE] (wet)	22										
			23										
			24										
		Reddish Brown c-f SAND, sm. c-gravel, tr. brick [NATIVE] (wet)	25										
		Light Brown c-f SAND, tr. brick [NATIVE] (wet)	26	S6	ENV.	39							No Odor No Staining
			27										
			28										
			29										
		End of Boring at 30'0"	30										
			31										
			32										
			33										
			34										
			35										
			36										
			37										
			38										
			39										
			40										
			41										
			42										
			43										
			44										
			45										

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:47:54 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street			Project No. 170121501		
Location Harlem, NY			Elevation and Datum Approx. BPMD		
Drilling Agency Aquifer Drilling & Testing		Date Started 11/13/10		Date Finished 11/13/10	
Drilling Equipment Sonic 319			Completion Depth 25 ft		Rock Depth N/E ft
Size and Type of Bit			Number of Samples	Disturbed	Undisturbed
Casing (diameter, material, etc.) 5"		Casing Depth (ft)	Water Level (ft.)	First ▽	Completion ▽
Casing Hammer N/A	Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Chris Miglione		
Sampler 2.5" OD Polyliner Bag			Inspecting Engineer Courtney Mann		
Sampler Hammer	Weight (lbs)	Drop (in)			

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)		
				Number	Type	Recov. (in)	Penetr. resist	BL/Join	N-Value (Blows/ft) 10 20 30 40			
	0	Brown, c-f SAND, sm. c-gravel, tr. brick [FILL] (dry)									Boring begins at 1330 hrs	
	1		S1	ENV.	30						No Odor No Staining	
	2											
	3											
	4											
	5	Brownish-red, c-f SAND, tr. f-gravel, tr. brick [FILL] (dry)										
	6		S2	ENV.	36							No Odor No Staining
	7											
	8											
	9											
	10	Brown, c-f SAND [FILL] (dry)										
	11		S3	ENV.	36							Sample SB-5-10-13 taken at 1427 hrs No Odor No Staining
	12											
	13											
	14											
	15	Light brown c-f SAND, sm. f-gravel [FILL] (dry)										
	16		S4	ENV.	36							Sample SB-5-17-18 taken at 1433 hrs No Odor No Staining
	17											
	18											
	19	Brown c-f SAND [NATIVE] (moist)										
20												

I:\LANGAN.COM\DATA\ENVIRONMENTAL\GINTLOGS\170121501 BORING LOGS.GPJ ... 7/16/2012 2:37:53 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project		Project No.							
110 West 125th Street		170121501							
Location		Elevation and Datum							
Harlem, NY		Approx. BPMD							
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
							10 20 30 40		
•••••		Brown c-f SAND [NATIVE] (wet)	20	S5 ENV.	30				No Odor No Staining
			21						
			22						
			23						
			24						
		End of Boring at 25'0"	25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170121501 BORING LOGS.GPJ ... 7/16/2012 2:37:53 PM ... Report: Log - LANGAN ...Template TEMPLATE.GDT

Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)										
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	N-Value (Blows/ft)											
[Patterned]	20	Brown c-f SAND [NATIVE] (wet)	20	S5	ENV.	40		N-Value (Blows/ft)				No Odor NO Staining							
	21		22					23	24	25	26		27	28	29				
[Patterned]	25	Brown c-f SAND [NATIVE] (wet)	25	S6	ENV.	36		N-Value (Blows/ft)				No Odor No Staining							
	26		27					28	29	30	31		32	33	34	35	36	37	38
		End of Boring at 30'0"						N-Value (Blows/ft)											

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:48:00 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

Project 110 West 125th Street		Project No. 170121501							
Location Harlem, NY		Elevation and Datum Approx. BPMD							
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		Brown, c-f SAND [NATIVE] (wet)	20	S5 ENV.	30			No Odor No Staining	
		End of Boring at 25'0"	21						
									22
									23
									24
									25
									26
									27
									28
									29
									30
									31
									32
									33
									34
									35
									36
									37
									38
									39
									40
									41
									42
									43
									44
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:48:03 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street				Project No. 170121501				
Location Harlem, NY				Elevation and Datum Approx. BPMD				
Drilling Company Laurel Environmental Services				Date Started 11/15/10		Date Finished 11/15/10		
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E		
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed	Core
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.) First ∇		Completion ∇	24 HR. ∇	
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto				
Sampler 1" OD MacroCore				Inspecting Engineer Courtney Mann				
Sampler Hammer		Weight (lbs)	Drop (in)					

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:48:05 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks <small>(Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)</small>
				Number	Type	Recov. (in)	Penetr. resist. BL/ft	N-Value (Blows/ft)		
								10 20 30 40		
			0							Boring begins at 1245 hrs
			1	S1	ENV.	0				No Recovery
			2							
			3							
			4							
			5							
			6	S2	ENV.	0				No Recovery
			7							
			8							
			9							
		Brown, c-f SAND, tr. gravel, tr. silts [FILL] (dry)	10							
			11	S3	ENV.	30				Sample SB-8-10-12 taken at 1320 hrs No Odor No Staining
			12							
			13							
			14							
		Brown, c-f SAND, sm. gravel [FILL] (dry)	15							
			16	S4	ENV.	30				Sample SB-8-15-17 taken at 1330 hrs No Odor No Staining
			17							
			18							
		Brown, c-f SAND [NATIVE] (wet)	19							
			20							

Project 110 West 125th Street				Project No. 170121501				
Location Harlem, NY				Elevation and Datum Approx. BPMD				
Drilling Company Laurel Environmental Services				Date Started 11/15/10		Date Finished 11/15/10		
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E		
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed	Core
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.) First ∇		Completion ∇	24 HR. ∇	
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto				
Sampler 1" OD MacroCore				Inspecting Engineer Courtney Mann				
Sampler Hammer		Weight (lbs)	Drop (in)					

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:48:08 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks <small>(Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)</small>
				Number	Type	Recov. (in)	Penetr. resist	BL/ft	N-Value (Blows/ft)	
									10 20 30 40	
		Brown, c-f SAND, sm. c-gravel, sm. brick [FILL] (dry)	0							Boring begins at 1010 hrs
			1	S1	ENV.	12				No Odor No Staining
			2							
			3							
			4							
		Reddish brown, c-f SAND, sm. brick [FILL] (dry)	5							
			6	S2	ENV.	36				Sample SB-9-0-10 taken at 1145 hrs No Odor No Staining
			7							
			8							
			9							
		Grey, f SAND, sm. gravel, tr. cobble, tr. silts [FILL] (dry)	10							
			11	S3	ENV.	6				No Odor No Staining
			12							
			13							
			14							
		Brown, m-f SAND, tr. gravel [FILL] (dry)	15							
			16	S4	ENV.	36				Sample SB-9-15-18 taken at 1217 No Odor No Staining
			17							
			18							
		Brown, c-f SAND [NATIVE] (wet)	19							
			20							



Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		End of Boring at 20'0"	20						
			21						
			22						
			23						
			24						
			25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:48:08 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street				Project No. 170121501			
Location Harlem, NY				Elevation and Datum Approx. BPMD			
Drilling Company Laurel Environmental Services				Date Started 11/16/10		Date Finished 11/16/10	
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E	
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.)		First ▽	Completion ▽
Casing Hammer N/A	Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto				
Sampler 1" OD MacroCore			Inspecting Engineer Courtney Mann				
Sampler Hammer	Weight (lbs)	Drop (in)					

I:\LANGAN.COM\DATA\ANY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:37 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist	BL/Join	
[Cross-hatch pattern]	0	Brown, c-f SAND, sm. brick, sm. c-gravel, tr. silts [FILL] (dry)	0						Boring begins at 925 hrs Sample SB-10-0-5 taken at 945 hrs No Odor No Staining
	1		S1	MACROCORE	12				
	2								
	3								
[Cross-hatch pattern]	5	Brown, c-f SAND, sm. gravel, tr. brick [FILL] (dry)	5	S2	MACROCORE	18			No Staining No Odor
	6								
	7								
	8								
[Cross-hatch pattern]	10	Brown, c-f SAND [FILL] (dry)	10	S3	MACROCORE	30			Sample SB-10-10-12 taken at 1140 No Odor No Staining
	11								
	12								
	13								
[Dotted pattern]	15		15	S4	MACROCORE	0			No Recovery
	16								
	17								
	18								
			19						
			20						



Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		End of Boring at 20'0"	20						
			21						
			22						
			23						
			24						
			25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:47:37 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street				Project No. 170121501				
Location Harlem, NY				Elevation and Datum Approx. BPMD				
Drilling Company Laurel Environmental Services				Date Started 11/15/10		Date Finished 11/15/10		
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E		
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed	Core
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.) First ∇		Completion ∇	24 HR. ∇	
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto				
Sampler 1" OD MacroCore				Inspecting Engineer Courtney Mann				
Sampler Hammer		Weight (lbs)	Drop (in)					

I:\LANGAN.COM\DATA\ANY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:39 PM... Report: Log - LANGAN ...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist	BL/Join		N-Value (Blows/ft) 10 20 30 40
	0	Brown, c-f SAND, tr. gravel, tr. silt [FILL] (dry)	0							Boring begins at 1330 hrs
	1		1	S1	MACROCORE	10				No Odor No Staining
	2		2							
	3		3							
	5	Brown, c-f SAND, sm. c-gravel, tr. silt [FILL] (dry)	5							
	6		6	S2	MACROCORE	24				Sample SB-11-5-10 taken at 1400 hrs No Odor No Staining
	7		7							
	8		8							
	10	Brown, c-f SAND, sm. gravel, tr. silt [FILL] (dry)	10							
	11		11	S3	MACROCORE	36				No Odor No Staining
	12		12							
	13		13							
	15	Brown, c-f SAND, sm. c-gravel, tr. silt [FILL] (moist)	15							
	16	Brown, m-f SAND [FILL] (wet)	16	S4	MACROCORE	24				Sample SB-11-15-20 taken at 1420 hrs
	17	Greyish-Brown, c-f SAND, sm. gravel, sm. cobble [FILL] (moist)	17							
	18		18							
			19							
			20							



Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		End of Boring at 20'0"	20						
			21						
			22						
			23						
			24						
			25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:47:40 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street				Project No. 170121501			
Location Harlem, NY				Elevation and Datum Approx. BPMD			
Drilling Company Laurel Environmental Services				Date Started 11/16/10		Date Finished 11/16/10	
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E	
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.) First		Completion	24 HR.
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto			
Sampler 1" OD MacroCore				Inspecting Engineer Courtney Mann			
Sampler Hammer		Weight (lbs)	Drop (in)				

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:43 PM... Report: Log - LANGAN...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist	BL/Join		N-Value (Blows/ft) 10 20 30 40
			0							Boring begins at 900 hrs
			1	S1	MACROCORE	0				No Recovery
			2		MACROCORE					
			3							
			4							
		Brown, c-f SAND, sm. c-gravel, tr. brick [FILL] (dry)	5	S2	MACROCORE	6				No Odor No Staining
			6							
			7							
			8							
			9							
		Brown, c-f SAND, sm. wood, sm. brick, sm. c-gravel [FILL] (dry)	10	S3	MACROCORE	26				Sample SB-12-10-15 at 915 hrs No Odor No Staining
			11							
			12							
			13							
			14							
		Brown, c-f SAND, tr. gravel [FILL] (dry)	15	S4	MACROCORE	24				Sample B-12-15-20 at 920 hrs No Odor No Staining
			16							
			17							
			18							
			19							
			20							

Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		End of Boring at 20'0"	20						
			21						
			22						
			23						
			24						
			25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:47:43 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

Project 110 West 125th Street				Project No. 170121501				
Location Harlem, NY				Elevation and Datum Approx. BPMD				
Drilling Company Laurel Environmental				Date Started 11/16/10		Date Finished 11/16/10		
Drilling Equipment Geoprobe 6610				Completion Depth 20 ft		Rock Depth N/E		
Size and Type of Bit				Number of Samples		Disturbed	Undisturbed	Core
Casing Diameter (in) 2.25"		Casing Depth (ft)		Water Level (ft.) First ∇		Completion ∇	24 HR. ∇	
Casing Hammer N/A		Weight (lbs) N/A	Drop (in) N/A	Drilling Foreman Steve Bitetto				
Sampler 1" OD MacroCore				Inspecting Engineer Courtney Mann				
Sampler Hammer		Weight (lbs)	Drop (in)					

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\LOGS\170121501 BORING LOGS.GPJ...6/6/2012 1:47:45 PM... Report: Log - LANGAN ...Template TEMPLATE.GDT

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist	BL/Join		N-Value (Blows/ft) 10 20 30 40
[Cross-hatched pattern]	0	Brown, c-f SAND, sm. c-gravel, tr. silts [FILL] (dry)	0							Boring begins at 800 hrs
	1	Brown, c-f SAND [FILL] (dry)	1	S1	MACROCORE	36				Sample SB-13-0-5 taken at 840 hrs No Odor No Staining
	2									
	3									
	4		4						Drill Casing to 5-ft	
	5	Reddish-Brown, c-f SAND, sm. c-gravel, sm. brick [FILL] (dry)	5							No Recovery
	6		S2	MACROCORE	0					
	7									
	8									
	9		9							
	10	Brown, c-f SAND [FILL] (dry)	10	S3	MACROCORE	18				No Odor No Staining
	11									
	12									
	13		13							
	14		14							
	15	Brown, c-f SAND [Native] (dry)	15							Sample SB-13-15-18 taken at 851 hrs No Odor No Staining
	16		S4	MACROCORE	30					
	17		17							
	18		18							
	19		19							
	20		20							



Project 110 West 125th Street	Project No. 170121501
Location Harlem, NY	Elevation and Datum Approx. BPMD

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)	
				Number	Type	Recov. (in)	Penetr. resist. BL/6in		N-Value (Blows/ft)
		End of Boring at 20'0"	20						
			21						
			22						
			23						
			24						
			25						
			26						
			27						
			28						
			29						
			30						
			31						
			32						
			33						
			34						
			35						
			36						
			37						
			38						
			39						
			40						
			41						
			42						
			43						
			44						
			45						

I:\LANGAN.COM\DATA\NY\DATA5\170121501\ENGINEERING DATA\ENVIRONMENTAL\GINTL\OGS\170121501 BORING LOGS.GPJ ... 6/6/2012 1:47:46 PM ... Report: Log - LANGAN ... Template TEMPLATE.GDT

APPENDIX E

Groundwater Sampling and Well Purging Logs

APPENDIX F

Soil Vapor Sampling Logs

SOIL VAPOR SAMPLE LOG
 West 125th Street and Lenox Ave.
 HARLEM, NEW YORK
 LANGAN NO. 170121501

Sample ID	Date	Weather	Post-Purge Helium Reading - bucket (%)	Post-Purge Helium Reading - sample tube (ppm)	PID reading - sample tube (ppm)	Summa Canister No.	Regulator No.	Start Time	Start Pressure (" Hg)	Stop Time	Stop Pressure (psi)
SV-1	11/15/2010	55° Sunny	25	0	0	S09	F7	8:55	30	9:48	6
SV-2	11/15/2010	55° Sunny	89	900	0	S08	F9	9:27	30	10:22	6
SV-3	11/15/2010	55° Sunny	86	600	0	V59	F10	10:16	30	11:14	5
SV-4	11/12/2010	59° Sunny	85	0	0	S24	F1	13:28	30	14:22	5
SV-5	11/13/2010	60° Sunny	50	100	0	S18	F6	14:06	30	14:58	5
SV-6	11/13/2010	60° Sunny	70	0	0	S02	F3	12:02	30	12:58	5
SV-7	11/13/2010	60° Sunny	97	0	0	V54	F2	10:40	30	11:35	5
SV-AA	11/13/2010	60° Sunny	-	0	0	#35	V1	8:03	30	15:05	6

APPENDIX G

LABORATORY DATA DELIVERABLES

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0596

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0596

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 16, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.


Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0596-01	SB-9-0-10_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-02	SB-9-15-18_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-03	SB-8-10-12_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-04	SB-8-15-17_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-05	SB-11-5-10_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-06	SB-11-15-20_11/15/2010	Soil	11/15/2010	11/16/2010
10K0596-07	SB-13-0-5_11/16/2010	Soil	11/16/2010	11/16/2010
10K0596-08	SB-13-15-18_11/16/2010	Soil	11/16/2010	11/16/2010
10K0596-09	SB-12-10-15_11/16/2010	Soil	11/16/2010	11/16/2010
10K0596-10	SB-12-15-20_11/16/2010	Soil	11/16/2010	11/16/2010
10K0596-11	SB-10-0-6_11/16/2010	Soil	11/16/2010	11/16/2010

General Notes for York Project (SDG) No.: 10K0596

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/24/2010



Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

10K0596

170121501

Soil

November 15, 2010 3:00 pm

11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.4	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
67-64-1	Acetone	ND		ug/kg dry	7.7	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
67-66-3	Chloroform	ND		ug/kg dry	0.89	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.94	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-09-2	Methylene chloride	2I	J, B	ug/kg dry	2.6	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS

Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
108-88-3	Toluene	ND		ug/kg dry	0.57	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	34	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 13:53	SS
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	109 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	96.4 %			70-130						
2037-26-5	Surrogate: Toluene-d8	98.9 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	104	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	83.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	90.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	65.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	51.7	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	93.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	77.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	60.9	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	160	380	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	83.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	90.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	58.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	111	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	66.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	69.9	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	98.7	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	65.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	47.9	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	68.9	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD

Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	144	380	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	79.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	75.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	54.8	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	85.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	63.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	68.7	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
83-32-9	Acenaphthene	ND		ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
120-12-7	Anthracene	ND		ug/kg dry	47.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
56-55-3	Benzo(a)anthracene	86.3	J	ug/kg dry	73.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
50-32-8	Benzo(a)pyrene	117	J	ug/kg dry	49.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
205-99-2	Benzo(b)fluoranthene	149	J	ug/kg dry	72.3	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
191-24-2	Benzo(g,h,i)perylene	87.4	J	ug/kg dry	57.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
207-08-9	Benzo(k)fluoranthene	109	J	ug/kg dry	73.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
65-85-0	Benzoic acid	ND		ug/kg dry	130	380	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	61.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	79.3	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	70.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	64.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	70.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	63.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
218-01-9	Chrysene	113	J	ug/kg dry	76.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	48.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	61.3	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	99.7	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	54.8	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	56.8	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	85.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
206-44-0	Fluoranthene	139	J	ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
86-73-7	Fluorene	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	76.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	141	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD

Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-72-1	Hexachloroethane	ND		ug/kg dry	68.4	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
193-39-5	Indeno(1,2,3-cd)pyrene	84.7	J	ug/kg dry	70.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
78-59-1	Isophorone	ND		ug/kg dry	70.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
91-20-3	Naphthalene	ND		ug/kg dry	56.8	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	85.5	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	49.6	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
85-01-8	Phenanthrene	71.8	J	ug/kg dry	70.1	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
108-95-2	Phenol	ND		ug/kg dry	76.0	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
129-00-0	Pyrene	159	J	ug/kg dry	68.2	190	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:32	TD
Surrogate Recoveries		Result	Acceptance Range								
5175-83-7	Surrogate: 2,4,6-Tribromophenol	37.1 %	15-110								
321-60-8	Surrogate: 2-Fluorobiphenyl	52.5 %	30-130								
367-12-4	Surrogate: 2-Fluorophenol	55.9 %	15-110								
4165-60-0	Surrogate: Nitrobenzene-d5	41.8 %	30-130								
4165-62-2	Surrogate: Phenol-d5	50.0 %	15-110								
1718-51-0	Surrogate: Terphenyl-d14	43.3 %	30-130								

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00901	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00901	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00901	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00901	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00901	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
	Total PCBs	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:05	JW
Surrogate Recoveries		Result	Acceptance Range								
2051-24-3	Surrogate: Decachlorobiphenyl	43.0 %	30-150								
877-09-8	Surrogate: Tetrachloro-m-xylene	39.0 %	30-150								

Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	9640		mg/kg dry	1.44	2.28	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-36-0	Antimony	0.478		mg/kg dry	0.160	0.342	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-38-2	Arsenic	6.16		mg/kg dry	0.217	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-39-3	Barium	138		mg/kg dry	0.274	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.114	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.148	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-70-2	Calcium	47100		mg/kg dry	0.049	2.28	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-47-3	Chromium	13.7		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-48-4	Cobalt	4.01		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-50-8	Copper	15.8		mg/kg dry	0.160	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7439-89-6	Iron	9920		mg/kg dry	0.627	1.14	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7439-92-1	Lead	163		mg/kg dry	0.114	0.342	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7439-95-4	Magnesium	13600		mg/kg dry	0.935	2.28	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7439-96-5	Manganese	600		mg/kg dry	0.091	1.14	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-02-0	Nickel	15.1		mg/kg dry	0.080	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-09-7	Potassium	1450		mg/kg dry	3.10	11.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7782-49-2	Selenium	0.803		mg/kg dry	0.241	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-22-4	Silver	ND		mg/kg dry	0.103	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-23-5	Sodium	759		mg/kg dry	7.66	11.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-28-0	Thallium	ND		mg/kg dry	0.217	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-62-2	Vanadium	21.2		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW
7440-66-6	Zinc	101		mg/kg dry	0.080	0.570	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 19:59	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.111	0.114	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Sample Information

Client Sample ID: SB-9-0-10_11/15/2010

York Sample ID: 10K0596-01

<u>York Project (SDG) No.</u> 10K0596	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 15, 2010 3:00 pm	<u>Date Received</u> 11/16/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	87.7		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

<u>York Project (SDG) No.</u> 10K0596	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 15, 2010 3:00 pm	<u>Date Received</u> 11/16/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.55	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.4	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
67-64-1	Acetone	56	B	ug/kg dry	7.7	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
67-66-3	Chloroform	ND		ug/kg dry	0.89	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.94	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-09-2	Methylene chloride	22	J, B	ug/kg dry	2.6	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
108-88-3	Toluene	ND		ug/kg dry	0.57	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	34	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 14:28	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	112 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	101 %	70-130								
2037-26-5	Surrogate: Toluene-d8	106 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	104	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	83.7	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	91.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	65.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	52.0	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	93.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	78.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	61.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	161	383	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	83.7	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	91.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	58.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	111	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	66.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	70.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	99.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	65.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	48.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	69.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	145	383	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	79.8	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	75.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	55.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	86.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	63.5	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	69.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
83-32-9	Acenaphthene	ND		ug/kg dry	111	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	53.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
120-12-7	Anthracene	51.7	J	ug/kg dry	47.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
56-55-3	Benzo(a)anthracene	163	J	ug/kg dry	74.0	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
50-32-8	Benzo(a)pyrene	166	J	ug/kg dry	49.9	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
205-99-2	Benzo(b)fluoranthene	171	J	ug/kg dry	72.8	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
191-24-2	Benzo(g,h,i)perylene	105	J	ug/kg dry	57.5	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
207-08-9	Benzo(k)fluoranthene	142	J	ug/kg dry	74.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
65-85-0	Benzoic acid	ND		ug/kg dry	131	383	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	61.9	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	79.8	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	70.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	65.0	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	71.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	64.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
218-01-9	Chrysene	181	J	ug/kg dry	77.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	48.4	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
132-64-9	Dibenzofuran	ND		ug/kg dry	61.8	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	100	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	55.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	57.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	86.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
206-44-0	Fluoranthene	293		ug/kg dry	111	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
86-73-7	Fluorene	ND		ug/kg dry	53.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	76.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	142	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	68.8	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	70.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
78-59-1	Isophorone	ND		ug/kg dry	71.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
91-20-3	Naphthalene	ND		ug/kg dry	57.2	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	86.1	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	49.9	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	111	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	53.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
85-01-8	Phenanthrene	252		ug/kg dry	70.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
108-95-2	Phenol	ND		ug/kg dry	76.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
129-00-0	Pyrene	371		ug/kg dry	68.6	191	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:04	TD
	Surrogate Recoveries	Result									Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	24.1 %									15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	37.3 %									30-130
367-12-4	Surrogate: 2-Fluorophenol	38.5 %									15-110
4165-60-0	Surrogate: Nitrobenzene-d5	30.4 %									30-130
4165-62-2	Surrogate: Phenol-d5	35.6 %									15-110
1718-51-0	Surrogate: Terphenyl-d14	33.6 %									30-130

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00907	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00907	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00907	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00907	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00907	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00781	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00781	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00781	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00781	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
	Total PCBs	ND		mg/kg dry	0.00781	0.0195	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 16:44	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	44.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	54.0 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8440		mg/kg dry	1.45	2.30	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-36-0	Antimony	1.50		mg/kg dry	0.161	0.344	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-38-2	Arsenic	13.1		mg/kg dry	0.218	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-39-3	Barium	115		mg/kg dry	0.275	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.115	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.149	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-70-2	Calcium	54900		mg/kg dry	0.050	2.30	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-47-3	Chromium	16.5		mg/kg dry	0.092	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-48-4	Cobalt	4.69		mg/kg dry	0.092	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-50-8	Copper	57.2		mg/kg dry	0.161	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7439-89-6	Iron	15000		mg/kg dry	0.631	1.15	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7439-92-1	Lead	323		mg/kg dry	0.115	0.344	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7439-95-4	Magnesium	9000		mg/kg dry	0.941	2.30	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7439-96-5	Manganese	510		mg/kg dry	0.092	1.15	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-02-0	Nickel	18.1		mg/kg dry	0.080	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-09-7	Potassium	1530		mg/kg dry	3.12	11.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7782-49-2	Selenium	1.40		mg/kg dry	0.242	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-22-4	Silver	ND		mg/kg dry	0.103	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-23-5	Sodium	704		mg/kg dry	7.71	11.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-28-0	Thallium	ND		mg/kg dry	0.218	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW

Sample Information

Client Sample ID: SB-9-15-18_11/15/2010

York Sample ID: 10K0596-02

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-62-2	Vanadium	29.2		mg/kg dry	0.092	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW
7440-66-6	Zinc	148		mg/kg dry	0.080	0.574	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:04	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.111	0.115	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	87.1		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.9	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
67-64-1	Acetone	11	J, B	ug/kg dry	7.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
67-66-3	Chloroform	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
100-42-5	Styrene	ND		ug/kg dry	0.98	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	32	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:05	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	111 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	99.5 %	70-130								
2037-26-5	Surrogate: Toluene-d8	105 %	70-130								

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	95.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	85.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	71.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	56.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	147	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	53.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	102	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	61.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	64.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	90.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	44.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	63.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	132	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	73.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	69.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	58.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
83-32-9	Acenaphthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
120-12-7	Anthracene	ND		ug/kg dry	43.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	66.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	120	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	73.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	64.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	59.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	58.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
218-01-9	Chrysene	ND		ug/kg dry	70.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.2	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	56.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	91.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
206-44-0	Fluoranthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
86-73-7	Fluorene	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	70.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	130	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	63.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	64.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
78-59-1	Isophorone	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
85-01-8	Phenanthrene	ND		ug/kg dry	64.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
108-95-2	Phenol	ND		ug/kg dry	70.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD
129-00-0	Pyrene	ND		ug/kg dry	62.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:35	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	24.8 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	38.9 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	37.3 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	30.4 %	30-130
4165-62-2	Surrogate: Phenol-d5	30.4 %	15-110

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	31.9 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
	Total PCBs	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 17:23	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	43.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	43.0 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8990		mg/kg dry	1.32	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-36-0	Antimony	ND		mg/kg dry	0.147	0.315	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-38-2	Arsenic	1.76		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-39-3	Barium	114		mg/kg dry	0.252	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.105	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.137	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-70-2	Calcium	3040		mg/kg dry	0.046	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-47-3	Chromium	18.8		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-48-4	Cobalt	11.1		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-50-8	Copper	54.4		mg/kg dry	0.147	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7439-89-6	Iron	14500		mg/kg dry	0.578	1.05	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7439-92-1	Lead	17.5		mg/kg dry	0.105	0.315	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7439-95-4	Magnesium	4540		mg/kg dry	0.861	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7439-96-5	Manganese	315		mg/kg dry	0.084	1.05	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-02-0	Nickel	32.1		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-09-7	Potassium	2560		mg/kg dry	2.86	10.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW

Sample Information

Client Sample ID: SB-8-10-12_11/15/2010

York Sample ID: 10K0596-03

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.55		mg/kg dry	0.222	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-22-4	Silver	ND		mg/kg dry	0.095	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-23-5	Sodium	373		mg/kg dry	7.06	10.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-28-0	Thallium	ND		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-62-2	Vanadium	21.3		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW
7440-66-6	Zinc	48.0		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:08	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.102	0.105	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	95.2		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
591-78-6	2-Hexanone	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
67-64-1	Acetone	64	B	ug/kg dry	7.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
67-66-3	Chloroform	ND		ug/kg dry	0.81	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.85	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
108-88-3	Toluene	ND		ug/kg dry	0.51	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.3	31	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 15:40	SS
	Surrogate Recoveries	Result		Acceptance Range							
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	110 %		70-130							
460-00-4	Surrogate: p-Bromofluorobenzene	104 %		70-130							
2037-26-5	Surrogate: Toluene-d8	107 %		70-130							

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	94.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	84.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	145	345	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	101	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	130	345	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	72.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
83-32-9	Acenaphthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
120-12-7	Anthracene	ND		ug/kg dry	42.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	66.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	51.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	66.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	118	345	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	55.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	72.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	57.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
218-01-9	Chrysene	ND		ug/kg dry	69.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
131-11-3	Dimethyl phthalate	138	J	ug/kg dry	49.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
206-44-0	Fluoranthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
86-73-7	Fluorene	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	69.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	128	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
78-59-1	Isophorone	ND		ug/kg dry	64.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
108-95-2	Phenol	ND		ug/kg dry	69.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD
129-00-0	Pyrene	ND		ug/kg dry	61.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:06	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	30.2 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	39.5 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	46.1 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	33.2 %	30-130
4165-62-2	Surrogate: Phenol-d5	36.6 %	15-110

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	41.3 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00818	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00818	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00818	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00818	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00818	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00704	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00704	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00704	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00704	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
	Total PCBs	ND		mg/kg dry	0.00704	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:01	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	104 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	78.0 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2120		mg/kg dry	1.30	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-36-0	Antimony	ND		mg/kg dry	0.145	0.311	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-38-2	Arsenic	0.698		mg/kg dry	0.197	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-39-3	Barium	27.4		mg/kg dry	0.249	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.104	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.135	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-70-2	Calcium	773		mg/kg dry	0.045	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-47-3	Chromium	4.58		mg/kg dry	0.083	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-48-4	Cobalt	3.04		mg/kg dry	0.083	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-50-8	Copper	14.1		mg/kg dry	0.145	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7439-89-6	Iron	4310		mg/kg dry	0.570	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7439-92-1	Lead	3.24		mg/kg dry	0.104	0.311	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7439-95-4	Magnesium	1110		mg/kg dry	0.849	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7439-96-5	Manganese	279		mg/kg dry	0.083	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-02-0	Nickel	8.48		mg/kg dry	0.072	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-09-7	Potassium	515		mg/kg dry	2.82	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW

Sample Information

Client Sample ID: SB-8-15-17_11/15/2010

York Sample ID: 10K0596-04

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.813		mg/kg dry	0.219	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-23-5	Sodium	104		mg/kg dry	6.96	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-28-0	Thallium	ND		mg/kg dry	0.197	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-62-2	Vanadium	6.72		mg/kg dry	0.083	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW
7440-66-6	Zinc	10.2		mg/kg dry	0.072	0.518	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:13	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.100	0.104	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	96.6		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.9	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
67-64-1	Acetone	18	J, B	ug/kg dry	7.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
67-66-3	Chloroform	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-09-2	Methylene chloride	18	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
100-42-5	Styrene	ND		ug/kg dry	0.98	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	32	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:16	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	110 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	101 %	70-130								
2037-26-5	Surrogate: Toluene-d8	106 %	70-130								

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	95.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	85.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	71.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	56.2	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	147	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	53.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	102	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	61.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	64.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	90.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	44.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	63.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	132	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	73.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	69.2	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	78.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	58.2	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
83-32-9	Acenaphthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	49.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
120-12-7	Anthracene	ND		ug/kg dry	43.4	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	66.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	120	350	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	73.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	64.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	59.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	58.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
218-01-9	Chrysene	ND		ug/kg dry	70.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	56.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	91.9	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	78.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
206-44-0	Fluoranthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
86-73-7	Fluorene	ND		ug/kg dry	49.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.5	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	70.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	130	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
67-72-1	Hexachloroethane	330		ug/kg dry	63.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	64.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
78-59-1	Isophorone	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	78.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.7	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	49.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
85-01-8	Phenanthrene	ND		ug/kg dry	64.6	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
108-95-2	Phenol	ND		ug/kg dry	70.1	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
129-00-0	Pyrene	67.6	J	ug/kg dry	62.8	175	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:38	TD
	Surrogate Recoveries	Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	33.4 %			15-110						
321-60-8	Surrogate: 2-Fluorobiphenyl	44.0 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	48.7 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	37.1 %			30-130						
4165-62-2	Surrogate: Phenol-d5	38.8 %			15-110						

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	37.6 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
	Total PCBs	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 18:40	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	68.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	70.5 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	6790		mg/kg dry	1.32	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-36-0	Antimony	ND		mg/kg dry	0.147	0.315	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-38-2	Arsenic	2.51		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-39-3	Barium	72.8		mg/kg dry	0.252	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.105	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.137	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-70-2	Calcium	6160		mg/kg dry	0.046	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-47-3	Chromium	22.2		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-48-4	Cobalt	6.42		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-50-8	Copper	33.1		mg/kg dry	0.147	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7439-89-6	Iron	11200		mg/kg dry	0.578	1.05	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7439-92-1	Lead	68.9		mg/kg dry	0.105	0.315	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7439-95-4	Magnesium	3030		mg/kg dry	0.861	2.10	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7439-96-5	Manganese	304		mg/kg dry	0.084	1.05	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-02-0	Nickel	21.9		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-09-7	Potassium	1380		mg/kg dry	2.86	10.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW

Sample Information

Client Sample ID: SB-11-5-10_11/15/2010

York Sample ID: 10K0596-05

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.33		mg/kg dry	0.222	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-22-4	Silver	ND		mg/kg dry	0.095	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-23-5	Sodium	394		mg/kg dry	7.06	10.5	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-28-0	Thallium	ND		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-62-2	Vanadium	18.9		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW
7440-66-6	Zinc	54.6		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:17	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.102	0.105	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	95.2		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.56	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	6.5	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.7	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
67-64-1	Acetone	23	B	ug/kg dry	7.9	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
67-66-3	Chloroform	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.96	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-09-2	Methylene chloride	21	J, B	ug/kg dry	2.7	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
108-88-3	Toluene	ND		ug/kg dry	0.58	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.7	35	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 16:51	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	106 %	70-130								
2037-26-5	Surrogate: Toluene-d8	106 %	70-130								

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	106	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	85.4	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	92.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	66.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	53.1	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	95.5	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	79.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	62.6	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	164	390	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	85.4	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	92.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	59.6	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	114	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	68.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	71.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	101	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	66.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	49.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	70.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	147	390	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	81.4	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	21.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	77.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	56.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	87.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	64.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	70.6	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
83-32-9	Acenaphthene	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	54.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
120-12-7	Anthracene	ND		ug/kg dry	48.4	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	75.5	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	50.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	74.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	58.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	75.5	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	133	390	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	63.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	81.4	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	71.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	66.3	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	72.5	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	65.3	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
218-01-9	Chrysene	ND		ug/kg dry	78.6	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	49.3	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	63.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	102	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	56.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	58.3	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	87.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
206-44-0	Fluoranthene	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
86-73-7	Fluorene	ND		ug/kg dry	54.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	78.1	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	145	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	70.2	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	71.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
78-59-1	Isophorone	ND		ug/kg dry	72.5	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
91-20-3	Naphthalene	ND		ug/kg dry	58.3	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	87.8	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	50.9	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	54.7	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
85-01-8	Phenanthrene	ND		ug/kg dry	72.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
108-95-2	Phenol	ND		ug/kg dry	78.1	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD
129-00-0	Pyrene	ND		ug/kg dry	70.0	195	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 15:10	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	34.9 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	44.0 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	54.4 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	31.3 %	30-130
4165-62-2	Surrogate: Phenol-d5	48.9 %	15-110

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	48.6 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00925	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00925	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00925	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00925	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00925	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00796	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00796	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00796	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00796	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW
	Total PCBs	ND		mg/kg dry	0.00796	0.0199	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:19	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	62.0 %		30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	61.5 %		30-150

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	4640		mg/kg dry	1.47	2.34	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-36-0	Antimony	ND		mg/kg dry	0.164	0.351	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-38-2	Arsenic	1.56		mg/kg dry	0.222	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-39-3	Barium	45.5		mg/kg dry	0.281	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.117	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.152	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-70-2	Calcium	1300		mg/kg dry	0.051	2.34	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-47-3	Chromium	12.6		mg/kg dry	0.094	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-48-4	Cobalt	5.54		mg/kg dry	0.094	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-50-8	Copper	35.1		mg/kg dry	0.164	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7439-89-6	Iron	8780		mg/kg dry	0.644	1.17	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7439-92-1	Lead	5.54		mg/kg dry	0.117	0.351	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7439-95-4	Magnesium	1990		mg/kg dry	0.960	2.34	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7439-96-5	Manganese	396		mg/kg dry	0.094	1.17	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-02-0	Nickel	14.3		mg/kg dry	0.082	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-09-7	Potassium	1160		mg/kg dry	3.18	11.7	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW

Sample Information

Client Sample ID: SB-11-15-20_11/15/2010

York Sample ID: 10K0596-06

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 15, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.43		mg/kg dry	0.247	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-22-4	Silver	ND		mg/kg dry	0.105	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-23-5	Sodium	180		mg/kg dry	7.87	11.7	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-28-0	Thallium	ND		mg/kg dry	0.222	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-62-2	Vanadium	12.7		mg/kg dry	0.094	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW
7440-66-6	Zinc	20.9		mg/kg dry	0.082	0.585	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:22	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.114	0.117	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	85.4		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
591-78-6	2-Hexanone	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
67-64-1	Acetone	8.8	J, B	ug/kg dry	7.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
67-66-3	Chloroform	ND		ug/kg dry	0.81	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.85	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-09-2	Methylene chloride	16	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	31	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 17:27	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	113 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	102 %			70-130						
2037-26-5	Surrogate: Toluene-d8	106 %			70-130						

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	94.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	84.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	145	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	101	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	131	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	72.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
83-32-9	Acenaphthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
120-12-7	Anthracene	ND		ug/kg dry	42.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	66.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	66.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	118	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	72.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	57.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
218-01-9	Chrysene	ND		ug/kg dry	69.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
206-44-0	Fluoranthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
86-73-7	Fluorene	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	69.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	129	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
78-59-1	Isophorone	ND		ug/kg dry	64.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
108-95-2	Phenol	ND		ug/kg dry	69.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD
129-00-0	Pyrene	ND		ug/kg dry	62.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 12:50	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	74.1 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	97.2 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	105 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	104 %	30-130
4165-62-2	Surrogate: Phenol-d5	101 %	15-110

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	123 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00819	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00819	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00819	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00819	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00819	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00705	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00705	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00705	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00705	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
	Total PCBs	ND		mg/kg dry	0.00705	0.0176	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 19:58	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	88.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	71.0 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2160		mg/kg dry	1.31	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-36-0	Antimony	ND		mg/kg dry	0.145	0.311	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-38-2	Arsenic	1.38		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-39-3	Barium	27.1		mg/kg dry	0.249	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.104	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.135	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-70-2	Calcium	576		mg/kg dry	0.045	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-47-3	Chromium	5.17		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-48-4	Cobalt	2.70		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-50-8	Copper	11.5		mg/kg dry	0.145	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7439-89-6	Iron	4490		mg/kg dry	0.570	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7439-92-1	Lead	2.52		mg/kg dry	0.104	0.311	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7439-95-4	Magnesium	861		mg/kg dry	0.850	2.07	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7439-96-5	Manganese	287		mg/kg dry	0.083	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-02-0	Nickel	6.85		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-09-7	Potassium	478		mg/kg dry	2.82	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW

Sample Information

Client Sample ID: SB-13-0-5_11/16/2010

York Sample ID: 10K0596-07

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.883		mg/kg dry	0.219	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-23-5	Sodium	75.0		mg/kg dry	6.97	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-28-0	Thallium	ND		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-62-2	Vanadium	6.77		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW
7440-66-6	Zinc	9.06		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:26	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.101	0.104	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	96.4		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
67-64-1	Acetone	24	B	ug/kg dry	7.0	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
67-66-3	Chloroform	ND		ug/kg dry	0.81	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.85	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	31	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:03	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	111 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	104 %	70-130								
2037-26-5	Surrogate: Toluene-d8	105 %	70-130								

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	94.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	84.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	145	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	101	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	131	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	72.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.4	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.6	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
83-32-9	Acenaphthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
120-12-7	Anthracene	ND		ug/kg dry	42.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	118	346	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	72.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	58.0	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
218-01-9	Chrysene	ND		ug/kg dry	69.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
206-44-0	Fluoranthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
86-73-7	Fluorene	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	69.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	129	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.8	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
78-59-1	Isophorone	ND		ug/kg dry	64.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.7	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.2	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.9	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
108-95-2	Phenol	ND		ug/kg dry	69.3	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD
129-00-0	Pyrene	ND		ug/kg dry	62.1	173	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:22	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	58.4 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	64.6 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	78.3 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	74.5 %	30-130
4165-62-2	Surrogate: Phenol-d5	76.7 %	15-110

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	159 %		S-BN	30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
	Total PCBs	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 20:36	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	70.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	52.5 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2160		mg/kg dry	1.31	2.08	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-36-0	Antimony	ND		mg/kg dry	0.145	0.312	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-38-2	Arsenic	0.802		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-39-3	Barium	25.8		mg/kg dry	0.249	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.104	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.135	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-70-2	Calcium	991		mg/kg dry	0.045	2.08	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-47-3	Chromium	5.49		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-48-4	Cobalt	2.22		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-50-8	Copper	5.56		mg/kg dry	0.145	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7439-89-6	Iron	3980		mg/kg dry	0.571	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7439-92-1	Lead	2.79		mg/kg dry	0.104	0.312	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7439-95-4	Magnesium	911		mg/kg dry	0.852	2.08	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7439-96-5	Manganese	285		mg/kg dry	0.083	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-02-0	Nickel	6.06		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-09-7	Potassium	537		mg/kg dry	2.82	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW

Sample Information

Client Sample ID: SB-13-15-18_11/16/2010

York Sample ID: 10K0596-08

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	0.219	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-23-5	Sodium	88.9		mg/kg dry	6.98	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-28-0	Thallium	ND		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-62-2	Vanadium	5.99		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW
7440-66-6	Zinc	8.99		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:30	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.101	0.104	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	96.3		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.1	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	6.1	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
67-64-1	Acetone	18	J, B	ug/kg dry	7.3	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.9	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.8	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
67-66-3	Chloroform	ND		ug/kg dry	0.85	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.90	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-09-2	Methylene chloride	20	J, B	ug/kg dry	2.5	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	22	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
100-42-5	Styrene	ND		ug/kg dry	1.0	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
108-88-3	Toluene	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.5	33	2	EPA SW846-8260B	11/19/2010 09:28	11/20/2010 18:39	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	111 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	106 %	70-130								
2037-26-5	Surrogate: Toluene-d8	104 %	70-130								

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	99.3	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	79.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	86.7	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	62.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	49.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	89.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	74.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	58.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	153	364	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	79.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	86.7	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	55.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	106	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	63.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	67.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	94.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	62.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	45.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	66.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	138	364	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	75.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	19.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	71.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	52.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	81.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	60.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	65.8	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
83-32-9	Acenaphthene	ND		ug/kg dry	105	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
120-12-7	Anthracene	ND		ug/kg dry	45.1	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	70.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	47.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	69.3	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	54.7	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	70.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	124	364	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	58.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	75.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	67.1	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	61.8	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	67.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	60.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
218-01-9	Chrysene	ND		ug/kg dry	73.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	46.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	58.7	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	95.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	52.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	54.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	81.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
206-44-0	Fluoranthene	ND		ug/kg dry	105	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
86-73-7	Fluorene	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	29.7	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	72.8	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	135	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	65.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	67.1	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
78-59-1	Isophorone	ND		ug/kg dry	67.6	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
91-20-3	Naphthalene	ND		ug/kg dry	54.4	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	81.9	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	47.5	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	105	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
85-01-8	Phenanthrene	ND		ug/kg dry	67.2	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
108-95-2	Phenol	ND		ug/kg dry	72.8	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD
129-00-0	Pyrene	ND		ug/kg dry	65.3	182	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 13:53	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	101 %		15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	102 %		30-130
367-12-4	Surrogate: 2-Fluorophenol	108 %		15-110
4165-60-0	Surrogate: Nitrobenzene-d5	101 %		30-130
4165-62-2	Surrogate: Phenol-d5	114 %	S-AC	15-110

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	147 %		S-BN	30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW
	Total PCBs	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 21:15	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	85.5 %		30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	104 %		30-150

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	4680		mg/kg dry	1.38	2.18	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-36-0	Antimony	ND		mg/kg dry	0.153	0.328	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-38-2	Arsenic	2.79		mg/kg dry	0.207	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-39-3	Barium	50.3		mg/kg dry	0.262	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.109	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.142	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-70-2	Calcium	1290		mg/kg dry	0.047	2.18	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-47-3	Chromium	10.3		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-48-4	Cobalt	5.56		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-50-8	Copper	118		mg/kg dry	0.153	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7439-89-6	Iron	9550		mg/kg dry	0.601	1.09	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7439-92-1	Lead	24.4		mg/kg dry	0.109	0.328	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7439-95-4	Magnesium	2460		mg/kg dry	0.895	2.18	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7439-96-5	Manganese	442		mg/kg dry	0.087	1.09	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-02-0	Nickel	31.1		mg/kg dry	0.076	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-09-7	Potassium	872		mg/kg dry	2.97	10.9	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW

Sample Information

Client Sample ID: SB-12-10-15_11/16/2010

York Sample ID: 10K0596-09

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.60		mg/kg dry	0.230	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-22-4	Silver	ND		mg/kg dry	0.098	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-23-5	Sodium	161		mg/kg dry	7.34	10.9	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-28-0	Thallium	ND		mg/kg dry	0.207	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-62-2	Vanadium	295		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW
7440-66-6	Zinc	36.6		mg/kg dry	0.076	0.546	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 20:58	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.106	0.109	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	91.6		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
67-64-1	Acetone	17	J, B	ug/kg dry	7.0	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
67-66-3	Chloroform	ND		ug/kg dry	0.81	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.86	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-09-2	Methylene chloride	16	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
100-42-5	Styrene	ND		ug/kg dry	0.97	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	31	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:23	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	102 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	108 %	70-130								
2037-26-5	Surrogate: Toluene-d8	102 %	70-130								

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	95.0	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	76.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.9	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	85.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	71.1	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.9	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	146	348	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	76.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.9	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	53.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	101	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	64.1	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	90.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.9	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	63.1	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	132	348	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	72.6	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	78.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.0	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
83-32-9	Acenaphthene	ND		ug/kg dry	101	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
120-12-7	Anthracene	ND		ug/kg dry	43.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	66.3	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	119	348	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	72.6	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	64.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	59.1	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
117-81-7	Bis(2-ethylhexyl)phthalate	78.0	J	ug/kg dry	58.3	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
218-01-9	Chrysene	ND		ug/kg dry	70.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.0	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	56.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	91.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.0	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	78.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
206-44-0	Fluoranthene	ND		ug/kg dry	101	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
86-73-7	Fluorene	ND		ug/kg dry	48.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	69.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	130	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.6	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	64.2	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
78-59-1	Isophorone	ND		ug/kg dry	64.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.0	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	78.4	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.5	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	101	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.8	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
85-01-8	Phenanthrene	ND		ug/kg dry	64.3	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
108-95-2	Phenol	ND		ug/kg dry	69.7	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD
129-00-0	Pyrene	ND		ug/kg dry	62.5	174	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:25	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	66.9 %			15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	124 %			30-130
367-12-4	Surrogate: 2-Fluorophenol	74.8 %			15-110
4165-60-0	Surrogate: Nitrobenzene-d5	126 %			30-130
4165-62-2	Surrogate: Phenol-d5	144 %	S-AC		15-110

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	139 %		S-BN	30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00825	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00825	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00825	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00825	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00825	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00710	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00710	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00710	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00710	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
	Total PCBs	ND		mg/kg dry	0.00710	0.0178	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 22:33	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	82.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	102 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	4480		mg/kg dry	1.32	2.09	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-36-0	Antimony	ND		mg/kg dry	0.146	0.313	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-38-2	Arsenic	1.86		mg/kg dry	0.199	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-39-3	Barium	47.5		mg/kg dry	0.251	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.104	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.136	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-70-2	Calcium	1280		mg/kg dry	0.045	2.09	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-47-3	Chromium	11.0		mg/kg dry	0.084	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-48-4	Cobalt	5.47		mg/kg dry	0.084	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-50-8	Copper	22.8		mg/kg dry	0.146	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7439-89-6	Iron	7020		mg/kg dry	0.575	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7439-92-1	Lead	3.34		mg/kg dry	0.104	0.313	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7439-95-4	Magnesium	2400		mg/kg dry	0.857	2.09	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7439-96-5	Manganese	246		mg/kg dry	0.084	1.04	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-02-0	Nickel	13.0		mg/kg dry	0.073	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-09-7	Potassium	1010		mg/kg dry	2.84	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW

Sample Information

Client Sample ID: SB-12-15-20_11/16/2010

York Sample ID: 10K0596-10

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.07		mg/kg dry	0.220	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-22-4	Silver	ND		mg/kg dry	0.094	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-23-5	Sodium	170		mg/kg dry	7.02	10.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-28-0	Thallium	ND		mg/kg dry	0.199	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-62-2	Vanadium	15.6		mg/kg dry	0.084	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW
7440-66-6	Zinc	26.7		mg/kg dry	0.073	0.522	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:03	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.101	0.104	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	95.7		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.3	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.2	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	6.3	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.5	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
67-64-1	Acetone	ND		ug/kg dry	7.6	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
67-66-3	Chloroform	ND		ug/kg dry	0.88	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.93	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-09-2	Methylene chloride	18	J, B	ug/kg dry	2.6	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	23	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
108-88-3	Toluene	ND		ug/kg dry	0.56	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	34	2	EPA SW846-8260B	11/22/2010 13:01	11/22/2010 14:58	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	103 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	116 %			70-130						

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
2037-26-5	Surrogate: Toluene-d8	106 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	103	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	82.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	90.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	64.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	51.5	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	92.6	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	77.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	60.7	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	159	379	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	82.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	90.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	57.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	110	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	65.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	69.6	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	98.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	64.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	47.7	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	68.6	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	143	379	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	79.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.4	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	74.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	54.6	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	85.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	62.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	68.5	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
83-32-9	Acenaphthene	ND		ug/kg dry	110	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	53.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
120-12-7	Anthracene	ND		ug/kg dry	46.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
56-55-3	Benzo(a)anthracene	246		ug/kg dry	73.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	290		ug/kg dry	49.4	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
205-99-2	Benzo(b)fluoranthene	334		ug/kg dry	72.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	56.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
207-08-9	Benzo(k)fluoranthene	263		ug/kg dry	73.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
65-85-0	Benzoic acid	ND		ug/kg dry	129	379	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	61.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	79.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	69.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	64.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	70.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
117-81-7	Bis(2-ethylhexyl)phthalate	411		ug/kg dry	63.4	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
218-01-9	Chrysene	287		ug/kg dry	76.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	47.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	61.1	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	99.4	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	54.6	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	56.5	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	85.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
206-44-0	Fluoranthene	604		ug/kg dry	110	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
86-73-7	Fluorene	ND		ug/kg dry	53.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	30.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	75.7	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	141	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	68.1	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
193-39-5	Indeno(1,2,3-cd)pyrene	77.2	J	ug/kg dry	69.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
78-59-1	Isophorone	ND		ug/kg dry	70.3	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
91-20-3	Naphthalene	ND		ug/kg dry	56.5	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	85.2	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	49.4	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	110	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	53.0	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
85-01-8	Phenanthrene	297		ug/kg dry	69.8	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
108-95-2	Phenol	ND		ug/kg dry	75.7	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
129-00-0	Pyrene	508		ug/kg dry	67.9	189	1	EPA SW846-8270C	11/22/2010 17:57	11/23/2010 14:57	TD
	Surrogate Recoveries	Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	77.6 %			15-110						

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
321-60-8	Surrogate: 2-Fluorobiphenyl	97.9 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	72.2 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	104 %			30-130						
4165-62-2	Surrogate: Phenol-d5	116 %	S-AC		15-110						
1718-51-0	Surrogate: Terphenyl-d14	136 %	S-BN		30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00897	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00897	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00897	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00897	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00897	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00772	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00772	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00772	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00772	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW
	Total PCBs	ND		mg/kg dry	0.00772	0.0193	1	EPA SW 846-8082	11/22/2010 18:00	11/23/2010 23:12	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	64.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	109 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	7800		mg/kg dry	1.43	2.27	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-36-0	Antimony	0.519		mg/kg dry	0.159	0.341	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-38-2	Arsenic	6.49		mg/kg dry	0.216	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-39-3	Barium	279		mg/kg dry	0.273	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.114	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.148	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-70-2	Calcium	16100		mg/kg dry	0.049	2.27	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-47-3	Chromium	15.6		mg/kg dry	0.091	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-48-4	Cobalt	4.15		mg/kg dry	0.091	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-50-8	Copper	33.3		mg/kg dry	0.159	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7439-89-6	Iron	10600		mg/kg dry	0.625	1.14	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7439-92-1	Lead	530		mg/kg dry	0.114	0.341	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7439-95-4	Magnesium	2850		mg/kg dry	0.931	2.27	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW

Sample Information

Client Sample ID: SB-10-0-6_11/16/2010

York Sample ID: 10K0596-11

York Project (SDG) No.
10K0596

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 3:00 pm

Date Received
11/16/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-96-5	Manganese	257		mg/kg dry	0.091	1.14	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-02-0	Nickel	15.3		mg/kg dry	0.079	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-09-7	Potassium	913		mg/kg dry	3.09	11.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7782-49-2	Selenium	1.97		mg/kg dry	0.240	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-22-4	Silver	ND		mg/kg dry	0.102	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-23-5	Sodium	504		mg/kg dry	7.63	11.4	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-28-0	Thallium	ND		mg/kg dry	0.216	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-62-2	Vanadium	23.1		mg/kg dry	0.091	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW
7440-66-6	Zinc	227		mg/kg dry	0.079	0.568	1	EPA SW846-6010B	11/18/2010 14:13	11/18/2010 21:07	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.110	0.114	1	EPA SW846-7471	11/22/2010 12:12	11/22/2010 12:12	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	88.1		%	0.100	0.100	1	SM 2540G	11/20/2010 11:45	11/20/2010 11:45	JT

Analytical Batch Summary

Batch ID: BK00678

Preparation Method: EPA SW 846-3050B

Prepared By: MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/18/10
10K0596-02	SB-9-15-18_11/15/2010	11/18/10
10K0596-03	SB-8-10-12_11/15/2010	11/18/10
10K0596-04	SB-8-15-17_11/15/2010	11/18/10
10K0596-05	SB-11-5-10_11/15/2010	11/18/10
10K0596-06	SB-11-15-20_11/15/2010	11/18/10
10K0596-07	SB-13-0-5_11/16/2010	11/18/10
10K0596-08	SB-13-15-18_11/16/2010	11/18/10
10K0596-09	SB-12-10-15_11/16/2010	11/18/10
10K0596-10	SB-12-15-20_11/16/2010	11/18/10
10K0596-11	SB-10-0-6_11/16/2010	11/18/10
BK00678-BLK1	Blank	11/18/10
BK00678-DUP1	Duplicate	11/18/10
BK00678-MS1	Matrix Spike	11/18/10
BK00678-SRM1	Reference	11/18/10

Batch ID: BK00694

Preparation Method: EPA SW846-7471

Prepared By: AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/22/10
10K0596-02	SB-9-15-18_11/15/2010	11/22/10
10K0596-03	SB-8-10-12_11/15/2010	11/22/10
10K0596-04	SB-8-15-17_11/15/2010	11/22/10
10K0596-05	SB-11-5-10_11/15/2010	11/22/10
10K0596-06	SB-11-15-20_11/15/2010	11/22/10
10K0596-07	SB-13-0-5_11/16/2010	11/22/10
10K0596-08	SB-13-15-18_11/16/2010	11/22/10
10K0596-09	SB-12-10-15_11/16/2010	11/22/10
10K0596-10	SB-12-15-20_11/16/2010	11/22/10
10K0596-11	SB-10-0-6_11/16/2010	11/22/10
BK00694-BLK1	Blank	11/22/10
BK00694-BS1	LCS	11/22/10
BK00694-DUP1	Duplicate	11/22/10
BK00694-MS1	Matrix Spike	11/22/10

Batch ID: BK00721

Preparation Method: EPA 5035B

Prepared By: SS

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/19/10
10K0596-02	SB-9-15-18_11/15/2010	11/19/10
10K0596-03	SB-8-10-12_11/15/2010	11/19/10
10K0596-04	SB-8-15-17_11/15/2010	11/19/10
10K0596-05	SB-11-5-10_11/15/2010	11/19/10
10K0596-06	SB-11-15-20_11/15/2010	11/19/10
10K0596-07	SB-13-0-5_11/16/2010	11/19/10
10K0596-08	SB-13-15-18_11/16/2010	11/19/10
10K0596-09	SB-12-10-15_11/16/2010	11/19/10
BK00721-BLK1	Blank	11/19/10

YORK

ANALYTICAL LABORATORIES, INC.

BK00721-BS1 LCS 11/19/10
BK00721-BSD1 LCS Dup 11/19/10

Batch ID: BK00727 **Preparation Method:** % Solids Prep **Prepared By:** JT

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/20/10
10K0596-02	SB-9-15-18_11/15/2010	11/20/10
10K0596-03	SB-8-10-12_11/15/2010	11/20/10
10K0596-04	SB-8-15-17_11/15/2010	11/20/10
10K0596-05	SB-11-5-10_11/15/2010	11/20/10
10K0596-06	SB-11-15-20_11/15/2010	11/20/10
10K0596-07	SB-13-0-5_11/16/2010	11/20/10
10K0596-08	SB-13-15-18_11/16/2010	11/20/10
10K0596-09	SB-12-10-15_11/16/2010	11/20/10
10K0596-10	SB-12-15-20_11/16/2010	11/20/10
10K0596-11	SB-10-0-6_11/16/2010	11/20/10

Batch ID: BK00777 **Preparation Method:** EPA 5035B **Prepared By:** DM

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-10	SB-12-15-20_11/16/2010	11/22/10
10K0596-11	SB-10-0-6_11/16/2010	11/22/10
BK00777-BLK1	Blank	11/22/10
BK00777-BS1	LCS	11/22/10
BK00777-BSD1	LCS Dup	11/22/10

Batch ID: BK00786 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/22/10
10K0596-02	SB-9-15-18_11/15/2010	11/22/10
10K0596-03	SB-8-10-12_11/15/2010	11/22/10
10K0596-04	SB-8-15-17_11/15/2010	11/22/10
10K0596-05	SB-11-5-10_11/15/2010	11/22/10
10K0596-06	SB-11-15-20_11/15/2010	11/22/10
10K0596-07	SB-13-0-5_11/16/2010	11/22/10
10K0596-08	SB-13-15-18_11/16/2010	11/22/10
10K0596-09	SB-12-10-15_11/16/2010	11/22/10
10K0596-10	SB-12-15-20_11/16/2010	11/22/10
10K0596-11	SB-10-0-6_11/16/2010	11/22/10
BK00786-BLK1	Blank	11/22/10
BK00786-BS1	LCS	11/22/10
BK00786-MS1	Matrix Spike	11/22/10
BK00786-MSD1	Matrix Spike Dup	11/22/10

Batch ID: BK00787 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0596-01	SB-9-0-10_11/15/2010	11/22/10
10K0596-02	SB-9-15-18_11/15/2010	11/22/10
10K0596-03	SB-8-10-12_11/15/2010	11/22/10

YORK

ANALYTICAL LABORATORIES, INC.

10K0596-04	SB-8-15-17_11/15/2010	11/22/10
10K0596-05	SB-11-5-10_11/15/2010	11/22/10
10K0596-06	SB-11-15-20_11/15/2010	11/22/10
10K0596-07	SB-13-0-5_11/16/2010	11/22/10
10K0596-08	SB-13-15-18_11/16/2010	11/22/10
10K0596-09	SB-12-10-15_11/16/2010	11/22/10
10K0596-10	SB-12-15-20_11/16/2010	11/22/10
10K0596-11	SB-10-0-6_11/16/2010	11/22/10
BK00787-BLK1	Blank	11/22/10
BK00787-BS1	LCS	11/22/10
BK00787-MS1	Matrix Spike	11/22/10
BK00787-MSD1	Matrix Spike Dup	11/22/10

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00721 - EPA 5035B

Blank (BK00721-BLK1)

Prepared: 11/19/2010 Analyzed: 11/20/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
4-Methyl-2-pentanone	ND	5.0	"								
Acetone	4.3	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	4.7	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								
<i>Surrogate: 1,2-Dichloroethane-d4</i>	52.8		ug/L	50.0		106	70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	53.2		"	50.0		106	70-130				
<i>Surrogate: Toluene-d8</i>	53.0		"	50.0		106	70-130				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00721 - EPA 5035B										
LCS (BK00721-BS1)						Prepared: 11/19/2010 Analyzed: 11/20/2010				
1,1,1-Trichloroethane	48		ug/L	50.0		95.4	70-130			
1,1,2,2-Tetrachloroethane	48		"	50.0		96.3	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	43		"	50.0		85.3	70-130			
1,1,2-Trichloroethane	55		"	50.0		111	70-130			
1,1-Dichloroethane	48		"	50.0		96.6	70-130			
1,1-Dichloroethylene	55		"	50.0		110	70-130			
1,2,4-Trichlorobenzene	42		"	50.0		84.4	70-130			
1,2-Dibromo-3-chloropropane	51		"	50.0		102	70-130			
1,2-Dibromoethane	51		"	50.0		102	70-130			
1,2-Dichloroethane	51		"	50.0		101	70-130			
1,2-Dichloropropane	55		"	50.0		111	70-130			
2-Butanone	49		"	50.0		98.4	70-130			
2-Hexanone	63		"	50.0		126	70-130			
4-Methyl-2-pentanone	61	5.0	ug/kg wet				70-130			
Acetone	41		ug/L	50.0		81.7	70-130			
Benzene	46		"	50.0		92.4	70-130			
Bromodichloromethane	56		"	50.0		112	70-130			
Bromoform	46		"	50.0		92.1	70-130			
Bromomethane	55		"	50.0		110	70-130			
Carbon disulfide	82		"	100		82.2	70-130			
Carbon tetrachloride	49		"	50.0		97.1	70-130			
Chlorobenzene	51		"	50.0		101	70-130			
Chloroethane	55		"	50.0		110	70-130			
Chloroform	48		"	50.0		96.9	70-130			
Chloromethane	48		"	50.0		96.5	70-130			
cis-1,2-Dichloroethylene	44		"	50.0		87.7	70-130			
cis-1,3-Dichloropropylene	50		"	50.0		101	70-130			
Dibromochloromethane	53		"	50.0		106	70-130			
Dichlorodifluoromethane	37		"	50.0		74.9	70-130			
Ethyl Benzene	54		"	50.0		108	70-130			
Methyl tert-butyl ether (MTBE)	52		"	50.0		105	70-130			
Methylene chloride	45		"	50.0		90.9	70-130			
o-Xylene	54		"	50.0		107	70-130			
p- & m- Xylenes	110		"	100		110	70-130			
Styrene	54		"	50.0		108	70-130			
Tetrachloroethylene	73		"	50.0		146	70-130			High Bias
Toluene	52		"	50.0		103	70-130			
trans-1,2-Dichloroethylene	50		"	50.0		101	70-130			
trans-1,3-Dichloropropylene	55		"	50.0		109	70-130			
Trichloroethylene	54		"	50.0		107	70-130			
Trichlorofluoromethane	53		"	50.0		106	70-130			
Vinyl Chloride	49		"	50.0		97.6	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.3		"	50.0		101	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	43.9		"	50.0		87.7	70-130			
<i>Surrogate: Toluene-d8</i>	52.6		"	50.0		105	70-130			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00721 - EPA 5035B										
LCS Dup (BK00721-BSD1)						Prepared: 11/19/2010 Analyzed: 11/20/2010				
1,1,1-Trichloroethane	51		ug/L	50.0		102	70-130		6.53	30
1,1,2,2-Tetrachloroethane	52		"	50.0		104	70-130		7.86	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	45		"	50.0		89.3	70-130		4.54	30
1,1,2-Trichloroethane	55		"	50.0		110	70-130		0.743	30
1,1-Dichloroethane	51		"	50.0		101	70-130		4.83	30
1,1-Dichloroethylene	58		"	50.0		115	70-130		4.13	30
1,2,4-Trichlorobenzene	35		"	50.0		70.7	70-130		17.6	30
1,2-Dibromo-3-chloropropane	58		"	50.0		117	70-130		13.6	30
1,2-Dibromoethane	52		"	50.0		104	70-130		1.42	30
1,2-Dichloroethane	53		"	50.0		106	70-130		4.32	30
1,2-Dichloropropane	56		"	50.0		112	70-130		1.06	30
2-Butanone	52		"	50.0		103	70-130		4.57	30
2-Hexanone	60		"	50.0		119	70-130		5.52	30
4-Methyl-2-pentanone	60	5.0	ug/kg wet				70-130			30
Acetone	43		ug/L	50.0		85.1	70-130		4.01	30
Benzene	48		"	50.0		96.6	70-130		4.44	30
Bromodichloromethane	56		"	50.0		113	70-130		0.980	30
Bromoform	48		"	50.0		95.2	70-130		3.31	30
Bromomethane	54		"	50.0		108	70-130		1.43	30
Carbon disulfide	84		"	100		84.0	70-130		2.19	30
Carbon tetrachloride	51		"	50.0		103	70-130		5.63	30
Chlorobenzene	49		"	50.0		98.6	70-130		2.74	30
Chloroethane	55		"	50.0		109	70-130		0.656	30
Chloroform	51		"	50.0		102	70-130		5.35	30
Chloromethane	46		"	50.0		92.2	70-130		4.56	30
cis-1,2-Dichloroethylene	45		"	50.0		89.1	70-130		1.61	30
cis-1,3-Dichloropropylene	50		"	50.0		99.2	70-130		1.48	30
Dibromochloromethane	53		"	50.0		107	70-130		1.04	30
Dichlorodifluoromethane	33		"	50.0		65.5	70-130	Low Bias	13.4	30
Ethyl Benzene	53		"	50.0		106	70-130		2.04	30
Methyl tert-butyl ether (MTBE)	56		"	50.0		111	70-130		6.01	30
Methylene chloride	48		"	50.0		96.9	70-130		6.41	30
o-Xylene	52		"	50.0		105	70-130		2.33	30
p- & m- Xylenes	110		"	100		106	70-130		3.56	30
Styrene	53		"	50.0		105	70-130		2.55	30
Tetrachloroethylene	63		"	50.0		127	70-130		14.0	30
Toluene	51		"	50.0		102	70-130		1.07	30
trans-1,2-Dichloroethylene	51		"	50.0		102	70-130		0.930	30
trans-1,3-Dichloropropylene	53		"	50.0		106	70-130		3.07	30
Trichloroethylene	51		"	50.0		103	70-130		4.28	30
Trichlorofluoromethane	53		"	50.0		106	70-130		0.454	30
Vinyl Chloride	46		"	50.0		92.2	70-130		5.73	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	52.8		"	50.0		106	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	44.2		"	50.0		88.5	70-130			
<i>Surrogate: Toluene-d8</i>	51.9		"	50.0		104	70-130			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00777 - EPA 5035B

Blank (BK00777-BLK1)

Prepared & Analyzed: 11/22/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet							
1,1,2,2-Tetrachloroethane	ND	5.0	"							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"							
1,1,2-Trichloroethane	ND	5.0	"							
1,1-Dichloroethane	ND	5.0	"							
1,1-Dichloroethylene	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	10	"							
1,2-Dibromo-3-chloropropane	ND	10	"							
1,2-Dibromoethane	ND	5.0	"							
1,2-Dichloroethane	ND	5.0	"							
1,2-Dichloropropane	ND	5.0	"							
2-Butanone	ND	10	"							
2-Hexanone	ND	5.0	"							
4-Methyl-2-pentanone	ND	5.0	"							
Acetone	3.8	10	"							
Benzene	ND	5.0	"							
Bromodichloromethane	ND	5.0	"							
Bromoform	ND	5.0	"							
Bromomethane	ND	5.0	"							
Carbon disulfide	ND	5.0	"							
Carbon tetrachloride	ND	5.0	"							
Chlorobenzene	ND	5.0	"							
Chloroethane	ND	5.0	"							
Chloroform	ND	5.0	"							
Chloromethane	ND	5.0	"							
cis-1,2-Dichloroethylene	ND	5.0	"							
cis-1,3-Dichloropropylene	ND	5.0	"							
Dibromochloromethane	ND	5.0	"							
Dichlorodifluoromethane	ND	5.0	"							
Ethyl Benzene	ND	5.0	"							
Methyl tert-butyl ether (MTBE)	ND	5.0	"							
Methylene chloride	4.3	10	"							
o-Xylene	ND	5.0	"							
p- & m- Xylenes	ND	10	"							
Styrene	ND	5.0	"							
Tetrachloroethylene	ND	5.0	"							
Toluene	ND	5.0	"							
trans-1,2-Dichloroethylene	ND	5.0	"							
trans-1,3-Dichloropropylene	ND	5.0	"							
Trichloroethylene	ND	5.0	"							
Trichlorofluoromethane	ND	5.0	"							
Vinyl Chloride	ND	5.0	"							
Xylenes, Total	ND	15	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	48.5		ug/L	50.0		97.0		70-130		
<i>Surrogate: p-Bromofluorobenzene</i>	55.4		"	50.0		111		70-130		
<i>Surrogate: Toluene-d8</i>	52.1		"	50.0		104		70-130		

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00777 - EPA 5035B										
LCS (BK00777-BS1)						Prepared & Analyzed: 11/22/2010				
1,1,1-Trichloroethane	46		ug/L	50.0		91.0	70-130			
1,1,2,2-Tetrachloroethane	46		"	50.0		92.5	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	39		"	50.0		78.7	70-130			
1,1,2-Trichloroethane	48		"	50.0		96.1	70-130			
1,1-Dichloroethane	45		"	50.0		89.8	70-130			
1,1-Dichloroethylene	51		"	50.0		102	70-130			
1,2,4-Trichlorobenzene	41		"	50.0		82.8	70-130			
1,2-Dibromo-3-chloropropane	49		"	50.0		98.9	70-130			
1,2-Dibromoethane	45		"	50.0		90.7	70-130			
1,2-Dichloroethane	47		"	50.0		94.7	70-130			
1,2-Dichloropropane	49		"	50.0		98.9	70-130			
2-Butanone	46		"	50.0		91.4	70-130			
2-Hexanone	53		"	50.0		105	70-130			
4-Methyl-2-pentanone	51	5.0	ug/kg wet				70-130			
Acetone	35		ug/L	50.0		70.1	70-130			
Benzene	43		"	50.0		86.0	70-130			
Bromodichloromethane	51		"	50.0		101	70-130			
Bromoform	41		"	50.0		81.7	70-130			
Bromomethane	52		"	50.0		104	70-130			
Carbon disulfide	77		"	100		76.6	70-130			
Carbon tetrachloride	46		"	50.0		91.3	70-130			
Chlorobenzene	46		"	50.0		92.1	70-130			
Chloroethane	50		"	50.0		101	70-130			
Chloroform	46		"	50.0		92.3	70-130			
Chloromethane	41		"	50.0		81.9	70-130			
cis-1,2-Dichloroethylene	40		"	50.0		80.3	70-130			
cis-1,3-Dichloropropylene	50		"	50.0		99.2	70-130			
Dibromochloromethane	47		"	50.0		94.1	70-130			
Dichlorodifluoromethane	31		"	50.0		62.5	70-130	Low Bias		
Ethyl Benzene	49		"	50.0		98.6	70-130			
Methyl tert-butyl ether (MTBE)	50		"	50.0		100	70-130			
Methylene chloride	43		"	50.0		86.9	70-130			
o-Xylene	49		"	50.0		97.0	70-130			
p- & m- Xylenes	99		"	100		99.5	70-130			
Styrene	49		"	50.0		98.1	70-130			
Tetrachloroethylene	41		"	50.0		82.8	70-130			
Toluene	46		"	50.0		91.8	70-130			
trans-1,2-Dichloroethylene	47		"	50.0		94.2	70-130			
trans-1,3-Dichloropropylene	54		"	50.0		109	70-130			
Trichloroethylene	45		"	50.0		90.3	70-130			
Trichlorofluoromethane	46		"	50.0		92.0	70-130			
Vinyl Chloride	44		"	50.0		87.1	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	47.6		"	50.0		95.2	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	44.4		"	50.0		88.7	70-130			
<i>Surrogate: Toluene-d8</i>	51.6		"	50.0		103	70-130			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00777 - EPA 5035B										
LCS Dup (BK00777-BSD1)						Prepared & Analyzed: 11/22/2010				
1,1,1-Trichloroethane	46		ug/L	50.0		92.0	70-130		1.01	30
1,1,2,2-Tetrachloroethane	48		"	50.0		95.3	70-130		3.03	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	40		"	50.0		79.1	70-130		0.532	30
1,1,2-Trichloroethane	48		"	50.0		95.7	70-130		0.480	30
1,1-Dichloroethane	45		"	50.0		90.1	70-130		0.333	30
1,1-Dichloroethylene	51		"	50.0		102	70-130		0.156	30
1,2,4-Trichlorobenzene	41		"	50.0		82.5	70-130		0.266	30
1,2-Dibromo-3-chloropropane	56		"	50.0		111	70-130		11.6	30
1,2-Dibromoethane	45		"	50.0		90.3	70-130		0.376	30
1,2-Dichloroethane	47		"	50.0		93.9	70-130		0.869	30
1,2-Dichloropropane	49		"	50.0		97.5	70-130		1.34	30
2-Butanone	45		"	50.0		89.4	70-130		2.15	30
2-Hexanone	51		"	50.0		103	70-130		2.39	30
4-Methyl-2-pentanone	52	5.0	ug/kg wet				70-130			30
Acetone	33		ug/L	50.0		65.3	70-130	Low Bias	7.15	30
Benzene	43		"	50.0		86.8	70-130		0.879	30
Bromodichloromethane	50		"	50.0		99.4	70-130		1.76	30
Bromoform	42		"	50.0		84.2	70-130		3.01	30
Bromomethane	52		"	50.0		104	70-130		0.749	30
Carbon disulfide	77		"	100		77.0	70-130		0.417	30
Carbon tetrachloride	46		"	50.0		92.4	70-130		1.15	30
Chlorobenzene	46		"	50.0		91.5	70-130		0.632	30
Chloroethane	51		"	50.0		101	70-130		0.534	30
Chloroform	46		"	50.0		92.5	70-130		0.260	30
Chloromethane	41		"	50.0		82.5	70-130		0.730	30
cis-1,2-Dichloroethylene	41		"	50.0		81.2	70-130		1.04	30
cis-1,3-Dichloropropylene	50		"	50.0		99.5	70-130		0.322	30
Dibromochloromethane	46		"	50.0		92.8	70-130		1.33	30
Dichlorodifluoromethane	31		"	50.0		61.3	70-130	Low Bias	1.91	30
Ethyl Benzene	49		"	50.0		97.2	70-130		1.47	30
Methyl tert-butyl ether (MTBE)	50		"	50.0		99.6	70-130		0.621	30
Methylene chloride	43		"	50.0		85.9	70-130		1.16	30
o-Xylene	48		"	50.0		96.6	70-130		0.413	30
p- & m- Xylenes	99		"	100		98.8	70-130		0.676	30
Styrene	49		"	50.0		97.4	70-130		0.716	30
Tetrachloroethylene	42		"	50.0		84.1	70-130		1.53	30
Toluene	46		"	50.0		91.3	70-130		0.481	30
trans-1,2-Dichloroethylene	47		"	50.0		94.4	70-130		0.255	30
trans-1,3-Dichloropropylene	54		"	50.0		108	70-130		0.904	30
Trichloroethylene	46		"	50.0		91.1	70-130		0.882	30
Trichlorofluoromethane	47		"	50.0		93.7	70-130		1.87	30
Vinyl Chloride	45		"	50.0		90.0	70-130		3.30	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>47.1</i>		<i>"</i>	<i>50.0</i>		<i>94.2</i>	<i>70-130</i>			
<i>Surrogate: p-Bromofluorobenzene</i>	<i>44.5</i>		<i>"</i>	<i>50.0</i>		<i>89.0</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>49.9</i>		<i>"</i>	<i>50.0</i>		<i>99.8</i>	<i>70-130</i>			

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00786 - EPA 3550B

Blank (BK00786-BLK1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	ND	167	ug/kg wet							
Acenaphthylene	ND	167	"							
Anthracene	ND	167	"							
Benzo(a)anthracene	ND	167	"							
Benzo(a)pyrene	ND	167	"							
Benzoic acid	ND	333	"							
Benzo(b)fluoranthene	ND	167	"							
Benzo(g,h,i)perylene	ND	167	"							
Benzyl alcohol	ND	167	"							
Benzo(k)fluoranthene	ND	167	"							
Benzyl butyl phthalate	ND	167	"							
4-Bromophenyl phenyl ether	ND	167	"							
4-Chloro-3-methylphenol	ND	167	"							
4-Chloroaniline	ND	167	"							
Bis(2-chloroethoxy)methane	ND	167	"							
Bis(2-chloroethyl)ether	ND	167	"							
Bis(2-chloroisopropyl)ether	ND	167	"							
Bis(2-ethylhexyl)phthalate	ND	167	"							
2-Chloronaphthalene	ND	167	"							
2-Chlorophenol	ND	167	"							
4-Chlorophenyl phenyl ether	ND	167	"							
Chrysene	ND	167	"							
Dibenzo(a,h)anthracene	ND	167	"							
Dibenzofuran	ND	167	"							
Di-n-butyl phthalate	ND	167	"							
1,2-Dichlorobenzene	ND	167	"							
1,4-Dichlorobenzene	ND	167	"							
1,3-Dichlorobenzene	ND	167	"							
3,3'-Dichlorobenzidine	ND	167	"							
2,4-Dichlorophenol	ND	167	"							
Diethyl phthalate	ND	167	"							
2,4-Dimethylphenol	ND	167	"							
Dimethyl phthalate	ND	167	"							
4,6-Dinitro-2-methylphenol	ND	333	"							
2-Nitroaniline	ND	167	"							
2,4-Dinitrophenol	ND	333	"							
2,6-Dinitrotoluene	ND	167	"							
2,4-Dinitrotoluene	ND	167	"							
Di-n-octyl phthalate	ND	167	"							
Fluoranthene	ND	167	"							
Fluorene	ND	167	"							
Hexachlorobenzene	ND	167	"							
Hexachlorobutadiene	ND	167	"							
Hexachlorocyclopentadiene	ND	167	"							
Hexachloroethane	ND	167	"							
Indeno(1,2,3-cd)pyrene	ND	167	"							
Isophorone	ND	167	"							
2-Methylnaphthalene	ND	167	"							
2-Methylphenol	ND	167	"							
4-Methylphenol	ND	167	"							
Naphthalene	ND	167	"							
3-Nitroaniline	ND	167	"							
4-Nitroaniline	ND	167	"							
Nitrobenzene	ND	167	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting	Units	Spike	Source*	%REC	Flag	RPD	RPD	
		Limit			Result	Limits			Limit	Flag

Batch BK00786 - EPA 3550B

Blank (BK00786-BLK1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

4-Nitrophenol	ND	167	ug/kg wet							
2-Nitrophenol	ND	167	"							
N-nitroso-di-n-propylamine	ND	167	"							
N-Nitrosodiphenylamine	ND	167	"							
Pentachlorophenol	ND	167	"							
Phenanthrene	ND	167	"							
Phenol	ND	167	"							
Pyrene	ND	167	"							
1,2,4-Trichlorobenzene	ND	167	"							
2,4,5-Trichlorophenol	ND	167	"							
2,4,6-Trichlorophenol	ND	167	"							
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1240</i>		<i>"</i>	<i>2500</i>		<i>49.6</i>	<i>15-110</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1180</i>		<i>"</i>	<i>1670</i>		<i>71.1</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorophenol</i>	<i>2170</i>		<i>"</i>	<i>2510</i>		<i>86.5</i>	<i>15-110</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>1330</i>		<i>"</i>	<i>1670</i>		<i>79.9</i>	<i>30-130</i>			
<i>Surrogate: Phenol-d5</i>	<i>2000</i>		<i>"</i>	<i>2500</i>		<i>80.1</i>	<i>15-110</i>			
<i>Surrogate: Terphenyl-d14</i>	<i>1880</i>		<i>"</i>	<i>1670</i>		<i>113</i>	<i>30-130</i>			

LCS (BK00786-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	1630	167	ug/kg wet	1670		97.9	40-140			
Acenaphthylene	1590	167	"	1670		95.4	40-140			
Anthracene	1680	167	"	1670		101	40-140			
Benzo(a)anthracene	1470	167	"	1670		87.9	40-140			
Benzo(a)pyrene	1880	167	"	1670		113	40-140			
Benzoic acid	1680	333	"	1670		100	30-130			
Benzo(b)fluoranthene	1620	167	"	1670		97.4	40-140			
Benzo(g,h,i)perylene	679	167	"	1670		40.7	40-140			
Benzyl alcohol	1360	167	"	1670		81.5	30-130			
Benzo(k)fluoranthene	1540	167	"	1670		92.4	40-140			
Benzyl butyl phthalate	1610	167	"	1670		96.4	40-140			
4-Bromophenyl phenyl ether	1690	167	"	1670		101	40-140			
4-Chloro-3-methylphenol	885	167	"	1670		53.1	30-130			
4-Chloroaniline	928	167	"	1670		55.7	40-140			
Bis(2-chloroethoxy)methane	1380	167	"	1670		82.8	40-140			
Bis(2-chloroethyl)ether	1680	167	"	1670		100	40-140			
Bis(2-chloroisopropyl)ether	1800	167	"	1670		108	40-140			
Bis(2-ethylhexyl)phthalate	1660	167	"	1670		99.8	40-140			
2-Chloronaphthalene	1610	167	"	1670		96.5	40-140			
2-Chlorophenol	1150	167	"	1670		69.1	30-130			
4-Chlorophenyl phenyl ether	1800	167	"	1670		108	40-140			
Chrysene	1450	167	"	1670		87.2	40-140			
Dibenzo(a,h)anthracene	1400	167	"	1670		83.9	40-140			
Dibenzofuran	1500	167	"	1670		90.1	40-140			
Di-n-butyl phthalate	1980	167	"	1670		119	40-140			
1,2-Dichlorobenzene	1040	167	"	1670		62.2	40-140			
1,4-Dichlorobenzene	1220	167	"	1670		73.1	40-140			
1,3-Dichlorobenzene	976	167	"	1670		58.5	40-140			
3,3'-Dichlorobenzidine	1880	167	"	1670		113	40-140			
2,4-Dichlorophenol	1510	167	"	1670		90.5	30-130			
Diethyl phthalate	1670	167	"	1670		100	40-140			
2,4-Dimethylphenol	1100	167	"	1670		66.1	30-130			
Dimethyl phthalate	1370	167	"	1670		82.2	40-140			
4,6-Dinitro-2-methylphenol	1010	333	"	1670		60.5	30-130			
2-Nitroaniline	1180	167	"	1670		71.1	40-140			

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00786 - EPA 3550B

LCS (BK00786-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

2,4-Dinitrophenol	1110	333	ug/kg wet	1670		66.5	30-130				
2,6-Dinitrotoluene	1340	167	"	1670		80.5	40-140				
2,4-Dinitrotoluene	1220	167	"	1670		73.1	40-140				
Di-n-octyl phthalate	1540	167	"	1670		92.5	40-140				
Fluoranthene	1850	167	"	1670		111	40-140				
Fluorene	1730	167	"	1670		104	40-140				
Hexachlorobenzene	1860	167	"	1670		111	40-140				
Hexachlorobutadiene	1060	167	"	1670		63.7	40-140				
Hexachlorocyclopentadiene	1140	167	"	1670		68.5	40-140				
Hexachloroethane	1290	167	"	1670		77.2	40-140				
Indeno(1,2,3-cd)pyrene	1290	167	"	1670		77.6	40-140				
Isophorone	1500	167	"	1670		89.8	40-140				
2-Methylnaphthalene	1370	167	"	1670		82.1	40-140				
2-Methylphenol	1430	167	"	1670		85.8	30-130				
4-Methylphenol	842	167	"	1670		50.5	30-130				
Naphthalene	1270	167	"	1670		76.0	40-140				
3-Nitroaniline	1490	167	"	1670		89.7	40-140				
4-Nitroaniline	1650	167	"	1670		99.3	40-140				
Nitrobenzene	1390	167	"	1670		83.7	40-140				
4-Nitrophenol	1010	167	"	1670		60.5	30-130				
2-Nitrophenol	1000	167	"	1670		60.1	30-130				
N-nitroso-di-n-propylamine	2100	167	"	1670		126	40-140				
N-Nitrosodiphenylamine	2320	167	"	1670		139	40-140				
Pentachlorophenol	656	167	"	1670		39.4	30-130				
Phenanthrene	1850	167	"	1670		111	40-140				
Phenol	1520	167	"	1670		91.4	30-130				
Pyrene	1410	167	"	1670		84.7	40-140				
1,2,4-Trichlorobenzene	1160	167	"	1670		69.7	40-140				
2,4,5-Trichlorophenol	1250	167	"	1670		75.1	30-130				
2,4,6-Trichlorophenol	1590	167	"	1670		95.3	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1680</i>		<i>"</i>	<i>2500</i>		<i>66.9</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1770</i>		<i>"</i>	<i>1670</i>		<i>106</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>2320</i>		<i>"</i>	<i>2510</i>		<i>92.6</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1590</i>		<i>"</i>	<i>1670</i>		<i>94.9</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>2410</i>		<i>"</i>	<i>2500</i>		<i>96.4</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1910</i>		<i>"</i>	<i>1670</i>		<i>115</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00786 - EPA 3550B											
Matrix Spike (BK00786-MS1)	*Source(Sample used for MS/MSD): 10K0596-02						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Acenaphthene	2200	191	ug/kg dry	1910	ND	115	40-140				
Acenaphthylene	2140	191	"	1910	ND	112	40-140				
Anthracene	2260	191	"	1910	51.7	115	40-140				
Benzo(a)anthracene	2130	191	"	1910	163	103	40-140				
Benzo(a)pyrene	2780	191	"	1910	166	137	40-140				
Benzoic acid	1920	383	"	1910	ND	100	30-130				
Benzo(b)fluoranthene	1730	191	"	1910	171	81.6	40-140				
Benzo(g,h,i)perylene	1770	191	"	1910	105	87.0	40-140				
Benzyl alcohol	1800	191	"	1910	ND	94.1	30-130				
Benzo(k)fluoranthene	2600	191	"	1910	142	128	40-140				
Benzyl butyl phthalate	1980	191	"	1910	ND	103	40-140				
4-Bromophenyl phenyl ether	2130	191	"	1910	ND	111	40-140				
4-Chloro-3-methylphenol	1150	191	"	1910	ND	59.9	30-130				
4-Chloroaniline	898	191	"	1910	ND	46.9	40-140				
Bis(2-chloroethoxy)methane	1860	191	"	1910	ND	97.4	40-140				
Bis(2-chloroethyl)ether	2340	191	"	1910	ND	122	40-140				
Bis(2-chloroisopropyl)ether	2380	191	"	1910	ND	124	40-140				
Bis(2-ethylhexyl)phthalate	2030	191	"	1910	ND	106	40-140				
2-Chloronaphthalene	2170	191	"	1910	ND	114	40-140				
2-Chlorophenol	1600	191	"	1910	ND	83.7	30-130				
4-Chlorophenyl phenyl ether	2370	191	"	1910	ND	124	40-140				
Chrysene	2150	191	"	1910	181	103	40-140				
Dibenzo(a,h)anthracene	886	191	"	1910	ND	46.3	40-140				
Dibenzofuran	1960	191	"	1910	ND	102	40-140				
Di-n-butyl phthalate	2390	191	"	1910	ND	125	40-140				
1,2-Dichlorobenzene	1400	191	"	1910	ND	73.2	40-140				
1,4-Dichlorobenzene	1570	191	"	1910	ND	82.2	40-140				
1,3-Dichlorobenzene	1280	191	"	1910	ND	66.8	40-140				
3,3'-Dichlorobenzidine	1380	191	"	1910	ND	72.1	40-140				
2,4-Dichlorophenol	775	191	"	1910	ND	40.5	30-130				
Diethyl phthalate	2090	191	"	1910	ND	109	40-140				
2,4-Dimethylphenol	1550	191	"	1910	ND	81.2	30-130				
Dimethyl phthalate	1750	191	"	1910	ND	91.5	40-140				
2-Nitroaniline	1570	191	"	1910	ND	81.9	40-140				
4,6-Dinitro-2-methylphenol	1150	383	"	1910	ND	60.3	30-130				
2,4-Dinitrophenol	966	383	"	1910	ND	50.5	30-130				
2,6-Dinitrotoluene	1730	191	"	1910	ND	90.7	40-140				
2,4-Dinitrotoluene	1580	191	"	1910	ND	82.3	40-140				
Di-n-octyl phthalate	1900	191	"	1910	ND	99.1	40-140				
Fluoranthene	1920	191	"	1910	293	85.2	40-140				
Fluorene	2240	191	"	1910	ND	117	40-140				
Hexachlorobenzene	2310	191	"	1910	ND	121	40-140				
Hexachlorobutadiene	1470	191	"	1910	ND	76.8	40-140				
Hexachlorocyclopentadiene	966	191	"	1910	ND	50.5	40-140				
Hexachloroethane	1680	191	"	1910	ND	87.9	40-140				
Indeno(1,2,3-cd)pyrene	877	191	"	1910	ND	45.9	40-140				
Isophorone	1940	191	"	1910	ND	102	40-140				
2-Methylnaphthalene	1810	191	"	1910	ND	94.6	40-140				
2-Methylphenol	2000	191	"	1910	ND	104	30-130				
4-Methylphenol	1580	191	"	1910	ND	82.7	30-130				
Naphthalene	1710	191	"	1910	ND	89.5	40-140				
3-Nitroaniline	1880	191	"	1910	ND	98.3	40-140				
4-Nitroaniline	1930	191	"	1910	ND	101	40-140				
Nitrobenzene	1860	191	"	1910	ND	97.3	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00786 - EPA 3550B											
Matrix Spike (BK00786-MS1)		*Source(Sample used for MS/MSD): 10K0596-02				Prepared: 11/22/2010 Analyzed: 11/23/2010					
4-Nitrophenol	579	191	ug/kg dry	1910	ND	30.3	30-130				
2-Nitrophenol	1400	191	"	1910	ND	73.1	30-130				
N-nitroso-di-n-propylamine	2780	191	"	1910	ND	145	40-140	High Bias			
N-Nitrosodiphenylamine	1730	191	"	1910	ND	90.5	40-140				
Pentachlorophenol	859	191	"	1910	ND	44.9	30-130				
Phenanthrene	1160	191	"	1910	252	47.3	40-140				
Phenol	2130	191	"	1910	ND	111	30-130				
Pyrene	2480	191	"	1910	371	110	40-140				
1,2,4-Trichlorobenzene	1570	191	"	1910	ND	82.2	40-140				
2,4,5-Trichlorophenol	1660	191	"	1910	ND	86.6	30-130				
2,4,6-Trichlorophenol	2090	191	"	1910	ND	109	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	1920		"	2870		66.9	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	2220		"	1910		116	30-130				
<i>Surrogate: 2-Fluorophenol</i>	2960		"	2880		103	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	1960		"	1920		102	30-130				
<i>Surrogate: Phenol-d5</i>	1920		"	2870		66.9	15-110				
<i>Surrogate: Terphenyl-d14</i>	2140		"	1910		112	30-130				
Matrix Spike Dup (BK00786-MSD1)		*Source(Sample used for MS/MSD): 10K0596-02				Prepared: 11/22/2010 Analyzed: 11/23/2010					
Acenaphthene	2110	191	ug/kg dry	1910	ND	110	40-140		4.15	30	
Acenaphthylene	2080	191	"	1910	ND	108	40-140		2.85	30	
Anthracene	1920	191	"	1910	51.7	97.8	40-140		16.4	30	
Benzo(a)anthracene	1920	191	"	1910	163	92.0	40-140		11.0	30	
Benzo(a)pyrene	1920	191	"	1910	166	91.8	40-140		39.2	30	Non-dir.
Benzoic acid	1920	383	"	1910	ND	100	30-130		0.00	30	
Benzo(b)fluoranthene	1800	191	"	1910	171	84.9	40-140		4.04	30	
Benzo(g,h,i)perylene	1920	191	"	1910	105	95.0	40-140		8.79	30	
Benzyl alcohol	1730	191	"	1910	ND	90.5	30-130		3.92	30	
Benzo(k)fluoranthene	1920	191	"	1910	142	93.1	40-140		31.8	30	Non-dir.
Benzyl butyl phthalate	1690	191	"	1910	ND	88.5	40-140		15.5	30	
4-Bromophenyl phenyl ether	1920	191	"	1910	ND	101	40-140		10.3	30	
4-Chloro-3-methylphenol	1160	191	"	1910	ND	60.5	30-130		0.930	30	
4-Chloroaniline	1160	191	"	1910	ND	60.5	40-140		25.3	30	
Bis(2-chloroethoxy)methane	1920	191	"	1910	ND	100	40-140		3.17	30	
Bis(2-chloroethyl)ether	2150	191	"	1910	ND	113	40-140		8.48	30	
Bis(2-chloroisopropyl)ether	2080	191	"	1910	ND	109	40-140		13.7	30	
Bis(2-ethylhexyl)phthalate	1770	191	"	1910	ND	92.5	40-140		13.9	30	
2-Chloronaphthalene	1930	191	"	1910	ND	101	40-140		12.0	30	
2-Chlorophenol	2110	191	"	1910	ND	110	30-130		27.6	30	
4-Chlorophenyl phenyl ether	1930	191	"	1910	ND	101	40-140		20.6	30	
Chrysene	1650	191	"	1910	181	77.1	40-140		28.8	30	
Dibenzo(a,h)anthracene	1160	191	"	1910	ND	60.5	40-140		26.6	30	
Dibenzofuran	1920	191	"	1910	ND	101	40-140		1.77	30	
Di-n-butyl phthalate	2150	191	"	1910	ND	113	40-140		10.4	30	
1,2-Dichlorobenzene	1160	191	"	1910	ND	60.5	40-140		19.1	30	
1,4-Dichlorobenzene	1350	191	"	1910	ND	70.5	40-140		15.3	30	
1,3-Dichlorobenzene	1350	191	"	1910	ND	70.4	40-140		5.25	30	
3,3'-Dichlorobenzidine	1160	191	"	1910	ND	60.5	40-140		17.4	30	
2,4-Dichlorophenol	966	191	"	1910	ND	50.5	30-130		22.0	30	
Diethyl phthalate	1160	191	"	1910	ND	60.5	40-140		57.4	30	Non-dir.
2,4-Dimethylphenol	1020	191	"	1910	ND	53.4	30-130		41.3	30	Non-dir.
Dimethyl phthalate	1100	191	"	1910	ND	57.4	40-140		45.8	30	Non-dir.
2-Nitroaniline	1030	191	"	1910	ND	53.9	40-140		41.2	30	Non-dir.
4,6-Dinitro-2-methylphenol	775	383	"	1910	ND	40.5	30-130		39.2	30	Non-dir.

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00786 - EPA 3550B											
Matrix Spike Dup (BK00786-MSD1) *Source(Sample used for MS/MSD): 10K0596-02											
						Prepared: 11/22/2010 Analyzed: 11/23/2010					
2,4-Dinitrophenol	775	383	ug/kg dry	1910	ND	40.5	30-130		22.0	30	
2,6-Dinitrotoluene	1920	191	"	1910	ND	100	40-140		10.3	30	
2,4-Dinitrotoluene	2110	191	"	1910	ND	111	40-140		29.2	30	
Di-n-octyl phthalate	1550	191	"	1910	ND	80.8	40-140		20.3	30	
Fluoranthene	2240	191	"	1910	293	102	40-140		18.0	30	
Fluorene	2150	191	"	1910	ND	112	40-140		4.11	30	
Hexachlorobenzene	2080	191	"	1910	ND	108	40-140		10.8	30	
Hexachlorobutadiene	864	191	"	1910	ND	45.1	40-140		51.9	30	Non-dir.
Hexachlorocyclopentadiene	1730	191	"	1910	ND	90.5	40-140		56.7	30	Non-dir.
Hexachloroethane	1020	191	"	1910	ND	53.3	40-140		49.1	30	Non-dir.
Indeno(1,2,3-cd)pyrene	966	191	"	1910	ND	50.5	40-140		9.63	30	
Isophorone	1920	191	"	1910	ND	101	40-140		1.07	30	
2-Methylnaphthalene	1730	191	"	1910	ND	90.5	40-140		4.43	30	
2-Methylphenol	1920	191	"	1910	ND	100	30-130		3.83	30	
4-Methylphenol	1920	191	"	1910	ND	100	30-130		19.4	30	
Naphthalene	2120	191	"	1910	ND	111	40-140		21.2	30	
3-Nitroaniline	2150	191	"	1910	ND	112	40-140		13.5	30	
4-Nitroaniline	2080	191	"	1910	ND	108	40-140		7.06	30	
Nitrobenzene	1540	191	"	1910	ND	80.5	40-140		18.9	30	
4-Nitrophenol	2110	191	"	1910	ND	110	30-130		114	30	Non-dir.
2-Nitrophenol	1540	191	"	1910	ND	80.5	30-130		9.61	30	
N-nitroso-di-n-propylamine	1920	191	"	1910	ND	100	40-140		36.5	30	Non-dir.
N-Nitrosodiphenylamine	1860	191	"	1910	ND	97.1	40-140		7.06	30	
Pentachlorophenol	966	191	"	1910	ND	50.5	30-130		11.7	30	
Phenanthrene	1160	191	"	1910	252	47.3	40-140		0.00852	30	
Phenol	1920	191	"	1910	ND	100	30-130		10.2	30	
Pyrene	1540	191	"	1910	371	61.1	40-140		57.3	30	Non-dir.
1,2,4-Trichlorobenzene	1850	191	"	1910	ND	96.5	40-140		16.0	30	
2,4,5-Trichlorophenol	2110	191	"	1910	ND	110	30-130		24.3	30	
2,4,6-Trichlorophenol	1920	191	"	1910	ND	100	30-130		8.53	30	
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1830</i>		"	<i>2870</i>		<i>63.5</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1300</i>		"	<i>1910</i>		<i>67.9</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1750</i>		"	<i>2880</i>		<i>60.9</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1210</i>		"	<i>1920</i>		<i>63.2</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>1890</i>		"	<i>2870</i>		<i>65.6</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1920</i>		"	<i>1910</i>		<i>100</i>	<i>30-130</i>				

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00787 - EPA 3550B										
Blank (BK00787-BLK1)						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Aroclor 1016	ND	0.0170	mg/kg wet							
Aroclor 1221	ND	0.0170	"							
Aroclor 1232	ND	0.0170	"							
Aroclor 1242	ND	0.0170	"							
Aroclor 1248	ND	0.0170	"							
Aroclor 1254	ND	0.0170	"							
Aroclor 1260	ND	0.0170	"							
Aroclor 1262	ND	0.0170	"							
Aroclor 1268	ND	0.0170	"							
Total PCBs	ND	0.0170	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0530		"	0.0667		79.5		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0503		"	0.0667		75.5		30-150		
LCS (BK00787-BS1)						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Aroclor 1016	0.234	0.0170	mg/kg wet	0.333		70.2		40-140		
Aroclor 1260	0.233	0.0170	"	0.333		69.8		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0403		"	0.0667		60.5		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0383		"	0.0667		57.5		30-150		
Matrix Spike (BK00787-MS1) *Source(Sample used for MS/MSD): 10K0596-01						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Aroclor 1016	0.251	0.0194	mg/kg dry	0.190	ND	132		40-140		
Aroclor 1260	0.214	0.0194	"	0.190	ND	112		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0612		"	0.0760		80.5		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0559		"	0.0760		73.5		30-150		
Matrix Spike Dup (BK00787-MSD1) *Source(Sample used for MS/MSD): 10K0596-01						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Aroclor 1016	0.247	0.0194	mg/kg dry	0.190	ND	130		40-140	1.53	50
Aroclor 1260	0.262	0.0194	"	0.190	ND	138		40-140	20.2	50
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0809		"	0.0760		106		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0741		"	0.0760		97.5		30-150		

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00678 - EPA SW 846-3050B

Blank (BK00678-BLK1)

Prepared & Analyzed: 11/18/2010

Aluminum	ND	2.00	mg/kg wet						
Antimony	ND	0.300	"						
Arsenic	ND	0.500	"						
Barium	ND	0.500	"						
Beryllium	ND	0.100	"						
Cadmium	ND	0.500	"						
Calcium	ND	2.00	"						
Chromium	ND	0.500	"						
Cobalt	ND	0.500	"						
Copper	ND	0.500	"						
Iron	ND	1.00	"						
Lead	ND	0.300	"						
Magnesium	ND	2.00	"						
Manganese	ND	1.00	"						
Nickel	ND	0.500	"						
Potassium	ND	10.0	"						
Selenium	ND	0.500	"						
Silver	ND	0.500	"						
Sodium	ND	10.0	"						
Thallium	ND	0.500	"						
Vanadium	ND	0.500	"						
Zinc	ND	0.500	"						

Duplicate (BK00678-DUP1)

*Source(Sample used for MS/MSD): 10K0596-08

Prepared & Analyzed: 11/18/2010

Aluminum	2170	2.08	mg/kg dry		2160			0.229	35
Antimony	ND	0.312	"		ND				35
Arsenic	0.806	0.519	"		0.802			0.433	35
Barium	25.9	0.519	"		25.8			0.274	35
Beryllium	ND	0.104	"		ND				35
Cadmium	ND	0.519	"		ND				35
Calcium	991	2.08	"		991			0.0548	35
Chromium	5.51	0.519	"		5.49			0.260	35
Cobalt	2.19	0.519	"		2.22			1.43	35
Copper	5.59	0.519	"		5.56			0.545	35
Iron	4030	1.04	"		3980			1.25	35
Lead	2.92	0.312	"		2.79			4.53	35
Magnesium	922	2.08	"		911			1.20	35
Manganese	286	1.04	"		285			0.183	35
Nickel	6.09	0.519	"		6.06			0.473	35
Potassium	548	10.4	"		537			1.99	35
Selenium	0.692	0.519	"		0.496			33.0	200
Silver	ND	0.519	"		ND				35
Sodium	86.1	10.4	"		88.9			3.21	35
Thallium	ND	0.519	"		ND				35
Vanadium	6.01	0.519	"		5.99			0.346	35
Zinc	8.92	0.519	"		8.99			0.833	35

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00678 - EPA SW 846-3050B

Matrix Spike (BK00678-MS1)	*Source(Sample used for MS/MSD): 10K0596-08					Prepared & Analyzed: 11/18/2010					
Aluminum	2460	2.08	mg/kg dry	208	2160	143	75-125	High Bias			
Antimony	29.7	0.312	"	26.0	ND	115	75-125				
Arsenic	218	0.519	"	208	0.802	104	75-125				
Barium	258	0.519	"	208	25.8	112	75-125				
Beryllium	5.25	0.104	"	5.19	ND	101	75-125				
Cadmium	5.41	0.519	"	5.19	ND	104	75-125				
Chromium	26.9	0.519	"	20.8	5.49	103	75-125				
Cobalt	59.3	0.519	"	51.9	2.22	110	75-125				
Copper	34.3	0.519	"	26.0	5.56	111	75-125				
Iron	4080	1.04	"	104	3980	98.3	75-125				
Lead	58.2	0.312	"	51.9	2.79	107	75-125				
Magnesium	915	2.08	"		911		75-125				
Manganese	346	1.04	"	51.9	285	116	75-125				
Nickel	63.0	0.519	"	51.9	6.06	110	75-125				
Potassium	552	10.4	"		537		75-125				
Silver	4.51	0.519	"	5.19	ND	86.9	75-125				
Sodium	90.2	10.4	"		88.9		75-125				
Thallium	228	0.519	"	208	ND	110	75-125				
Vanadium	59.6	0.519	"	51.9	5.99	103	75-125				
Zinc	60.8	0.519	"	51.9	8.99	99.8	75-125				

Reference (BK00678-SRM1)						Prepared & Analyzed: 11/18/2010					
Aluminum	11200	2.00	mg/kg wet	10500		106	46-154				
Antimony	147	0.300	"	105		140	23.1-256				
Arsenic	93.8	0.500	"	88.3		106	69-131				
Barium	471	0.500	"	432		109	74.3-125				
Beryllium	59.7	0.100	"	58.2		103	73.2-127				
Cadmium	89.4	0.500	"	91.0		98.2	73.3-126				
Calcium	9850	2.00	"	9630		102	75.4-125				
Chromium	145	0.500	"	144		101	70.1-130				
Cobalt	199	0.500	"	190		105	74.7-126				
Copper	267	0.500	"	237		113	75.9-124				
Iron	19000	1.00	"	18900		101	43.4-158				
Lead	101	0.300	"	104		96.8	71.4-129				
Magnesium	3910	2.00	"	4040		96.7	69.6-130				
Manganese	532	1.00	"	497		107	77.1-123				
Nickel	221	0.500	"	200		111	73.5-126				
Potassium	4210	10.0	"	4340		97.1	65.4-135				
Selenium	203	0.500	"	192		106	68.3-131				
Silver	79.3	0.500	"	76.4		104	67.1-132				
Sodium	800	10.0	"	735		109	56.7-143				
Thallium	245	0.500	"	247		99.1	69.2-130				
Vanadium	184	0.500	"	180		102	72.8-127				
Zinc	280	0.500	"	292		96.0	71.6-128				

Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00694 - EPA SW846-7471										
Blank (BK00694-BLK1)						Prepared & Analyzed: 11/22/2010				
Mercury	ND	0.100	mg/kg wet							
LCS (BK00694-BS1)						Prepared & Analyzed: 11/22/2010				
Mercury	2.98		mg/kg	2.96		101 80-120				
Duplicate (BK00694-DUP1) *Source(Sample used for MS/MSD): 10K0596-01						Prepared & Analyzed: 11/22/2010				
Mercury	ND	0.114	mg/kg dry		ND				35	
Matrix Spike (BK00694-MS1) *Source(Sample used for MS/MSD): 10K0596-01						Prepared & Analyzed: 11/22/2010				
Mercury	1.27		mg/kg	1.50	ND	84.7 75-125				

Notes and Definitions

- S-BN Base/Neutral surrogate recovery outside of control limits. The data was accepted based on valid recovery of remaining two base/neutral surrogates.
- S-AC Acid surrogate recovery outside of control limits. The data was accepted based on valid recovery of remaining two acid surrogates.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data are acceptable.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank.

ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.

RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.

MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.

NR Not reported

RPD Relative Percent Difference

Wet The data has been reported on an as-received (wet weight) basis

Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action: COC begins with Page 2 of 3. Did not receive COC stating Page 1 of 3 or 3 of 3.
PG 11-18-10

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Page 2 of 3

York Project No. 10K0596

YOUR Information

Company: Lanigan
Address: 360 W 31st St
8th Fl. NY, NY 10001
Phone No. 212 479 5400
Contact Person: Stuart Knapp
E-Mail Address: Sknapp@lanigan.com

Report To:

Company: Same
Address: _____
Phone No. _____
Attention: _____
E-Mail Address: _____

Invoice To:

Company: Same
Address: _____
Phone No. _____
Attention: _____
E-Mail Address: _____

YOUR Project ID

170121501

Purchase Order No.

Turn-Around Time

RUSH - Same Day
RUSH - Next Day
RUSH - Two Day
RUSH - Three Day
RUSH - Four Day

Report Type/Deliverables

Summary Report
Summary w/ QA Summary
CT RCP Package
NY ASP A Package
NY ASP B Package
Electronic Deliverables: E2
EDD (Specify Type)
Excel

Samples from: CT NJ

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

[Signature]
Samples Collected/Authorized By (Signature)
Courtney Mann
Name (Printed)

Matrix Codes	Volatiles	Semi-Vols. Peaguaght	Metals	Misc. Org.	Full Lists	Common Miscellaneous Parameters	Special
S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor	8260 full 624 TICs Site Spec. STARS list Nassau Co. Suffolk Co. MITBE TCL list TAGM list CT RCP list Arom. only Halog. only App. IX list 8021B list	625 1082 PCB STARS list BN Only Acids Only PAH list TAGM list CT RCP list TCL list NIDEP list App. IX Chlordane SPLP or TCLP 608 Pest	RCA8 PPI3 list CT ETPH NY 310-13 TCL 15 list TAGM list NIDEP list Total Dissolved TCLP Herb SPLP or TCLP Indic. Metals LIST Below	TPH GRO TPH DRO TAL. MetCN Full TCLP Full App. IX Part. 364-Residue Air TO14A Air TO15 Air STARS Air VPH Air TICs Methane Helium	Pri. Poll. TCL Organics TAL. MetCN Full TCLP Full App. IX Part. 364-Residue Part. 360-Residue Part. 360-Sewer NYC DEP Sewer NYS DEC Sewer TAGM	Nitrate Nitrite TKN Tot Nitrogen Ammonia-N Chloride Phosphate Tot. Phos. Oil & Grease F.O.G. pH MBAS Silica	Color Phenols Cyanide-T Cyanide-A BOD5 CBOD5 BOD28 COD ISS Total Solids TDS TPH 1664

Choose Analyses Needed from the Menu Above and Enter Below

Sample Identification	Date Sampled	Sample Matrix	Container Description(s)
SB-9-0-10	11/15/10	S	2-100 mL 180Z
SB-9-15-18			180Z
SB-8-10-12			
SB-8-15-17			
SB-11-5-10			
SB-11-15-20			
SB-13-0-5	11/16/10		
SB-13-15-18			
SB-12-10-15			
SB-12-15-20			

Comments

4°C Frozen HCl MeOH NaOH
ZnAc Ascorbic Acid Other

Samples Relinquished By COM Date/Time 11/16/10 1000
Samples Relinquished By [Signature] Date/Time 11/16/10 1620

Temperature on Receipt 5.0 °C

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

YOUR Information Company: <u>Langan</u> Address: <u>360 W 41st St</u> <u>8th Fl. NY NY</u> Phone No. <u>212 479 5400</u> Contact Person: <u>Stuart Knopf</u> E-Mail Address: <u>SKnop@Langan</u>		Report To: Company: <u> </u> Address: <u> </u> Phone No. <u> </u> Attention: <u> </u> E-Mail Address: <u> </u>		Invoice To: Company: <u> </u> Address: <u> </u> Phone No. <u> </u> Attention: <u> </u> E-Mail Address: <u> </u>		YOUR Project ID <u>170121501</u> Purchase Order No. <u> </u>		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard(5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>Fe</u> EDD (Specify Type) <u>Fe</u> Excel <input checked="" type="checkbox"/>	
---	--	---	--	--	--	--	--	---	--	---	--

Semi-Vols. <input checked="" type="checkbox"/> <u>8270</u> <input checked="" type="checkbox"/> <u>8082 PCB</u> STARS list <u>8081 Pest</u> BN Only <u>815 Herb</u> Acids Only <u>CT RCP</u> PAH list <u>App. IX</u> TAGM list <u>Site Spec.</u> CT RCP list <u>SPLP or TCLP</u> TCL list <u>TCLP list</u> NIDEP list <u>TCLP Herb</u> App. IX <u>Chlordane</u> TCLP BNA <u>608 Pest</u> SPLP or TCLP <u>608 PCB</u>		Volatiles TICS <u>8260 full</u> Site Spec. <u>624</u> STARS list <u>Nassau Co.</u> BTEX <u>Suffolk Co.</u> MTBE <u>Ketones</u> Oxygenates <u>Oxygenates</u> TAGM list <u>TCLP list</u> CT RCP list <u>524.2</u> Arom. only <u>502.2</u> Halom. only <u>NIDEP list</u> App. IX list <u>SPLP or TCLP</u> 8021B list <u> </u>		Metals RCRA8 <u> </u> PP13 list <u> </u> CT15 list <u> </u> TAGM list <u> </u> NIDEP list <u> </u> Total <u> </u> Dissolved <u> </u> SPLP or TCLP <u> </u> Indic. Metals <u> </u> LIST Below <u> </u>		Misc. Org. TPH GRO <u> </u> TPH DRO <u> </u> CT ETPH <u> </u> NY 310-13 <u> </u> TPH 1664 <u> </u> Air TO14A <u> </u> Air TO15 <u> </u> Air STARS <u> </u> Air VPH <u> </u> Air TICs <u> </u> Methane <u> </u> Helium <u> </u>		Full Lists Pr. Poll. <u> </u> TCL Organics <u> </u> TAL MetCN <u> </u> Full TCLP <u> </u> Full App. IX <u> </u> Par. 360-Routine <u> </u> Par. 360-Routine <u> </u> Par. 360-Expanded <u> </u> Par. 360-Expanded <u> </u> NY/ODEP-Sever <u> </u> NY/SDEC-Sever <u> </u> TAGM <u> </u>		Common Miscellaneous Parameters Corrosivity <u> </u> Reactivity <u> </u> Ignitability <u> </u> Flash Point <u> </u> Sieve Anal. <u> </u> Heterotrophs <u> </u> TOX <u> </u> BTU/lb. <u> </u> Aquatic Tox. <u> </u> TOC <u> </u> Asbestos <u> </u> Silica <u> </u>		Miscellaneous Parameters Nitrate <u> </u> Nitrite <u> </u> TKN <u> </u> Tot. Nitrogen <u> </u> Ammonia-N <u> </u> Chloride <u> </u> Phosphate <u> </u> Tot. Phos. <u> </u> Oil & Grease <u> </u> F.O.G. <u> </u> pH <u> </u> MBAS <u> </u> TPH-1664 <u> </u>		Special Instructions Field Filtered <input type="checkbox"/> Lab to Filter <input type="checkbox"/>	
--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--

Sample Matrix <u>S</u>		Date Sampled <u>11/16/10</u>		Container Description(s) <u>1802 1202</u>	
Sample Identification <u>S8-10-0-6</u> S8-2010-15-20		Choose Analyses Needed from the Menu Above and Enter Below <u>8260 8270 8082 TAL</u>			
Comments Preservation <input checked="" type="checkbox"/> 4°C <input checked="" type="checkbox"/> Frozen <input type="checkbox"/> HCl <input type="checkbox"/> MeOH <input type="checkbox"/> NaOH <input type="checkbox"/> Check these Applicable <input type="checkbox"/> ZnAc <input type="checkbox"/> Ascorbic Acid <input type="checkbox"/> Other <input type="checkbox"/>		Samples Relinquished By <u> </u> Date/Time <u> </u> Samples Relinquished By <u> </u> Date/Time <u> </u>		Temperature on Receipt <u>5.0</u> °C	

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

[Signature]
 Samples Collected/Authorized By (Signature)
Cartney Mann
 Name (printed)

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0636

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0636

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 17, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0636-01	SB-10-10-12_11/16/2010	Soil	11/16/2010	11/17/2010

General Notes for York Project (SDG) No.: 10K0636

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/24/2010

YORK

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

10K0636

170121501

Soil

November 16, 2010 12:00 am

11/17/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.2	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.2	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.53	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.2	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.3	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
67-64-1	Acetone	14	J	ug/kg dry	7.5	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.5	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.84	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.8	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
67-66-3	Chloroform	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.84	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.84	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.91	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-09-2	Methylene chloride	8.1	J, B	ug/kg dry	2.6	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	22	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.
10K0636

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 12:00 am

Date Received
11/17/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.0	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
108-88-3	Toluene	ND		ug/kg dry	0.55	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.5	33	2	EPA SW846-8260B	11/23/2010 22:24	11/23/2010 22:24	SS
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	102 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	97.3 %			70-130						
2037-26-5	Surrogate: Toluene-d8	104 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	101	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	81.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	88.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	63.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	50.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	90.9	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	75.9	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	59.6	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	156	371	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	81.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	88.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	56.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	108	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	64.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	68.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	96.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	63.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	46.8	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	67.4	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.
10K0636

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 12:00 am

Date Received
11/17/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	140	371	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	77.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.0	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	73.4	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	53.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	83.6	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	61.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	67.2	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
83-32-9	Acenaphthene	ND		ug/kg dry	108	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	52.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
120-12-7	Anthracene	ND		ug/kg dry	46.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	71.9	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	48.4	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	70.7	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	55.8	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	71.9	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
65-85-0	Benzoic acid	ND		ug/kg dry	127	371	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	60.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	77.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	68.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	63.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	69.0	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	62.2	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
218-01-9	Chrysene	ND		ug/kg dry	74.9	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	47.0	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	60.0	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	97.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
131-11-3	Dimethyl phthalate	143	J	ug/kg dry	53.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	55.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	83.6	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
206-44-0	Fluoranthene	ND		ug/kg dry	108	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
86-73-7	Fluorene	ND		ug/kg dry	52.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	30.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	74.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	138	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.
10K0636

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 12:00 am

Date Received
11/17/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-72-1	Hexachloroethane	ND		ug/kg dry	66.8	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	68.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
78-59-1	Isophorone	ND		ug/kg dry	69.0	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
91-20-3	Naphthalene	ND		ug/kg dry	55.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	83.6	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	48.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	108	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	52.1	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
85-01-8	Phenanthrene	ND		ug/kg dry	68.5	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
108-95-2	Phenol	ND		ug/kg dry	74.3	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD
129-00-0	Pyrene	ND		ug/kg dry	66.6	186	1	EPA SW846-8270C	11/22/2010 07:52	11/23/2010 16:45	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	40.7 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	45.9 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	55.8 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	35.7 %	30-130
4165-62-2	Surrogate: Phenol-d5	50.5 %	15-110
1718-51-0	Surrogate: Terphenyl-d14	46.4 %	30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00880	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00880	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00880	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00880	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00880	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00758	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00758	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00758	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00758	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW
	Total PCBs	ND		mg/kg dry	0.00758	0.0189	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 15:26	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	96.5 %	30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	83.5 %	30-150

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.
10K0636

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 12:00 am

Date Received
11/17/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2600		mg/kg dry	1.40	2.23	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-36-0	Antimony	ND		mg/kg dry	0.156	0.334	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-38-2	Arsenic	1.47		mg/kg dry	0.212	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-39-3	Barium	31.7		mg/kg dry	0.267	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.111	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.145	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-70-2	Calcium	712		mg/kg dry	0.048	2.23	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-47-3	Chromium	8.06		mg/kg dry	0.089	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-48-4	Cobalt	2.81		mg/kg dry	0.089	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-50-8	Copper	14.8		mg/kg dry	0.156	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7439-89-6	Iron	5930	B	mg/kg dry	0.613	1.11	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7439-92-1	Lead	5.76		mg/kg dry	0.111	0.334	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7439-95-4	Magnesium	1040		mg/kg dry	0.914	2.23	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7439-96-5	Manganese	368		mg/kg dry	0.089	1.11	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-02-0	Nickel	14.3		mg/kg dry	0.078	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-09-7	Potassium	635		mg/kg dry	3.03	11.1	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7782-49-2	Selenium	1.14		mg/kg dry	0.235	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-22-4	Silver	ND		mg/kg dry	0.100	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-23-5	Sodium	114		mg/kg dry	7.49	11.1	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-28-0	Thallium	ND		mg/kg dry	0.212	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-62-2	Vanadium	20.0		mg/kg dry	0.089	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW
7440-66-6	Zinc	48.9		mg/kg dry	0.078	0.557	1	EPA SW846-6010B	11/22/2010 09:40	11/22/2010 13:25	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.108	0.111	1	EPA SW846-7471	11/23/2010 13:40	11/23/2010 13:40	AA

Sample Information

Client Sample ID: SB-10-10-12_11/16/2010

York Sample ID: 10K0636-01

York Project (SDG) No.
10K0636

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 16, 2010 12:00 am

Date Received
11/17/2010

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

<u>CAS No.</u>	<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Units</u>	<u>MDL</u>	<u>RL</u>	<u>Dilution</u>	<u>Reference Method</u>	<u>Date/Time Prepared</u>	<u>Date/Time Analyzed</u>	<u>Analyst</u>
	% Solids	89.7		%	0.100	0.100	1	SM 2540G	11/22/2010 13:40	11/22/2010 13:40	JT

Analytical Batch Summary

Batch ID: BK00734 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/22/10
BK00734-BLK1	Blank	11/22/10
BK00734-BS1	LCS	11/22/10

Batch ID: BK00735 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/22/10
BK00735-BLK1	Blank	11/22/10
BK00735-BS1	LCS	11/22/10

Batch ID: BK00746 **Preparation Method:** % Solids Prep **Prepared By:** JT

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/22/10

Batch ID: BK00748 **Preparation Method:** EPA SW 846-3050B **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/22/10
BK00748-BLK1	Blank	11/22/10
BK00748-SRM1	Reference	11/22/10

Batch ID: BK00774 **Preparation Method:** EPA SW846-7471 **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/23/10
BK00774-BLK1	Blank	11/23/10
BK00774-BS1	LCS	11/23/10

Batch ID: BK00827 **Preparation Method:** EPA 5035B **Prepared By:** SS

YORK Sample ID	Client Sample ID	Preparation Date
10K0636-01	SB-10-10-12_11/16/2010	11/23/10
BK00827-BLK1	Blank	11/23/10
BK00827-BS1	LCS	11/23/10
BK00827-BSD1	LCS Dup	11/23/10

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00827 - EPA 5035B

Blank (BK00827-BLK1)

Prepared & Analyzed: 11/23/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
4-Methyl-2-pentanone	ND	5.0	"								
Acetone	ND	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	2.6	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								
<i>Surrogate: 1,2-Dichloroethane-d4</i>	48.8		ug/L	50.0		97.6	70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	47.5		"	50.0		95.0	70-130				
<i>Surrogate: Toluene-d8</i>	52.5		"	50.0		105	70-130				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00827 - EPA 5035B										
LCS (BK00827-BS1)						Prepared & Analyzed: 11/23/2010				
1,1,1-Trichloroethane	55		ug/L	50.0		111 70-130				
1,1,2,2-Tetrachloroethane	60		"	50.0		119 70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	59		"	50.0		119 70-130				
1,1,2-Trichloroethane	58		"	50.0		116 70-130				
1,1-Dichloroethane	54		"	50.0		108 70-130				
1,1-Dichloroethylene	68		"	50.0		136 70-130	High Bias			
1,2,4-Trichlorobenzene	59		"	50.0		118 70-130				
1,2-Dibromo-3-chloropropane	54		"	50.0		108 70-130				
1,2-Dibromoethane	62		"	50.0		125 70-130				
1,2-Dichloroethane	55		"	50.0		111 70-130				
1,2-Dichloropropane	61		"	50.0		122 70-130				
2-Butanone	54		"	50.0		109 70-130				
2-Hexanone	53		"	50.0		107 70-130				
4-Methyl-2-pentanone	59	5.0	ug/kg wet			70-130				
Acetone	37		ug/L	50.0		73.4 70-130				
Benzene	53		"	50.0		106 70-130				
Bromodichloromethane	59		"	50.0		118 70-130				
Bromoform	58		"	50.0		117 70-130				
Bromomethane	37		"	50.0		74.8 70-130				
Carbon disulfide	98		"	100		97.9 70-130				
Carbon tetrachloride	57		"	50.0		115 70-130				
Chlorobenzene	59		"	50.0		119 70-130				
Chloroethane	45		"	50.0		89.2 70-130				
Chloroform	55		"	50.0		110 70-130				
Chloromethane	37		"	50.0		73.5 70-130				
cis-1,2-Dichloroethylene	53		"	50.0		106 70-130				
cis-1,3-Dichloropropylene	55		"	50.0		109 70-130				
Dibromochloromethane	61		"	50.0		123 70-130				
Dichlorodifluoromethane	34		"	50.0		67.1 70-130	Low Bias			
Ethyl Benzene	61		"	50.0		121 70-130				
Methyl tert-butyl ether (MTBE)	52		"	50.0		103 70-130				
Methylene chloride	41		"	50.0		81.9 70-130				
o-Xylene	57		"	50.0		114 70-130				
p- & m- Xylenes	120		"	100		119 70-130				
Styrene	57		"	50.0		115 70-130				
Tetrachloroethylene	71		"	50.0		143 70-130	High Bias			
Toluene	55		"	50.0		110 70-130				
trans-1,2-Dichloroethylene	55		"	50.0		111 70-130				
trans-1,3-Dichloropropylene	57		"	50.0		114 70-130				
Trichloroethylene	61		"	50.0		122 70-130				
Trichlorofluoromethane	49		"	50.0		98.1 70-130				
Vinyl Chloride	40		"	50.0		80.4 70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	49.7		"	50.0		99.5 70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	54.3		"	50.0		109 70-130				
<i>Surrogate: Toluene-d8</i>	51.9		"	50.0		104 70-130				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00827 - EPA 5035B										
LCS Dup (BK00827-BSD1)						Prepared & Analyzed: 11/23/2010				
1,1,1-Trichloroethane	54		ug/L	50.0		107	70-130		3.17	30
1,1,2,2-Tetrachloroethane	57		"	50.0		114	70-130		5.06	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	57		"	50.0		114	70-130		3.50	30
1,1,2-Trichloroethane	60		"	50.0		119	70-130		2.46	30
1,1-Dichloroethane	54		"	50.0		108	70-130		0.295	30
1,1-Dichloroethylene	63		"	50.0		126	70-130		7.83	30
1,2,4-Trichlorobenzene	45		"	50.0		90.8	70-130		26.0	30
1,2-Dibromo-3-chloropropane	51		"	50.0		103	70-130		4.62	30
1,2-Dibromoethane	61		"	50.0		122	70-130		1.73	30
1,2-Dichloroethane	55		"	50.0		110	70-130		1.18	30
1,2-Dichloropropane	62		"	50.0		124	70-130		1.51	30
2-Butanone	54		"	50.0		108	70-130		0.240	30
2-Hexanone	53		"	50.0		106	70-130		1.09	30
4-Methyl-2-pentanone	58	5.0	ug/kg wet				70-130			30
Acetone	35		ug/L	50.0		70.3	70-130		4.34	30
Benzene	52		"	50.0		103	70-130		2.72	30
Bromodichloromethane	62		"	50.0		123	70-130		4.47	30
Bromoform	56		"	50.0		112	70-130		4.28	30
Bromomethane	38		"	50.0		75.1	70-130		0.400	30
Carbon disulfide	98		"	100		98.0	70-130		0.122	30
Carbon tetrachloride	57		"	50.0		114	70-130		0.473	30
Chlorobenzene	60		"	50.0		121	70-130		1.50	30
Chloroethane	44		"	50.0		88.5	70-130		0.855	30
Chloroform	56		"	50.0		112	70-130		1.28	30
Chloromethane	37		"	50.0		73.2	70-130		0.382	30
cis-1,2-Dichloroethylene	53		"	50.0		107	70-130		0.225	30
cis-1,3-Dichloropropylene	57		"	50.0		114	70-130		4.57	30
Dibromochloromethane	62		"	50.0		124	70-130		1.34	30
Dichlorodifluoromethane	34		"	50.0		68.5	70-130	Low Bias	1.95	30
Ethyl Benzene	59		"	50.0		119	70-130		2.15	30
Methyl tert-butyl ether (MTBE)	49		"	50.0		97.7	70-130		5.42	30
Methylene chloride	41		"	50.0		81.9	70-130		0.0489	30
o-Xylene	56		"	50.0		112	70-130		0.991	30
p- & m- Xylenes	120		"	100		115	70-130		3.10	30
Styrene	57		"	50.0		114	70-130		0.787	30
Tetrachloroethylene	68		"	50.0		136	70-130	High Bias	5.05	30
Toluene	56		"	50.0		113	70-130		2.60	30
trans-1,2-Dichloroethylene	56		"	50.0		112	70-130		0.810	30
trans-1,3-Dichloropropylene	59		"	50.0		118	70-130		2.95	30
Trichloroethylene	62		"	50.0		123	70-130		0.667	30
Trichlorofluoromethane	49		"	50.0		98.0	70-130		0.102	30
Vinyl Chloride	40		"	50.0		80.9	70-130		0.546	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	47.6		"	50.0		95.2	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	50.8		"	50.0		102	70-130			
<i>Surrogate: Toluene-d8</i>	53.7		"	50.0		107	70-130			

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00734 - EPA 3550B

Blank (BK00734-BLK1)

Prepared & Analyzed: 11/22/2010

Acenaphthene	ND	167	ug/kg wet							
Acenaphthylene	ND	167	"							
Anthracene	ND	167	"							
Benzo(a)anthracene	ND	167	"							
Benzo(a)pyrene	ND	167	"							
Benzoic acid	ND	333	"							
Benzo(b)fluoranthene	ND	167	"							
Benzo(g,h,i)perylene	ND	167	"							
Benzyl alcohol	ND	167	"							
Benzo(k)fluoranthene	ND	167	"							
Benzyl butyl phthalate	ND	167	"							
4-Bromophenyl phenyl ether	ND	167	"							
4-Chloro-3-methylphenol	ND	167	"							
4-Chloroaniline	ND	167	"							
Bis(2-chloroethoxy)methane	ND	167	"							
Bis(2-chloroethyl)ether	ND	167	"							
Bis(2-chloroisopropyl)ether	ND	167	"							
Bis(2-ethylhexyl)phthalate	ND	167	"							
2-Chloronaphthalene	ND	167	"							
2-Chlorophenol	ND	167	"							
4-Chlorophenyl phenyl ether	ND	167	"							
Chrysene	ND	167	"							
Dibenzo(a,h)anthracene	ND	167	"							
Dibenzofuran	ND	167	"							
Di-n-butyl phthalate	ND	167	"							
1,2-Dichlorobenzene	ND	167	"							
1,4-Dichlorobenzene	ND	167	"							
1,3-Dichlorobenzene	ND	167	"							
3,3'-Dichlorobenzidine	ND	167	"							
2,4-Dichlorophenol	ND	167	"							
Diethyl phthalate	ND	167	"							
2,4-Dimethylphenol	ND	167	"							
Dimethyl phthalate	ND	167	"							
2-Nitroaniline	ND	167	"							
4,6-Dinitro-2-methylphenol	ND	333	"							
2,4-Dinitrophenol	ND	333	"							
2,6-Dinitrotoluene	ND	167	"							
2,4-Dinitrotoluene	ND	167	"							
Di-n-octyl phthalate	ND	167	"							
Fluoranthene	ND	167	"							
Fluorene	ND	167	"							
Hexachlorobenzene	ND	167	"							
Hexachlorobutadiene	ND	167	"							
Hexachlorocyclopentadiene	ND	167	"							
Hexachloroethane	ND	167	"							
Indeno(1,2,3-cd)pyrene	ND	167	"							
Isophorone	ND	167	"							
2-Methylnaphthalene	ND	167	"							
2-Methylphenol	ND	167	"							
4-Methylphenol	ND	167	"							
Naphthalene	ND	167	"							
3-Nitroaniline	ND	167	"							
4-Nitroaniline	ND	167	"							
Nitrobenzene	ND	167	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00734 - EPA 3550B											
Blank (BK00734-BLK1)						Prepared & Analyzed: 11/22/2010					
4-Nitrophenol	ND	167	ug/kg wet								
2-Nitrophenol	ND	167	"								
N-nitroso-di-n-propylamine	ND	167	"								
N-Nitrosodiphenylamine	ND	167	"								
Pentachlorophenol	ND	167	"								
Phenanthrene	ND	167	"								
Phenol	ND	167	"								
Pyrene	ND	167	"								
1,2,4-Trichlorobenzene	ND	167	"								
2,4,5-Trichlorophenol	ND	167	"								
2,4,6-Trichlorophenol	ND	167	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1600</i>		<i>"</i>	<i>2500</i>		<i>64.0</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1020</i>		<i>"</i>	<i>1670</i>		<i>61.1</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1390</i>		<i>"</i>	<i>2510</i>		<i>55.5</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1410</i>		<i>"</i>	<i>1670</i>		<i>84.6</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>747</i>		<i>"</i>	<i>2500</i>		<i>29.9</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1330</i>		<i>"</i>	<i>1670</i>		<i>79.9</i>	<i>30-130</i>				
LCS (BK00734-BS1)						Prepared & Analyzed: 11/22/2010					
Acenaphthene	1360	167	ug/kg wet	1670		81.3	40-140				
Acenaphthylene	1440	167	"	1670		86.1	40-140				
Anthracene	1500	167	"	1670		89.8	40-140				
Benzo(a)anthracene	1470	167	"	1670		88.4	40-140				
Benzo(a)pyrene	1880	167	"	1670		113	40-140				
Benzoic acid	ND	333	"	1670			30-130	Low Bias			
Benzo(b)fluoranthene	870	167	"	1670		52.2	40-140				
Benzo(g,h,i)perylene	361	167	"	1670		21.7	40-140	Low Bias			
Benzyl alcohol	1360	167	"	1670		81.3	30-130				
Benzo(k)fluoranthene	888	167	"	1670		53.3	40-140				
Benzyl butyl phthalate	1520	167	"	1670		91.5	40-140				
4-Bromophenyl phenyl ether	1400	167	"	1670		84.1	40-140				
4-Chloro-3-methylphenol	1680	167	"	1670		101	30-130				
4-Chloroaniline	1510	167	"	1670		90.5	40-140				
Bis(2-chloroethoxy)methane	1370	167	"	1670		82.5	40-140				
Bis(2-chloroethyl)ether	1090	167	"	1670		65.7	40-140				
Bis(2-chloroisopropyl)ether	1190	167	"	1670		71.2	40-140				
Bis(2-ethylhexyl)phthalate	1680	167	"	1670		101	40-140				
2-Chloronaphthalene	1100	167	"	1670		66.3	40-140				
2-Chlorophenol	1100	167	"	1670		65.8	30-130				
4-Chlorophenyl phenyl ether	1300	167	"	1670		77.7	40-140				
Chrysene	1740	167	"	1670		104	40-140				
Dibenzo(a,h)anthracene	542	167	"	1670		32.5	40-140	Low Bias			
Dibenzofuran	1340	167	"	1670		80.4	40-140				
Di-n-butyl phthalate	1480	167	"	1670		88.8	40-140				
1,2-Dichlorobenzene	991	167	"	1670		59.5	40-140				
1,4-Dichlorobenzene	1030	167	"	1670		62.1	40-140				
1,3-Dichlorobenzene	962	167	"	1670		57.7	40-140				
3,3'-Dichlorobenzidine	2380	167	"	1670		143	40-140	High Bias			
2,4-Dichlorophenol	737	167	"	1670		44.2	30-130				
Diethyl phthalate	1400	167	"	1670		84.0	40-140				
2,4-Dimethylphenol	1390	167	"	1670		83.2	30-130				
Dimethyl phthalate	1370	167	"	1670		82.3	40-140				
2-Nitroaniline	1330	167	"	1670		79.9	40-140				
4,6-Dinitro-2-methylphenol	ND	333	"	1670			30-130	Low Bias			

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00734 - EPA 3550B

LCS (BK00734-BS1)

Prepared & Analyzed: 11/22/2010

2,4-Dinitrophenol	ND	333	ug/kg wet	1670			30-130	Low Bias			
2,6-Dinitrotoluene	1300	167	"	1670		77.9	40-140				
2,4-Dinitrotoluene	1300	167	"	1670		77.9	40-140				
Di-n-octyl phthalate	1650	167	"	1670		98.8	40-140				
Fluoranthene	1540	167	"	1670		92.7	40-140				
Fluorene	1490	167	"	1670		89.6	40-140				
Hexachlorobenzene	1530	167	"	1670		91.6	40-140				
Hexachlorobutadiene	1370	167	"	1670		82.3	40-140				
Hexachlorocyclopentadiene	ND	167	"	1670			40-140	Low Bias			
Hexachloroethane	1090	167	"	1670		65.2	40-140				
Indeno(1,2,3-cd)pyrene	452	167	"	1670		27.1	40-140	Low Bias			
Isophorone	1270	167	"	1670		76.3	40-140				
2-Methylnaphthalene	1390	167	"	1670		83.1	40-140				
2-Methylphenol	1250	167	"	1670		74.9	30-130				
4-Methylphenol	1080	167	"	1670		64.8	30-130				
Naphthalene	1290	167	"	1670		77.6	40-140				
3-Nitroaniline	1630	167	"	1670		97.7	40-140				
4-Nitroaniline	1040	167	"	1670		62.5	40-140				
Nitrobenzene	1360	167	"	1670		81.7	40-140				
4-Nitrophenol	704	167	"	1670		42.2	30-130				
2-Nitrophenol	1060	167	"	1670		63.4	30-130				
N-nitroso-di-n-propylamine	1240	167	"	1670		74.3	40-140				
N-Nitrosodiphenylamine	1560	167	"	1670		93.7	40-140				
Pentachlorophenol	680	167	"	1670		40.8	30-130				
Phenanthrene	1520	167	"	1670		91.2	40-140				
Phenol	ND	167	"	1670			30-130	Low Bias			
Pyrene	1650	167	"	1670		98.9	40-140				
1,2,4-Trichlorobenzene	1470	167	"	1670		88.2	40-140				
2,4,5-Trichlorophenol	1780	167	"	1670		107	30-130				
2,4,6-Trichlorophenol	1550	167	"	1670		92.7	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	3190		"	2500		127	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	1830		"	1670		110	30-130				
<i>Surrogate: 2-Fluorophenol</i>	2080		"	2510		83.1	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	1910		"	1670		114	30-130				
<i>Surrogate: Phenol-d5</i>	2110		"	2500		84.2	15-110				
<i>Surrogate: Terphenyl-d14</i>	2120		"	1670		127	30-130				

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00735 - EPA 3550B										
Blank (BK00735-BLK1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	ND	0.0170	mg/kg wet							
Aroclor 1221	ND	0.0170	"							
Aroclor 1232	ND	0.0170	"							
Aroclor 1242	ND	0.0170	"							
Aroclor 1248	ND	0.0170	"							
Aroclor 1254	ND	0.0170	"							
Aroclor 1260	ND	0.0170	"							
Aroclor 1262	ND	0.0170	"							
Aroclor 1268	ND	0.0170	"							
Total PCBs	ND	0.0170	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.0453</i>		<i>"</i>	<i>0.0667</i>		<i>68.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0597</i>		<i>"</i>	<i>0.0667</i>		<i>89.5</i>	<i>30-150</i>			
LCS (BK00735-BS1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	0.252	0.0170	mg/kg wet	0.333		75.5	40-140			
Aroclor 1260	0.307	0.0170	"	0.333		92.0	40-140			
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.0520</i>		<i>"</i>	<i>0.0667</i>		<i>78.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0640</i>		<i>"</i>	<i>0.0667</i>		<i>96.0</i>	<i>30-150</i>			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC %REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	-----------	-------------	------	-----	-----------	------

Batch BK00748 - EPA SW 846-3050B

Blank (BK00748-BLK1)

Prepared & Analyzed: 11/22/2010

Aluminum	ND	2.00	mg/kg wet								
Antimony	ND	0.300	"								
Arsenic	ND	0.500	"								
Barium	ND	0.500	"								
Beryllium	ND	0.100	"								
Cadmium	ND	0.500	"								
Calcium	ND	2.00	"								
Chromium	ND	0.500	"								
Cobalt	ND	0.500	"								
Copper	ND	0.500	"								
Iron	3.99	1.00	"								
Lead	ND	0.300	"								
Magnesium	ND	2.00	"								
Manganese	ND	1.00	"								
Nickel	ND	0.500	"								
Potassium	ND	10.0	"								
Selenium	ND	0.500	"								
Silver	ND	0.500	"								
Sodium	ND	10.0	"								
Thallium	ND	0.500	"								
Vanadium	ND	0.500	"								
Zinc	ND	0.500	"								

Reference (BK00748-SRM1)

Prepared & Analyzed: 11/22/2010

Aluminum	10900	2.00	mg/kg wet	10500	104	46-154
Antimony	112	0.300	"	105	107	23.1-256
Arsenic	93.5	0.500	"	88.3	106	69-131
Barium	475	0.500	"	432	110	74.3-125
Beryllium	57.9	0.100	"	58.2	99.6	73.2-127
Cadmium	88.8	0.500	"	91.0	97.6	73.3-126
Calcium	9960	2.00	"	9630	103	75.4-125
Chromium	144	0.500	"	144	100	70.1-130
Cobalt	198	0.500	"	190	104	74.7-126
Copper	264	0.500	"	237	112	75.9-124
Iron	19400	1.00	"	18900	103	43.4-158
Lead	101	0.300	"	104	97.1	71.4-129
Magnesium	3960	2.00	"	4040	98.1	69.6-130
Manganese	529	1.00	"	497	106	77.1-123
Nickel	218	0.500	"	200	109	73.5-126
Potassium	4240	10.0	"	4340	97.7	65.4-135
Selenium	203	0.500	"	192	106	68.3-131
Silver	78.6	0.500	"	76.4	103	67.1-132
Sodium	771	10.0	"	735	105	56.7-143
Thallium	247	0.500	"	247	100	69.2-130
Vanadium	183	0.500	"	180	101	72.8-127
Zinc	278	0.500	"	292	95.1	71.6-128

Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00774 - EPA SW846-7471										
Blank (BK00774-BLK1)						Prepared & Analyzed: 11/23/2010				
Mercury	ND	0.100	mg/kg wet							
LCS (BK00774-BS1)						Prepared & Analyzed: 11/23/2010				
Mercury	3.31		mg/kg	2.96		112	80-120			

Notes and Definitions

J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.
<hr/>	
ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 12/07/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0822

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA Reg. 68-04440

Report Date: 12/07/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0822

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 24, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0822-01	MW-3_11/23/2010	Water	11/23/2010	11/24/2010
10K0822-02	MW-4_11/23/2010	Water	11/23/2010	11/24/2010
10K0822-03	MW-6_11/23/2010	Water	11/23/2010	11/24/2010
10K0822-04	DUP_11/23/2010	Water	11/23/2010	11/24/2010
10K0822-05	MW-1_11/23/2010	Water	11/23/2010	11/24/2010

General Notes for York Project (SDG) No.: 10K0822

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 12/07/2010



Sample Information

Client Sample ID: MW-3_11/23/2010

York Sample ID: 10K0822-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

10K0822

170121501

Water

November 23, 2010 12:00 am

11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
67-64-1	Acetone	7.3	J, B	ug/L	3.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
71-43-2	Benzene	1.9	J	ug/L	0.48	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
67-66-3	Chloroform	2.6	J	ug/L	0.36	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
98-82-8	Isopropylbenzene	2.6	J	ug/L	0.39	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-09-2	Methylene chloride	4.9	J, B	ug/L	1.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
95-47-6	o-Xylene	62		ug/L	0.50	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS

Sample Information

Client Sample ID: MW-3_11/23/2010

York Sample ID: 10K0822-01

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
127-18-4	Tetrachloroethylene	6.7		ug/L	0.52	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
1330-20-7	Xylenes, Total	62		ug/L	1.0	15	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 06:37	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	113 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	91.8 %	70-130								
2037-26-5	Surrogate: Toluene-d8	102 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD

Sample Information

Client Sample ID: MW-3_11/23/2010

York Sample ID: 10K0822-01

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD

Sample Information

Client Sample ID: MW-3_11/23/2010

York Sample ID: 10K0822-01

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:02	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	48.8 %							15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	43.5 %							30-130
367-12-4	Surrogate: 2-Fluorophenol	8.91 %	S-AC						15-110
4165-60-0	Surrogate: Nitrobenzene-d5	51.8 %							30-130
4165-62-2	Surrogate: Phenol-d5	9.67 %	S-AC						10-110
1718-51-0	Surrogate: Terphenyl-d14	51.0 %							30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW
	Total PCBs	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 14:56	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	42.0 %							30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	41.5 %							30-150

Sample Information

Client Sample ID: MW-3_11/23/2010

York Sample ID: 10K0822-01

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	0.237		mg/L	0.007	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-39-3	Barium	0.106		mg/L	0.004	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-70-2	Calcium	88.2		mg/L	0.009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-50-8	Copper	0.010		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7439-89-6	Iron	0.727		mg/L	0.006	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7439-92-1	Lead	0.005		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7439-95-4	Magnesium	35.2		mg/L	0.008	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7439-96-5	Manganese	3.20		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-02-0	Nickel	0.010		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-09-7	Potassium	12.8		mg/L	0.026	0.050	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-23-5	Sodium	85.2		mg/L	0.066	0.100	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:45	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.0002000	1	EPA SW846-7470	12/03/2010 11:08	12/03/2010 11:08	AA

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
67-64-1	Acetone	3.4	J, B	ug/L	3.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
67-66-3	Chloroform	2.5	J	ug/L	0.36	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-09-2	Methylene chloride	3.9	J, B	ug/L	1.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
127-18-4	Tetrachloroethylene	4.2	J	ug/L	0.52	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 07:24	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	116 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	102 %	70-130								
2037-26-5	Surrogate: Toluene-d8	102 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	2.19	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	2.73	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	4.58	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	5.38	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	6.01	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	5.45	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	5.15	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	6.14	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	16.0	16.7	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	3.94	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	5.85	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	5.81	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
95-57-8	2-Chlorophenol	ND		ug/L	5.69	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	5.12	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
95-48-7	2-Methylphenol	ND		ug/L	1.43	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
88-74-4	2-Nitroaniline	ND		ug/L	5.01	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
88-75-5	2-Nitrophenol	ND		ug/L	5.17	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	5.85	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/L	2.66	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	11.2	16.7	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	5.74	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	6.05	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
106-47-8	4-Chloroaniline	ND		ug/L	6.23	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	5.20	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
100-01-6	4-Methylphenol	ND		ug/L	6.19	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
100-02-7	4-Nitroaniline	ND		ug/L	6.28	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
56-57-5	4-Nitrophenol	ND		ug/L	6.57	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
83-32-9	Acenaphthene	ND		ug/L	5.39	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
208-96-8	Acenaphthylene	ND		ug/L	7.12	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
120-12-7	Anthracene	ND		ug/L	6.10	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	6.78	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	8.08	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	6.87	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	6.92	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	5.76	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
65-85-0	Benzoic acid	ND		ug/L	14.5	16.7	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
100-51-6	Benzyl alcohol	ND		ug/L	6.67	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	3.83	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	8.08	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	6.87	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	6.92	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	4.29	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
218-01-9	Chrysene	ND		ug/L	6.92	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	5.17	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
132-64-9	Dibenzofuran	ND		ug/L	4.83	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
84-66-2	Diethyl phthalate	ND		ug/L	3.67	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
131-11-3	Dimethyl phthalate	ND		ug/L	8.08	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	6.87	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	6.92	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
206-44-0	Fluoranthene	ND		ug/L	2.66	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
86-73-7	Fluorene	ND		ug/L	5.37	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
118-74-1	Hexachlorobenzene	ND		ug/L	4.93	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	5.52	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	5.74	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
67-72-1	Hexachloroethane	ND		ug/L	6.05	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	4.58	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
78-59-1	Isophorone	ND		ug/L	5.38	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
91-20-3	Naphthalene	ND		ug/L	6.44	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
98-95-3	Nitrobenzene	ND		ug/L	3.28	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	4.29	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	6.03	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
87-86-5	Pentachlorophenol	ND		ug/L	6.27	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
85-01-8	Phenanthrene	ND		ug/L	6.01	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
108-95-2	Phenol	ND		ug/L	5.45	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD
129-00-0	Pyrene	ND		ug/L	3.94	8.33	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 16:36	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	46.4 %							15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	40.6 %							30-130
367-12-4	Surrogate: 2-Fluorophenol	16.6 %							15-110
4165-60-0	Surrogate: Nitrobenzene-d5	46.4 %							30-130
4165-62-2	Surrogate: Phenol-d5	11.4 %	S-AC						10-110
1718-51-0	Surrogate: Terphenyl-d14	57.4 %							30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW
	Total PCBs	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 15:29	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	49.5 %							30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	51.0 %							30-150

Sample Information

Client Sample ID: MW-4_11/23/2010

York Sample ID: 10K0822-02

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	0.070		mg/L	0.007	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-39-3	Barium	0.085		mg/L	0.004	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-70-2	Calcium	137		mg/L	0.009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-50-8	Copper	0.006		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7439-89-6	Iron	0.186		mg/L	0.006	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7439-92-1	Lead	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7439-95-4	Magnesium	64.4		mg/L	0.008	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7439-96-5	Manganese	2.38		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-02-0	Nickel	0.023		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-09-7	Potassium	10.6		mg/L	0.026	0.050	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-23-5	Sodium	105		mg/L	0.066	0.100	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:50	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.0002000	1	EPA SW846-7470	12/03/2010 11:08	12/03/2010 11:08	AA

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
67-64-1	Acetone	ND		ug/L	3.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
67-66-3	Chloroform	12		ug/L	0.36	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-09-2	Methylene chloride	4.3	J, B	ug/L	1.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:10	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	116 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	93.0 %	70-130								
2037-26-5	Surrogate: Toluene-d8	98.5 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:09	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	39.9 %							15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	35.6 %							30-130
367-12-4	Surrogate: 2-Fluorophenol	6.45 %	S-AC						15-110
4165-60-0	Surrogate: Nitrobenzene-d5	36.8 %							30-130
4165-62-2	Surrogate: Phenol-d5	7.03 %	S-AC						10-110
1718-51-0	Surrogate: Terphenyl-d14	49.9 %							30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW
	Total PCBs	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:01	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	54.0 %							30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	59.5 %							30-150

Sample Information

Client Sample ID: MW-6_11/23/2010

York Sample ID: 10K0822-03

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	0.408		mg/L	0.007	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-39-3	Barium	0.087		mg/L	0.004	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-70-2	Calcium	37.2		mg/L	0.009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7439-89-6	Iron	0.430		mg/L	0.006	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7439-92-1	Lead	0.003		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7439-95-4	Magnesium	10.1		mg/L	0.008	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7439-96-5	Manganese	1.26		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-02-0	Nickel	0.005		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-09-7	Potassium	6.30		mg/L	0.026	0.050	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-23-5	Sodium	53.4		mg/L	0.066	0.100	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 10:55	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.0002000	1	EPA SW846-7470	12/03/2010 11:08	12/03/2010 11:08	AA

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
67-64-1	Acetone	ND		ug/L	3.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
67-66-3	Chloroform	9.5		ug/L	0.36	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-09-2	Methylene chloride	3.6	J, B	ug/L	1.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
127-18-4	Tetrachloroethylene	4.5	J	ug/L	0.52	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 08:57	SS
	Surrogate Recoveries	Result									
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	112 %				70-130					
460-00-4	Surrogate: p-Bromofluorobenzene	104 %				70-130					
2037-26-5	Surrogate: Toluene-d8	101 %				70-130					

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.38	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.72	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.89	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.40	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.80	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.44	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.25	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.88	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	10.1	10.5	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.49	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.69	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.67	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.60	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.24	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
95-48-7	2-Methylphenol	ND		ug/L	0.902	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.17	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.27	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.70	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/L	1.68	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	7.05	10.5	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.63	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.82	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.94	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.28	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
100-01-6	4-Methylphenol	ND		ug/L	3.91	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.97	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.15	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
83-32-9	Acenaphthene	ND		ug/L	3.41	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
208-96-8	Acenaphthylene	ND		ug/L	4.50	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
120-12-7	Anthracene	ND		ug/L	3.85	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.28	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	5.10	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.34	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.37	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.64	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
65-85-0	Benzoic acid	ND		ug/L	9.16	10.5	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.21	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.42	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	5.10	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.34	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.37	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.71	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
218-01-9	Chrysene	ND		ug/L	4.37	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.26	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
132-64-9	Dibenzofuran	ND		ug/L	3.05	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.32	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
131-11-3	Dimethyl phthalate	ND		ug/L	5.10	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.34	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.37	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
206-44-0	Fluoranthene	ND		ug/L	1.68	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
86-73-7	Fluorene	ND		ug/L	3.39	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.11	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.48	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.63	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
67-72-1	Hexachloroethane	ND		ug/L	3.82	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.89	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
78-59-1	Isophorone	ND		ug/L	3.40	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
91-20-3	Naphthalene	ND		ug/L	4.07	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
98-95-3	Nitrobenzene	ND		ug/L	2.07	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.71	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.81	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.96	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
85-01-8	Phenanthrene	ND		ug/L	3.80	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
108-95-2	Phenol	ND		ug/L	3.44	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD
129-00-0	Pyrene	ND		ug/L	2.49	5.26	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 17:42	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	35.2 %				15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	39.2 %				30-130
367-12-4	Surrogate: 2-Fluorophenol	10.1 %	S-AC			15-110
4165-60-0	Surrogate: Nitrobenzene-d5	60.4 %				30-130
4165-62-2	Surrogate: Phenol-d5	7.28 %	S-AC			10-110
1718-51-0	Surrogate: Terphenyl-d14	50.8 %				30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW
	Total PCBs	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 16:33	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	52.5 %				30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	55.5 %				30-150

Sample Information

Client Sample ID: DUP_11/23/2010

York Sample ID: 10K0822-04

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	0.506		mg/L	0.007	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-39-3	Barium	0.087		mg/L	0.004	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-70-2	Calcium	37.3		mg/L	0.009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7439-89-6	Iron	0.514		mg/L	0.006	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7439-92-1	Lead	0.003		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7439-95-4	Magnesium	10.2		mg/L	0.008	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7439-96-5	Manganese	1.33		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-02-0	Nickel	0.005		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-09-7	Potassium	6.40		mg/L	0.026	0.050	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-23-5	Sodium	53.4		mg/L	0.066	0.100	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:00	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.0002000	1	EPA SW846-7470	12/03/2010 11:08	12/03/2010 11:08	AA

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
67-64-1	Acetone	ND		ug/L	3.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
67-66-3	Chloroform	7.8		ug/L	0.36	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-09-2	Methylene chloride	3.9	J, B	ug/L	1.1	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
127-18-4	Tetrachloroethylene	10		ug/L	0.52	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	12/06/2010 12:16	12/07/2010 09:45	SS
	Surrogate Recoveries	Result				Acceptance Range					
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	114 %				70-130					
460-00-4	Surrogate: p-Bromofluorobenzene	112 %				70-130					
2037-26-5	Surrogate: Toluene-d8	104 %				70-130					

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/30/2010 16:26	12/06/2010 18:15	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	55.6 %			15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	49.7 %			30-130
367-12-4	Surrogate: 2-Fluorophenol	11.1 %	S-AC		15-110
4165-60-0	Surrogate: Nitrobenzene-d5	65.6 %			30-130
4165-62-2	Surrogate: Phenol-d5	9.09 %	S-AC		10-110
1718-51-0	Surrogate: Terphenyl-d14	72.9 %			30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0444	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW
	Total PCBs	ND		ug/L	0.0382	0.0526	1	EPA SW 846-8082	11/30/2010 00:00	12/03/2010 17:06	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	52.5 %			30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	54.0 %			30-150

Sample Information

Client Sample ID: MW-1_11/23/2010

York Sample ID: 10K0822-05

York Project (SDG) No.
10K0822

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 23, 2010 12:00 am

Date Received
11/24/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	0.017		mg/L	0.007	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-39-3	Barium	0.069		mg/L	0.004	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-70-2	Calcium	44.3		mg/L	0.009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7439-89-6	Iron	0.148		mg/L	0.006	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7439-92-1	Lead	0.003		mg/L	0.001	0.003	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7439-95-4	Magnesium	6.87		mg/L	0.008	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7439-96-5	Manganese	0.478		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-02-0	Nickel	ND		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-09-7	Potassium	4.47		mg/L	0.026	0.050	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-23-5	Sodium	60.1		mg/L	0.066	0.100	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/30/2010 09:15	11/30/2010 11:04	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.002000	1	EPA SW846-7470	12/03/2010 11:08	12/03/2010 11:08	AA

Analytical Batch Summary

Batch ID: BK00935 **Preparation Method:** EPA SW 846-3010A **Prepared By:** MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0822-01	MW-3_11/23/2010	11/30/10
10K0822-02	MW-4_11/23/2010	11/30/10
10K0822-03	MW-6_11/23/2010	11/30/10
10K0822-04	DUP_11/23/2010	11/30/10
10K0822-05	MW-1_11/23/2010	11/30/10
BK00935-BLK1	Blank	11/30/10
BK00935-DUP1	Duplicate	11/30/10
BK00935-MS1	Matrix Spike	11/30/10
BK00935-SRM1	Reference	11/30/10
BK00935-SRM2	Reference	11/30/10

Batch ID: BK00968 **Preparation Method:** EPA 3510C **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0822-01	MW-3_11/23/2010	11/30/10
10K0822-02	MW-4_11/23/2010	11/30/10
10K0822-03	MW-6_11/23/2010	11/30/10
10K0822-04	DUP_11/23/2010	11/30/10
10K0822-05	MW-1_11/23/2010	11/30/10
BK00968-BLK1	Blank	11/30/10
BK00968-BS1	LCS	11/30/10
BK00968-MS1	Matrix Spike	11/30/10
BK00968-MSD1	Matrix Spike Dup	11/30/10

Batch ID: BK00970 **Preparation Method:** EPA SW846-3510C Low Level **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0822-01	MW-3_11/23/2010	11/30/10
10K0822-02	MW-4_11/23/2010	11/30/10
10K0822-03	MW-6_11/23/2010	11/30/10
10K0822-04	DUP_11/23/2010	11/30/10
10K0822-05	MW-1_11/23/2010	11/30/10
BK00970-BLK1	Blank	11/30/10
BK00970-BS1	LCS	11/30/10
BK00970-MS1	Matrix Spike	11/30/10
BK00970-MSD1	Matrix Spike Dup	11/30/10

Batch ID: BL00055 **Preparation Method:** EPA SW846-7470 **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0822-01	MW-3_11/23/2010	12/03/10
10K0822-02	MW-4_11/23/2010	12/03/10
10K0822-03	MW-6_11/23/2010	12/03/10
10K0822-04	DUP_11/23/2010	12/03/10
10K0822-05	MW-1_11/23/2010	12/03/10
BL00055-BLK1	Blank	12/03/10
BL00055-BS1	LCS	12/03/10

YORK

ANALYTICAL LABORATORIES, INC.

BL00055-DUP1 Duplicate 12/03/10
BL00055-MS1 Matrix Spike 12/03/10

Batch ID: BL00154 **Preparation Method:** EPA 5030B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0822-01	MW-3_11/23/2010	12/06/10
10K0822-02	MW-4_11/23/2010	12/06/10
10K0822-03	MW-6_11/23/2010	12/06/10
10K0822-04	DUP_11/23/2010	12/06/10
10K0822-05	MW-1_11/23/2010	12/06/10
BL00154-BLK1	Blank	12/06/10
BL00154-BS1	LCS	12/06/10
BL00154-BSD1	LCS Dup	12/06/10
BL00154-MS1	Matrix Spike	12/06/10
BL00154-MSD1	Matrix Spike Dup	12/06/10

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BL00154 - EPA 5030B

Blank (BL00154-BLK1)

Prepared: 12/06/2010 Analyzed: 12/07/2010

1,1,1-Trichloroethane	ND	5.0	ug/L								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
Acetone	4.7	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Isopropylbenzene	ND	5.0	"								
Methyl isobutyl ketone	ND	10	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	5.0	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								
<hr/>											
Surrogate: 1,2-Dichloroethane-d4	58.0		"	50.0		116	70-130				
Surrogate: p-Bromofluorobenzene	53.4		"	50.0		107	70-130				
Surrogate: Toluene-d8	50.0		"	50.0		100	70-130				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	-------	------

Batch BL00154 - EPA 5030B

LCS (BL00154-BS1)

Prepared: 12/06/2010 Analyzed: 12/07/2010

1,1,1-Trichloroethane	52		ug/L	50.0		104			70-130	
1,1,2,2-Tetrachloroethane	54		"	50.0		107			70-130	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	45		"	50.0		90.7			70-130	
1,1,2-Trichloroethane	52		"	50.0		104			70-130	
1,1-Dichloroethane	47		"	50.0		94.6			70-130	
1,1-Dichloroethylene	56		"	50.0		111			70-130	
1,2,4-Trichlorobenzene	48		"	50.0		95.8			70-130	
1,2-Dibromo-3-chloropropane	63		"	50.0		126			70-130	
1,2-Dibromoethane	51		"	50.0		102			70-130	
1,2-Dichloroethane	54		"	50.0		108			70-130	
1,2-Dichloropropane	50		"	50.0		100			70-130	
2-Butanone	48		"	50.0		96.7			70-130	
2-Hexanone	56		"	50.0		111			70-130	
Acetone	40		"	50.0		79.1			70-130	
Benzene	46		"	50.0		92.3			70-130	
Bromodichloromethane	54		"	50.0		107			70-130	
Bromoform	50		"	50.0		101			70-130	
Bromomethane	53		"	50.0		107			70-130	
Carbon disulfide	82		"	100		81.8			70-130	
Carbon tetrachloride	54		"	50.0		108			70-130	
Chlorobenzene	50		"	50.0		99.3			70-130	
Chloroethane	61		"	50.0		122			70-130	
Chloroform	51		"	50.0		102			70-130	
Chloromethane	49		"	50.0		97.2			70-130	
cis-1,2-Dichloroethylene	45		"	50.0		89.4			70-130	
cis-1,3-Dichloropropylene	49		"	50.0		98.3			70-130	
Dibromochloromethane	52		"	50.0		105			70-130	
Dichlorodifluoromethane	37		"	50.0		73.3			70-130	
Ethyl Benzene	51		"	50.0		103			70-130	
Isopropylbenzene	52		"	50.0		105			70-130	
Methyl isobutyl ketone	54		"	50.0		109			70-130	
Methyl tert-butyl ether (MTBE)	55		"	50.0		110			70-130	
Methylene chloride	44		"	50.0		88.3			70-130	
o-Xylene	50		"	50.0		100			70-130	
p- & m- Xylenes	100		"	100		104			70-130	
Styrene	49		"	50.0		98.7			70-130	
Tetrachloroethylene	55		"	50.0		110			70-130	
Toluene	48		"	50.0		95.4			70-130	
trans-1,2-Dichloroethylene	49		"	50.0		98.9			70-130	
trans-1,3-Dichloropropylene	54		"	50.0		108			70-130	
Trichloroethylene	50		"	50.0		101			70-130	
Trichlorofluoromethane	52		"	50.0		103			70-130	
Vinyl Chloride	51		"	50.0		102			70-130	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>56.0</i>		<i>"</i>	<i>50.0</i>		<i>112</i>			<i>70-130</i>	
<i>Surrogate: p-Bromofluorobenzene</i>	<i>48.4</i>		<i>"</i>	<i>50.0</i>		<i>96.8</i>			<i>70-130</i>	
<i>Surrogate: Toluene-d8</i>	<i>50.8</i>		<i>"</i>	<i>50.0</i>		<i>102</i>			<i>70-130</i>	

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL00154 - EPA 5030B											
LCS Dup (BL00154-BSD1)						Prepared: 12/06/2010 Analyzed: 12/07/2010					
1,1,1-Trichloroethane	52		ug/L	50.0		103	70-130		0.927	30	
1,1,2,2-Tetrachloroethane	51		"	50.0		103	70-130		4.32	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	46		"	50.0		92.0	70-130		1.40	30	
1,1,2-Trichloroethane	50		"	50.0		101	70-130		2.97	30	
1,1-Dichloroethane	47		"	50.0		93.9	70-130		0.658	30	
1,1-Dichloroethylene	56		"	50.0		111	70-130		0.180	30	
1,2,4-Trichlorobenzene	48		"	50.0		96.4	70-130		0.666	30	
1,2-Dibromo-3-chloropropane	59		"	50.0		117	70-130		6.86	30	
1,2-Dibromoethane	50		"	50.0		101	70-130		1.62	30	
1,2-Dichloroethane	53		"	50.0		105	70-130		2.10	30	
1,2-Dichloropropane	50		"	50.0		101	70-130		0.597	30	
2-Butanone	48		"	50.0		95.3	70-130		1.44	30	
2-Hexanone	55		"	50.0		110	70-130		1.25	30	
Acetone	37		"	50.0		74.8	70-130		5.59	30	
Benzene	46		"	50.0		92.3	70-130		0.00	30	
Bromodichloromethane	55		"	50.0		110	70-130		2.36	30	
Bromoform	49		"	50.0		98.6	70-130		2.17	30	
Bromomethane	55		"	50.0		110	70-130		3.50	30	
Carbon disulfide	82		"	100		82.0	70-130		0.244	30	
Carbon tetrachloride	53		"	50.0		106	70-130		1.21	30	
Chlorobenzene	50		"	50.0		99.5	70-130		0.181	30	
Chloroethane	62		"	50.0		123	70-130		0.734	30	
Chloroform	52		"	50.0		103	70-130		1.01	30	
Chloromethane	49		"	50.0		97.6	70-130		0.411	30	
cis-1,2-Dichloroethylene	44		"	50.0		88.1	70-130		1.55	30	
cis-1,3-Dichloropropylene	48		"	50.0		96.9	70-130		1.46	30	
Dibromochloromethane	52		"	50.0		105	70-130		0.0954	30	
Dichlorodifluoromethane	36		"	50.0		72.7	70-130		0.821	30	
Ethyl Benzene	51		"	50.0		103	70-130		0.292	30	
Isopropylbenzene	52		"	50.0		103	70-130		1.27	30	
Methyl isobutyl ketone	54		"	50.0		108	70-130		0.811	30	
Methyl tert-butyl ether (MTBE)	55		"	50.0		109	70-130		0.420	30	
Methylene chloride	44		"	50.0		88.7	70-130		0.407	30	
o-Xylene	51		"	50.0		102	70-130		1.93	30	
p- & m- Xylenes	100		"	100		104	70-130		0.115	30	
Styrene	49		"	50.0		99.0	70-130		0.223	30	
Tetrachloroethylene	55		"	50.0		110	70-130		0.127	30	
Toluene	48		"	50.0		95.3	70-130		0.126	30	
trans-1,2-Dichloroethylene	49		"	50.0		98.9	70-130		0.0404	30	
trans-1,3-Dichloropropylene	56		"	50.0		111	70-130		2.89	30	
Trichloroethylene	51		"	50.0		102	70-130		0.750	30	
Trichlorofluoromethane	51		"	50.0		101	70-130		1.64	30	
Vinyl Chloride	51		"	50.0		101	70-130		1.10	30	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>55.4</i>		<i>"</i>	<i>50.0</i>		<i>111</i>	<i>70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>47.7</i>		<i>"</i>	<i>50.0</i>		<i>95.4</i>	<i>70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>50.6</i>		<i>"</i>	<i>50.0</i>		<i>101</i>	<i>70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL00154 - EPA 5030B										
Matrix Spike (BL00154-MS1)	*Source(Sample used for MS/MSD): 10K0822-05					Prepared: 12/06/2010 Analyzed: 12/07/2010				
1,1,1-Trichloroethane	49		ug/L	50.0	ND	98.0	70-130			
1,1,2,2-Tetrachloroethane	51		"	50.0	ND	103	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	41		"	50.0	ND	82.8	70-130			
1,1,2-Trichloroethane	50		"	50.0	ND	99.3	70-130			
1,1-Dichloroethane	45		"	50.0	ND	89.3	70-130			
1,1-Dichloroethylene	51		"	50.0	ND	103	70-130			
1,2,4-Trichlorobenzene	40		"	50.0	ND	80.3	70-130			
1,2-Dibromo-3-chloropropane	58		"	50.0	ND	116	70-130			
1,2-Dibromoethane	47		"	50.0	ND	94.3	70-130			
1,2-Dichloroethane	52		"	50.0	ND	103	70-130			
1,2-Dichloropropane	49		"	50.0	ND	97.8	70-130			
2-Butanone	43		"	50.0	ND	86.6	70-130			
2-Hexanone	52		"	50.0	ND	105	70-130			
Acetone	36		"	50.0	2.8	67.0	70-130	Low Bias		
Benzene	42		"	50.0	ND	84.7	70-130			
Bromodichloromethane	53		"	50.0	ND	105	70-130			
Bromoform	48		"	50.0	ND	95.8	70-130			
Bromomethane	53		"	50.0	ND	106	70-130			
Carbon disulfide	76		"	100	ND	76.0	70-130			
Carbon tetrachloride	50		"	50.0	ND	101	70-130			
Chlorobenzene	47		"	50.0	ND	93.9	70-130			
Chloroethane	57		"	50.0	ND	113	70-130			
Chloroform	55		"	50.0	7.8	93.8	70-130			
Chloromethane	43		"	50.0	ND	86.2	70-130			
cis-1,2-Dichloroethylene	41		"	50.0	ND	81.6	70-130			
cis-1,3-Dichloropropylene	45		"	50.0	ND	90.9	70-130			
Dibromochloromethane	51		"	50.0	ND	102	70-130			
Dichlorodifluoromethane	32		"	50.0	ND	63.9	70-130	Low Bias		
Ethyl Benzene	50		"	50.0	ND	99.9	70-130			
Isopropylbenzene	51		"	50.0	ND	102	70-130			
Methyl isobutyl ketone	52		"	50.0	ND	103	70-130			
Methyl tert-butyl ether (MTBE)	49		"	50.0	ND	97.7	70-130			
Methylene chloride	42		"	50.0	3.9	75.2	70-130			
o-Xylene	49		"	50.0	ND	98.9	70-130			
p- & m- Xylenes	100		"	100	ND	101	70-130			
Styrene	47		"	50.0	ND	93.1	70-130			
Tetrachloroethylene	50		"	50.0	10	80.2	70-130			
Toluene	46		"	50.0	ND	92.2	70-130			
trans-1,2-Dichloroethylene	46		"	50.0	ND	92.0	70-130			
trans-1,3-Dichloropropylene	50		"	50.0	ND	99.9	70-130			
Trichloroethylene	49		"	50.0	ND	97.3	70-130			
Trichlorofluoromethane	47		"	50.0	ND	93.3	70-130			
Vinyl Chloride	47		"	50.0	ND	94.0	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	54.2		"	50.0		108	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	48.6		"	50.0		97.2	70-130			
<i>Surrogate: Toluene-d8</i>	51.8		"	50.0		104	70-130			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL00154 - EPA 5030B											
Matrix Spike Dup (BL00154-MSD1)	*Source(Sample used for MS/MSD): 10K0822-05					Prepared: 12/06/2010 Analyzed: 12/07/2010					
1,1,1-Trichloroethane	52		ug/L	50.0	ND	104	70-130		5.90	30	
1,1,2,2-Tetrachloroethane	57		"	50.0	ND	114	70-130		10.4	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	44		"	50.0	ND	89.0	70-130		7.24	30	
1,1,2-Trichloroethane	53		"	50.0	ND	107	70-130		7.22	30	
1,1-Dichloroethane	47		"	50.0	ND	93.7	70-130		4.79	30	
1,1-Dichloroethylene	54		"	50.0	ND	109	70-130		5.67	30	
1,2,4-Trichlorobenzene	46		"	50.0	ND	92.4	70-130		14.0	30	
1,2-Dibromo-3-chloropropane	63		"	50.0	ND	126	70-130		7.70	30	
1,2-Dibromoethane	50		"	50.0	ND	100	70-130		6.09	30	
1,2-Dichloroethane	54		"	50.0	ND	109	70-130		5.49	30	
1,2-Dichloropropane	50		"	50.0	ND	99.1	70-130		1.36	30	
2-Butanone	49		"	50.0	ND	97.2	70-130		11.5	30	
2-Hexanone	61		"	50.0	ND	121	70-130		14.4	30	
Acetone	41		"	50.0	2.8	75.7	70-130		12.1	30	
Benzene	44		"	50.0	ND	88.7	70-130		4.66	30	
Bromodichloromethane	55		"	50.0	ND	111	70-130		5.07	30	
Bromoform	52		"	50.0	ND	103	70-130		7.54	30	
Bromomethane	52		"	50.0	ND	104	70-130		1.83	30	
Carbon disulfide	80		"	100	ND	80.0	70-130		5.17	30	
Carbon tetrachloride	54		"	50.0	ND	108	70-130		6.84	30	
Chlorobenzene	49		"	50.0	ND	97.9	70-130		4.13	30	
Chloroethane	56		"	50.0	ND	113	70-130		0.337	30	
Chloroform	56		"	50.0	7.8	97.2	70-130		3.54	30	
Chloromethane	46		"	50.0	ND	91.6	70-130		6.10	30	
cis-1,2-Dichloroethylene	43		"	50.0	ND	85.2	70-130		4.27	30	
cis-1,3-Dichloropropylene	48		"	50.0	ND	96.8	70-130		6.22	30	
Dibromochloromethane	54		"	50.0	ND	107	70-130		5.54	30	
Dichlorodifluoromethane	34		"	50.0	ND	68.0	70-130	Low Bias	6.28	30	
Ethyl Benzene	52		"	50.0	ND	105	70-130		4.56	30	
Isopropylbenzene	53		"	50.0	ND	106	70-130		3.41	30	
Methyl isobutyl ketone	58		"	50.0	ND	116	70-130		11.5	30	
Methyl tert-butyl ether (MTBE)	52		"	50.0	ND	104	70-130		6.23	30	
Methylene chloride	45		"	50.0	3.9	81.9	70-130		8.51	30	
o-Xylene	51		"	50.0	ND	103	70-130		3.94	30	
p- & m- Xylenes	100		"	100	ND	104	70-130		2.89	30	
Styrene	48		"	50.0	ND	96.5	70-130		3.57	30	
Tetrachloroethylene	52		"	50.0	10	83.3	70-130		3.79	30	
Toluene	48		"	50.0	ND	96.0	70-130		4.02	30	
trans-1,2-Dichloroethylene	49		"	50.0	ND	98.3	70-130		6.60	30	
trans-1,3-Dichloropropylene	53		"	50.0	ND	105	70-130		5.15	30	
Trichloroethylene	51		"	50.0	ND	101	70-130		4.17	30	
Trichlorofluoromethane	49		"	50.0	ND	97.8	70-130		4.71	30	
Vinyl Chloride	47		"	50.0	ND	93.4	70-130		0.576	30	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	57.9		"	50.0		116	70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	48.4		"	50.0		96.8	70-130				
<i>Surrogate: Toluene-d8</i>	51.2		"	50.0		102	70-130				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00968 - EPA 3510C

Blank (BK00968-BLK1)

Prepared: 11/30/2010 Analyzed: 12/06/2010

Acenaphthene	ND	5.00	ug/L							
Acenaphthylene	ND	5.00	"							
Anthracene	ND	5.00	"							
Benzo(a)anthracene	ND	5.00	"							
Benzo(a)pyrene	ND	5.00	"							
Benzoic acid	ND	10.0	"							
Benzo(b)fluoranthene	ND	5.00	"							
Benzo(g,h,i)perylene	ND	5.00	"							
Benzyl alcohol	ND	5.00	"							
Benzo(k)fluoranthene	ND	5.00	"							
Benzyl butyl phthalate	ND	5.00	"							
4-Bromophenyl phenyl ether	ND	5.00	"							
4-Chloro-3-methylphenol	ND	5.00	"							
4-Chloroaniline	ND	5.00	"							
Bis(2-chloroethoxy)methane	ND	5.00	"							
Bis(2-chloroethyl)ether	ND	5.00	"							
Bis(2-chloroisopropyl)ether	ND	5.00	"							
Bis(2-ethylhexyl)phthalate	ND	5.00	"							
2-Chloronaphthalene	ND	5.00	"							
2-Chlorophenol	ND	5.00	"							
4-Chlorophenyl phenyl ether	ND	5.00	"							
Chrysene	ND	5.00	"							
Dibenzo(a,h)anthracene	ND	5.00	"							
Dibenzofuran	ND	5.00	"							
Di-n-butyl phthalate	ND	5.00	"							
1,2-Dichlorobenzene	ND	5.00	"							
1,4-Dichlorobenzene	ND	5.00	"							
1,3-Dichlorobenzene	ND	5.00	"							
3,3'-Dichlorobenzidine	ND	5.00	"							
2,4-Dichlorophenol	ND	5.00	"							
Diethyl phthalate	ND	5.00	"							
2,4-Dimethylphenol	ND	5.00	"							
Dimethyl phthalate	ND	5.00	"							
2-Nitroaniline	ND	5.00	"							
4,6-Dinitro-2-methylphenol	ND	10.0	"							
2,4-Dinitrophenol	ND	10.0	"							
2,6-Dinitrotoluene	ND	5.00	"							
2,4-Dinitrotoluene	ND	5.00	"							
Di-n-octyl phthalate	ND	5.00	"							
Fluoranthene	ND	5.00	"							
Fluorene	ND	5.00	"							
Hexachlorobenzene	ND	5.00	"							
Hexachlorobutadiene	ND	5.00	"							
Hexachlorocyclopentadiene	ND	5.00	"							
Hexachloroethane	ND	5.00	"							
Indeno(1,2,3-cd)pyrene	ND	5.00	"							
Isophorone	ND	5.00	"							
2-Methylnaphthalene	ND	5.00	"							
2-Methylphenol	ND	5.00	"							
4-Methylphenol	ND	5.00	"							
Naphthalene	ND	5.00	"							
3-Nitroaniline	ND	5.00	"							
4-Nitroaniline	ND	5.00	"							
Nitrobenzene	ND	5.00	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00968 - EPA 3510C

Blank (BK00968-BLK1)

Prepared: 11/30/2010 Analyzed: 12/06/2010

4-Nitrophenol	ND	5.00	ug/L								
2-Nitrophenol	ND	5.00	"								
N-nitroso-di-n-propylamine	ND	5.00	"								
N-Nitrosodiphenylamine	ND	5.00	"								
Pentachlorophenol	ND	5.00	"								
Phenanthrene	ND	5.00	"								
Phenol	ND	5.00	"								
Pyrene	ND	5.00	"								
1,2,4-Trichlorobenzene	ND	5.00	"								
2,4,5-Trichlorophenol	ND	5.00	"								
2,4,6-Trichlorophenol	ND	5.00	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	26.2		"	75.1		34.9	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	21.9		"	50.0		43.9	30-130				
<i>Surrogate: 2-Fluorophenol</i>	26.0		"	75.2		34.6	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	28.8		"	50.1		57.5	30-130				
<i>Surrogate: Phenol-d5</i>	14.8		"	75.1		19.7	10-110				
<i>Surrogate: Terphenyl-d14</i>	29.9		"	50.0		59.8	30-130				

LCS (BK00968-BS1)

Prepared: 11/30/2010 Analyzed: 12/06/2010

Acenaphthene	26.3	5.00	ug/L	50.0		52.7	40-140				
Acenaphthylene	30.7	5.00	"	50.0		61.3	40-140				
Anthracene	28.1	5.00	"	50.0		56.2	40-140				
Benzo(a)anthracene	21.2	5.00	"	50.0		42.5	40-140				
Benzo(a)pyrene	20.2	5.00	"	50.0		40.5	40-140				
Benzoic acid	20.2	10.0	"	50.0		40.5	30-130				
Benzo(b)fluoranthene	23.6	5.00	"	50.0		47.2	40-140				
Benzo(g,h,i)perylene	20.3	5.00	"	50.0		40.5	40-140				
Benzyl alcohol	23.4	5.00	"	50.0		46.8	30-130				
Benzo(k)fluoranthene	20.4	5.00	"	50.0		40.8	40-140				
Benzyl butyl phthalate	27.1	5.00	"	50.0		54.2	40-140				
4-Bromophenyl phenyl ether	28.6	5.00	"	50.0		57.1	40-140				
4-Chloro-3-methylphenol	30.3	5.00	"	50.0		60.5	30-130				
4-Chloroaniline	36.7	5.00	"	50.0		73.3	40-140				
Bis(2-chloroethoxy)methane	30.3	5.00	"	50.0		60.7	40-140				
Bis(2-chloroethyl)ether	27.3	5.00	"	50.0		54.5	40-140				
Bis(2-chloroisopropyl)ether	26.8	5.00	"	50.0		53.7	40-140				
Bis(2-ethylhexyl)phthalate	27.4	5.00	"	50.0		54.8	40-140				
2-Chloronaphthalene	23.4	5.00	"	50.0		46.7	40-140				
2-Chlorophenol	25.3	5.00	"	50.0		50.7	30-130				
4-Chlorophenyl phenyl ether	27.4	5.00	"	50.0		54.7	40-140				
Chrysene	36.2	5.00	"	50.0		72.4	40-140				
Dibenzo(a,h)anthracene	20.2	5.00	"	50.0		40.5	40-140				
Dibenzofuran	27.7	5.00	"	50.0		55.3	40-140				
Di-n-butyl phthalate	29.2	5.00	"	50.0		58.5	40-140				
1,2-Dichlorobenzene	26.4	5.00	"	50.0		52.7	40-140				
1,4-Dichlorobenzene	28.2	5.00	"	50.0		56.5	40-140				
1,3-Dichlorobenzene	25.2	5.00	"	50.0		50.3	40-140				
3,3'-Dichlorobenzidine	18.7	5.00	"	50.0		37.4	40-140	Low Bias			
2,4-Dichlorophenol	24.5	5.00	"	50.0		49.1	30-130				
Diethyl phthalate	29.5	5.00	"	50.0		59.0	40-140				
2,4-Dimethylphenol	26.1	5.00	"	50.0		52.2	30-130				
Dimethyl phthalate	28.0	5.00	"	50.0		56.1	40-140				
4,6-Dinitro-2-methylphenol	11.9	10.0	"	50.0		23.8	30-130	Low Bias			
2-Nitroaniline	29.6	5.00	"	50.0		59.2	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00968 - EPA 3510C

LCS (BK00968-BS1)

Prepared: 11/30/2010 Analyzed: 12/06/2010

2,4-Dinitrophenol	ND	10.0	ug/L	50.0		30-130	Low Bias			
2,6-Dinitrotoluene	29.4	5.00	"	50.0		58.7 40-140				
2,4-Dinitrotoluene	29.4	5.00	"	50.0		58.7 40-140				
Di-n-octyl phthalate	25.3	5.00	"	50.0		50.6 40-140				
Fluoranthene	28.6	5.00	"	50.0		57.1 40-140				
Fluorene	27.7	5.00	"	50.0		55.4 40-140				
Hexachlorobenzene	28.2	5.00	"	50.0		56.3 40-140				
Hexachlorobutadiene	27.2	5.00	"	50.0		54.3 40-140				
Hexachlorocyclopentadiene	15.3	5.00	"	50.0		30.6 40-140	Low Bias			
Hexachloroethane	27.1	5.00	"	50.0		54.2 40-140				
Indeno(1,2,3-cd)pyrene	21.3	5.00	"	50.0		42.5 40-140				
Isophorone	34.4	5.00	"	50.0		68.7 40-140				
2-Methylnaphthalene	28.0	5.00	"	50.0		56.0 40-140				
2-Methylphenol	26.4	5.00	"	50.0		52.9 30-130				
4-Methylphenol	22.2	5.00	"	50.0		44.3 30-130				
Naphthalene	27.3	5.00	"	50.0		54.6 40-140				
3-Nitroaniline	64.0	5.00	"	50.0		128 40-140				
4-Nitroaniline	25.3	5.00	"	50.0		50.6 40-140				
Nitrobenzene	32.3	5.00	"	50.0		64.7 40-140				
4-Nitrophenol	35.0	5.00	"	50.0		70.0 30-130				
2-Nitrophenol	26.9	5.00	"	50.0		53.7 30-130				
N-nitroso-di-n-propylamine	31.1	5.00	"	50.0		62.2 40-140				
N-Nitrosodiphenylamine	35.6	5.00	"	50.0		71.2 40-140				
Pentachlorophenol	24.8	5.00	"	50.0		49.6 30-130				
Phenanthrene	28.4	5.00	"	50.0		56.9 40-140				
Phenol	16.4	5.00	"	50.0		32.8 30-130				
Pyrene	29.0	5.00	"	50.0		58.0 40-140				
1,2,4-Trichlorobenzene	29.6	5.00	"	50.0		59.2 40-140				
2,4,5-Trichlorophenol	30.6	5.00	"	50.0		61.1 30-130				
2,4,6-Trichlorophenol	27.1	5.00	"	50.0		54.3 30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>45.1</i>		<i>"</i>	<i>75.1</i>		<i>60.1 15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>29.7</i>		<i>"</i>	<i>50.0</i>		<i>59.4 30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>27.4</i>		<i>"</i>	<i>75.2</i>		<i>36.4 15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>31.0</i>		<i>"</i>	<i>50.1</i>		<i>62.0 30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>11.2</i>		<i>"</i>	<i>75.1</i>		<i>14.9 10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>33.1</i>		<i>"</i>	<i>50.0</i>		<i>66.2 30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag	
Batch BK00968 - EPA 3510C												
Matrix Spike (BK00968-MS1)	*Source(Sample used for MS/MSD): 10K0822-05						Prepared: 11/30/2010 Analyzed: 12/06/2010					
Acenaphthene	49.3	7.41	ug/L	74.1	ND	66.6	40-140					
Acenaphthylene	52.1	7.41	"	74.1	ND	70.3	40-140					
Anthracene	50.8	7.41	"	74.1	ND	68.6	40-140					
Benzo(a)anthracene	41.5	7.41	"	74.1	ND	56.0	40-140					
Benzo(a)pyrene	30.4	7.41	"	74.1	ND	41.0	40-140					
Benzoic acid	15.4	14.8	"	74.1	ND	20.8	30-130	Low Bias				
Benzo(b)fluoranthene	36.3	7.41	"	74.1	ND	49.0	40-140					
Benzo(g,h,i)perylene	34.4	7.41	"	74.1	ND	46.4	40-140					
Benzyl alcohol	22.6	7.41	"	74.1	ND	30.5	30-130					
Benzo(k)fluoranthene	35.0	7.41	"	74.1	ND	47.2	40-140					
Benzyl butyl phthalate	51.7	7.41	"	74.1	ND	69.8	40-140					
4-Bromophenyl phenyl ether	51.8	7.41	"	74.1	ND	69.9	40-140					
4-Chloro-3-methylphenol	39.8	7.41	"	74.1	ND	53.7	30-130					
4-Chloroaniline	62.7	7.41	"	74.1	ND	84.6	40-140					
Bis(2-chloroethoxy)methane	55.4	7.41	"	74.1	ND	74.8	40-140					
Bis(2-chloroethyl)ether	59.0	7.41	"	74.1	ND	79.6	40-140					
Bis(2-chloroisopropyl)ether	41.5	7.41	"	74.1	ND	56.0	40-140					
Bis(2-ethylhexyl)phthalate	50.4	7.41	"	74.1	ND	68.1	40-140					
2-Chloronaphthalene	42.7	7.41	"	74.1	ND	57.7	40-140					
2-Chlorophenol	34.0	7.41	"	74.1	ND	45.8	30-130					
4-Chlorophenyl phenyl ether	48.8	7.41	"	74.1	ND	65.9	40-140					
Chrysene	59.1	7.41	"	74.1	ND	79.8	40-140					
Dibenzo(a,h)anthracene	42.1	7.41	"	74.1	ND	56.9	40-140					
Dibenzofuran	55.8	7.41	"	74.1	ND	75.3	40-140					
Di-n-butyl phthalate	53.7	7.41	"	74.1	ND	72.5	40-140					
1,2-Dichlorobenzene	42.4	7.41	"	74.1	ND	57.2	40-140					
1,4-Dichlorobenzene	46.0	7.41	"	74.1	ND	62.0	40-140					
1,3-Dichlorobenzene	44.4	7.41	"	74.1	ND	60.0	40-140					
3,3'-Dichlorobenzidine	33.7	7.41	"	74.1	ND	45.5	40-140					
2,4-Dichlorophenol	33.4	7.41	"	74.1	ND	45.0	30-130					
Diethyl phthalate	50.6	7.41	"	74.1	ND	68.3	40-140					
2,4-Dimethylphenol	40.5	7.41	"	74.1	ND	54.7	30-130					
Dimethyl phthalate	47.3	7.41	"	74.1	ND	63.8	40-140					
4,6-Dinitro-2-methylphenol	37.8	14.8	"	74.1	ND	51.0	30-130					
2-Nitroaniline	53.3	7.41	"	74.1	ND	71.9	40-140					
2,4-Dinitrophenol	ND	14.8	"	74.1	ND		30-130	Low Bias				
2,6-Dinitrotoluene	50.0	7.41	"	74.1	ND	67.4	40-140					
2,4-Dinitrotoluene	50.0	7.41	"	74.1	ND	67.4	40-140					
Di-n-octyl phthalate	48.6	7.41	"	74.1	ND	65.6	40-140					
Fluoranthene	52.7	7.41	"	74.1	ND	71.2	40-140					
Fluorene	47.8	7.41	"	74.1	ND	64.5	40-140					
Hexachlorobenzene	49.5	7.41	"	74.1	ND	66.8	40-140					
Hexachlorobutadiene	46.1	7.41	"	74.1	ND	62.2	40-140					
Hexachlorocyclopentadiene	30.6	7.41	"	74.1	ND	41.3	40-140					
Hexachloroethane	43.3	7.41	"	74.1	ND	58.5	40-140					
Indeno(1,2,3-cd)pyrene	27.3	7.41	"	74.1	ND	36.9	40-140	Low Bias				
Isophorone	59.9	7.41	"	74.1	ND	80.9	40-140					
2-Methylnaphthalene	48.0	7.41	"	74.1	ND	64.9	40-140					
2-Methylphenol	45.9	7.41	"	74.1	ND	62.0	30-130					
4-Methylphenol	35.0	7.41	"	74.1	ND	47.3	30-130					
Naphthalene	46.5	7.41	"	74.1	ND	62.8	40-140					
3-Nitroaniline	100	7.41	"	74.1	ND	135	40-140					
4-Nitroaniline	34.8	7.41	"	74.1	ND	46.9	40-140					
Nitrobenzene	52.3	7.41	"	74.1	ND	70.7	40-140					

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00968 - EPA 3510C											
Matrix Spike (BK00968-MS1)	*Source(Sample used for MS/MSD): 10K0822-05					Prepared: 11/30/2010 Analyzed: 12/06/2010					
4-Nitrophenol	51.6	7.41	ug/L	74.1	ND	69.7	30-130				
2-Nitrophenol	48.4	7.41	"	74.1	ND	65.3	30-130				
N-nitroso-di-n-propylamine	53.0	7.41	"	74.1	ND	71.5	40-140				
N-Nitrosodiphenylamine	62.9	7.41	"	74.1	ND	85.0	40-140				
Pentachlorophenol	41.1	7.41	"	74.1	ND	55.5	30-130				
Phenanthrene	52.6	7.41	"	74.1	ND	71.0	40-140				
Phenol	16.7	7.41	"	74.1	ND	22.5	30-130	Low Bias			
Pyrene	51.2	7.41	"	74.1	ND	69.1	40-140				
1,2,4-Trichlorobenzene	47.6	7.41	"	74.1	ND	64.3	40-140				
2,4,5-Trichlorophenol	56.6	7.41	"	74.1	ND	76.4	30-130				
2,4,6-Trichlorophenol	46.2	7.41	"	74.1	ND	62.4	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	78.6		"	111		70.6	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	50.7		"	74.1		68.5	30-130				
<i>Surrogate: 2-Fluorophenol</i>	30.0		"	111		26.9	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	49.3		"	74.2		66.5	30-130				
<i>Surrogate: Phenol-d5</i>	22.5		"	111		20.3	10-110				
<i>Surrogate: Terphenyl-d14</i>	58.1		"	74.1		78.4	30-130				
Matrix Spike Dup (BK00968-MSD1)	*Source(Sample used for MS/MSD): 10K0822-05					Prepared: 11/30/2010 Analyzed: 12/06/2010					
Acenaphthene	40.4	6.90	ug/L	69.0	ND	58.6	40-140		19.9	20	
Acenaphthylene	43.8	6.90	"	69.0	ND	63.6	40-140		17.1	20	
Anthracene	44.0	6.90	"	69.0	ND	63.8	40-140		14.5	20	
Benzo(a)anthracene	35.2	6.90	"	69.0	ND	51.0	40-140		16.5	20	
Benzo(a)pyrene	30.9	6.90	"	69.0	ND	44.9	40-140		1.90	20	
Benzoic acid	17.3	13.8	"	69.0	ND	25.1	30-130	Low Bias	11.8	20	
Benzo(b)fluoranthene	31.0	6.90	"	69.0	ND	44.9	40-140		15.8	20	
Benzo(g,h,i)perylene	32.6	6.90	"	69.0	ND	47.2	40-140		5.44	20	
Benzyl alcohol	23.7	6.90	"	69.0	ND	34.4	30-130		4.88	20	
Benzo(k)fluoranthene	29.8	6.90	"	69.0	ND	43.2	40-140		15.9	20	
Benzyl butyl phthalate	43.1	6.90	"	69.0	ND	62.6	40-140		18.0	20	
4-Bromophenyl phenyl ether	44.1	6.90	"	69.0	ND	64.0	40-140		16.0	20	
4-Chloro-3-methylphenol	39.2	6.90	"	69.0	ND	56.9	30-130		1.47	20	
4-Chloroaniline	51.7	6.90	"	69.0	ND	75.0	40-140		19.2	20	
Bis(2-chloroethoxy)methane	45.5	6.90	"	69.0	ND	66.0	40-140		19.7	20	
Bis(2-chloroethyl)ether	49.6	6.90	"	69.0	ND	72.0	40-140		17.2	20	
Bis(2-chloroisopropyl)ether	36.9	6.90	"	69.0	ND	53.5	40-140		11.6	20	
Bis(2-ethylhexyl)phthalate	44.7	6.90	"	69.0	ND	64.9	40-140		12.0	20	
2-Chloronaphthalene	27.8	6.90	"	69.0	ND	40.3	40-140		42.4	20	Non-dir.
2-Chlorophenol	29.0	6.90	"	69.0	ND	42.0	30-130		15.9	20	
4-Chlorophenyl phenyl ether	40.8	6.90	"	69.0	ND	59.1	40-140		17.9	20	
Chrysene	49.2	6.90	"	69.0	ND	71.3	40-140		18.4	20	
Dibenzo(a,h)anthracene	41.7	6.90	"	69.0	ND	60.5	40-140		1.01	20	
Dibenzofuran	48.0	6.90	"	69.0	ND	69.6	40-140		15.0	20	
Di-n-butyl phthalate	45.4	6.90	"	69.0	ND	65.9	40-140		16.7	20	
1,2-Dichlorobenzene	35.1	6.90	"	69.0	ND	50.9	40-140		18.7	20	
1,4-Dichlorobenzene	38.0	6.90	"	69.0	ND	55.1	40-140		18.9	20	
1,3-Dichlorobenzene	36.5	6.90	"	69.0	ND	52.9	40-140		19.6	20	
3,3'-Dichlorobenzidine	29.7	6.90	"	69.0	ND	43.1	40-140		12.5	20	
2,4-Dichlorophenol	33.1	6.90	"	69.0	ND	48.0	30-130		0.781	20	
Diethyl phthalate	45.2	6.90	"	69.0	ND	65.6	40-140		11.2	20	
2,4-Dimethylphenol	34.6	6.90	"	69.0	ND	50.2	30-130		15.8	20	
Dimethyl phthalate	40.6	6.90	"	69.0	ND	58.9	40-140		15.2	20	
4,6-Dinitro-2-methylphenol	34.2	13.8	"	69.0	ND	49.6	30-130		10.1	20	
2-Nitroaniline	45.1	6.90	"	69.0	ND	65.4	40-140		16.7	20	

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC %REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00968 - EPA 3510C											
Matrix Spike Dup (BK00968-MSD1) *Source(Sample used for MS/MSD): 10K0822-05											
						Prepared: 11/30/2010 Analyzed: 12/06/2010					
2,4-Dinitrophenol	34.0	13.8	ug/L	69.0	ND	49.3	30-130			20	
2,6-Dinitrotoluene	41.6	6.90	"	69.0	ND	60.4	40-140		18.2	20	
2,4-Dinitrotoluene	41.6	6.90	"	69.0	ND	60.3	40-140		18.4	20	
Di-n-octyl phthalate	43.7	6.90	"	69.0	ND	63.4	40-140		10.5	20	
Fluoranthene	46.2	6.90	"	69.0	ND	66.9	40-140		13.3	20	
Fluorene	41.5	6.90	"	69.0	ND	60.2	40-140		14.1	20	
Hexachlorobenzene	43.4	6.90	"	69.0	ND	62.9	40-140		13.2	20	
Hexachlorobutadiene	40.2	6.90	"	69.0	ND	58.3	40-140		13.7	20	
Hexachlorocyclopentadiene	29.0	6.90	"	69.0	ND	42.0	40-140		5.61	20	
Hexachloroethane	44.0	6.90	"	69.0	ND	63.9	40-140		1.62	20	
Indeno(1,2,3-cd)pyrene	24.3	6.90	"	69.0	ND	35.2	40-140	Low Bias	11.7	20	
Isophorone	50.7	6.90	"	69.0	ND	73.6	40-140		16.6	20	
2-Methylnaphthalene	41.5	6.90	"	69.0	ND	60.2	40-140		14.5	20	
2-Methylphenol	40.3	6.90	"	69.0	ND	58.4	30-130		13.0	20	
4-Methylphenol	33.4	6.90	"	69.0	ND	48.4	30-130		4.72	20	
Naphthalene	40.6	6.90	"	69.0	ND	58.8	40-140		13.7	20	
3-Nitroaniline	87.5	6.90	"	69.0	ND	127	40-140		13.3	20	
4-Nitroaniline	29.5	6.90	"	69.0	ND	42.8	40-140		16.3	20	
Nitrobenzene	43.1	6.90	"	69.0	ND	62.5	40-140		19.4	20	
4-Nitrophenol	43.9	6.90	"	69.0	ND	63.6	30-130		16.2	20	
2-Nitrophenol	40.2	6.90	"	69.0	ND	58.2	30-130		18.6	20	
N-nitroso-di-n-propylamine	45.5	6.90	"	69.0	ND	66.0	40-140		15.2	20	
N-Nitrosodiphenylamine	53.1	6.90	"	69.0	ND	77.0	40-140		17.0	20	
Pentachlorophenol	36.8	6.90	"	69.0	ND	53.3	30-130		11.1	20	
Phenanthrene	44.9	6.90	"	69.0	ND	65.1	40-140		15.8	20	
Phenol	19.9	6.90	"	69.0	ND	28.9	30-130	Low Bias	17.7	20	
Pyrene	44.7	6.90	"	69.0	ND	64.9	40-140		13.5	20	
1,2,4-Trichlorobenzene	38.8	6.90	"	69.0	ND	56.3	40-140		20.4	20	Non-dir.
2,4,5-Trichlorophenol	47.5	6.90	"	69.0	ND	68.9	30-130		17.5	20	
2,4,6-Trichlorophenol	38.9	6.90	"	69.0	ND	56.4	30-130		17.2	20	
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>51.4</i>		<i>"</i>	<i>104</i>		<i>49.6</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>31.3</i>		<i>"</i>	<i>69.0</i>		<i>45.4</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>26.4</i>		<i>"</i>	<i>104</i>		<i>25.4</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>32.3</i>		<i>"</i>	<i>69.1</i>		<i>46.8</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>18.1</i>		<i>"</i>	<i>104</i>		<i>17.5</i>	<i>10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>40.4</i>		<i>"</i>	<i>69.0</i>		<i>58.6</i>	<i>30-130</i>				

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00970 - EPA SW846-3510C Low Level										
Blank (BK00970-BLK1)						Prepared: 11/30/2010 Analyzed: 12/03/2010				
Aroclor 1016	ND	0.0500	ug/L							
Aroclor 1221	ND	0.0500	"							
Aroclor 1232	ND	0.0500	"							
Aroclor 1242	ND	0.0500	"							
Aroclor 1248	ND	0.0500	"							
Aroclor 1254	ND	0.0500	"							
Aroclor 1260	ND	0.0500	"							
Aroclor 1262	ND	0.0500	"							
Aroclor 1268	ND	0.0500	"							
Total PCBs	ND	0.0500	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.106</i>		<i>"</i>	<i>0.200</i>		<i>53.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.132</i>		<i>"</i>	<i>0.200</i>		<i>66.0</i>	<i>30-150</i>			
LCS (BK00970-BS1)						Prepared: 11/30/2010 Analyzed: 12/03/2010				
Aroclor 1016	0.614	0.0500	ug/L	1.00		61.4	40-140			
Aroclor 1260	0.652	0.0500	"	1.00		65.2	40-140			
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.108</i>		<i>"</i>	<i>0.200</i>		<i>54.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0660</i>		<i>"</i>	<i>0.200</i>		<i>33.0</i>	<i>30-150</i>			
Matrix Spike (BK00970-MS1) *Source(Sample used for MS/MSD): 10K0822-05						Prepared: 11/30/2010 Analyzed: 12/03/2010				
Aroclor 1016	0.624	0.0667	ug/L	0.667	ND	93.6	40-140			
Aroclor 1260	0.639	0.0667	"	0.667	ND	95.9	40-140			
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.157</i>		<i>"</i>	<i>0.267</i>		<i>59.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.172</i>		<i>"</i>	<i>0.267</i>		<i>64.5</i>	<i>30-150</i>			
Matrix Spike Dup (BK00970-MSD1) *Source(Sample used for MS/MSD): 10K0822-05						Prepared: 11/30/2010 Analyzed: 12/03/2010				
Aroclor 1016	0.689	0.0690	ug/L	0.690	ND	100	40-140	6.53	200	
Aroclor 1260	0.680	0.0690	"	0.690	ND	98.6	40-140	2.71	200	
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.159</i>		<i>"</i>	<i>0.276</i>		<i>57.5</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.172</i>		<i>"</i>	<i>0.276</i>		<i>62.5</i>	<i>30-150</i>			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC %REC	%REC Limits	Flag	RPD RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	-----------	-------------	------	---------	-----------	------

Batch BK00935 - EPA SW 846-3010A

Blank (BK00935-BLK1)

Prepared & Analyzed: 11/30/2010

Aluminum	ND	0.010	mg/L								
Antimony	ND	0.005	"								
Arsenic	ND	0.010	"								
Barium	ND	0.010	"								
Beryllium	ND	0.001	"								
Cadmium	ND	0.003	"								
Calcium	ND	0.020	"								
Chromium	ND	0.005	"								
Cobalt	ND	0.005	"								
Copper	ND	0.005	"								
Iron	ND	0.010	"								
Lead	ND	0.003	"								
Magnesium	ND	0.020	"								
Manganese	ND	0.005	"								
Nickel	ND	0.005	"								
Potassium	ND	0.050	"								
Selenium	ND	0.010	"								
Silver	ND	0.005	"								
Sodium	ND	0.100	"								
Thallium	ND	0.010	"								
Vanadium	ND	0.010	"								
Zinc	ND	0.020	"								

Duplicate (BK00935-DUP1)

*Source(Sample used for MS/MSD): 10K0822-05

Prepared & Analyzed: 11/30/2010

Aluminum	0.017	0.010	mg/L		0.017			0.264	20		
Antimony	ND	0.005	"		ND				20		
Arsenic	ND	0.010	"		ND				20		
Barium	0.070	0.010	"		0.069			0.946	20		
Beryllium	ND	0.001	"		ND				20		
Cadmium	ND	0.003	"		ND				20		
Calcium	44.5	0.020	"		44.3			0.460	20		
Chromium	0.001	0.005	"		0.001			9.06	20		
Cobalt	ND	0.005	"		ND				20		
Copper	0.002	0.005	"		ND				20		
Iron	0.145	0.010	"		0.148			1.72	20		
Lead	0.002	0.003	"		0.003			17.9	20		
Magnesium	6.94	0.020	"		6.87			1.04	20		
Manganese	0.484	0.005	"		0.478			1.29	20		
Nickel	0.003	0.005	"		0.004			22.9	20		Non-dir.
Potassium	4.52	0.050	"		4.47			1.12	20		
Selenium	ND	0.010	"		ND				20		
Silver	ND	0.005	"		ND				20		
Sodium	60.4	0.100	"		60.1			0.479	20		
Thallium	ND	0.010	"		ND				20		
Vanadium	ND	0.010	"		ND				20		
Zinc	0.011	0.020	"		0.011			1.13	20		

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00935 - EPA SW 846-3010A

Matrix Spike (BK00935-MS1)	*Source(Sample used for MS/MSD): 10K0822-05					Prepared & Analyzed: 11/30/2010					
Antimony	0.283	0.005	mg/L	0.250	ND	113	75-125				
Arsenic	2.22	0.010	"	2.00	ND	111	75-125				
Barium	2.33	0.010	"	2.00	0.069	113	75-125				
Beryllium	0.053	0.001	"	0.0500	ND	107	75-125				
Cadmium	0.054	0.003	"	0.0500	ND	108	75-125				
Chromium	0.208	0.005	"	0.200	0.001	104	75-125				
Cobalt	0.550	0.005	"	0.500	ND	110	75-125				
Copper	0.281	0.005	"	0.250	ND	112	75-125				
Iron	1.24	0.010	"	1.00	0.148	109	75-125				
Lead	0.530	0.003	"	0.500	0.003	105	75-125				
Manganese	1.04	0.005	"	0.500	0.478	112	75-125				
Nickel	0.551	0.005	"	0.500	0.004	110	75-125				
Selenium	2.19	0.010	"	2.00	ND	110	75-125				
Silver	0.046	0.005	"	0.0500	ND	91.5	75-125				
Thallium	2.15	0.010	"	2.00	ND	108	75-125				
Vanadium	0.536	0.010	"	0.500	ND	107	75-125				
Zinc	0.547	0.020	"	0.500	0.011	107	75-125				

Reference (BK00935-SRM1)	Prepared & Analyzed: 11/30/2010									
Aluminum	0.366	0.010	mg/L	0.368	99.5	75-126				
Antimony	0.889	0.005	"	0.849	105	70.9-120				
Arsenic	0.302	0.010	"	0.313	96.6	83.1-118				
Barium	0.422	0.010	"	0.381	111	86.6-113				
Beryllium	0.105	0.001	"	0.103	102	83.9-113				
Cadmium	0.713	0.003	"	0.685	104	85.4-113				
Chromium	0.495	0.005	"	0.476	104	87-113				
Cobalt	0.638	0.005	"	0.603	106	87.9-112				
Copper	0.375	0.005	"	0.357	105	89.9-110				
Iron	2.05	0.010	"	1.87	110	88.8-113				
Lead	0.763	0.003	"	0.763	99.9	87.4-112				
Manganese	0.282	0.005	"	0.257	110	89.1-111				
Nickel	2.02	0.005	"	1.99	101	89.9-112				
Selenium	1.73	0.010	"	1.78	97.1	79.8-116				
Silver	0.131	0.005	"	0.144	90.8	85.4-115				
Thallium	0.909	0.010	"	0.867	105	82.8-119				
Vanadium	1.44	0.010	"	1.37	105	87.6-112				
Zinc	1.38	0.020	"	1.36	102	86-115				

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00935 - EPA SW 846-3010A

Reference (BK00935-SRM2)

Prepared & Analyzed: 11/30/2010

Calcium	66.1	0.020	mg/L	66.0	100	86.1-114					
Magnesium	32.1	0.020	"	32.7	98.1	85.9-114					
Potassium	49.5	0.050	"	50.7	97.6	85-115					
Sodium	29.0	0.100	"	29.0	99.9	84.8-115					

Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL00055 - EPA SW846-7470										
Blank (BL00055-BLK1)						Prepared & Analyzed: 12/03/2010				
Mercury	ND	0.0002000	mg/L							
LCS (BL00055-BS1)						Prepared & Analyzed: 12/03/2010				
Mercury	0.002976	0.0002000	mg/L	0.00300		99.2 80-120				
Duplicate (BL00055-DUP1) *Source(Sample used for MS/MSD): 10K0822-05						Prepared & Analyzed: 12/03/2010				
Mercury	ND	0.0002000	mg/L		ND				20	
Matrix Spike (BL00055-MS1) *Source(Sample used for MS/MSD): 10K0822-05						Prepared & Analyzed: 12/03/2010				
Mercury	0.003015	0.0002000	mg/L	0.00300	ND	101 75-125				

Notes and Definitions

S-AC	Acid surrogate recovery outside of control limits. The data was accepted based on valid recovery of remaining two acid surrogates.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data are acceptable.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.

ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0528

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0528

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 15, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0528-01	SB-1-6-9_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-02	SB-1-16-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-03	SB-4-0-3_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-04	SB-4-15-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-05	SB-3-5-7_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-06	SB-3-15-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-07	SB-2-5-9_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-08	SB-DUP-1_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-09	SB-DUP-2_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-10	TMW-2_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-11	TMW-14_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-12	Tripblank_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-13	SB-7-0-4_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-14	SB-7-14-15_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-15	SB-6-5-7_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-16	SB-6-18-20_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-17	SB-5-10-13_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-18	SB-5-17-18_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-19	SB-2-15-16_11/12/2010	Soil	11/12/2010	11/15/2010

General Notes for York Project (SDG) No.: 10K0528

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/24/2010

YORK

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.1	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.51	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.0	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
67-64-1	Acetone	14	J	ug/kg dry	7.3	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.9	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.8	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
67-66-3	Chloroform	ND		ug/kg dry	0.84	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.89	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-09-2	Methylene chloride	10	J, B	ug/kg dry	2.5	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	22	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
108-88-3	Toluene	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.5	33	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 01:33	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	96.7 %	70-130								
2037-26-5	Surrogate: Toluene-d8	102 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	98.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	79.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	86.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	61.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	49.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	88.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	73.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	57.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	152	361	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	79.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	86.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	55.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	105	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	62.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	66.4	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	93.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	61.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	45.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	65.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	137	361	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	75.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	19.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	71.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	52.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	81.2	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	60.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	65.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
83-32-9	Acenaphthene	ND		ug/kg dry	105	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	50.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
120-12-7	Anthracene	45.1	J	ug/kg dry	44.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
56-55-3	Benzo(a)anthracene	166	J	ug/kg dry	69.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
50-32-8	Benzo(a)pyrene	124	J	ug/kg dry	47.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
205-99-2	Benzo(b)fluoranthene	210		ug/kg dry	68.7	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	54.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
207-08-9	Benzo(k)fluoranthene	153	J	ug/kg dry	69.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
65-85-0	Benzoic acid	ND		ug/kg dry	124	361	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	58.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	75.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	66.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	61.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	67.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	60.5	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
218-01-9	Chrysene	165	J	ug/kg dry	72.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	45.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	58.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	94.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	52.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	53.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	81.2	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
206-44-0	Fluoranthene	395		ug/kg dry	105	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
86-73-7	Fluorene	ND		ug/kg dry	50.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	29.4	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	72.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	134	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-72-1	Hexachloroethane	ND		ug/kg dry	65.0	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	66.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
78-59-1	Isophorone	ND		ug/kg dry	67.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
91-20-3	Naphthalene	ND		ug/kg dry	53.9	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	81.2	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	47.1	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	105	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	50.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
85-01-8	Phenanthrene	380		ug/kg dry	66.6	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
108-95-2	Phenol	ND		ug/kg dry	72.3	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
129-00-0	Pyrene	401		ug/kg dry	64.8	181	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 18:30	TD
Surrogate Recoveries		Result	Acceptance Range								
5175-83-7	Surrogate: 2,4,6-Tribromophenol	40.0 %	15-110								
321-60-8	Surrogate: 2-Fluorobiphenyl	49.5 %	30-130								
367-12-4	Surrogate: 2-Fluorophenol	55.0 %	15-110								
4165-60-0	Surrogate: Nitrobenzene-d5	57.0 %	30-130								
4165-62-2	Surrogate: Phenol-d5	60.3 %	15-110								
1718-51-0	Surrogate: Terphenyl-d14	74.1 %	30-130								

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00856	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00856	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00856	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00856	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00856	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00737	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00737	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00737	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00737	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
	Total PCBs	ND		mg/kg dry	0.00737	0.0184	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 20:48	JW
Surrogate Recoveries		Result	Acceptance Range								
2051-24-3	Surrogate: Decachlorobiphenyl	63.5 %	30-150								
877-09-8	Surrogate: Tetrachloro-m-xylene	67.0 %	30-150								

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8880		mg/kg dry	1.37	2.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-36-0	Antimony	ND		mg/kg dry	0.152	0.325	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-38-2	Arsenic	2.33		mg/kg dry	0.206	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-39-3	Barium	101		mg/kg dry	0.260	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.108	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.141	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-70-2	Calcium	15800		mg/kg dry	0.047	2.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-47-3	Chromium	16.0		mg/kg dry	0.087	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-48-4	Cobalt	11.0		mg/kg dry	0.087	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-50-8	Copper	52.1		mg/kg dry	0.152	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7439-89-6	Iron	16200		mg/kg dry	0.596	1.08	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7439-92-1	Lead	42.7		mg/kg dry	0.108	0.325	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7439-95-4	Magnesium	6250		mg/kg dry	0.888	2.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7439-96-5	Manganese	390		mg/kg dry	0.087	1.08	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-02-0	Nickel	35.4		mg/kg dry	0.076	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-09-7	Potassium	1550		mg/kg dry	2.95	10.8	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7782-49-2	Selenium	1.19		mg/kg dry	0.229	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-22-4	Silver	ND		mg/kg dry	0.098	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-23-5	Sodium	642		mg/kg dry	7.28	10.8	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-28-0	Thallium	ND		mg/kg dry	0.206	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-62-2	Vanadium	22.3		mg/kg dry	0.087	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW
7440-66-6	Zinc	100		mg/kg dry	0.076	0.542	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:35	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.105	0.108	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Sample Information

Client Sample ID: SB-1-6-9_11/12/2010

York Sample ID: 10K0528-01

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	92.3		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	2.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	2.9	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.7	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
591-78-6	2-Hexanone	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
67-64-1	Acetone	ND		ug/kg dry	6.9	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.7	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.77	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
67-66-3	Chloroform	ND		ug/kg dry	0.80	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.77	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.77	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.84	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-09-2	Methylene chloride	10	J, B	ug/kg dry	2.3	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	20	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
100-42-5	Styrene	ND		ug/kg dry	0.95	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
108-88-3	Toluene	ND		ug/kg dry	0.51	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.3	31	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:09	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	106 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	91.3 %			70-130						
2037-26-5	Surrogate: Toluene-d8	105 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	93.0	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	74.6	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	81.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	58.5	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	46.4	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	83.4	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	69.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	54.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	143	341	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	74.6	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	81.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.1	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	99.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	59.4	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	62.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	88.6	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	58.5	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.0	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	61.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	129	341	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	71.1	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.4	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	67.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	76.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	56.6	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	61.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
83-32-9	Acenaphthene	ND		ug/kg dry	98.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	47.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
120-12-7	Anthracene	ND		ug/kg dry	42.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	66.0	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	44.5	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	64.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	51.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	66.0	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
65-85-0	Benzoic acid	ND		ug/kg dry	117	341	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	55.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	71.1	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	62.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	57.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	63.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	57.1	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
218-01-9	Chrysene	ND		ug/kg dry	68.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.1	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
132-64-9	Dibenzofuran	ND		ug/kg dry	55.0	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	89.5	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	50.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	76.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
206-44-0	Fluoranthene	ND		ug/kg dry	98.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
86-73-7	Fluorene	ND		ug/kg dry	47.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	27.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	68.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	127	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	61.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	62.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
78-59-1	Isophorone	ND		ug/kg dry	63.3	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
91-20-3	Naphthalene	ND		ug/kg dry	50.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	76.7	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	44.5	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	98.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	47.8	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
85-01-8	Phenanthrene	ND		ug/kg dry	62.9	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
108-95-2	Phenol	ND		ug/kg dry	68.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD
129-00-0	Pyrene	ND		ug/kg dry	61.2	171	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:01	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	43.2 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	53.8 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	65.1 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	60.8 %	30-130
4165-62-2	Surrogate: Phenol-d5	65.2 %	15-110
1718-51-0	Surrogate: Terphenyl-d14	84.7 %	30-130

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00808	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00808	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00808	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00808	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00808	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00696	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00696	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00696	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00696	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
	Total PCBs	ND		mg/kg dry	0.00696	0.0174	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 11:34	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	99.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	102 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	5830		mg/kg dry	1.29	2.05	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-36-0	Antimony	ND		mg/kg dry	0.143	0.307	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-38-2	Arsenic	1.51		mg/kg dry	0.194	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-39-3	Barium	59.6		mg/kg dry	0.246	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.102	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.133	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-70-2	Calcium	2240		mg/kg dry	0.044	2.05	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-47-3	Chromium	11.4		mg/kg dry	0.082	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-48-4	Cobalt	5.39		mg/kg dry	0.082	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-50-8	Copper	17.9		mg/kg dry	0.143	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7439-89-6	Iron	8960		mg/kg dry	0.563	1.02	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7439-92-1	Lead	2.84		mg/kg dry	0.102	0.307	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7439-95-4	Magnesium	2590		mg/kg dry	0.839	2.05	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7439-96-5	Manganese	382		mg/kg dry	0.082	1.02	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-02-0	Nickel	14.8		mg/kg dry	0.072	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-09-7	Potassium	1320		mg/kg dry	2.78	10.2	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7782-49-2	Selenium	0.834		mg/kg dry	0.216	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-22-4	Silver	ND		mg/kg dry	0.092	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-23-5	Sodium	517		mg/kg dry	6.87	10.2	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-28-0	Thallium	ND		mg/kg dry	0.194	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW

Sample Information

Client Sample ID: SB-1-16-18_11/12/2010

York Sample ID: 10K0528-02

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Sample Prepared by Method: EPA SW 846-3050B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-62-2	Vanadium	15.5		mg/kg dry	0.082	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW
7440-66-6	Zinc	16.3		mg/kg dry	0.072	0.512	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:39	MW

Mercury by 7470/7471

Sample Prepared by Method: EPA SW846-7471

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0992	0.102	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Sample Prepared by Method: % Solids Prep

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	97.7		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Sample Prepared by Method: EPA 5035B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.55	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.5	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
67-64-1	Acetone	ND		ug/kg dry	7.8	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
67-66-3	Chloroform	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.88	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.96	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-09-2	Methylene chloride	13	B, J	ug/kg dry	2.7	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
108-88-3	Toluene	ND		ug/kg dry	0.58	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	35	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 02:45	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	103 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	92.9 %	70-130								
2037-26-5	Surrogate: Toluene-d8	105 %	70-130								

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	106	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	85.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	92.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	66.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	52.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	95.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	79.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	62.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	163	389	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	85.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	92.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	59.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	67.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	71.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	101	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	66.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	49.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	70.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	147	389	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	81.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	21.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	76.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	56.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	87.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	64.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	70.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
83-32-9	Acenaphthene	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	54.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
120-12-7	Anthracene	68.1	J	ug/kg dry	48.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
56-55-3	Benzo(a)anthracene	230		ug/kg dry	75.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
50-32-8	Benzo(a)pyrene	193	J	ug/kg dry	50.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
205-99-2	Benzo(b)fluoranthene	216		ug/kg dry	74.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	58.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
207-08-9	Benzo(k)fluoranthene	222		ug/kg dry	75.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	133	389	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	63.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	81.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	71.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	66.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	72.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
117-81-7	Bis(2-ethylhexyl)phthalate	157	J	ug/kg dry	65.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
218-01-9	Chrysene	212		ug/kg dry	78.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	49.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	62.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	102	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	56.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	58.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	87.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
206-44-0	Fluoranthene	583		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
86-73-7	Fluorene	ND		ug/kg dry	54.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	77.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	145	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	70.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	71.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
78-59-1	Isophorone	ND		ug/kg dry	72.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
91-20-3	Naphthalene	ND		ug/kg dry	58.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	87.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	50.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	54.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
85-01-8	Phenanthrene	523		ug/kg dry	71.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
108-95-2	Phenol	ND		ug/kg dry	77.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
129-00-0	Pyrene	488		ug/kg dry	69.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 19:33	TD
Surrogate Recoveries		Result	Acceptance Range								
5175-83-7	Surrogate: 2,4,6-Tribromophenol	39.4 %	15-110								
321-60-8	Surrogate: 2-Fluorobiphenyl	47.7 %	30-130								
367-12-4	Surrogate: 2-Fluorophenol	54.9 %	15-110								
4165-60-0	Surrogate: Nitrobenzene-d5	54.4 %	30-130								
4165-62-2	Surrogate: Phenol-d5	58.0 %	15-110								

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	66.9 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00922	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00922	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00922	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00922	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00922	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00794	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00794	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00794	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00794	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
	Total PCBs	ND		mg/kg dry	0.00794	0.0198	1	EPA SW 846-8082	11/22/2010 07:53	11/22/2010 21:59	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	91.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	100 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	6250		mg/kg dry	1.47	2.33	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-36-0	Antimony	0.662		mg/kg dry	0.163	0.350	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-38-2	Arsenic	8.23		mg/kg dry	0.222	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-39-3	Barium	1290		mg/kg dry	0.280	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.117	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.152	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-70-2	Calcium	50400		mg/kg dry	0.051	2.33	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-47-3	Chromium	12.9		mg/kg dry	0.093	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-48-4	Cobalt	4.23		mg/kg dry	0.093	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-50-8	Copper	19.4		mg/kg dry	0.163	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7439-89-6	Iron	10400		mg/kg dry	0.642	1.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7439-92-1	Lead	464		mg/kg dry	0.117	0.350	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7439-95-4	Magnesium	5880		mg/kg dry	0.957	2.33	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7439-96-5	Manganese	212		mg/kg dry	0.093	1.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-02-0	Nickel	12.7		mg/kg dry	0.082	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-09-7	Potassium	1340		mg/kg dry	3.18	11.7	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW

Sample Information

Client Sample ID: SB-4-0-3_11/12/2010

York Sample ID: 10K0528-03

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.696		mg/kg dry	0.246	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-22-4	Silver	ND		mg/kg dry	0.105	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-23-5	Sodium	647		mg/kg dry	7.84	11.7	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-28-0	Thallium	ND		mg/kg dry	0.222	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-62-2	Vanadium	22.0		mg/kg dry	0.093	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW
7440-66-6	Zinc	550		mg/kg dry	0.082	0.584	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:43	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.113	0.117	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	85.7		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	2.9	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
591-78-6	2-Hexanone	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
67-64-1	Acetone	13	J	ug/kg dry	6.9	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
67-66-3	Chloroform	ND		ug/kg dry	0.80	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.85	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-09-2	Methylene chloride	12	B, J	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
108-88-3	Toluene	ND		ug/kg dry	0.51	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.3	31	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:22	SS
	Surrogate Recoveries	Result		Acceptance Range							
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	102 %		70-130							
460-00-4	Surrogate: p-Bromofluorobenzene	95.5 %		70-130							
2037-26-5	Surrogate: Toluene-d8	104 %		70-130							

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	93.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	46.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	84.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	145	344	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	100	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	130	344	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	71.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
83-32-9	Acenaphthene	ND		ug/kg dry	99.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
120-12-7	Anthracene	ND		ug/kg dry	42.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	66.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	44.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	51.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	66.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	118	344	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	55.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	71.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	57.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
218-01-9	Chrysene	ND		ug/kg dry	69.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
206-44-0	Fluoranthene	ND		ug/kg dry	99.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
86-73-7	Fluorene	ND		ug/kg dry	48.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	68.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	128	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
78-59-1	Isophorone	ND		ug/kg dry	64.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	99.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
108-95-2	Phenol	ND		ug/kg dry	68.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD
129-00-0	Pyrene	ND		ug/kg dry	61.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:05	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	41.3 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	48.7 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	58.7 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	57.3 %	30-130
4165-62-2	Surrogate: Phenol-d5	58.8 %	15-110

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	76.9 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00816	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00816	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00816	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00816	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00816	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00703	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00703	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00703	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00703	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
	Total PCBs	ND		mg/kg dry	0.00703	0.0176	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 22:38	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	81.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	78.5 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	5090		mg/kg dry	1.30	2.07	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-36-0	Antimony	ND		mg/kg dry	0.145	0.310	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-38-2	Arsenic	1.53		mg/kg dry	0.196	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-39-3	Barium	62.4		mg/kg dry	0.248	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.103	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.134	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-70-2	Calcium	2450		mg/kg dry	0.045	2.07	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-47-3	Chromium	14.7		mg/kg dry	0.083	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-48-4	Cobalt	5.39		mg/kg dry	0.083	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-50-8	Copper	26.0		mg/kg dry	0.145	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7439-89-6	Iron	8870		mg/kg dry	0.568	1.03	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7439-92-1	Lead	4.14		mg/kg dry	0.103	0.310	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7439-95-4	Magnesium	2550		mg/kg dry	0.847	2.07	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7439-96-5	Manganese	332		mg/kg dry	0.083	1.03	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-02-0	Nickel	16.2		mg/kg dry	0.072	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-09-7	Potassium	1080		mg/kg dry	2.81	10.3	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW

Sample Information

Client Sample ID: SB-4-15-18_11/12/2010

York Sample ID: 10K0528-04

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.935		mg/kg dry	0.218	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-23-5	Sodium	509		mg/kg dry	6.94	10.3	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-28-0	Thallium	ND		mg/kg dry	0.196	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-62-2	Vanadium	16.1		mg/kg dry	0.083	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW
7440-66-6	Zinc	16.7		mg/kg dry	0.072	0.517	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:48	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.100	0.103	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	96.8		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.2	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	6.3	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
67-64-1	Acetone	ND		ug/kg dry	7.7	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
67-66-3	Chloroform	ND		ug/kg dry	0.89	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.94	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-09-2	Methylene chloride	12	B, J	ug/kg dry	2.6	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
108-88-3	Toluene	ND		ug/kg dry	0.57	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	34	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 03:58	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	102 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	96.4 %			70-130						

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
2037-26-5	Surrogate: Toluene-d8	105 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	104	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	83.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	90.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	65.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	51.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	92.9	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	77.6	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	60.9	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	160	380	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	83.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	90.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	58.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	111	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	66.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	69.9	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	98.6	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	65.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	47.8	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	68.9	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	144	380	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	79.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	75.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	54.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	85.4	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	63.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	68.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
83-32-9	Acenaphthene	ND		ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
120-12-7	Anthracene	ND		ug/kg dry	47.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
56-55-3	Benzo(a)anthracene	83.6	J	ug/kg dry	73.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	85.8	J	ug/kg dry	49.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
205-99-2	Benzo(b)fluoranthene	101	J	ug/kg dry	72.3	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	57.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	73.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
65-85-0	Benzoic acid	ND		ug/kg dry	130	380	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	61.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	79.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	70.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	64.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	70.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	63.6	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
218-01-9	Chrysene	83.6	J	ug/kg dry	76.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	48.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	61.3	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	99.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	54.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	56.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	85.4	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
206-44-0	Fluoranthene	177	J	ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
86-73-7	Fluorene	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	30.9	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	76.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	141	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	68.3	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	70.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
78-59-1	Isophorone	ND		ug/kg dry	70.5	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
91-20-3	Naphthalene	ND		ug/kg dry	56.7	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	85.4	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	49.6	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	110	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	53.2	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
85-01-8	Phenanthrene	89.6	J	ug/kg dry	70.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
108-95-2	Phenol	ND		ug/kg dry	76.0	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
129-00-0	Pyrene	148	J	ug/kg dry	68.1	190	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 20:36	TD
	Surrogate Recoveries	Result			Acceptance Range						

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
5175-83-7	Surrogate: 2,4,6-Tribromophenol	35.6 %			15-110						
321-60-8	Surrogate: 2-Fluorobiphenyl	50.5 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	56.3 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	57.7 %			30-130						
4165-62-2	Surrogate: Phenol-d5	63.2 %			15-110						
1718-51-0	Surrogate: Terphenyl-d14	71.6 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00900	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00900	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00900	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00900	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00900	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
	Total PCBs	ND		mg/kg dry	0.00775	0.0194	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:16	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	93.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	100 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	9770		mg/kg dry	1.44	2.28	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-36-0	Antimony	ND		mg/kg dry	0.160	0.342	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-38-2	Arsenic	3.95		mg/kg dry	0.216	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-39-3	Barium	235		mg/kg dry	0.273	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.114	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.148	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-70-2	Calcium	21200		mg/kg dry	0.049	2.28	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-47-3	Chromium	17.3		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-48-4	Cobalt	7.80		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-50-8	Copper	27.8		mg/kg dry	0.160	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7439-89-6	Iron	18500		mg/kg dry	0.627	1.14	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7439-92-1	Lead	322		mg/kg dry	0.114	0.342	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW

Sample Information

Client Sample ID: SB-3-5-7_11/12/2010

York Sample ID: 10K0528-05

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-95-4	Magnesium	5920		mg/kg dry	0.934	2.28	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7439-96-5	Manganese	382		mg/kg dry	0.091	1.14	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-02-0	Nickel	17.7		mg/kg dry	0.080	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-09-7	Potassium	3920		mg/kg dry	3.10	11.4	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7782-49-2	Selenium	1.32		mg/kg dry	0.240	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-22-4	Silver	ND		mg/kg dry	0.103	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-23-5	Sodium	357		mg/kg dry	7.66	11.4	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-28-0	Thallium	ND		mg/kg dry	0.216	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-62-2	Vanadium	20.3		mg/kg dry	0.091	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW
7440-66-6	Zinc	150		mg/kg dry	0.080	0.570	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:52	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.111	0.114	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	87.8		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.8	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
67-64-1	Acetone	11	J	ug/kg dry	7.0	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
67-66-3	Chloroform	ND		ug/kg dry	0.81	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.85	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-09-2	Methylene chloride	11	B, J	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	31	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 04:34	SS

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	100 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	92.6 %			70-130						
2037-26-5	Surrogate: Toluene-d8	108 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	94.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	82.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	59.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.1	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	84.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.5	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	145	346	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	82.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	101	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	60.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	59.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.6	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.8	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	131	346	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	72.2	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	68.4	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.5	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.6	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
83-32-9	Acenaphthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
208-96-8	Acenaphthylene	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
120-12-7	Anthracene	ND		ug/kg dry	42.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.0	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.1	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.0	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.0	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
65-85-0	Benzoic acid	ND		ug/kg dry	118	346	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.0	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	72.2	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.8	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.8	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	64.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	58.0	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
218-01-9	Chrysene	ND		ug/kg dry	69.8	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
206-44-0	Fluoranthene	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
86-73-7	Fluorene	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.2	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	69.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	129	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	62.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.8	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
78-59-1	Isophorone	ND		ug/kg dry	64.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.7	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.2	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	100	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.5	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.9	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-95-2	Phenol	ND		ug/kg dry	69.3	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
129-00-0	Pyrene	ND		ug/kg dry	62.1	173	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:08	TD
Surrogate Recoveries		Result		Acceptance Range							
5175-83-7	Surrogate: 2,4,6-Tribromophenol	33.3 %		15-110							
321-60-8	Surrogate: 2-Fluorobiphenyl	42.6 %		30-130							
367-12-4	Surrogate: 2-Fluorophenol	51.7 %		15-110							
4165-60-0	Surrogate: Nitrobenzene-d5	51.9 %		30-130							
4165-62-2	Surrogate: Phenol-d5	52.1 %		15-110							
1718-51-0	Surrogate: Terphenyl-d14	74.8 %		30-130							

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00820	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
	Total PCBs	ND		mg/kg dry	0.00706	0.0177	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 23:55	JW
Surrogate Recoveries		Result		Acceptance Range							
2051-24-3	Surrogate: Decachlorobiphenyl	158 %	S-GC	30-150							
877-09-8	Surrogate: Tetrachloro-m-xylene	142 %		30-150							

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	6970		mg/kg dry	1.31	2.08	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-36-0	Antimony	ND		mg/kg dry	0.145	0.312	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-38-2	Arsenic	1.87		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-39-3	Barium	54.8		mg/kg dry	0.249	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.104	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.135	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-70-2	Calcium	3130		mg/kg dry	0.045	2.08	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-47-3	Chromium	18.0		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-48-4	Cobalt	5.79		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW

Sample Information

Client Sample ID: SB-3-15-18_11/12/2010

York Sample ID: 10K0528-06

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	29.9		mg/kg dry	0.145	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7439-89-6	Iron	9850		mg/kg dry	0.571	1.04	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7439-92-1	Lead	5.20		mg/kg dry	0.104	0.312	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7439-95-4	Magnesium	3290		mg/kg dry	0.852	2.08	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7439-96-5	Manganese	397		mg/kg dry	0.083	1.04	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-02-0	Nickel	17.0		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-09-7	Potassium	1370		mg/kg dry	2.82	10.4	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7782-49-2	Selenium	ND		mg/kg dry	0.219	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-23-5	Sodium	781		mg/kg dry	6.98	10.4	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-28-0	Thallium	ND		mg/kg dry	0.197	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-62-2	Vanadium	21.3		mg/kg dry	0.083	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW
7440-66-6	Zinc	16.9		mg/kg dry	0.073	0.519	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 21:57	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.101	0.104	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	96.3		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.9	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
67-64-1	Acetone	ND		ug/kg dry	7.1	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
67-66-3	Chloroform	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.79	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.86	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-09-2	Methylene chloride	11	B, J	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
100-42-5	Styrene	ND		ug/kg dry	0.98	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	32	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:11	SS
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	101 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	92.1 %			70-130						
2037-26-5	Surrogate: Toluene-d8	105 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	95.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	85.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	71.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	56.1	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	147	350	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	76.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	83.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	53.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	102	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	61.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	64.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	90.9	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	44.1	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	63.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	132	350	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	73.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.9	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	69.1	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-02-7	4-Nitroaniline	ND		ug/kg dry	58.1	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.3	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
83-32-9	Acenaphthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
120-12-7	Anthracene	ND		ug/kg dry	43.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	67.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	66.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	67.8	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
65-85-0	Benzoic acid	ND		ug/kg dry	120	350	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	56.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	73.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	64.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	59.4	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	58.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
218-01-9	Chrysene	ND		ug/kg dry	70.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.2	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	56.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	91.9	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
206-44-0	Fluoranthene	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
86-73-7	Fluorene	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	70.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	130	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	63.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	64.5	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
78-59-1	Isophorone	ND		ug/kg dry	65.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.3	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	78.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	45.7	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	101	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	49.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
85-01-8	Phenanthrene	ND		ug/kg dry	64.6	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
108-95-2	Phenol	ND		ug/kg dry	70.0	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD
129-00-0	Pyrene	ND		ug/kg dry	62.8	175	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 21:39	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	24.9 %		15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	36.0 %		30-130
367-12-4	Surrogate: 2-Fluorophenol	45.7 %		15-110
4165-60-0	Surrogate: Nitrobenzene-d5	44.9 %		30-130
4165-62-2	Surrogate: Phenol-d5	44.5 %		15-110
1718-51-0	Surrogate: Terphenyl-d14	58.7 %		30-130

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00830	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW
	Total PCBs	ND		mg/kg dry	0.00714	0.0179	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 00:33	JW

Surrogate Recoveries

Result

Acceptance Range

2051-24-3	Surrogate: Decachlorobiphenyl	76.0 %		30-150
877-09-8	Surrogate: Tetrachloro-m-xylene	58.5 %		30-150

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 12, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8780		mg/kg dry	1.32	2.10	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-36-0	Antimony	ND		mg/kg dry	0.147	0.315	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-38-2	Arsenic	2.48		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-39-3	Barium	60.6		mg/kg dry	0.252	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.105	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.137	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-70-2	Calcium	2540		mg/kg dry	0.046	2.10	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-47-3	Chromium	21.5		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-48-4	Cobalt	12.3		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-50-8	Copper	24.5		mg/kg dry	0.147	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7439-89-6	Iron	16300		mg/kg dry	0.578	1.05	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7439-92-1	Lead	21.9		mg/kg dry	0.105	0.315	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7439-95-4	Magnesium	6600		mg/kg dry	0.861	2.10	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7439-96-5	Manganese	462		mg/kg dry	0.084	1.05	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-02-0	Nickel	44.4		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-09-7	Potassium	933		mg/kg dry	2.86	10.5	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7782-49-2	Selenium	1.03		mg/kg dry	0.222	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-22-4	Silver	ND		mg/kg dry	0.095	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-23-5	Sodium	297		mg/kg dry	7.06	10.5	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-28-0	Thallium	ND		mg/kg dry	0.200	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-62-2	Vanadium	26.6		mg/kg dry	0.084	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW
7440-66-6	Zinc	83.4		mg/kg dry	0.074	0.525	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:13	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.102	0.105	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Sample Information

Client Sample ID: SB-2-5-9_11/12/2010

York Sample ID: 10K0528-07

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 12, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	95.2		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 12, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.56	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.5	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
67-64-1	Acetone	ND		ug/kg dry	7.9	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-15-0	Carbon disulfide	2.3	J	ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.89	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
67-66-3	Chloroform	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.89	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.89	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.96	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-09-2	Methylene chloride	12	J, B	ug/kg dry	2.7	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
108-88-3	Toluene	ND		ug/kg dry	0.58	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.7	35	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 05:47	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	103 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	93.3 %	70-130								
2037-26-5	Surrogate: Toluene-d8	104 %	70-130								

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	107	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	85.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	93.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	67.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	53.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	95.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	79.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	62.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	164	391	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	85.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	93.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	59.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	114	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	68.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	71.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	101	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	67.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	49.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	70.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	148	391	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	81.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	21.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	77.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	56.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	87.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	64.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	70.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
83-32-9	Acenaphthene	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	54.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
120-12-7	Anthracene	ND		ug/kg dry	48.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
56-55-3	Benzo(a)anthracene	129	J	ug/kg dry	75.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
50-32-8	Benzo(a)pyrene	133	J	ug/kg dry	51.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
205-99-2	Benzo(b)fluoranthene	143	J	ug/kg dry	74.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	58.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
207-08-9	Benzo(k)fluoranthene	197		ug/kg dry	75.7	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
65-85-0	Benzoic acid	ND		ug/kg dry	134	391	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	63.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	81.5	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	72.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	66.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	72.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
117-81-7	Bis(2-ethylhexyl)phthalate	131	J	ug/kg dry	65.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
218-01-9	Chrysene	136	J	ug/kg dry	78.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	49.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
132-64-9	Dibenzofuran	ND		ug/kg dry	63.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	103	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	56.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	58.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	87.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
206-44-0	Fluoranthene	319		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
86-73-7	Fluorene	ND		ug/kg dry	54.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	78.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	145	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	70.3	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	72.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
78-59-1	Isophorone	ND		ug/kg dry	72.6	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
91-20-3	Naphthalene	ND		ug/kg dry	58.4	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	87.9	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	51.0	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	113	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	54.8	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
85-01-8	Phenanthrene	258		ug/kg dry	72.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
108-95-2	Phenol	ND		ug/kg dry	78.2	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
129-00-0	Pyrene	300		ug/kg dry	70.1	195	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:15	TD
	Surrogate Recoveries	Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	45.2 %			15-110						
321-60-8	Surrogate: 2-Fluorobiphenyl	53.3 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	62.6 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	61.5 %			30-130						
4165-62-2	Surrogate: Phenol-d5	64.5 %			15-110						
1718-51-0	Surrogate: Terphenyl-d14	80.8 %			30-130						

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00926	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00926	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00926	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00926	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00926	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00797	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00797	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00797	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00797	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
	Total PCBs	ND		mg/kg dry	0.00797	0.0199	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:12	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	118 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	130 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	6430		mg/kg dry	1.48	2.35	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-36-0	Antimony	0.953		mg/kg dry	0.164	0.352	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-38-2	Arsenic	8.27		mg/kg dry	0.223	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-39-3	Barium	1240		mg/kg dry	0.281	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.117	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.152	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-70-2	Calcium	54400		mg/kg dry	0.051	2.35	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-47-3	Chromium	14.5		mg/kg dry	0.094	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-48-4	Cobalt	5.21		mg/kg dry	0.094	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-50-8	Copper	24.1		mg/kg dry	0.164	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7439-89-6	Iron	11600		mg/kg dry	0.645	1.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7439-92-1	Lead	486		mg/kg dry	0.117	0.352	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7439-95-4	Magnesium	6550		mg/kg dry	0.961	2.35	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7439-96-5	Manganese	251		mg/kg dry	0.094	1.17	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-02-0	Nickel	14.7		mg/kg dry	0.082	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-09-7	Potassium	1620		mg/kg dry	3.19	11.7	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7782-49-2	Selenium	1.59		mg/kg dry	0.247	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-22-4	Silver	ND		mg/kg dry	0.106	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-23-5	Sodium	612		mg/kg dry	7.88	11.7	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-28-0	Thallium	ND		mg/kg dry	0.223	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW

Sample Information

Client Sample ID: SB-DUP-1_11/12/2010

York Sample ID: 10K0528-08

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 12, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Metals, Target Analyte

Sample Prepared by Method: EPA SW 846-3050B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-62-2	Vanadium	25.2		mg/kg dry	0.094	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW
7440-66-6	Zinc	656		mg/kg dry	0.082	0.586	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:18	MW

Mercury by 7470/7471

Sample Prepared by Method: EPA SW846-7471

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.114	0.117	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Sample Prepared by Method: % Solids Prep

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	85.3		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 12, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Volatile Organics, TCL (Target Compound List)

Sample Prepared by Method: EPA 5035B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.3	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.55	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.4	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
67-64-1	Acetone	ND		ug/kg dry	7.8	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.87	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.9	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
67-66-3	Chloroform	ND		ug/kg dry	0.90	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.87	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.87	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.95	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-09-2	Methylene chloride	12	J, B	ug/kg dry	2.6	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	23	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
108-88-3	Toluene	ND		ug/kg dry	0.57	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.6	35	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 06:24	SS
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	107 %	70-130								
460-00-4	Surrogate: p-Bromofluorobenzene	88.8 %	70-130								
2037-26-5	Surrogate: Toluene-d8	105 %	70-130								

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	105	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	84.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	91.9	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	66.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	52.5	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	94.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	78.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	61.9	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	162	386	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	84.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	91.9	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	58.9	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	112	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	67.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	71.0	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	100	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	66.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	48.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	69.9	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	146	386	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	80.5	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	76.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	55.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	86.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	64.1	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	69.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
83-32-9	Acenaphthene	ND		ug/kg dry	112	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	54.0	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
120-12-7	Anthracene	ND		ug/kg dry	47.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	74.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	50.3	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	73.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	58.0	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	74.7	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	132	386	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	62.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	80.5	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	71.1	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	65.5	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	71.7	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	64.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
218-01-9	Chrysene	ND		ug/kg dry	77.7	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	48.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	62.3	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	101	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	55.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	57.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	86.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
206-44-0	Fluoranthene	ND		ug/kg dry	112	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
86-73-7	Fluorene	ND		ug/kg dry	54.0	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	31.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	77.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	143	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	69.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	71.1	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
78-59-1	Isophorone	ND		ug/kg dry	71.7	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
91-20-3	Naphthalene	ND		ug/kg dry	57.6	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	86.8	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	50.4	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	112	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	54.0	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
85-01-8	Phenanthrene	ND		ug/kg dry	71.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
108-95-2	Phenol	ND		ug/kg dry	77.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD
129-00-0	Pyrene	ND		ug/kg dry	69.2	193	1	EPA SW846-8270C	11/22/2010 07:47	11/22/2010 23:46	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	61.0 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	70.8 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	84.5 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	78.2 %	30-130
4165-62-2	Surrogate: Phenol-d5	86.0 %	15-110

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	121 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00914	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00914	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00914	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00914	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00914	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00787	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00787	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00787	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00787	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
	Total PCBs	ND		mg/kg dry	0.00787	0.0197	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 01:50	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	94.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	88.5 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	10600		mg/kg dry	1.46	2.31	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-36-0	Antimony	ND		mg/kg dry	0.162	0.347	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-38-2	Arsenic	4.12		mg/kg dry	0.220	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-39-3	Barium	73.7		mg/kg dry	0.278	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.116	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.150	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-70-2	Calcium	3380		mg/kg dry	0.050	2.31	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-47-3	Chromium	21.9		mg/kg dry	0.093	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-48-4	Cobalt	9.52		mg/kg dry	0.093	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-50-8	Copper	25.7		mg/kg dry	0.162	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7439-89-6	Iron	15300		mg/kg dry	0.636	1.16	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7439-92-1	Lead	33.4		mg/kg dry	0.116	0.347	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7439-95-4	Magnesium	5520		mg/kg dry	0.949	2.31	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7439-96-5	Manganese	439		mg/kg dry	0.093	1.16	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-02-0	Nickel	30.2		mg/kg dry	0.081	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-09-7	Potassium	1530		mg/kg dry	3.15	11.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW

Sample Information

Client Sample ID: SB-DUP-2_11/12/2010

York Sample ID: 10K0528-09

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.941		mg/kg dry	0.244	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-22-4	Silver	ND		mg/kg dry	0.104	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-23-5	Sodium	532		mg/kg dry	7.78	11.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-28-0	Thallium	ND		mg/kg dry	0.220	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-62-2	Vanadium	24.9		mg/kg dry	0.093	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW
7440-66-6	Zinc	98.9		mg/kg dry	0.081	0.579	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:22	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.112	0.116	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	86.4		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
67-64-1	Acetone	4.7	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
67-66-3	Chloroform	6.2		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-09-2	Methylene chloride	4.5	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
127-18-4	Tetrachloroethylene	0.99	J	ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	<i>Surrogate: 1,2-Dichloroethane-d4</i>	108 %			70-130						

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
460-00-4	Surrogate: p-Bromofluorobenzene	106 %			70-130						
2037-26-5	Surrogate: Toluene-d8	103 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	48.1 %									
321-60-8	Surrogate: 2-Fluorobiphenyl	49.0 %									
367-12-4	Surrogate: 2-Fluorophenol	33.6 %									
4165-60-0	Surrogate: Nitrobenzene-d5	61.9 %									
4165-62-2	Surrogate: Phenol-d5	8.56 %	S-AC								
1718-51-0	Surrogate: Terphenyl-d14	79.7 %									

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
Surrogate Recoveries		Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	55.0 %									
877-09-8	Surrogate: Tetrachloro-m-xylene	53.5 %									

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8.70		mg/L	0.007	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-39-3	Barium	0.198		mg/L	0.004	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-70-2	Calcium	38.5		mg/L	0.009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-47-3	Chromium	0.043		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-48-4	Cobalt	0.018		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-50-8	Copper	0.055		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-89-6	Iron	10.8		mg/L	0.006	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.071		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-95-4	Magnesium	8.90		mg/L	0.008	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-96-5	Manganese	2.69		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-02-0	Nickel	0.031		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-09-7	Potassium	8.94		mg/L	0.026	0.050	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-23-5	Sodium	86.8		mg/L	0.066	0.100	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-62-2	Vanadium	0.015		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-66-6	Zinc	0.141		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000.0002000	1	1	EPA SW846-7470	11/18/2010 12:16	11/18/2010 16:10	AA

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
67-64-1	Acetone	ND		ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-27-4	Bromodichloromethane	2.8	J	ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
67-66-3	Chloroform	27		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-09-2	Methylene chloride	4.7	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	110 %			70-130						

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						
2037-26-5	Surrogate: Toluene-d8	106 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	32.8 %									
321-60-8	Surrogate: 2-Fluorobiphenyl	42.0 %									
367-12-4	Surrogate: 2-Fluorophenol	20.3 %									
4165-60-0	Surrogate: Nitrobenzene-d5	30.5 %									
4165-62-2	Surrogate: Phenol-d5	6.60 %	S-AC								
1718-51-0	Surrogate: Terphenyl-d14	66.9 %									

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
Surrogate Recoveries		Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	52.5 %									
877-09-8	Surrogate: Tetrachloro-m-xylene	52.0 %									

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	1.42		mg/L	0.007	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-39-3	Barium	0.036		mg/L	0.004	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-70-2	Calcium	42.4		mg/L	0.009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	0.836		mg/L	0.006	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-92-1	Lead	0.003		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-95-4	Magnesium	5.06		mg/L	0.008	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-96-5	Manganese	0.329		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-02-0	Nickel	ND		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-09-7	Potassium	5.90		mg/L	0.026	0.050	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-23-5	Sodium	26.3		mg/L	0.066	0.100	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.002000	1	EPA SW846-7470	11/18/2010 12:16	11/18/2010 16:10	AA

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
67-64-1	Acetone	4.3	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-09-2	Methylene chloride	6.1	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
Surrogate Recoveries		Result	Acceptance Range								

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						
2037-26-5	Surrogate: Toluene-d8	105 %			70-130						

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.8	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.4	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.57	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.6	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.8	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
67-64-1	Acetone	ND		ug/kg dry	8.0	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.90	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-00-3	Chloroethane	ND		ug/kg dry	2.0	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-66-3	Chloroform	ND		ug/kg dry	0.93	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.90	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.90	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.98	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-09-2	Methylene chloride	5.5	J, B	ug/kg dry	2.7	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
108-88-3	Toluene	ND		ug/kg dry	0.59	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.7	36	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	104 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	96.0 %			70-130						
2037-26-5	Surrogate: Toluene-d8	107 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	108	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	86.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	94.5	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	68.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	54.0	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	97.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	81.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	63.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	167	397	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	86.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	94.5	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	60.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	116	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	69.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	73.0	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	103	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	68.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	50.0	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	71.9	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	150	397	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	82.7	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	21.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	78.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	57.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	89.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	65.9	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	71.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
83-32-9	Acenaphthene	ND		ug/kg dry	115	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	55.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
120-12-7	Anthracene	ND		ug/kg dry	49.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
56-55-3	Benzo(a)anthracene	245		ug/kg dry	76.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
50-32-8	Benzo(a)pyrene	298		ug/kg dry	51.7	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
205-99-2	Benzo(b)fluoranthene	381		ug/kg dry	75.5	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	59.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
207-08-9	Benzo(k)fluoranthene	514		ug/kg dry	76.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
65-85-0	Benzoic acid	ND		ug/kg dry	136	397	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	64.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	82.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	73.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	67.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	73.7	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	66.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
218-01-9	Chrysene	243		ug/kg dry	80.0	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	50.1	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	64.0	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	104	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	57.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	59.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	89.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
206-44-0	Fluoranthene	567		ug/kg dry	115	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
86-73-7	Fluorene	ND		ug/kg dry	55.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	32.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	79.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	148	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	71.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	73.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
78-59-1	Isophorone	ND		ug/kg dry	73.7	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
91-20-3	Naphthalene	ND		ug/kg dry	59.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	89.3	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	51.8	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	115	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	55.6	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
85-01-8	Phenanthrene	229		ug/kg dry	73.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
108-95-2	Phenol	ND		ug/kg dry	79.4	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
129-00-0	Pyrene	455		ug/kg dry	71.2	198	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 00:18	TD
	Surrogate Recoveries	Result									Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	67.5 %									15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	66.6 %									30-130
367-12-4	Surrogate: 2-Fluorophenol	79.1 %									15-110
4165-60-0	Surrogate: Nitrobenzene-d5	74.1 %									30-130
4165-62-2	Surrogate: Phenol-d5	77.0 %									15-110
1718-51-0	Surrogate: Terphenyl-d14	97.3 %									30-130

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00940	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00940	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00940	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00940	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00940	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00809	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00809	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00809	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00809	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
	Total PCBs	ND		mg/kg dry	0.00809	0.0202	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 02:29	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	95.5 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	105 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	11200		mg/kg dry	1.50	2.38	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-36-0	Antimony	ND		mg/kg dry	0.167	0.357	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-38-2	Arsenic	4.50		mg/kg dry	0.226	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-39-3	Barium	428		mg/kg dry	0.286	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.010	0.119	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.155	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-70-2	Calcium	26600		mg/kg dry	0.052	2.38	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-47-3	Chromium	23.7		mg/kg dry	0.095	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-48-4	Cobalt	8.28		mg/kg dry	0.095	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-50-8	Copper	28.3		mg/kg dry	0.167	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7439-89-6	Iron	17100		mg/kg dry	0.655	1.19	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7439-92-1	Lead	159		mg/kg dry	0.119	0.357	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7439-95-4	Magnesium	6170		mg/kg dry	0.976	2.38	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7439-96-5	Manganese	419		mg/kg dry	0.095	1.19	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-02-0	Nickel	29.0		mg/kg dry	0.083	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-09-7	Potassium	2350		mg/kg dry	3.24	11.9	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7782-49-2	Selenium	1.03		mg/kg dry	0.251	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-22-4	Silver	ND		mg/kg dry	0.107	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-23-5	Sodium	282		mg/kg dry	8.00	11.9	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-28-0	Thallium	ND		mg/kg dry	0.226	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-62-2	Vanadium	33.9		mg/kg dry	0.095	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW
7440-66-6	Zinc	301		mg/kg dry	0.083	0.595	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:27	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.115	0.119	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	84.0		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	2.9	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.49	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.7	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
591-78-6	2-Hexanone	ND		ug/kg dry	1.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	5.9	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
67-64-1	Acetone	12	J	ug/kg dry	6.9	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-43-2	Benzene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
67-66-3	Chloroform	ND		ug/kg dry	0.80	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.8	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.78	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.84	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-09-2	Methylene chloride	9.2	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.2	21	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
100-42-5	Styrene	ND		ug/kg dry	0.96	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
108-88-3	Toluene	ND		ug/kg dry	0.51	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.4	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	10	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.3	31	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 08:13	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	94.0 %			70-130						
2037-26-5	Surrogate: Toluene-d8	108 %			70-130						

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	93.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	75.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	81.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	58.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	46.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	83.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	70.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	55.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	144	343	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	75.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	81.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	52.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	99.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	59.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	63.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	89.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	58.9	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	43.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	62.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	130	343	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	71.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	18.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	67.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	49.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	77.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	57.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	62.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
83-32-9	Acenaphthene	ND		ug/kg dry	99.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	48.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
120-12-7	Anthracene	ND		ug/kg dry	42.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	66.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	44.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	65.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	51.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	66.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	117	343	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	55.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	71.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	63.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	58.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	63.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	57.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
218-01-9	Chrysene	ND		ug/kg dry	69.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	55.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	90.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	49.5	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	51.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	77.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
206-44-0	Fluoranthene	ND		ug/kg dry	99.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
86-73-7	Fluorene	ND		ug/kg dry	48.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.0	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	68.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	128	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	61.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	63.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
78-59-1	Isophorone	ND		ug/kg dry	63.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
91-20-3	Naphthalene	ND		ug/kg dry	51.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	77.2	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	44.8	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	99.4	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	48.1	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
85-01-8	Phenanthrene	ND		ug/kg dry	63.3	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
108-95-2	Phenol	ND		ug/kg dry	68.7	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD
129-00-0	Pyrene	ND		ug/kg dry	61.6	172	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 12:48	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	52.5 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	51.0 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	42.1 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	52.8 %	30-130
4165-62-2	Surrogate: Phenol-d5	30.7 %	15-110

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	57.4 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00813	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00813	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00813	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00813	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00813	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00700	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00700	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00700	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00700	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
	Total PCBs	ND		mg/kg dry	0.00700	0.0175	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:07	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	104 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	106 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	3930		mg/kg dry	1.30	2.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-36-0	Antimony	ND		mg/kg dry	0.144	0.309	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-38-2	Arsenic	1.02		mg/kg dry	0.196	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-39-3	Barium	39.0		mg/kg dry	0.247	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.103	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.134	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-70-2	Calcium	600		mg/kg dry	0.045	2.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-47-3	Chromium	10.8		mg/kg dry	0.082	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-48-4	Cobalt	4.20		mg/kg dry	0.082	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-50-8	Copper	14.3		mg/kg dry	0.144	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7439-89-6	Iron	7540		mg/kg dry	0.566	1.03	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7439-92-1	Lead	3.95		mg/kg dry	0.103	0.309	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7439-95-4	Magnesium	1980		mg/kg dry	0.844	2.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7439-96-5	Manganese	283		mg/kg dry	0.082	1.03	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-02-0	Nickel	13.5		mg/kg dry	0.072	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-09-7	Potassium	538		mg/kg dry	2.80	10.3	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW

Sample Information

Client Sample ID: SB-7-14-15_11/13/2010

York Sample ID: 10K0528-14

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	0.823		mg/kg dry	0.217	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-22-4	Silver	ND		mg/kg dry	0.093	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-23-5	Sodium	134		mg/kg dry	6.92	10.3	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-28-0	Thallium	ND		mg/kg dry	0.196	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-62-2	Vanadium	14.2		mg/kg dry	0.082	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW
7440-66-6	Zinc	11.5		mg/kg dry	0.072	0.515	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:31	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0999	0.103	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	97.1		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.8	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.4	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.8	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.57	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/kg dry	6.7	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.8	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
67-64-1	Acetone	ND		ug/kg dry	8.1	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.2	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.7	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-00-3	Chloroethane	ND		ug/kg dry	2.0	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
67-66-3	Chloroform	ND		ug/kg dry	0.93	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.3	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.91	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.99	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.8	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.3	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.4	24	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
100-42-5	Styrene	ND		ug/kg dry	1.1	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.4	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
108-88-3	Toluene	ND		ug/kg dry	0.60	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.8	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.5	12	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.7	36	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 17:43	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	123 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	98.1 %			70-130						

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
2037-26-5	Surrogate: Toluene-d8	95.1 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	109	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	87.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	95.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	68.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	54.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	98.0	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	81.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	64.3	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	168	401	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	87.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	95.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	61.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	117	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	69.8	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	73.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	104	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	68.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	50.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	72.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	151	401	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	83.6	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	21.6	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	79.1	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	57.8	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	90.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	66.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	72.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
83-32-9	Acenaphthene	ND		ug/kg dry	116	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	56.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
120-12-7	Anthracene	ND		ug/kg dry	49.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	77.5	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	78.9	J	ug/kg dry	52.3	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
205-99-2	Benzo(b)fluoranthene	113	J	ug/kg dry	76.3	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	60.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
207-08-9	Benzo(k)fluoranthene	115	J	ug/kg dry	77.6	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
65-85-0	Benzoic acid	ND		ug/kg dry	137	401	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	64.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	83.6	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	73.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	68.1	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	74.4	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	67.1	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
218-01-9	Chrysene	ND		ug/kg dry	80.8	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	50.6	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	64.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	105	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	57.8	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	59.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	90.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
206-44-0	Fluoranthene	ND		ug/kg dry	116	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
86-73-7	Fluorene	ND		ug/kg dry	56.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	32.7	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	80.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	149	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	72.1	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	73.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
78-59-1	Isophorone	ND		ug/kg dry	74.4	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
91-20-3	Naphthalene	ND		ug/kg dry	59.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	90.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	52.3	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	116	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	56.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
85-01-8	Phenanthrene	ND		ug/kg dry	73.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
108-95-2	Phenol	ND		ug/kg dry	80.2	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
129-00-0	Pyrene	94.2	J	ug/kg dry	71.9	200	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:20	TD
	Surrogate Recoveries	Result			Acceptance Range						

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
5175-83-7	Surrogate: 2,4,6-Tribromophenol	90.2 %			15-110						
321-60-8	Surrogate: 2-Fluorobiphenyl	88.3 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	74.2 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	89.4 %			30-130						
4165-62-2	Surrogate: Phenol-d5	53.6 %			15-110						
1718-51-0	Surrogate: Terphenyl-d14	100 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00950	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00950	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00950	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00950	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00950	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00818	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00818	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00818	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00818	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
	Total PCBs	ND		mg/kg dry	0.00818	0.0204	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 03:45	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	86.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	90.5 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	13200		mg/kg dry	1.51	2.40	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-36-0	Antimony	ND		mg/kg dry	0.168	0.361	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-38-2	Arsenic	4.52		mg/kg dry	0.228	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-39-3	Barium	177		mg/kg dry	0.289	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.010	0.120	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.156	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-70-2	Calcium	30700		mg/kg dry	0.052	2.40	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-47-3	Chromium	21.9		mg/kg dry	0.096	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-48-4	Cobalt	11.6		mg/kg dry	0.096	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-50-8	Copper	69.2		mg/kg dry	0.168	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7439-89-6	Iron	22100		mg/kg dry	0.661	1.20	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7439-92-1	Lead	163		mg/kg dry	0.120	0.361	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW

Sample Information

Client Sample ID: SB-6-5-7_11/13/2010

York Sample ID: 10K0528-15

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 13, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-95-4	Magnesium	5280		mg/kg dry	0.986	2.40	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7439-96-5	Manganese	407		mg/kg dry	0.096	1.20	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-02-0	Nickel	27.8		mg/kg dry	0.084	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-09-7	Potassium	3530		mg/kg dry	3.27	12.0	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7782-49-2	Selenium	0.602		mg/kg dry	0.254	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-22-4	Silver	ND		mg/kg dry	0.108	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-23-5	Sodium	384		mg/kg dry	8.08	12.0	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-28-0	Thallium	ND		mg/kg dry	0.228	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-62-2	Vanadium	35.7		mg/kg dry	0.096	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW
7440-66-6	Zinc	114		mg/kg dry	0.084	0.601	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:35	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.117	0.120	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	83.2		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 13, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.9	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
67-64-1	Acetone	19	J, B	ug/kg dry	7.1	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
67-66-3	Chloroform	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-09-2	Methylene chloride	14	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
100-42-5	Styrene	ND		ug/kg dry	0.98	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
108-88-3	Toluene	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	32	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:17	SS

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	124 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	96.9 %			70-130						
2037-26-5	Surrogate: Toluene-d8	94.4 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	96.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	77.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	83.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	47.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	86.1	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	71.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	56.5	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	148	352	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	77.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	83.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	53.8	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	103	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	61.3	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	64.8	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	91.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	44.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	63.8	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	133	352	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	73.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	19.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	69.5	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.7	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	79.2	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	58.5	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.7	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
83-32-9	Acenaphthene	ND		ug/kg dry	102	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
208-96-8	Acenaphthylene	ND		ug/kg dry	49.3	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
120-12-7	Anthracene	ND		ug/kg dry	43.7	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	68.1	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	45.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	67.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	52.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	68.2	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
65-85-0	Benzoic acid	ND		ug/kg dry	120	352	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	57.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	73.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	64.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	59.8	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	65.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	59.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
218-01-9	Chrysene	ND		ug/kg dry	71.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.5	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	56.8	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	92.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.7	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.6	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	79.2	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
206-44-0	Fluoranthene	ND		ug/kg dry	102	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
86-73-7	Fluorene	ND		ug/kg dry	49.3	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.7	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	70.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	131	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	63.3	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	64.9	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
78-59-1	Isophorone	ND		ug/kg dry	65.4	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.6	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	79.2	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	46.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	102	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	49.3	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
85-01-8	Phenanthrene	ND		ug/kg dry	65.0	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-95-2	Phenol	ND		ug/kg dry	70.5	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
129-00-0	Pyrene	ND		ug/kg dry	63.2	176	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 13:53	TD
Surrogate Recoveries		Result	Acceptance Range								
5175-83-7	Surrogate: 2,4,6-Tribromophenol	33.6 %	15-110								
321-60-8	Surrogate: 2-Fluorobiphenyl	53.7 %	30-130								
367-12-4	Surrogate: 2-Fluorophenol	47.5 %	15-110								
4165-60-0	Surrogate: Nitrobenzene-d5	58.8 %	30-130								
4165-62-2	Surrogate: Phenol-d5	49.6 %	15-110								
1718-51-0	Surrogate: Terphenyl-d14	61.9 %	30-130								

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00834	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00834	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00834	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00834	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00834	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00718	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00718	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00718	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00718	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
	Total PCBs	ND		mg/kg dry	0.00718	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 04:24	JW
Surrogate Recoveries		Result	Acceptance Range								
2051-24-3	Surrogate: Decachlorobiphenyl	82.5 %	30-150								
877-09-8	Surrogate: Tetrachloro-m-xylene	84.5 %	30-150								

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2800		mg/kg dry	1.33	2.11	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-36-0	Antimony	ND		mg/kg dry	0.148	0.317	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-38-2	Arsenic	0.783		mg/kg dry	0.201	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-39-3	Barium	28.6		mg/kg dry	0.253	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.106	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.137	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-70-2	Calcium	505		mg/kg dry	0.046	2.11	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-47-3	Chromium	7.11		mg/kg dry	0.084	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-48-4	Cobalt	2.86		mg/kg dry	0.084	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW

Sample Information

Client Sample ID: SB-6-18-20_11/13/2010

York Sample ID: 10K0528-16

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-50-8	Copper	6.65		mg/kg dry	0.148	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7439-89-6	Iron	5900		mg/kg dry	0.581	1.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7439-92-1	Lead	3.09		mg/kg dry	0.106	0.317	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7439-95-4	Magnesium	1210		mg/kg dry	0.866	2.11	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7439-96-5	Manganese	346		mg/kg dry	0.084	1.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-02-0	Nickel	8.67		mg/kg dry	0.074	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-09-7	Potassium	783		mg/kg dry	2.87	10.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7782-49-2	Selenium	0.594		mg/kg dry	0.223	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-22-4	Silver	ND		mg/kg dry	0.095	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-23-5	Sodium	95.6		mg/kg dry	7.10	10.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-28-0	Thallium	ND		mg/kg dry	0.201	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-62-2	Vanadium	7.32		mg/kg dry	0.084	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW
7440-66-6	Zinc	10.7		mg/kg dry	0.074	0.528	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:40	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.102	0.106	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	94.7		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.0	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.50	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
78-93-3	2-Butanone	ND		ug/kg dry	5.9	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
67-64-1	Acetone	12	J, B	ug/kg dry	7.1	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-25-2	Bromoform	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.8	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
67-66-3	Chloroform	ND		ug/kg dry	0.82	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	1.9	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.80	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-09-2	Methylene chloride	15	J, B	ug/kg dry	2.4	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	21	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
100-42-5	Styrene	ND		ug/kg dry	0.98	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
108-88-3	Toluene	ND		ug/kg dry	0.53	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.4	32	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 18:51	SS
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	126 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	101 %			70-130						
2037-26-5	Surrogate: Toluene-d8	94.6 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	96.4	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	77.3	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	84.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	48.1	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	86.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	72.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	56.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	148	353	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	77.3	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	84.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	54.0	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	103	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	61.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	65.0	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	91.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	44.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	64.1	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	134	353	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	73.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	19.0	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	69.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	50.9	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	79.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-02-7	4-Nitroaniline	ND		ug/kg dry	58.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	63.9	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
83-32-9	Acenaphthene	ND		ug/kg dry	102	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	49.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
120-12-7	Anthracene	ND		ug/kg dry	43.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	68.4	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	46.1	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	67.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	53.1	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	68.4	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
65-85-0	Benzoic acid	ND		ug/kg dry	121	353	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	57.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	73.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	65.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	60.0	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	65.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	59.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
218-01-9	Chrysene	ND		ug/kg dry	71.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	57.0	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	92.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	50.9	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	52.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	79.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
206-44-0	Fluoranthene	ND		ug/kg dry	102	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
86-73-7	Fluorene	ND		ug/kg dry	49.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	28.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	70.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	131	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	63.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	65.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
78-59-1	Isophorone	ND		ug/kg dry	65.6	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
91-20-3	Naphthalene	ND		ug/kg dry	52.8	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	79.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	46.1	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	102	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	49.5	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
85-01-8	Phenanthrene	ND		ug/kg dry	65.2	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
108-95-2	Phenol	ND		ug/kg dry	70.7	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
129-00-0	Pyrene	ND		ug/kg dry	63.4	177	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:26	TD
Surrogate Recoveries		Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	34.3 %			15-110						
321-60-8	Surrogate: 2-Fluorobiphenyl	37.0 %			30-130						
367-12-4	Surrogate: 2-Fluorophenol	30.1 %			15-110						
4165-60-0	Surrogate: Nitrobenzene-d5	34.9 %			30-130						
4165-62-2	Surrogate: Phenol-d5	22.5 %			15-110						
1718-51-0	Surrogate: Terphenyl-d14	39.2 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00838	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00838	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00838	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00838	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00838	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00721	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00721	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00721	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00721	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
	Total PCBs	ND		mg/kg dry	0.00721	0.0180	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:02	JW
Surrogate Recoveries		Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	79.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	82.0 %			30-150						

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	2040		mg/kg dry	1.34	2.12	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-36-0	Antimony	ND		mg/kg dry	0.148	0.318	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-38-2	Arsenic	0.693		mg/kg dry	0.201	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-39-3	Barium	13.8		mg/kg dry	0.254	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.008	0.106	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.138	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-70-2	Calcium	477		mg/kg dry	0.046	2.12	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-47-3	Chromium	5.97		mg/kg dry	0.085	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-48-4	Cobalt	1.15		mg/kg dry	0.085	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-50-8	Copper	14.4		mg/kg dry	0.148	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7439-89-6	Iron	5260		mg/kg dry	0.583	1.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7439-92-1	Lead	39.2		mg/kg dry	0.106	0.318	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7439-95-4	Magnesium	972		mg/kg dry	0.869	2.12	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7439-96-5	Manganese	24.2		mg/kg dry	0.085	1.06	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-02-0	Nickel	4.67		mg/kg dry	0.074	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-09-7	Potassium	445		mg/kg dry	2.88	10.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7782-49-2	Selenium	ND		mg/kg dry	0.224	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-22-4	Silver	ND		mg/kg dry	0.095	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-23-5	Sodium	101		mg/kg dry	7.12	10.6	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-28-0	Thallium	ND		mg/kg dry	0.201	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-62-2	Vanadium	6.68		mg/kg dry	0.085	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW
7440-66-6	Zinc	12.2		mg/kg dry	0.074	0.530	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 22:44	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.103	0.106	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Sample Information

Client Sample ID: SB-5-10-13_11/13/2010

York Sample ID: 10K0528-17

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 13, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	94.3		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

<u>York Project (SDG) No.</u> 10K0528	<u>Client Project ID</u> 170121501	<u>Matrix</u> Soil	<u>Collection Date/Time</u> November 13, 2010 3:00 pm	<u>Date Received</u> 11/15/2010
--	---------------------------------------	-----------------------	--	------------------------------------

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.7	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.2	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.53	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.3	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
67-64-1	Acetone	31	B	ug/kg dry	7.5	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.85	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.8	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
67-66-3	Chloroform	ND		ug/kg dry	0.87	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.85	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.85	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.92	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.6	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
100-42-5	Styrene	ND		ug/kg dry	1.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
108-88-3	Toluene	ND		ug/kg dry	0.56	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.5	34	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:25	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	122 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						
2037-26-5	Surrogate: Toluene-d8	94.7 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	102	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	81.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	89.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	64.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	50.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	91.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	76.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	60.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	157	374	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	81.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	89.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	57.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	109	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	65.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	68.8	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	97.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	64.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	47.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	67.8	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	141	374	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	78.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	20.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	73.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	53.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	84.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	62.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	67.7	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
83-32-9	Acenaphthene	ND		ug/kg dry	108	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	52.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
120-12-7	Anthracene	ND		ug/kg dry	46.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	72.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	48.8	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	71.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	56.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	72.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
65-85-0	Benzoic acid	ND		ug/kg dry	128	374	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	60.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	78.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	69.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	63.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	69.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	62.6	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
218-01-9	Chrysene	ND		ug/kg dry	75.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	47.3	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
132-64-9	Dibenzofuran	ND		ug/kg dry	60.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	98.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	53.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	55.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	84.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
206-44-0	Fluoranthene	ND		ug/kg dry	108	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
86-73-7	Fluorene	ND		ug/kg dry	52.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	30.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	74.8	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	139	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	67.3	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	69.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
78-59-1	Isophorone	ND		ug/kg dry	69.5	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
91-20-3	Naphthalene	ND		ug/kg dry	55.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	84.2	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	48.8	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	108	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	52.4	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
85-01-8	Phenanthrene	ND		ug/kg dry	69.0	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
108-95-2	Phenol	ND		ug/kg dry	74.9	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD
129-00-0	Pyrene	ND		ug/kg dry	67.1	187	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 14:59	TD

Surrogate Recoveries

Result

Acceptance Range

5175-83-7	Surrogate: 2,4,6-Tribromophenol	55.8 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	55.0 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	50.2 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	63.8 %	30-130
4165-62-2	Surrogate: Phenol-d5	40.1 %	15-110
1718-51-0	Surrogate: Terphenyl-d14	58.2 %	30-130

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00887	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00887	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00887	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00887	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00887	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00763	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00763	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00763	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00763	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
	Total PCBs	ND		mg/kg dry	0.00763	0.0191	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 05:41	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	106 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	121 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	3830		mg/kg dry	1.41	2.24	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-36-0	Antimony	0.770		mg/kg dry	0.157	0.337	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-38-2	Arsenic	1.60		mg/kg dry	0.213	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-39-3	Barium	65.8		mg/kg dry	0.269	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.112	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.146	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-70-2	Calcium	15200		mg/kg dry	0.049	2.24	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-47-3	Chromium	9.30		mg/kg dry	0.090	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-48-4	Cobalt	3.22		mg/kg dry	0.090	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-50-8	Copper	28.0		mg/kg dry	0.157	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7439-89-6	Iron	7150		mg/kg dry	0.617	1.12	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7439-92-1	Lead	650		mg/kg dry	0.112	0.337	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7439-95-4	Magnesium	2740		mg/kg dry	0.920	2.24	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7439-96-5	Manganese	137		mg/kg dry	0.090	1.12	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-02-0	Nickel	9.72		mg/kg dry	0.079	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-09-7	Potassium	721		mg/kg dry	3.05	11.2	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7782-49-2	Selenium	ND		mg/kg dry	0.237	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-22-4	Silver	ND		mg/kg dry	0.101	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-23-5	Sodium	179		mg/kg dry	7.54	11.2	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-28-0	Thallium	ND		mg/kg dry	0.213	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW

Sample Information

Client Sample ID: SB-5-17-18_11/13/2010

York Sample ID: 10K0528-18

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-62-2	Vanadium	10.2		mg/kg dry	0.090	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW
7440-66-6	Zinc	69.6		mg/kg dry	0.079	0.561	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:12	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7471

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.109	0.112	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	89.1		%	0.100	0.100	1	SM 2540G	11/19/2010 12:52	11/19/2010 12:52	JT

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.1	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.1	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.52	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.1	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
67-64-1	Acetone	43	B	ug/kg dry	7.3	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-43-2	Benzene	ND		ug/kg dry	1.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-25-2	Bromoform	ND		ug/kg dry	1.4	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
74-83-9	Bromomethane	ND		ug/kg dry	2.9	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-00-3	Chloroethane	ND		ug/kg dry	1.8	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
67-66-3	Chloroform	ND		ug/kg dry	0.85	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
74-87-3	Chloromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-71-8	Dichlorodifluoromethane	ND		ug/kg dry	2.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
100-41-4	Ethyl Benzene	ND		ug/kg dry	0.83	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	0.90	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-09-2	Methylene chloride	17	J, B	ug/kg dry	2.5	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
95-47-6	o-Xylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/kg dry	1.3	22	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
100-42-5	Styrene	ND		ug/kg dry	1.0	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
108-88-3	Toluene	ND		ug/kg dry	0.54	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.6	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
79-01-6	Trichloroethylene	ND		ug/kg dry	1.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.1	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
75-01-4	Vinyl Chloride	ND		ug/kg dry	2.3	11	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
1330-20-7	Xylenes, Total	ND		ug/kg dry	2.5	33	2	EPA SW846-8260B	11/19/2010 13:57	11/19/2010 19:59	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	124 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	105 %			70-130						
2037-26-5	Surrogate: Toluene-d8	96.5 %			70-130						

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	99.3	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	79.7	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	86.8	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	62.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	49.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	89.1	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	74.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	58.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	153	364	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	79.7	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	86.8	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	55.6	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
95-57-8	2-Chlorophenol	ND		ug/kg dry	106	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	63.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
95-48-7	2-Methylphenol	ND		ug/kg dry	67.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
88-74-4	2-Nitroaniline	ND		ug/kg dry	94.6	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
88-75-5	2-Nitrophenol	ND		ug/kg dry	62.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/kg dry	45.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
99-09-2	3-Nitroaniline	ND		ug/kg dry	66.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/kg dry	138	364	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	76.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	19.6	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
106-47-8	4-Chloroaniline	ND		ug/kg dry	71.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	52.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
100-01-6	4-Methylphenol	ND		ug/kg dry	82.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
100-02-7	4-Nitroaniline	ND		ug/kg dry	60.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
56-57-5	4-Nitrophenol	ND		ug/kg dry	65.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
83-32-9	Acenaphthene	ND		ug/kg dry	106	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
208-96-8	Acenaphthylene	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
120-12-7	Anthracene	ND		ug/kg dry	45.2	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	70.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	47.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	69.3	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	54.8	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	70.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65-85-0	Benzoic acid	ND		ug/kg dry	125	364	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
100-51-6	Benzyl alcohol	ND		ug/kg dry	59.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	76.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	67.2	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	61.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	67.7	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	61.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
218-01-9	Chrysene	ND		ug/kg dry	73.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	46.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
132-64-9	Dibenzofuran	ND		ug/kg dry	58.8	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
84-66-2	Diethyl phthalate	ND		ug/kg dry	95.6	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
131-11-3	Dimethyl phthalate	ND		ug/kg dry	52.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	54.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	82.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
206-44-0	Fluoranthene	ND		ug/kg dry	106	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
86-73-7	Fluorene	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
118-74-1	Hexachlorobenzene	ND		ug/kg dry	29.7	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	72.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/kg dry	136	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
67-72-1	Hexachloroethane	ND		ug/kg dry	65.5	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	67.2	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
78-59-1	Isophorone	ND		ug/kg dry	67.7	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
91-20-3	Naphthalene	ND		ug/kg dry	54.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
98-95-3	Nitrobenzene	ND		ug/kg dry	82.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	47.6	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	106	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
87-86-5	Pentachlorophenol	ND		ug/kg dry	51.0	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
85-01-8	Phenanthrene	ND		ug/kg dry	67.2	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
108-95-2	Phenol	ND		ug/kg dry	72.9	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD
129-00-0	Pyrene	ND		ug/kg dry	65.4	182	1	EPA SW846-8270C	11/22/2010 07:47	11/23/2010 15:31	TD

	Surrogate Recoveries	Result	Acceptance Range
5175-83-7	Surrogate: 2,4,6-Tribromophenol	88.2 %	15-110
321-60-8	Surrogate: 2-Fluorobiphenyl	83.1 %	30-130
367-12-4	Surrogate: 2-Fluorophenol	77.1 %	15-110
4165-60-0	Surrogate: Nitrobenzene-d5	90.4 %	30-130
4165-62-2	Surrogate: Phenol-d5	52.7 %	15-110

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1718-51-0	Surrogate: Terphenyl-d14	88.7 %			30-130						

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
11104-28-2	Aroclor 1221	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
11141-16-5	Aroclor 1232	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
53469-21-9	Aroclor 1242	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
12672-29-6	Aroclor 1248	ND		mg/kg dry	0.00863	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
11097-69-1	Aroclor 1254	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
11096-82-5	Aroclor 1260	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
37324-23-5	Aroclor 1262	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
11100-14-4	Aroclor 1268	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
	Total PCBs	ND		mg/kg dry	0.00743	0.0186	1	EPA SW 846-8082	11/22/2010 07:53	11/23/2010 06:19	JW
	Surrogate Recoveries	Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	87.0 %			30-150						
877-09-8	Surrogate: Tetrachloro-m-xylene	100 %			30-150						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3050B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	9580		mg/kg dry	1.38	2.19	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-36-0	Antimony	ND		mg/kg dry	0.153	0.328	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-38-2	Arsenic	3.17		mg/kg dry	0.208	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-39-3	Barium	71.5		mg/kg dry	0.262	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-41-7	Beryllium	ND		mg/kg dry	0.009	0.109	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-43-9	Cadmium	ND		mg/kg dry	0.142	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-70-2	Calcium	4520		mg/kg dry	0.047	2.19	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-47-3	Chromium	27.4		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-48-4	Cobalt	8.06		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-50-8	Copper	32.3		mg/kg dry	0.153	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7439-89-6	Iron	13900		mg/kg dry	0.601	1.09	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7439-92-1	Lead	37.4		mg/kg dry	0.109	0.328	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7439-95-4	Magnesium	3790		mg/kg dry	0.896	2.19	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7439-96-5	Manganese	373		mg/kg dry	0.087	1.09	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-02-0	Nickel	23.1		mg/kg dry	0.077	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-09-7	Potassium	1210		mg/kg dry	2.97	10.9	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW

Sample Information

Client Sample ID: SB-2-15-16_11/12/2010

York Sample ID: 10K0528-19

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 12, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Sample Prepared by Method: EPA SW 846-3050B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	1.27		mg/kg dry	0.231	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-22-4	Silver	ND		mg/kg dry	0.098	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-23-5	Sodium	610		mg/kg dry	7.34	10.9	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-28-0	Thallium	ND		mg/kg dry	0.208	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-62-2	Vanadium	23.8		mg/kg dry	0.087	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW
7440-66-6	Zinc	75.6		mg/kg dry	0.077	0.546	1	EPA SW846-6010B	11/17/2010 15:35	11/17/2010 23:16	MW

Mercury by 7470/7471

Sample Prepared by Method: EPA SW846-7471

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.106	0.109	1	EPA SW846-7471	11/18/2010 15:31	11/18/2010 15:31	AA

Total Solids

Sample Prepared by Method: % Solids Prep

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	% Solids	91.5		%	0.100	0.100	1	SM 2540G	11/20/2010 08:17	11/20/2010 08:17	JT

Analytical Batch Summary

Batch ID: BK00622

Preparation Method: EPA SW 846-3010A

Prepared By: MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/17/10
10K0528-11	TMW-14_11/13/2010	11/17/10
BK00622-BLK1	Blank	11/17/10
BK00622-SRM1	Reference	11/17/10
BK00622-SRM2	Reference	11/17/10

Batch ID: BK00624

Preparation Method: EPA SW 846-3050B

Prepared By: MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/17/10
10K0528-02	SB-1-16-18_11/12/2010	11/17/10
10K0528-03	SB-4-0-3_11/12/2010	11/17/10
10K0528-04	SB-4-15-18_11/12/2010	11/17/10
10K0528-05	SB-3-5-7_11/12/2010	11/17/10
10K0528-06	SB-3-15-18_11/12/2010	11/17/10
10K0528-07	SB-2-5-9_11/12/2010	11/17/10
10K0528-08	SB-DUP-1_11/12/2010	11/17/10
10K0528-09	SB-DUP-2_11/12/2010	11/17/10
10K0528-13	SB-7-0-4_11/13/2010	11/17/10
10K0528-14	SB-7-14-15_11/13/2010	11/17/10
10K0528-15	SB-6-5-7_11/13/2010	11/17/10
10K0528-16	SB-6-18-20_11/13/2010	11/17/10
10K0528-17	SB-5-10-13_11/13/2010	11/17/10
10K0528-18	SB-5-17-18_11/13/2010	11/17/10
10K0528-19	SB-2-15-16_11/12/2010	11/17/10
BK00624-BLK1	Blank	11/17/10
BK00624-DUP1	Duplicate	11/17/10
BK00624-MS1	Matrix Spike	11/17/10
BK00624-SRM1	Reference	11/17/10

Batch ID: BK00645

Preparation Method: EPA SW846-7470

Prepared By: AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/18/10
10K0528-11	TMW-14_11/13/2010	11/18/10
BK00645-BLK1	Blank	11/22/10
BK00645-BS1	LCS	11/22/10

Batch ID: BK00646

Preparation Method: EPA SW846-7471

Prepared By: AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/18/10
10K0528-02	SB-1-16-18_11/12/2010	11/18/10
10K0528-03	SB-4-0-3_11/12/2010	11/18/10
10K0528-04	SB-4-15-18_11/12/2010	11/18/10
10K0528-05	SB-3-5-7_11/12/2010	11/18/10
10K0528-06	SB-3-15-18_11/12/2010	11/18/10

YORK

ANALYTICAL LABORATORIES, INC.

10K0528-07	SB-2-5-9_11/12/2010	11/18/10
10K0528-08	SB-DUP-1_11/12/2010	11/18/10
10K0528-09	SB-DUP-2_11/12/2010	11/18/10
10K0528-13	SB-7-0-4_11/13/2010	11/18/10
10K0528-14	SB-7-14-15_11/13/2010	11/18/10
10K0528-15	SB-6-5-7_11/13/2010	11/18/10
10K0528-16	SB-6-18-20_11/13/2010	11/18/10
10K0528-17	SB-5-10-13_11/13/2010	11/18/10
10K0528-18	SB-5-17-18_11/13/2010	11/18/10
10K0528-19	SB-2-15-16_11/12/2010	11/18/10
BK00646-BLK1	Blank	11/18/10
BK00646-BS1	LCS	11/18/10
BK00646-DUP1	Duplicate	11/18/10
BK00646-MS1	Matrix Spike	11/18/10

Batch ID: BK00700 **Preparation Method:** % Solids Prep **Prepared By:** JT

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/19/10
10K0528-02	SB-1-16-18_11/12/2010	11/19/10
10K0528-03	SB-4-0-3_11/12/2010	11/19/10
10K0528-04	SB-4-15-18_11/12/2010	11/19/10
10K0528-05	SB-3-5-7_11/12/2010	11/19/10
10K0528-06	SB-3-15-18_11/12/2010	11/19/10
10K0528-07	SB-2-5-9_11/12/2010	11/19/10
10K0528-08	SB-DUP-1_11/12/2010	11/19/10
10K0528-09	SB-DUP-2_11/12/2010	11/19/10
10K0528-13	SB-7-0-4_11/13/2010	11/19/10
10K0528-14	SB-7-14-15_11/13/2010	11/19/10
10K0528-15	SB-6-5-7_11/13/2010	11/19/10
10K0528-16	SB-6-18-20_11/13/2010	11/19/10
10K0528-17	SB-5-10-13_11/13/2010	11/19/10
10K0528-18	SB-5-17-18_11/13/2010	11/19/10

Batch ID: BK00713 **Preparation Method:** EPA 5030B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/20/10
10K0528-11	TMW-14_11/13/2010	11/20/10
10K0528-12	Tripblank_11/13/2010	11/20/10
BK00713-BLK1	Blank	11/19/10
BK00713-BS1	LCS	11/19/10
BK00713-BSD1	LCS Dup	11/19/10

Batch ID: BK00715 **Preparation Method:** EPA 5035B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/19/10
10K0528-02	SB-1-16-18_11/12/2010	11/19/10
10K0528-03	SB-4-0-3_11/12/2010	11/19/10
10K0528-04	SB-4-15-18_11/12/2010	11/19/10
10K0528-05	SB-3-5-7_11/12/2010	11/19/10
10K0528-06	SB-3-15-18_11/12/2010	11/19/10

YORK

ANALYTICAL LABORATORIES, INC.

10K0528-07	SB-2-5-9_11/12/2010	11/19/10
10K0528-08	SB-DUP-1_11/12/2010	11/19/10
10K0528-09	SB-DUP-2_11/12/2010	11/19/10
10K0528-13	SB-7-0-4_11/13/2010	11/19/10
10K0528-14	SB-7-14-15_11/13/2010	11/19/10
BK00715-BLK1	Blank	11/19/10
BK00715-BS1	LCS	11/19/10
BK00715-BSD1	LCS Dup	11/19/10

Batch ID: BK00716 **Preparation Method:** % Solids Prep **Prepared By:** AD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-19	SB-2-15-16_11/12/2010	11/20/10

Batch ID: BK00718 **Preparation Method:** EPA 5035B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-15	SB-6-5-7_11/13/2010	11/19/10
10K0528-16	SB-6-18-20_11/13/2010	11/19/10
10K0528-17	SB-5-10-13_11/13/2010	11/19/10
10K0528-18	SB-5-17-18_11/13/2010	11/19/10
10K0528-19	SB-2-15-16_11/12/2010	11/19/10
BK00718-BLK1	Blank	11/19/10
BK00718-BS1	LCS	11/19/10
BK00718-BSD1	LCS Dup	11/19/10

Batch ID: BK00733 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/22/10
10K0528-02	SB-1-16-18_11/12/2010	11/22/10
10K0528-03	SB-4-0-3_11/12/2010	11/22/10
10K0528-04	SB-4-15-18_11/12/2010	11/22/10
10K0528-05	SB-3-5-7_11/12/2010	11/22/10
10K0528-06	SB-3-15-18_11/12/2010	11/22/10
10K0528-07	SB-2-5-9_11/12/2010	11/22/10
10K0528-08	SB-DUP-1_11/12/2010	11/22/10
10K0528-09	SB-DUP-2_11/12/2010	11/22/10
10K0528-13	SB-7-0-4_11/13/2010	11/22/10
10K0528-14	SB-7-14-15_11/13/2010	11/22/10
10K0528-15	SB-6-5-7_11/13/2010	11/22/10
10K0528-16	SB-6-18-20_11/13/2010	11/22/10
10K0528-17	SB-5-10-13_11/13/2010	11/22/10
10K0528-18	SB-5-17-18_11/13/2010	11/22/10
10K0528-19	SB-2-15-16_11/12/2010	11/22/10
BK00733-BLK2	Blank	11/22/10
BK00733-BS1	LCS	11/22/10
BK00733-MS1	Matrix Spike	11/22/10
BK00733-MSD1	Matrix Spike Dup	11/22/10

Batch ID: BK00735 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK

ANALYTICAL LABORATORIES, INC.

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/22/10
10K0528-02	SB-1-16-18_11/12/2010	11/22/10
10K0528-03	SB-4-0-3_11/12/2010	11/22/10
10K0528-04	SB-4-15-18_11/12/2010	11/22/10
10K0528-05	SB-3-5-7_11/12/2010	11/22/10
10K0528-06	SB-3-15-18_11/12/2010	11/22/10
10K0528-07	SB-2-5-9_11/12/2010	11/22/10
10K0528-08	SB-DUP-1_11/12/2010	11/22/10
10K0528-09	SB-DUP-2_11/12/2010	11/22/10
10K0528-13	SB-7-0-4_11/13/2010	11/22/10
10K0528-14	SB-7-14-15_11/13/2010	11/22/10
10K0528-15	SB-6-5-7_11/13/2010	11/22/10
10K0528-16	SB-6-18-20_11/13/2010	11/22/10
10K0528-17	SB-5-10-13_11/13/2010	11/22/10
10K0528-18	SB-5-17-18_11/13/2010	11/22/10
10K0528-19	SB-2-15-16_11/12/2010	11/22/10
BK00735-BLK1	Blank	11/22/10
BK00735-BS1	LCS	11/22/10
BK00735-MS1	Matrix Spike	11/22/10
BK00735-MSD1	Matrix Spike Dup	11/22/10

Batch ID: BK00738 **Preparation Method:** EPA 3510C **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/19/10
10K0528-11	TMW-14_11/13/2010	11/19/10
BK00738-BLK1	Blank	11/19/10
BK00738-BS1	LCS	11/19/10
BK00738-BSD1	LCS Dup	11/19/10

Batch ID: BK00740 **Preparation Method:** EPA SW846-3510C Low Level **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/19/10
10K0528-11	TMW-14_11/13/2010	11/19/10
BK00740-BLK1	Blank	11/19/10
BK00740-BS1	LCS	11/19/10
BK00740-BSD1	LCS Dup	11/19/10

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00713 - EPA 5030B

Blank (BK00713-BLK1)

Prepared & Analyzed: 11/19/2010

1,1,1-Trichloroethane	ND	5.0	ug/L								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
Acetone	3.9	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Isopropylbenzene	ND	5.0	"								
Methyl isobutyl ketone	ND	10	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	5.2	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								

<i>Surrogate: 1,2-Dichloroethane-d4</i>	52.7	"	50.0	105	70-130
<i>Surrogate: p-Bromofluorobenzene</i>	52.3	"	50.0	105	70-130
<i>Surrogate: Toluene-d8</i>	53.4	"	50.0	107	70-130

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00713 - EPA 5030B											
LCS (BK00713-BS1)						Prepared & Analyzed: 11/19/2010					
1,1,1-Trichloroethane	48		ug/L	50.0		96.7	70-130				
1,1,2,2-Tetrachloroethane	52		"	50.0		103	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	43		"	50.0		85.5	70-130				
1,1,2-Trichloroethane	53		"	50.0		107	70-130				
1,1-Dichloroethane	48		"	50.0		95.7	70-130				
1,1-Dichloroethylene	54		"	50.0		108	70-130				
1,2,4-Trichlorobenzene	44		"	50.0		88.9	70-130				
1,2-Dibromo-3-chloropropane	55		"	50.0		111	70-130				
1,2-Dibromoethane	51		"	50.0		102	70-130				
1,2-Dichloroethane	50		"	50.0		99.4	70-130				
1,2-Dichloropropane	54		"	50.0		109	70-130				
2-Butanone	51		"	50.0		102	70-130				
2-Hexanone	61		"	50.0		122	70-130				
Acetone	39		"	50.0		78.5	70-130				
Benzene	47		"	50.0		93.5	70-130				
Bromodichloromethane	56		"	50.0		112	70-130				
Bromoform	47		"	50.0		94.5	70-130				
Bromomethane	53		"	50.0		107	70-130				
Carbon disulfide	83		"	100		82.5	70-130				
Carbon tetrachloride	49		"	50.0		97.5	70-130				
Chlorobenzene	50		"	50.0		100	70-130				
Chloroethane	54		"	50.0		108	70-130				
Chloroform	49		"	50.0		98.0	70-130				
Chloromethane	48		"	50.0		95.4	70-130				
cis-1,2-Dichloroethylene	43		"	50.0		85.6	70-130				
cis-1,3-Dichloropropylene	52		"	50.0		104	70-130				
Dibromochloromethane	52		"	50.0		104	70-130				
Dichlorodifluoromethane	38		"	50.0		75.4	70-130				
Ethyl Benzene	54		"	50.0		107	70-130				
Isopropylbenzene	51		"	50.0		103	70-130				
Methyl isobutyl ketone	59		"	50.0		119	70-130				
Methyl tert-butyl ether (MTBE)	54		"	50.0		108	70-130				
Methylene chloride	46		"	50.0		92.9	70-130				
o-Xylene	53		"	50.0		106	70-130				
p- & m- Xylenes	110		"	100		109	70-130				
Styrene	54		"	50.0		107	70-130				
Tetrachloroethylene	50		"	50.0		101	70-130				
Toluene	50		"	50.0		101	70-130				
trans-1,2-Dichloroethylene	50		"	50.0		99.8	70-130				
trans-1,3-Dichloropropylene	57		"	50.0		114	70-130				
Trichloroethylene	51		"	50.0		102	70-130				
Trichlorofluoromethane	53		"	50.0		105	70-130				
Vinyl Chloride	48		"	50.0		95.1	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>51.6</i>		<i>"</i>	<i>50.0</i>		<i>103</i>	<i>70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>45.0</i>		<i>"</i>	<i>50.0</i>		<i>90.0</i>	<i>70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>52.8</i>		<i>"</i>	<i>50.0</i>		<i>106</i>	<i>70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00713 - EPA 5030B										
LCS Dup (BK00713-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	47		ug/L	50.0		94.1	70-130		2.73	30
1,1,2,2-Tetrachloroethane	52		"	50.0		103	70-130		0.387	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	42		"	50.0		83.1	70-130		2.78	30
1,1,2-Trichloroethane	51		"	50.0		103	70-130		3.61	30
1,1-Dichloroethane	47		"	50.0		94.7	70-130		0.966	30
1,1-Dichloroethylene	54		"	50.0		107	70-130		0.760	30
1,2,4-Trichlorobenzene	45		"	50.0		90.3	70-130		1.54	30
1,2-Dibromo-3-chloropropane	54		"	50.0		109	70-130		1.46	30
1,2-Dibromoethane	50		"	50.0		101	70-130		0.987	30
1,2-Dichloroethane	49		"	50.0		98.9	70-130		0.444	30
1,2-Dichloropropane	52		"	50.0		105	70-130		3.67	30
2-Butanone	51		"	50.0		102	70-130		0.176	30
2-Hexanone	63		"	50.0		126	70-130		3.85	30
Acetone	39		"	50.0		78.0	70-130		0.690	30
Benzene	45		"	50.0		90.7	70-130		3.13	30
Bromodichloromethane	54		"	50.0		107	70-130		4.30	30
Bromoform	47		"	50.0		93.2	70-130		1.34	30
Bromomethane	52		"	50.0		104	70-130		3.09	30
Carbon disulfide	81		"	100		81.5	70-130		1.29	30
Carbon tetrachloride	48		"	50.0		95.5	70-130		2.05	30
Chlorobenzene	49		"	50.0		98.6	70-130		1.75	30
Chloroethane	54		"	50.0		108	70-130		0.259	30
Chloroform	49		"	50.0		97.2	70-130		0.779	30
Chloromethane	47		"	50.0		94.9	70-130		0.568	30
cis-1,2-Dichloroethylene	43		"	50.0		85.6	70-130		0.0701	30
cis-1,3-Dichloropropylene	52		"	50.0		103	70-130		0.887	30
Dibromochloromethane	51		"	50.0		103	70-130		1.06	30
Dichlorodifluoromethane	37		"	50.0		73.3	70-130		2.88	30
Ethyl Benzene	53		"	50.0		105	70-130		1.96	30
Isopropylbenzene	51		"	50.0		101	70-130		1.69	30
Methyl isobutyl ketone	60		"	50.0		119	70-130		0.655	30
Methyl tert-butyl ether (MTBE)	53		"	50.0		106	70-130		1.18	30
Methylene chloride	45		"	50.0		89.6	70-130		3.53	30
o-Xylene	52		"	50.0		103	70-130		2.87	30
p- & m- Xylenes	110		"	100		108	70-130		0.896	30
Styrene	53		"	50.0		105	70-130		1.90	30
Tetrachloroethylene	54		"	50.0		108	70-130		6.89	30
Toluene	50		"	50.0		100	70-130		0.777	30
trans-1,2-Dichloroethylene	50		"	50.0		99.1	70-130		0.764	30
trans-1,3-Dichloropropylene	55		"	50.0		111	70-130		3.12	30
Trichloroethylene	50		"	50.0		99.8	70-130		2.16	30
Trichlorofluoromethane	51		"	50.0		102	70-130		3.55	30
Vinyl Chloride	47		"	50.0		94.2	70-130		0.972	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>51.0</i>		<i>"</i>	<i>50.0</i>		<i>102</i>	<i>70-130</i>			
<i>Surrogate: p-Bromofluorobenzene</i>	<i>45.3</i>		<i>"</i>	<i>50.0</i>		<i>90.6</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>52.0</i>		<i>"</i>	<i>50.0</i>		<i>104</i>	<i>70-130</i>			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00715 - EPA 5035B

Blank (BK00715-BLK1)

Prepared: 11/19/2010 Analyzed: 11/20/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
4-Methyl-2-pentanone	ND	5.0	"								
Acetone	ND	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	2.9	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								
<i>Surrogate: 1,2-Dichloroethane-d4</i>	49.0		ug/L	50.0		97.9	70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	47.7		"	50.0		95.4	70-130				
<i>Surrogate: Toluene-d8</i>	53.7		"	50.0		107	70-130				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00715 - EPA 5035B										
LCS (BK00715-BS1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	52		ug/L	50.0		104	70-130			
1,1,2,2-Tetrachloroethane	55		"	50.0		110	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	48		"	50.0		96.0	70-130			
1,1,2-Trichloroethane	56		"	50.0		112	70-130			
1,1-Dichloroethane	51		"	50.0		101	70-130			
1,1-Dichloroethylene	56		"	50.0		112	70-130			
1,2,4-Trichlorobenzene	47		"	50.0		94.0	70-130			
1,2-Dibromo-3-chloropropane	43		"	50.0		86.9	70-130			
1,2-Dibromoethane	55		"	50.0		109	70-130			
1,2-Dichloroethane	52		"	50.0		104	70-130			
1,2-Dichloropropane	55		"	50.0		111	70-130			
2-Butanone	54		"	50.0		109	70-130			
2-Hexanone	51		"	50.0		102	70-130			
4-Methyl-2-pentanone	53	5.0	ug/kg wet				70-130			
Acetone	28		ug/L	50.0		55.3	70-130			Low Bias
Benzene	49		"	50.0		97.2	70-130			
Bromodichloromethane	55		"	50.0		109	70-130			
Bromoform	54		"	50.0		108	70-130			
Bromomethane	40		"	50.0		79.6	70-130			
Carbon disulfide	88		"	100		88.4	70-130			
Carbon tetrachloride	54		"	50.0		107	70-130			
Chlorobenzene	54		"	50.0		108	70-130			
Chloroethane	43		"	50.0		86.4	70-130			
Chloroform	52		"	50.0		104	70-130			
Chloromethane	34		"	50.0		68.3	70-130			Low Bias
cis-1,2-Dichloroethylene	50		"	50.0		100	70-130			
cis-1,3-Dichloropropylene	50		"	50.0		99.0	70-130			
Dibromochloromethane	55		"	50.0		111	70-130			
Dichlorodifluoromethane	32		"	50.0		63.2	70-130			Low Bias
Ethyl Benzene	55		"	50.0		110	70-130			
Methyl tert-butyl ether (MTBE)	47		"	50.0		94.1	70-130			
Methylene chloride	38		"	50.0		75.2	70-130			
o-Xylene	52		"	50.0		104	70-130			
p- & m- Xylenes	110		"	100		108	70-130			
Styrene	53		"	50.0		106	70-130			
Tetrachloroethylene	60		"	50.0		120	70-130			
Toluene	51		"	50.0		102	70-130			
trans-1,2-Dichloroethylene	51		"	50.0		103	70-130			
trans-1,3-Dichloropropylene	52		"	50.0		104	70-130			
Trichloroethylene	56		"	50.0		113	70-130			
Trichlorofluoromethane	49		"	50.0		98.4	70-130			
Vinyl Chloride	40		"	50.0		79.9	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>51.2</i>		<i>"</i>	<i>50.0</i>		<i>102</i>	<i>70-130</i>			
<i>Surrogate: p-Bromofluorobenzene</i>	<i>50.6</i>		<i>"</i>	<i>50.0</i>		<i>101</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>52.9</i>		<i>"</i>	<i>50.0</i>		<i>106</i>	<i>70-130</i>			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00715 - EPA 5035B										
LCS Dup (BK00715-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	51		ug/L	50.0		101 70-130		2.63	30	
1,1,2,2-Tetrachloroethane	53		"	50.0		105 70-130		4.00	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	45		"	50.0		90.8 70-130		5.63	30	
1,1,2-Trichloroethane	56		"	50.0		113 70-130		1.23	30	
1,1-Dichloroethane	50		"	50.0		99.3 70-130		2.17	30	
1,1-Dichloroethylene	54		"	50.0		109 70-130		2.99	30	
1,2,4-Trichlorobenzene	54		"	50.0		108 70-130		13.6	30	
1,2-Dibromo-3-chloropropane	48		"	50.0		96.7 70-130		10.7	30	
1,2-Dibromoethane	59		"	50.0		117 70-130		6.91	30	
1,2-Dichloroethane	52		"	50.0		105 70-130		0.611	30	
1,2-Dichloropropane	56		"	50.0		113 70-130		1.88	30	
2-Butanone	50		"	50.0		100 70-130		7.91	30	
2-Hexanone	53		"	50.0		107 70-130		4.74	30	
4-Methyl-2-pentanone	56	5.0	ug/kg wet			70-130			30	
Acetone	27		ug/L	50.0		53.8 70-130	Low Bias	2.86	30	
Benzene	48		"	50.0		95.2 70-130		2.10	30	
Bromodichloromethane	58		"	50.0		115 70-130		5.65	30	
Bromoform	52		"	50.0		104 70-130		4.05	30	
Bromomethane	38		"	50.0		75.4 70-130		5.37	30	
Carbon disulfide	86		"	100		85.6 70-130		3.32	30	
Carbon tetrachloride	50		"	50.0		101 70-130		6.44	30	
Chlorobenzene	56		"	50.0		112 70-130		4.02	30	
Chloroethane	44		"	50.0		88.3 70-130		2.24	30	
Chloroform	51		"	50.0		101 70-130		2.62	30	
Chloromethane	34		"	50.0		67.5 70-130	Low Bias	1.12	30	
cis-1,2-Dichloroethylene	48		"	50.0		95.9 70-130		4.47	30	
cis-1,3-Dichloropropylene	52		"	50.0		103 70-130		3.96	30	
Dibromochloromethane	57		"	50.0		114 70-130		3.06	30	
Dichlorodifluoromethane	30		"	50.0		59.7 70-130	Low Bias	5.63	30	
Ethyl Benzene	57		"	50.0		113 70-130		3.42	30	
Methyl tert-butyl ether (MTBE)	45		"	50.0		90.5 70-130		3.94	30	
Methylene chloride	38		"	50.0		76.5 70-130		1.77	30	
o-Xylene	54		"	50.0		108 70-130		3.27	30	
p- & m- Xylenes	110		"	100		112 70-130		3.49	30	
Styrene	54		"	50.0		109 70-130		2.59	30	
Tetrachloroethylene	84		"	50.0		167 70-130	High Bias	32.6	30	Non-dir.
Toluene	52		"	50.0		105 70-130		2.71	30	
trans-1,2-Dichloroethylene	50		"	50.0		99.1 70-130		3.55	30	
trans-1,3-Dichloropropylene	54		"	50.0		109 70-130		4.23	30	
Trichloroethylene	59		"	50.0		118 70-130		4.30	30	
Trichlorofluoromethane	46		"	50.0		91.2 70-130		7.61	30	
Vinyl Chloride	37		"	50.0		74.7 70-130		6.65	30	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>48.0</i>		<i>"</i>	<i>50.0</i>		<i>96.0 70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>47.9</i>		<i>"</i>	<i>50.0</i>		<i>95.9 70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>53.8</i>		<i>"</i>	<i>50.0</i>		<i>108 70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	-------	------

Batch BK00718 - EPA 5035B

Blank (BK00718-BLK1)

Prepared & Analyzed: 11/19/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet							
1,1,2,2-Tetrachloroethane	ND	5.0	"							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"							
1,1,2-Trichloroethane	ND	5.0	"							
1,1-Dichloroethane	ND	5.0	"							
1,1-Dichloroethylene	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	10	"							
1,2-Dibromo-3-chloropropane	ND	10	"							
1,2-Dibromoethane	ND	5.0	"							
1,2-Dichloroethane	ND	5.0	"							
1,2-Dichloropropane	ND	5.0	"							
2-Butanone	ND	10	"							
2-Hexanone	ND	5.0	"							
4-Methyl-2-pentanone	ND	5.0	"							
Acetone	5.5	10	"							
Benzene	ND	5.0	"							
Bromodichloromethane	ND	5.0	"							
Bromoform	ND	5.0	"							
Bromomethane	ND	5.0	"							
Carbon disulfide	ND	5.0	"							
Carbon tetrachloride	ND	5.0	"							
Chlorobenzene	ND	5.0	"							
Chloroethane	ND	5.0	"							
Chloroform	ND	5.0	"							
Chloromethane	ND	5.0	"							
cis-1,2-Dichloroethylene	ND	5.0	"							
cis-1,3-Dichloropropylene	ND	5.0	"							
Dibromochloromethane	ND	5.0	"							
Dichlorodifluoromethane	ND	5.0	"							
Ethyl Benzene	ND	5.0	"							
Methyl tert-butyl ether (MTBE)	ND	5.0	"							
Methylene chloride	4.5	10	"							
o-Xylene	ND	5.0	"							
p- & m- Xylenes	ND	10	"							
Styrene	ND	5.0	"							
Tetrachloroethylene	ND	5.0	"							
Toluene	ND	5.0	"							
trans-1,2-Dichloroethylene	ND	5.0	"							
trans-1,3-Dichloropropylene	ND	5.0	"							
Trichloroethylene	ND	5.0	"							
Trichlorofluoromethane	ND	5.0	"							
Vinyl Chloride	ND	5.0	"							
Xylenes, Total	ND	15	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	60.3		ug/L	50.0		121		70-130		
<i>Surrogate: p-Bromofluorobenzene</i>	53.2		"	50.0		106		70-130		
<i>Surrogate: Toluene-d8</i>	48.0		"	50.0		96.0		70-130		

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00718 - EPA 5035B											
LCS (BK00718-BS1)						Prepared & Analyzed: 11/19/2010					
1,1,1-Trichloroethane	61		ug/L	50.0		122	70-130				
1,1,2,2-Tetrachloroethane	51		"	50.0		103	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	55		"	50.0		110	70-130				
1,1,2-Trichloroethane	57		"	50.0		114	70-130				
1,1-Dichloroethane	60		"	50.0		120	70-130				
1,1-Dichloroethylene	68		"	50.0		136	70-130	High Bias			
1,2,4-Trichlorobenzene	65		"	50.0		131	70-130	High Bias			
1,2-Dibromo-3-chloropropane	63		"	50.0		127	70-130				
1,2-Dibromoethane	59		"	50.0		117	70-130				
1,2-Dichloroethane	72		"	50.0		145	70-130	High Bias			
1,2-Dichloropropane	57		"	50.0		113	70-130				
2-Butanone	55		"	50.0		111	70-130				
2-Hexanone	59		"	50.0		117	70-130				
4-Methyl-2-pentanone	59	5.0	ug/kg wet				70-130				
Acetone	52		ug/L	50.0		104	70-130				
Benzene	57		"	50.0		115	70-130				
Bromodichloromethane	60		"	50.0		120	70-130				
Bromoform	64		"	50.0		127	70-130				
Bromomethane	57		"	50.0		114	70-130				
Carbon disulfide	97		"	100		97.0	70-130				
Carbon tetrachloride	63		"	50.0		126	70-130				
Chlorobenzene	58		"	50.0		117	70-130				
Chloroethane	65		"	50.0		130	70-130				
Chloroform	61		"	50.0		121	70-130				
Chloromethane	48		"	50.0		95.1	70-130				
cis-1,2-Dichloroethylene	56		"	50.0		112	70-130				
cis-1,3-Dichloropropylene	56		"	50.0		111	70-130				
Dibromochloromethane	65		"	50.0		129	70-130				
Dichlorodifluoromethane	40		"	50.0		80.5	70-130				
Ethyl Benzene	58		"	50.0		115	70-130				
Methyl tert-butyl ether (MTBE)	63		"	50.0		126	70-130				
Methylene chloride	50		"	50.0		100	70-130				
o-Xylene	54		"	50.0		108	70-130				
p- & m- Xylenes	110		"	100		114	70-130				
Styrene	55		"	50.0		111	70-130				
Tetrachloroethylene	69		"	50.0		138	70-130	High Bias			
Toluene	54		"	50.0		107	70-130				
trans-1,2-Dichloroethylene	61		"	50.0		123	70-130				
trans-1,3-Dichloropropylene	62		"	50.0		124	70-130				
Trichloroethylene	57		"	50.0		113	70-130				
Trichlorofluoromethane	65		"	50.0		131	70-130	High Bias			
Vinyl Chloride	58		"	50.0		116	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>60.1</i>		<i>"</i>	<i>50.0</i>		<i>120</i>	<i>70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>50.8</i>		<i>"</i>	<i>50.0</i>		<i>102</i>	<i>70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>46.6</i>		<i>"</i>	<i>50.0</i>		<i>93.2</i>	<i>70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00718 - EPA 5035B										
LCS Dup (BK00718-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	58		ug/L	50.0		116 70-130		4.61	30	
1,1,2,2-Tetrachloroethane	48		"	50.0		95.7 70-130		7.06	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	54		"	50.0		107 70-130		2.21	30	
1,1,2-Trichloroethane	54		"	50.0		109 70-130		4.73	30	
1,1-Dichloroethane	59		"	50.0		118 70-130		2.17	30	
1,1-Dichloroethylene	68		"	50.0		135 70-130	High Bias	0.839	30	
1,2,4-Trichlorobenzene	62		"	50.0		125 70-130		4.91	30	
1,2-Dibromo-3-chloropropane	60		"	50.0		121 70-130		4.69	30	
1,2-Dibromoethane	56		"	50.0		112 70-130		4.20	30	
1,2-Dichloroethane	70		"	50.0		139 70-130	High Bias	3.97	30	
1,2-Dichloropropane	56		"	50.0		112 70-130		1.62	30	
2-Butanone	58		"	50.0		116 70-130		4.82	30	
2-Hexanone	62		"	50.0		125 70-130		6.35	30	
4-Methyl-2-pentanone	61	5.0	ug/kg wet			70-130			30	
Acetone	52		ug/L	50.0		105 70-130		0.709	30	
Benzene	55		"	50.0		110 70-130		4.07	30	
Bromodichloromethane	57		"	50.0		115 70-130		4.94	30	
Bromoform	60		"	50.0		120 70-130		5.95	30	
Bromomethane	55		"	50.0		110 70-130		3.36	30	
Carbon disulfide	96		"	100		95.5 70-130		1.57	30	
Carbon tetrachloride	61		"	50.0		123 70-130		2.51	30	
Chlorobenzene	55		"	50.0		110 70-130		5.87	30	
Chloroethane	67		"	50.0		133 70-130	High Bias	2.75	30	
Chloroform	58		"	50.0		116 70-130		4.45	30	
Chloromethane	53		"	50.0		105 70-130		9.97	30	
cis-1,2-Dichloroethylene	54		"	50.0		108 70-130		3.82	30	
cis-1,3-Dichloropropylene	55		"	50.0		111 70-130		0.505	30	
Dibromochloromethane	60		"	50.0		121 70-130		7.02	30	
Dichlorodifluoromethane	45		"	50.0		89.4 70-130		10.5	30	
Ethyl Benzene	55		"	50.0		110 70-130		4.68	30	
Methyl tert-butyl ether (MTBE)	62		"	50.0		125 70-130		1.19	30	
Methylene chloride	50		"	50.0		100 70-130		0.0600	30	
o-Xylene	52		"	50.0		104 70-130		4.19	30	
p- & m- Xylenes	110		"	100		110 70-130		3.83	30	
Styrene	53		"	50.0		105 70-130		5.26	30	
Tetrachloroethylene	66		"	50.0		131 70-130	High Bias	4.87	30	
Toluene	51		"	50.0		102 70-130		4.55	30	
trans-1,2-Dichloroethylene	60		"	50.0		121 70-130		1.90	30	
trans-1,3-Dichloropropylene	62		"	50.0		124 70-130		0.0646	30	
Trichloroethylene	54		"	50.0		108 70-130		4.93	30	
Trichlorofluoromethane	65		"	50.0		131 70-130	High Bias	0.0918	30	
Vinyl Chloride	60		"	50.0		120 70-130		2.81	30	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>61.3</i>		<i>"</i>	<i>50.0</i>		<i>123 70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>49.5</i>		<i>"</i>	<i>50.0</i>		<i>99.0 70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>46.1</i>		<i>"</i>	<i>50.0</i>		<i>92.2 70-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00733 - EPA 3550B

Blank (BK00733-BLK2)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	ND	167	ug/kg wet							
Acenaphthylene	ND	167	"							
Anthracene	ND	167	"							
Benzo(a)anthracene	ND	167	"							
Benzo(a)pyrene	ND	167	"							
Benzoic acid	ND	333	"							
Benzo(b)fluoranthene	ND	167	"							
Benzo(g,h,i)perylene	ND	167	"							
Benzyl alcohol	ND	167	"							
Benzo(k)fluoranthene	ND	167	"							
Benzyl butyl phthalate	ND	167	"							
4-Bromophenyl phenyl ether	ND	167	"							
4-Chloro-3-methylphenol	ND	167	"							
4-Chloroaniline	ND	167	"							
Bis(2-chloroethoxy)methane	ND	167	"							
Bis(2-chloroethyl)ether	ND	167	"							
Bis(2-chloroisopropyl)ether	ND	167	"							
Bis(2-ethylhexyl)phthalate	ND	167	"							
2-Chloronaphthalene	ND	167	"							
2-Chlorophenol	ND	167	"							
4-Chlorophenyl phenyl ether	ND	167	"							
Chrysene	ND	167	"							
Dibenzo(a,h)anthracene	ND	167	"							
Dibenzofuran	ND	167	"							
Di-n-butyl phthalate	ND	167	"							
1,2-Dichlorobenzene	ND	167	"							
1,4-Dichlorobenzene	ND	167	"							
1,3-Dichlorobenzene	ND	167	"							
3,3'-Dichlorobenzidine	ND	167	"							
2,4-Dichlorophenol	ND	167	"							
Diethyl phthalate	ND	167	"							
2,4-Dimethylphenol	ND	167	"							
Dimethyl phthalate	ND	167	"							
2-Nitroaniline	ND	167	"							
4,6-Dinitro-2-methylphenol	ND	333	"							
2,4-Dinitrophenol	ND	333	"							
2,6-Dinitrotoluene	ND	167	"							
2,4-Dinitrotoluene	ND	167	"							
Di-n-octyl phthalate	ND	167	"							
Fluoranthene	ND	167	"							
Fluorene	ND	167	"							
Hexachlorobenzene	ND	167	"							
Hexachlorobutadiene	ND	167	"							
Hexachlorocyclopentadiene	ND	167	"							
Hexachloroethane	ND	167	"							
Indeno(1,2,3-cd)pyrene	ND	167	"							
Isophorone	ND	167	"							
2-Methylnaphthalene	ND	167	"							
2-Methylphenol	ND	167	"							
4-Methylphenol	ND	167	"							
Naphthalene	ND	167	"							
3-Nitroaniline	ND	167	"							
4-Nitroaniline	ND	167	"							
Nitrobenzene	ND	167	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00733 - EPA 3550B

Blank (BK00733-BLK2)

Prepared: 11/22/2010 Analyzed: 11/23/2010

4-Nitrophenol	ND	167	ug/kg wet								
2-Nitrophenol	ND	167	"								
N-nitroso-di-n-propylamine	ND	167	"								
N-Nitrosodiphenylamine	ND	167	"								
Pentachlorophenol	ND	167	"								
Phenanthrene	ND	167	"								
Phenol	ND	167	"								
Pyrene	ND	167	"								
1,2,4-Trichlorobenzene	ND	167	"								
2,4,5-Trichlorophenol	ND	167	"								
2,4,6-Trichlorophenol	ND	167	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1840</i>		<i>"</i>	<i>2500</i>		<i>73.7</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1100</i>		<i>"</i>	<i>1670</i>		<i>66.1</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1590</i>		<i>"</i>	<i>2510</i>		<i>63.3</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1370</i>		<i>"</i>	<i>1670</i>		<i>81.9</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>1610</i>		<i>"</i>	<i>2500</i>		<i>64.1</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1240</i>		<i>"</i>	<i>1670</i>		<i>74.6</i>	<i>30-130</i>				

LCS (BK00733-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	818	167	ug/kg wet	1670		49.1	40-140				
Acenaphthylene	952	167	"	1670		57.1	40-140				
Anthracene	949	167	"	1670		57.0	40-140				
Benzo(a)anthracene	977	167	"	1670		58.6	40-140				
Benzo(a)pyrene	1200	167	"	1670		71.9	40-140				
Benzoic acid	510	333	"	1670		30.6	30-130				
Benzo(b)fluoranthene	1760	167	"	1670		105	40-140				
Benzo(g,h,i)perylene	837	167	"	1670		50.2	40-140				
Benzyl alcohol	849	167	"	1670		50.9	30-130				
Benzo(k)fluoranthene	979	167	"	1670		58.7	40-140				
Benzyl butyl phthalate	897	167	"	1670		53.8	40-140				
4-Bromophenyl phenyl ether	892	167	"	1670		53.5	40-140				
4-Chloro-3-methylphenol	946	167	"	1670		56.7	30-130				
4-Chloroaniline	854	167	"	1670		51.3	40-140				
Bis(2-chloroethoxy)methane	793	167	"	1670		47.6	40-140				
Bis(2-chloroethyl)ether	698	167	"	1670		41.9	40-140				
Bis(2-chloroisopropyl)ether	834	167	"	1670		50.1	40-140				
Bis(2-ethylhexyl)phthalate	1000	167	"	1670		60.1	40-140				
2-Chloronaphthalene	724	167	"	1670		43.5	40-140				
2-Chlorophenol	786	167	"	1670		47.2	30-130				
4-Chlorophenyl phenyl ether	792	167	"	1670		47.5	40-140				
Chrysene	1140	167	"	1670		68.3	40-140				
Dibenzo(a,h)anthracene	948	167	"	1670		56.9	40-140				
Dibenzofuran	840	167	"	1670		50.4	40-140				
Di-n-butyl phthalate	893	167	"	1670		53.6	40-140				
1,2-Dichlorobenzene	804	167	"	1670		48.3	40-140				
1,4-Dichlorobenzene	742	167	"	1670		44.5	40-140				
1,3-Dichlorobenzene	754	167	"	1670		45.3	40-140				
3,3'-Dichlorobenzidine	1410	167	"	1670		84.8	40-140				
2,4-Dichlorophenol	932	167	"	1670		55.9	30-130				
Diethyl phthalate	867	167	"	1670		52.0	40-140				
2,4-Dimethylphenol	857	167	"	1670		51.4	30-130				
Dimethyl phthalate	835	167	"	1670		50.1	40-140				
2-Nitroaniline	851	167	"	1670		51.1	40-140				
4,6-Dinitro-2-methylphenol	808	333	"	1670		48.5	30-130				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00733 - EPA 3550B

LCS (BK00733-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

2,4-Dinitrophenol	875	333	ug/kg wet	1670		52.5	30-130				
2,6-Dinitrotoluene	825	167	"	1670		49.5	40-140				
2,4-Dinitrotoluene	825	167	"	1670		49.5	40-140				
Di-n-octyl phthalate	987	167	"	1670		59.2	40-140				
Fluoranthene	908	167	"	1670		54.5	40-140				
Fluorene	852	167	"	1670		51.1	40-140				
Hexachlorobenzene	923	167	"	1670		55.4	40-140				
Hexachlorobutadiene	876	167	"	1670		52.6	40-140				
Hexachlorocyclopentadiene	945	167	"	1670		56.7	40-140				
Hexachloroethane	819	167	"	1670		49.1	40-140				
Indeno(1,2,3-cd)pyrene	942	167	"	1670		56.5	40-140				
Isophorone	849	167	"	1670		51.0	40-140				
2-Methylnaphthalene	858	167	"	1670		51.5	40-140				
2-Methylphenol	845	167	"	1670		50.7	30-130				
4-Methylphenol	675	167	"	1670		40.5	30-130				
Naphthalene	833	167	"	1670		50.0	40-140				
3-Nitroaniline	1040	167	"	1670		62.7	40-140				
4-Nitroaniline	981	167	"	1670		58.9	40-140				
Nitrobenzene	961	167	"	1670		57.7	40-140				
4-Nitrophenol	809	167	"	1670		48.6	30-130				
2-Nitrophenol	744	167	"	1670		44.6	30-130				
N-nitroso-di-n-propylamine	855	167	"	1670		51.3	40-140				
N-Nitrosodiphenylamine	1040	167	"	1670		62.2	40-140				
Pentachlorophenol	808	167	"	1670		48.5	30-130				
Phenanthrene	948	167	"	1670		56.9	40-140				
Phenol	874	167	"	1670		52.4	30-130				
Pyrene	974	167	"	1670		58.5	40-140				
1,2,4-Trichlorobenzene	871	167	"	1670		52.2	40-140				
2,4,5-Trichlorophenol	1130	167	"	1670		68.0	30-130				
2,4,6-Trichlorophenol	806	167	"	1670		48.4	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1960</i>		<i>"</i>	<i>2500</i>		<i>78.3</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1190</i>		<i>"</i>	<i>1670</i>		<i>71.1</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1540</i>		<i>"</i>	<i>2510</i>		<i>61.3</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1300</i>		<i>"</i>	<i>1670</i>		<i>77.6</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>1590</i>		<i>"</i>	<i>2500</i>		<i>63.4</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1270</i>		<i>"</i>	<i>1670</i>		<i>76.4</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00733 - EPA 3550B											
Matrix Spike (BK00733-MS1)	*Source(Sample used for MS/MSD): 10K0528-03						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Acenaphthene	788	195	ug/kg dry	1950	ND	40.5	40-140				
Acenaphthylene	784	195	"	1950	ND	40.3	40-140				
Anthracene	919	195	"	1950	68.1	43.7	40-140				
Benzo(a)anthracene	1300	195	"	1950	230	54.9	40-140				
Benzo(a)pyrene	1180	195	"	1950	193	50.6	40-140				
Benzoic acid	1260	389	"	1950	ND	64.6	30-130				
Benzo(b)fluoranthene	1370	195	"	1950	216	59.4	40-140				
Benzo(g,h,i)perylene	983	195	"	1950	ND	50.5	40-140				
Benzyl alcohol	1420	195	"	1950	ND	73.1	30-130				
Benzo(k)fluoranthene	1370	195	"	1950	222	59.1	40-140				
Benzyl butyl phthalate	1020	195	"	1950	ND	52.5	40-140				
4-Bromophenyl phenyl ether	788	195	"	1950	ND	40.5	40-140				
4-Chloro-3-methylphenol	946	195	"	1950	ND	48.6	30-130				
4-Chloroaniline	900	195	"	1950	ND	46.3	40-140				
Bis(2-chloroethoxy)methane	950	195	"	1950	ND	48.8	40-140				
Bis(2-chloroethyl)ether	1080	195	"	1950	ND	55.3	40-140				
Bis(2-chloroisopropyl)ether	1310	195	"	1950	ND	67.2	40-140				
Bis(2-ethylhexyl)phthalate	1090	195	"	1950	157	48.1	40-140				
2-Chloronaphthalene	1020	195	"	1950	ND	52.5	40-140				
2-Chlorophenol	1030	195	"	1950	ND	53.0	30-130				
4-Chlorophenyl phenyl ether	1020	195	"	1950	ND	52.5	40-140				
Chrysene	992	195	"	1950	212	40.1	40-140				
Dibenzo(a,h)anthracene	788	195	"	1950	ND	40.5	40-140				
Dibenzofuran	983	195	"	1950	ND	50.5	40-140				
Di-n-butyl phthalate	1020	195	"	1950	ND	52.5	40-140				
1,2-Dichlorobenzene	944	195	"	1950	ND	48.5	40-140				
1,4-Dichlorobenzene	788	195	"	1950	ND	40.5	40-140				
1,3-Dichlorobenzene	1120	195	"	1950	ND	57.6	40-140				
3,3'-Dichlorobenzidine	983	195	"	1950	ND	50.5	40-140				
2,4-Dichlorophenol	926	195	"	1950	ND	47.6	30-130				
Diethyl phthalate	944	195	"	1950	ND	48.5	40-140				
2,4-Dimethylphenol	877	195	"	1950	ND	45.1	30-130				
Dimethyl phthalate	816	195	"	1950	ND	42.0	40-140				
4,6-Dinitro-2-methylphenol	1020	389	"	1950	ND	52.5	30-130				
2-Nitroaniline	1160	195	"	1950	ND	59.5	40-140				
2,4-Dinitrophenol	944	389	"	1950	ND	48.5	30-130				
2,6-Dinitrotoluene	1050	195	"	1950	ND	54.2	40-140				
2,4-Dinitrotoluene	1010	195	"	1950	ND	52.0	40-140				
Di-n-octyl phthalate	800	195	"	1950	ND	41.1	40-140				
Fluoranthene	1290	195	"	1950	583	36.6	40-140	Low Bias			
Fluorene	1020	195	"	1950	ND	52.5	40-140				
Hexachlorobenzene	1580	195	"	1950	ND	81.3	40-140				
Hexachlorobutadiene	816	195	"	1950	ND	42.0	40-140				
Hexachlorocyclopentadiene	1180	195	"	1950	ND	60.5	40-140				
Hexachloroethane	1180	195	"	1950	ND	60.5	40-140				
Indeno(1,2,3-cd)pyrene	962	195	"	1950	ND	49.4	40-140				
Isophorone	966	195	"	1950	ND	49.6	40-140				
2-Methylnaphthalene	802	195	"	1950	ND	41.2	40-140				
2-Methylphenol	1030	195	"	1950	ND	52.8	30-130				
4-Methylphenol	1170	195	"	1950	ND	60.3	30-130				
Naphthalene	782	195	"	1950	ND	40.2	40-140				
3-Nitroaniline	898	195	"	1950	ND	46.2	40-140				
4-Nitroaniline	1290	195	"	1950	ND	66.4	40-140				
Nitrobenzene	780	195	"	1950	ND	40.1	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00733 - EPA 3550B

Matrix Spike (BK00733-MS1)	*Source(Sample used for MS/MSD): 10K0528-03				Prepared: 11/22/2010 Analyzed: 11/23/2010							
4-Nitrophenol	1100	195	ug/kg dry	1950	ND	56.5	30-130					
2-Nitrophenol	851	195	"	1950	ND	43.8	30-130					
N-nitroso-di-n-propylamine	1050	195	"	1950	ND	54.1	40-140					
N-Nitrosodiphenylamine	788	195	"	1950	ND	40.5	40-140					
Pentachlorophenol	1180	195	"	1950	ND	60.5	30-130					
Phenanthrene	857	195	"	1950	523	17.2	40-140	Low Bias				
Phenol	831	195	"	1950	ND	42.7	30-130					
Pyrene	922	195	"	1950	488	22.3	40-140	Low Bias				
1,2,4-Trichlorobenzene	839	195	"	1950	ND	43.1	40-140					
2,4,5-Trichlorophenol	861	195	"	1950	ND	44.3	30-130					
2,4,6-Trichlorophenol	879	195	"	1950	ND	45.2	30-130					
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1430</i>		<i>"</i>	<i>2920</i>		<i>49.0</i>	<i>15-110</i>					
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>781</i>		<i>"</i>	<i>1950</i>		<i>40.1</i>	<i>30-130</i>					
<i>Surrogate: 2-Fluorophenol</i>	<i>1260</i>		<i>"</i>	<i>2930</i>		<i>43.1</i>	<i>15-110</i>					
<i>Surrogate: Nitrobenzene-d5</i>	<i>1090</i>		<i>"</i>	<i>1950</i>		<i>56.0</i>	<i>30-130</i>					
<i>Surrogate: Phenol-d5</i>	<i>1630</i>		<i>"</i>	<i>2920</i>		<i>55.9</i>	<i>15-110</i>					
<i>Surrogate: Terphenyl-d14</i>	<i>821</i>		<i>"</i>	<i>1950</i>		<i>42.2</i>	<i>30-130</i>					

Matrix Spike Dup (BK00733-MSD1)	*Source(Sample used for MS/MSD): 10K0528-03				Prepared: 11/22/2010 Analyzed: 11/23/2010							
Acenaphthene	983	195	ug/kg dry	1950	ND	50.5	40-140		22.0	30		
Acenaphthylene	1020	195	"	1950	ND	52.5	40-140		26.3	30		
Anthracene	1180	195	"	1950	68.1	57.0	40-140		26.3	30		
Benzo(a)anthracene	1030	195	"	1950	230	40.9	40-140		29.2	30		
Benzo(a)pyrene	944	195	"	1950	193	38.6	40-140	Low Bias	26.9	30		
Benzoic acid	1480	389	"	1950	ND	75.8	30-130		15.9	30		
Benzo(b)fluoranthene	1180	195	"	1950	216	49.4	40-140		18.4	30		
Benzo(g,h,i)perylene	983	195	"	1950	ND	50.5	40-140		0.00	30		
Benzyl alcohol	1300	195	"	1950	ND	66.8	30-130		8.92	30		
Benzo(k)fluoranthene	1180	195	"	1950	222	49.1	40-140		18.5	30		
Benzyl butyl phthalate	983	195	"	1950	ND	50.5	40-140		3.88	30		
4-Bromophenyl phenyl ether	1020	195	"	1950	ND	52.5	40-140		25.8	30		
4-Chloro-3-methylphenol	974	195	"	1950	ND	50.0	30-130		2.92	30		
4-Chloroaniline	788	195	"	1950	ND	40.5	40-140		13.3	30		
Bis(2-chloroethoxy)methane	1180	195	"	1950	ND	60.5	40-140		21.3	30		
Bis(2-chloroethyl)ether	1030	195	"	1950	ND	52.7	40-140		4.74	30		
Bis(2-chloroisopropyl)ether	1240	195	"	1950	ND	64.0	40-140		4.85	30		
Bis(2-ethylhexyl)phthalate	1810	195	"	1950	157	85.0	40-140		55.5	30	Non-dir.	
2-Chloronaphthalene	1290	195	"	1950	ND	66.1	40-140		22.9	30		
2-Chlorophenol	1280	195	"	1950	ND	66.0	30-130		21.9	30		
4-Chlorophenyl phenyl ether	1280	195	"	1950	ND	65.6	40-140		22.1	30		
Chrysene	2160	195	"	1950	212	99.9	40-140		85.5	30	Non-dir.	
Dibenzo(a,h)anthracene	482	195	"	1950	ND	24.8	40-140	Low Bias	48.2	30	Non-dir.	
Dibenzofuran	1370	195	"	1950	ND	70.6	40-140		33.2	30	Non-dir.	
Di-n-butyl phthalate	1430	195	"	1950	ND	73.4	40-140		33.3	30	Non-dir.	
1,2-Dichlorobenzene	1060	195	"	1950	ND	54.7	40-140		12.1	30		
1,4-Dichlorobenzene	1120	195	"	1950	ND	57.7	40-140		34.9	30	Non-dir.	
1,3-Dichlorobenzene	1000	195	"	1950	ND	51.6	40-140		11.0	30		
3,3'-Dichlorobenzidine	983	195	"	1950	ND	50.5	40-140		0.00	30		
2,4-Dichlorophenol	1040	195	"	1950	ND	53.6	30-130		11.9	30		
Diethyl phthalate	788	195	"	1950	ND	40.5	40-140		18.0	30		
2,4-Dimethylphenol	1180	195	"	1950	ND	60.5	30-130		29.3	30		
Dimethyl phthalate	1290	195	"	1950	ND	66.5	40-140		45.3	30	Non-dir.	
4,6-Dinitro-2-methylphenol	983	389	"	1950	ND	50.5	30-130		3.88	30		
2-Nitroaniline	1300	195	"	1950	ND	66.9	40-140		11.8	30		

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00733 - EPA 3550B											
Matrix Spike Dup (BK00733-MSD1) *Source(Sample used for MS/MSD): 10K0528-03											
						Prepared: 11/22/2010 Analyzed: 11/23/2010					
2,4-Dinitrophenol	944	389	ug/kg dry	1950	ND	48.5	30-130		0.00	30	
2,6-Dinitrotoluene	1300	195	"	1950	ND	66.8	40-140		20.7	30	
2,4-Dinitrotoluene	1300	195	"	1950	ND	66.8	40-140		24.9	30	
Di-n-octyl phthalate	1180	195	"	1950	ND	60.5	40-140		38.2	30	Non-dir.
Fluoranthene	983	195	"	1950	583	20.6	40-140	Low Bias	55.9	30	Non-dir.
Fluorene	987	195	"	1950	ND	50.7	40-140		3.45	30	
Hexachlorobenzene	1510	195	"	1950	ND	77.5	40-140		4.71	30	
Hexachlorobutadiene	944	195	"	1950	ND	48.5	40-140		14.5	30	
Hexachlorocyclopentadiene	1180	195	"	1950	ND	60.5	40-140		0.00	30	
Hexachloroethane	1310	195	"	1950	ND	67.1	40-140		10.3	30	
Indeno(1,2,3-cd)pyrene	788	195	"	1950	ND	40.5	40-140		19.9	30	
Isophorone	1140	195	"	1950	ND	58.5	40-140		16.4	30	
2-Methylnaphthalene	983	195	"	1950	ND	50.5	40-140		20.3	30	
2-Methylphenol	983	195	"	1950	ND	50.5	30-130		4.49	30	
4-Methylphenol	1380	195	"	1950	ND	71.1	30-130		16.4	30	
Naphthalene	987	195	"	1950	ND	50.7	40-140		23.2	30	
3-Nitroaniline	983	195	"	1950	ND	50.5	40-140		8.94	30	
4-Nitroaniline	1940	195	"	1950	ND	99.8	40-140		40.2	30	Non-dir.
Nitrobenzene	1520	195	"	1950	ND	78.2	40-140		64.4	30	Non-dir.
4-Nitrophenol	884	195	"	1950	ND	45.4	30-130		21.8	30	
2-Nitrophenol	1150	195	"	1950	ND	59.2	30-130		30.0	30	
N-nitroso-di-n-propylamine	1230	195	"	1950	ND	63.1	40-140		15.4	30	
N-Nitrosodiphenylamine	788	195	"	1950	ND	40.5	40-140		0.00	30	
Pentachlorophenol	1180	195	"	1950	ND	60.5	30-130		0.00	30	
Phenanthrene	2580	195	"	1950	523	106	40-140		144	30	Non-dir.
Phenol	1260	195	"	1950	ND	64.9	30-130		41.3	30	Non-dir.
Pyrene	2500	195	"	1950	488	103	40-140		129	30	Non-dir.
1,2,4-Trichlorobenzene	1320	195	"	1950	ND	67.6	40-140		44.2	30	Non-dir.
2,4,5-Trichlorophenol	983	195	"	1950	ND	50.5	30-130		13.2	30	
2,4,6-Trichlorophenol	866	195	"	1950	ND	44.5	30-130		1.47	30	
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>2730</i>		"	<i>2920</i>		<i>93.6</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1670</i>		"	<i>1950</i>		<i>85.9</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1960</i>		"	<i>2930</i>		<i>67.0</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1810</i>		"	<i>1950</i>		<i>93.0</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>2360</i>		"	<i>2920</i>		<i>80.8</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1660</i>		"	<i>1950</i>		<i>85.1</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

Blank (BK00738-BLK1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

Acenaphthene	ND	5.00	ug/L							
Acenaphthylene	ND	5.00	"							
Anthracene	ND	5.00	"							
Benzo(a)anthracene	ND	5.00	"							
Benzo(a)pyrene	ND	5.00	"							
Benzoic acid	ND	10.0	"							
Benzo(b)fluoranthene	ND	5.00	"							
Benzo(g,h,i)perylene	ND	5.00	"							
Benzyl alcohol	ND	5.00	"							
Benzo(k)fluoranthene	ND	5.00	"							
Benzyl butyl phthalate	ND	5.00	"							
4-Bromophenyl phenyl ether	ND	5.00	"							
4-Chloro-3-methylphenol	ND	5.00	"							
4-Chloroaniline	ND	5.00	"							
Bis(2-chloroethoxy)methane	ND	5.00	"							
Bis(2-chloroethyl)ether	ND	5.00	"							
Bis(2-chloroisopropyl)ether	ND	5.00	"							
Bis(2-ethylhexyl)phthalate	ND	5.00	"							
2-Chloronaphthalene	ND	5.00	"							
2-Chlorophenol	ND	5.00	"							
4-Chlorophenyl phenyl ether	ND	5.00	"							
Chrysene	ND	5.00	"							
Dibenzo(a,h)anthracene	ND	5.00	"							
Dibenzofuran	ND	5.00	"							
Di-n-butyl phthalate	ND	5.00	"							
1,2-Dichlorobenzene	ND	5.00	"							
1,4-Dichlorobenzene	ND	5.00	"							
1,3-Dichlorobenzene	ND	5.00	"							
3,3'-Dichlorobenzidine	ND	5.00	"							
2,4-Dichlorophenol	ND	5.00	"							
Diethyl phthalate	ND	5.00	"							
2,4-Dimethylphenol	ND	5.00	"							
Dimethyl phthalate	ND	5.00	"							
2-Nitroaniline	ND	5.00	"							
4,6-Dinitro-2-methylphenol	ND	10.0	"							
2,4-Dinitrophenol	ND	10.0	"							
2,6-Dinitrotoluene	ND	5.00	"							
2,4-Dinitrotoluene	ND	5.00	"							
Di-n-octyl phthalate	ND	5.00	"							
Fluoranthene	ND	5.00	"							
Fluorene	ND	5.00	"							
Hexachlorobenzene	ND	5.00	"							
Hexachlorobutadiene	ND	5.00	"							
Hexachlorocyclopentadiene	ND	5.00	"							
Hexachloroethane	ND	5.00	"							
Indeno(1,2,3-cd)pyrene	ND	5.00	"							
Isophorone	ND	5.00	"							
2-Methylnaphthalene	ND	5.00	"							
2-Methylphenol	ND	5.00	"							
4-Methylphenol	ND	5.00	"							
Naphthalene	ND	5.00	"							
3-Nitroaniline	ND	5.00	"							
4-Nitroaniline	ND	5.00	"							
Nitrobenzene	ND	5.00	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00738 - EPA 3510C											
Blank (BK00738-BLK1)						Prepared: 11/19/2010 Analyzed: 11/22/2010					
4-Nitrophenol	ND	5.00	ug/L								
2-Nitrophenol	ND	5.00	"								
N-nitroso-di-n-propylamine	ND	5.00	"								
N-Nitrosodiphenylamine	ND	5.00	"								
Pentachlorophenol	ND	5.00	"								
Phenanthrene	ND	5.00	"								
Phenol	ND	5.00	"								
Pyrene	ND	5.00	"								
1,2,4-Trichlorobenzene	ND	5.00	"								
2,4,5-Trichlorophenol	ND	5.00	"								
2,4,6-Trichlorophenol	ND	5.00	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>24.1</i>		<i>"</i>	<i>75.1</i>		<i>32.1</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>18.7</i>		<i>"</i>	<i>50.0</i>		<i>37.4</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>17.9</i>		<i>"</i>	<i>75.2</i>		<i>23.8</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>16.9</i>		<i>"</i>	<i>50.1</i>		<i>33.8</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>10.2</i>		<i>"</i>	<i>75.1</i>		<i>13.5</i>	<i>10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>17.5</i>		<i>"</i>	<i>50.0</i>		<i>35.1</i>	<i>30-130</i>				
LCS (BK00738-BS1)						Prepared: 11/19/2010 Analyzed: 11/22/2010					
Acenaphthene	26.4	5.00	ug/L	50.0		52.8	40-140				
Acenaphthylene	24.8	5.00	"	50.0		49.6	40-140				
Anthracene	23.0	5.00	"	50.0		46.0	40-140				
Benzo(a)anthracene	28.5	5.00	"	50.0		57.0	40-140				
Benzo(a)pyrene	34.5	5.00	"	50.0		69.1	40-140				
Benzoic acid	25.2	10.0	"	50.0		50.5	30-130				
Benzo(b)fluoranthene	22.0	5.00	"	50.0		44.0	40-140				
Benzo(g,h,i)perylene	23.1	5.00	"	50.0		46.2	40-140				
Benzyl alcohol	23.3	5.00	"	50.0		46.5	30-130				
Benzo(k)fluoranthene	25.0	5.00	"	50.0		50.0	40-140				
Benzyl butyl phthalate	26.1	5.00	"	50.0		52.2	40-140				
4-Bromophenyl phenyl ether	21.4	5.00	"	50.0		42.8	40-140				
4-Chloro-3-methylphenol	22.3	5.00	"	50.0		44.5	30-130				
4-Chloroaniline	45.3	5.00	"	50.0		90.7	40-140				
Bis(2-chloroethoxy)methane	22.6	5.00	"	50.0		45.1	40-140				
Bis(2-chloroethyl)ether	20.3	5.00	"	50.0		40.5	40-140				
Bis(2-chloroisopropyl)ether	22.2	5.00	"	50.0		44.5	40-140				
Bis(2-ethylhexyl)phthalate	20.7	5.00	"	50.0		41.4	40-140				
2-Chloronaphthalene	21.8	5.00	"	50.0		43.5	40-140				
2-Chlorophenol	22.5	5.00	"	50.0		45.0	30-130				
4-Chlorophenyl phenyl ether	23.7	5.00	"	50.0		47.3	40-140				
Chrysene	23.4	5.00	"	50.0		46.9	40-140				
Dibenzo(a,h)anthracene	25.1	5.00	"	50.0		50.1	40-140				
Dibenzofuran	25.9	5.00	"	50.0		51.8	40-140				
Di-n-butyl phthalate	20.6	5.00	"	50.0		41.2	40-140				
1,2-Dichlorobenzene	23.6	5.00	"	50.0		47.2	40-140				
1,4-Dichlorobenzene	21.8	5.00	"	50.0		43.6	40-140				
1,3-Dichlorobenzene	26.1	5.00	"	50.0		52.1	40-140				
3,3'-Dichlorobenzidine	48.1	5.00	"	50.0		96.2	40-140				
2,4-Dichlorophenol	26.3	5.00	"	50.0		52.5	30-130				
Diethyl phthalate	26.0	5.00	"	50.0		52.0	40-140				
2,4-Dimethylphenol	21.3	5.00	"	50.0		42.6	30-130				
Dimethyl phthalate	29.1	5.00	"	50.0		58.2	40-140				
4,6-Dinitro-2-methylphenol	20.2	10.0	"	50.0		40.4	30-130				
2-Nitroaniline	35.0	5.00	"	50.0		70.0	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

LCS (BK00738-BS1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

2,4-Dinitrophenol	22.4	10.0	ug/L	50.0		44.8	30-130				
2,6-Dinitrotoluene	24.4	5.00	"	50.0		48.9	40-140				
2,4-Dinitrotoluene	27.1	5.00	"	50.0		54.2	40-140				
Di-n-octyl phthalate	28.5	5.00	"	50.0		56.9	40-140				
Fluoranthene	21.4	5.00	"	50.0		42.8	40-140				
Fluorene	24.7	5.00	"	50.0		49.3	40-140				
Hexachlorobenzene	20.2	5.00	"	50.0		40.5	40-140				
Hexachlorobutadiene	20.7	5.00	"	50.0		41.3	40-140				
Hexachlorocyclopentadiene	15.9	5.00	"	50.0		31.7	40-140	Low Bias			
Hexachloroethane	22.0	5.00	"	50.0		44.0	40-140				
Indeno(1,2,3-cd)pyrene	25.5	5.00	"	50.0		51.0	40-140				
Isophorone	22.5	5.00	"	50.0		44.9	40-140				
2-Methylnaphthalene	22.1	5.00	"	50.0		44.3	40-140				
2-Methylphenol	18.1	5.00	"	50.0		36.2	30-130				
4-Methylphenol	20.2	5.00	"	50.0		40.5	30-130				
Naphthalene	24.6	5.00	"	50.0		49.1	40-140				
3-Nitroaniline	22.2	5.00	"	50.0		44.5	40-140				
4-Nitroaniline	24.2	5.00	"	50.0		48.5	40-140				
Nitrobenzene	20.2	5.00	"	50.0		40.5	40-140				
4-Nitrophenol	24.2	5.00	"	50.0		48.5	30-130				
2-Nitrophenol	29.9	5.00	"	50.0		59.8	30-130				
N-nitroso-di-n-propylamine	21.4	5.00	"	50.0		42.8	40-140				
N-Nitrosodiphenylamine	28.4	5.00	"	50.0		56.7	40-140				
Pentachlorophenol	24.8	5.00	"	50.0		49.7	30-130				
Phenanthrene	23.6	5.00	"	50.0		47.1	40-140				
Phenol	20.3	5.00	"	50.0		40.5	30-130				
Pyrene	26.5	5.00	"	50.0		53.0	40-140				
1,2,4-Trichlorobenzene	26.7	5.00	"	50.0		53.5	40-140				
2,4,5-Trichlorophenol	27.7	5.00	"	50.0		55.3	30-130				
2,4,6-Trichlorophenol	26.3	5.00	"	50.0		52.5	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>21.4</i>		<i>"</i>	<i>75.1</i>		<i>28.4</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>19.9</i>		<i>"</i>	<i>50.0</i>		<i>39.7</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>18.4</i>		<i>"</i>	<i>75.2</i>		<i>24.4</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>18.7</i>		<i>"</i>	<i>50.1</i>		<i>37.3</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>10.4</i>		<i>"</i>	<i>75.1</i>		<i>13.8</i>	<i>10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>17.3</i>		<i>"</i>	<i>50.0</i>		<i>34.6</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00738 - EPA 3510C											
LCS Dup (BK00738-BSD1)						Prepared: 11/19/2010 Analyzed: 11/22/2010					
Acenaphthene	31.5	5.00	ug/L	50.0		63.0	40-140		17.8	20	
Acenaphthylene	25.1	5.00	"	50.0		50.2	40-140		1.04	20	
Anthracene	24.6	5.00	"	50.0		49.3	40-140		6.93	20	
Benzo(a)anthracene	30.8	5.00	"	50.0		61.6	40-140		7.86	20	
Benzo(a)pyrene	30.0	5.00	"	50.0		59.9	40-140		14.2	20	
Benzoic acid	20.3	10.0	"	50.0		40.5	30-130		21.9	20	Non-dir.
Benzo(b)fluoranthene	29.3	5.00	"	50.0		58.5	40-140		28.4	20	Non-dir.
Benzo(g,h,i)perylene	29.2	5.00	"	50.0		58.4	40-140		23.4	20	Non-dir.
Benzyl alcohol	24.2	5.00	"	50.0		48.4	30-130		3.84	20	
Benzo(k)fluoranthene	33.3	5.00	"	50.0		66.5	40-140		28.4	20	Non-dir.
Benzyl butyl phthalate	28.2	5.00	"	50.0		56.4	40-140		7.77	20	
4-Bromophenyl phenyl ether	20.6	5.00	"	50.0		41.3	40-140		3.71	20	
4-Chloro-3-methylphenol	22.5	5.00	"	50.0		45.1	30-130		1.25	20	
4-Chloroaniline	52.8	5.00	"	50.0		106	40-140		15.2	20	
Bis(2-chloroethoxy)methane	23.7	5.00	"	50.0		47.4	40-140		4.97	20	
Bis(2-chloroethyl)ether	20.3	5.00	"	50.0		40.7	40-140		0.345	20	
Bis(2-chloroisopropyl)ether	20.2	5.00	"	50.0		40.3	40-140		9.86	20	
Bis(2-ethylhexyl)phthalate	23.0	5.00	"	50.0		46.0	40-140		10.6	20	
2-Chloronaphthalene	28.5	5.00	"	50.0		57.1	40-140		26.9	20	Non-dir.
2-Chlorophenol	24.2	5.00	"	50.0		48.4	30-130		7.15	20	
4-Chlorophenyl phenyl ether	25.8	5.00	"	50.0		51.6	40-140		8.57	20	
Chrysene	23.7	5.00	"	50.0		47.4	40-140		1.10	20	
Dibenzo(a,h)anthracene	29.7	5.00	"	50.0		59.4	40-140		17.0	20	
Dibenzofuran	27.8	5.00	"	50.0		55.7	40-140		7.14	20	
Di-n-butyl phthalate	21.4	5.00	"	50.0		42.7	40-140		3.57	20	
1,2-Dichlorobenzene	23.4	5.00	"	50.0		46.9	40-140		0.722	20	
1,4-Dichlorobenzene	21.1	5.00	"	50.0		42.3	40-140		3.21	20	
1,3-Dichlorobenzene	25.2	5.00	"	50.0		50.5	40-140		3.20	20	
3,3'-Dichlorobenzidine	51.7	5.00	"	50.0		103	40-140		7.21	20	
2,4-Dichlorophenol	29.4	5.00	"	50.0		58.7	30-130		11.2	20	
Diethyl phthalate	27.8	5.00	"	50.0		55.6	40-140		6.80	20	
2,4-Dimethylphenol	23.8	5.00	"	50.0		47.6	30-130		11.1	20	
Dimethyl phthalate	32.4	5.00	"	50.0		64.8	40-140		10.8	20	
4,6-Dinitro-2-methylphenol	20.3	10.0	"	50.0		40.5	30-130		0.247	20	
2-Nitroaniline	36.8	5.00	"	50.0		73.7	40-140		5.07	20	
2,4-Dinitrophenol	25.2	10.0	"	50.0		50.5	30-130		12.0	20	
2,6-Dinitrotoluene	27.4	5.00	"	50.0		54.8	40-140		11.4	20	
2,4-Dinitrotoluene	27.8	5.00	"	50.0		55.6	40-140		2.51	20	
Di-n-octyl phthalate	36.9	5.00	"	50.0		73.7	40-140		25.7	20	Non-dir.
Fluoranthene	22.4	5.00	"	50.0		44.8	40-140		4.66	20	
Fluorene	27.1	5.00	"	50.0		54.2	40-140		9.35	20	
Hexachlorobenzene	21.2	5.00	"	50.0		42.4	40-140		4.54	20	
Hexachlorobutadiene	21.2	5.00	"	50.0		42.3	40-140		2.34	20	
Hexachlorocyclopentadiene	28.3	5.00	"	50.0		56.5	40-140		56.2	20	Non-dir.
Hexachloroethane	24.1	5.00	"	50.0		48.2	40-140		9.10	20	
Indeno(1,2,3-cd)pyrene	30.6	5.00	"	50.0		61.2	40-140		18.2	20	
Isophorone	23.6	5.00	"	50.0		47.1	40-140		4.78	20	
2-Methylnaphthalene	24.4	5.00	"	50.0		48.7	40-140		9.59	20	
2-Methylphenol	19.3	5.00	"	50.0		38.6	30-130		6.37	20	
4-Methylphenol	15.1	5.00	"	50.0		30.2	30-130		29.0	20	Non-dir.
Naphthalene	27.7	5.00	"	50.0		55.3	40-140		11.9	20	
3-Nitroaniline	25.2	5.00	"	50.0		50.5	40-140		12.6	20	
4-Nitroaniline	20.2	5.00	"	50.0		40.5	40-140		18.0	20	
Nitrobenzene	21.4	5.00	"	50.0		42.9	40-140		5.76	20	

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

LCS Dup (BK00738-BSD1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

4-Nitrophenol	23.4	5.00	ug/L	50.0		46.7	30-130		3.74	20
2-Nitrophenol	32.0	5.00	"	50.0		64.0	30-130		6.91	20
N-nitroso-di-n-propylamine	22.5	5.00	"	50.0		44.9	40-140		4.93	20
N-Nitrosodiphenylamine	29.6	5.00	"	50.0		59.1	40-140		4.11	20
Pentachlorophenol	25.9	5.00	"	50.0		51.8	30-130		4.22	20
Phenanthrene	24.9	5.00	"	50.0		49.8	40-140		5.53	20
Phenol	20.2	5.00	"	50.0		40.5	30-130		0.0988	20
Pyrene	28.6	5.00	"	50.0		57.3	40-140		7.65	20
1,2,4-Trichlorobenzene	28.6	5.00	"	50.0		57.2	40-140		6.79	20
2,4,5-Trichlorophenol	32.3	5.00	"	50.0		64.7	30-130		15.5	20
2,4,6-Trichlorophenol	29.5	5.00	"	50.0		59.0	30-130		11.6	20
<hr/>										
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>22.2</i>		<i>"</i>	<i>75.1</i>		<i>29.6</i>	<i>15-110</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>22.5</i>		<i>"</i>	<i>50.0</i>		<i>45.0</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorophenol</i>	<i>13.1</i>		<i>"</i>	<i>75.2</i>		<i>17.5</i>	<i>15-110</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>17.9</i>		<i>"</i>	<i>50.1</i>		<i>35.7</i>	<i>30-130</i>			
<i>Surrogate: Phenol-d5</i>	<i>10.3</i>		<i>"</i>	<i>75.1</i>		<i>13.7</i>	<i>10-110</i>			
<i>Surrogate: Terphenyl-d14</i>	<i>18.1</i>		<i>"</i>	<i>50.0</i>		<i>36.2</i>	<i>30-130</i>			

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00735 - EPA 3550B										
Blank (BK00735-BLK1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	ND	0.0170	mg/kg wet							
Aroclor 1221	ND	0.0170	"							
Aroclor 1232	ND	0.0170	"							
Aroclor 1242	ND	0.0170	"							
Aroclor 1248	ND	0.0170	"							
Aroclor 1254	ND	0.0170	"							
Aroclor 1260	ND	0.0170	"							
Aroclor 1262	ND	0.0170	"							
Aroclor 1268	ND	0.0170	"							
Total PCBs	ND	0.0170	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0453		"	0.0667		68.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0597		"	0.0667		89.5		30-150		
LCS (BK00735-BS1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	0.252	0.0170	mg/kg wet	0.333		75.5		40-140		
Aroclor 1260	0.307	0.0170	"	0.333		92.0		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0520		"	0.0667		78.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0640		"	0.0667		96.0		30-150		
Matrix Spike (BK00735-MS1)						Prepared: 11/22/2010 Analyzed: 11/23/2010				
*Source(Sample used for MS/MSD): 10K0528-02										
Aroclor 1016	0.201	0.0174	mg/kg dry	0.171	ND	118		40-140		
Aroclor 1260	0.196	0.0174	"	0.171	ND	115		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0607		"	0.0682		89.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0648		"	0.0682		95.0		30-150		
Matrix Spike Dup (BK00735-MSD1)						Prepared & Analyzed: 11/22/2010				
*Source(Sample used for MS/MSD): 10K0528-02										
Aroclor 1016	0.144	0.0174	mg/kg dry	0.171	ND	84.3		40-140	33.2	50
Aroclor 1260	0.153	0.0174	"	0.171	ND	89.7		40-140	24.8	50
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0488		"	0.0682		71.5		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0559		"	0.0682		82.0		30-150		

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00740 - EPA SW846-3510C Low Level										
Blank (BK00740-BLK1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	ND	0.0500	ug/L							
Aroclor 1221	ND	0.0500	"							
Aroclor 1232	ND	0.0500	"							
Aroclor 1242	ND	0.0500	"							
Aroclor 1248	ND	0.0500	"							
Aroclor 1254	ND	0.0500	"							
Aroclor 1260	ND	0.0500	"							
Aroclor 1262	ND	0.0500	"							
Aroclor 1268	ND	0.0500	"							
Total PCBs	ND	0.0500	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.149</i>		<i>"</i>	<i>0.200</i>		<i>74.5</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.167</i>		<i>"</i>	<i>0.200</i>		<i>83.5</i>	<i>30-150</i>			
LCS (BK00740-BS1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	0.807	0.0500	ug/L	1.00		80.7	40-140			
Aroclor 1260	0.897	0.0500	"	1.00		89.7	40-140			
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.140</i>		<i>"</i>	<i>0.200</i>		<i>70.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0930</i>		<i>"</i>	<i>0.200</i>		<i>46.5</i>	<i>30-150</i>			
LCS Dup (BK00740-BSD1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	0.819	0.0500	ug/L	1.00		81.9	40-140	1.48	200	
Aroclor 1260	0.850	0.0500	"	1.00		85.0	40-140	5.36	200	
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.140</i>		<i>"</i>	<i>0.200</i>		<i>70.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0920</i>		<i>"</i>	<i>0.200</i>		<i>46.0</i>	<i>30-150</i>			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00622 - EPA SW 846-3010A

Blank (BK00622-BLK1)

Prepared & Analyzed: 11/17/2010

Aluminum	ND	0.010	mg/L
Antimony	ND	0.005	"
Arsenic	ND	0.010	"
Barium	ND	0.010	"
Beryllium	ND	0.001	"
Cadmium	ND	0.003	"
Calcium	ND	0.020	"
Chromium	ND	0.005	"
Cobalt	ND	0.005	"
Copper	ND	0.005	"
Iron	ND	0.010	"
Lead	ND	0.003	"
Magnesium	ND	0.020	"
Manganese	ND	0.005	"
Nickel	ND	0.005	"
Potassium	ND	0.050	"
Selenium	ND	0.010	"
Silver	ND	0.005	"
Sodium	ND	0.100	"
Thallium	ND	0.010	"
Vanadium	ND	0.010	"
Zinc	ND	0.020	"

Reference (BK00622-SRM1)

Prepared & Analyzed: 11/17/2010

Aluminum	0.361	0.010	mg/L	0.368	98.2	75-126
Antimony	0.912	0.005	"	0.849	107	70.9-120
Arsenic	0.302	0.010	"	0.313	96.4	83.1-118
Barium	0.410	0.010	"	0.381	108	86.6-113
Beryllium	0.101	0.001	"	0.103	98.1	83.9-113
Cadmium	0.703	0.003	"	0.685	103	85.4-113
Chromium	0.482	0.005	"	0.476	101	87-113
Cobalt	0.649	0.005	"	0.603	108	87.9-112
Copper	0.366	0.005	"	0.357	103	89.9-110
Iron	2.00	0.010	"	1.87	107	88.8-113
Lead	0.774	0.003	"	0.763	101	87.4-112
Manganese	0.275	0.005	"	0.257	107	89.1-111
Nickel	2.00	0.005	"	1.99	101	89.9-112
Selenium	1.73	0.010	"	1.78	97.0	79.8-116
Silver	0.128	0.005	"	0.144	89.0	85.4-115
Thallium	0.923	0.010	"	0.867	106	82.8-119
Vanadium	1.38	0.010	"	1.37	101	87.6-112
Zinc	1.36	0.020	"	1.36	100	86-115

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00622 - EPA SW 846-3010A

Reference (BK00622-SRM2)

Prepared & Analyzed: 11/17/2010

Calcium	66.1	0.020	mg/L	66.0		100	86.1-114				
Magnesium	31.3	0.020	"	32.7		95.8	85.9-114				
Potassium	48.6	0.050	"	50.7		95.9	85-115				
Sodium	28.8	0.100	"	29.0		99.3	84.8-115				

Batch BK00624 - EPA SW 846-3050B

Blank (BK00624-BLK1)

Prepared & Analyzed: 11/17/2010

Aluminum	ND	2.00	mg/kg wet								
Antimony	ND	0.300	"								
Arsenic	ND	0.500	"								
Barium	ND	0.500	"								
Beryllium	ND	0.100	"								
Cadmium	ND	0.500	"								
Calcium	ND	2.00	"								
Chromium	ND	0.500	"								
Cobalt	ND	0.500	"								
Copper	ND	0.500	"								
Iron	ND	1.00	"								
Lead	ND	0.300	"								
Magnesium	ND	2.00	"								
Manganese	ND	1.00	"								
Nickel	ND	0.500	"								
Potassium	ND	10.0	"								
Selenium	ND	0.500	"								
Silver	ND	0.500	"								
Sodium	ND	10.0	"								
Thallium	ND	0.500	"								
Vanadium	ND	0.500	"								
Zinc	ND	0.500	"								

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00624 - EPA SW 846-3050B

Duplicate (BK00624-DUP1)	*Source(Sample used for MS/MSD): 10K0528-17					Prepared & Analyzed: 11/17/2010				
Aluminum	2150	2.12	mg/kg dry		2040			5.45	35	
Antimony	ND	0.318	"		ND				35	
Arsenic	0.548	0.530	"		0.693			23.4	35	
Barium	14.1	0.530	"		13.8			1.79	35	
Beryllium	ND	0.106	"		ND				35	
Cadmium	ND	0.530	"		ND				35	
Calcium	506	2.12	"		477			5.88	35	
Chromium	6.09	0.530	"		5.97			1.99	35	
Cobalt	1.15	0.530	"		1.15			0.0140	35	
Copper	14.7	0.530	"		14.4			1.92	35	
Iron	5560	1.06	"		5260			5.57	35	
Lead	39.8	0.318	"		39.2			1.54	35	
Magnesium	1020	2.12	"		972			5.25	35	
Manganese	24.7	1.06	"		24.2			2.19	35	
Nickel	4.80	0.530	"		4.67			2.62	35	
Potassium	470	10.6	"		445			5.42	35	
Selenium	0.544	0.530	"		0.425			24.7	200	
Silver	ND	0.530	"		ND				35	
Sodium	102	10.6	"		101			0.325	35	
Thallium	ND	0.530	"		ND				35	
Vanadium	6.85	0.530	"		6.68			2.41	35	
Zinc	12.4	0.530	"		12.2			1.54	35	

Matrix Spike (BK00624-MS1)	*Source(Sample used for MS/MSD): 10K0528-17					Prepared & Analyzed: 11/17/2010				
Aluminum	2250	2.12	mg/kg dry	212	2040	99.0	75-125			
Antimony	30.0	0.318	"	26.5	ND	113	75-125			
Arsenic	223	0.530	"	212	0.693	105	75-125			
Barium	249	0.530	"	212	13.8	111	75-125			
Beryllium	5.18	0.106	"	5.30	ND	97.7	75-125			
Cadmium	5.44	0.530	"	5.30	ND	103	75-125			
Chromium	28.9	0.530	"	21.2	5.97	108	75-125			
Cobalt	59.3	0.530	"	53.0	1.15	110	75-125			
Copper	43.6	0.530	"	26.5	14.4	110	75-125			
Iron	5490	1.06	"	106	5260	218	75-125	High Bias		
Lead	95.0	0.318	"	53.0	39.2	105	75-125			
Magnesium	994	2.12	"		972		75-125			
Manganese	81.6	1.06	"	53.0	24.2	108	75-125			
Nickel	62.9	0.530	"	53.0	4.67	110	75-125			
Potassium	454	10.6	"		445		75-125			
Silver	4.59	0.530	"	5.30	ND	86.7	75-125			
Sodium	96.5	10.6	"		101		75-125			
Thallium	233	0.530	"	212	ND	110	75-125			
Vanadium	60.5	0.530	"	53.0	6.68	102	75-125			
Zinc	67.8	0.530	"	53.0	12.2	105	75-125			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00624 - EPA SW 846-3050B

Reference (BK00624-SRM1)

Prepared & Analyzed: 11/17/2010

Aluminum	10100	2.00	mg/kg wet	10500		96.6	46-154				
Antimony	192	0.300	"	105		182	23.1-256				
Arsenic	97.7	0.500	"	88.3		111	69-131				
Barium	481	0.500	"	432		111	74.3-125				
Beryllium	62.4	0.100	"	58.2		107	73.2-127				
Cadmium	93.3	0.500	"	91.0		102	73.3-126				
Calcium	10100	2.00	"	9630		105	75.4-125				
Chromium	153	0.500	"	144		106	70.1-130				
Cobalt	210	0.500	"	190		110	74.7-126				
Copper	280	0.500	"	237		118	75.9-124				
Iron	19300	1.00	"	18900		102	43.4-158				
Lead	108	0.300	"	104		104	71.4-129				
Magnesium	4040	2.00	"	4040		100	69.6-130				
Manganese	536	1.00	"	497		108	77.1-123				
Nickel	236	0.500	"	200		118	73.5-126				
Potassium	4310	10.0	"	4340		99.4	65.4-135				
Selenium	210	0.500	"	192		110	68.3-131				
Silver	80.6	0.500	"	76.4		105	67.1-132				
Sodium	879	10.0	"	735		120	56.7-143				
Thallium	257	0.500	"	247		104	69.2-130				
Vanadium	189	0.500	"	180		105	72.8-127				
Zinc	306	0.500	"	292		105	71.6-128				

Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00645 - EPA SW846-7470										
Blank (BK00645-BLK1)						Prepared & Analyzed: 11/22/2010				
Mercury	ND	0.0002000	mg/L							
LCS (BK00645-BS1)						Prepared & Analyzed: 11/22/2010				
Mercury	0.002887	0.0002000	mg/L	0.00300		96.2	80-120			
Batch BK00646 - EPA SW846-7471										
Blank (BK00646-BLK1)						Prepared & Analyzed: 11/18/2010				
Mercury	ND	0.100	mg/kg wet							
LCS (BK00646-BS1)						Prepared & Analyzed: 11/18/2010				
Mercury	2.79		mg/kg	2.96		94.3	80-120			
Duplicate (BK00646-DUP1)						Prepared & Analyzed: 11/18/2010				
*Source(Sample used for MS/MSD): 10K0528-01										
Mercury	ND	0.108	mg/kg dry		ND				35	
Matrix Spike (BK00646-MS1)						Prepared & Analyzed: 11/18/2010				
*Source(Sample used for MS/MSD): 10K0528-01										
Mercury	1.44		mg/kg	1.50	ND	96.0	75-125			

Notes and Definitions

S-GC	Two surrogates are used for this analysis. One surrogate recovered within control limits therefore the analysis is acceptable.
S-AC	Acid surrogate recovery outside of control limits. The data was accepted based on valid recovery of remaining two acid surrogates.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data are acceptable.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.

ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

YORK

ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Page 2 of 4
York Project No. 10K0528

YOUR Information Company: <u>Langan</u> Address: <u>360 W 31st St</u> <u>8th Floor NY, NY 10011</u> Phone No. <u>212-419-5408</u> Contact Person: <u>Start Knopf</u> E-Mail Address: <u>Skrop@langan.com</u>		Report To: Company: <u>SCM</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		Invoice To: Company: <u>SCM</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		YOUR Project ID <u>170121501</u> Purchase Order No. _____		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard(5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>E2</u> EDD (Specify Type) <input checked="" type="checkbox"/> Excel			
Volatiles TICs <input checked="" type="checkbox"/> Site Spec. <input type="checkbox"/> Nassau Co. <input type="checkbox"/> Suffolk Co. <input type="checkbox"/> MTBE <input type="checkbox"/> TCL list <input type="checkbox"/> TAGM list <input type="checkbox"/> CT RCP list <input type="checkbox"/> Arom. only <input type="checkbox"/> Halog. only <input type="checkbox"/> App IX list <input type="checkbox"/> 8021B list <input type="checkbox"/>		Semi-Vols. Resp. Coefficient 627 or 625 <input checked="" type="checkbox"/> STARS list <input type="checkbox"/> IBN Only <input type="checkbox"/> Acids Only <input type="checkbox"/> PAH list <input type="checkbox"/> TAGM list <input type="checkbox"/> NIDEF list <input type="checkbox"/> Total Dissolved <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> TCLP Herb <input type="checkbox"/> Chloridane <input type="checkbox"/> 608 Pest <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> 608 PCB <input type="checkbox"/>		Metals RCRA8 <input type="checkbox"/> PP13 list <input type="checkbox"/> TAL <input checked="" type="checkbox"/> CHES list <input type="checkbox"/> TAGM list <input type="checkbox"/> NIDEF list <input type="checkbox"/> Total <input type="checkbox"/> Dissolved <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> Ind. Metals <input type="checkbox"/> LIST Below <input type="checkbox"/>		Misc. Org. TPH GRO <input type="checkbox"/> TPH DRO <input type="checkbox"/> CT ETPH <input type="checkbox"/> NY 310-13 <input type="checkbox"/> TPH 1664 <input type="checkbox"/> Air TO14A <input type="checkbox"/> Air TO15 <input type="checkbox"/> Air STARS <input type="checkbox"/> Air VPH <input type="checkbox"/> Air TICs <input type="checkbox"/> Methane <input type="checkbox"/> Helium <input type="checkbox"/>		Full Lists Pri. Poll. <input type="checkbox"/> TCL Organics <input type="checkbox"/> TAL MetCN <input type="checkbox"/> Full TCLP <input type="checkbox"/> Full App. IX <input type="checkbox"/> Part 360-Retene <input type="checkbox"/> Part 360-Retene <input type="checkbox"/> Part 360-Retene <input type="checkbox"/> Part 360-Retene <input type="checkbox"/> NY CDEP Sewer <input type="checkbox"/> NY SDEC Sewer <input type="checkbox"/> TAGM <input type="checkbox"/>		Common Miscellaneous Parameters Corrosivity <input type="checkbox"/> Reactivity <input type="checkbox"/> Ignitability <input type="checkbox"/> Flash Point <input type="checkbox"/> Sieve Anal. <input type="checkbox"/> Heterotrophs <input type="checkbox"/> TOX <input type="checkbox"/> BTU/lb. <input type="checkbox"/> Aquatic Tox. <input type="checkbox"/> TOC <input type="checkbox"/> Asbestos <input type="checkbox"/> Silica <input type="checkbox"/>		Special Instructions Field Filtered <input type="checkbox"/> Lab to Filter <input type="checkbox"/>	
Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor		Sample Matrix GW GW GW		Date Sampled 11/13/10 " " Trip blank		Sample Identification TMW-2 TMW-12 Trip blank		Choose Analyses Needed from the Menu Above and Enter Below 8060 8070 8080 TAL " " Trip blank " " 140ml		Description(s) 2-40 ml 1-250ml 2-1000ml " " 140ml		Temperature on Receipt 5.0 °C	
Comments Preservation Check those Applicable		4°C <input checked="" type="checkbox"/> Frozen <input type="checkbox"/> HCl <input checked="" type="checkbox"/> MeOH <input checked="" type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Ascorbic Acid <input type="checkbox"/> Other <input type="checkbox"/>		Samples Relinquished By <u>[Signature]</u> Date/Time <u>11/15/10 955</u>		Samples Relinquished By <u>[Signature]</u> Date/Time <u>11/15/10 955AM</u>		Samples Received By <u>[Signature]</u> Date/Time <u>11/15/10 1640</u>		Samples Received in LAB by <u>[Signature]</u> Date/Time <u>11/15/10 1640</u>			

YORK

ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Page 3 of 4

York Project No. 10K0528

YOUR Information Company: LANGRISH Address: 300 W 31st ST 8th FL NY NY 10001 Phone No: 212 479 2800 Contact Person: Stuart Knapp E-Mail Address: SKnapp@langr.com		Report To: Company: SAME Address: Phone No: Attention: E-Mail Address:		Invoice To: Company: SAME Address: Phone No: Attention: E-Mail Address:		YOUR Project ID 170121501 Purchase Order No.		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard (5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <input checked="" type="checkbox"/> EDD (Specify Type) E2 Excel <input checked="" type="checkbox"/>					
Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor		Volatiles 8260 Fat TICs Site Spec. Nassau Co. STARS list Suffolk Co. MTBE Ketones Oxygenates TCLP list TAGM list CT RCP list Arom. only Halog. only App. IX list 8021B list		Sample-Vols. Analyzed 6270* 625 STARS list BN Only Acids Only PAH list TAGM list CT RCP list TCLP list Arom. only Halog. only App. IX list 8021B list		Metals RCRA8 PP13 list TAL CTI5 list TAGM list NUDEP list Total Dissolved SPL Per TCLP Lead, Metals LIST Below		Misc. Org. TPH GRO TPH DRO CT ETPH NY 310-13 TPH 1664 Air TO14A Air TO15 Air STARS Air VPH Air TICs Methane Helium		Full Lists Pri. Poll. TCL Organics TAL MetCN Full TCLP Full App. IX Part 360/360a Part 360/360a Part 360/360a NY DEP Sewer NY DEP Sewer TAGM		Common Miscellaneous Parameters Corrosivity Reactivity Ignitability Flash Point Sieve Anal. Heterotrophs TOX BTU/lb. Aquatic Tox. TOC Asbestos Silica		Special INSTRUCTIONS Color Phenols Cyanide-T Cyanide-A BOD5 CBOD5 BOD28 COD TSS Total Solids TDS TPH-1664 Container Description(s) 1202 180Z	
Choose Analyses Needed from the Menu Above and Enter Below															
Sample Identification SB-7-0-4 SB-7-14-15 SB-6-5-7 SB-6-18-26 SB-5-10-13 SB-5-17-18		Date Sampled 11/13/10		Sample Matrix S		Preservation Check those Applicable		Comments		Temperature on Receipt 5.0 °C					

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/19/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0498

Report Date: 11/19/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0498

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 15, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0498-01	SV-4_11/12/2010	Air	11/12/2010	11/15/2010
10K0498-02	SV-5_11/13/2010	Air	11/13/2010	11/15/2010
10K0498-03	SV-7_11/13/2010	Air	11/13/2010	11/15/2010
10K0498-04	SV-6_11/13/2010	Air	11/13/2010	11/15/2010
10K0498-05	SV-AA_11/13/2010	Air	11/13/2010	11/15/2010
10K0498-06	SV-1_11/15/2010	Air	11/15/2010	11/15/2010

General Notes for York Project (SDG) No.: 10K0498

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/19/2010



Sample Information

Client Sample ID: SV-4_11/12/2010

York Sample ID: 10K0498-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

10K0498

170121501

Air

November 12, 2010 12:00 am

11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	28	54	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	31	68	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	38	76	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	30	54	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	19	40	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	13	39	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	24	73	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	27	49	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	24	59	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	14	40	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	34	46	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	37	69	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	22	49	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
106-99-0	1,3-Butadiene	100		ug/m ³	36	43	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	27	59	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	40	59	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	66	140	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
540-84-1	2,2,4-Trimethylpentane	55		ug/m ³	18	46	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
78-93-3	2-Butanone	ND		ug/m ³	14	29	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	22	36	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
591-78-6	2-Hexanone	ND		ug/m ³	41	81	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
107-05-1	3-Chloropropene	ND		ug/m ³	6.8	31	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
67-64-1	Acetone	430		ug/m ³	9.9	24	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
71-43-2	Benzene	ND		ug/m ³	23	32	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
100-44-7	Benzyl chloride	ND		ug/m ³	45	100	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-27-4	Bromodichloromethane	86		ug/m ³	22	61	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-25-2	Bromoform	ND		ug/m ³	45	100	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
74-83-9	Bromomethane	ND		ug/m ³	19	38	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-15-0	Carbon disulfide	18	J	ug/m ³	6.8	31	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	24	62	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
108-90-7	Chlorobenzene	ND		ug/m ³	30	46	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-00-3	Chloroethane	ND		ug/m ³	24	26	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
67-66-3	Chloroform	1900		ug/m ³	20	48	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
74-87-3	Chloromethane	ND		ug/m ³	12	20	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD

Sample Information

Client Sample ID: SV-4_11/12/2010

York Sample ID: 10K0498-01

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 12, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	20	39	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	23	45	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
110-82-7	Cyclohexane	ND		ug/m ³	12	34	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	28	49	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
106-99-0	Ethyl acetate	ND		ug/m ³	16	36	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
100-41-4	Ethyl Benzene	ND		ug/m ³	26	43	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	59	110	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
67-63-0	Isopropanol	ND		ug/m ³	23	49	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	41	81	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	18	36	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-09-2	Methylene chloride	ND		ug/m ³	14	34	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
142-82-5	n-Heptane	35	J	ug/m ³	16	41	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
106-99-0	n-Hexane	120		ug/m ³	22	35	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
95-47-6	o-Xylene	ND		ug/m ³	30	43	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
1330-20-7P/M	p- & m- Xylenes	ND		ug/m ³	68	86	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	8.8	49	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
115-07-01	Propylene	ND		ug/m ³	21	34	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
100-42-5	Styrene	ND		ug/m ³	24	42	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
127-18-4	Tetrachloroethylene	310		ug/m ³	28	67	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	24	58	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
108-88-3	Toluene	47		ug/m ³	20	37	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	25	39	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	13	45	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
79-01-6	Trichloroethylene	ND		ug/m ³	26	53	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	28	56	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
108-05-4	Vinyl acetate	ND		ug/m ³	9.1	35	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
593-60-2	Vinyl bromide	ND		ug/m ³	19	43	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	17	25	19.46	EPA Compendium TO-15	11/18/2010 12:12	11/18/2010 12:12	TD
	Surrogate Recoveries	Result			Acceptance Range						
460-00-4	Surrogate: p-Bromofluorobenzene	94.5 %			70-130						

Sample Information

Client Sample ID: SV-5_11/13/2010

York Sample ID: 10K0498-02

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Sample Information

Client Sample ID: SV-5_11/13/2010

York Sample ID: 10K0498-02

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	14	26	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	15	33	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	18	37	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	15	26	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	9.3	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	6.4	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	11	35	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	13	24	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	11	29	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	7.0	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	16	22	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	18	33	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	11	24	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	17	21	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	13	29	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	20	29	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	32	69	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	8.9	22	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
78-93-3	2-Butanone	67		ug/m ³	6.8	14	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	11	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
591-78-6	2-Hexanone	ND		ug/m ³	20	39	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
107-05-1	3-Chloropropene	ND		ug/m ³	3.3	15	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
67-64-1	Acetone	760		ug/m ³	4.8	11	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
71-43-2	Benzene	14	J	ug/m ³	11	15	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
100-44-7	Benzyl chloride	ND		ug/m ³	22	49	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	11	30	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-25-2	Bromoform	ND		ug/m ³	22	49	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
74-83-9	Bromomethane	ND		ug/m ³	9.3	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-15-0	Carbon disulfide	ND		ug/m ³	3.3	15	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	11	30	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
108-90-7	Chlorobenzene	ND		ug/m ³	15	22	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-00-3	Chloroethane	ND		ug/m ³	12	13	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
67-66-3	Chloroform	210		ug/m ³	9.8	23	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
74-87-3	Chloromethane	ND		ug/m ³	5.7	9.9	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	9.5	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD

Sample Information

Client Sample ID: SV-5_11/13/2010

York Sample ID: 10K0498-02

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	11	22	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
110-82-7	Cyclohexane	ND		ug/m ³	5.9	16	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	14	24	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
106-99-0	Ethyl acetate	ND		ug/m ³	7.6	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
100-41-4	Ethyl Benzene	21		ug/m ³	12	21	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	29	51	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
67-63-0	Isopropanol	ND		ug/m ³	11	24	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	20	39	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	8.6	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-09-2	Methylene chloride	ND		ug/m ³	6.6	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
142-82-5	n-Heptane	28		ug/m ³	7.8	20	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
106-99-0	n-Hexane	16	J	ug/m ³	11	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
95-47-6	o-Xylene	20	J	ug/m ³	15	21	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
1330-20-7P/M	p- & m- Xylenes	68		ug/m ³	33	42	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	4.2	24	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
115-07-01	Propylene	ND		ug/m ³	10	16	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
100-42-5	Styrene	ND		ug/m ³	12	20	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
127-18-4	Tetrachloroethylene	820		ug/m ³	14	32	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	12	28	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
108-88-3	Toluene	120		ug/m ³	9.7	18	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	12	19	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	6.5	22	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
79-01-6	Trichloroethylene	ND		ug/m ³	12	26	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	13	27	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
108-05-4	Vinyl acetate	ND		ug/m ³	4.4	17	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
593-60-2	Vinyl bromide	ND		ug/m ³	9.2	21	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	8.1	12	9.4	EPA Compendium TO-15	11/18/2010 16:42	11/18/2010 16:42	TD
Surrogate Recoveries		Result	Acceptance Range								
460-00-4	Surrogate: p-Bromofluorobenzene	98.7 %	70-130								

Sample Information

Client Sample ID: SV-7_11/13/2010

York Sample ID: 10K0498-03

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Sample Information

Client Sample ID: SV-7_11/13/2010

York Sample ID: 10K0498-03

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	27	51	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	30	65	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	36	72	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	29	51	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	18	38	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	13	37	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	22	70	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	26	46	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	23	57	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	14	38	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	32	44	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	36	66	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	21	46	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	34	41	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	26	57	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	39	57	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	62	140	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	18	44	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
78-93-3	2-Butanone	ND		ug/m ³	13	28	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	21	34	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
591-78-6	2-Hexanone	ND		ug/m ³	39	77	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
107-05-1	3-Chloropropene	ND		ug/m ³	6.5	29	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
67-64-1	Acetone	950		ug/m ³	9.4	22	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
71-43-2	Benzene	ND		ug/m ³	22	30	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
100-44-7	Benzyl chloride	ND		ug/m ³	43	98	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	21	59	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-25-2	Bromoform	ND		ug/m ³	43	97	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
74-83-9	Bromomethane	ND		ug/m ³	18	37	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-15-0	Carbon disulfide	ND		ug/m ³	6.5	29	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	23	59	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
108-90-7	Chlorobenzene	ND		ug/m ³	29	43	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-00-3	Chloroethane	ND		ug/m ³	23	25	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
67-66-3	Chloroform	75		ug/m ³	19	46	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
74-87-3	Chloromethane	ND		ug/m ³	11	19	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	19	37	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD

Sample Information

Client Sample ID: SV-7_11/13/2010

York Sample ID: 10K0498-03

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	22	43	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
110-82-7	Cyclohexane	ND		ug/m ³	12	32	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	27	47	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
106-99-0	Ethyl acetate	ND		ug/m ³	15	34	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
100-41-4	Ethyl Benzene	ND		ug/m ³	25	41	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	56	100	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
67-63-0	Isopropanol	ND		ug/m ³	22	46	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	39	77	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	17	34	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-09-2	Methylene chloride	ND		ug/m ³	13	33	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
142-82-5	n-Heptane	ND		ug/m ³	15	39	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
106-99-0	n-Hexane	ND		ug/m ³	21	33	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
95-47-6	o-Xylene	ND		ug/m ³	29	41	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
1330-20-7P/M	p- & m- Xylenes	ND		ug/m ³	65	82	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	8.3	46	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
115-07-01	Propylene	ND		ug/m ³	20	32	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
100-42-5	Styrene	ND		ug/m ³	23	40	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
127-18-4	Tetrachloroethylene	540		ug/m ³	27	64	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	23	56	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
108-88-3	Toluene	87		ug/m ³	19	36	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	24	37	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	13	43	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
79-01-6	Trichloroethylene	ND		ug/m ³	24	51	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	26	53	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
108-05-4	Vinyl acetate	ND		ug/m ³	8.6	33	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
593-60-2	Vinyl bromide	ND		ug/m ³	18	41	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	16	24	18.53	EPA Compendium TO-15	11/18/2010 13:25	11/18/2010 13:25	TD
	Surrogate Recoveries	Result			Acceptance Range						
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						

Sample Information

Client Sample ID: SV-6_11/13/2010

York Sample ID: 10K0498-04

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Sample Information

Client Sample ID: SV-6_11/13/2010

York Sample ID: 10K0498-04

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	27	53	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	30	66	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	37	74	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	29	53	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	19	39	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	13	38	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	23	72	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	27	47	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	23	58	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	14	39	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	33	45	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	36	67	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	22	47	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
106-99-0	1,3-Butadiene	260		ug/m ³	35	42	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	27	58	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	39	58	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	64	140	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	18	45	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
78-93-3	2-Butanone	ND		ug/m ³	14	28	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	22	35	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
591-78-6	2-Hexanone	ND		ug/m ³	40	79	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
107-05-1	3-Chloropropene	ND		ug/m ³	6.6	30	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
67-64-1	Acetone	350		ug/m ³	9.6	23	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
71-43-2	Benzene	31		ug/m ³	23	31	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
100-44-7	Benzyl chloride	ND		ug/m ³	44	100	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-27-4	Bromodichloromethane	63		ug/m ³	22	60	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-25-2	Bromoform	ND		ug/m ³	44	100	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
74-83-9	Bromomethane	ND		ug/m ³	19	37	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-15-0	Carbon disulfide	35		ug/m ³	6.6	30	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	23	61	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
108-90-7	Chlorobenzene	ND		ug/m ³	29	44	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-00-3	Chloroethane	ND		ug/m ³	23	25	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
67-66-3	Chloroform	2700		ug/m ³	20	47	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
74-87-3	Chloromethane	ND		ug/m ³	12	20	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	19	38	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD

Sample Information

Client Sample ID: SV-6_11/13/2010

York Sample ID: 10K0498-04

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	23	44	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
110-82-7	Cyclohexane	ND		ug/m ³	12	33	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	28	48	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
106-99-0	Ethyl acetate	ND		ug/m ³	15	35	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
100-41-4	Ethyl Benzene	ND		ug/m ³	25	42	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	58	100	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
67-63-0	Isopropanol	ND		ug/m ³	22	47	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	39	79	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	17	35	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-09-2	Methylene chloride	ND		ug/m ³	13	33	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
142-82-5	n-Heptane	ND		ug/m ³	16	39	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
106-99-0	n-Hexane	83		ug/m ³	22	34	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
95-47-6	o-Xylene	ND		ug/m ³	29	42	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
1330-20-7P/M	p- & m- Xylenes	ND		ug/m ³	66	84	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	8.5	47	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
115-07-01	Propylene	ND		ug/m ³	21	33	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
100-42-5	Styrene	ND		ug/m ³	24	41	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
127-18-4	Tetrachloroethylene	78		ug/m ³	27	65	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	23	57	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
108-88-3	Toluene	90		ug/m ³	20	36	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	24	38	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	13	44	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
79-01-6	Trichloroethylene	ND		ug/m ³	25	52	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	27	54	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
108-05-4	Vinyl acetate	ND		ug/m ³	8.8	34	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
593-60-2	Vinyl bromide	ND		ug/m ³	19	42	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	16	25	18.95	EPA Compendium TO-15	11/18/2010 14:02	11/18/2010 14:02	TD
	Surrogate Recoveries	Result			Acceptance Range						
460-00-4	Surrogate: p-Bromofluorobenzene	94.0 %			70-130						

Sample Information

Client Sample ID: SV-AA_11/13/2010

York Sample ID: 10K0498-05

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Sample Information

Client Sample ID: SV-AA_11/13/2010

York Sample ID: 10K0498-05

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	2.7	5.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	3.0	6.5	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	3.6	7.2	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	2.9	5.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	1.8	3.8	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	1.3	3.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	2.2	7.0	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	2.6	4.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	2.3	5.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	1.4	3.8	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	3.2	4.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	3.6	6.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	2.1	4.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	3.4	4.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	2.6	5.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	3.8	5.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	6.2	14	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	1.8	4.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
78-93-3	2-Butanone	ND		ug/m ³	1.3	2.8	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	2.1	3.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
591-78-6	2-Hexanone	ND		ug/m ³	3.9	7.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
107-05-1	3-Chloropropene	ND		ug/m ³	0.65	2.9	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
67-64-1	Acetone	9.7		ug/m ³	0.94	2.2	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
71-43-2	Benzene	ND		ug/m ³	2.2	3.0	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
100-44-7	Benzyl chloride	ND		ug/m ³	4.3	9.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	2.1	5.8	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-25-2	Bromoform	ND		ug/m ³	4.3	9.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
74-83-9	Bromomethane	ND		ug/m ³	1.8	3.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-15-0	Carbon disulfide	ND		ug/m ³	0.64	2.9	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	2.2	5.9	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
108-90-7	Chlorobenzene	ND		ug/m ³	2.9	4.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-00-3	Chloroethane	ND		ug/m ³	2.3	2.5	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
67-66-3	Chloroform	ND		ug/m ³	1.9	4.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
74-87-3	Chloromethane	ND		ug/m ³	1.1	1.9	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	1.9	3.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD

Sample Information

Client Sample ID: SV-AA_11/13/2010

York Sample ID: 10K0498-05

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 13, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	2.2	4.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
110-82-7	Cyclohexane	ND		ug/m ³	1.2	3.2	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	2.7	4.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
106-99-0	Ethyl acetate	ND		ug/m ³	1.5	3.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
100-41-4	Ethyl Benzene	ND		ug/m ³	2.5	4.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.6	10	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
67-63-0	Isopropanol	ND		ug/m ³	2.2	4.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	3.9	7.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.7	3.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-09-2	Methylene chloride	ND		ug/m ³	1.3	3.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
142-82-5	n-Heptane	ND		ug/m ³	1.5	3.9	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
106-99-0	n-Hexane	ND		ug/m ³	2.1	3.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
95-47-6	o-Xylene	ND		ug/m ³	2.9	4.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
1330-20-7P/M	p- & m- Xylenes	ND		ug/m ³	6.5	8.2	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	0.83	4.6	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
115-07-01	Propylene	ND		ug/m ³	2.0	3.2	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
100-42-5	Styrene	ND		ug/m ³	2.3	4.0	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
127-18-4	Tetrachloroethylene	ND		ug/m ³	2.7	6.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	2.3	5.5	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
108-88-3	Toluene	2.6	J	ug/m ³	1.9	3.5	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.4	3.7	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.3	4.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
79-01-6	Trichloroethylene	ND		ug/m ³	2.4	5.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.6	5.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.86	3.3	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.8	4.1	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.6	2.4	1.85	EPA Compendium TO-15	11/18/2010 18:00	11/18/2010 18:00	TD
Surrogate Recoveries		Result	Acceptance Range								
460-00-4	Surrogate: p-Bromofluorobenzene	90.3 %	70-130								

Sample Information

Client Sample ID: SV-1_11/15/2010

York Sample ID: 10K0498-06

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/15/2010

Sample Information

Client Sample ID: SV-1_11/15/2010

York Sample ID: 10K0498-06

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	2.8	5.4	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	3.1	6.7	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	3.8	7.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	3.0	5.4	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	1.9	4.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	1.3	3.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	2.3	7.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	2.7	4.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	2.4	5.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	1.4	4.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	3.4	4.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	3.7	6.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	2.2	4.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	3.6	4.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	2.7	5.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	4.0	5.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	6.5	14	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	1.8	4.6	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
78-93-3	2-Butanone	37		ug/m ³	1.4	2.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	2.2	3.6	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
591-78-6	2-Hexanone	ND		ug/m ³	4.1	8.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
107-05-1	3-Chloropropene	ND		ug/m ³	0.68	3.1	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
67-64-1	Acetone	520		ug/m ³	9.8	23	19.31	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
71-43-2	Benzene	ND		ug/m ³	2.3	3.1	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
100-44-7	Benzyl chloride	ND		ug/m ³	4.5	10	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-27-4	Bromodichloromethane	5.0	J	ug/m ³	2.2	6.1	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-25-2	Bromoform	ND		ug/m ³	4.5	10	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
74-83-9	Bromomethane	ND		ug/m ³	1.9	3.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-15-0	Carbon disulfide	ND		ug/m ³	0.67	3.1	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	2.3	6.2	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
108-90-7	Chlorobenzene	ND		ug/m ³	3.0	4.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-00-3	Chloroethane	ND		ug/m ³	2.4	2.6	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
67-66-3	Chloroform	89		ug/m ³	2.0	4.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
74-87-3	Chloromethane	ND		ug/m ³	1.2	2.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	1.9	3.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD

Sample Information

Client Sample ID: SV-1_11/15/2010

York Sample ID: 10K0498-06

York Project (SDG) No.
10K0498

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/15/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	2.3	4.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
110-82-7	Cyclohexane	ND		ug/m ³	1.2	3.4	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-71-8	Dichlorodifluoromethane	4.7	J	ug/m ³	2.8	4.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
106-99-0	Ethyl acetate	ND		ug/m ³	1.6	3.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
100-41-4	Ethyl Benzene	3.9	J	ug/m ³	2.6	4.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.9	10	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
67-63-0	Isopropanol	ND		ug/m ³	2.3	4.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
108-10-1	Methyl isobutyl ketone	34		ug/m ³	4.0	8.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.8	3.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-09-2	Methylene chloride	2.5	J, B	ug/m ³	1.4	3.4	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
142-82-5	n-Heptane	6.8		ug/m ³	1.6	4.0	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
106-99-0	n-Hexane	ND		ug/m ³	2.2	3.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
95-47-6	o-Xylene	3.8	J	ug/m ³	3.0	4.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
1330-20-7P/M	p- & m- Xylenes	13		ug/m ³	6.7	8.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
622-96-8	p-Ethyltoluene	4.0	J	ug/m ³	0.87	4.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
115-07-01	Propylene	ND		ug/m ³	2.1	3.4	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
100-42-5	Styrene	ND		ug/m ³	2.4	4.2	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
127-18-4	Tetrachloroethylene	15		ug/m ³	2.8	6.7	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	2.4	5.8	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
108-88-3	Toluene	8.4		ug/m ³	2.0	3.7	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.5	3.9	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.3	4.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
79-01-6	Trichloroethylene	ND		ug/m ³	2.5	5.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.8	5.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.90	3.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.9	4.3	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.7	2.5	1.93	EPA Compendium TO-15	11/18/2010 18:40	11/18/2010 18:40	TD
	Surrogate Recoveries	Result			Acceptance Range						
460-00-4	<i>Surrogate: p-Bromofluorobenzene</i>	97.0 %			70-130						

Analytical Batch Summary

Batch ID: BK00666

Preparation Method: EPA TO15 PREP

Prepared By: TD

YORK Sample ID	Client Sample ID	Preparation Date
10K0498-01	SV-4_11/12/2010	11/18/10
10K0498-02	SV-5_11/13/2010	11/18/10
10K0498-03	SV-7_11/13/2010	11/18/10
10K0498-04	SV-6_11/13/2010	11/18/10
10K0498-05	SV-AA_11/13/2010	11/18/10
10K0498-06	SV-1_11/15/2010	11/18/10
BK00666-BLK1	Blank	11/18/10
BK00666-BS1	LCS	11/18/10
BK00666-DUP1	Duplicate	11/18/10

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC %REC	Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	-----------	--------	------	-----	-----------	------

Batch BK00666 - EPA TO15 PREP

Blank (BK00666-BLK1)

Prepared & Analyzed: 11/18/2010

Vinyl Chloride	ND	1.3	ug/m ³								
Vinyl bromide	ND	2.2	"								
Vinyl acetate	ND	1.8	"								
Trichloroethylene	ND	2.7	"								
trans-1,3-Dichloropropylene	ND	2.3	"								
trans-1,2-Dichloroethylene	ND	2.0	"								
Toluene	ND	1.9	"								
Tetrahydrofuran	ND	3.0	"								
Tetrachloroethylene	ND	3.4	"								
Styrene	ND	2.2	"								
Propylene	ND	1.8	"								
p-Ethyltoluene	ND	2.5	"								
p- & m- Xylenes	ND	4.4	"								
o-Xylene	ND	2.2	"								
n-Hexane	ND	1.8	"								
n-Heptane	ND	2.1	"								
Methylene chloride	1.6	1.8	"								
Methyl tert-butyl ether (MTBE)	ND	1.8	"								
Methyl isobutyl ketone	ND	4.2	"								
Isopropanol	ND	2.5	"								
Hexachlorobutadiene	ND	5.4	"								
Ethyl Benzene	ND	2.2	"								
Ethyl acetate	ND	1.8	"								
Cyclohexane	ND	1.8	"								
cis-1,3-Dichloropropylene	ND	2.3	"								
cis-1,2-Dichloroethylene	ND	2.0	"								
Chloromethane	ND	1.1	"								
Chloroform	ND	2.5	"								
Chloroethane	ND	1.3	"								
Carbon tetrachloride	ND	3.2	"								
Carbon disulfide	ND	1.6	"								
Bromomethane	ND	2.0	"								
Bromoform	ND	5.3	"								
Bromodichloromethane	ND	3.2	"								
Benzyl chloride	ND	5.3	"								
Benzene	ND	1.6	"								
Acetone	ND	1.2	"								
3-Chloropropene	ND	1.6	"								
2-Hexanone	ND	4.2	"								
2-Chloro-1,3-Butadiene	ND	1.8	"								
2-Butanone	ND	1.5	"								
2,2,4-Trimethylpentane	ND	2.4	"								
1,4-Dioxane	ND	7.3	"								
1,4-Dichlorobenzene	ND	3.1	"								
1,3-Dichlorobenzene	ND	3.1	"								
1,3-Butadiene	ND	2.2	"								
1,3,5-Trimethylbenzene	ND	2.5	"								
1,2-Dichlorotetrafluoroethane	ND	3.6	"								
1,2-Dichloropropane	ND	2.4	"								
1,2-Dichloroethane	ND	2.1	"								
1,2-Dichlorobenzene	ND	3.1	"								
1,2,4-Trimethylbenzene	ND	2.5	"								
1,2,4-Trichlorobenzene	ND	3.8	"								
1,1-Dichloroethylene	ND	2.0	"								

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00666 - EPA TO15 PREP											
Blank (BK00666-BLK1)						Prepared & Analyzed: 11/18/2010					
1,1-Dichloroethane	ND	2.1	ug/m ³								
Trichlorofluoromethane (Freon 11)	ND	2.9	"								
1,1,2-Trichloroethane	ND	2.8	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	3.9	"								
1,1,2,2-Tetrachloroethane	ND	3.5	"								
Dichlorodifluoromethane	ND	2.5	"								
1,1,1-Trichloroethane	ND	2.8	"								
Chlorobenzene	ND	2.3	"								
<i>Surrogate: p-Bromofluorobenzene</i>	<i>9.12</i>		<i>ppbv</i>	<i>10.0</i>		<i>91.2</i>	<i>70-130</i>				
LCS (BK00666-BS1)						Prepared & Analyzed: 11/18/2010					
Vinyl Chloride	8.0		ppbv	10.0		79.6	70-130				
Vinyl bromide	10		"	10.0		100	70-130				
Vinyl acetate	13		"	10.0		127	70-130				
Trichloroethylene	9.6		"	10.0		96.3	70-130				
trans-1,3-Dichloropropylene	11		"	10.0		111	70-130				
trans-1,2-Dichloroethylene	10		"	10.0		105	70-130				
Toluene	9.6		"	10.0		96.0	70-130				
Tetrahydrofuran	12		"	10.0		124	70-130				
Tetrachloroethylene	8.3		"	10.0		83.4	70-130				
Styrene	9.7		"	10.0		96.7	70-130				
Propylene	10		"	10.0		105	70-130				
p-Ethyltoluene	9.8		"	10.0		98.2	70-130				
p- & m- Xylenes	18		"	20.0		87.6	70-130				
o-Xylene	8.6		"	10.0		85.9	70-130				
n-Hexane	10		"	10.0		104	70-130				
n-Heptane	10		"	10.0		105	70-130				
Methylene chloride	11		"	10.0		110	70-130				
Methyl tert-butyl ether (MTBE)	9.8		"	10.0		97.7	70-130				
Methyl isobutyl ketone	13		"	10.0		125	70-130				
Isopropanol	12		"	10.0		120	70-130				
Hexachlorobutadiene	9.5		"	10.0		94.9	70-130				
Ethyl Benzene	9.4		"	10.0		94.1	70-130				
Ethyl acetate	12		"	10.0		124	70-130				
Cyclohexane	11		"	10.0		106	70-130				
cis-1,3-Dichloropropylene	11		"	10.0		111	70-130				
cis-1,2-Dichloroethylene	10		"	10.0		104	70-130				
Chloromethane	10		"	10.0		100	70-130				
Chloroform	8.9		"	10.0		89.4	70-130				
Chloroethane	10		"	10.0		104	70-130				
Carbon tetrachloride	8.2		"	10.0		81.5	70-130				
Carbon disulfide	10		"	10.0		104	70-130				
Bromomethane	9.7		"	10.0		96.8	70-130				
Bromoform	7.6		"	10.0		76.3	70-130				
Bromodichloromethane	8.8		"	10.0		88.2	70-130				
Benzyl chloride	6.6		"	10.0		65.7	70-130	Low Bias			
Benzene	10		"	10.0		100	70-130				
Acetone	11		"	10.0		106	70-130				
3-Chloropropene	11		"	10.0		107	70-130				
2-Hexanone	7.0		"	10.0		70.2	70-130				
2-Chloro-1,3-Butadiene	0.0		"	10.0			70-130	Low Bias			
2-Butanone	13		"	10.0		128	70-130				
2,2,4-Trimethylpentane	10		"	10.0		103	70-130				

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	----------------	------	-----	--------------	------

Batch BK00666 - EPA TO15 PREP

LCS (BK00666-BS1)

Prepared & Analyzed: 11/18/2010

1,4-Dioxane	13		ppbv	10.0		125	70-130				
1,4-Dichlorobenzene	8.6		"	10.0		86.2	70-130				
1,3-Dichlorobenzene	9.6		"	10.0		96.2	70-130				
1,3-Butadiene	8.0		"	10.0		80.5	70-130				
1,3,5-Trimethylbenzene	8.2		"	10.0		82.3	70-130				
1,2-Dichlorotetrafluoroethane	9.3		"	10.0		92.9	70-130				
1,2-Dichloropropane	10		"	10.0		105	70-130				
1,2-Dichloroethane	8.8		"	10.0		88.3	70-130				
1,2-Dichlorobenzene	9.7		"	10.0		96.6	70-130				
1,2,4-Trimethylbenzene	9.6		"	10.0		95.8	70-130				
1,2,4-Trichlorobenzene	12		"	10.0		120	70-130				
1,1-Dichloroethylene	9.4		"	10.0		94.3	70-130				
1,1-Dichloroethane	9.9		"	10.0		99.3	70-130				
Trichlorofluoromethane (Freon 11)	8.0		"	10.0		79.6	70-130				
1,1,2-Trichloroethane	10		"	10.0		104	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.4		"	10.0		93.6	70-130				
1,1,2,2-Tetrachloroethane	10		"	10.0		102	70-130				
Dichlorodifluoromethane	8.3		"	10.0		82.6	70-130				
1,1,1-Trichloroethane	8.2		"	10.0		82.4	70-130				
Chlorobenzene	9.2		"	10.0		92.1	70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>9.10</i>		<i>"</i>	<i>10.0</i>		<i>91.0</i>	<i>70-130</i>				

Duplicate (BK00666-DUP1)

*Source(Sample used for MS/MSD): 10K0498-02

Prepared & Analyzed: 11/18/2010

Vinyl Chloride	ND	12	ug/m ³		ND					25	
Vinyl bromide	ND	21	"		ND					25	
Vinyl acetate	ND	17	"		ND					25	
Trichloroethylene	ND	26	"		ND					25	
trans-1,3-Dichloropropylene	ND	22	"		ND					25	
trans-1,2-Dichloroethylene	ND	19	"		ND					25	
Toluene	120	18	"		120				1.55	25	
Tetrahydrofuran	ND	28	"		ND					25	
Tetrachloroethylene	820	32	"		820				0.632	25	
Styrene	ND	20	"		ND					25	
Propylene	ND	16	"		ND					25	
p-Ethyltoluene	ND	24	"		ND					25	
p- & m- Xylenes	80	42	"		68				15.1	25	
o-Xylene	23	21	"		20				15.7	25	
n-Hexane	16	17	"		16				2.11	25	
n-Heptane	29	20	"		28				5.48	25	
Methylene chloride	ND	17	"		ND					25	
Methyl tert-butyl ether (MTBE)	ND	17	"		ND					25	
Methyl isobutyl ketone	ND	39	"		ND					25	
Isopropanol	ND	24	"		ND					25	
Hexachlorobutadiene	ND	51	"		ND					25	
Ethyl Benzene	22	21	"		21				3.85	25	
Ethyl acetate	ND	17	"		ND					25	
Cyclohexane	ND	16	"		ND					25	
cis-1,3-Dichloropropylene	ND	22	"		ND					25	
cis-1,2-Dichloroethylene	ND	19	"		ND					25	
Chloromethane	ND	9.9	"		ND					25	
Chloroform	220	23	"		210				3.02	25	
Chloroethane	ND	13	"		ND					25	
Carbon tetrachloride	ND	30	"		ND					25	

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00666 - EPA TO15 PREP										
Duplicate (BK00666-DUP1)	*Source(Sample used for MS/MSD): 10K0498-02					Prepared & Analyzed: 11/18/2010				
Carbon disulfide	ND	15	ug/m ³		ND				25	
Bromomethane	ND	19	"		ND				25	
Bromoform	ND	49	"		ND				25	
Bromodichloromethane	ND	30	"		ND				25	
Benzyl chloride	ND	49	"		ND				25	
Benzene	15	15	"		14			2.11	25	
Acetone	760	11	"		760			0.387	25	
3-Chloropropene	ND	15	"		ND				25	
2-Hexanone	ND	39	"		ND				25	
2-Chloro-1,3-Butadiene	ND	17	"		ND				25	
2-Butanone	73	14	"		67			9.29	25	
2,2,4-Trimethylpentane	ND	22	"		ND				25	
1,4-Dioxane	ND	69	"		ND				25	
1,4-Dichlorobenzene	ND	29	"		ND				25	
1,3-Dichlorobenzene	ND	29	"		ND				25	
1,3-Butadiene	ND	21	"		ND				25	
1,3,5-Trimethylbenzene	ND	24	"		ND				25	
1,2-Dichlorotetrafluoroethane	ND	33	"		ND				25	
1,2-Dichloropropane	ND	22	"		ND				25	
1,2-Dichloroethane	ND	19	"		ND				25	
1,2-Dichlorobenzene	ND	29	"		ND				25	
1,2,4-Trimethylbenzene	ND	24	"		ND				25	
1,2,4-Trichlorobenzene	ND	35	"		ND				25	
1,1-Dichloroethylene	ND	19	"		ND				25	
1,1-Dichloroethane	ND	19	"		ND				25	
Trichlorofluoromethane (Freon 11)	ND	27	"		ND				25	
1,1,2-Trichloroethane	ND	26	"		ND				25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	37	"		ND				25	
1,1,2,2-Tetrachloroethane	ND	33	"		ND				25	
1,1,1-Trichloroethane	ND	26	"		ND				25	
Dichlorodifluoromethane	ND	24	"		ND				200	
Chlorobenzene	ND	22	"		ND				25	
<i>Surrogate: p-Bromofluorobenzene</i>	<i>10.5</i>		<i>ppbv</i>	<i>10.0</i>		<i>105</i>		<i>70-130</i>		

Notes and Definitions

- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank.
-
- ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 10K0498

YOUR Information		Report To:		Invoice To:		YOUR Project ID		Turn-Around Time		Report Type/Deliverables	
Company: <u>Lanigan</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>	Company: <u>Same</u>
Address: <u>360 W. 31st St</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>	Address: <u>Same</u>
Phone No. <u>914-479-5400</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>	Phone No. <u>Same</u>
Contact Person: <u>Stuart Kroop</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>	Contact Person: <u>Same</u>
E-Mail Address: <u>Skroop@Lanigan</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>	E-Mail Address: <u>Same</u>
<p>Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.</p>											
<p>Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor</p>											
<p>Samples Collected/Authorized By (Signature) <u>Carrey Mayan</u> Name (printed) <u>Carrey Mayan</u></p>											
Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)							
SV-4	11/12/10	Air-GV	VOCs TO-15	canister	summa						
SV-5	11/13/10	Air-SV	"								
SV-7	11/13/10	Air-SV	"								
SV-6	11/13/10	Air-SV	"								
SV-AA	11/13/10	Air-A	"								
SV-1	11/15/10	Air-SV	"								
<p>Preservation Check those Applicable 4°C <input type="checkbox"/> Frozen <input type="checkbox"/> HCl <input type="checkbox"/> MeOH <input type="checkbox"/> H₂SO₄ <input type="checkbox"/> NaOH <input type="checkbox"/></p>											
<p>Comments HNO₃ <input type="checkbox"/> Other <input type="checkbox"/> <u>ABD</u> <u>11/15/10</u> <u>9:55 AM</u> Samples Relinquished By <u>Grace</u> Date/Time <u>11/15/10 1640</u> Samples Relinquished By <u>Grace</u> Date/Time <u>11/15/10 1640</u> </p>											
										Temperature on Receipt	
										— °C	

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/18/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0500

Report Date: 11/18/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0500

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 16, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0500-01	SV-2_11/15/2010	Air	11/15/2010	11/16/2010
10K0500-02	SV-3_11/15/2010	Air	11/15/2010	11/16/2010

General Notes for York Project (SDG) No.: 10K0500

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/18/2010

YORK

Sample Information

Client Sample ID: SV-2_11/15/2010

York Sample ID: 10K0500-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

10K0500

170121501

Air

November 15, 2010 12:00 am

11/16/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	2.8	5.4	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	3.1	6.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	3.8	7.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	3.0	5.4	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	1.9	4.0	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	1.3	3.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	2.3	7.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m ³	2.7	4.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	2.4	5.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	1.4	4.0	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	3.4	4.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	3.7	6.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	2.2	4.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	3.6	4.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	2.7	5.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	4.0	5.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	6.5	14	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	1.8	4.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
78-93-3	2-Butanone	ND		ug/m ³	1.4	2.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	2.2	3.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
591-78-6	2-Hexanone	ND		ug/m ³	4.1	8.1	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
107-05-1	3-Chloropropene	ND		ug/m ³	0.68	3.1	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
67-64-1	Acetone	150		ug/m ³	0.98	2.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
71-43-2	Benzene	ND		ug/m ³	2.3	3.2	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
100-44-7	Benzyl chloride	ND		ug/m ³	4.5	10	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	2.2	6.1	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-25-2	Bromoform	ND		ug/m ³	4.5	10	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
74-83-9	Bromomethane	ND		ug/m ³	1.9	3.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-15-0	Carbon disulfide	ND		ug/m ³	0.68	3.1	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	2.4	6.2	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
108-90-7	Chlorobenzene	ND		ug/m ³	3.0	4.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-00-3	Chloroethane	ND		ug/m ³	2.4	2.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
67-66-3	Chloroform	ND		ug/m ³	2.0	4.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
74-87-3	Chloromethane	ND		ug/m ³	1.2	2.0	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD

Sample Information

Client Sample ID: SV-2_11/15/2010

York Sample ID: 10K0500-01

York Project (SDG) No.
10K0500

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/16/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	2.0	3.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	2.3	4.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
110-82-7	Cyclohexane	ND		ug/m ³	1.2	3.4	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	2.8	4.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
106-99-0	Ethyl acetate	ND		ug/m ³	1.6	3.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
100-41-4	Ethyl Benzene	ND		ug/m ³	2.6	4.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.9	11	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
67-63-0	Isopropanol	ND		ug/m ³	2.3	4.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	4.0	8.1	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.8	3.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-09-2	Methylene chloride	ND		ug/m ³	1.4	3.4	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
142-82-5	n-Heptane	ND		ug/m ³	1.6	4.0	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
106-99-0	n-Hexane	ND		ug/m ³	2.2	3.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
95-47-6	o-Xylene	ND		ug/m ³	3.0	4.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
1330-20-7P/M	p- & m- Xylenes	ND		ug/m ³	6.8	8.6	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	0.87	4.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
115-07-01	Propylene	ND		ug/m ³	2.1	3.4	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
100-42-5	Styrene	ND		ug/m ³	2.4	4.2	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
127-18-4	Tetrachloroethylene	ND		ug/m ³	2.8	6.7	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	2.4	5.8	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
108-88-3	Toluene	2.5	J	ug/m ³	2.0	3.7	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.5	3.9	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.3	4.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
79-01-6	Trichloroethylene	ND		ug/m ³	2.5	5.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.8	5.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.90	3.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.9	4.3	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.7	2.5	1.94	EPA Compendium TO-15	11/17/2010 16:54	11/17/2010 16:54	TD
Surrogate Recoveries		Result	Acceptance Range								
460-00-4	Surrogate: p-Bromofluorobenzene	102 %	70-130								

Sample Information

Client Sample ID: SV-3_11/15/2010

York Sample ID: 10K0500-02

York Project (SDG) No.
10K0500

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/16/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	2.7	5.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	3.0	6.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	3.6	7.2	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	2.9	5.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	1.8	3.8	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	1.3	3.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	2.2	6.9	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
95-63-6	1,2,4-Trimethylbenzene	9.0		ug/m ³	2.6	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	2.3	5.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	1.4	3.8	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	3.2	4.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	3.5	6.5	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	2.1	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	3.4	4.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	2.6	5.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	3.8	5.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
123-91-9	1,4-Dioxane	ND		ug/m ³	6.2	13	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
540-84-1	2,2,4-Trimethylpentane	9.7		ug/m ³	1.7	4.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
78-93-3	2-Butanone	21		ug/m ³	1.3	2.8	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
126-99-8	2-Chloro-1,3-Butadiene	ND		ug/m ³	2.1	3.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
591-78-6	2-Hexanone	ND		ug/m ³	3.9	7.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
107-05-1	3-Chloropropene	ND		ug/m ³	0.64	2.9	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
67-64-1	Acetone	560		ug/m ³	9.3	22	18.39	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
71-43-2	Benzene	8.4		ug/m ³	2.2	3.0	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
100-44-7	Benzyl chloride	ND		ug/m ³	4.3	9.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	2.1	5.8	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-25-2	Bromoform	ND		ug/m ³	4.3	9.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
74-83-9	Bromomethane	ND		ug/m ³	1.8	3.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-15-0	Carbon disulfide	11		ug/m ³	0.64	2.9	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	2.2	5.9	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
108-90-7	Chlorobenzene	ND		ug/m ³	2.8	4.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-00-3	Chloroethane	ND		ug/m ³	2.3	2.5	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
67-66-3	Chloroform	8.9		ug/m ³	1.9	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
74-87-3	Chloromethane	ND		ug/m ³	1.1	1.9	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	1.9	3.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD

Sample Information

Client Sample ID: SV-3_11/15/2010

York Sample ID: 10K0500-02

York Project (SDG) No.
10K0500

Client Project ID
170121501

Matrix
Air

Collection Date/Time
November 15, 2010 12:00 am

Date Received
11/16/2010

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	2.2	4.2	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
110-82-7	Cyclohexane	3.7		ug/m ³	1.2	3.2	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	2.7	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
106-99-0	Ethyl acetate	ND		ug/m ³	1.5	3.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
100-41-4	Ethyl Benzene	7.7		ug/m ³	2.4	4.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.6	10	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
67-63-0	Isopropanol	ND		ug/m ³	2.2	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
108-10-1	Methyl isobutyl ketone	ND		ug/m ³	3.8	7.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.7	3.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-09-2	Methylene chloride	ND		ug/m ³	1.3	3.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
142-82-5	n-Heptane	11		ug/m ³	1.5	3.8	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
106-99-0	n-Hexane	8.2		ug/m ³	2.1	3.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
95-47-6	o-Xylene	7.9		ug/m ³	2.8	4.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
1330-20-7P/M	p- & m- Xylenes	27		ug/m ³	6.4	8.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
622-96-8	p-Ethyltoluene	9.2		ug/m ³	0.83	4.6	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
115-07-01	Propylene	ND		ug/m ³	2.0	3.2	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
100-42-5	Styrene	ND		ug/m ³	2.3	4.0	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
127-18-4	Tetrachloroethylene	9.8		ug/m ³	2.7	6.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
109-99-9	Tetrahydrofuran	ND		ug/m ³	2.3	5.5	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
108-88-3	Toluene	25		ug/m ³	1.9	3.5	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.4	3.7	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.3	4.2	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
79-01-6	Trichloroethylene	ND		ug/m ³	2.4	5.0	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.6	5.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.86	3.3	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.8	4.1	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.6	2.4	1.84	EPA Compendium TO-15	11/17/2010 15:46	11/17/2010 15:46	TD
	Surrogate Recoveries	Result			Acceptance Range						
460-00-4	Surrogate: p-Bromofluorobenzene	96.7 %			70-130						

Analytical Batch Summary

Batch ID: BK00609

Preparation Method: EPA TO15 PREP

Prepared By: TD

YORK Sample ID	Client Sample ID	Preparation Date
10K0500-01	SV-2_11/15/2010	11/17/10
10K0500-02	SV-3_11/15/2010	11/17/10
BK00609-BLK1	Blank	11/16/10
BK00609-BS1	LCS	11/16/10

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00609 - EPA TO15 PREP

Blank (BK00609-BLK1)

Prepared & Analyzed: 11/16/2010

Vinyl Chloride	ND	1.3	ug/m ³								
Vinyl bromide	ND	2.2	"								
Vinyl acetate	ND	1.8	"								
Trichloroethylene	ND	2.7	"								
trans-1,3-Dichloropropylene	ND	2.3	"								
trans-1,2-Dichloroethylene	ND	2.0	"								
Toluene	ND	1.9	"								
Tetrahydrofuran	ND	3.0	"								
Tetrachloroethylene	ND	3.4	"								
Styrene	ND	2.2	"								
Propylene	ND	1.8	"								
p-Ethyltoluene	ND	2.5	"								
p- & m- Xylenes	ND	4.4	"								
o-Xylene	ND	2.2	"								
n-Hexane	ND	1.8	"								
n-Heptane	ND	2.1	"								
Methylene chloride	0.88	1.8	"								
Methyl tert-butyl ether (MTBE)	ND	1.8	"								
Methyl isobutyl ketone	ND	4.2	"								
Isopropanol	ND	2.5	"								
Hexachlorobutadiene	ND	5.4	"								
Ethyl Benzene	ND	2.2	"								
Ethyl acetate	ND	1.8	"								
Cyclohexane	ND	1.8	"								
cis-1,3-Dichloropropylene	ND	2.3	"								
cis-1,2-Dichloroethylene	ND	2.0	"								
Chloromethane	ND	1.1	"								
Chloroform	ND	2.5	"								
Chloroethane	ND	1.3	"								
Carbon tetrachloride	ND	3.2	"								
Carbon disulfide	ND	1.6	"								
Bromomethane	ND	2.0	"								
Bromoform	ND	5.3	"								
Bromodichloromethane	ND	3.2	"								
Benzyl chloride	ND	5.3	"								
Benzene	ND	1.6	"								
Acetone	ND	1.2	"								
3-Chloropropene	ND	1.6	"								
2-Hexanone	ND	4.2	"								
2-Chloro-1,3-Butadiene	ND	1.8	"								
2-Butanone	ND	1.5	"								
2,2,4-Trimethylpentane	ND	2.4	"								
1,4-Dioxane	ND	7.3	"								
1,4-Dichlorobenzene	ND	3.1	"								
1,3-Dichlorobenzene	ND	3.1	"								
1,3-Butadiene	ND	2.2	"								
1,3,5-Trimethylbenzene	ND	2.5	"								
1,2-Dichlorotetrafluoroethane	ND	3.6	"								
1,2-Dichloropropane	ND	2.4	"								
1,2-Dichloroethane	ND	2.1	"								
1,2-Dichlorobenzene	ND	3.1	"								
1,2,4-Trimethylbenzene	ND	2.5	"								
1,2,4-Trichlorobenzene	ND	3.8	"								
1,1-Dichloroethylene	ND	2.0	"								

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00609 - EPA TO15 PREP											
Blank (BK00609-BLK1)						Prepared & Analyzed: 11/16/2010					
1,1-Dichloroethane	ND	2.1	ug/m ³								
Trichlorofluoromethane (Freon 11)	ND	2.9	"								
1,1,2-Trichloroethane	ND	2.8	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	3.9	"								
1,1,2,2-Tetrachloroethane	ND	3.5	"								
Dichlorodifluoromethane	ND	2.5	"								
1,1,1-Trichloroethane	ND	2.8	"								
Chlorobenzene	ND	2.3	"								
<i>Surrogate: p-Bromofluorobenzene</i>	7.09		ppbv	10.0		70.9	70-130				
LCS (BK00609-BS1)						Prepared & Analyzed: 11/16/2010					
Vinyl Chloride	7.7		ppbv	10.0		77.2	70-130				
Vinyl bromide	9.8		"	10.0		97.5	70-130				
Vinyl acetate	10		"	10.0		101	70-130				
Trichloroethylene	9.3		"	10.0		93.0	70-130				
trans-1,3-Dichloropropylene	10		"	10.0		101	70-130				
trans-1,2-Dichloroethylene	9.5		"	10.0		95.2	70-130				
Toluene	9.0		"	10.0		89.6	70-130				
Tetrahydrofuran	9.9		"	10.0		99.1	70-130				
Tetrachloroethylene	7.7		"	10.0		76.7	70-130				
Styrene	12		"	10.0		116	70-130				
Propylene	8.8		"	10.0		87.9	70-130				
p-Ethyltoluene	12		"	10.0		117	70-130				
p- & m- Xylenes	21		"	20.0		104	70-130				
o-Xylene	11		"	10.0		107	70-130				
n-Hexane	8.4		"	10.0		84.4	70-130				
n-Heptane	8.1		"	10.0		80.9	70-130				
Methylene chloride	9.2		"	10.0		92.1	70-130				
Methyl tert-butyl ether (MTBE)	9.0		"	10.0		90.4	70-130				
Methyl isobutyl ketone	12		"	10.0		125	70-130				
Isopropanol	11		"	10.0		110	70-130				
Hexachlorobutadiene	9.7		"	10.0		96.9	70-130				
Ethyl Benzene	11		"	10.0		106	70-130				
Ethyl acetate	11		"	10.0		111	70-130				
Cyclohexane	8.6		"	10.0		85.5	70-130				
cis-1,3-Dichloropropylene	10		"	10.0		101	70-130				
cis-1,2-Dichloroethylene	9.6		"	10.0		95.7	70-130				
Chloromethane	9.4		"	10.0		94.3	70-130				
Chloroform	8.6		"	10.0		85.7	70-130				
Chloroethane	8.8		"	10.0		88.0	70-130				
Carbon tetrachloride	8.4		"	10.0		84.1	70-130				
Carbon disulfide	9.4		"	10.0		93.7	70-130				
Bromomethane	9.5		"	10.0		94.8	70-130				
Bromoform	9.0		"	10.0		90.4	70-130				
Bromodichloromethane	8.8		"	10.0		87.8	70-130				
Benzyl chloride	7.0		"	10.0		70.2	70-130				
Benzene	8.7		"	10.0		86.6	70-130				
Acetone	9.3		"	10.0		92.6	70-130				
3-Chloropropene	8.3		"	10.0		83.1	70-130				
2-Hexanone	12		"	10.0		116	70-130				
2-Chloro-1,3-Butadiene	0.0		"	10.0			70-130	Low Bias			
2-Butanone	11		"	10.0		107	70-130				
2,2,4-Trimethylpentane	8.3		"	10.0		83.2	70-130				

Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00609 - EPA TO15 PREP										
LCS (BK00609-BS1)						Prepared & Analyzed: 11/16/2010				
1,4-Dioxane	14		ppbv	10.0		137 70-130	High Bias			
1,4-Dichlorobenzene	9.6		"	10.0		96.2 70-130				
1,3-Dichlorobenzene	11		"	10.0		108 70-130				
1,3-Butadiene	8.2		"	10.0		82.5 70-130				
1,3,5-Trimethylbenzene	9.6		"	10.0		96.2 70-130				
1,2-Dichlorotetrafluoroethane	8.9		"	10.0		89.4 70-130				
1,2-Dichloropropane	8.7		"	10.0		86.6 70-130				
1,2-Dichloroethane	8.7		"	10.0		87.3 70-130				
1,2-Dichlorobenzene	10		"	10.0		104 70-130				
1,2,4-Trimethylbenzene	11		"	10.0		110 70-130				
1,2,4-Trichlorobenzene	12		"	10.0		120 70-130				
1,1-Dichloroethylene	8.9		"	10.0		89.4 70-130				
1,1-Dichloroethane	8.7		"	10.0		86.6 70-130				
Trichlorofluoromethane (Freon 11)	8.5		"	10.0		84.8 70-130				
1,1,2-Trichloroethane	9.7		"	10.0		96.9 70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.1		"	10.0		91.0 70-130				
1,1,2,2-Tetrachloroethane	11		"	10.0		112 70-130				
Dichlorodifluoromethane	8.6		"	10.0		85.6 70-130				
1,1,1-Trichloroethane	8.6		"	10.0		85.5 70-130				
Chlorobenzene	10		"	10.0		102 70-130				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>9.57</i>		<i>"</i>	<i>10.0</i>		<i>95.7 70-130</i>				

Notes and Definitions

- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank.
-
- ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action: Copy from 10K0498.

YORK

ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page 1 of 3

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. _____

YOUR Information Company: <u>Langan</u> Address: <u>360 W 35th St</u> <u>8th Floor NY, NY 10001</u> Phone No: <u>212-479-5400</u> Contact Person: <u>Stuart Knop</u> E-Mail Address: <u>SKnop@langan.com</u>		Report To: Company: <u>SAME</u> Address: _____ Phone No: _____ Attention: _____ E-Mail Address: _____		Invoice To: Company: <u>SAME</u> Address: _____ Phone No: _____ Attention: _____ E-Mail Address: _____		YOUR Project ID 170121501 Purchase Order No. _____		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard (5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>EA</u> EDD (Specify Type) <input type="checkbox"/> Excel <input checked="" type="checkbox"/>	
---	--	---	--	--	--	---	--	--	--	--	--

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until all questions by York are resolved.

Matrix Codes
 S - soil
 Other - specify (oil, etc.)
 WW - wastewater
 GW - groundwater
 DW - drinking water
 Air-A - ambient air
 Air-SV - soil vapor

 Samples Collected/Authorized By (Signature)
Courtney Mann
 Named (printed)

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
SV-2	11/15/10	Air-SV	Air TO-15	Summa
SV-3	"	"	"	"

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
SV-2	11/15/10	Air-SV	Air TO-15	Summa
SV-3	"	"	"	"

Preservation: 4°C, Frozen, MeOH, HNO₃, NaOH

Check those Applicable: ZnAc, Ascorbic Acid, Other

Comments: _____

Samples Relinquished By: [Signature] Date/Time: 11/16/10 10:00 AM

Samples Relinquished By: [Signature] Date/Time: 11/16/10 16:20

Samples Received in LAB by: _____ Date/Time: _____

Temperature on Receipt: 4 °C

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0528

Report Date: 11/24/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0528

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 15, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0528-01	SB-1-6-9_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-02	SB-1-16-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-03	SB-4-0-3_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-04	SB-4-15-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-05	SB-3-5-7_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-06	SB-3-15-18_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-07	SB-2-5-9_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-08	SB-DUP-1_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-09	SB-DUP-2_11/12/2010	Soil	11/12/2010	11/15/2010
10K0528-10	TMW-2_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-11	TMW-14_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-12	Tripblank_11/13/2010	Water	11/13/2010	11/15/2010
10K0528-13	SB-7-0-4_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-14	SB-7-14-15_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-15	SB-6-5-7_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-16	SB-6-18-20_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-17	SB-5-10-13_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-18	SB-5-17-18_11/13/2010	Soil	11/13/2010	11/15/2010
10K0528-19	SB-2-15-16_11/12/2010	Soil	11/12/2010	11/15/2010

General Notes for York Project (SDG) No.: 10K0528

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/24/2010

YORK

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
67-64-1	Acetone	4.7	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
67-66-3	Chloroform	6.2		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-09-2	Methylene chloride	4.5	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
127-18-4	Tetrachloroethylene	0.99	J	ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 04:15	11/20/2010 04:15	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %			70-130						

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
460-00-4	Surrogate: p-Bromofluorobenzene	106 %			70-130						
2037-26-5	Surrogate: Toluene-d8	103 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:26	TD

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	48.1 %									
321-60-8	Surrogate: 2-Fluorobiphenyl	49.0 %									
367-12-4	Surrogate: 2-Fluorophenol	33.6 %									
4165-60-0	Surrogate: Nitrobenzene-d5	61.9 %									
4165-62-2	Surrogate: Phenol-d5	8.56 %	S-AC								
1718-51-0	Surrogate: Terphenyl-d14	79.7 %									

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 15:47	JW
Surrogate Recoveries		Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	55.0 %									
877-09-8	Surrogate: Tetrachloro-m-xylene	53.5 %									

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	8.70		mg/L	0.007	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-39-3	Barium	0.198		mg/L	0.004	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-70-2	Calcium	38.5		mg/L	0.009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-47-3	Chromium	0.043		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-48-4	Cobalt	0.018		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-50-8	Copper	0.055		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-89-6	Iron	10.8		mg/L	0.006	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW

Sample Information

Client Sample ID: TMW-2_11/13/2010

York Sample ID: 10K0528-10

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	0.071		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-95-4	Magnesium	8.90		mg/L	0.008	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7439-96-5	Manganese	2.69		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-02-0	Nickel	0.031		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-09-7	Potassium	8.94		mg/L	0.026	0.050	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-23-5	Sodium	86.8		mg/L	0.066	0.100	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-62-2	Vanadium	0.015		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW
7440-66-6	Zinc	0.141		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:43	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000.0002000	1		EPA SW846-7470	11/18/2010 12:16	11/18/2010 16:10	AA

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
67-64-1	Acetone	ND		ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-27-4	Bromodichloromethane	2.8	J	ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
67-66-3	Chloroform	27		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-09-2	Methylene chloride	4.7	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 04:52	11/20/2010 04:52	SS
	Surrogate Recoveries	Result			Acceptance Range						
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	110 %			70-130						

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						
2037-26-5	Surrogate: Toluene-d8	106 %			70-130						

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/19/2010 08:43	11/22/2010 17:58	TD

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries		Result			Acceptance Range						
5175-83-7	Surrogate: 2,4,6-Tribromophenol	32.8 %									
321-60-8	Surrogate: 2-Fluorobiphenyl	42.0 %									
367-12-4	Surrogate: 2-Fluorophenol	20.3 %									
4165-60-0	Surrogate: Nitrobenzene-d5	30.5 %									
4165-62-2	Surrogate: Phenol-d5	6.60 %	S-AC								
1718-51-0	Surrogate: Terphenyl-d14	66.9 %									

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/19/2010 08:49	11/22/2010 16:26	JW
Surrogate Recoveries		Result			Acceptance Range						
2051-24-3	Surrogate: Decachlorobiphenyl	52.5 %									
877-09-8	Surrogate: Tetrachloro-m-xylene	52.0 %									

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	1.42		mg/L	0.007	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-39-3	Barium	0.036		mg/L	0.004	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-70-2	Calcium	42.4		mg/L	0.009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW

Sample Information

Client Sample ID: TMW-14_11/13/2010

York Sample ID: 10K0528-11

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	0.836		mg/L	0.006	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-92-1	Lead	0.003		mg/L	0.001	0.003	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-95-4	Magnesium	5.06		mg/L	0.008	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7439-96-5	Manganese	0.329		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-02-0	Nickel	ND		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-09-7	Potassium	5.90		mg/L	0.026	0.050	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-23-5	Sodium	26.3		mg/L	0.066	0.100	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/17/2010 15:29	11/17/2010 18:47	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.000039000	0.002000	1	EPA SW846-7470	11/18/2010 12:16	11/18/2010 16:10	AA

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
67-64-1	Acetone	4.3	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-09-2	Methylene chloride	6.1	B, J	ug/L	1.1	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/20/2010 05:28	11/20/2010 05:28	SS
Surrogate Recoveries		Result	Acceptance Range								

Sample Information

Client Sample ID: Tripblank_11/13/2010

York Sample ID: 10K0528-12

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
17060-07-0	Surrogate: 1,2-Dichloroethane-d4	108 %			70-130						
460-00-4	Surrogate: p-Bromofluorobenzene	104 %			70-130						
2037-26-5	Surrogate: Toluene-d8	105 %			70-130						

Sample Information

Client Sample ID: SB-7-0-4_11/13/2010

York Sample ID: 10K0528-13

York Project (SDG) No.
10K0528

Client Project ID
170121501

Matrix
Soil

Collection Date/Time
November 13, 2010 3:00 pm

Date Received
11/15/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.8	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	3.4	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	0.57	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
78-93-3	2-Butanone	ND		ug/kg dry	6.6	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
591-78-6	2-Hexanone	ND		ug/kg dry	2.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	6.8	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
67-64-1	Acetone	ND		ug/kg dry	8.0	24	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
71-43-2	Benzene	ND		ug/kg dry	1.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-25-2	Bromoform	ND		ug/kg dry	1.5	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
74-83-9	Bromomethane	ND		ug/kg dry	3.2	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-15-0	Carbon disulfide	ND		ug/kg dry	1.6	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.7	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
108-90-7	Chlorobenzene	ND		ug/kg dry	0.90	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS
75-00-3	Chloroethane	ND		ug/kg dry	2.0	12	2	EPA SW846-8260B	11/19/2010 13:21	11/20/2010 07:00	SS

Analytical Batch Summary

Batch ID: BK00622

Preparation Method: EPA SW 846-3010A

Prepared By: MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/17/10
10K0528-11	TMW-14_11/13/2010	11/17/10
BK00622-BLK1	Blank	11/17/10
BK00622-SRM1	Reference	11/17/10
BK00622-SRM2	Reference	11/17/10

Batch ID: BK00624

Preparation Method: EPA SW 846-3050B

Prepared By: MW

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/17/10
10K0528-02	SB-1-16-18_11/12/2010	11/17/10
10K0528-03	SB-4-0-3_11/12/2010	11/17/10
10K0528-04	SB-4-15-18_11/12/2010	11/17/10
10K0528-05	SB-3-5-7_11/12/2010	11/17/10
10K0528-06	SB-3-15-18_11/12/2010	11/17/10
10K0528-07	SB-2-5-9_11/12/2010	11/17/10
10K0528-08	SB-DUP-1_11/12/2010	11/17/10
10K0528-09	SB-DUP-2_11/12/2010	11/17/10
10K0528-13	SB-7-0-4_11/13/2010	11/17/10
10K0528-14	SB-7-14-15_11/13/2010	11/17/10
10K0528-15	SB-6-5-7_11/13/2010	11/17/10
10K0528-16	SB-6-18-20_11/13/2010	11/17/10
10K0528-17	SB-5-10-13_11/13/2010	11/17/10
10K0528-18	SB-5-17-18_11/13/2010	11/17/10
10K0528-19	SB-2-15-16_11/12/2010	11/17/10
BK00624-BLK1	Blank	11/17/10
BK00624-DUP1	Duplicate	11/17/10
BK00624-MS1	Matrix Spike	11/17/10
BK00624-SRM1	Reference	11/17/10

Batch ID: BK00645

Preparation Method: EPA SW846-7470

Prepared By: AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/18/10
10K0528-11	TMW-14_11/13/2010	11/18/10
BK00645-BLK1	Blank	11/22/10
BK00645-BS1	LCS	11/22/10

Batch ID: BK00646

Preparation Method: EPA SW846-7471

Prepared By: AA

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/18/10
10K0528-02	SB-1-16-18_11/12/2010	11/18/10
10K0528-03	SB-4-0-3_11/12/2010	11/18/10
10K0528-04	SB-4-15-18_11/12/2010	11/18/10
10K0528-05	SB-3-5-7_11/12/2010	11/18/10
10K0528-06	SB-3-15-18_11/12/2010	11/18/10

YORK

ANALYTICAL LABORATORIES, INC.

10K0528-07	SB-2-5-9_11/12/2010	11/18/10
10K0528-08	SB-DUP-1_11/12/2010	11/18/10
10K0528-09	SB-DUP-2_11/12/2010	11/18/10
10K0528-13	SB-7-0-4_11/13/2010	11/18/10
10K0528-14	SB-7-14-15_11/13/2010	11/18/10
10K0528-15	SB-6-5-7_11/13/2010	11/18/10
10K0528-16	SB-6-18-20_11/13/2010	11/18/10
10K0528-17	SB-5-10-13_11/13/2010	11/18/10
10K0528-18	SB-5-17-18_11/13/2010	11/18/10
10K0528-19	SB-2-15-16_11/12/2010	11/18/10
BK00646-BLK1	Blank	11/18/10
BK00646-BS1	LCS	11/18/10
BK00646-DUP1	Duplicate	11/18/10
BK00646-MS1	Matrix Spike	11/18/10

Batch ID: BK00700 **Preparation Method:** % Solids Prep **Prepared By:** JT

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/19/10
10K0528-02	SB-1-16-18_11/12/2010	11/19/10
10K0528-03	SB-4-0-3_11/12/2010	11/19/10
10K0528-04	SB-4-15-18_11/12/2010	11/19/10
10K0528-05	SB-3-5-7_11/12/2010	11/19/10
10K0528-06	SB-3-15-18_11/12/2010	11/19/10
10K0528-07	SB-2-5-9_11/12/2010	11/19/10
10K0528-08	SB-DUP-1_11/12/2010	11/19/10
10K0528-09	SB-DUP-2_11/12/2010	11/19/10
10K0528-13	SB-7-0-4_11/13/2010	11/19/10
10K0528-14	SB-7-14-15_11/13/2010	11/19/10
10K0528-15	SB-6-5-7_11/13/2010	11/19/10
10K0528-16	SB-6-18-20_11/13/2010	11/19/10
10K0528-17	SB-5-10-13_11/13/2010	11/19/10
10K0528-18	SB-5-17-18_11/13/2010	11/19/10

Batch ID: BK00713 **Preparation Method:** EPA 5030B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/20/10
10K0528-11	TMW-14_11/13/2010	11/20/10
10K0528-12	Tripblank_11/13/2010	11/20/10
BK00713-BLK1	Blank	11/19/10
BK00713-BS1	LCS	11/19/10
BK00713-BSD1	LCS Dup	11/19/10

Batch ID: BK00715 **Preparation Method:** EPA 5035B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/19/10
10K0528-02	SB-1-16-18_11/12/2010	11/19/10
10K0528-03	SB-4-0-3_11/12/2010	11/19/10
10K0528-04	SB-4-15-18_11/12/2010	11/19/10
10K0528-05	SB-3-5-7_11/12/2010	11/19/10
10K0528-06	SB-3-15-18_11/12/2010	11/19/10

YORK

ANALYTICAL LABORATORIES, INC.

10K0528-07	SB-2-5-9_11/12/2010	11/19/10
10K0528-08	SB-DUP-1_11/12/2010	11/19/10
10K0528-09	SB-DUP-2_11/12/2010	11/19/10
10K0528-13	SB-7-0-4_11/13/2010	11/19/10
10K0528-14	SB-7-14-15_11/13/2010	11/19/10
BK00715-BLK1	Blank	11/19/10
BK00715-BS1	LCS	11/19/10
BK00715-BSD1	LCS Dup	11/19/10

Batch ID: BK00716 **Preparation Method:** % Solids Prep **Prepared By:** AD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-19	SB-2-15-16_11/12/2010	11/20/10

Batch ID: BK00718 **Preparation Method:** EPA 5035B **Prepared By:** AY

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-15	SB-6-5-7_11/13/2010	11/19/10
10K0528-16	SB-6-18-20_11/13/2010	11/19/10
10K0528-17	SB-5-10-13_11/13/2010	11/19/10
10K0528-18	SB-5-17-18_11/13/2010	11/19/10
10K0528-19	SB-2-15-16_11/12/2010	11/19/10
BK00718-BLK1	Blank	11/19/10
BK00718-BS1	LCS	11/19/10
BK00718-BSD1	LCS Dup	11/19/10

Batch ID: BK00733 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/22/10
10K0528-02	SB-1-16-18_11/12/2010	11/22/10
10K0528-03	SB-4-0-3_11/12/2010	11/22/10
10K0528-04	SB-4-15-18_11/12/2010	11/22/10
10K0528-05	SB-3-5-7_11/12/2010	11/22/10
10K0528-06	SB-3-15-18_11/12/2010	11/22/10
10K0528-07	SB-2-5-9_11/12/2010	11/22/10
10K0528-08	SB-DUP-1_11/12/2010	11/22/10
10K0528-09	SB-DUP-2_11/12/2010	11/22/10
10K0528-13	SB-7-0-4_11/13/2010	11/22/10
10K0528-14	SB-7-14-15_11/13/2010	11/22/10
10K0528-15	SB-6-5-7_11/13/2010	11/22/10
10K0528-16	SB-6-18-20_11/13/2010	11/22/10
10K0528-17	SB-5-10-13_11/13/2010	11/22/10
10K0528-18	SB-5-17-18_11/13/2010	11/22/10
10K0528-19	SB-2-15-16_11/12/2010	11/22/10
BK00733-BLK2	Blank	11/22/10
BK00733-BS1	LCS	11/22/10
BK00733-MS1	Matrix Spike	11/22/10
BK00733-MSD1	Matrix Spike Dup	11/22/10

Batch ID: BK00735 **Preparation Method:** EPA 3550B **Prepared By:** DG

YORK

ANALYTICAL LABORATORIES, INC.

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-01	SB-1-6-9_11/12/2010	11/22/10
10K0528-02	SB-1-16-18_11/12/2010	11/22/10
10K0528-03	SB-4-0-3_11/12/2010	11/22/10
10K0528-04	SB-4-15-18_11/12/2010	11/22/10
10K0528-05	SB-3-5-7_11/12/2010	11/22/10
10K0528-06	SB-3-15-18_11/12/2010	11/22/10
10K0528-07	SB-2-5-9_11/12/2010	11/22/10
10K0528-08	SB-DUP-1_11/12/2010	11/22/10
10K0528-09	SB-DUP-2_11/12/2010	11/22/10
10K0528-13	SB-7-0-4_11/13/2010	11/22/10
10K0528-14	SB-7-14-15_11/13/2010	11/22/10
10K0528-15	SB-6-5-7_11/13/2010	11/22/10
10K0528-16	SB-6-18-20_11/13/2010	11/22/10
10K0528-17	SB-5-10-13_11/13/2010	11/22/10
10K0528-18	SB-5-17-18_11/13/2010	11/22/10
10K0528-19	SB-2-15-16_11/12/2010	11/22/10
BK00735-BLK1	Blank	11/22/10
BK00735-BS1	LCS	11/22/10
BK00735-MS1	Matrix Spike	11/22/10
BK00735-MSD1	Matrix Spike Dup	11/22/10

Batch ID: BK00738 **Preparation Method:** EPA 3510C **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/19/10
10K0528-11	TMW-14_11/13/2010	11/19/10
BK00738-BLK1	Blank	11/19/10
BK00738-BS1	LCS	11/19/10
BK00738-BSD1	LCS Dup	11/19/10

Batch ID: BK00740 **Preparation Method:** EPA SW846-3510C Low Level **Prepared By:** TFD

YORK Sample ID	Client Sample ID	Preparation Date
10K0528-10	TMW-2_11/13/2010	11/19/10
10K0528-11	TMW-14_11/13/2010	11/19/10
BK00740-BLK1	Blank	11/19/10
BK00740-BS1	LCS	11/19/10
BK00740-BSD1	LCS Dup	11/19/10

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00713 - EPA 5030B

Blank (BK00713-BLK1)

Prepared & Analyzed: 11/19/2010

1,1,1-Trichloroethane	ND	5.0	ug/L								
1,1,2,2-Tetrachloroethane	ND	5.0	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"								
1,1,2-Trichloroethane	ND	5.0	"								
1,1-Dichloroethane	ND	5.0	"								
1,1-Dichloroethylene	ND	5.0	"								
1,2,4-Trichlorobenzene	ND	10	"								
1,2-Dibromo-3-chloropropane	ND	10	"								
1,2-Dibromoethane	ND	5.0	"								
1,2-Dichloroethane	ND	5.0	"								
1,2-Dichloropropane	ND	5.0	"								
2-Butanone	ND	10	"								
2-Hexanone	ND	5.0	"								
Acetone	3.9	10	"								
Benzene	ND	5.0	"								
Bromodichloromethane	ND	5.0	"								
Bromoform	ND	5.0	"								
Bromomethane	ND	5.0	"								
Carbon disulfide	ND	5.0	"								
Carbon tetrachloride	ND	5.0	"								
Chlorobenzene	ND	5.0	"								
Chloroethane	ND	5.0	"								
Chloroform	ND	5.0	"								
Chloromethane	ND	5.0	"								
cis-1,2-Dichloroethylene	ND	5.0	"								
cis-1,3-Dichloropropylene	ND	5.0	"								
Dibromochloromethane	ND	5.0	"								
Dichlorodifluoromethane	ND	5.0	"								
Ethyl Benzene	ND	5.0	"								
Isopropylbenzene	ND	5.0	"								
Methyl isobutyl ketone	ND	10	"								
Methyl tert-butyl ether (MTBE)	ND	5.0	"								
Methylene chloride	5.2	10	"								
o-Xylene	ND	5.0	"								
p- & m- Xylenes	ND	10	"								
Styrene	ND	5.0	"								
Tetrachloroethylene	ND	5.0	"								
Toluene	ND	5.0	"								
trans-1,2-Dichloroethylene	ND	5.0	"								
trans-1,3-Dichloropropylene	ND	5.0	"								
Trichloroethylene	ND	5.0	"								
Trichlorofluoromethane	ND	5.0	"								
Vinyl Chloride	ND	5.0	"								
Xylenes, Total	ND	15	"								

<i>Surrogate: 1,2-Dichloroethane-d4</i>	52.7	"	50.0	105	70-130
<i>Surrogate: p-Bromofluorobenzene</i>	52.3	"	50.0	105	70-130
<i>Surrogate: Toluene-d8</i>	53.4	"	50.0	107	70-130

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00713 - EPA 5030B											
LCS (BK00713-BS1)						Prepared & Analyzed: 11/19/2010					
1,1,1-Trichloroethane	48		ug/L	50.0		96.7	70-130				
1,1,2,2-Tetrachloroethane	52		"	50.0		103	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	43		"	50.0		85.5	70-130				
1,1,2-Trichloroethane	53		"	50.0		107	70-130				
1,1-Dichloroethane	48		"	50.0		95.7	70-130				
1,1-Dichloroethylene	54		"	50.0		108	70-130				
1,2,4-Trichlorobenzene	44		"	50.0		88.9	70-130				
1,2-Dibromo-3-chloropropane	55		"	50.0		111	70-130				
1,2-Dibromoethane	51		"	50.0		102	70-130				
1,2-Dichloroethane	50		"	50.0		99.4	70-130				
1,2-Dichloropropane	54		"	50.0		109	70-130				
2-Butanone	51		"	50.0		102	70-130				
2-Hexanone	61		"	50.0		122	70-130				
Acetone	39		"	50.0		78.5	70-130				
Benzene	47		"	50.0		93.5	70-130				
Bromodichloromethane	56		"	50.0		112	70-130				
Bromoform	47		"	50.0		94.5	70-130				
Bromomethane	53		"	50.0		107	70-130				
Carbon disulfide	83		"	100		82.5	70-130				
Carbon tetrachloride	49		"	50.0		97.5	70-130				
Chlorobenzene	50		"	50.0		100	70-130				
Chloroethane	54		"	50.0		108	70-130				
Chloroform	49		"	50.0		98.0	70-130				
Chloromethane	48		"	50.0		95.4	70-130				
cis-1,2-Dichloroethylene	43		"	50.0		85.6	70-130				
cis-1,3-Dichloropropylene	52		"	50.0		104	70-130				
Dibromochloromethane	52		"	50.0		104	70-130				
Dichlorodifluoromethane	38		"	50.0		75.4	70-130				
Ethyl Benzene	54		"	50.0		107	70-130				
Isopropylbenzene	51		"	50.0		103	70-130				
Methyl isobutyl ketone	59		"	50.0		119	70-130				
Methyl tert-butyl ether (MTBE)	54		"	50.0		108	70-130				
Methylene chloride	46		"	50.0		92.9	70-130				
o-Xylene	53		"	50.0		106	70-130				
p- & m- Xylenes	110		"	100		109	70-130				
Styrene	54		"	50.0		107	70-130				
Tetrachloroethylene	50		"	50.0		101	70-130				
Toluene	50		"	50.0		101	70-130				
trans-1,2-Dichloroethylene	50		"	50.0		99.8	70-130				
trans-1,3-Dichloropropylene	57		"	50.0		114	70-130				
Trichloroethylene	51		"	50.0		102	70-130				
Trichlorofluoromethane	53		"	50.0		105	70-130				
Vinyl Chloride	48		"	50.0		95.1	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>51.6</i>		<i>"</i>	<i>50.0</i>		<i>103</i>	<i>70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>45.0</i>		<i>"</i>	<i>50.0</i>		<i>90.0</i>	<i>70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>52.8</i>		<i>"</i>	<i>50.0</i>		<i>106</i>	<i>70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00713 - EPA 5030B										
LCS Dup (BK00713-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	47		ug/L	50.0		94.1 70-130		2.73	30	
1,1,2,2-Tetrachloroethane	52		"	50.0		103 70-130		0.387	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	42		"	50.0		83.1 70-130		2.78	30	
1,1,2-Trichloroethane	51		"	50.0		103 70-130		3.61	30	
1,1-Dichloroethane	47		"	50.0		94.7 70-130		0.966	30	
1,1-Dichloroethylene	54		"	50.0		107 70-130		0.760	30	
1,2,4-Trichlorobenzene	45		"	50.0		90.3 70-130		1.54	30	
1,2-Dibromo-3-chloropropane	54		"	50.0		109 70-130		1.46	30	
1,2-Dibromoethane	50		"	50.0		101 70-130		0.987	30	
1,2-Dichloroethane	49		"	50.0		98.9 70-130		0.444	30	
1,2-Dichloropropane	52		"	50.0		105 70-130		3.67	30	
2-Butanone	51		"	50.0		102 70-130		0.176	30	
2-Hexanone	63		"	50.0		126 70-130		3.85	30	
Acetone	39		"	50.0		78.0 70-130		0.690	30	
Benzene	45		"	50.0		90.7 70-130		3.13	30	
Bromodichloromethane	54		"	50.0		107 70-130		4.30	30	
Bromoform	47		"	50.0		93.2 70-130		1.34	30	
Bromomethane	52		"	50.0		104 70-130		3.09	30	
Carbon disulfide	81		"	100		81.5 70-130		1.29	30	
Carbon tetrachloride	48		"	50.0		95.5 70-130		2.05	30	
Chlorobenzene	49		"	50.0		98.6 70-130		1.75	30	
Chloroethane	54		"	50.0		108 70-130		0.259	30	
Chloroform	49		"	50.0		97.2 70-130		0.779	30	
Chloromethane	47		"	50.0		94.9 70-130		0.568	30	
cis-1,2-Dichloroethylene	43		"	50.0		85.6 70-130		0.0701	30	
cis-1,3-Dichloropropylene	52		"	50.0		103 70-130		0.887	30	
Dibromochloromethane	51		"	50.0		103 70-130		1.06	30	
Dichlorodifluoromethane	37		"	50.0		73.3 70-130		2.88	30	
Ethyl Benzene	53		"	50.0		105 70-130		1.96	30	
Isopropylbenzene	51		"	50.0		101 70-130		1.69	30	
Methyl isobutyl ketone	60		"	50.0		119 70-130		0.655	30	
Methyl tert-butyl ether (MTBE)	53		"	50.0		106 70-130		1.18	30	
Methylene chloride	45		"	50.0		89.6 70-130		3.53	30	
o-Xylene	52		"	50.0		103 70-130		2.87	30	
p- & m- Xylenes	110		"	100		108 70-130		0.896	30	
Styrene	53		"	50.0		105 70-130		1.90	30	
Tetrachloroethylene	54		"	50.0		108 70-130		6.89	30	
Toluene	50		"	50.0		100 70-130		0.777	30	
trans-1,2-Dichloroethylene	50		"	50.0		99.1 70-130		0.764	30	
trans-1,3-Dichloropropylene	55		"	50.0		111 70-130		3.12	30	
Trichloroethylene	50		"	50.0		99.8 70-130		2.16	30	
Trichlorofluoromethane	51		"	50.0		102 70-130		3.55	30	
Vinyl Chloride	47		"	50.0		94.2 70-130		0.972	30	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>51.0</i>		<i>"</i>	<i>50.0</i>		<i>102 70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>45.3</i>		<i>"</i>	<i>50.0</i>		<i>90.6 70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>52.0</i>		<i>"</i>	<i>50.0</i>		<i>104 70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00715 - EPA 5035B

Blank (BK00715-BLK1)

Prepared: 11/19/2010 Analyzed: 11/20/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet							
1,1,2,2-Tetrachloroethane	ND	5.0	"							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"							
1,1,2-Trichloroethane	ND	5.0	"							
1,1-Dichloroethane	ND	5.0	"							
1,1-Dichloroethylene	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	10	"							
1,2-Dibromo-3-chloropropane	ND	10	"							
1,2-Dibromoethane	ND	5.0	"							
1,2-Dichloroethane	ND	5.0	"							
1,2-Dichloropropane	ND	5.0	"							
2-Butanone	ND	10	"							
2-Hexanone	ND	5.0	"							
4-Methyl-2-pentanone	ND	5.0	"							
Acetone	ND	10	"							
Benzene	ND	5.0	"							
Bromodichloromethane	ND	5.0	"							
Bromoform	ND	5.0	"							
Bromomethane	ND	5.0	"							
Carbon disulfide	ND	5.0	"							
Carbon tetrachloride	ND	5.0	"							
Chlorobenzene	ND	5.0	"							
Chloroethane	ND	5.0	"							
Chloroform	ND	5.0	"							
Chloromethane	ND	5.0	"							
cis-1,2-Dichloroethylene	ND	5.0	"							
cis-1,3-Dichloropropylene	ND	5.0	"							
Dibromochloromethane	ND	5.0	"							
Dichlorodifluoromethane	ND	5.0	"							
Ethyl Benzene	ND	5.0	"							
Methyl tert-butyl ether (MTBE)	ND	5.0	"							
Methylene chloride	2.9	10	"							
o-Xylene	ND	5.0	"							
p- & m- Xylenes	ND	10	"							
Styrene	ND	5.0	"							
Tetrachloroethylene	ND	5.0	"							
Toluene	ND	5.0	"							
trans-1,2-Dichloroethylene	ND	5.0	"							
trans-1,3-Dichloropropylene	ND	5.0	"							
Trichloroethylene	ND	5.0	"							
Trichlorofluoromethane	ND	5.0	"							
Vinyl Chloride	ND	5.0	"							
Xylenes, Total	ND	15	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	49.0		ug/L	50.0		97.9		70-130		
<i>Surrogate: p-Bromofluorobenzene</i>	47.7		"	50.0		95.4		70-130		
<i>Surrogate: Toluene-d8</i>	53.7		"	50.0		107		70-130		

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00715 - EPA 5035B										
LCS (BK00715-BS1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	52		ug/L	50.0		104	70-130			
1,1,2,2-Tetrachloroethane	55		"	50.0		110	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	48		"	50.0		96.0	70-130			
1,1,2-Trichloroethane	56		"	50.0		112	70-130			
1,1-Dichloroethane	51		"	50.0		101	70-130			
1,1-Dichloroethylene	56		"	50.0		112	70-130			
1,2,4-Trichlorobenzene	47		"	50.0		94.0	70-130			
1,2-Dibromo-3-chloropropane	43		"	50.0		86.9	70-130			
1,2-Dibromoethane	55		"	50.0		109	70-130			
1,2-Dichloroethane	52		"	50.0		104	70-130			
1,2-Dichloropropane	55		"	50.0		111	70-130			
2-Butanone	54		"	50.0		109	70-130			
2-Hexanone	51		"	50.0		102	70-130			
4-Methyl-2-pentanone	53	5.0	ug/kg wet				70-130			
Acetone	28		ug/L	50.0		55.3	70-130			Low Bias
Benzene	49		"	50.0		97.2	70-130			
Bromodichloromethane	55		"	50.0		109	70-130			
Bromoform	54		"	50.0		108	70-130			
Bromomethane	40		"	50.0		79.6	70-130			
Carbon disulfide	88		"	100		88.4	70-130			
Carbon tetrachloride	54		"	50.0		107	70-130			
Chlorobenzene	54		"	50.0		108	70-130			
Chloroethane	43		"	50.0		86.4	70-130			
Chloroform	52		"	50.0		104	70-130			
Chloromethane	34		"	50.0		68.3	70-130			Low Bias
cis-1,2-Dichloroethylene	50		"	50.0		100	70-130			
cis-1,3-Dichloropropylene	50		"	50.0		99.0	70-130			
Dibromochloromethane	55		"	50.0		111	70-130			
Dichlorodifluoromethane	32		"	50.0		63.2	70-130			Low Bias
Ethyl Benzene	55		"	50.0		110	70-130			
Methyl tert-butyl ether (MTBE)	47		"	50.0		94.1	70-130			
Methylene chloride	38		"	50.0		75.2	70-130			
o-Xylene	52		"	50.0		104	70-130			
p- & m- Xylenes	110		"	100		108	70-130			
Styrene	53		"	50.0		106	70-130			
Tetrachloroethylene	60		"	50.0		120	70-130			
Toluene	51		"	50.0		102	70-130			
trans-1,2-Dichloroethylene	51		"	50.0		103	70-130			
trans-1,3-Dichloropropylene	52		"	50.0		104	70-130			
Trichloroethylene	56		"	50.0		113	70-130			
Trichlorofluoromethane	49		"	50.0		98.4	70-130			
Vinyl Chloride	40		"	50.0		79.9	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	51.2		"	50.0		102	70-130			
<i>Surrogate: p-Bromofluorobenzene</i>	50.6		"	50.0		101	70-130			
<i>Surrogate: Toluene-d8</i>	52.9		"	50.0		106	70-130			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00715 - EPA 5035B										
LCS Dup (BK00715-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	51		ug/L	50.0		101	70-130		2.63	30
1,1,2,2-Tetrachloroethane	53		"	50.0		105	70-130		4.00	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	45		"	50.0		90.8	70-130		5.63	30
1,1,2-Trichloroethane	56		"	50.0		113	70-130		1.23	30
1,1-Dichloroethane	50		"	50.0		99.3	70-130		2.17	30
1,1-Dichloroethylene	54		"	50.0		109	70-130		2.99	30
1,2,4-Trichlorobenzene	54		"	50.0		108	70-130		13.6	30
1,2-Dibromo-3-chloropropane	48		"	50.0		96.7	70-130		10.7	30
1,2-Dibromoethane	59		"	50.0		117	70-130		6.91	30
1,2-Dichloroethane	52		"	50.0		105	70-130		0.611	30
1,2-Dichloropropane	56		"	50.0		113	70-130		1.88	30
2-Butanone	50		"	50.0		100	70-130		7.91	30
2-Hexanone	53		"	50.0		107	70-130		4.74	30
4-Methyl-2-pentanone	56	5.0	ug/kg wet				70-130			30
Acetone	27		ug/L	50.0		53.8	70-130	Low Bias	2.86	30
Benzene	48		"	50.0		95.2	70-130		2.10	30
Bromodichloromethane	58		"	50.0		115	70-130		5.65	30
Bromoform	52		"	50.0		104	70-130		4.05	30
Bromomethane	38		"	50.0		75.4	70-130		5.37	30
Carbon disulfide	86		"	100		85.6	70-130		3.32	30
Carbon tetrachloride	50		"	50.0		101	70-130		6.44	30
Chlorobenzene	56		"	50.0		112	70-130		4.02	30
Chloroethane	44		"	50.0		88.3	70-130		2.24	30
Chloroform	51		"	50.0		101	70-130		2.62	30
Chloromethane	34		"	50.0		67.5	70-130	Low Bias	1.12	30
cis-1,2-Dichloroethylene	48		"	50.0		95.9	70-130		4.47	30
cis-1,3-Dichloropropylene	52		"	50.0		103	70-130		3.96	30
Dibromochloromethane	57		"	50.0		114	70-130		3.06	30
Dichlorodifluoromethane	30		"	50.0		59.7	70-130	Low Bias	5.63	30
Ethyl Benzene	57		"	50.0		113	70-130		3.42	30
Methyl tert-butyl ether (MTBE)	45		"	50.0		90.5	70-130		3.94	30
Methylene chloride	38		"	50.0		76.5	70-130		1.77	30
o-Xylene	54		"	50.0		108	70-130		3.27	30
p- & m- Xylenes	110		"	100		112	70-130		3.49	30
Styrene	54		"	50.0		109	70-130		2.59	30
Tetrachloroethylene	84		"	50.0		167	70-130	High Bias	32.6	30 Non-dir.
Toluene	52		"	50.0		105	70-130		2.71	30
trans-1,2-Dichloroethylene	50		"	50.0		99.1	70-130		3.55	30
trans-1,3-Dichloropropylene	54		"	50.0		109	70-130		4.23	30
Trichloroethylene	59		"	50.0		118	70-130		4.30	30
Trichlorofluoromethane	46		"	50.0		91.2	70-130		7.61	30
Vinyl Chloride	37		"	50.0		74.7	70-130		6.65	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>48.0</i>		<i>"</i>	<i>50.0</i>		<i>96.0</i>	<i>70-130</i>			
<i>Surrogate: p-Bromofluorobenzene</i>	<i>47.9</i>		<i>"</i>	<i>50.0</i>		<i>95.9</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>53.8</i>		<i>"</i>	<i>50.0</i>		<i>108</i>	<i>70-130</i>			

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	-------	------

Batch BK00718 - EPA 5035B

Blank (BK00718-BLK1)

Prepared & Analyzed: 11/19/2010

1,1,1-Trichloroethane	ND	5.0	ug/kg wet							
1,1,2,2-Tetrachloroethane	ND	5.0	"							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	5.0	"							
1,1,2-Trichloroethane	ND	5.0	"							
1,1-Dichloroethane	ND	5.0	"							
1,1-Dichloroethylene	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	10	"							
1,2-Dibromo-3-chloropropane	ND	10	"							
1,2-Dibromoethane	ND	5.0	"							
1,2-Dichloroethane	ND	5.0	"							
1,2-Dichloropropane	ND	5.0	"							
2-Butanone	ND	10	"							
2-Hexanone	ND	5.0	"							
4-Methyl-2-pentanone	ND	5.0	"							
Acetone	5.5	10	"							
Benzene	ND	5.0	"							
Bromodichloromethane	ND	5.0	"							
Bromoform	ND	5.0	"							
Bromomethane	ND	5.0	"							
Carbon disulfide	ND	5.0	"							
Carbon tetrachloride	ND	5.0	"							
Chlorobenzene	ND	5.0	"							
Chloroethane	ND	5.0	"							
Chloroform	ND	5.0	"							
Chloromethane	ND	5.0	"							
cis-1,2-Dichloroethylene	ND	5.0	"							
cis-1,3-Dichloropropylene	ND	5.0	"							
Dibromochloromethane	ND	5.0	"							
Dichlorodifluoromethane	ND	5.0	"							
Ethyl Benzene	ND	5.0	"							
Methyl tert-butyl ether (MTBE)	ND	5.0	"							
Methylene chloride	4.5	10	"							
o-Xylene	ND	5.0	"							
p- & m- Xylenes	ND	10	"							
Styrene	ND	5.0	"							
Tetrachloroethylene	ND	5.0	"							
Toluene	ND	5.0	"							
trans-1,2-Dichloroethylene	ND	5.0	"							
trans-1,3-Dichloropropylene	ND	5.0	"							
Trichloroethylene	ND	5.0	"							
Trichlorofluoromethane	ND	5.0	"							
Vinyl Chloride	ND	5.0	"							
Xylenes, Total	ND	15	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	60.3		ug/L	50.0		121		70-130		
<i>Surrogate: p-Bromofluorobenzene</i>	53.2		"	50.0		106		70-130		
<i>Surrogate: Toluene-d8</i>	48.0		"	50.0		96.0		70-130		

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00718 - EPA 5035B										
LCS (BK00718-BS1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	61		ug/L	50.0		122 70-130				
1,1,2,2-Tetrachloroethane	51		"	50.0		103 70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	55		"	50.0		110 70-130				
1,1,2-Trichloroethane	57		"	50.0		114 70-130				
1,1-Dichloroethane	60		"	50.0		120 70-130				
1,1-Dichloroethylene	68		"	50.0		136 70-130	High Bias			
1,2,4-Trichlorobenzene	65		"	50.0		131 70-130	High Bias			
1,2-Dibromo-3-chloropropane	63		"	50.0		127 70-130				
1,2-Dibromoethane	59		"	50.0		117 70-130				
1,2-Dichloroethane	72		"	50.0		145 70-130	High Bias			
1,2-Dichloropropane	57		"	50.0		113 70-130				
2-Butanone	55		"	50.0		111 70-130				
2-Hexanone	59		"	50.0		117 70-130				
4-Methyl-2-pentanone	59	5.0	ug/kg wet			70-130				
Acetone	52		ug/L	50.0		104 70-130				
Benzene	57		"	50.0		115 70-130				
Bromodichloromethane	60		"	50.0		120 70-130				
Bromoform	64		"	50.0		127 70-130				
Bromomethane	57		"	50.0		114 70-130				
Carbon disulfide	97		"	100		97.0 70-130				
Carbon tetrachloride	63		"	50.0		126 70-130				
Chlorobenzene	58		"	50.0		117 70-130				
Chloroethane	65		"	50.0		130 70-130				
Chloroform	61		"	50.0		121 70-130				
Chloromethane	48		"	50.0		95.1 70-130				
cis-1,2-Dichloroethylene	56		"	50.0		112 70-130				
cis-1,3-Dichloropropylene	56		"	50.0		111 70-130				
Dibromochloromethane	65		"	50.0		129 70-130				
Dichlorodifluoromethane	40		"	50.0		80.5 70-130				
Ethyl Benzene	58		"	50.0		115 70-130				
Methyl tert-butyl ether (MTBE)	63		"	50.0		126 70-130				
Methylene chloride	50		"	50.0		100 70-130				
o-Xylene	54		"	50.0		108 70-130				
p- & m- Xylenes	110		"	100		114 70-130				
Styrene	55		"	50.0		111 70-130				
Tetrachloroethylene	69		"	50.0		138 70-130	High Bias			
Toluene	54		"	50.0		107 70-130				
trans-1,2-Dichloroethylene	61		"	50.0		123 70-130				
trans-1,3-Dichloropropylene	62		"	50.0		124 70-130				
Trichloroethylene	57		"	50.0		113 70-130				
Trichlorofluoromethane	65		"	50.0		131 70-130	High Bias			
Vinyl Chloride	58		"	50.0		116 70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>60.1</i>		<i>"</i>	<i>50.0</i>		<i>120 70-130</i>				
<i>Surrogate: p-Bromofluorobenzene</i>	<i>50.8</i>		<i>"</i>	<i>50.0</i>		<i>102 70-130</i>				
<i>Surrogate: Toluene-d8</i>	<i>46.6</i>		<i>"</i>	<i>50.0</i>		<i>93.2 70-130</i>				

Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00718 - EPA 5035B										
LCS Dup (BK00718-BSD1)						Prepared & Analyzed: 11/19/2010				
1,1,1-Trichloroethane	58		ug/L	50.0		116	70-130		4.61	30
1,1,2,2-Tetrachloroethane	48		"	50.0		95.7	70-130		7.06	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	54		"	50.0		107	70-130		2.21	30
1,1,2-Trichloroethane	54		"	50.0		109	70-130		4.73	30
1,1-Dichloroethane	59		"	50.0		118	70-130		2.17	30
1,1-Dichloroethylene	68		"	50.0		135	70-130	High Bias	0.839	30
1,2,4-Trichlorobenzene	62		"	50.0		125	70-130		4.91	30
1,2-Dibromo-3-chloropropane	60		"	50.0		121	70-130		4.69	30
1,2-Dibromoethane	56		"	50.0		112	70-130		4.20	30
1,2-Dichloroethane	70		"	50.0		139	70-130	High Bias	3.97	30
1,2-Dichloropropane	56		"	50.0		112	70-130		1.62	30
2-Butanone	58		"	50.0		116	70-130		4.82	30
2-Hexanone	62		"	50.0		125	70-130		6.35	30
4-Methyl-2-pentanone	61	5.0	ug/kg wet				70-130			30
Acetone	52		ug/L	50.0		105	70-130		0.709	30
Benzene	55		"	50.0		110	70-130		4.07	30
Bromodichloromethane	57		"	50.0		115	70-130		4.94	30
Bromoform	60		"	50.0		120	70-130		5.95	30
Bromomethane	55		"	50.0		110	70-130		3.36	30
Carbon disulfide	96		"	100		95.5	70-130		1.57	30
Carbon tetrachloride	61		"	50.0		123	70-130		2.51	30
Chlorobenzene	55		"	50.0		110	70-130		5.87	30
Chloroethane	67		"	50.0		133	70-130	High Bias	2.75	30
Chloroform	58		"	50.0		116	70-130		4.45	30
Chloromethane	53		"	50.0		105	70-130		9.97	30
cis-1,2-Dichloroethylene	54		"	50.0		108	70-130		3.82	30
cis-1,3-Dichloropropylene	55		"	50.0		111	70-130		0.505	30
Dibromochloromethane	60		"	50.0		121	70-130		7.02	30
Dichlorodifluoromethane	45		"	50.0		89.4	70-130		10.5	30
Ethyl Benzene	55		"	50.0		110	70-130		4.68	30
Methyl tert-butyl ether (MTBE)	62		"	50.0		125	70-130		1.19	30
Methylene chloride	50		"	50.0		100	70-130		0.0600	30
o-Xylene	52		"	50.0		104	70-130		4.19	30
p- & m- Xylenes	110		"	100		110	70-130		3.83	30
Styrene	53		"	50.0		105	70-130		5.26	30
Tetrachloroethylene	66		"	50.0		131	70-130	High Bias	4.87	30
Toluene	51		"	50.0		102	70-130		4.55	30
trans-1,2-Dichloroethylene	60		"	50.0		121	70-130		1.90	30
trans-1,3-Dichloropropylene	62		"	50.0		124	70-130		0.0646	30
Trichloroethylene	54		"	50.0		108	70-130		4.93	30
Trichlorofluoromethane	65		"	50.0		131	70-130	High Bias	0.0918	30
Vinyl Chloride	60		"	50.0		120	70-130		2.81	30
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>61.3</i>		<i>"</i>	<i>50.0</i>		<i>123</i>	<i>70-130</i>			
<i>Surrogate: p-Bromofluorobenzene</i>	<i>49.5</i>		<i>"</i>	<i>50.0</i>		<i>99.0</i>	<i>70-130</i>			
<i>Surrogate: Toluene-d8</i>	<i>46.1</i>		<i>"</i>	<i>50.0</i>		<i>92.2</i>	<i>70-130</i>			

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC %REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	-----------	-------------	------	-----	-----------	------

Batch BK00733 - EPA 3550B

Blank (BK00733-BLK2)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	ND	167	ug/kg wet								
Acenaphthylene	ND	167	"								
Anthracene	ND	167	"								
Benzo(a)anthracene	ND	167	"								
Benzo(a)pyrene	ND	167	"								
Benzoic acid	ND	333	"								
Benzo(b)fluoranthene	ND	167	"								
Benzo(g,h,i)perylene	ND	167	"								
Benzyl alcohol	ND	167	"								
Benzo(k)fluoranthene	ND	167	"								
Benzyl butyl phthalate	ND	167	"								
4-Bromophenyl phenyl ether	ND	167	"								
4-Chloro-3-methylphenol	ND	167	"								
4-Chloroaniline	ND	167	"								
Bis(2-chloroethoxy)methane	ND	167	"								
Bis(2-chloroethyl)ether	ND	167	"								
Bis(2-chloroisopropyl)ether	ND	167	"								
Bis(2-ethylhexyl)phthalate	ND	167	"								
2-Chloronaphthalene	ND	167	"								
2-Chlorophenol	ND	167	"								
4-Chlorophenyl phenyl ether	ND	167	"								
Chrysene	ND	167	"								
Dibenzo(a,h)anthracene	ND	167	"								
Dibenzofuran	ND	167	"								
Di-n-butyl phthalate	ND	167	"								
1,2-Dichlorobenzene	ND	167	"								
1,4-Dichlorobenzene	ND	167	"								
1,3-Dichlorobenzene	ND	167	"								
3,3'-Dichlorobenzidine	ND	167	"								
2,4-Dichlorophenol	ND	167	"								
Diethyl phthalate	ND	167	"								
2,4-Dimethylphenol	ND	167	"								
Dimethyl phthalate	ND	167	"								
2-Nitroaniline	ND	167	"								
4,6-Dinitro-2-methylphenol	ND	333	"								
2,4-Dinitrophenol	ND	333	"								
2,6-Dinitrotoluene	ND	167	"								
2,4-Dinitrotoluene	ND	167	"								
Di-n-octyl phthalate	ND	167	"								
Fluoranthene	ND	167	"								
Fluorene	ND	167	"								
Hexachlorobenzene	ND	167	"								
Hexachlorobutadiene	ND	167	"								
Hexachlorocyclopentadiene	ND	167	"								
Hexachloroethane	ND	167	"								
Indeno(1,2,3-cd)pyrene	ND	167	"								
Isophorone	ND	167	"								
2-Methylnaphthalene	ND	167	"								
2-Methylphenol	ND	167	"								
4-Methylphenol	ND	167	"								
Naphthalene	ND	167	"								
3-Nitroaniline	ND	167	"								
4-Nitroaniline	ND	167	"								
Nitrobenzene	ND	167	"								

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00733 - EPA 3550B

Blank (BK00733-BLK2)

Prepared: 11/22/2010 Analyzed: 11/23/2010

4-Nitrophenol	ND	167	ug/kg wet								
2-Nitrophenol	ND	167	"								
N-nitroso-di-n-propylamine	ND	167	"								
N-Nitrosodiphenylamine	ND	167	"								
Pentachlorophenol	ND	167	"								
Phenanthrene	ND	167	"								
Phenol	ND	167	"								
Pyrene	ND	167	"								
1,2,4-Trichlorobenzene	ND	167	"								
2,4,5-Trichlorophenol	ND	167	"								
2,4,6-Trichlorophenol	ND	167	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	1840		"	2500		73.7	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	1100		"	1670		66.1	30-130				
<i>Surrogate: 2-Fluorophenol</i>	1590		"	2510		63.3	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	1370		"	1670		81.9	30-130				
<i>Surrogate: Phenol-d5</i>	1610		"	2500		64.1	15-110				
<i>Surrogate: Terphenyl-d14</i>	1240		"	1670		74.6	30-130				

LCS (BK00733-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

Acenaphthene	818	167	ug/kg wet	1670		49.1	40-140				
Acenaphthylene	952	167	"	1670		57.1	40-140				
Anthracene	949	167	"	1670		57.0	40-140				
Benzo(a)anthracene	977	167	"	1670		58.6	40-140				
Benzo(a)pyrene	1200	167	"	1670		71.9	40-140				
Benzoic acid	510	333	"	1670		30.6	30-130				
Benzo(b)fluoranthene	1760	167	"	1670		105	40-140				
Benzo(g,h,i)perylene	837	167	"	1670		50.2	40-140				
Benzyl alcohol	849	167	"	1670		50.9	30-130				
Benzo(k)fluoranthene	979	167	"	1670		58.7	40-140				
Benzyl butyl phthalate	897	167	"	1670		53.8	40-140				
4-Bromophenyl phenyl ether	892	167	"	1670		53.5	40-140				
4-Chloro-3-methylphenol	946	167	"	1670		56.7	30-130				
4-Chloroaniline	854	167	"	1670		51.3	40-140				
Bis(2-chloroethoxy)methane	793	167	"	1670		47.6	40-140				
Bis(2-chloroethyl)ether	698	167	"	1670		41.9	40-140				
Bis(2-chloroisopropyl)ether	834	167	"	1670		50.1	40-140				
Bis(2-ethylhexyl)phthalate	1000	167	"	1670		60.1	40-140				
2-Chloronaphthalene	724	167	"	1670		43.5	40-140				
2-Chlorophenol	786	167	"	1670		47.2	30-130				
4-Chlorophenyl phenyl ether	792	167	"	1670		47.5	40-140				
Chrysene	1140	167	"	1670		68.3	40-140				
Dibenzo(a,h)anthracene	948	167	"	1670		56.9	40-140				
Dibenzofuran	840	167	"	1670		50.4	40-140				
Di-n-butyl phthalate	893	167	"	1670		53.6	40-140				
1,2-Dichlorobenzene	804	167	"	1670		48.3	40-140				
1,4-Dichlorobenzene	742	167	"	1670		44.5	40-140				
1,3-Dichlorobenzene	754	167	"	1670		45.3	40-140				
3,3'-Dichlorobenzidine	1410	167	"	1670		84.8	40-140				
2,4-Dichlorophenol	932	167	"	1670		55.9	30-130				
Diethyl phthalate	867	167	"	1670		52.0	40-140				
2,4-Dimethylphenol	857	167	"	1670		51.4	30-130				
Dimethyl phthalate	835	167	"	1670		50.1	40-140				
2-Nitroaniline	851	167	"	1670		51.1	40-140				
4,6-Dinitro-2-methylphenol	808	333	"	1670		48.5	30-130				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00733 - EPA 3550B

LCS (BK00733-BS1)

Prepared: 11/22/2010 Analyzed: 11/23/2010

2,4-Dinitrophenol	875	333	ug/kg wet	1670		52.5	30-130				
2,6-Dinitrotoluene	825	167	"	1670		49.5	40-140				
2,4-Dinitrotoluene	825	167	"	1670		49.5	40-140				
Di-n-octyl phthalate	987	167	"	1670		59.2	40-140				
Fluoranthene	908	167	"	1670		54.5	40-140				
Fluorene	852	167	"	1670		51.1	40-140				
Hexachlorobenzene	923	167	"	1670		55.4	40-140				
Hexachlorobutadiene	876	167	"	1670		52.6	40-140				
Hexachlorocyclopentadiene	945	167	"	1670		56.7	40-140				
Hexachloroethane	819	167	"	1670		49.1	40-140				
Indeno(1,2,3-cd)pyrene	942	167	"	1670		56.5	40-140				
Isophorone	849	167	"	1670		51.0	40-140				
2-Methylnaphthalene	858	167	"	1670		51.5	40-140				
2-Methylphenol	845	167	"	1670		50.7	30-130				
4-Methylphenol	675	167	"	1670		40.5	30-130				
Naphthalene	833	167	"	1670		50.0	40-140				
3-Nitroaniline	1040	167	"	1670		62.7	40-140				
4-Nitroaniline	981	167	"	1670		58.9	40-140				
Nitrobenzene	961	167	"	1670		57.7	40-140				
4-Nitrophenol	809	167	"	1670		48.6	30-130				
2-Nitrophenol	744	167	"	1670		44.6	30-130				
N-nitroso-di-n-propylamine	855	167	"	1670		51.3	40-140				
N-Nitrosodiphenylamine	1040	167	"	1670		62.2	40-140				
Pentachlorophenol	808	167	"	1670		48.5	30-130				
Phenanthrene	948	167	"	1670		56.9	40-140				
Phenol	874	167	"	1670		52.4	30-130				
Pyrene	974	167	"	1670		58.5	40-140				
1,2,4-Trichlorobenzene	871	167	"	1670		52.2	40-140				
2,4,5-Trichlorophenol	1130	167	"	1670		68.0	30-130				
2,4,6-Trichlorophenol	806	167	"	1670		48.4	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1960</i>		<i>"</i>	<i>2500</i>		<i>78.3</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1190</i>		<i>"</i>	<i>1670</i>		<i>71.1</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1540</i>		<i>"</i>	<i>2510</i>		<i>61.3</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1300</i>		<i>"</i>	<i>1670</i>		<i>77.6</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>1590</i>		<i>"</i>	<i>2500</i>		<i>63.4</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>1270</i>		<i>"</i>	<i>1670</i>		<i>76.4</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00733 - EPA 3550B											
Matrix Spike (BK00733-MS1)	*Source(Sample used for MS/MSD): 10K0528-03						Prepared: 11/22/2010 Analyzed: 11/23/2010				
Acenaphthene	788	195	ug/kg dry	1950	ND	40.5	40-140				
Acenaphthylene	784	195	"	1950	ND	40.3	40-140				
Anthracene	919	195	"	1950	68.1	43.7	40-140				
Benzo(a)anthracene	1300	195	"	1950	230	54.9	40-140				
Benzo(a)pyrene	1180	195	"	1950	193	50.6	40-140				
Benzoic acid	1260	389	"	1950	ND	64.6	30-130				
Benzo(b)fluoranthene	1370	195	"	1950	216	59.4	40-140				
Benzo(g,h,i)perylene	983	195	"	1950	ND	50.5	40-140				
Benzyl alcohol	1420	195	"	1950	ND	73.1	30-130				
Benzo(k)fluoranthene	1370	195	"	1950	222	59.1	40-140				
Benzyl butyl phthalate	1020	195	"	1950	ND	52.5	40-140				
4-Bromophenyl phenyl ether	788	195	"	1950	ND	40.5	40-140				
4-Chloro-3-methylphenol	946	195	"	1950	ND	48.6	30-130				
4-Chloroaniline	900	195	"	1950	ND	46.3	40-140				
Bis(2-chloroethoxy)methane	950	195	"	1950	ND	48.8	40-140				
Bis(2-chloroethyl)ether	1080	195	"	1950	ND	55.3	40-140				
Bis(2-chloroisopropyl)ether	1310	195	"	1950	ND	67.2	40-140				
Bis(2-ethylhexyl)phthalate	1090	195	"	1950	157	48.1	40-140				
2-Chloronaphthalene	1020	195	"	1950	ND	52.5	40-140				
2-Chlorophenol	1030	195	"	1950	ND	53.0	30-130				
4-Chlorophenyl phenyl ether	1020	195	"	1950	ND	52.5	40-140				
Chrysene	992	195	"	1950	212	40.1	40-140				
Dibenzo(a,h)anthracene	788	195	"	1950	ND	40.5	40-140				
Dibenzofuran	983	195	"	1950	ND	50.5	40-140				
Di-n-butyl phthalate	1020	195	"	1950	ND	52.5	40-140				
1,2-Dichlorobenzene	944	195	"	1950	ND	48.5	40-140				
1,4-Dichlorobenzene	788	195	"	1950	ND	40.5	40-140				
1,3-Dichlorobenzene	1120	195	"	1950	ND	57.6	40-140				
3,3'-Dichlorobenzidine	983	195	"	1950	ND	50.5	40-140				
2,4-Dichlorophenol	926	195	"	1950	ND	47.6	30-130				
Diethyl phthalate	944	195	"	1950	ND	48.5	40-140				
2,4-Dimethylphenol	877	195	"	1950	ND	45.1	30-130				
Dimethyl phthalate	816	195	"	1950	ND	42.0	40-140				
4,6-Dinitro-2-methylphenol	1020	389	"	1950	ND	52.5	30-130				
2-Nitroaniline	1160	195	"	1950	ND	59.5	40-140				
2,4-Dinitrophenol	944	389	"	1950	ND	48.5	30-130				
2,6-Dinitrotoluene	1050	195	"	1950	ND	54.2	40-140				
2,4-Dinitrotoluene	1010	195	"	1950	ND	52.0	40-140				
Di-n-octyl phthalate	800	195	"	1950	ND	41.1	40-140				
Fluoranthene	1290	195	"	1950	583	36.6	40-140	Low Bias			
Fluorene	1020	195	"	1950	ND	52.5	40-140				
Hexachlorobenzene	1580	195	"	1950	ND	81.3	40-140				
Hexachlorobutadiene	816	195	"	1950	ND	42.0	40-140				
Hexachlorocyclopentadiene	1180	195	"	1950	ND	60.5	40-140				
Hexachloroethane	1180	195	"	1950	ND	60.5	40-140				
Indeno(1,2,3-cd)pyrene	962	195	"	1950	ND	49.4	40-140				
Isophorone	966	195	"	1950	ND	49.6	40-140				
2-Methylnaphthalene	802	195	"	1950	ND	41.2	40-140				
2-Methylphenol	1030	195	"	1950	ND	52.8	30-130				
4-Methylphenol	1170	195	"	1950	ND	60.3	30-130				
Naphthalene	782	195	"	1950	ND	40.2	40-140				
3-Nitroaniline	898	195	"	1950	ND	46.2	40-140				
4-Nitroaniline	1290	195	"	1950	ND	66.4	40-140				
Nitrobenzene	780	195	"	1950	ND	40.1	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BK00733 - EPA 3550B

Matrix Spike (BK00733-MS1)	*Source(Sample used for MS/MSD): 10K0528-03				Prepared: 11/22/2010 Analyzed: 11/23/2010						
4-Nitrophenol	1100	195	ug/kg dry	1950	ND	56.5	30-130				
2-Nitrophenol	851	195	"	1950	ND	43.8	30-130				
N-nitroso-di-n-propylamine	1050	195	"	1950	ND	54.1	40-140				
N-Nitrosodiphenylamine	788	195	"	1950	ND	40.5	40-140				
Pentachlorophenol	1180	195	"	1950	ND	60.5	30-130				
Phenanthrene	857	195	"	1950	523	17.2	40-140	Low Bias			
Phenol	831	195	"	1950	ND	42.7	30-130				
Pyrene	922	195	"	1950	488	22.3	40-140	Low Bias			
1,2,4-Trichlorobenzene	839	195	"	1950	ND	43.1	40-140				
2,4,5-Trichlorophenol	861	195	"	1950	ND	44.3	30-130				
2,4,6-Trichlorophenol	879	195	"	1950	ND	45.2	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>1430</i>		<i>"</i>	<i>2920</i>		<i>49.0</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>781</i>		<i>"</i>	<i>1950</i>		<i>40.1</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>1260</i>		<i>"</i>	<i>2930</i>		<i>43.1</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>1090</i>		<i>"</i>	<i>1950</i>		<i>56.0</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>1630</i>		<i>"</i>	<i>2920</i>		<i>55.9</i>	<i>15-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>821</i>		<i>"</i>	<i>1950</i>		<i>42.2</i>	<i>30-130</i>				

Matrix Spike Dup (BK00733-MSD1)	*Source(Sample used for MS/MSD): 10K0528-03				Prepared: 11/22/2010 Analyzed: 11/23/2010						
Acenaphthene	983	195	ug/kg dry	1950	ND	50.5	40-140		22.0	30	
Acenaphthylene	1020	195	"	1950	ND	52.5	40-140		26.3	30	
Anthracene	1180	195	"	1950	68.1	57.0	40-140		26.3	30	
Benzo(a)anthracene	1030	195	"	1950	230	40.9	40-140		29.2	30	
Benzo(a)pyrene	944	195	"	1950	193	38.6	40-140	Low Bias	26.9	30	
Benzoic acid	1480	389	"	1950	ND	75.8	30-130		15.9	30	
Benzo(b)fluoranthene	1180	195	"	1950	216	49.4	40-140		18.4	30	
Benzo(g,h,i)perylene	983	195	"	1950	ND	50.5	40-140		0.00	30	
Benzyl alcohol	1300	195	"	1950	ND	66.8	30-130		8.92	30	
Benzo(k)fluoranthene	1180	195	"	1950	222	49.1	40-140		18.5	30	
Benzyl butyl phthalate	983	195	"	1950	ND	50.5	40-140		3.88	30	
4-Bromophenyl phenyl ether	1020	195	"	1950	ND	52.5	40-140		25.8	30	
4-Chloro-3-methylphenol	974	195	"	1950	ND	50.0	30-130		2.92	30	
4-Chloroaniline	788	195	"	1950	ND	40.5	40-140		13.3	30	
Bis(2-chloroethoxy)methane	1180	195	"	1950	ND	60.5	40-140		21.3	30	
Bis(2-chloroethyl)ether	1030	195	"	1950	ND	52.7	40-140		4.74	30	
Bis(2-chloroisopropyl)ether	1240	195	"	1950	ND	64.0	40-140		4.85	30	
Bis(2-ethylhexyl)phthalate	1810	195	"	1950	157	85.0	40-140		55.5	30	Non-dir.
2-Chloronaphthalene	1290	195	"	1950	ND	66.1	40-140		22.9	30	
2-Chlorophenol	1280	195	"	1950	ND	66.0	30-130		21.9	30	
4-Chlorophenyl phenyl ether	1280	195	"	1950	ND	65.6	40-140		22.1	30	
Chrysene	2160	195	"	1950	212	99.9	40-140		85.5	30	Non-dir.
Dibenzo(a,h)anthracene	482	195	"	1950	ND	24.8	40-140	Low Bias	48.2	30	Non-dir.
Dibenzofuran	1370	195	"	1950	ND	70.6	40-140		33.2	30	Non-dir.
Di-n-butyl phthalate	1430	195	"	1950	ND	73.4	40-140		33.3	30	Non-dir.
1,2-Dichlorobenzene	1060	195	"	1950	ND	54.7	40-140		12.1	30	
1,4-Dichlorobenzene	1120	195	"	1950	ND	57.7	40-140		34.9	30	Non-dir.
1,3-Dichlorobenzene	1000	195	"	1950	ND	51.6	40-140		11.0	30	
3,3'-Dichlorobenzidine	983	195	"	1950	ND	50.5	40-140		0.00	30	
2,4-Dichlorophenol	1040	195	"	1950	ND	53.6	30-130		11.9	30	
Diethyl phthalate	788	195	"	1950	ND	40.5	40-140		18.0	30	
2,4-Dimethylphenol	1180	195	"	1950	ND	60.5	30-130		29.3	30	
Dimethyl phthalate	1290	195	"	1950	ND	66.5	40-140		45.3	30	Non-dir.
4,6-Dinitro-2-methylphenol	983	389	"	1950	ND	50.5	30-130		3.88	30	
2-Nitroaniline	1300	195	"	1950	ND	66.9	40-140		11.8	30	

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00733 - EPA 3550B											
Matrix Spike Dup (BK00733-MSD1) *Source(Sample used for MS/MSD): 10K0528-03											
						Prepared: 11/22/2010 Analyzed: 11/23/2010					
2,4-Dinitrophenol	944	389	ug/kg dry	1950	ND	48.5	30-130		0.00	30	
2,6-Dinitrotoluene	1300	195	"	1950	ND	66.8	40-140		20.7	30	
2,4-Dinitrotoluene	1300	195	"	1950	ND	66.8	40-140		24.9	30	
Di-n-octyl phthalate	1180	195	"	1950	ND	60.5	40-140		38.2	30	Non-dir.
Fluoranthene	983	195	"	1950	583	20.6	40-140	Low Bias	55.9	30	Non-dir.
Fluorene	987	195	"	1950	ND	50.7	40-140		3.45	30	
Hexachlorobenzene	1510	195	"	1950	ND	77.5	40-140		4.71	30	
Hexachlorobutadiene	944	195	"	1950	ND	48.5	40-140		14.5	30	
Hexachlorocyclopentadiene	1180	195	"	1950	ND	60.5	40-140		0.00	30	
Hexachloroethane	1310	195	"	1950	ND	67.1	40-140		10.3	30	
Indeno(1,2,3-cd)pyrene	788	195	"	1950	ND	40.5	40-140		19.9	30	
Isophorone	1140	195	"	1950	ND	58.5	40-140		16.4	30	
2-Methylnaphthalene	983	195	"	1950	ND	50.5	40-140		20.3	30	
2-Methylphenol	983	195	"	1950	ND	50.5	30-130		4.49	30	
4-Methylphenol	1380	195	"	1950	ND	71.1	30-130		16.4	30	
Naphthalene	987	195	"	1950	ND	50.7	40-140		23.2	30	
3-Nitroaniline	983	195	"	1950	ND	50.5	40-140		8.94	30	
4-Nitroaniline	1940	195	"	1950	ND	99.8	40-140		40.2	30	Non-dir.
Nitrobenzene	1520	195	"	1950	ND	78.2	40-140		64.4	30	Non-dir.
4-Nitrophenol	884	195	"	1950	ND	45.4	30-130		21.8	30	
2-Nitrophenol	1150	195	"	1950	ND	59.2	30-130		30.0	30	
N-nitroso-di-n-propylamine	1230	195	"	1950	ND	63.1	40-140		15.4	30	
N-Nitrosodiphenylamine	788	195	"	1950	ND	40.5	40-140		0.00	30	
Pentachlorophenol	1180	195	"	1950	ND	60.5	30-130		0.00	30	
Phenanthrene	2580	195	"	1950	523	106	40-140		144	30	Non-dir.
Phenol	1260	195	"	1950	ND	64.9	30-130		41.3	30	Non-dir.
Pyrene	2500	195	"	1950	488	103	40-140		129	30	Non-dir.
1,2,4-Trichlorobenzene	1320	195	"	1950	ND	67.6	40-140		44.2	30	Non-dir.
2,4,5-Trichlorophenol	983	195	"	1950	ND	50.5	30-130		13.2	30	
2,4,6-Trichlorophenol	866	195	"	1950	ND	44.5	30-130		1.47	30	
<i>Surrogate: 2,4,6-Tribromophenol</i>	2730		"	2920		93.6	15-110				
<i>Surrogate: 2-Fluorobiphenyl</i>	1670		"	1950		85.9	30-130				
<i>Surrogate: 2-Fluorophenol</i>	1960		"	2930		67.0	15-110				
<i>Surrogate: Nitrobenzene-d5</i>	1810		"	1950		93.0	30-130				
<i>Surrogate: Phenol-d5</i>	2360		"	2920		80.8	15-110				
<i>Surrogate: Terphenyl-d14</i>	1660		"	1950		85.1	30-130				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

Blank (BK00738-BLK1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

Acenaphthene	ND	5.00	ug/L							
Acenaphthylene	ND	5.00	"							
Anthracene	ND	5.00	"							
Benzo(a)anthracene	ND	5.00	"							
Benzo(a)pyrene	ND	5.00	"							
Benzoic acid	ND	10.0	"							
Benzo(b)fluoranthene	ND	5.00	"							
Benzo(g,h,i)perylene	ND	5.00	"							
Benzyl alcohol	ND	5.00	"							
Benzo(k)fluoranthene	ND	5.00	"							
Benzyl butyl phthalate	ND	5.00	"							
4-Bromophenyl phenyl ether	ND	5.00	"							
4-Chloro-3-methylphenol	ND	5.00	"							
4-Chloroaniline	ND	5.00	"							
Bis(2-chloroethoxy)methane	ND	5.00	"							
Bis(2-chloroethyl)ether	ND	5.00	"							
Bis(2-chloroisopropyl)ether	ND	5.00	"							
Bis(2-ethylhexyl)phthalate	ND	5.00	"							
2-Chloronaphthalene	ND	5.00	"							
2-Chlorophenol	ND	5.00	"							
4-Chlorophenyl phenyl ether	ND	5.00	"							
Chrysene	ND	5.00	"							
Dibenzo(a,h)anthracene	ND	5.00	"							
Dibenzofuran	ND	5.00	"							
Di-n-butyl phthalate	ND	5.00	"							
1,2-Dichlorobenzene	ND	5.00	"							
1,4-Dichlorobenzene	ND	5.00	"							
1,3-Dichlorobenzene	ND	5.00	"							
3,3'-Dichlorobenzidine	ND	5.00	"							
2,4-Dichlorophenol	ND	5.00	"							
Diethyl phthalate	ND	5.00	"							
2,4-Dimethylphenol	ND	5.00	"							
Dimethyl phthalate	ND	5.00	"							
2-Nitroaniline	ND	5.00	"							
4,6-Dinitro-2-methylphenol	ND	10.0	"							
2,4-Dinitrophenol	ND	10.0	"							
2,6-Dinitrotoluene	ND	5.00	"							
2,4-Dinitrotoluene	ND	5.00	"							
Di-n-octyl phthalate	ND	5.00	"							
Fluoranthene	ND	5.00	"							
Fluorene	ND	5.00	"							
Hexachlorobenzene	ND	5.00	"							
Hexachlorobutadiene	ND	5.00	"							
Hexachlorocyclopentadiene	ND	5.00	"							
Hexachloroethane	ND	5.00	"							
Indeno(1,2,3-cd)pyrene	ND	5.00	"							
Isophorone	ND	5.00	"							
2-Methylnaphthalene	ND	5.00	"							
2-Methylphenol	ND	5.00	"							
4-Methylphenol	ND	5.00	"							
Naphthalene	ND	5.00	"							
3-Nitroaniline	ND	5.00	"							
4-Nitroaniline	ND	5.00	"							
Nitrobenzene	ND	5.00	"							

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00738 - EPA 3510C											
Blank (BK00738-BLK1)						Prepared: 11/19/2010 Analyzed: 11/22/2010					
4-Nitrophenol	ND	5.00	ug/L								
2-Nitrophenol	ND	5.00	"								
N-nitroso-di-n-propylamine	ND	5.00	"								
N-Nitrosodiphenylamine	ND	5.00	"								
Pentachlorophenol	ND	5.00	"								
Phenanthrene	ND	5.00	"								
Phenol	ND	5.00	"								
Pyrene	ND	5.00	"								
1,2,4-Trichlorobenzene	ND	5.00	"								
2,4,5-Trichlorophenol	ND	5.00	"								
2,4,6-Trichlorophenol	ND	5.00	"								
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>24.1</i>		<i>"</i>	<i>75.1</i>		<i>32.1</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>18.7</i>		<i>"</i>	<i>50.0</i>		<i>37.4</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>17.9</i>		<i>"</i>	<i>75.2</i>		<i>23.8</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>16.9</i>		<i>"</i>	<i>50.1</i>		<i>33.8</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>10.2</i>		<i>"</i>	<i>75.1</i>		<i>13.5</i>	<i>10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>17.5</i>		<i>"</i>	<i>50.0</i>		<i>35.1</i>	<i>30-130</i>				
LCS (BK00738-BS1)						Prepared: 11/19/2010 Analyzed: 11/22/2010					
Acenaphthene	26.4	5.00	ug/L	50.0		52.8	40-140				
Acenaphthylene	24.8	5.00	"	50.0		49.6	40-140				
Anthracene	23.0	5.00	"	50.0		46.0	40-140				
Benzo(a)anthracene	28.5	5.00	"	50.0		57.0	40-140				
Benzo(a)pyrene	34.5	5.00	"	50.0		69.1	40-140				
Benzoic acid	25.2	10.0	"	50.0		50.5	30-130				
Benzo(b)fluoranthene	22.0	5.00	"	50.0		44.0	40-140				
Benzo(g,h,i)perylene	23.1	5.00	"	50.0		46.2	40-140				
Benzyl alcohol	23.3	5.00	"	50.0		46.5	30-130				
Benzo(k)fluoranthene	25.0	5.00	"	50.0		50.0	40-140				
Benzyl butyl phthalate	26.1	5.00	"	50.0		52.2	40-140				
4-Bromophenyl phenyl ether	21.4	5.00	"	50.0		42.8	40-140				
4-Chloro-3-methylphenol	22.3	5.00	"	50.0		44.5	30-130				
4-Chloroaniline	45.3	5.00	"	50.0		90.7	40-140				
Bis(2-chloroethoxy)methane	22.6	5.00	"	50.0		45.1	40-140				
Bis(2-chloroethyl)ether	20.3	5.00	"	50.0		40.5	40-140				
Bis(2-chloroisopropyl)ether	22.2	5.00	"	50.0		44.5	40-140				
Bis(2-ethylhexyl)phthalate	20.7	5.00	"	50.0		41.4	40-140				
2-Chloronaphthalene	21.8	5.00	"	50.0		43.5	40-140				
2-Chlorophenol	22.5	5.00	"	50.0		45.0	30-130				
4-Chlorophenyl phenyl ether	23.7	5.00	"	50.0		47.3	40-140				
Chrysene	23.4	5.00	"	50.0		46.9	40-140				
Dibenzo(a,h)anthracene	25.1	5.00	"	50.0		50.1	40-140				
Dibenzofuran	25.9	5.00	"	50.0		51.8	40-140				
Di-n-butyl phthalate	20.6	5.00	"	50.0		41.2	40-140				
1,2-Dichlorobenzene	23.6	5.00	"	50.0		47.2	40-140				
1,4-Dichlorobenzene	21.8	5.00	"	50.0		43.6	40-140				
1,3-Dichlorobenzene	26.1	5.00	"	50.0		52.1	40-140				
3,3'-Dichlorobenzidine	48.1	5.00	"	50.0		96.2	40-140				
2,4-Dichlorophenol	26.3	5.00	"	50.0		52.5	30-130				
Diethyl phthalate	26.0	5.00	"	50.0		52.0	40-140				
2,4-Dimethylphenol	21.3	5.00	"	50.0		42.6	30-130				
Dimethyl phthalate	29.1	5.00	"	50.0		58.2	40-140				
4,6-Dinitro-2-methylphenol	20.2	10.0	"	50.0		40.4	30-130				
2-Nitroaniline	35.0	5.00	"	50.0		70.0	40-140				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

LCS (BK00738-BS1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

2,4-Dinitrophenol	22.4	10.0	ug/L	50.0		44.8	30-130				
2,6-Dinitrotoluene	24.4	5.00	"	50.0		48.9	40-140				
2,4-Dinitrotoluene	27.1	5.00	"	50.0		54.2	40-140				
Di-n-octyl phthalate	28.5	5.00	"	50.0		56.9	40-140				
Fluoranthene	21.4	5.00	"	50.0		42.8	40-140				
Fluorene	24.7	5.00	"	50.0		49.3	40-140				
Hexachlorobenzene	20.2	5.00	"	50.0		40.5	40-140				
Hexachlorobutadiene	20.7	5.00	"	50.0		41.3	40-140				
Hexachlorocyclopentadiene	15.9	5.00	"	50.0		31.7	40-140	Low Bias			
Hexachloroethane	22.0	5.00	"	50.0		44.0	40-140				
Indeno(1,2,3-cd)pyrene	25.5	5.00	"	50.0		51.0	40-140				
Isophorone	22.5	5.00	"	50.0		44.9	40-140				
2-Methylnaphthalene	22.1	5.00	"	50.0		44.3	40-140				
2-Methylphenol	18.1	5.00	"	50.0		36.2	30-130				
4-Methylphenol	20.2	5.00	"	50.0		40.5	30-130				
Naphthalene	24.6	5.00	"	50.0		49.1	40-140				
3-Nitroaniline	22.2	5.00	"	50.0		44.5	40-140				
4-Nitroaniline	24.2	5.00	"	50.0		48.5	40-140				
Nitrobenzene	20.2	5.00	"	50.0		40.5	40-140				
4-Nitrophenol	24.2	5.00	"	50.0		48.5	30-130				
2-Nitrophenol	29.9	5.00	"	50.0		59.8	30-130				
N-nitroso-di-n-propylamine	21.4	5.00	"	50.0		42.8	40-140				
N-Nitrosodiphenylamine	28.4	5.00	"	50.0		56.7	40-140				
Pentachlorophenol	24.8	5.00	"	50.0		49.7	30-130				
Phenanthrene	23.6	5.00	"	50.0		47.1	40-140				
Phenol	20.3	5.00	"	50.0		40.5	30-130				
Pyrene	26.5	5.00	"	50.0		53.0	40-140				
1,2,4-Trichlorobenzene	26.7	5.00	"	50.0		53.5	40-140				
2,4,5-Trichlorophenol	27.7	5.00	"	50.0		55.3	30-130				
2,4,6-Trichlorophenol	26.3	5.00	"	50.0		52.5	30-130				
<i>Surrogate: 2,4,6-Tribromophenol</i>	<i>21.4</i>		<i>"</i>	<i>75.1</i>		<i>28.4</i>	<i>15-110</i>				
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>19.9</i>		<i>"</i>	<i>50.0</i>		<i>39.7</i>	<i>30-130</i>				
<i>Surrogate: 2-Fluorophenol</i>	<i>18.4</i>		<i>"</i>	<i>75.2</i>		<i>24.4</i>	<i>15-110</i>				
<i>Surrogate: Nitrobenzene-d5</i>	<i>18.7</i>		<i>"</i>	<i>50.1</i>		<i>37.3</i>	<i>30-130</i>				
<i>Surrogate: Phenol-d5</i>	<i>10.4</i>		<i>"</i>	<i>75.1</i>		<i>13.8</i>	<i>10-110</i>				
<i>Surrogate: Terphenyl-d14</i>	<i>17.3</i>		<i>"</i>	<i>50.0</i>		<i>34.6</i>	<i>30-130</i>				

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting	Units	Spike	Source*	%REC	Flag	RPD		
		Limit			Level	Result		Limits	RPD	Limit
Batch BK00738 - EPA 3510C										
LCS Dup (BK00738-BSD1)						Prepared: 11/19/2010 Analyzed: 11/22/2010				
Acenaphthene	31.5	5.00	ug/L	50.0	63.0	40-140		17.8	20	
Acenaphthylene	25.1	5.00	"	50.0	50.2	40-140		1.04	20	
Anthracene	24.6	5.00	"	50.0	49.3	40-140		6.93	20	
Benzo(a)anthracene	30.8	5.00	"	50.0	61.6	40-140		7.86	20	
Benzo(a)pyrene	30.0	5.00	"	50.0	59.9	40-140		14.2	20	
Benzoic acid	20.3	10.0	"	50.0	40.5	30-130		21.9	20	Non-dir.
Benzo(b)fluoranthene	29.3	5.00	"	50.0	58.5	40-140		28.4	20	Non-dir.
Benzo(g,h,i)perylene	29.2	5.00	"	50.0	58.4	40-140		23.4	20	Non-dir.
Benzyl alcohol	24.2	5.00	"	50.0	48.4	30-130		3.84	20	
Benzo(k)fluoranthene	33.3	5.00	"	50.0	66.5	40-140		28.4	20	Non-dir.
Benzyl butyl phthalate	28.2	5.00	"	50.0	56.4	40-140		7.77	20	
4-Bromophenyl phenyl ether	20.6	5.00	"	50.0	41.3	40-140		3.71	20	
4-Chloro-3-methylphenol	22.5	5.00	"	50.0	45.1	30-130		1.25	20	
4-Chloroaniline	52.8	5.00	"	50.0	106	40-140		15.2	20	
Bis(2-chloroethoxy)methane	23.7	5.00	"	50.0	47.4	40-140		4.97	20	
Bis(2-chloroethyl)ether	20.3	5.00	"	50.0	40.7	40-140		0.345	20	
Bis(2-chloroisopropyl)ether	20.2	5.00	"	50.0	40.3	40-140		9.86	20	
Bis(2-ethylhexyl)phthalate	23.0	5.00	"	50.0	46.0	40-140		10.6	20	
2-Chloronaphthalene	28.5	5.00	"	50.0	57.1	40-140		26.9	20	Non-dir.
2-Chlorophenol	24.2	5.00	"	50.0	48.4	30-130		7.15	20	
4-Chlorophenyl phenyl ether	25.8	5.00	"	50.0	51.6	40-140		8.57	20	
Chrysene	23.7	5.00	"	50.0	47.4	40-140		1.10	20	
Dibenzo(a,h)anthracene	29.7	5.00	"	50.0	59.4	40-140		17.0	20	
Dibenzofuran	27.8	5.00	"	50.0	55.7	40-140		7.14	20	
Di-n-butyl phthalate	21.4	5.00	"	50.0	42.7	40-140		3.57	20	
1,2-Dichlorobenzene	23.4	5.00	"	50.0	46.9	40-140		0.722	20	
1,4-Dichlorobenzene	21.1	5.00	"	50.0	42.3	40-140		3.21	20	
1,3-Dichlorobenzene	25.2	5.00	"	50.0	50.5	40-140		3.20	20	
3,3'-Dichlorobenzidine	51.7	5.00	"	50.0	103	40-140		7.21	20	
2,4-Dichlorophenol	29.4	5.00	"	50.0	58.7	30-130		11.2	20	
Diethyl phthalate	27.8	5.00	"	50.0	55.6	40-140		6.80	20	
2,4-Dimethylphenol	23.8	5.00	"	50.0	47.6	30-130		11.1	20	
Dimethyl phthalate	32.4	5.00	"	50.0	64.8	40-140		10.8	20	
4,6-Dinitro-2-methylphenol	20.3	10.0	"	50.0	40.5	30-130		0.247	20	
2-Nitroaniline	36.8	5.00	"	50.0	73.7	40-140		5.07	20	
2,4-Dinitrophenol	25.2	10.0	"	50.0	50.5	30-130		12.0	20	
2,6-Dinitrotoluene	27.4	5.00	"	50.0	54.8	40-140		11.4	20	
2,4-Dinitrotoluene	27.8	5.00	"	50.0	55.6	40-140		2.51	20	
Di-n-octyl phthalate	36.9	5.00	"	50.0	73.7	40-140		25.7	20	Non-dir.
Fluoranthene	22.4	5.00	"	50.0	44.8	40-140		4.66	20	
Fluorene	27.1	5.00	"	50.0	54.2	40-140		9.35	20	
Hexachlorobenzene	21.2	5.00	"	50.0	42.4	40-140		4.54	20	
Hexachlorobutadiene	21.2	5.00	"	50.0	42.3	40-140		2.34	20	
Hexachlorocyclopentadiene	28.3	5.00	"	50.0	56.5	40-140		56.2	20	Non-dir.
Hexachloroethane	24.1	5.00	"	50.0	48.2	40-140		9.10	20	
Indeno(1,2,3-cd)pyrene	30.6	5.00	"	50.0	61.2	40-140		18.2	20	
Isophorone	23.6	5.00	"	50.0	47.1	40-140		4.78	20	
2-Methylnaphthalene	24.4	5.00	"	50.0	48.7	40-140		9.59	20	
2-Methylphenol	19.3	5.00	"	50.0	38.6	30-130		6.37	20	
4-Methylphenol	15.1	5.00	"	50.0	30.2	30-130		29.0	20	Non-dir.
Naphthalene	27.7	5.00	"	50.0	55.3	40-140		11.9	20	
3-Nitroaniline	25.2	5.00	"	50.0	50.5	40-140		12.6	20	
4-Nitroaniline	20.2	5.00	"	50.0	40.5	40-140		18.0	20	
Nitrobenzene	21.4	5.00	"	50.0	42.9	40-140		5.76	20	

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00738 - EPA 3510C

LCS Dup (BK00738-BSD1)

Prepared: 11/19/2010 Analyzed: 11/22/2010

4-Nitrophenol	23.4	5.00	ug/L	50.0		46.7	30-130		3.74	20
2-Nitrophenol	32.0	5.00	"	50.0		64.0	30-130		6.91	20
N-nitroso-di-n-propylamine	22.5	5.00	"	50.0		44.9	40-140		4.93	20
N-Nitrosodiphenylamine	29.6	5.00	"	50.0		59.1	40-140		4.11	20
Pentachlorophenol	25.9	5.00	"	50.0		51.8	30-130		4.22	20
Phenanthrene	24.9	5.00	"	50.0		49.8	40-140		5.53	20
Phenol	20.2	5.00	"	50.0		40.5	30-130		0.0988	20
Pyrene	28.6	5.00	"	50.0		57.3	40-140		7.65	20
1,2,4-Trichlorobenzene	28.6	5.00	"	50.0		57.2	40-140		6.79	20
2,4,5-Trichlorophenol	32.3	5.00	"	50.0		64.7	30-130		15.5	20
2,4,6-Trichlorophenol	29.5	5.00	"	50.0		59.0	30-130		11.6	20
<i>Surrogate: 2,4,6-Tribromophenol</i>	22.2		"	75.1		29.6	15-110			
<i>Surrogate: 2-Fluorobiphenyl</i>	22.5		"	50.0		45.0	30-130			
<i>Surrogate: 2-Fluorophenol</i>	13.1		"	75.2		17.5	15-110			
<i>Surrogate: Nitrobenzene-d5</i>	17.9		"	50.1		35.7	30-130			
<i>Surrogate: Phenol-d5</i>	10.3		"	75.1		13.7	10-110			
<i>Surrogate: Terphenyl-d14</i>	18.1		"	50.0		36.2	30-130			

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00735 - EPA 3550B										
Blank (BK00735-BLK1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	ND	0.0170	mg/kg wet							
Aroclor 1221	ND	0.0170	"							
Aroclor 1232	ND	0.0170	"							
Aroclor 1242	ND	0.0170	"							
Aroclor 1248	ND	0.0170	"							
Aroclor 1254	ND	0.0170	"							
Aroclor 1260	ND	0.0170	"							
Aroclor 1262	ND	0.0170	"							
Aroclor 1268	ND	0.0170	"							
Total PCBs	ND	0.0170	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0453		"	0.0667		68.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0597		"	0.0667		89.5		30-150		
LCS (BK00735-BS1)						Prepared & Analyzed: 11/22/2010				
Aroclor 1016	0.252	0.0170	mg/kg wet	0.333		75.5		40-140		
Aroclor 1260	0.307	0.0170	"	0.333		92.0		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0520		"	0.0667		78.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0640		"	0.0667		96.0		30-150		
Matrix Spike (BK00735-MS1)						Prepared: 11/22/2010 Analyzed: 11/23/2010				
*Source(Sample used for MS/MSD): 10K0528-02										
Aroclor 1016	0.201	0.0174	mg/kg dry	0.171	ND	118		40-140		
Aroclor 1260	0.196	0.0174	"	0.171	ND	115		40-140		
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0607		"	0.0682		89.0		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0648		"	0.0682		95.0		30-150		
Matrix Spike Dup (BK00735-MSD1)						Prepared & Analyzed: 11/22/2010				
*Source(Sample used for MS/MSD): 10K0528-02										
Aroclor 1016	0.144	0.0174	mg/kg dry	0.171	ND	84.3		40-140	33.2	50
Aroclor 1260	0.153	0.0174	"	0.171	ND	89.7		40-140	24.8	50
<i>Surrogate: Tetrachloro-m-xylene</i>	0.0488		"	0.0682		71.5		30-150		
<i>Surrogate: Decachlorobiphenyl</i>	0.0559		"	0.0682		82.0		30-150		

Polychlorinated Biphenyls (PCB) by EPA SW 846-8082/EPA Compendium Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00740 - EPA SW846-3510C Low Level										
Blank (BK00740-BLK1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	ND	0.0500	ug/L							
Aroclor 1221	ND	0.0500	"							
Aroclor 1232	ND	0.0500	"							
Aroclor 1242	ND	0.0500	"							
Aroclor 1248	ND	0.0500	"							
Aroclor 1254	ND	0.0500	"							
Aroclor 1260	ND	0.0500	"							
Aroclor 1262	ND	0.0500	"							
Aroclor 1268	ND	0.0500	"							
Total PCBs	ND	0.0500	"							
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.149</i>		<i>"</i>	<i>0.200</i>		<i>74.5</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.167</i>		<i>"</i>	<i>0.200</i>		<i>83.5</i>	<i>30-150</i>			
LCS (BK00740-BS1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	0.807	0.0500	ug/L	1.00		80.7	40-140			
Aroclor 1260	0.897	0.0500	"	1.00		89.7	40-140			
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.140</i>		<i>"</i>	<i>0.200</i>		<i>70.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0930</i>		<i>"</i>	<i>0.200</i>		<i>46.5</i>	<i>30-150</i>			
LCS Dup (BK00740-BSD1)						Prepared: 11/19/2010 Analyzed: 11/24/2010				
Aroclor 1016	0.819	0.0500	ug/L	1.00		81.9	40-140	1.48	200	
Aroclor 1260	0.850	0.0500	"	1.00		85.0	40-140	5.36	200	
<i>Surrogate: Tetrachloro-m-xylene</i>	<i>0.140</i>		<i>"</i>	<i>0.200</i>		<i>70.0</i>	<i>30-150</i>			
<i>Surrogate: Decachlorobiphenyl</i>	<i>0.0920</i>		<i>"</i>	<i>0.200</i>		<i>46.0</i>	<i>30-150</i>			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00622 - EPA SW 846-3010A

Blank (BK00622-BLK1)

Prepared & Analyzed: 11/17/2010

Aluminum	ND	0.010	mg/L
Antimony	ND	0.005	"
Arsenic	ND	0.010	"
Barium	ND	0.010	"
Beryllium	ND	0.001	"
Cadmium	ND	0.003	"
Calcium	ND	0.020	"
Chromium	ND	0.005	"
Cobalt	ND	0.005	"
Copper	ND	0.005	"
Iron	ND	0.010	"
Lead	ND	0.003	"
Magnesium	ND	0.020	"
Manganese	ND	0.005	"
Nickel	ND	0.005	"
Potassium	ND	0.050	"
Selenium	ND	0.010	"
Silver	ND	0.005	"
Sodium	ND	0.100	"
Thallium	ND	0.010	"
Vanadium	ND	0.010	"
Zinc	ND	0.020	"

Reference (BK00622-SRM1)

Prepared & Analyzed: 11/17/2010

Aluminum	0.361	0.010	mg/L	0.368	98.2	75-126
Antimony	0.912	0.005	"	0.849	107	70.9-120
Arsenic	0.302	0.010	"	0.313	96.4	83.1-118
Barium	0.410	0.010	"	0.381	108	86.6-113
Beryllium	0.101	0.001	"	0.103	98.1	83.9-113
Cadmium	0.703	0.003	"	0.685	103	85.4-113
Chromium	0.482	0.005	"	0.476	101	87-113
Cobalt	0.649	0.005	"	0.603	108	87.9-112
Copper	0.366	0.005	"	0.357	103	89.9-110
Iron	2.00	0.010	"	1.87	107	88.8-113
Lead	0.774	0.003	"	0.763	101	87.4-112
Manganese	0.275	0.005	"	0.257	107	89.1-111
Nickel	2.00	0.005	"	1.99	101	89.9-112
Selenium	1.73	0.010	"	1.78	97.0	79.8-116
Silver	0.128	0.005	"	0.144	89.0	85.4-115
Thallium	0.923	0.010	"	0.867	106	82.8-119
Vanadium	1.38	0.010	"	1.37	101	87.6-112
Zinc	1.36	0.020	"	1.36	100	86-115

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BK00622 - EPA SW 846-3010A

Reference (BK00622-SRM2)

Prepared & Analyzed: 11/17/2010

Calcium	66.1	0.020	mg/L	66.0		100	86.1-114				
Magnesium	31.3	0.020	"	32.7		95.8	85.9-114				
Potassium	48.6	0.050	"	50.7		95.9	85-115				
Sodium	28.8	0.100	"	29.0		99.3	84.8-115				

Batch BK00624 - EPA SW 846-3050B

Blank (BK00624-BLK1)

Prepared & Analyzed: 11/17/2010

Aluminum	ND	2.00	mg/kg wet								
Antimony	ND	0.300	"								
Arsenic	ND	0.500	"								
Barium	ND	0.500	"								
Beryllium	ND	0.100	"								
Cadmium	ND	0.500	"								
Calcium	ND	2.00	"								
Chromium	ND	0.500	"								
Cobalt	ND	0.500	"								
Copper	ND	0.500	"								
Iron	ND	1.00	"								
Lead	ND	0.300	"								
Magnesium	ND	2.00	"								
Manganese	ND	1.00	"								
Nickel	ND	0.500	"								
Potassium	ND	10.0	"								
Selenium	ND	0.500	"								
Silver	ND	0.500	"								
Sodium	ND	10.0	"								
Thallium	ND	0.500	"								
Vanadium	ND	0.500	"								
Zinc	ND	0.500	"								

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00624 - EPA SW 846-3050B

Duplicate (BK00624-DUP1)	*Source(Sample used for MS/MSD): 10K0528-17					Prepared & Analyzed: 11/17/2010				
Aluminum	2150	2.12	mg/kg dry		2040			5.45	35	
Antimony	ND	0.318	"		ND				35	
Arsenic	0.548	0.530	"		0.693			23.4	35	
Barium	14.1	0.530	"		13.8			1.79	35	
Beryllium	ND	0.106	"		ND				35	
Cadmium	ND	0.530	"		ND				35	
Calcium	506	2.12	"		477			5.88	35	
Chromium	6.09	0.530	"		5.97			1.99	35	
Cobalt	1.15	0.530	"		1.15			0.0140	35	
Copper	14.7	0.530	"		14.4			1.92	35	
Iron	5560	1.06	"		5260			5.57	35	
Lead	39.8	0.318	"		39.2			1.54	35	
Magnesium	1020	2.12	"		972			5.25	35	
Manganese	24.7	1.06	"		24.2			2.19	35	
Nickel	4.80	0.530	"		4.67			2.62	35	
Potassium	470	10.6	"		445			5.42	35	
Selenium	0.544	0.530	"		0.425			24.7	200	
Silver	ND	0.530	"		ND				35	
Sodium	102	10.6	"		101			0.325	35	
Thallium	ND	0.530	"		ND				35	
Vanadium	6.85	0.530	"		6.68			2.41	35	
Zinc	12.4	0.530	"		12.2			1.54	35	

Matrix Spike (BK00624-MS1)	*Source(Sample used for MS/MSD): 10K0528-17					Prepared & Analyzed: 11/17/2010				
Aluminum	2250	2.12	mg/kg dry	212	2040	99.0	75-125			
Antimony	30.0	0.318	"	26.5	ND	113	75-125			
Arsenic	223	0.530	"	212	0.693	105	75-125			
Barium	249	0.530	"	212	13.8	111	75-125			
Beryllium	5.18	0.106	"	5.30	ND	97.7	75-125			
Cadmium	5.44	0.530	"	5.30	ND	103	75-125			
Chromium	28.9	0.530	"	21.2	5.97	108	75-125			
Cobalt	59.3	0.530	"	53.0	1.15	110	75-125			
Copper	43.6	0.530	"	26.5	14.4	110	75-125			
Iron	5490	1.06	"	106	5260	218	75-125	High Bias		
Lead	95.0	0.318	"	53.0	39.2	105	75-125			
Magnesium	994	2.12	"		972		75-125			
Manganese	81.6	1.06	"	53.0	24.2	108	75-125			
Nickel	62.9	0.530	"	53.0	4.67	110	75-125			
Potassium	454	10.6	"		445		75-125			
Silver	4.59	0.530	"	5.30	ND	86.7	75-125			
Sodium	96.5	10.6	"		101		75-125			
Thallium	233	0.530	"	212	ND	110	75-125			
Vanadium	60.5	0.530	"	53.0	6.68	102	75-125			
Zinc	67.8	0.530	"	53.0	12.2	105	75-125			

Metals by EPA 6000 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	----------------	------	-----	--------------	------

Batch BK00624 - EPA SW 846-3050B

Reference (BK00624-SRM1)

Prepared & Analyzed: 11/17/2010

Aluminum	10100	2.00	mg/kg wet	10500		96.6	46-154			
Antimony	192	0.300	"	105		182	23.1-256			
Arsenic	97.7	0.500	"	88.3		111	69-131			
Barium	481	0.500	"	432		111	74.3-125			
Beryllium	62.4	0.100	"	58.2		107	73.2-127			
Cadmium	93.3	0.500	"	91.0		102	73.3-126			
Calcium	10100	2.00	"	9630		105	75.4-125			
Chromium	153	0.500	"	144		106	70.1-130			
Cobalt	210	0.500	"	190		110	74.7-126			
Copper	280	0.500	"	237		118	75.9-124			
Iron	19300	1.00	"	18900		102	43.4-158			
Lead	108	0.300	"	104		104	71.4-129			
Magnesium	4040	2.00	"	4040		100	69.6-130			
Manganese	536	1.00	"	497		108	77.1-123			
Nickel	236	0.500	"	200		118	73.5-126			
Potassium	4310	10.0	"	4340		99.4	65.4-135			
Selenium	210	0.500	"	192		110	68.3-131			
Silver	80.6	0.500	"	76.4		105	67.1-132			
Sodium	879	10.0	"	735		120	56.7-143			
Thallium	257	0.500	"	247		104	69.2-130			
Vanadium	189	0.500	"	180		105	72.8-127			
Zinc	306	0.500	"	292		105	71.6-128			

Mercury by EPA 7000/200 Series Methods - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BK00645 - EPA SW846-7470										
Blank (BK00645-BLK1)						Prepared & Analyzed: 11/22/2010				
Mercury	ND	0.0002000	mg/L							
LCS (BK00645-BS1)						Prepared & Analyzed: 11/22/2010				
Mercury	0.002887	0.0002000	mg/L	0.00300		96.2	80-120			
Batch BK00646 - EPA SW846-7471										
Blank (BK00646-BLK1)						Prepared & Analyzed: 11/18/2010				
Mercury	ND	0.100	mg/kg wet							
LCS (BK00646-BS1)						Prepared & Analyzed: 11/18/2010				
Mercury	2.79		mg/kg	2.96		94.3	80-120			
Duplicate (BK00646-DUP1)						Prepared & Analyzed: 11/18/2010				
*Source(Sample used for MS/MSD): 10K0528-01										
Mercury	ND	0.108	mg/kg dry		ND				35	
Matrix Spike (BK00646-MS1)						Prepared & Analyzed: 11/18/2010				
*Source(Sample used for MS/MSD): 10K0528-01										
Mercury	1.44		mg/kg	1.50	ND	96.0	75-125			

Notes and Definitions

S-GC	Two surrogates are used for this analysis. One surrogate recovered within control limits therefore the analysis is acceptable.
S-AC	Acid surrogate recovery outside of control limits. The data was accepted based on valid recovery of remaining two acid surrogates.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data are acceptable.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.

ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

YORK


ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

Page 1 of 4

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 10K0528

YOUR INFORMATION Company: <u>Langan</u> Address: <u>260 W 31st St</u> <u>8th Floor NY, NY 10001</u> Phone No: <u>212-479 5400</u> Contact Person: <u>Stuart Knopf</u> E-Mail Address: <u>SKnopf@Langan</u>		Report To: Company: <u>Same</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		Invoice To: Company: <u>Same</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		YOUR PROJECT ID 170121501 Purchase Order No. _____		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard(5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>E2</u> EDD (Specify Type) <u>E2</u> Excel <input checked="" type="checkbox"/>							
Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor		Volatiles TICs Site Spec. STARS list Nassau Co. Suffolk Co. BTEX MTBE TCL list TAGM list CT RCP list Arom. only 502.2 Halog. only NIDEF list App. IX list SPLP or TCLP 8021B list		Semi-Volatiles PAH list App. IX Site Spec. SPLP or TCLP TCL list TAGM list CT RCP list NIDEF list Dissolved SPLP or TCLP Chloridane 608 Pest SPLP or TCLP 608 PCB		Metals RCRA8 PP13 list TAL CT 15 list TAGM list NIDEF list Total Dissolved SPLP or TCLP Lead/Cadmium LIST Below		Misc. Org. TPH GRO TPH DRO CT EPH NY 310-13 TPH 1664 Air TO14A Air TO15 Air STARS Air VPH Air TICs Methane Helium		Full Lists Ptl. Pol. TCL Organics TAL MerCN Full TCLP Full App. IX Part. 360 Route Part. 360 Benzene Part. 360 Pesticides Part. 360 PCBs NYDEP Pest NYSDCF Sewer TAGM		Common Miscellaneous Parameters Comersity Reactivity Ignitability Flash Point Tot. Nitrogen Ammonia-N Chloride Phosphate Tot. Phos. Oil&Grease TSS F.O.G. pH MBAS		Miscellaneous Parameters Color Phenols Cyanide-T Cyanide-A BOD5 CBOD5 BOD28 COD Aquatic Tox. TDS TPH-1664		Special Instructions Field Filtered <input type="checkbox"/> Lab to Filter <input type="checkbox"/>	
Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.		Samples Collected/Authorized By (Signature)  Courtney Mann Name (printed)		Choose Analyses Needed from the Menu Above and Enter Below		Container Description(s) 180z 120z jar		Temperature on Receipt 5.0 °C									
Sample Identification SB-1-6-9 SB-1-16-18 SB-4-0-3 SB-4-15-18 SB-3-5-7 SB-3-15-18 SB-2-5-9 SB-2-15-16 SB-DUP-1 SB-DUP-2		Date Sampled 11/2/10 11/2/10 " " " " 11/2/10 11/2/10		Sample Matrix S S " " " " S S		8260 8270 8082 TAL " " " " 8260 8270 8082 TAL		HNO ₃ H ₂ O NaOH Other									
Comments		4°C Frozen HCl MeOH HNO ₃ H ₂ O NaOH ZrAC Ascorbic Acid Other		Samples Relinquished By Date/Time 11/15/10 9:55 AM		Samples Received in LAB by Date/Time 11/15/10 1640		Samples Relinquished By Date/Time 11/15/10 9:55 AM									

YORK

ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Page 2 of 4
York Project No. 10K0528

YOUR Information Company: <u>Langan</u> Address: <u>360 W 31st St</u> <u>8th Floor NY, NY 10011</u> Phone No. <u>212-419-5408</u> Contact Person: <u>Start Knopf</u> E-Mail Address: <u>Skrop@langan.com</u>		Report To: Company: <u>SCM</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		Invoice To: Company: <u>SCM</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		YOUR Project ID <u>170121501</u> Purchase Order No. _____		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard(5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>E2</u> EDD (Specify Type) <input checked="" type="checkbox"/>			
Volatiles TICs <input checked="" type="checkbox"/> Site Spec. <input type="checkbox"/> Naassau Co. <input type="checkbox"/> Suffolk Co. <input type="checkbox"/> MTBE <input type="checkbox"/> TCL list <input type="checkbox"/> TAGM list <input type="checkbox"/> CT RCP list <input type="checkbox"/> Arom. only <input type="checkbox"/> Halog. only <input type="checkbox"/> App IX list <input type="checkbox"/> 8021B list <input type="checkbox"/>		Semi-Vols. Resp. Client 627 or 625 <input checked="" type="checkbox"/> STARS list <input type="checkbox"/> IBN Only <input type="checkbox"/> Acids Only <input type="checkbox"/> PAH list <input type="checkbox"/> TAGM list <input type="checkbox"/> NIDEF list <input type="checkbox"/> CT RCP list <input type="checkbox"/> TCL list <input type="checkbox"/> NIDEF list <input type="checkbox"/> App. IX <input type="checkbox"/> Site Spec. <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> TCLP Herb <input type="checkbox"/> Chloridane <input type="checkbox"/> 608 Pest <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> 608 PCB <input type="checkbox"/>		Metals RCRA8 <input type="checkbox"/> PP13 list <input type="checkbox"/> TAL <input checked="" type="checkbox"/> CHES list <input type="checkbox"/> TAGM list <input type="checkbox"/> NIDEF list <input type="checkbox"/> Total <input type="checkbox"/> Dissolved <input type="checkbox"/> SPLP or TCLP <input type="checkbox"/> Ind. Metals <input type="checkbox"/> LIST Below <input type="checkbox"/>		Misc. Org. TPH GRO <input type="checkbox"/> TPH DRO <input type="checkbox"/> CT ETPH <input type="checkbox"/> NY 310-13 <input type="checkbox"/> TPH 1664 <input type="checkbox"/> Air TO14A <input type="checkbox"/> Air TO15 <input type="checkbox"/> Air STARS <input type="checkbox"/> Air VPH <input type="checkbox"/> Air TICs <input type="checkbox"/> Methane <input type="checkbox"/> Helium <input type="checkbox"/>		Full Lists Pri. Poll. <input type="checkbox"/> TCL Organics <input type="checkbox"/> TAL MetCN <input type="checkbox"/> Full TCLP <input type="checkbox"/> Full App. IX <input type="checkbox"/> Part 360-Rocns <input type="checkbox"/> Part 360-Rocns <input type="checkbox"/> Part 360-Rocns <input type="checkbox"/> Part 360-Rocns <input type="checkbox"/> NY CDEP Sewer <input type="checkbox"/> NY SDEC Sewer <input type="checkbox"/> TAGM <input type="checkbox"/>		Common Miscellaneous Parameters Corrosivity <input type="checkbox"/> Reactivity <input type="checkbox"/> Ignitability <input type="checkbox"/> Flash Point <input type="checkbox"/> Sieve Anal. <input type="checkbox"/> Heterotrophs <input type="checkbox"/> TOX <input type="checkbox"/> BTU/lb. <input type="checkbox"/> Aquatic Tox. <input type="checkbox"/> TOC <input type="checkbox"/> Asbestos <input type="checkbox"/> Silica <input type="checkbox"/>		Special Instructions Field Filtered <input type="checkbox"/> Lab to Filter <input type="checkbox"/>	
Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor		Choose Analyses Needed from the Menu Above and Enter Below <u>8260 8270 8082 TAL</u> <u>"</u> <u>trip blank</u>		Container Description(s) <u>2-40 ml 1-250ml</u> <u>2-1000ml</u> <u>"</u> <u>1 40ml</u>		Temperature on Receipt <u>5.0 °C</u>							
Sample Identification <u>TMW-2</u> <u>TMW-12</u> <u>Trip blank</u>		Date Sampled <u>11/13/10</u> <u>"</u>		Sample Matrix <u>GW</u> <u>GW</u> <u>GW</u>		Preservation Check those Applicable 4°C <input checked="" type="checkbox"/> Frozen <input type="checkbox"/> HCl <input checked="" type="checkbox"/> MeOH <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Ascorbic Acid <input type="checkbox"/> Other <input type="checkbox"/>							
Comments <u>Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.</u> <u>Courtney Mann</u> Samples Collected/Authorized By (Signature) <u>Courtney Mann</u> Name (printed)		Samples Relinquished By <u>SCM</u> Date/Time <u>11/15/10 955</u> Samples Received By <u>ALBorton</u> Date/Time <u>11/15/10 955AM</u> Release <u>11/15/10 1640</u> Samples Received in LAB by _____ Date/Time _____											

YORK

ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

Page 3 of 4

York Project No. 10K0528

YOUR Information Company: LANGRISH Address: 300 W 31st ST 8th FL NY NY 10001 Phone No: 212 479 2800 Contact Person: Stuart Knapp E-Mail Address: SKnapp@langr.com		Report To: Company: SAME Address: Phone No: Attention: E-Mail Address:		Invoice To: Company: SAME Address: Phone No: Attention: E-Mail Address:		YOUR Project ID 170121501 Purchase Order No.		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard (5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <input checked="" type="checkbox"/> EDD (Specify Type) E2 Excel <input checked="" type="checkbox"/>					
Matrix Codes S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor		Volatiles 8260 Fat TICs Site Spec. Nassau Co. STARS list Suffolk Co. MTBE Ketones Oxygenates TCLP list TAGM list CT RCP list Arom. only Halog. only App. IX list 8021B list		Semi-Vols. / Pesticides 8270-635 STARS list BN Only Acids Only PAH list TAGM list CT RCP list TCLP list Arom. only Halog. only App. IX list 8021B list		Metals RCRA8 PP13 list TAL CT15 list TAGM list NUDEP list Total Dissolved SPL Per TCLP Lead, Metals LIST Below		Misc. Org. TPH GRO TPH DRO CT ETPH NY 310-13 TPH 1664 Air TO14A Air TO15 Air STARS Air VPH Air TICs Methane Helium		Common Miscellaneous Parameters Corrosivity Reactivity Ignitability Flash Point Sieve Anal. Heterotrophs TOX BTU/lb. Aquatic Tox. TOC Asbestos Silica		Full Lists Pri. Poll. TCL Organics TAL MetCN Full TCLP Full App. IX Part 360/361 Part 360/362 Part 360/363 NYSDJ Sewer NYSDJ Sewer TAGM		Special INSTRUCTIONS Color Phenols Cyanide-T Cyanide-A BOD5 CBOD5 BOD28 COD TSS Total Solids TDS TPH-1664 Container Description(s)	
Sample Identification SB-7-0-4 SB-7-14-15 SB-6-5-7 SB-6-18-26 SB-5-10-13 SB-5-17-18		Date Sampled 11/13/10		Sample Matrix S		Choose Analyses Needed from the Menu Above and Enter Below 8260 8270 8082 TAL		1202 1802		Container Description(s)					
Comments		Preservation Check those Applicable		4°C <input checked="" type="checkbox"/> Frozen MeOH Ascorbic Acid		HNO ₃ Other		H ₂ SO ₄ NaOH		Temperature on Receipt 5.0 °C					
Samples Relinquished By: [Signature] Date/Time: 11/15/10 9:55 AM		Samples Relinquished By: [Signature] Date/Time: 11/15/10 16:40		Samples Relinquished By: [Signature] Date/Time: 11/15/10 16:40		Samples Relinquished By: [Signature] Date/Time: 11/15/10 16:40		Samples Relinquished By: [Signature] Date/Time: 11/15/10 16:40		Samples Relinquished By: [Signature] Date/Time: 11/15/10 16:40					

Technical Report

prepared for:

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Report Date: 11/18/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0443

Report Date: 11/18/2010
Client Project ID: 170121501
York Project (SDG) No.: 10K0443

Langan Engineering & Environmental Services
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Stuart Knoop

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 11, 2010 and listed below. The project was identified as your project: **170121501**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
10K0443-01	TMW-7_11/09/2010	Water	11/09/2010	11/11/2010
10K0443-02	TMW-5_11/09/2010	Water	11/09/2010	11/11/2010
10K0443-03	Trip Blank_11/09/2010	Water	11/09/2010	11/11/2010

General Notes for York Project (SDG) No.: 10K0443

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 11/18/2010

YORK

Sample Information

Client Sample ID: TMW-7_11/09/2010

York Sample ID: 10K0443-01

<u>York Project (SDG) No.</u> 10K0443	<u>Client Project ID</u> 170121501	<u>Matrix</u> Water	<u>Collection Date/Time</u> November 9, 2010 3:00 pm	<u>Date Received</u> 11/11/2010
--	---------------------------------------	------------------------	---	------------------------------------

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
67-64-1	Acetone	5.5	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
67-66-3	Chloroform	1.5	J	ug/L	0.36	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-09-2	Methylene chloride	7.4	J, B	ug/L	1.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS

Sample Information

Client Sample ID: TMW-7_11/09/2010

York Sample ID: 10K0443-01

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
127-18-4	Tetrachloroethylene	1.2	J	ug/L	0.52	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:17	SS

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD

Sample Information

Client Sample ID: TMW-7_11/09/2010

York Sample ID: 10K0443-01

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD

Sample Information

Client Sample ID: TMW-7_11/09/2010

York Sample ID: 10K0443-01

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 17:30	TD

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:15	JW

Sample Information

Client Sample ID: TMW-7_11/09/2010

York Sample ID: 10K0443-01

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	ND		mg/L	0.007	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-39-3	Barium	0.163		mg/L	0.004	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-70-2	Calcium	96.7		mg/L	0.009	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7439-89-6	Iron	0.022		mg/L	0.006	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7439-92-1	Lead	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7439-95-4	Magnesium	14.8		mg/L	0.008	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7439-96-5	Manganese	0.054		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-02-0	Nickel	ND		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-09-7	Potassium	6.73		mg/L	0.026	0.050	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-23-5	Sodium	47.8		mg/L	0.066	0.100	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 17:46	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.0000390	0.000200	1	EPA SW846-7470	11/17/2010 12:40	11/17/2010 12:40	AA

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
67-64-1	Acetone	6.0	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
67-66-3	Chloroform	1.7	J	ug/L	0.36	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-09-2	Methylene chloride	6.6	J, B	ug/L	1.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
127-18-4	Tetrachloroethylene	7.7		ug/L	0.52	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
79-01-6	Trichloroethylene	0.95	J	ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 15:51	SS

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	1.35	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	1.68	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
120-83-2	2,4-Dichlorophenol	ND		ug/L	3.17	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
105-67-9	2,4-Dimethylphenol	ND		ug/L	3.78	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
51-28-5	2,4-Dinitrophenol	ND		ug/L	9.85	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
606-20-2	2,6-Dinitrotoluene	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
91-58-7	2-Chloronaphthalene	ND		ug/L	3.58	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
95-57-8	2-Chlorophenol	ND		ug/L	3.50	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
91-57-6	2-Methylnaphthalene	ND		ug/L	3.15	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
95-48-7	2-Methylphenol	ND		ug/L	0.879	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
88-74-4	2-Nitroaniline	ND		ug/L	3.08	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
88-75-5	2-Nitrophenol	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
91-94-1	3,3'-Dichlorobenzidine	ND		ug/L	3.60	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
99-09-2	3-Nitroaniline	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
534-52-1	4,6-Dinitro-2-methylphenol	ND		ug/L	6.87	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
106-47-8	4-Chloroaniline	ND		ug/L	3.84	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	3.20	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
100-01-6	4-Methylphenol	ND		ug/L	3.81	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
100-02-7	4-Nitroaniline	ND		ug/L	3.87	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
56-57-5	4-Nitrophenol	ND		ug/L	4.04	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
83-32-9	Acenaphthene	ND		ug/L	3.32	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
208-96-8	Acenaphthylene	ND		ug/L	4.38	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
120-12-7	Anthracene	ND		ug/L	3.75	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
56-55-3	Benzo(a)anthracene	ND		ug/L	4.17	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
50-32-8	Benzo(a)pyrene	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
205-99-2	Benzo(b)fluoranthene	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
207-08-9	Benzo(k)fluoranthene	ND		ug/L	3.54	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
65-85-0	Benzoic acid	ND		ug/L	8.92	10.3	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
100-51-6	Benzyl alcohol	ND		ug/L	4.10	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
85-68-7	Benzyl butyl phthalate	ND		ug/L	2.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
218-01-9	Chrysene	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	3.18	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
132-64-9	Dibenzofuran	ND		ug/L	2.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
84-66-2	Diethyl phthalate	ND		ug/L	2.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
131-11-3	Dimethyl phthalate	ND		ug/L	4.97	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
84-74-2	Di-n-butyl phthalate	ND		ug/L	4.23	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
117-84-0	Di-n-octyl phthalate	ND		ug/L	4.26	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
206-44-0	Fluoranthene	ND		ug/L	1.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
86-73-7	Fluorene	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
118-74-1	Hexachlorobenzene	ND		ug/L	3.03	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
87-68-3	Hexachlorobutadiene	ND		ug/L	3.39	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
77-47-4	Hexachlorocyclopentadiene	ND		ug/L	3.53	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
67-72-1	Hexachloroethane	ND		ug/L	3.72	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/L	2.82	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

<u>York Project (SDG) No.</u> 10K0443	<u>Client Project ID</u> 170121501	<u>Matrix</u> Water	<u>Collection Date/Time</u> November 9, 2010 3:00 pm	<u>Date Received</u> 11/11/2010
--	---------------------------------------	------------------------	---	------------------------------------

Semi-Volatiles, EPA TCL List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-59-1	Isophorone	ND		ug/L	3.31	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
91-20-3	Naphthalene	ND		ug/L	3.96	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
98-95-3	Nitrobenzene	ND		ug/L	2.02	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.64	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	3.71	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
87-86-5	Pentachlorophenol	ND		ug/L	3.86	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
85-01-8	Phenanthrene	ND		ug/L	3.70	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
108-95-2	Phenol	ND		ug/L	3.36	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD
129-00-0	Pyrene	ND		ug/L	2.43	5.13	1	EPA SW846-8270C	11/12/2010 10:33	11/18/2010 18:02	TD

Polychlorinated Biphenyls (PCB)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-3510C Low Level

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
12674-11-2	Aroclor 1016	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
11104-28-2	Aroclor 1221	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
11141-16-5	Aroclor 1232	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
53469-21-9	Aroclor 1242	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
12672-29-6	Aroclor 1248	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
11097-69-1	Aroclor 1254	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
11096-82-5	Aroclor 1260	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
37324-23-5	Aroclor 1262	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
11100-14-4	Aroclor 1268	ND		ug/L	0.0433	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW
	Total PCBs	ND		ug/L	0.0372	0.0513	1	EPA SW 846-8082	11/16/2010 12:52	11/18/2010 17:54	JW

Sample Information

Client Sample ID: TMW-5_11/09/2010

York Sample ID: 10K0443-02

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW 846-3010A

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	Aluminum	ND		mg/L	0.007	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-36-0	Antimony	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-38-2	Arsenic	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-39-3	Barium	0.112		mg/L	0.004	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-41-7	Beryllium	ND		mg/L	0.0009	0.001	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-43-9	Cadmium	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-70-2	Calcium	128		mg/L	0.009	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-47-3	Chromium	ND		mg/L	0.0009	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-48-4	Cobalt	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-50-8	Copper	ND		mg/L	0.002	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7439-89-6	Iron	ND		mg/L	0.006	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7439-92-1	Lead	ND		mg/L	0.001	0.003	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7439-95-4	Magnesium	38.1		mg/L	0.008	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7439-96-5	Manganese	0.316		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-02-0	Nickel	0.010		mg/L	0.0008	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-09-7	Potassium	9.80		mg/L	0.026	0.050	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7782-49-2	Selenium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-22-4	Silver	ND		mg/L	0.001	0.005	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-23-5	Sodium	100		mg/L	0.066	0.100	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-28-0	Thallium	ND		mg/L	0.002	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-62-2	Vanadium	ND		mg/L	0.001	0.010	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW
7440-66-6	Zinc	ND		mg/L	0.0009	0.020	1	EPA SW846-6010B	11/15/2010 15:30	11/15/2010 18:03	MW

Mercury by 7470/7471

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA SW846-7470

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/L	0.0000390	0.000200	1	EPA SW846-7470	11/17/2010 12:40	11/17/2010 12:40	AA

Sample Information

Client Sample ID: Trip Blank_11/09/2010

York Sample ID: 10K0443-03

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----	----	----------	------------------	--------------------	--------------------	---------

Sample Information

Client Sample ID: Trip Blank_11/09/2010

York Sample ID: 10K0443-03

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.95	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.60	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.61	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.69	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	1.3	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.48	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	1.3	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.22	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
78-93-3	2-Butanone	ND		ug/L	2.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
591-78-6	2-Hexanone	ND		ug/L	0.87	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
67-64-1	Acetone	3.9	J, B	ug/L	3.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
71-43-2	Benzene	ND		ug/L	0.48	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.62	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-25-2	Bromoform	ND		ug/L	0.58	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
74-83-9	Bromomethane	ND		ug/L	1.2	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-15-0	Carbon disulfide	ND		ug/L	0.64	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
56-23-5	Carbon tetrachloride	ND		ug/L	1.0	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
108-90-7	Chlorobenzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-00-3	Chloroethane	ND		ug/L	0.76	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
67-66-3	Chloroform	ND		ug/L	0.36	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
74-87-3	Chloromethane	ND		ug/L	0.89	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.96	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.67	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.83	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.35	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.39	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
108-10-1	Methyl isobutyl ketone	ND		ug/L	5.6	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.38	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-09-2	Methylene chloride	6.8	J, B	ug/L	1.1	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
95-47-6	o-Xylene	ND		ug/L	0.50	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS

Sample Information

Client Sample ID: Trip Blank_11/09/2010

York Sample ID: 10K0443-03

York Project (SDG) No.
10K0443

Client Project ID
170121501

Matrix
Water

Collection Date/Time
November 9, 2010 3:00 pm

Date Received
11/11/2010

Volatile Organics, TCL (Target Compound List)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7P/M	p- & m- Xylenes	ND		ug/L	0.55	10	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
100-42-5	Styrene	ND		ug/L	0.43	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.52	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
108-88-3	Toluene	ND		ug/L	0.23	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.65	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.68	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
79-01-6	Trichloroethylene	ND		ug/L	0.57	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.91	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.97	5.0	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS
1330-20-7	Xylenes, Total	ND		ug/L	1.0	15	1	EPA SW846-8260B	11/16/2010 13:36	11/17/2010 16:24	SS

Notes and Definitions

J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.

ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action: Lab received (1) 40ml VOA vial labeled Trip Blank that is not on COC. Assumed sample date of 11/09/2010.
PG 11-15-10

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 10K0443

YOUR Information Company: <u>Lavegan Engineering</u> Address: <u>360 West 31st St</u> <u>8th Floor NY, NY 10001</u> Phone No. <u>(212) 479-5400</u> Contact Person: <u>Stuart Knopf</u> E-Mail Address: <u>SKnopf@lvegan.com</u>		Report To: Company: <u>SAMP</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		Invoice To: Company: <u>SAMP</u> Address: _____ Phone No. _____ Attention: _____ E-Mail Address: _____		YOUR Project ID <u>170121501</u> Purchase Order No. _____ Samples from: CT <input type="checkbox"/> NY <input checked="" type="checkbox"/> NJ <input type="checkbox"/>		Turn-Around Time RUSH - Same Day <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input type="checkbox"/> RUSH - Four Day <input type="checkbox"/> Standard (5-7 Days) <input checked="" type="checkbox"/>		Report Type/Deliverables Summary Report <input checked="" type="checkbox"/> Summary w/ QA Summary <input type="checkbox"/> CT RCP Package <input type="checkbox"/> NY ASP A Package <input type="checkbox"/> NY ASP B Package <input type="checkbox"/> Electronic Deliverables: <u>E2</u> EDD (Specify Type) _____ Excel <input checked="" type="checkbox"/>	
---	--	---	--	--	--	--	--	--	--	---	--

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Lawrence Mann
 Samples Collected/Authorized By (Signature)
Lawrence Mann
 Name (printed)

Matrix Codes	Volatiles	Semi-Vols.	Metals	Misc. Org.	Full Lists	Common Miscellaneous Parameters	Special Instructions
S - soil Other - specify (oil, etc.) WW - wastewater GW - groundwater DW - drinking water Air-A - ambient air Air-SV - soil vapor	6260 full 624 TICS Site Spec. STARS list BTEX Nassau Co. Suffolk Co. Ketones Oxygenates TCLP list TAGM list CT RCP list Arom. only Halog. only App. IX list 8021B list	6270 625 STARS list BN Only Acids Only PAH list TAGM list CT RCP list TCLP list NUDEP list App. IX TCLP BNA SPLP or TCLP 608 PCB	RCRA8 PPI3 list TAL CT15 list TAGM list NUDEP list Total Dissolved SPLP or TCLP Inhib. Metals LIST Below	TPH GRO TPH DRO CT ETPH NY 310-13 TPH 1664 Air TO14A Air TO15 Air STARS Air VPH Air TICS Methane Helium	Pri. Poll. TCL Organics TAL MeCN Full TCLP Full App. IX Part 360 Hours Part 360 Lead Part 360 Lead Part 360 Lead NYC DEP Sewer NYSDDEC Sewer TAGM Silica	Nitrate Nitrite TKN Tot Nitrogen Ammonia-N Chloride Phosphate COD Tot. Phos. Oil & Grease E.O.G. pH MBAS	Color Phenols Cyanide-T Cyanide-A BOD5 CBOD5 BOD28 COD TSS Total Solids TDS TPH 1664

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)	Temperature on Receipt
TMW-7	11/9/10	GW	8260 full, 8270, 8082 PCB, TAL	2-40 mL 1-250 mL 2-1000 mL	4.3 °C
TMW-5	11/9/10	GW	"same"	" "	
TMW-2	11/10/10	GW	"same"	" "	
Preservation Check those Applicable 4°C <input checked="" type="checkbox"/> Frozen <input type="checkbox"/> HCl <input type="checkbox"/> MeOH <input checked="" type="checkbox"/> HNO ₃ <input checked="" type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Ascorbic Acid <input type="checkbox"/> OMI <input type="checkbox"/>					
Samples Relinquished By <u>Lawrence Mann</u> Date/Time <u>11/11/10 9:00 AM</u> Samples Relinquished By <u>Grace</u> Date/Time <u>11/11/10 1440</u> Samples Relinquished By _____ Date/Time _____ Samples Relinquished By _____ Date/Time _____					
Comments					